

DOCUMENT RESUME

ED 327 663

CE 056 673

AUTHOR Feasley, Sue C., Ed.

TITLE Graphic Arts: Process Camera, Stripping, and Platemaking. Teacher Guide.

INSTITUTION Mid-America Vocational Curriculum Consortium, Stillwater, Okla.

REPORT NO 90-007460

PUB DATE 90

NOTE 285p.; For related documents, see CE 056 671-672.

AVAILABLE FROM Mid-America Vocational Curriculum Consortium, Inc., 1500 West Seventh Avenue, Stillwater, OK 74074 (order no. 802001: \$22.00).

PUB TYPE Guides - Classroom Use - Guides (For Teachers) (052)

EDRS PRICE MF01 Plus Postage. PC Not Available from EDRS.

DESCRIPTORS Behavioral Objectives; Competency Based Education; Course Descriptions; Curriculum Guides; *Graphic Arts; Learning Activities; *Photographic Equipment; *Photography; Postsecondary Education; Production Techniques; Secondary Education; Units of Study

ABSTRACT

This curriculum guide is the second in a three-volume series of instructional materials for competency-based graphic arts instruction. Each publication is designed to include the technical content and tasks necessary for a student to be employed in an entry-level graphic arts occupation. Introductory materials include an instructional/task analysis that correlates job training with related information for this course; a list of tools, equipment, and materials; and a list of 12 references. Each of the seven instructional units includes some or all of these basic components: performance objectives; suggested activities for teachers and students; information sheets; assignment sheets; job sheets; visual aids; tests; and answer keys. Units are planned for more than one lesson or class period. Unit topics include the process camera and other darkroom equipment; line photography; halftone photography; other darkroom techniques; overview of process color photography; stripping procedures; and platemaking procedures. (YLB)

 * Reproductions supplied by EDRS are the best that can be made *
 * from the original document. *


● GRAPHIC ARTS

PROCESS CAMERA

STRIPPING

PLATEMAKING

ED327663



U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

This document has been reproduced as received from the person or organization originating it.

Minor changes have been made to improve reproduction quality.

• Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

"PERMISSION TO REPRODUCE THIS MATERIAL IN MICROFICHE ONLY HAS BEEN GRANTED BY

R L Brannan

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)."

TEACHER GUIDE

MAVCC

ERIC
Full Text Provided by ERIC

90-007460

2

CATALOG No. 802001

056672



Graphic Arts

Process Camera, Stripping, and Platemaking

Revised by

John W. Koonce

Edited by
Sue Feasley

Developed by

The Mid-America Vocational Curriculum Consortium, Inc.

Board of Directors

Ann Masters, Nebraska, Chairman
Sylvia Clark, Texas, Vice-Chairman
Donna Brookhart, Colorado, Parliamentarian
Bruce Simpson, Arkansas
Janet Huss, Iowa
Carol Fagan, Kansas
David Poston, Louisiana
Harley Schlichting, Missouri
Ron Mehrer, North Dakota
Ann Benson, Oklahoma
Larry Nelson, South Dakota

Jim Steward, Executive Director

©1990 by the Mid-America Vocational Curriculum Consortium,
Inc.

All rights reserved. No part of this book may be reproduced
in any form or by any means without written permission
from the publisher.

Printed in the United States of America by the Oklahoma
Department of Vocational-Technical Education, Stillwater, OK
74074

Mid-America Vocational Curriculum Consortium, Inc.
1500 West Seventh
Stillwater, Oklahoma 74074-4364

Graphic Arts

Process Camera, Stripping, and Platemaking

Table of Contents

Unit I:	The Process Camera and Darkroom Equipment	1
Unit II:	Line Photography	47
Unit III:	Halftone Photography	81
Unit IV:	Other Darkroom Techniques	127
Unit V:	Overview of Process Color Photography	177
Unit VI:	Stripping Procedures	207
Unit VII:	Platemaking Procedures	269

Foreword

The Mid-America Vocational Curriculum Consortium (MAVCC) was organized for the purpose of developing competency-based instructional materials. All member states participate in establishing annual development priorities, and the need for curriculum in graphic arts truly reflects regional needs.

Graphic Arts. Process Camera, Stripping, and Platemaking is the second in the three volume series. Each publication is designed to include the technical content and tasks necessary for a student to be employed in an entry-level graphic arts occupation. Additional instructional materials have been developed for *Graphic Arts: Orientation, Composition and Paste-Up* and *Graphic Arts: The Press and Finishing Processes*.

This publication is a revision of *Graphic Arts II*. The revision is in response to the need to update the material.

The success of this publication is due to: (1) teacher response that has helped place the MAVCC format in the forefront in competency-based instructional materials and (2) the capabilities of the people who worked on its development. The technical writers, committee representatives, and curriculum specialists brought with them technical expertise and experience related to the classroom and to the trade.

As with any MAVCC publication, the teacher must take the instructional materials and (1) localize to fit community and industry needs, (2) personalize to meet each student's learning style and needs, and (3) supplement to meet individual teaching styles, to incorporate new innovations, and to expand the instructional materials. Every effort has been made to make *Graphic Arts. Process Camera, Stripping, and Platemaking* basic, readable, and by all means usable. If there is anything we can do to help make this publication become more useful to you, please let us know.

Ann Masters, Chairman
Board of Directors
Mid-America Vocational
Curriculum Consortium

Jim Steward
Executive Director
Mid-America Vocational
Curriculum Consortium

Acknowledgements

Appreciation is extended to those individuals who contributed their time and talent to the development of *Graphic Arts: Process Camera, Stripping, and Platemaking*.

The contents of this publication were planned and reviewed by the following members of the Mid-America Vocational Curriculum Consortium graphic arts revision committee:

Vanessa Book	Executive Printing Kansas City, Missouri
Harold Case	Frontier Printers Stillwater, Oklahoma
Tommy Dunagan	Impression by Dunagan Natchitoches, Louisiana
Roger Feickert	Mid States Printing Aberdene, South Dakota
Elroy Frank	University of Nebraska - Lincoln Lincoln, Nebraska
Larry Hamlin	East Texas State University Commerce, Texas
Joë Seifert	Richtman Printing Fargo, North Dakota
Gary Warren	Maynard Printing Des Moines, Iowa

Special recognition is given to the authors of MAVCC's *Graphic Arts: Book Two* upon which this revision is based. Their names are Karim Farajollahi, Gary Ogle, William Reed, and Kenneth Woodcock.

Thanks are also extended to Noel Wilcoxson and to Duane Foster for their assistance and support in revising the graphic arts instructional materials.

Special appreciation is extended to employees of the Graphics Division of the Oklahoma Department of Vocational-Technical Education for artwork, paste-up, phototypesetting and printing of this text.

Thanks are also extended to the various companies who provided reference materials and artwork for the graphic arts series.

Final thank yous go to Sue Feasley for her assistance with the editing and development of this publication and to Jane Huston for her assistance in coordinating this project.

Use of this Publication

Instructional Units

Graphic Arts: Process Camera, Stripping, and Platemaking contains seven units of instruction. Each instructional unit includes some or all of the basic components of a unit of instruction, performance objectives, suggested activities for teachers and students, information sheets, assignment sheets, job sheets, visual aids, tests, and answers to the tests. Units are planned for more than one lesson or class period of instruction.

Careful study of each instructional unit by the teacher will help to determine:

- A. The amount of material that can be covered in each class period.
- B. The skills which must be demonstrated
 - 1. Supplies needed
 - 2. Equipment needed
 - 3. Amount of practice needed
 - 4. Amount of class time needed for demonstrations
- C. Supplementary materials such as pamphlets or videotapes that must be ordered
- D. Resource people who must be contacted

Objectives

Each unit of instruction is based on performance objectives. These objectives state the goals of the course, thus providing a sense of direction and accomplishment for the student.

Performance objectives are stated in two forms. unit objectives, stating the subject matter to be covered in a unit of instruction, and specific objectives, stating the student performance necessary to reach the unit objective.

Since the objectives of the unit provide direction for the teaching-learning process, it is important for the teacher and students to have a common understanding of the intent of the objectives. A limited number of performance terms have been used in the objectives for this curriculum to assist in promoting the effectiveness of the communication among all individuals using the materials.

Reading of the objectives by the student should be followed by a class discussion to answer any questions concerning performance requirements for each instructional unit.

Teachers should feel free to add objectives which will fit the material to the needs of the students and community. When teachers add objectives, they should remember to supply the needed information, assignment and/or job sheets, and criterion tests.

Suggested Activities for the Instructor

Each unit of instruction has a suggested activities sheet outlining steps to follow in accomplishing specific objectives. Duties of instructors will vary according to the particular unit, however, for best use of the material they should include the following. provide students with objective sheet, information sheet, assignment sheets, and job sheets, preview videotapes, make transparencies, and arrange for resource materials and people, discuss unit and specific objectives and information sheet, give test. Teachers are encouraged to use any additional instructional activities and teaching methods to aid students in accomplishing the objectives.

Information Sheets

Information sheets provide content essential for meeting the cognitive (knowledge) objectives in the unit. The teacher will find that the information sheets serve as an excellent guide for presenting the background knowledge necessary to develop the skill specified in the unit objective.

Students should read the information sheets before the information is discussed in class. Students may take additional notes on the information sheets.

Transparency Masters

Transparency masters provide information in a special way. The students may see as well as hear the material being presented, thus reinforcing the learning process. Transparencies may present new information or they may reinforce information presented in the information sheets. They are particularly effective when identification is necessary.

Transparencies should be made and placed in the notebook where they will be immediately available for use. Transparencies direct the class's attention to the topic of discussion. They should be left on the screen only when topics shown are under discussion.

Assignment Sheets

Assignment sheets give direction to study and furnish practice for paper and pencil activities to develop the knowledge which is a necessary prerequisite to skill development. These may be given to the student for completion in class or used for homework assignments. Answer sheets are provided which may be used by the student and/or teacher for checking student progress.

Job Sheets

Job sheets are an important segment of each unit. The instructor should be able to demonstrate the skills outlined in the job sheets. Procedures outlined in the job sheets give direction to the skill being taught and allow both student and teacher to check student progress toward the accomplishment of the skill. Job sheets provide a ready outline for students to follow if they have missed a demonstration. Job sheets also furnish potential employers with a picture of the skills being taught and the performances which might reasonably be expected from a person who has had this training.

Practical Tests

Practical tests provide the instructor with an evaluation instrument for each of the job sheets.

Test and Evaluation

Paper-pencil and performance tests have been constructed to measure student achievement of each objective listed in the unit of instruction. Individual test items may be pulled out and used as a short test to determine student achievement of a particular objective. This kind of testing may be used as a daily quiz and will help the teacher spot difficulties being encountered by students in their efforts to accomplish the unit objective. Test items for objectives added by the teacher should be constructed and added to the test.

Test Answers

Test answers are provided for each unit. These may be used by the teacher and/or student for checking student achievement of the objectives.

Graphic Arts
Process Camera, Stripping, and Platemaking

Instructional / Task Analysis

RELATED INFORMATION: What
the Worker Should Know
(Cognitive)

JOB TRAINING: What the
Worker Should Be Able to Do
(Psychomotor)

Unit I: The Process Camera and Darkroom Equipment

1. Definition of a process camera
2. Types of process cameras
3. Parts of a process camera
4. Functions of parts of a process camera
5. Type of camera copy
6. Darkroom equipment/supplies
7. Types of camera film
8. Darkroom cleanliness
9. Darkroom safety
10. Interpret Hazardous Materials Identification System (HMIS) labels
11. Collect types of copy
12. Complete a darkroom safety worksheet
13. Prepare a darkroom for tray processing, and expose and develop a line negative

Unit II: Line Photography

1. Terms and definitions
2. Principles of line photography
3. Types of base material
4. Types of emulsion

**RELATED INFORMATION: What
the Worker Should Know
(Cognitive)**

**JOB TRAINING: What the
Worker Should Be Able to Do
(Psychomotor)**

5. Degrees of density
6. Exposure rule for recording density
7. Parts of a typical lens assembly
8. Characteristics of an aperture
9. Functions of filters
10. Apply an exposure rule for different steps on the gray scale
11. Set up a process camera and determine exposures

Unit III: Halftone Photography

1. Terms and definitions
2. Type of contact screens
3. Care of contact screens
4. Halftone dot percentages
5. Procedures for avoiding moires in rescreening
6. Identify halftone dot percentages
7. Program a Q15 Exposure Computer and make a halftone negative
8. Make a duotone
9. Make a fake duotone
10. Rescreen a halftone illustration

Unit IV: Other Darkroom Techniques

1. Terms and definitions
2. Care of a diffusion transfer processor
3. Materials and equipment necessary to make a diffusion transfer print

**RELATED INFORMATION: What
the Worker Should Know
(Cognitive)**

**JOB TRAINING: What the
Worker Should Be Able to Do
(Psychomotor)**

4. Determine basic exposure and make a diffusion transfer line print
5. Program a Q15 Exposure Computer and make a diffusion transfer halftone print
6. Make a two tone posterization using diffusion transfer material
7. Make a three-tone posterization using special effects screen and diffusion transfer material
8. Make a three-color posterization using graphic arts film
9. Make a duplicate negative and a film positive using graphic arts film
10. Make a spread and a choke using graphic arts film
11. Make a combination print with reversed type overprinted in a second color

Unit V: Overview of Process Color Photography

1. Terms and definitions
2. Additive and subtractive primary colors
3. Functions of printing inks
4. Color separation
5. Methods for making color corrections
6. Make a set of unmasked direction screen four-color separation negatives
7. Make an acetate overlay proof

Unit VI: Stripping Procedures

1. Terms and definitions
2. Stripping tools and materials

**RELATED INFORMATION: What
the Worker Should Know
(Cognitive)**

3. Parts on a layout of a typical flat
4. Emulsion side and base side of a negative
5. Methods of combining line and halftone work
6. Types of combination printing
7. Stripping register marks and pins

**JOB TRAINING: What the
Worker Should Be Able to Do
(Psychomotor)**

8. Layout and strip an unruled flat
9. Strip a ruled flat
10. Strip for step-and-repeat
11. Combine line and halftone work
12. Strip for combination print (double burn)
13. Strip complementary flats for multi-color printing
14. Lay out signature flats for multi-page or book printing
15. Strip a two-color job using pin register and masking film
16. Expose a blue-line proof

Unit VII: Platemaking Procedures

1. Terms and definitions
2. Types of plate ends
3. Types of offset plates
4. Plate exposing devices
5. Types of presensitized plates
6. Gumming of plates
7. Handling and storing plates
8. Do's and don'ts for properly handling plates and chemicals

RELATED INFORMATION: What
the Worker Should Know
(Cognitive)

JOB TRAINING: What the
Worker Should Be Able to Do
(Psychomotor)

9. Expose and develop a subtractive plate
10. Determine plate exposure using a step-off test
11. Expose a step-and-repeat plate
12. Expose a plate when using a screen tint
13. Make plates for a two-color job
14. Expose a photo-direct plate

Graphic Arts
Process Camera, Stripping, and Platemaking

Tools, Materials, and Equipment List

Absorbent paper	Litho film
Acetate overlays	Litho tape
Activator	
Amber or ruby peel coat	Magnifier, 10-power
	Masking tape
Black fine or medium point pen	
Black photographic tape	Negatives
Blue-line proofing material	
Cheese cloth	Panchromatic film
Color key	Paper pad
Contact frame/vacuum printer	Paper towels
Contact screens	Paste-up equipment
Continuous tone copy	Photo-direct platemaker
Cotton pads	Plate exposure device
	Plate processing chemicals
Darkroom equipment	Preangled chipboard
Darkroom timer	Presensitized subtractive plate
Developer	Process camera
Diffusion transfer activator	Protractor
Diffusion transfer gray contact screen	
Diffusion transfer negative paper	Register marks
Diffusion transfer processor	Register punch and pins
Diffusion transfer receiver paper	Ruled masking sheet
Duplicating film	Ruler
Filters	Scissors
Filter holder	Sink
Fixer solution	Spacer material
Flash lamp, 7½-watt bulb	Sponge or pad applicator
Flats	Squeegee
	Stop bath
Glass cleaner and wipes	Storage containers
Graduate	Stripping equipment
Graphic arts film	Stripping knife
Gray scale	
	Tape dispenser
Halftone film	Templates
	Thermometer
Illustration board	Transparent tape
	Trays
Kodak Color Separation Guide	Triangle
Kodak Direct Screen Calculator, Q-10B	T-square
Kodak Q15 Exposure Computer	
Kodak 24-Step Reflection Density Guide, Q-16	Unruled masking sheet
	Vacuum exposing unit
Light table	
Line gauge	White card stock

Graphic Arts

Process Camera, Stripping, and Platemaking

References

Bentley, R.G.; J.C. Olson; C.E. Strandberg; and R.E. Wiper. *Graphic Communications Series: Transparency Originals*. Chicago, IL: A.B. Dick Company.

Blair, Ray and Thomas M. DeStree. *The Lithographers Manual*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1988.

Cogoli, John E. *Photo-Offset Fundamentals*. Bloomington, IL. McKnight Publishing Company, 1986.

Cozart, Jerome X. *Basic Film Contacting*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1980.

Cozart, Jerome X. *Contacting (Spreads & Chokes)*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1980.

Eastman Kodak. *Basic Color for the Graphic Arts*. Rochester, NY: Eastman Kodak, 1986.

Eastman Kodak. *Direct Screen Calculator Q-10B*. Rochester, NY: Eastman Kodak Co., 1975.

Graphic Arts Technical Foundation. *Color and its Reproduction*. Pittsburgh, PA. Graphic Arts Technical Foundation, 1988.

Knittel, Patricia A. *Creating Special Effects with Posterization*. Pittsburgh, PA. Graphic Arts Technical Foundation, 1980.

Koonce, John W. *Graphic Arts Photography. An Individualized Approach*. Emporia, KS: Emporia State University Press.

Schneider, Robert J. *Diffusion Transfer*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1988.

3-M Imaging Systems Group. *Press Operator's Guide*. St. Paul, MN: 3-M Printing and Publishing Systems, 1989.

(NOTE. This publication contains platemaking information formerly found in the 3-M *Platemaker's Guide* which is not longer in print.)

THE PROCESS CAMERA AND DARKROOM EQUIPMENT UNIT I

UNIT OBJECTIVE

After completion of this unit, the student should be able to set up a graphic arts darkroom, use a process camera to expose graphic arts film, and process a line negative. Competencies will be demonstrated by completing the assignment sheets, job sheet, and the unit tests with a minimum score of 85 percent.

SPECIFIC OBJECTIVES

After completion of this unit, the student should be able to:

1. Define a process camera.
2. Identify types of process cameras.
3. Identify the parts of process cameras.
4. Match the parts of a process camera with their functions.
5. Match types of camera copy with their descriptions.
6. Match darkroom equipment/supplies with their uses.
7. Match types of camera film with their physical characteristics.
8. Select true statements concerning darkroom cleanliness.
9. Select true statements concerning darkroom safety.
10. Interpret Hazardous Materials Identification System (HMIS) labels.
11. Collect types of copy. (Assignment Sheet #1)
12. Complete a darkroom safety worksheet. (Assignment Sheet #2)
13. Demonstrate the ability to prepare a darkroom for tray processing, and expose and develop a line negative. (Job Sheet #1)

THE PROCESS CAMERA AND DARKROOM EQUIPMENT UNIT I

SUGGESTED ACTIVITIES

- A. Obtain additional materials and/or invite resource people to class to supplement/reinforce information provided in this unit of instruction.

(NOTE: This activity should be completed prior to the teaching of this unit.)

- B. Make transparencies from the transparency masters included with this unit.
- C. Provide students with objective sheet.
- D. Discuss unit and specific objectives.
- E. Provide students with information and assignment sheets.
- F. Discuss information and assignment sheets.
- G. Provide students with job sheet.
- H. Discuss and demonstrate the procedures outlined in the job sheet.

(NOTE: Assignment Sheet #1 must be completed before starting Job Sheet #1. Students will use their copy collection to complete this activity.)

- I. Integrate the following activities throughout the teaching of this unit:
1. Discuss advantages and disadvantages of vertical and horizontal cameras.
 2. Show students different examples of types of camera copy and discuss how each type will reproduce if exposed as a line negative.

(NOTE: Students will collect examples of types of camera copy in Assignment Sheet #1.)
 3. Discuss usage of different types of graphic arts camera film.
 4. Give students a tour of the camera/darkroom area. Be sure to discuss appropriate chemical disposal procedures in accordance with local waste disposal guidelines.
 5. Review Material Safety Data Sheets (MSDS) for Hazardous Material Identification System (HMIS) information and, if desired, have students label darkroom chemicals with approved HMIS label.

(NOTE: MSDS sheets with HMIS labeling information are available through your local graphic arts supplier.)

SUGGESTED ACTIVITIES

6. Demonstrate process camera set-up and operation procedure. Include making exposure, film processing, and negative evaluation.
 7. Meet individually with students to evaluate their progress through this unit of instruction, and indicate to them possible areas for improvement.
- J. Give test.
- K. Evaluate test.
- L. Reteach if necessary.

REFERENCES USED IN WRITING THIS UNIT

- A. Bentley, R.G.; J.C. Olson; C.E. Strandberg; and R.E. Wiper. *Graphic Communications Series: Transparency Originals*. Chicago, IL: A.B. Dick Company.
- B. Blair, Ray and Thomas M. DeStree. *The Lithographers Manual*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1988.
- C. Cogoli, John E. *Photo-Offset Fundamentals*. Bloomington, IL. McKnight Publishing Company, 1986.

SUGGESTED SUPPLEMENTAL MATERIAL

Text — Cogoli, John E., *Graphic Arts Photography: Black and White*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1988.


Films

- A. No. 5070, "Introduction to the Process Camera", 35mm slides w/tape. Graphic Arts Technical Foundation, 4615 Forbes Avenue, Pittsburgh, PA 15213.
- B. No. 5071. "Line Copy for the Process Camera", 35mm slides w/tape. Available from GATF as indicated above.
- C. No. 15 "Understanding the OSHA Hazard Communication Standard", 35mm slides w/tape. Available from GATF as indicated above.


THE PROCESS CAMERA AND DARKROOM EQUIPMENT UNIT I

INFORMATION SHEET

- I. **Definition of a process camera** - - A large, sturdy camera used for photographing flat surfaces
- II. **Types of process cameras** — (Transparency 1)
 - A. **Vertical camera**



- B. **Horizontal camera**



INFORMATION SHEET

III. Parts of process cameras (Transparencies 2 and 3)

- | | |
|-----------------------|----------------------|
| A. Copyboard | H. Copyboard control |
| B. Camera lights | I. Vacuum pump |
| C. Lens board | J. Timer |
| D. Bellows | K. Shutter |
| E. Ground glass | L. Diaphragm |
| F. Film back | M. Lens |
| G. Lens board control | N. Tapes |

IV. Parts of a process camera and their functions

- A. Copyboard — A flat surface used to hold copy, equipped with a hinged glass cover to hold copy in place
 - B. Camera lights — Attached to the copyboard and used to illuminate copy
 - C. Lens board — Holds the lens, diaphragm, and shutter
 - D. Bellows — A light-tight, accordion-like chamber between the front case and camera back
 - E. Ground glass — A piece of ground or frosted glass that is positioned on the back of the camera to aid in focusing
 - F. Film back — A hinged gate that holds the film in place, usually by means of a vacuum
 - G. Lens board control — A crank which changes the position of the lens board for a correct size and properly focused image
 - H. Copyboard control — A crank which changes the position of the copyboard for a correct size and properly focused image
 - I. Vacuum pump — A vacuum device with the hose attached to camera back
 - J. Timer — A timing device that is linked to the shutter
 - K. Shutter — A device that controls the duration of light striking the film
 - L. Diaphragm — A device that controls the quantity of light striking the film
- (NOTE: A diaphragm is also referred to as an aperture.)

INFORMATION SHEET

- M. Lens — One or more pieces of optical glass designed to collect and focus rays of light to form a sharp image on film

(NOTE: Some cameras may have filter holders which are attached to the lens mount and hold the filter in place; others may be incorporated into the lens shade.)

- N. Tapes — Two narrow strips of thin, flexible steel or plastic marked off in percentage units

(NOTE: One tape is attached to front case and the other to the copyboard to show the exact ratio of enlargement or reduction of the copy.)

V. Types of camera copy and their descriptions


- A. Line — Black and white copy consisting of a single shade of black usually on a white background
- B. Halftone — Black and white copy with intermediate shades of gray
- EXAMPLE: Black and white photograph
- C. Full color — Illustrative material where subject matter is represented in full color (original hue)

VI. Darkroom equipment/supplies and their uses

- A. Darkroom timer — Used to indicate elapsed time during processing or to operate or control darkroom equipment
- B. Thermometer — A device used to measure the temperature of liquids
- C. Graduate — A container used for mixing and measuring chemicals
- D. Safelight — An enclosed darkroom lamp fitted with a filter to screen out light rays to which film and paper are sensitive
- E. Camera (graphic arts) film — A photosensitive material consisting of a light sensitive emulsion, clear base material, and an antihalation coating
- EXAMPLES: Lith and rapid access
- F. Paper — A sensitized material with opaque base used for reproduction processes
- G. Developer — A solution used to turn the latent image into a visible image on exposed films or photographic paper
- H. Stop bath — A weak solution of acetic acid, used in processing black and white film or paper; it stops development, prevents stains on paper, and makes the fixer last longer

INFORMATION SHEET


- I. Fixer — A solution that removes any light-sensitive material not acted upon by light or developer, leaving a black and white negative or print that can no longer be affected by action of light
- J. Temperature control sink — A source of running water with a built-in unit that cools or heats the water to desired temperature
- K. Viewing table — A water-tight light table equipped with ortho safe and white light; may be used for film inspection during processing with ortho, or after processing with white light



- L. Film cutter — A device used to cut or trim large sheets of film or paper to desired size

(CAUTION: Keep fingers away from cutting edges.)

- M. Contact printing frame — Used to make same size reproduction from a negative or any other transparent or translucent material



INFORMATION SHEET

- N. Film dryer — An instrument that supplies heat and air to speed drying time on films and papers
 - O. Light trap — Method of providing entrance and exit from a darkroom without allowing light to enter the darkroom; the most common type is the revolving door
 - P. Diffusion transfer processor — A device that contains an activator and is used primarily for processing diffusion transfer materials
 - Q. Tray processing — Hand method of processing film using 3 trays and a running water bath; the trays contain developer, stop bath, and fixer
 - R. Automatic film processing — Mechanical device for processing film automatically using developer, fixer, wash, and dryer
- VII. Types of camera (graphic arts) film and their physical characteristics (Transparency 4)
- A. Lith — Basic camera film which provides high contrast negatives; it has a very narrow exposure latitude and requires precise control in development; requires a two part developer identified as part A and part B.
 - B. Rapid access — A continuous tone film used in camera work; has a high degree of latitude in processing and is the fastest system used for producing negatives; requires a one part developer.

VIII. Darkroom cleanliness

(NOTE: Dirt and dust in a darkroom can lower the quality of the developing and printing work done there. It is important to keep the darkroom clean.)

- A. Keep as much equipment as possible off the floor where dust is likely to collect.
 - B. Mop the floor frequently.
 - C. If possible, install a ventilator with a dust filter, and replace or clean the filter often.
 - D. Keep all work surfaces clean.
 - E. Clean up spilled chemicals immediately.
- (NOTE: Dried chemicals are a source of dust.)
- F. Set up and follow a regular cleanup routine.

INFORMATION SHEET**IX. Darkroom safety**

(CAUTION: Working with chemicals and electrical equipment can be dangerous.)

- A. Always keep supplies and equipment labeled and stored in the same location, and become familiar with each location.
- B. Do not attempt to mix chemicals unless white room lights are on.
- C. When mixing chemicals always pour chemical into water.
- D. Wear suggested personal protective devices (apron, goggles and rubber gloves) when mixing film processing chemicals.
- E. Have an eyewash station nearby in the event a chemical gets splashed into the eye(s).
- F. Wash hands after coming into contact with film processing chemicals, and identify the source of irritant and obtain treatment if skin should become irritated.
- G. Allow eyes to adjust to the darkroom environment before beginning work.
- H. Clean up moisture on floors and working surfaces immediately to avoid slips and falls.
- I. Store darkroom chemicals in non-breakable containers on the lowest available shelf.
- J. Ground all electrical equipment.
- K. Never handle electrical equipment with wet hands or when standing on a wet floor.
- L. Darkroom equipment should always be turned off and unplugged before it is cleaned.

X. Hazardous Materials Identification System (HMIS) labels (Transparency 5)


- A. HMIS is a coding system used by the graphics industry to alert workers about potential health or physical hazards that may be created when using certain chemicals. Suggested personal protection devices are also part of the labeling system.

INFORMATION SHEET

- B. The HMIS common labeling system as used by many printing plants consists of identifying hazardous material by using numbers, colors, symbols, and/or letters. The HMIS labeling system specifically identifies four areas which include the following:

1. **HEALTH HAZARD:** Identified by the color **blue** and the letter **H**. The numbers 0-4 are used to indicate the severity of the health hazard as indicated below.

4H — severe hazard
 3H — serious hazard
 2H — moderate hazard
 1H — slight hazard
 0H — minimal hazard



2. **FLAMMABILITY HAZARD:** Indicated by the color **red** and letter **F**. Severity of hazard indicated below.

4F — extremely flammable
 3F — flammable
 2F — combustible
 1F — slightly combustible
 0F — will not burn



3. **REACTIVITY HAZARD:** Indicated by the color **yellow** and the letter **R**. Severity of hazard indicated below.

4R — may detonate or explode
 3R — shock or heat may detonate
 2R — violent chemical change
 1R — unstable if heated
 0R — stable



4. The fourth section of the HMIS label consists of a combination of alphabetic characters and/or illustrations to recommend personal protection equipment as indicated below.

HMIS Personal Protection Symbols



SA



SB




SC




SF

Types of Process Cameras




Horizontal Camera




Vertical Camera

Parts of a Process Camera




Horizontal Process Camera

Parts of a Process Camera (Continued)



Vertical Process Camera

Schematic Cross-Section of Graphic Arts Camera Film




(NOTE: Illustration above applies to both lith and rapid access types of camera film.)

Hazardous Material Identification Labeling System (HMIS)

The illustration below shows typical examples of labels used for graphic arts chemicals and solvents. In addition to identifying the level of concern for health, flammability and reactivity, please note all labels carry a symbol for personal protection recommended for personal safety when handling the particular product.

Some manufacturers use a simple black and white label as shown below. Other manufacturers choose to use a label with color coding.









0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe		Color Coding
H Health	0	Blue
F Flammability	1	Red
R Reactivity	0	Yellow
Personal Protection		

**THE PROCESS CAMERA AND DARKROOM EQUIPMENT
UNIT I****ASSIGNMENT SHEET #1 — COLLECT TYPES OF COPY**

Name _____ Score _____

In order to use the process camera according to industry standards, the student must be able to categorize the various types of copy available for reproduction.

Directions: In this activity, you are to collect different examples of copy and mount them on an 11 x 8 1/2 inch piece of paper in the arrangement shown below. Be sure to write the headings as indicated.

Line Copy	Halftone Copy	Full Color Copy
		
		
		
		

**THE PROCESS CAMERA AND DARKROOM EQUIPMENT
UNIT I**

ASSIGNMENT SHEET #2 — COMPLETE A DARKROOM SAFETY WORKSHEET

Name _____ Score _____

Directions. Given the situations below, complete each statement by giving the necessary information.

1. The primary objective of a shop safety program is to _____

2. The camera should be operated or darkroom chemicals mixed only after a demonstration has been given by the _____ and the student has the permission of the _____ to complete the task.
3. _____ should be worn by the student when mixing or working with chemicals used in the darkroom.
4. When storing chemicals it is desirable to _____

5. Darkroom equipment should always be _____ before it is cleaned.
6. If a camera operator's skin should become irritated by any of the film processing chemicals, the individual should _____

7. If some film processing chemical is spilled on the floor, the camera operator should _____

8. The correct way to mix film processing chemicals with water is to _____

9. When a camera operator is ready to plug in the film drier while holding a wet piece of film, he/she should first _____

10. In the event that some chemical gets splashed into the eye while mixing chemicals or performing other darkroom duties, an _____ should be available within the darkroom.

THE PROCESS CAMERA AND DARKROOM EQUIPMENT UNIT I

ANSWERS TO ASSIGNMENT SHEETS

Assignment Sheet #1 — When evaluating this assignment, please use the following criteria:

Line Copy — Four different examples including typeset copy, clip art, typewritten copy, and an illustration done in a light blue pen or pencil

Halftone Copy — Two different examples including a small black-and-white photograph and a piece of art using any other media that has a good representation of black-and-white tonal value

Full Color Copy — Two different examples including a small color photograph and a piece of art using any other media that has a good range of color

Assignment Sheet #2

1. Aid in the prevention of injury and know what to do in the event an injury occurs.
2. Instructor, instructor
3. Personal protection devices
4. Store chemicals in non-breakable containers on the lowest available shelf.
5. Turned off and unplugged
6. Identify the source of irritant, obtain treatment to relieve symptoms, and use appropriate protective device(s) to avoid reoccurrence.
7. Clean it up immediately to avoid slips or falls.
8. Pour chemical into the water.
9. Put the film down and make sure hands are dry.
10. Eyewash station

THE PROCESS CAMERA AND DARKROOM EQUIPMENT
UNIT I

JOB SHEET #1 — PREPARE A DARKROOM FOR TRAY PROCESSING,
AND EXPOSE AND DEVELOP A LINE NEGATIVE

A. Equipment

1. Trays (3)
2. Graduate
3. Thermometer
4. Storage containers (when necessary)

B. Supplies

1. Graphic arts film
2. Graphic arts developer
(NOTE: This may be either lith or rapid access. Ask your instructor to help you identify which type.)
3. Stop bath, 28% acetic acid or indicator stop bath
4. Fixer solution (appropriate for type of developer used)
5. Copy collection from Assignment Sheet #1


C. Procedure

(NOTE. Since the quantity of chemical is dependent on the tray size to be used, ask your instructor how much to mix.)

1. Prepare developer in 1st tray. (Figure 1)
(NOTE: Check manufacturer's recommendations.)
2. Prepare stop bath in 2nd tray. (Figure 1)
3. Prepare fixer solution in 3rd tray. (Figure 1)
4. Place thermometer in sink.
5. Fill water jacket in sink according to recommendation of instructor.
6. Set temperature control unit on sink for type of film being used — lith type 68°F, rapid access usually 75-85°F. (Figure 1)

JOB SHEET #1

FIGURE 1



Temperature Control Sink Showing Sequence of Chemicals and Wash Basin

(NOTE: If the sink is not equipped with a temperature control unit, cold or hot water may be added to adjust water temperature in the water jacket. During the summer months, normal water temperature may not get cool enough for processing lith film. Cold water from a drinking fountain or ice may be added to the water jacket to provide necessary chemical temperature for film processing.)

7. Place thermometer in developer tray to assure solution is at the proper temperature before processing film.
8. Turn on safelights, and turn off white lights.
9. Locate copy you prepared for Assignment Sheet #1.
10. Mount copy in copyboard and set up camera for a 100% reproduction.

(NOTE: Check with instructor for proper film, recommendations for exposure time, and processing time and procedure.)

11. Set exposure timer.
12. Mount film on vacuum back.
13. Make exposure.
14. Process film according to recommended procedure.

JOB SHEET #1

15. Evaluate negative for accurate reproduction of original copy.

(NOTE: Have the instructor help you evaluate reproduction requirements of original copy.)

16. Clean work area.

**THE PROCESS CAMERA AND DARKROOM EQUIPMENT
UNIT I**

**PRACTICAL TEST #1 — PREPARE A DARKROOM FOR TRAY PROCESSING,
AND EXPOSE AND DEVELOP A LINE NEGATIVE**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Prepared developer.	_____	_____
2. Prepared stop bath.	_____	_____
3. Prepared fixer solution.	_____	_____
4. Set up darkroom and wash basin.	_____	_____
5. Selected film.	_____	_____
6. Made exposure.	_____	_____
7. Processed film.	_____	_____
8. Cleaned the work area.	_____	_____
9. Practiced safety rules throughout procedure.	_____	_____
10. Provided satisfactory responses to questions asked.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #1

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____

Rating: _____

Darkroom prepared correctly for tray processing with chemicals placed in correct order.

Negative properly exposed and developed.

EVALUATOR'S COMMENTS: _____


**THE PROCESS CAMERA AND DARKROOM EQUIPMENT
UNIT I**

TEST


Name _____ Score _____

1. Define a process camera. _____

2. Identify the types of process cameras shown below by writing their names in the appropriate spaces.



a. _____



b. _____


TEST

3. Identify the parts of the process cameras on the following pages by completing the blanks with the words on the right.


(NOTE: Answers may be used more than once.)

- | | | |
|----|-------|--------------------|
| a. | _____ | |
| b. | _____ | Camera lights |
| c. | _____ | Copyboard |
| d. | _____ | Bellows |
| e. | _____ | Film back |
| f. | _____ | Lens board |
| g. | _____ | Ground glass |
| h. | _____ | Lens board control |
| i. | _____ | Copy board control |
| j. | _____ | Vacuum pump |
| k. | _____ | Diaphragm |
| l. | _____ | Lens |
| m. | _____ | Tapes |
| n. | _____ | Timer |
| o. | _____ | |
| p. | _____ | |
| q. | _____ | |
| r. | _____ | |
| s. | _____ | |

TEST



TEST



TEST

4. Match the parts of a process camera on the right with their correct functions.

- | | | |
|---------|---|-----------------------|
| _____a. | A hinged gate that holds the film in place, usually by means of a vacuum | 1. Copyboard |
| _____b. | Attached to the copyboard and used to illuminate copy | 2. Lens board |
| _____c. | A crank which changes the position of the lens board for a correct size and properly focused image | 3. Ground glass |
| _____d. | A flat surface used to hold copy, equipped with a hinged glass cover to hold copy in place | 4. Camera lights |
| _____e. | Holds the lens, diaphragm, and shutter | 5. Film back |
| _____f. | A light-tight, accordion-like chamber between the front case and camera back | 6. Bellows |
| _____g. | A piece of ground or frosted glass that is positioned on the back of the camera to aid in focusing | 7. Copyboard control |
| _____h. | A vacuum device, with the hose attached to the camera back | 8. Lens board control |
| _____i. | A crank which changes the position of the copyboard for a correct size and properly focused image | 9. Tapes |
| _____j. | A timing device that is linked to the shutter | 10. Diaphragm |
| _____k. | A device that controls the duration of light striking the film | 11. Shutter |
| _____l. | A device that controls the quantity of light striking the film | 12. Vacuum pump |
| _____m. | One or more pieces of optical glass designed to collect and focus rays of light to form a sharp image on film | 13. Timer |
| _____n. | Two narrow strips of thin, flexible steel or plastic marked off in percentage units | 14. Lens |

TEST

5. Match the three types of camera copy on the right with their correct descriptions.

- | | | |
|---------|--|---------------|
| _____a. | Black and white copy consisting of a single shade of black and white usually on a white background | 1. Line |
| _____b. | Illustrative material in original hues | 2. Halftone |
| _____c. | Black and white copy with intermediate shades of gray | 3. Full color |

6. Match darkroom equipment/supplies on the right with their uses.

(NOTE: Equipment/supplies and their uses continued on next page.)

- | | | |
|---------|--|-------------------|
| _____a. | A container used for mixing and measuring chemicals | 1. Darkroom timer |
| _____b. | A weak solution of acetic acid, used in processing black and white film or paper; it stops development, prevents stains on paper, and makes the fixer last longer | 2. Graduate |
| _____c. | Used to indicate elapsed time during processing or to operate or control darkroom equipment | 3. Thermometer |
| _____d. | A device used to measure the temperature of liquids | 4. Paper |
| _____e. | An enclosed darkroom lamp fitted with a filter to screen out light rays to which film and paper are sensitive | 5. Camera film |
| _____f. | A photosensitive material consisting of a light sensitive emulsion, clear base material, and an antihalation coating | 6. Developer |
| _____g. | A sensitized material with opaque base used for reproduction processes | 7. Stop bath |
| _____h. | A solution used to turn the latent image into a visible image on exposed films or photographic paper | 8. Fixer |
| _____i. | A solution that removes any light-sensitive material not acted upon by light or developer, leaving a black and white negative or print that can no longer be affected by action of light | 9. Safelight |

TEST

- | | | | |
|-------|--|-----|------------------------------|
| ___j. | A source of running water with a built-in unit that cools or heats the water to desired temperature | 10. | Film dryer |
| ___k. | Used to make same size reproduction from a negative or any other transparent or translucent material | 11. | Diffusion transfer processor |
| ___l. | An instrument that supplies heat and air to speed drying time on films and papers | 12. | Light trap |
| ___m. | Method of providing entrance and exit from a darkroom without allowing light to enter the darkroom; the most common type is the revolving door | 13. | Viewing table |
| ___n. | A device used to cut or trim large sheets of film or paper to desired size | 14. | Film cutter |
| ___o. | Mechanical device for automatic processing of film using a developer, fixer, wash and dryer | 15. | Temperature control sink |
| ___p. | A water-tight light table equipped with ortho safe and white light; may be used for film inspection during processing with ortho, or after processing with white light | 16. | Contact printing frame |
| ___q. | A device that contains an activator and is used primarily for processing diffusion transfer materials | 17. | Tray processing |
| ___r. | Hand method of processing film using 3 trays and a running water bath; the trays contain developer, stop bath, and fixer | 18. | Automatic film processing |

7. Match the types of camera (graphic arts) film on the right with their physical characteristics.

(NOTE: Some characteristics apply to both types of film.)


- | | | | |
|-------|--------------------------|----|--------------|
| ___a. | Base material | 1. | Rapid access |
| ___b. | Antihalation coating | 2. | Lith |
| ___c. | Emulsion | | |
| ___d. | Narrow exposure latitude | | |


TEST


- e. Precise control required for development
 - f. Fastest system for producing negatives
 - g. High degree of latitude in processing
 - h. Requires a single step developer
 - i. Requires two part developer
8. Select true statements concerning darkroom cleanliness by placing an "X" in the blanks preceding the true statements.
- a. Mop floors frequently.
 - b. Clean up spilled chemicals once a day.
 - c. Store equipment on the floor.
 - d. Keep all work surfaces clean.
9. Select true statements concerning darkroom safety by placing an "X" in the blanks preceding the true statements.
- a. Know storage locations so that chemicals can be mixed under darkroom safelight conditions.
 - b. When mixing chemicals always pour water into chemical.
 - c. A person should always wash their hands after coming into contact with darkroom chemicals.
 - d. Glass containers are preferable to plastic or steel for storing darkroom chemicals.
 - e. Clean up any moisture on the floor or working surfaces immediately.
 - f. Suggested personal protective devices for mixing chemicals would include goggles, rubber gloves, and an apron.
 - g. Never handle electrical equipment with wet hands or when standing on a wet floor.
 - h. Have an eyewash station conveniently located in the darkroom in the event chemicals accidentally get splashed into the eyes.


TEST

10. Interpret Hazardous Materials Identification System (HMIS) labels below by giving a brief interpretation for each label. Include the color designation for each label in your answers.

a.  _____

b.  _____

c.  _____

d.  _____

(NOTE. If the following activities have not been accomplished prior to the test, ask your instructor when they should be completed.)

11. Collect types of copy. (Assignment Sheet #1)
12. Complete a darkroom safety worksheet. (Assignment Sheet #2)
13. Demonstrate the ability to prepare a darkroom for tray processing, and expose and develop a line negative. (Job Sheet #1)

**THE PROCESS CAMERA AND DARKROOM EQUIPMENT
UNIT I**

ANSWERS TO TEST

1. A large, sturdy camera used for photographing flat surfaces

2. a. Horizontal
b. Vertical

3. a. Camera lights
b. Copyboard
c. Lens board
d. Bellows
e. Ground glass
f. Film back
g. Lens board control
h. Copyboard control
i. Vacuum pump
j. Lens
k. Diaphragm
l. Tapes
m. Lens board control
n. Ground glass
o. Copyboard control
p. Timer
q. Bellows
r. Lens board
s. Copyboard

4. a. 5 e. 2 i. 7 m. 14
b. 4 f. 6 j. 13 n. 9
c. 8 g. 3 k. 11
d. 1 h. 12 l. 10

5. a. 1
b. 3
c. 2

6. a. 2 f. 5 k. 16 p. 13
b. 7 g. 4 l. 10 q. 11
c. 1 h. 6 m. 12 r. 17
d. 3 i. 8 n. 14
e. 9 j. 15 o. 18

7. a. 1,2 f. 1
b. 1,2 g. 1
c. 1,2 h. 1
d. 2 i. 2
e. 2

8. a,d

9. c,e,f,g,h

ANSWERS TO TEST

10.
 - a. Chemical is a moderate health hazard; color designation is blue.
 - b. Chemical is stable; a reactivity hazard; color designation is yellow.
 - c. Chemical is extremely flammable; color designation is red
 - d. Violent chemical change may occur; color designation is yellow; respirator should be worn when working with chemical

11. & 12. Evaluated to the satisfaction of the instructor

13. Performance skills evaluated to the satisfaction of the instructor

LINE PHOTOGRAPHY UNIT II

UNIT OBJECTIVE

After completion of this unit, the student should be able to determine a basic exposure for a solid 4 on the gray scale and make necessary exposure adjustments to compensate for percentage of reproduction size and quality of copy. Competencies will be demonstrated by completing the assignment sheet, job sheet, and the unit tests with a minimum score of 85 percent.

SPECIFIC OBJECTIVES

After completion of this unit, the student should be able to:

1. Match terms related to line photography with their correct definitions.
2. Complete statements concerning principles of line photography (theory of photography).
3. Distinguish between types of base material.
4. Differentiate among types of emulsion.
5. Describe degrees of density.
6. State an exposure rule for recording density steps on a gray scale.
7. Identify parts of a typical lens assembly.
8. Select true statements concerning the characteristics of an aperture.
9. Select true statements concerning the functions of filters.
10. Apply an exposure rule for different steps on the gray scale. (Assignment Sheet #1)
11. Demonstrate the ability to set up a process camera and determine exposures. (Job Sheet #1)

LINE PHOTOGRAPHY UNIT II

SUGGESTED ACTIVITIES

- A. Obtain additional materials and/or invite resource people to class to supplement/reinforce information provided in this unit of instruction.

(NOTE: This activity should be completed prior to the teaching of this unit.)

- B. Make transparencies from the transparency masters included with this unit.
- C. Provide students with objective sheet.
- D. Discuss unit and specific objectives.
- E. Provide students with information and assignment sheets.
- F. Discuss information and assignment sheets.

(NOTE: Use the transparencies to enhance the information as needed.)

- G. Provide students with job sheet.
- H. Discuss and demonstrate the procedures outlined in the job sheet.
- I. Integrate the following activities throughout the teaching of this unit:
1. Provide students with problems to help them correctly identify various types of copy and how to determine appropriate exposure for each type.
 2. Provide students with problems dealing with enlargement and reduction.
 3. Have students review objective 12 in Unit I to prepare a darkroom for tray processing (if needed).
 4. Meet individually with students to evaluate their progress through this unit of instruction, and indicate to them possible areas for improvement.
- J. Give test.
- K. Evaluate test.
- L. Reteach if necessary.

SUGGESTED ACTIVITIES**REFERENCES USED IN WRITING THIS UNIT**

- A. Blair, Ray and Thomas M. DeStree. *The Lithographer's Manual*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1988.
- B. Cogoli, John E. *Photo-Offset Fundamentals*. Bloomington, IL. McKnight Publishing Co., 1986.
- C. Koonce, John W. *Graphic Arts Photography: An Individualized Approach*. Emporia, KS: Emporia State University Press.

SUGGESTED SUPPLEMENTAL MATERIAL

Text — Cogoli, John E. *Graphic Arts Photography: Black and White*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1988.

Slide presentation — *Process Camera Exposure Determination*. (5073)

Available from:

Education Council of the Graphic Arts Industry
Graphic Arts Technical Foundation
4615 Forbes Avenue
Pittsburgh, PA 15213-3796

**LINE PHOTOGRAPHY
UNIT II****INFORMATION SHEET****I. Terms and definitions**

- A. Line copy — Any image composed of solid dark areas against a white background
- B. Running water bath — Removes residual effects of film processing chemicals; makes the film more permanent
- C. Normal copy — Copy with a good dense black image and a white background
(NOTE: Normal copy is typically exposed so the negative will develop out to a solid 4 on the gray scale.)
- D. Unusual copy — Copy that fits either extreme; extra heavy, light or extra light
(NOTE. Typically these categories of copy require exposures for developing the negative to different steps on the gray scale.)
- E. Density — Lightness or darkness of a particular piece of copy
(NOTE. For graphic arts purposes, the density scale typically runs from 0 to 2.00; 0 being white and 2.00 being black.)
- F. Reflection gray scale — Commercially produced strip of photographic paper stepped (usually 12) in increasing density values of .15 for each step
- G. Photo factor — States that every exposure increase of .30 density requires a 2X exposure factor
- H. Densitometer — Instrument for reading photographic densities
- I. Resolving power — Ability of a lens or film emulsion to record fine detail
- J. Emulsion — Light-sensitive coating on photographic materials
- K. White light — Electromagnetic radiation having different wave lengths that produce different colors, such as red, green and blue
- L. Color copy — Copy where the background and/or image is in a color other than black
- M. Filter — Colored device made commonly of gelatin or glass; placed in front of the lens to reduce or eliminate light of certain colors and allow the light of other colors to pass through onto the film for exposure

INFORMATION SHEET

N. Filter factor — A number multiplied by the normal exposure to achieve the necessary exposure increase when using a filter

O. *f*/stop — The diameter of the lens opening

(NOTE: Changing the *f*/stop is one method of controlling the amount of light the film receives.)

II. Principles of line photography (theory of photography)



A. Light rays travel in a straight line as they are projected through the lens of a camera.

B. An image must be placed in the copyboard upside down in order to be viewed right reading from the ground glass.

C. When camera lights illuminate the copy in the copyboard, light copy areas reflect light and dark copy areas absorb light.

1. The reflected portion of the light passes through the lens and exposes the emulsion of the film creating a latent image.

2. The dark copy area does not record an exposure on the film, thus the clear image area shows up on the developed film.



Resulting
Negative

INFORMATION SHEET

III. Types of film base material

(NOTE: The film base constitutes 70-85% of the total film thickness.)

- A. Non-stable base — Inexpensive material such as plastic or acetate; suitable for most line work where precise image registration requirements are not necessary
- B. Dimensionally stable base — Very stable base material such as polyester; used for halftones and other critical work requiring precise image stability

IV. Types of emulsion

- A. Orthochromatic — Sensitive to colors of the visible spectrum with the exception of red
- B. Panchromatic — Sensitive to all colors of light in the visible spectrum
- C. Blue-sensitive — Sensitive primarily to blue portion of the spectrum

(NOTE: This type of film is used extensively for film contacting operations as opposed to camera procedures.)

V. Degrees of density


- A. Opaque — Blocks out all light
- B. Translucent — Blocks out only a portion of the light
- C. Transparent — Allows almost all light to pass through

(NOTE: A line negative should have a transparent image area and an opaque background or non-image area.)

VI. Exposure rule for recording density steps on a gray scale — Every change in density of .30 (2 steps on the gray scale) requires either twice or half as much exposure (depending on whether one is going up or down the scale).

(NOTE: See example on next page.)

INFORMATION SHEET



Developed Gray Scale

Courtesy Stouffer Graphic Arts Equipment Company.

VII. Parts of a typical lens assembly (Transparencies 1 and 2)

- A. Lens shade and filter holder
- B. *F*/stop adjustment lever
- C. Lens elements
- D. Aperture
- E. Shutter
- F. Electric solenoid


VIII. Characteristics of an aperture

- A. Located inside lens barrel


INFORMATION SHEET

- B. Made up of several metal blades that form a circular opening
- C. Controls quantity of light striking the film
- D. A change in f /stop will change the aperture size

Example: Changing the f /stop to the next higher number will reduce the light by exactly one-half. Changing the f /stop to the next lower number will double the amount of light. To simplify this concept think of the f /stop as a fraction; $1/22$ is a smaller fraction than $1/16$. Thus $f/16$ will allow twice the amount of light to pass through the lens.




Aperture: Front View



Relative Sizes of Aperture Openings

IX. Functions of filters

- A. Allow light of the same color as the filter to pass through while holding back the other two color components of white light




INFORMATION SHEET

- B. Used to drop a color in the final reproduction and therefore photograph copy as white
- C. May be used to hold a color in the final reproduction and therefore photograph copy as black


(NOTE: The following table shows suggested film and filter combinations for photographing color copy.)

To Hold a Color		Color of Copy	To Drop a Color	
Orthochromatic	Panchromatic		Orthochromatic	Panchromatic
Orange (16)	Green (61,58)	Magenta	Blue (47B)	Red(25)
Blue (47B)	Blue (47B)	Red/Orange	N/R	Red (29)
Blue (47B)	Blue (47B)	Yellow	Orange (16)	Red (29)
Blue (47B)	Magenta (30)	Green	Orange (16)	Green (58)
N/R	Red (25)	Cyan	No filter needed	Blue (47B)
Orange (16)	Green (58)	Blue	Magenta (30)	Blue (47B)

Parts of a Typical Lens Assembly




View from Front of Camera




Schematic Cross Section of a Typical Process Lens

Parts of a Typical Lens Assembly (Continued)



Shutter Mechanism Closed



Shutter Mechanism Open

View from Inside Camera

**LINE PHOTOGRAPHY
UNIT II**

**ASSIGNMENT SHEET #1 — APPLY AN EXPOSURE RULE
FOR DIFFERENT STEPS ON THE GRAY SCALE**

Name _____ Score _____

In order to compensate for many different types of copy typically shot on a process camera, the camera operator must have an understanding of the effects of exposure in relation to the steps on a cameraman's gray scale.

Directions: Write the necessary exposures on the lines at the top of each scale. In each case, the exposure is given that would give a solid step 4 on the gray scale.


A.



Courtesy Stouffer Graphic Arts Equipment Company

ASSIGNMENT SHEET #1

B.



Courtesy Stouffer Graphic Arts Equipment Company

LINE PHOTOGRAPHY
UNIT II

ANSWERS TO ASSIGNMENT SHEET

Assignment Sheet #1

A. 6, 8, 12, 16, 24, 32, 48, 64

B. 7.5, 10, 15, 20, 30, 40, 60, 80

LINE PHOTOGRAPHY UNIT II

JOB SHEET #1 — SET UP A PROCESS CAMERA AND DETERMINE EXPOSURES

(NOTE. The instructor may also use this job sheet to illustrate examples in the areas of filters, reductions, enlargements, and problem copy.)

I. Equipment and materials

- A. Process camera
- B. 12-step reflection gray scale
- C. 10-power magnifier
- D. Darkroom timer
- E. Squeegee
- F. Graphic arts film

II. Procedure

- A. Prepare darkroom (review objective 12 in Unit I if necessary).
- B. Set up camera and determine basic exposure.

- 1. Make sure the copyboard is clean.

(NOTE: Use an approved graphic arts glass cleaner.)

- 2. Make sure the lens is clean by visual observation.


(NOTE: DO NOT ATTEMPT TO DISASSEMBLE or clean the lens. if it is necessary to clean the lens, ask your instructor.)

JOB SHEET #1

3. Position camera lights to give more illumination to the four corners of the copyboard than to the center (Figure 1)

(NOTE: The angle formed by an imaginary line from lens to copyboard and the camera lights will vary on cameras, but will generally fall between 45 and 60 degrees.)

FIGURE 1



Courtesy Eastman Kodak Company

4. Adjust camera lights to avoid any direct reflection from the glass of the copyboard.
5. Make sure the lens is not reached by any light source other than camera lights.

(NOTE: The lens and film must be protected from lights that are not part of the image, such as room light, window light, reflected light from bright objects, or misplaced copy lights. These non-image lights will cause flare and degrade the quality of the negative. A lens hood is usually effective.)

6. Select samples of the following line copies:
 - a. Phototypeset
 - b. Typewriter
 - c. Line illustrations
7. Fasten small strips of the line copies on a cardboard.
8. Place copyboard in the horizontal position and raise the glass cover.
9. Place the sample copies on the center of the copyboard.

JOB SHEET #1

10. Place a 12-step reflection gray scale next to the copy on the copyboard and close the copyboard.
11. Return copyboard to vertical position.
12. Use a lens opening of $f/22$ for the test exposure.
13. Set the camera controls on 100% (same size) reproduction.
14. Set the camera timer to make a 10 second exposure.
15. Place a sheet of graphic arts film on the center of the camera back with the emulsion side up.

(NOTE: Always handle film by the edges.)

16. Turn on the vacuum and close the camera back.
17. Make an exposure by starting the timer.
18. Turn the vacuum off and remove the film.
19. Set the darkroom timer for recommended development time (usually 2:30 - 2:45).
20. Start the timer and drag the film emulsion side down through the developer and then quickly flip it over.

(NOTE: Agitate the developer continuously by raising the left side of the tray and lowering it, then raising the right side of the tray and lowering it, then raising the front of the tray and lowering it. Continue this procedure until the time has elapsed.)

21. Remove film from developer and hold it on top of tray to drain for approximately 5 seconds.
22. Place film in stop bath quickly and agitate vigorously for approximately 15 seconds.
23. Place film in fixer and agitate for approximately 2 minutes or twice the length of time it takes for the image area to clear.

24. Wash film for recommended time.

(NOTE: For this test exposure, simple rinsing will be sufficient.)

25. Squeegee the film and hang it to dry.

JOB SHEET #1

26. Place the negative on a light table and examine the gray scale.

EXAMPLES: A black step 4 indicates that the negative is probably good. The negative area is either clearly transparent or densely opaque. The edges of the letters are sharp and details are true to the original. See gray scale #1 in Figure 2.


A black step 3 or lower indicates that the negative is underexposed. Although the clear areas are transparent, the opaque areas have low density and many pinholes, and details are thicker than the original. See gray scale #2 in Figure 2.

A black step of 5 or higher indicates that the negative is overexposed. Although dense areas are opaque, density appears in some areas that should be clear and the type shows loss of fine details. See gray scale #3 in Figure 2.

(NOTE: When checking quality of image on the negative always use a magnifier and compare the same area or character on the original copy and the negative.)

JOB SHEET #1

FIGURE 2



Courtesy Stouffer Graphic Arts Equipment Company

JOB SHEET #1

27. Adjust exposure if necessary.

(NOTE: Although in the example, 10 seconds gave a solid step 4, it should be pointed out that 10 seconds is not the magical number that works in all situations. The combination of the camera, lighting system, film and developer all affect the exposure/development process. It is important to remember that the exposure may be adjusted to give the required step 4 on the gray scale.)

- C. Calculate exposure changes required for variations in copy size and quality.

(NOTE: Although a solid 4 on the gray scale may indicate a desirable exposure for normal copy, other types of copy may be exposed for one or two steps less than 4 or some copy may be exposed for one, two, or three steps more than 4. Two factors that determine how copy is exposed are quality of the original copy and the size of reproduction of the original copy.)

1. Study the completed chart in Figure 3.

(NOTE: In order to interpret the chart, locate 4 black located horizontally with NORMAL COPY and vertically with 40-120%. The normal exposure in this example is 20 seconds for a solid 4. To interpret the rest of the chart, simply remember the concept, every 2 steps on the gray scale equal twice or one-half as much exposure depending on whether the scale is reading up or down.)

JOB SHEET #1

FIGURE 3

Density of Copy	Size of Copy		
	10-40%	40-120%	120-400%
EXTRA HEAVY COPY			
Black bold type	4	5	6
Etching proofs	Black	Black	Black
Photo proofs	20 sec.	30 sec.	40 sec.
NORMAL COPY			
Good black type proofs with fine serfs	3	4	5
Pen and ink drawings	Black	Black	Black
Printed forms	15 sec.	20 sec.	20 sec.
LIGHT COPY			
Gray copy			
Ordinary typewritten sheets	2	3	4
Printed forms/light lines	Black	Black	Black
Good pencil drawings	10 sec.	15 sec.	20 sec.
EXTRA LIGHT COPY			
Extra fine lines	1-2	2	3
Pencil drawings	Black	Black	Black
Extra light gray copy	8 sec.	10 sec.	15 sec.

Courtesy Stouffer Graphic Arts Equipment Company

2. Check the test negative that you made for the basic main exposure (that exposure which gives a solid step 4 on the gray scale).
3. Write your basic main exposure under **4 black** opposite **normal copy** in the blank chart (Figure 4).
4. Complete the chart by applying the exposure rule.

JOB SHEET #1

FIGURE 4

Density of Copy	Size of Copy		
	10-40%	40-120%	120-400%
EXTRA HEAVY COPY Black bold type Etching proofs Photo proofs	4 Black	5 Black	6 Black
NORMAL COPY Good black type proofs with fine serifs Pen and ink drawings Printed forms	3 Black	4 Black	5 Black
LIGHT COPY Gray copy Ordinary typewritten sheets Printed forms/light lines Good pencil drawings	2 Black	3 Black	4 Black
EXTRA LIGHT COPY Extra fine lines Pencil drawings Extra light gray copy	1-2 Black	2 Black	3 Black

Courtesy Stouffer Graphic Arts Equipment Company

- Clean work area; return equipment and materials to proper storage.

**LINE PHOTOGRAPHY
UNIT II**

**PRACTICAL TEST #1 — SET UP A PROCESS CAMERA
AND DETERMINE EXPOSURES**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask you instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Prepared darkroom.	_____	_____
2. Set up camera and mounted copy.	_____	_____
3. Made exposure and processed film.	_____	_____
4. Evaluated negative and determined basic exposure.	_____	_____
5. Determined exposures for copy variations in size and quality.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #1

PRODUCT EVALUATION

(Evaluator Note. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____

Rating: _____

Correctly determined basic exposure based on a solid step 4 on the gray scale.

Correctly completed exposure chart for variations in size and quality based on basic exposure.

EVALUATOR'S COMMENTS: _____

**LINE PHOTOGRAPHY
UNIT II**

TEST

Name _____ Score _____

1. Match the terms on the right with their correct definitions.

- | | | |
|----------|---|--------------------------|
| _____ a. | Any image composed of solid dark areas against a white background | 1. Density |
| _____ b. | Electromagnetic radiation having different wave lengths that produce different colors, such as red, green and blue | 2. Emulsion |
| _____ c. | Copy with a good dense black image and a white background | 3. Reflection gray scale |
| _____ d. | Lightness or darkness of a particular piece of copy | 4. Filter |
| _____ e. | Commercially produced strip of photographic paper stepped in increasing density values of .15 for each step | 5. Line copy |
| _____ f. | Instrument for reading photographic densities | 6. Unusual copy |
| _____ g. | Ability of a lens or film emulsion to record fine detail | 7. Resolving power |
| _____ h. | Light-sensitive coating on photographic materials | 8. Photo factor |
| _____ i. | States that every exposure increase of .30 density requires a 2X exposure factor | 9. Densitometer |
| _____ j. | Copy where the background and/or image is in a color other than black | 10. Filter factor |
| _____ k. | Colored device made commonly of gelatin or glass; placed in front of the lens to reduce or eliminate light of certain colors and allow the light of other colors to pass through onto the film for exposure | 11. Color copy |
| | | 12. White light |
| | | 13. <i>F</i> /stop |
| | | 14. Running water bath |
| | | 15. Normal copy |

TEST

- ____l. A number multiplied by the normal exposure to achieve the necessary exposure increase when using a filter
- ____m. The diameter of the lens opening
- ____n. Removes residual effects of film processing chemicals; makes the film more permanent
- ____o. Copy that fits either extreme; extra heavy, light or extra light
2. Complete the following statements concerning principles of line photography by writing in the necessary word or words.
- a. Light rays travel in a _____ line as they are projected through the lens of a camera.
- b. An image must be placed in the copyboard _____ in order to be viewed right reading from the ground glass.
- c. When camera lights illuminate the copy in the copyboard, light copy areas _____ light and dark copy areas absorb light.
- d. The reflected portion of the light passes through the lens and exposes the emulsion of the film creating a _____.
- e. The _____ copy area does not record an exposure on the film, thus the clear image area shows up on the developed film.
3. Distinguish between types of film base material by writing the correct numbers in the blanks.
- | | |
|--|------------------------------|
| ____a. Plastic or acetate | 1. Non-stable base |
| ____b. Polyester | 2. Dimensionally stable base |
| ____c. Used for most line work | |
| ____d. Used for work that requires precise image stability | |
4. Differentiate among types of emulsion by writing the correct numbers in the blanks.
- | | |
|--|-------------------|
| ____a. Film sees all colors except red | 1. Panchromatic |
| ____b. Film sees all colors to include red | 2. Orthochromatic |
| ____c. Film sees only blue | 3. Blue-sensitive |



TEST

5. Describe the following degrees of density.


- a. Opaque _____
- b. Translucent _____
- c. Transparent _____

6. State an exposure rule for recording density steps on a gray scale.

7. Identify the parts of a typical lens assembly by writing the correct names in the blanks in the following illustrations.



TEST



8. Select true statements concerning the characteristics of an aperture by placing an "X" in the appropriate blanks.
- a. The aperture is located inside lens barrel.
 - b. The aperture is made up of several metal blades that form a circular opening.
 - c. A change in an f /stop number will not affect the aperture.
 - d. A change in an f /stop number will change the aperture.
 - e. The aperture does not affect the quantity of light striking the film.
9. Select true statements concerning the functions of filters by placing an "X" in the appropriate blanks.
- a. Filters are used to drop color and therefore photograph as black.
 - b. Filters are used to hold color and therefore photograph as white.
 - c. Filters are used to drop color and therefore photograph as white.
 - d. Filters are used to hold color and therefore photograph as black.

(NOTE: If the following activities have not been accomplished prior to the test, ask your instructor when they should be completed.)

- 10. Apply an exposure rule for different steps on the gray scale. (Assignment Sheet #1)
- 11. Demonstrate the ability to set up a process camera and determine basic exposures. (Job Sheet #1)

LINE PHOTOGRAPHY
UNIT II

ANSWERS TO TEST

- | | | | | | | |
|----|----|----|----|----|----|----|
| 1. | a. | 5 | f. | 9 | k. | 4 |
| | b. | 12 | g. | 7 | l. | 10 |
| | c. | 15 | h. | 2 | m. | 13 |
| | d. | 1 | i. | 8 | n. | 14 |
| | e. | 3 | j. | 11 | o. | 6 |
-
2. a. Straight
 b. Upside down
 c. Reflect
 d. Latent image
 e. Dark
3. a. 1
 b. 2
 c. 1
 d. 2
4. a. 2
 b. 1
 c. 3
5. a. Blocks out all light
 b. Blocks out only a portion of the light
 c. Allows almost all light to pass through
6. Every change in density of .30 requires either twice or half as much exposure.
7. a. Lens shade and filter holder
 b. ~~F/stop~~ adjustment lever
 c. Lens elements
 d. Aperture
 e. Shutter
 f. Electric solenoid
8. a, b, d
9. c, d

ANSWERS TO TEST

10. Evaluated to the satisfaction of the instructor
11. Performance skills evaluated to the satisfaction of the instructor.

HALFTONE PHOTOGRAPHY UNIT III

UNIT OBJECTIVE

After completion of this unit, the student should be able to set up a process camera to do the following halftone procedures. make a halftone negative, make a fake duotone, make a duotone and rescreen a halftone illustration. Competencies will be demonstrated by completing the assignment sheet, job sheets, and the unit tests with a minimum score of 85 percent.

SPECIFIC OBJECTIVES

After completion of this unit, the student should be able to:

1. Match terms related to halftone photography with their correct definitions.
2. Match types of contact screens with their descriptions.
3. Select true statements concerning the care of contact screens.
4. Complete statements concerning halftone dot percentages.
5. Select true statements concerning procedures for avoiding moires in rescreening.
6. Identify halftone dot percentages. (Assignment Sheet #1)
7. Demonstrate the ability to:
 - a. Program a Q15 Exposure Computer and make a halftone negative. (Job Sheet #1)
 - b. Make a duotone. (Job Sheet #2)
 - c. Make a fake duotone. (Job Sheet #3)
 - d. Rescreen a halftone illustration. (Job Sheet #4)

HALFTONE PHOTOGRAPHY UNIT III

SUGGESTED ACTIVITIES

- A. Obtain additional materials and/or invite resource people to class to supplement/reinforce information provided in this unit of instruction.

(NOTE: This activity should be completed prior to the teaching of this unit.)

- B. Make transparency from the transparency master included with this unit.
- C. Provide students with objective sheet.
- D. Discuss unit and specific objectives.
- E. Provide students with information and assignment sheets.
- F. Discuss information and assignment sheets.

(NOTE: Use the transparency to enhance the information as needed.)

- G. Provide students with job sheets.
- H. Discuss and demonstrate the procedures outlined in the job sheets.
- I. Integrate the following activities throughout the teaching of this unit:

1. Through outside sources of printed examples such as newspapers and magazines, have students collect examples of good quality and poor quality halftones. Discuss them in class and make students aware of criteria for quality halftone reproduction.
2. Utilize available resources to make students aware of computerized halftone exposure systems; i.e., Carlson Sharpshooter, Kodak Q700, Macbeth exposure controller, Gamm System, etc.
3. Although this unit of instruction deals with the production of halftone negatives, make students aware of halftone procedures using diffusion transfer procedures.
4. Meet individually with students to evaluate their progress through this unit of instruction, and indicate to them possible areas for improvement.

- J. Give test.
- K. Evaluate test.
- L. Reteach if necessary.

REFERENCES USED IN WRITING THIS UNIT

- A. Blair, Ray and Thomas M. DeStreet. *The Lithographer's Manual*. Pittsburgh, PA. Graphic Arts Technical Foundation, 1988.
- B. Cogoli, John E. *Photo-Offset Fundamentals*. Bloomington, IL. McKnight Publishing Company, 1986.
- C. Koonce, John W. *Graphic Arts Photography. An Individualized Approach*. Emporia, KS: Emporia State University Press.

SUGGESTED SUPPLEMENTAL MATERIAL

A. Texts

- 1. Cogoli, John E., *Graphic Arts Photography: Black and White*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1988.
- 2. *The Contact Screen Story*. Wilmington, DE: E. I. DuPont and Company, Inc., Photo Products Division.
- 3. Hope, Clarence, *Halftone Photography 1*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1988.

B. Audio-visual presentations

- 1. *Introduction to the Halftone Process (5075)*.
- 2. *Making Halftones with the Contact Screen (5076)*.

The audio-visual presentations listed above are available from:

Graphic Arts Technical Foundation
4615 Forbes Avenue
Pittsburgh, PA 15213-3796
(412) 621-6941

HALFTONE PHOTOGRAPHY UNIT III

INFORMATION SHEET

I. Terms and definitions

- A. Halftone — A converted image of a continuous tone copy that consists of solid dots of equal density but varying sizes
- B. Halftone screen — Used in the light path between the lens and film to break the continuous tone copy into a dot pattern for reproduction

(NOTE: There are two classifications of halftone screens, glass screens and contact screens, but only the contact screen will be discussed and used in this section.)

- C. Contact screen — A precision pattern of vignetted dots on a flexible base material used in direct contact with the film
- D. Screen ruling — The number of lines per inch on a halftone screen

(NOTE: Higher number screen rulings will reproduce finer details. Screen rulings range from 65 to 300 lines, with the most common rulings being 65, 85, 100, 120, 133, and 150 lines.)

- E. Density — A numerical measure of the blackening or light-stopping ability of a photographic image
- F. Densitometer — An instrument for making density measurements
- G. Main exposure — A detail exposure made through the lens of the camera, with the contact screen in place with only the camera lights
- H. Flash exposure — A nonimage exposure made through the contact screen to the film; used to increase dot size in the shadow area of the halftone
- I. No-screen exposure — An exposure made by exposing the film to the copy without the contact screen

(NOTE: The no-screen exposure is also called *highlighting* or *bump exposure*.)

- J. Neutral density filter — A gray-colored filter used to uniformly reduce all colors of light

(NOTE: Neutral density filters are also referred to as *ND filters* and are typically used with a bump exposure.)

- K. Halftone dot — An individual dot of printed ink; groups of dots represent percentage of ink coverage on the printed sheet

(NOTE: Percentage of ink coverage varies drastically from the highlight to the shadow.)

INFORMATION SHEET

- L. Duotone — A two-impession reproduction using two halftones of the same original

(NOTE: One halftone is normally black and the other is another color. However, both halftones may be black. The screen angle of the halftones must be 30° apart.)

- M. Fake duotone — A two-impession reproduction, with a halftone which is overprinted on a color block

(NOTE: A fake duotone is also called a *duograph*.)

- N. Moire — An objectionable wavy effect produced when screens are overprinted at an incorrect angle

- O. Rescreening — Screening of a printed halftone illustration

II. Types of contact screens and their descriptions (Transparency 1)


(NOTE: Transparency 1 shows the way the contact screen breaks up light reflected from the copy and creates dots of varying sizes on the emulsion of the graphic arts film.)

- A. Gray contact screen — A silver emulsion screen that does not require magenta color for control of tone reproduction

(NOTE: This is the most popular and easiest screen to use. A controlled flash exposure is recommended for adjusting halftone contrast.)

- B. Magenta contact screen — A dyed screen whose tone reproduction characteristics can be altered with the use of magenta and yellow filters

- C. Conventional dot screen — A screen that produces square middletone dots that join all four corners as the dots reach 50 percent




Conventional (Square) Dots

Courtesy Eastman Kodak Company

INFORMATION SHEET

- D. Elliptical dot screen — A screen that produces football-shaped middletone dots that join only two opposite corners as the dots reach 50 percent



Elliptical Dots

Courtesy Eastman Kodak Company

III. Care of contact screens


- A. Protect screens from dirt, dust, fingerprints, scratches, and other damage.
- B. Keep the screen flat and in its original folder when not in use.
- C. Dust the screen when necessary by wiping it lightly with a clean dry photo chamois.
- D. Clean water spots only with film cleaner.

IV. Halftone dot percentages

- A. Halftone dots are described in terms of percentage of ink coverage on the printed page.


(NOTE: The following illustration shows the various halftone dot percentages used to reproduce a typical range of tones found on a continuous-tone photograph.)

INFORMATION SHEET




Courtesy Eastman Kodak Company

B. Dot percentages as they appear on the printed page are exactly opposite of how they appear on the halftone negative.



Appearance of Dots on a Halftone Negative




Appearance of Dots on the Printed Page

Courtesy Eastman Kodak Company

INFORMATION SHEET

- C. The highlight area of a halftone typically prints 10 percent ink coverage with 90 percent white reflected from the page, thus the eye sees primarily white.


(NOTE: The facsimile of the negative section shown in the example below shows the size of typical highlight dots as they would appear on the halftone negative. The dense black area contains small clear openings. Highlight dots typically range from a small pinpoint dot to a 10 percent dot.)



Courtesy Eastman Kodak Company

- D. The middletone areas appear to be gray because the 50 percent ink coverage and 50 percent white reflected from the page are blended by the eye.

(NOTE: The facsimile of the negative section shown in the example below shows the size of middletone dots as they would appear on the halftone negative. Middletone dots typically range from 40 to 60 percent with a 50 percent dot being the actual dot used for middletone identification purposes.)




Courtesy Eastman Kodak Company

- E. The shadow area of a halftone typically prints 90 percent ink coverage with only 10 percent white reflected from the page, thus the eye sees primarily black in the shadow area of a printed halftone.

(NOTE: The facsimile of the negative section shown in the following example shows the size of shadow dots as they would appear on the halftone negative. The shadow dot area has the least amount of density in the halftone negative with only small black dots appearing. Shadow dots typically range from 90 percent down to the smallest printable dot, which is usually about 95 to 98 percent.)

INFORMATION SHEET



Courtesy Eastman Kodak Company

- F. Quarter-tone dots bridge the highlight to the middletone dots and typically range from 20 to 30 percent, while three-quarter tone dots bridge the middletone to the shadow area and typically range from 70 to 80 percent.

V. Procedures for avoiding moires in rescreening

(NOTE. Making a halftone negative from a printed halftone illustration may cause a moire.)


- A. Angle the contact screen or copy 30 degrees.
- B. Use a magnifier while viewing the image on the ground glass and adjust the copyboard control to make a slight shift in focus that will blur the halftone dots.

(NOTE: If done correctly, this procedure causes the existing halftone dots to be rescreened without a moire. The out of focus halftone dots have little or no effect on the overall photo illustration.)

- C. Use a screen which has a screen ruling of 50 lines coarser or finer than the copy.
- D. Hold a clean piece of glass in front of the lens, and tilt it back and forth during exposure.
- E. If size requirements permit, original may be reduced to less than 40 percent.

Contact Screen Exposure

Light striking film through a contact screen must penetrate varying density in the form of a dot pattern on the screen in order to reach and expose the film. Intense light from highlight areas in the original penetrates even dense areas on the screen and exposes a large dot pattern on the film. The slight amount of light coming from dark areas, on the other hand, yields only small dots.



**HALFTONE PHOTOGRAPHY
UNIT II****ASSIGNMENT SHEET #1 — IDENTIFY HALFTONE DOT PERCENTAGES**

Name _____ Score _____

In order to produce quality halftone images according to industry standards, you must be able to identify halftone dot sizes that represent important control points (highlight, middletone and shadow) in the reproduction of halftones.

Directions: Use the enlarged section of the printed halftone image on the next page to identify a 10 percent highlight dot, a 50 percent middletone dot and a 90 percent shadow dot. Circle the area you choose to represent each dot area, then draw a line out into the margin of the page and write the dot percentage.

(NOTE: Have someone hold up the photo illustration while you look at it. Turn around and walk away 25 feet or so, then look at the photo illustration again. What you will see is the difference between looking at halftone dots by using a magnifier versus what you typically see when you look at a picture on the printed page.)

ASSIGNMENT SHEET #1



Halftone photo illustration by John Koonce

**HALFTONE PHOTOGRAPHY
UNIT II****ANSWER : TO ASSIGNMENT SHEET****Assignment Sheet #1**

The student should circle three areas. 10 percent highlight dot, 50 percent middletone dot, and 90 percent shadow dot. They should be correctly labelled in the margin.

HALFTONE PHOTOGRAPHY UNIT III

JOB SHEET #1 — PROGRAM A Q15 EXPOSURE COMPUTER AND MAKE A HALFTONE NEGATIVE

A. Equipment and materials

1. Kodak Q15 Exposure Computer
2. Kodak 24 Step Reflection Density Guide, Q16
3. Reflection densitometer (optional)
4. Magnifier (10X)
5. Contact screen
6. Litho film (8 × 10 or 10 × 12)
7. A continuous tone copy with normal contrast (a good black and white photograph)
8. Process camera and other darkroom equipment

B. Procedure

1. Make the test negative.
 - a. Set up darkroom and stabilize temperature.
 - b. Set up camera for a 100% reproduction.
 - 1) Set f/stop on f/16.
 - 2) Set timer.

(NOTE: Use an exposure of approximately three times the normal exposure for a line negative. In this example we will use 30 seconds.)

- c. Place a Kodak Reflection Density Guide (24 step) on the camera copyboard.
- d. Place a sheet of 8 × 10 or 10 × 12 inch film that is normally used for halftone on the camera back.
- e. Cover up approximately one inch of the edge of the film widthwise with a piece of cardboard and tape it down.
- f. Place a contact screen, emulsion side down, over the film.

(NOTE: To ensure good contact, the screen must be at least ½ inch larger than the film on all four sides.)

JOB SHEET #1

g. Wipe the contact screen lightly with a photo chamois or rubber roller to work air bubbles out.

h. Make an exposure and open the camera back.

(NOTE: Do not turn the vacuum off.)

i. Uncover the covered area and cover the exposed area of the film with the contact screen in place.

j. Make a series of flash exposures.

(NOTE: Use a second piece of cardboard to step off a series of at least five 5-second exposures by moving the cardboard ½ inch each time.)

k. Remove the contact screen and place it in its original container.

l. Process the test negative.

(NOTE: All processing must be kept absolutely consistent.)

m. Place the negative on a light table and examine the dot structure with a magnifier.

(NOTE: The normal highlight dots should fall on step .00 or higher density of the gray scale. If they do not, another exposure must be made by doubling the exposure. Ask your instructor what the normal highlight dots should be. There will be no dots in the areas of the negative that represent the darkest steps of the gray scale, but dots do appear in lower density steps (shadow dots). Select the normal highlight and shadow dot, and note the density of the corresponding steps. In this example we will use the hypothetical numbers of .20 for highlight and 1.30 for shadow. Students should use the actual steps that produced the normal highlight and shadow dots.)

n. Examine the flash exposures on the edge of the test negative, and select the step which produced a normal shadow dot.

(NOTE: These dots should be the same size as the shadow dot on the gray scale.)

o. Record the exposure time which produced this dot.

(NOTE: This flash time becomes the basic flash exposure. If none of the steps show acceptable dot sizes, change the flash lamp distance and/or size of the bulb and repeat the process. In this example we will assume the 20-second step produced a normal shadow dot.)

JOB SHEET #1

2. Program the computer.
 - a. Select the quadrant of the basic flash dial (clear) that corresponds with the basic flash exposure.

(NOTE: In this example it is 20 seconds.)
 - b. Cover all but the correct quadrant with the mask wheel.
 - c. Rotate the main exposure dial (M) until it is in line with the density of copy that produced the highlight dot.

(NOTE: In this example it is .20.)
 - d. Set "zero" of the basic flash quadrant opposite the density of gray scale that produced the shadow dots.

(NOTE: In this example it is 1.30.)
 - e. Secure the basic flash dial, mask wheel, and main exposure dial with a piece of tape, making sure the alignment has not changed.
 - f. Rotate the main exposure calibration tab so that the test negative exposure time appears in the window and is in line with the density that produced the highlight dots.

(NOTE: In this example it is 30 seconds.)
 - g. Fasten the tab to the base of the computer; the computer is now programmed.
3. Use the computer with gray contact screen and Kodalith Autoscreen.
 - a. Obtain the highlight and shadow densities of the copy.

(NOTE: Use a Kodak Reflection Density Guide or a reflection densitometer. In this example we will use a highlight density of .25 and shadow density of 1.55. Students should use the actual densities of the copy.)
 - b. Rotate M to the highlight density of the copy.
 - c. Set pointer F at the shadow density of the copy.
 - d. Select the red correction arrow which is closest to pointer F.
 - e. Move pointer F to the head of the correction arrow.
 - f. Rotate the flash quadrant dial the length of the arrow.
 - g. Reset F at the copy shadow density.
 - h. Read the main exposure time in the window.

JOB SHEET #1

- i. Read the flash exposure time at pointer F.

(NOTE: In this example, the main exposure is 33 seconds and the flash exposure is 6 seconds.)

4. Use the computer with a magenta contact screen.
 - a. Obtain the highlight and shadow density of the copy.
 - b. Rotate M to the highlight density of the copy.
 - c. Set pointer F at the shadow density of the copy.
 - d. Read the main exposure time in the window.
 - e. Read the flash exposure time at pointer F.

(NOTE: Do not use correction arrows when using magenta contact screens.)

5. Program the computer for no-screen (bump) exposure.
 - a. Make a second test negative with the same contact screen, same film, and same exposure.

(NOTE: Do not turn the vacuum off.)

- b. Remove the contact screen.

(NOTE: This should be done carefully so the film does not move.)

- c. Make a second exposure on the same piece of film.

(NOTE: If a gray contact or magenta negative screen is used, the exposure time should be 5 percent of the exposure for the first test negative. If a magenta positive screen is used, the exposure time should be 10 percent. In this example we assume 5 percent. The first test negative had a 30 second exposure. Five percent of 30 seconds is 1½ seconds. If the process camera is not equipped with an accurate timer, a neutral density filter should be used. Ask the instructor for the proper value.)

- d. Process and dry the negative.
 - e. Locate the step on the gray scale that produced a suitable highlight dot only.

(NOTE: The highlight dot will be in a higher density step; assume it is .45.)

JOB SHEET #1

- f. Determine the difference between the density of the step that produced the highlight dot in test negative No. 1 and test negative No. 2.

(NOTE: In this example $.45 - .20 = .25$.)

- g. Refer to the no-screen calibration table on the back of the computer.

(NOTE: For convenience, the numbers from one of the vertical columns of the table will be 'transferred' to the no-screen scale of the computer. To determine which column to use, read down the left-hand side of the table to the density difference. Read across to the percentage of no-screen exposure that was used.)

- h. Read down the left-hand side of the table (highlight difference) to the density difference (Figure 1).


- i. Read across to the percentage of no-screen exposure that was used (Figure 1).

(NOTE: Where these two figures intersect [Figure 1], transfer the numbers from this column to the front of the computer opposite their density equivalents on the no-screen scale [Figure 2]. The computer is now calibrated for no-screen exposure.)

FIGURE 1

NO-SCREEN CALIBRATION TABLE									
Highlight Difference	Percentage No-Screen Exposure								
05	2	2	1	1	1	1	1	1	0
10	4	3	3	2	2	2	2	2	1
15	7	5	4	4	3	3	3	2	
20	10	8	7	7	5	4	4	3	
25	15	10	8	7	6	5	4		
30	20	13	10	8	7	6	6		
35		16	12	10	8	7			
40		20	15	13	10	8	8		
45			18	15	13	10	9	8	
50			20	18	15	13	10	9	
55				18	15	13	10		
60				20	18	15	13		
65					20	18	15		
70						20	18		
75							20	19	
80								20	

FIGURE 2



Courtesy Eastman Kodak Company

JOB SHEET #1


6. Use the computer for no-screen exposures.
- Select the areas of the copy where a highlight and shadow dot should be placed.

(NOTE: In this example we assume a highlight density of .10 and shadow density of 1.65.)
 - Rotate M to the percentage of no-screen exposure to be used for that copy (Figure 2).

(NOTE: In this example it is 5.)
 - Rotate M clockwise the distance of the highlight density of the copy (Figure 3).

(NOTE: Do not rotate M if the highlight density of the copy is .00.)

FIGURE 3



Courtesy Eastman Kodak Company

- Read the main exposure in the window (Figure 3).

(NOTE: In this example it is 13 seconds.)
- Set Pointer F at the shadow density.

(NOTE: Correction arrows are not used. The exposure times for this copy will be:

Main exposure — 13 seconds
No-screen exposure — 13 seconds with a 1.30 ND filter
Flash exposure — 17 seconds.)
- Using the above procedures, make a halftone negative.

JOB SHEET #1

- g. Evaluate the negative and show it to the instructor.
- h. Clean work area and return equipment and materials to proper storage.

**HALFTONE PHOTOGRAPHY
UNIT III****JOB SHEET #2 — MAKE A DUOTONE****A. Equipment and materials**

1. Process camera
2. Darkroom equipment
3. Contact screen
4. Continuous tone copy
5. Halftone film
6. Register marks
7. A sheet of index or chipboard (larger than copy)
8. Black photographic tape (black masking tape)
9. Color key or other color proofing material and developer
10. Protractor and ruler


B. Procedure

1. Make a template for angling copy on the index or chipboard (Figure 1).
 - a. Draw a vertical line through the center of chipboard, and mark this line 0° .
 - b. Place zero line of the protractor on this line and mark off 45° , 75° , 90° , and 105° .
 - c. Draw lines from these points through the center of the zero line to the edge of the chipboard.

(NOTE: Only 45° and 75° lines will be used in the job sheet. However, this template should be saved for use in rescreening and in the color separation unit.)

JOB SHEET #2

FIGURE 1



2. Make a duotone
 - a. Place register marks on the copy.
(NOTE: Place at least two of them at opposite ends of the copy. If they can not be placed on the copy, mount the copy on a larger board.)
 - b. Mark the centerline of the copy at both top and bottom.
(NOTE: These lines will be used to line up the copy with the lines on the chipboard.)
 - c. Tape the copyboard mat down securely to the metal copyboard frame.
 - d. Tape the chipboard securely to the center of copyboard mat.
 - e. Place the copy in the center of chipboard, and line it up with the 45° line.
 - f. Tape the copy down securely.
 - g. Set the camera to required size.
 - h. Position the contact screen as straight as possible on the vacuum back where it would normally go.
 - i. Place strips of black photographic tape as guides at the corner edges of the screen.
 - j. Determine what size film is needed.
(NOTE: Since the copy is angled on the copyboard, a larger sheet of film is required.)
 - k. Place tape guides on the vacuum back to guide the film in position.

JOB SHEET #2

- l. Make the exposure and process the film.

(NOTE: Refer to Job Sheet #1 in this unit. This should be basically a normal negative. A 15 to 20 percent flash exposure is added to keep shadows from printing solid black.)

- m. Open the copyboard slowly and rotate the copy to line up with the 75° line.
- n. Tape the copy down securely and gently close the copyboard.
- o. Place another sheet of film in the same position as before.
- p. Position screen in exactly the same position as before.
- q. Expose and process the film.

(NOTE: Reduce the main exposure by 10 to 20 percent and eliminate the flash. The result should be a flat-looking halftone in the highlight area, and little or no dots in the shadows.)

- r. Register the two negatives.

(NOTE: If the negatives cannot be registered, or if there is evidence of a moire, carefully review the steps and ask the instructor for help. If the negatives do register and have no evidence of moire, ask the instructor if it should be proofed. To proof a duotone continue with steps below.)

- s. Make a color proof of the black negative (45°) on a sheet of color key or other proofing material.
- t. Make a contact proof of the color negative on a sheet of color key or other proofing material.
- u. Process, wash, and dry the proofs.
- v. Register the two proofs and tape them down. Be sure to put the color proof on the bottom and the black proof on top.
- w. Clean work area and return equipment to proper storage.

**HALFTONE PHOTOGRAPHY
UNIT III****JOB SHEET #3 — MAKE A FAKE DUOTONE****A. Equipment and materials**

1. Process camera
2. Darkroom equipment
3. Contact screen
4. Halftone film
5. Register marks
6. Illustration board
7. Masking film
8. Paste-up and stripping equipment
9. Masking tape

B. Procedure

1. Mount the copy to the illustration board using masking tape.
2. Cut a piece of masking film large enough to extend $\frac{1}{2}$ inch beyond the copy on all four sides.
3. Cut a straight line $\frac{1}{2}$ inch down from the top of the masking film.
(NOTE: Do not cut through the support base.)
4. Remove the emulsion from the top strip.
5. Apply two register marks in diagonal corners of the copy on the illustration board.
6. Place the masking film on the copy and fasten down with a strip of masking tape across the top.
(NOTE: Make sure the clear part of the masking film extends into the copy about $\frac{1}{16}$ inch or less.)
7. Draw the masking film down tightly and fasten the two lower corners.
8. Cut around the edge of the copy just inside the borders.
9. Peel off the masking film from all areas of the copy except the area covering the illustration.

JOB SHEET #3

10. Slide a sheet of white opaque paper under the masking film to cover the copy but not the register marks.
11. Set the camera to the required size and photograph this as a line copy.

(NOTE: Use the same type of film that is to be used for halftone. The dimensional stability of film bases vary. Using two types of film could result in lack of registration.)
12. Process the film.

(NOTE: This negative will be used for the solid or tint block to be laid under the halftone.)
13. Open the copyboard slowly, being careful not to jar the camera out of focus.
14. Remove the two pieces of masking tape from the lower corners of the overlay.
15. Swing the overlay back exposing the copy.

(NOTE: Make sure the register marks are not covered and leave the overlay attached to the illustration board.)
16. Carefully close the copyboard.
17. Place a sheet of halftone film on the vacuum back.
18. Position the screen as straight as possible on top of the film.
19. Make a normal halftone negative.

(NOTE: Refer to Job Sheet #1.)
20. Register the two negatives to see if they fit properly.

(NOTE: The screen tint used for the second color must be angled 30° away from the angle of the halftone negative to prevent a moire.)
21. Make a color proof of the black negative (45°) on a sheet of color key or other proofing material.
22. Make a contact proof of the color negative on a sheet of color key or other proofing material.
23. Process, wash and dry the proofs.
24. Register the two proofs and tape them down. Be sure to put the color proof on the bottom and the black proof on top.
25. Clean work area and return equipment and materials to proper storage.

HALFTONE PHOTOGRAPHY UNIT III

JOB SHEET #4 — RESCREEN A HALFTONE ILLUSTRATION

A. Equipment and materials

1. Process camera
2. Darkroom equipment
3. Contact screen
4. Halftone illustration
5. Halftone film
6. Magnifier
7. Template for angling copy (refer to Job Sheet #2)

B. Procedure

(NOTE: Several methods are used for rescreening. In this job sheet the copy will be angled at 30°. Ask the instructor if other methods should also be used.)

1. Find the screen angle of the illustration.
(NOTE: Use a screen angle finder or magnifier.)
2. Place the template on the copyboard.
(NOTE: This template was made in Job Sheet #2.)
3. Place the illustration on the center of the template.
4. Angle the illustration 30° from its screen angle and fasten it to the template.
5. Make a normal halftone.
(NOTE: Make sure the contact screen is straight on the vacuum board.)
6. Process and dry the negative.
7. Examine the negative for the presence of moire.
(NOTE: If there is moire in the negative, check the procedures and remake the negative.)
8. Clean work area and return equipment and materials to proper storage.

**HALFTONE PHOTOGRAPHY
UNIT III**

**PRACTICAL TEST #1 — PROGRAM A Q15 EXPOSURE COMPUTER
AND MAKE A HALFTONE NEGATIVE**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "Yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE: Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	YES	NO
1. Prepared darkroom for film processing.	_____	_____
2. Prepared camera for test exposure.	_____	_____
3. Made test exposure and interpreted results.	_____	_____
4. Set up Q15 Exposure Computer based on test results.	_____	_____
5. Determined main and flash exposures for a photograph provided by the instructor.	_____	_____
6. Made halftone exposures and processed film.	_____	_____
7. Determined acceptability of halftone negative.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #1

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____

Rating: _____

Darkroom properly set up to include chemical temperature and processing times.

Half-tone negative properly exposed and developed to yield a 5-10% highlight dot and a 90-95% shadow dot.

EVALUATOR'S COMMENTS: _____

**HALFTONE PHOTOGRAPHY
UNIT III**

PRACTICAL TEST #2 — MAKE A DUOTONE

STUDENT'S NAME _____

DATE _____

EVALUATOR'S NAME _____

ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "Yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:

YES

NO

- | | | |
|---|-------|-------|
| 1. Prepared darkroom for film processing. | _____ | _____ |
| 2. Prepared camera and other devices for duotone exposures. | _____ | _____ |
| 3. Exposed and processed film for set of duotone negatives. | _____ | _____ |
| 4. Evaluated duotone negatives for proper dot percentages. | _____ | _____ |
| 5. Verified set of duotone negatives is free of moire. | _____ | _____ |
| 6. Prepared set of color proofs from duotone negatives. | _____ | _____ |
| 7. Registered and mounted color proofs on card stock. | _____ | _____ |

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #2

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — is unable to perform job satisfactorily.

Criteria:

Rating:

Proper exposure determination and film processing for duotone negatives used to give proper dot percentages.

Color proof of duotone showed adequate contrast, was in register and colors were shown in proper sequence when mounted on card stock.

EVALUATOR'S COMMENTS: _____

HALFTONE PHOTOGRAPHY UNIT III

PRACTICAL TEST #3 — MAKE A FAKE DUOTONE

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. ____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "Yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE: Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	YES	NO
1. Prepared darkroom for film processing.	_____	_____
2. Prepared camera for necessary exposure(s).	_____	_____
3. Prepared copy with peelable masking film so two colors would register accurately.	_____	_____
4. Checked dot percentages for appropriate contrast in halftone negative.	_____	_____
5. Prepared color proof and tint block.	_____	_____
6. Mounted color proof and tint block on card stock.	_____	_____
7. Evaluated proof for good register and lack of moire.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #3

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria:

Rating:

Proper exposure given to provide appropriate dot percentages in halftone negative.

Technique used in color proofing provided good register, appropriate color balance and no signs of a moire between halftone and screen tint.

EVALUATOR'S COMMENTS: _____

**HALFTONE PHOTOGRAPHY
UNIT III**

PRACTICAL TEST #4 — RESCREEN A HALFTONE ILLUSTRATION

STUDENT'S NAME _____ DATE ____

EVALUATOR'S NAME _____ ATTEMPT NO. ____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "Yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE: Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	YES	NO
1. Prepared darkroom for film processing.	_____	_____
2. Prepared camera for specified rescreening procedure.	_____	_____
3. Made halftone negative with appropriate dot percentages.	_____	_____
4. Checked halftone for lack of moire.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #4

PRODUCT EVALUATION

(EVALUATOR NOTE: Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria:

Rating:

Darkroom and camera properly set up for rescreening halftones.

Halftone rescreened and checked for lack of moire.

EVALUATOR'S COMMENTS: _____

HALFTONE PHOTOGRAPHY UNIT III

TEST

Name _____ Score _____

1. Match the terms on the right with their correct definitions.

- | | |
|---|----------------------------------|
| <p>_____ a. A converted image of a continuous tone copy that consists of solid dots of equal density but varying sizes</p> | <p>1. No-screen exposure</p> |
| <p>_____ b. Used in the light path between the lens and film to break the continuous tone copy into a dot pattern for reproduction</p> | <p>2. Halftone screen</p> |
| <p>_____ c. A precision pattern of vignettted dots on a flexible base material used in direct contact with the film</p> | <p>3. Density</p> |
| <p>_____ d. The number of lines per inch on a halftone screen</p> | <p>4. Rescreening</p> |
| <p>_____ e. A numerical measure of the blackening or light-stopping ability of a photographic image</p> | <p>5. Duotone</p> |
| <p>_____ f. An instrument for making density measurements</p> | <p>6. Halftone</p> |
| <p>_____ g. A detail exposure made through the lens of the camera, with the contact screen in place with only the camera lights</p> | <p>7. Flash exposure</p> |
| <p>_____ h. A nonimage exposure made through the contact screen to the film; used to increase dot size in the shadow area or the halftone</p> | <p>8. Neutral density filter</p> |
| <p>_____ i. An exposure made by exposing the film to the copy without the contact screen</p> | <p>9. Fake duotone</p> |
| <p>_____ j. A gray-colored filter used to uniformly reduce all colors of light</p> | <p>10. Contact screen</p> |
| <p>_____ k. A two-impression reproduction using two halftones of the same original</p> | <p>11. Densitometer</p> |
| <p>_____ l. A two-impression reproduction, with a halftone which is overprinted on a color block</p> | <p>12. Moire</p> |
| | <p>13. Screen ruling</p> |
| | <p>14. Main exposure</p> |
| | <p>15. Halftone dot</p> |

TEST

- _____m. An individual dot of printed ink; groups of dots represent percentage of ink coverage on the printed sheet
- _____n. An objectionable wavy effect produced when screens are overprinted at an incorrect angle
- _____o. Screening of a printed halftone illustration
2. Match the types of contact screens on the right with the correct descriptions.
- | | |
|---|----------------------------|
| _____a. A dyed screen whose tone reproduction characteristics can be altered with the use of magenta and yellow filters | 1. Elliptical dot screen |
| _____b. A screen that produces square middletone dots that join all four corners as the dots reach 50 percent | 2. Magenta contact screen |
| _____c. A screen that produces football-shaped middletone dots that join only two opposite corners as the dots reach 50 percent | 3. Gray contact screen |
| _____d. A silver emulsion screen that does not require magenta color for control of tone reproduction | 4. Conventional dot screen |
3. Select true statements concerning the care of contact screens by placing an "X" in the appropriate blanks.
- _____a. Clean water spots only with blanket wash.
- _____b. Dust the screen by wiping it with a clean shop towel.
- _____c. Keep the screen flat and in its original folder when not in use.
- _____d. Protect from dirt, dust, fingerprints, scratches, and other damage.
4. Complete the following statements concerning dot percentages by writing the correct words in the blanks.
- a. Halftone dots are described in terms of _____ of ink coverage on the printed page.
- b. Dot percentages as they appear on the printed page are exactly opposite of how they appear on the _____.

TEST

- c. The highlight area of a halftone typically prints 10 percent ink coverage with 90 percent white _____ from the page, thus the eye sees primarily white.
- d. The _____ areas appear to be gray because the 50 percent ink coverage and 50 percent white reflected from the page are blended by the eye.
- e. The shadow area of a halftone typically prints 90 percent ink coverage with only 10 percent white reflected from the page, thus the eye sees primarily _____ in the shadow area of a printed halftone.
5. Select true statements concerning procedures for avoiding moires in rescreening by placing an "X" in the appropriate blanks.
- _____ a. Use a screen which has a screen ruling that is the same as the copy.
- _____ b. The original may be greatly enlarged.
- _____ c. Hold a clean piece of glass in front of the lens, and tilt back and forth during exposure.
- _____ d. Angle the contact screen or copy 30 degrees.
- _____ e. Halftone dots may be thrown out of focus slightly.

(NOTE. If the following activities have not been accomplished prior to the test, ask your instructor when they should be completed.)

6. Identify halftone dot percentages. (Assignment Sheet #1)
7. Demonstrate the ability to:
- a. Program a Q15 Exposure Computer and make a halftone negative. (Job Sheet #1)
- b. Make a duotone. (Job Sheet #2)
- c. Make a fake duotone. (Job Sheet #3)
- d. Rescreen a halftone illustration. (Job Sheet #4)

**HALFTONE PHOTOGRAPHY
UNIT III****ANSWERS TO TEST**

- | | | | | | | |
|----|----|----|----|----|----|----|
| 1. | a. | 6 | f. | 11 | k. | 5 |
| | b. | 2 | g. | 14 | l. | 9 |
| | c. | 10 | h. | 7 | m. | 15 |
| | d. | 13 | i. | 1 | n. | 12 |
| | e. | 3 | j. | 8 | o. | 4 |
2. a. 2 c. 1
b. 4 d. 3
3. c, d
4. a. Percentage
b. Halftone negative
c. Reflected
d. Middletone
e. Black
5. c, d, e
6. Evaluated to the satisfaction of the instructor
7. Performance skills evaluated to the satisfaction of the instructor

**OTHER DARKROOM TECHNIQUES
UNIT IV****UNIT OBJECTIVE**

After completion of this unit, the student should be able to do a variety of related camera/darkroom tasks to include line, halftone and posterization techniques using diffusion transfer material; posterization techniques using film and contacting procedures. Competencies will be demonstrated by completing the job sheets and the unit tests with a minimum score of 85 percent.

SPECIFIC OBJECTIVES

After completion of this unit, the student should be able to:

1. Match terms related to darkroom techniques with their correct definitions.
2. Select true statements concerning the care of a diffusion transfer processor.
3. List materials and equipment necessary to make a diffusion transfer print.
4. Demonstrate the ability to:
 - a. Determine basic exposure and make a diffusion transfer line print. (Job Sheet #1)
 - b. Program a Q15 Exposure Computer and make a diffusion transfer halftone print. (Job Sheet #2)
 - c. Make a two-tone posterization using diffusion transfer material. (Job Sheet #3)
 - d. Make a three-tone posterization using special effects screen and diffusion transfer material. (Job Sheet #4)
 - e. Make a three-color posterization using graphic arts film. (Job Sheet #5)
 - f. Make a duplicate negative and a film positive using graphic arts film. (Job Sheet #6)
 - g. Make a spread and a choke using graphic arts film. (Job Sheet #7)
 - h. Make a combination print with reversed type overprinted in a second color. (Job Sheet #8)

OTHER DARKROOM TECHNIQUES UNIT IV

SUGGESTED ACTIVITIES

- A. Obtain additional materials and/or invite resource people to class to supplement/reinforce information provided in this unit of instruction.

(NOTE: This activity should be completed prior to the teaching of this unit.)
- B. Provide students with objective sheet.
- C. Discuss unit and specific objectives.
- D. Provide students with information sheet.
- E. Discuss information sheet.
- F. Provide students with job sheets.
- G. Discuss and demonstrate the procedures outlined in the job sheets.
- H. Integrate the following activities throughout the teaching of this unit:
 - 1. Demonstrate procedures for making a step-off test to determine a basic exposure when using the contact frame/platemaker.
 - 2. If possible, demonstrate to the students both darkroom films and paper, and roomlight films and paper when used in a contact environment.
 - 3. Give students exposure to as many different diffusion transfer products as possible, i.e., image reversal material, receiver film and plate material.
 - 4. Meet individually with students to evaluate their progress through this unit of instruction, and indicate to them possible areas for improvement.
- I. Give test.
- J. Evaluate test.
- K. Reteach if necessary.

REFERENCES USED IN WRITING THIS UNIT

- A. Cozart, Jerome X. *Basic Film Contacting*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1980.
- B. Cozart, Jerome X. *Contacting (Spreads & Chokes)*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1980.
- C. Knittel, Patricia A. *Creating Special Effects with Posterization*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1980.

REFERENCES USED IN WRITING THIS UNIT

- D. Schneider, Robert J. *Diffusion Transfer*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1988.

SUGGESTED SUPPLEMENTAL MATERIAL

Text — *The ByChrome Idea Book*.

Available from:

ByChrome Company
Box 1077
Columbus, OH 43216

**OTHER DARKROOM TECHNIQUES
UNIT IV****INFORMATION SHEET****I. Terms and definitions**


- A. Diffusion transfer — A photographic process characterized by exposing a sheet of sensitized paper, processing the paper in contact with a receiver sheet, and peeling the two apart after a short waiting period to produce a usable image on the receiver
- B. PMT (photo-mechanical transfer) — Trade name of diffusion transfer material marketed by the Eastman Kodak Company
- C. Diffusion transfer negative paper — A light-sensitive camera speed paper designed for use in a process camera
- D. Diffusion transfer receiver paper — A non-light-sensitive, but chemically sensitive paper that accepts the transferred image as a positive print
- E. Diffusion transfer transparent receiver sheet — A non-light-sensitive, but chemically sensitive material with a transparent base
- F. Activator — A one-step, ready-to-use processing chemical used in a diffusion transfer processor
- G. Copy dot — Making a line negative of a screened halftone illustration
- H. Posterizing — The practice of compressing a full range of tones in a picture into a few flat tones
- I. Duplicating film — A contact speed, thin base film used to make duplicates of an original negative or positive
- J. Contact film — A contact speed, thin base film used to make a film positive from a film negative

(NOTE: Contact film may also be used to make a negative from a film positive.)
- K. Spread — A contact process by which normal line images are made fatter without altering their shape or location; made from film negatives
- L. Choke — A contact process by which normal line images are made thinner without altering their shape or position; made from film positives
- M. Combination print — A halftone combined with reverse lettering
- N. Two-tone posterization — A line shot of a photograph which reduces the many tones found in the photo to a simple black and white illustration

INFORMATION SHEET

- O. Three-tone posterization — Essentially the same as a two-tone posterization but a second exposure is added using a screen tint which creates a third tonal value in the middletone area
- P. Three-color posterization — Three separate exposures reproduce three different areas of a photograph; using film, one negative is exposed for a solid step 2 on the gray scale, another negative is exposed for a solid 4 and the third negative is exposed for a solid 6 on the gray scale
- Q. Color key proofing material — Clear sheeting with a colored light-sensitive coating; exposed to negatives to generate a colored proof of the image on the negative
- R. Special effects screen — A screen used in the photographic process to generate different patterns or textures within the photo reproduction; used to lend eye appeal to an illustration and lend a greater degree of creativity to the reproduction process

(NOTE: In the following example, a concentric circle screen tint was used for a three-tone posterization to draw the eye to an accentuated area.)



Courtesy ByChrome Company

INFORMATION SHEET

(NOTE: In the following example, a subtle grainy-textured effect is achieved in a three-tone posterization by use of a fine mezzo 25% screen tint.)



Courtesy ByChrome Company

II. Care of a diffusion transfer processor

- A. Clean the processor daily.
- B. Drain activator into the storage container.
- C. Remove and wash the tray with warm water.
- D. Clean the processor rollers.
- E. Dry and reassemble the processor.

III. Materials and equipment necessary to make a diffusion transfer print

- A. Diffusion transfer negative paper
- B. Diffusion transfer receiver paper
- C. Activator
- D. Camera
- E. Processor

OTHER DARKROOM TECHNIQUES
UNIT IV

JOB SHEET #1 — DETERMINE BASIC EXPOSURE AND MAKE
A DIFFUSION TRANSFER LINE PRINT

A. Equipment and materials

1. Process camera
2. Diffusion transfer processor
3. Diffusion transfer activator
4. Diffusion transfer negative paper
5. Diffusion transfer receiver paper
6. Stouffer 12 step reflection gray scale
7. Sample copies of phototype, typewriter copy, and line illustrations

B. Procedure

1. Set up the camera.
(NOTE: See Job Sheet #1, Unit II.)
2. Set up the diffusion transfer processor.
(NOTE: Refer to instruction manual.)
3. Fasten small strips of the sample line copies on a cardboard.
4. Place copyboard in the horizontal position and raise the glass cover.
5. Place the sample copies on the center of the copyboard.
6. Place the 12-step reflection gray scale next to the copy on the copyboard and close the copyboard.
7. Return copyboard to vertical position.
8. Set the *f*/stop.
(NOTE: Check with instructor if necessary.)
9. Set the camera controls on 100% (same size) reproduction.
10. Set the camera timer to make a 10 second exposure.

JOB SHEET #1

11. Place a sheet of diffusion transfer negative paper on the center of the vacuum back with emulsion side up.

(NOTE: Always handle the negative by the edges.)

12. Turn on the vacuum and close the vacuum back.
13. Make an exposure by starting the timer.
14. Turn the vacuum off and remove the exposed negative.
15. Position the exposed diffusion transfer negative paper with its emulsion side up in contact with the coated side of the diffusion transfer receiver sheet.

(NOTE: The dark side of the diffusion transfer negative is the emulsion side. The coated side of the receiver sheet has no visible marks or printing.)

16. Align the negative and receiver combination on the feed tray of the diffusion transfer processor.

(NOTE: Follow processor manufacturer's recommendation on proper method of feeding the paper.)

17. Feed negative and paper into the processor.

(NOTE: Make sure the negative paper goes under the separator fin and receiver sheet over the fin. When they exit, hold them in contact for 30 to 60 seconds. This operation must be done under red safelight.)

18. Peel the negative paper away from the receiver paper and discard the negative.


(NOTE: The remaining steps should be done in normal room light.)

19. Examine the gray scale on the receiver paper. Remember, the gray scale step 4 is only a guide. The most accurate copy reproduction occurs when the camera operator compares the original copy with the reproduction.

(NOTE: If the exposure used did not yield a solid step 4 on the gray scale, apply the following concept to make an exposure adjustment to get the desired results: Every 2 steps on the gray scale is either 2X or $\frac{1}{2}$ the basic exposure time. Note that gray scale #2 received $\frac{1}{2}$ the exposure as gray scale #1. Also note that gray scale #3 received twice the amount of exposure as gray scale #1.)

JOB SHEET #1

FIGURE 1



20. Adjust exposure if necessary.
21. Clean work area and return equipment and materials to proper storage.

OTHER DARKROOM TECHNIQUES
UNIT IV

JOB SHEET #2 — PROGRAM A Q15 EXPOSURE COMPUTER
AND MAKE A DIFFUSION TRANSFER HALFTONE PRINT

A. Equipment and materials

1. Kodak Q15 Exposure Computer
2. Kodak 24 Step Reflection Density Guide Q16
3. Reflection densitometer (optional)
4. Magnifier (10X)
5. Diffusion transfer gray contact screen
6. Diffusion transfer negative paper
7. Diffusion transfer receiver paper
8. Diffusion transfer activator
9. Diffusion transfer processor
10. Process camera
11. Black-and-white photograph
12. Masking tape

B. Procedure

1. Set up the diffusion transfer processor.
2. Set up the camera for 1:1 (100%) reproduction.
 - a. Set f/stop on f/22.
 - b. Set timer.

(NOTE: Use an exposure of approximately six to eight times the normal line exposure. In this example a 30 second exposure is used.)

3. Place a Kodak Reflection Density Guide (24 step) on the copyboard.
4. Place a sheet of 8 × 10 or 10 × 12 inch diffusion transfer negative material on the vacuum back with the emulsion side up.
5. Cover up approximately one inch of the edge of the diffusion transfer negative material and screen widthwise with a piece of cardboard and tape it down.

JOB SHEET #2

6. Place the diffusion transfer gray contact screen, emulsion side down, over negative material.

(NOTE: To insure a good contact, the screen should be at least 1 inch larger on all four sides than the diffusion transfer negative.)

7. Wipe the contact screen lightly with a photo chamois or rubber roller to work air bubbles out.

8. Make an exposure and open the camera back.

(NOTE: Do not turn the vacuum off)

9. Uncover the covered area and cover the exposed area of the diffusion transfer negative material with contact screen in place.

10. Make a series of flash exposures.

(NOTE: Use a piece of cardboard to step off a series of at least five 5-second exposures by moving the cardboard $\frac{1}{2}$ inch each time.)

11. Remove the contact screen and place it in its original container.

12. Place the negative on a sheet of receiver paper and process.

13. Examine the dot structure of the print with a magnifier, identify appropriate size of highlight and shadow dots.

(NOTE: The normal highlight dots should fall on step .00 or higher density of the gray scale. If they do not, another exposure must be made by increasing the exposure. Ask the instructor what the normal highlight dots should be. There will be no dots in the area of the print that represents the darkest steps of the gray scale, but dots do appear in lower density steps (shadow dots). Select the normal highlight and shadow dot, and note the density of the corresponding steps. In this example we will use hypothetical numbers of .30 for highlight and 1.20 for shadow. Student should use the actual steps that produced the normal highlight and shadow dots. Subtracting highlight density (.30) from shadow density (1.20), we arrive at a Basic Density Range (BDR) of .90. If the original copy has a BDR of .90, a single exposure (main) will reproduce a good halftone print. The BDR will remain the same in any darkroom as long as the same equipment, materials, and techniques are used.)

14. Program the computer to determine main and flash exposures.

(NOTE: Refer to Job Sheet #1 in Unit III. Reviewing the outlined procedure will help you set up the Q-15 halftone computer. Depending upon your understanding of the halftone reproduction process you may want to review all of Job Sheet #1.)

15. Clean work area and return equipment and materials to proper storage.

OTHER DARKROOM TECHNIQUES
UNIT IV

JOB SHEET #3 — MAKE A TWO-TONE POSTERIZATION USING
DIFFUSION TRANSFER MATERIAL

A. Equipment and materials

1. Diffusion transfer processor
2. Process camera
3. Activator
4. Diffusion transfer negative material
5. Diffusion transfer receiver material
6. Continuous tone photograph

B. Procedure

1. Set up diffusion transfer processor.
2. Set up camera for diffusion transfer line copy.
3. Place continuous tone copy on copyboard.

(NOTE: Photos that work best for the posterization process typically are fairly high contrast and show the main subject close up to show as much detail as possible. Detail with vertical and horizontal patterns works extremely well.)

4. Place diffusion transfer negative material on the vacuum back with the emulsion side up.
5. Turn on the vacuum and make a normal line exposure.
6. Place diffusion transfer negative on a sheet of receiver paper and process.

(NOTE. The resulting print with burned out highlights and solid black shadows is called a two-tone posterization. Posterizing techniques are subjective and can be varied to produce diverse effects.)

7. Clean work area and return equipment and supplies to proper storage.

OTHER DARKROOM TECHNIQUES
UNIT IV

JOB SHEET #4 — MAKE A THREE-TONE POSTERIZATION USING
SPECIAL EFFECTS SCREEN AND DIFFUSION TRANSFER MATERIAL

A. Equipment and materials

1. Diffusion transfer processor
2. Process camera
3. Activator
4. Diffusion transfer negative material
5. 30% or 40% screen tint
6. Diffusion transfer receiver material
7. Continuous tone photograph

B. Procedure

1. Set up diffusion transfer processor.
2. Set up camera for diffusion transfer line copy.
3. Place continuous tone copy on copyboard.
4. Place a sheet of diffusion transfer negative paper on vacuum back with emulsion side up.
5. Turn on vacuum and make a line exposure equal to two-thirds the normal exposure.

(NOTE: If, for example, 9 seconds is considered a normal exposure, 6 seconds would be used as the line exposure in this case.)
6. Open the vacuum back.

(NOTE: Do not turn the vacuum off.)
7. Place a 30% or 40% screen tint emulsion side down over the exposed diffusion transfer negative material.
8. Reset the camera timer for approximately 4 times the length of exposure time being used.
9. Close vacuum back and make the exposure.

JOB SHEET #4

10. Place the diffusion transfer negative on a sheet of receiver paper and process.

(NOTE: This print, in addition to having burned out highlights and a solid shadow, also has a light tint in the middletone area which considerably enhances the detail. Posterization techniques are subjective and may be varied to produce diverse effects. Ask the instructor for other screen patterns to experiment with. Special effects screens that work well with this process include mezzotint, straight line, wavy line, concentric circle and steel etch.)

11. Clean work area and return equipment and materials to proper storage.

**OTHER DARKROOM TECHNIQUES
UNIT IV****JOB SHEET # 5 — MAKE A THREE-COLOR POSTERIZATION USING
GRAPHIC ARTS FILM****A. Equipment and materials**

1. Process camera
2. Necessary items for tray processing graphic arts film
3. Necessary chemicals for processing film
4. Cameraman's sensitivity guide (gray scale)
5. High contrast graphic arts film
6. Continuous tone photograph
7. White card stock
8. Color key proofing material

B. Procedure

1. Set up darkroom.
2. Set up camera for making a line exposure.
3. Place continuous tone copy with gray scale on the copy board.
4. Place a piece of graphic arts film emulsion up on vacuum back and turn on vacuum.
5. Make a line exposure that will yield approximately a solid 4 on the gray scale.
6. Process film.
7. Expose another piece of film to yield a solid 6 on the gray scale and process film.
8. Expose another piece of film to yield a solid 8 on the gray scale and process film.

(NOTE: Films may be exposed and processed as indicated or they may be exposed, then boxed back up and all may be processed at the end of the exposing cycle.)

JOB SHEET #5

9. Make color key proof of three negatives.

(NOTE: The lightest color proof should be used for the negative exposed to a step 4, for example, if these colors are available, yellow would be good to use for the step 4 negative, magenta would be good for the step 6 negative and cyan would be good for the step 8 negative.)

10. Mount color proof in register on white card stock.

(NOTE: Mount colors on white card stock with the lightest color first. Use masking tape to tape color proof to the card stock.)

11. Clean work area and return equipment and materials to proper storage.

133

OTHER DARKROOM TECHNIQUES
UNIT IV

JOB SHEET #6 — MAKE A DUPLICATE NEGATIVE AND A FILM POSITIVE
USING GRAPHIC ARTS FILM

A. Equipment and materials

1. Contact frame/vacuum printer
2. Basic darkroom equipment and chemicals
3. Duplicating film (May be either roomlight or darkroom type. Check with your instructor.)
4. Negative

B. Procedure

1. Set up darkroom.
2. Clean the glass of the vacuum printer.
3. Place a masking sheet on the rubber matt of the vacuum printer.
4. Cut a sheet of duplicating film into desired size.
(NOTE: The film should be the same size or larger than the negative.)
5. Place the duplicating film on the masking sheet with the emulsion side up.
6. Place the negative on top of the duplicating film with emulsion side up.

(NOTE: For faithful reproduction of an original, contacting should be done emulsion to emulsion. In this case the loss of extremely fine details will not be noticeable because of the thin film base. However, for uniformity of the finished product, the original should not be used with the duplicate. It is recommended that more duplicates be made.)

7. Turn on the vacuum.

(NOTE: Pull as high a vacuum as possible, preferable in the range of 25 to 27 inches of mercury on the vacuum indicator.)

8. Make an exposure.

(NOTE: If the platemaker is a flip top, it must be flipped before exposing. If it is not, or if using a contact frame with point-source light, it is ready to be exposed. If the exposure time has not been determined prior to this job sheet, it should be done at this time. To determine the exposure time, step off a series of five second exposures. Process and dry the negative. Examine the negative and select the step that is the same as the original. The exposure time that was used for this step will be the exposure time for this film.)

JOB SHEET #6

9. Process the film.

(NOTE: Process this film following the same procedures used for line or halftone films. Always follow manufacturer's recommendations for the product you are using. CHECK WITH YOUR INSTRUCTOR.)

10. Make a film positive.

(NOTE: There are several methods of making film positives. One method is using a diffusion transfer transparent sheet. Another method is using line film and the contact printer or bright light duplicating film negative and the platemaker or contact printer. The procedure is the same as when making a duplicate negative. Ask the instructor which film and method should be used, remembering that the line film must be used in the darkroom under red safelight.)

11. Clean work area and return equipment and materials to proper storage.

140

**OTHER DARKROOM TECHNIQUES
UNIT IV**

JOB SHEET #7 — MAKE A SPREAD AND A CHOKE USING GRAPHIC ARTS FILM

A. Equipment and materials


1. Vacuum printer
2. Resister punch and pins
3. Duplicating film (may be either roomlight or darkroom type depending upon your shop conditions)
4. Line negative
5. Basic darkroom equipment
6. Chemicals (developer, stop bath, fixer)
7. Diffusion sheet

B. Procedure

1. Set up the darkroom.
2. Place a masking sheet on the rubber matt of the vacuum printer.
3. Punch a sheet of duplicating film with register punch.
4. Punch a sheet of clear plastic with a thickness of approximately .004".
(NOTE: A fixed, washed, and dried sheet of unexposed film may be used.)
5. Punch the line negative.
6. Place the sheet of punched duplicating film on the vacuum printer with the emulsion side up.
(NOTE: Use register pins.)
7. Register the spacer sheet on top of the film.
(NOTE: The spacer sheet is the sheet of plastic or film base that was punched earlier. Different thicknesses of the spacer sheet will produce different results.)
8. Register the line negative on top of the spacer sheet with the emulsion side up. (Figure 1).

JOB SHEET #7

FIGURE 1



9. Place a diffusion sheet on top of the line negative.
10. Turn the vacuum on.
11. Expose and process the film.

(NOTE: Refer to Job Sheet #6 for exposure time.)

12. Process, wash, and dry the negative.

(NOTE: The result is a negative that is somewhat larger, the lines heavier. This is a spread negative. If a positive spread is required, use the same procedures outlined except use negative duplicating film in place of positive duplicating film.)

JOB SHEET #7

13. Produce a choke.

(NOTE: Procedures for producing a choke are identical to producing a spread, except a film positive is used in place of a line negative. Refer to Job Sheet #6 for making a film positive.)

14. Clean work area and return equipment and materials to proper storage.

**OTHER DARKROOM TECHNIQUES
UNIT IV**

**JOB SHEET #8 — MAKE A COMBINATION PRINT WITH REVERSED TYPE
OVERPRINTED IN A SECOND COLOR**

A. Equipment and materials

1. Process camera
2. Contact frame/vacuum printer
3. Darkroom equipment and processing chemicals
4. Density guide or densitometer
5. Contact screen for halftone negatives
6. Graphic arts film for making line and halftone negatives
7. Contact film (roomlight or darkroom type depending upon shop conditions)
8. Duplicating film (roomlight or darkroom type depending upon shop conditions)
9. Spacer material (clear polyester or unexposed film, fixed and washed)
10. Graphic arts magnifier
11. Color key
12. Processing chemicals
13. Suitable combination copy

(NOTE: Instructor will provide suitable copy for this activity. Copy should consist of a continuous tone photograph mounted on a base sheet. Registered to the base sheet should be one overlay flap with typographical material: one or two words in 24 to 36 point type is suitable. Registered to the base sheet should be another overlay flap using amber or ruby peel coat. To complete this overlay the peel coat material should be trimmed inside the edge of the photo, the surrounding material should be peeled away, leaving peel coat material showing over the photo image area. Traditional register marks or a punch register system may be used to register the two overlays to the base art.)

B. Procedure

1. Use instructor-provided copy to make a halftone negative.

(NOTE: Student may want to review Unit III on halftone negative procedures.)

2. Register overlay of type to base art and make a line negative; referred to as *line negative #1*.

JOB SHEET #8

3. Register the other overlay to base art and make line negative of amber or ruby peel coat window; referred to as *line negative #2*.
4. Use line negative #1 in vacuum printer with contact film to make a *film positive #1a*.

(NOTE: Use emulsion up orientation for film contacting procedures.)

5. Again, use line negative #1 in vacuum frame with appropriate spacer material and duplicating film to make a *spread negative #1b*.
6. With the aid of the instructor, strip film positive #1a to the halftone negative, both film emulsions down, use register marks or punch register to align films.

(NOTE: Film positive should be on top of halftone negative when the two negatives are viewed right reading. Film positive may be taped to halftone to maintain register position.)

7. Register combined assembly of halftone negative and film positive to the window negative identified as line negative #2; once again taping of films is appropriate to maintain register.
8. Expose and process black color key using film assembly identified in Step 7.
9. Expose and process red or blue color key proof using spread negative #1b.
10. Using white card stock, register and tape in position the two previously generated pieces of color key material.

(NOTE: If the instructor has not already explained, ask why it is necessary to spread an image that overprints an area that has been reversed out.)

11. Clean work area and return equipment and materials to proper storage.

140

**OTHER DARKROOM TECHNIQUES
UNIT IV**

**PRACTICAL TEST #1 — DETERMINE BASIC EXPOSURE AND
MAKE A DIFFUSION TRANSFER LINE PRINT**

STUDENT'S NAME _____

DATE _____

EVALUATOR'S NAME _____

ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "Yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE: Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Set up camera.	_____	_____
2. Set up diffusion transfer processor.	_____	_____
3. Placed copies and gray scale on copyboard.	_____	_____
4. Placed diffusion transfer negative paper on vacuum back.	_____	_____
5. Made exposure.	_____	_____
6. Positioned emulsion side of diffusion transfer negative paper in contact with coated side of receiver sheet.	_____	_____
7. Fed negative and paper into processor.	_____	_____
8. Peeled away and discarded negative.	_____	_____
9. Examined gray scale.	_____	_____
10. Adjusted exposure if necessary.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #1

PRODUCT EVALUATION

(EVALUATOR NOTE: Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria:

Rating:

Camera and diffusion transfer processor correctly set up.

Diffusion transfer negative properly exposed and processed.

EVALUATOR'S COMMENTS: _____

**OTHER DARKROOM TECHNIQUES
UNIT IV**

**PRACTICAL TEST #2 — PROGRAM A Q15 EXPOSURE COMPUTER AND
MAKE A DIFFUSION TRANSFER HALFTONE PRINT**

STUDENT'S NAME _____

DATE _____

EVALUATOR'S NAME _____

ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "Yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE: Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Set up diffusion transfer processor.	_____	_____
2. Set up camera and copyboard.	_____	_____
3. Prepared diffusion transfer negative material and screen.	_____	_____
4. Made series of exposures.	_____	_____
5. Processed and examined print.	_____	_____
6. Programmed computer.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #2

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program, additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria:

Rating:

 Equipment properly set up.

 Series of exposures correctly made and processed.

 Print examined and computer properly programmed.

 EVALUATOR'S COMMENTS: _____

OTHER DARKROOM TECHNIQUES
UNIT IV

PRACTICAL TEST #3 — MAKE A TWO-TONE POSTERIZATION
USING DIFFUSION TRANSFER MATERIAL

STUDENT'S NAME _____

DATE _____

EVALUATOR'S NAME _____

ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "Yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE: Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:

	Yes	No
1. Set up diffusion transfer processor.	_____	_____
2. Set up camera and copyboard.	_____	_____
3. Made exposure on diffusion transfer negative material.	_____	_____
4. Place negative on receiver paper and processed.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #3

PRODUCT EVALUATION

(EVALUATOR NOTE: Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria:

Rating:

Diffusion transfer processor, camera, and copyboard correctly set up.

Two-tone posterization correctly exposed and processed.

EVALUATOR'S COMMENTS: _____

**OTHER DARKROOM TECHNIQUES
UNIT IV**

**PRACTICAL TEST #4 — MAKE A THREE-TONE POSTERIZATION USING
SPECIAL EFFECTS SCREEN AND DIFFUSION TRANSFER MATERIAL**

STUDENT'S NAME _____

DATE _____

EVALUATOR'S NAME _____

ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "Yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE: Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:

Yes

No

- | | | |
|---|-------|-------|
| 1. Set up diffusion transfer processor, camera and copyboard. | _____ | _____ |
| 2. Made two-thirds normal line exposure. | _____ | _____ |
| 3. Placed screen tint over negative material. | _____ | _____ |
| 4. Reset camera for 4 times exposure time. | _____ | _____ |
| 5. Made exposure. | _____ | _____ |
| 6. Placed negative on receiver paper and processed. | _____ | _____ |

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #4

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria:

Rating:

Diffusion transfer processor, camera, and copyboard correctly set up.

Three-tone posterization using special effects screen correctly exposed and processed.

EVALUATOR'S COMMENTS: _____

**OTHER DARKROOM TECHNIQUES
UNIT IV**

**PRACTICAL TEST #5 — MAKE A THREE-COLOR POSTERIZATION
USING GRAPHIC ARTS FILM**

STUDENT'S NAME _____

DATE _____

EVALUATOR'S NAME _____

ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "Yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE: Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:

- | | Yes | No |
|---|-------|-------|
| 1. Set up darkroom. | _____ | _____ |
| 2. Set up camera and copyboard. | _____ | _____ |
| 3. Made exposures of 4, 6, and 8 on the gray scale. | _____ | _____ |
| 4. Processed films. | _____ | _____ |
| 5. Made color key proofs. | _____ | _____ |
| 6. Mounted color proof in register on white card stock. | _____ | _____ |

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #5

PRODUCT EVALUATION

(EVALUATOR NOTE: Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria:

Rating:

 Darkroom, camera and copyboard correctly set up.

 Films properly exposed and processed.

 Three-color posterization made and correctly mounted in register on card stock.

EVALUATOR'S COMMENTS: _____

OTHER DARKROOM TECHNIQUES
UNIT IV

PRACTICAL TEST #6 — MAKE A DUPLICATE NEGATIVE AND A
FILM POSITIVE USING GRAPHIC ARTS FILM

STUDENT'S NAME _____

DATE _____

EVALUATOR'S NAME _____

ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "Yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE: Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Set up darkroom.	_____	_____
2. Cleaned glass of platemaker.	_____	_____
3. Placed masking sheet, duplicating film and negative on vacuum printer.	_____	_____
4. Turned on vacuum.	_____	_____
5. Made exposure.	_____	_____
6. Processed film.	_____	_____
7. Made a film positive.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #6

PRODUCT EVALUATION

(EVALUATOR NOTE: Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria:

Rating:

Darkroom and vacuum printer properly prepared.

Negative and positive correctly exposed and processed.

EVALUATOR'S COMMENTS: _____

**OTHER DARKROOM TECHNIQUES
UNIT IV**

**PRACTICAL TEST #7 — MAKE A SPREAD AND A CHOKE USING
GRAPHIC ARTS FILM**

STUDENT'S NAME _____

DATE _____

EVALUATOR'S NAME _____

ATTEMPT NO. _____

Instructions. When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "Yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:

	Yes	No
1. Set up darkroom.	_____	_____
2. Register punched duplicating film, clear plastic sheet and line negative.	_____	_____
3. Placed masking sheet, duplicating film, spacer sheet, line negative and diffusion sheet on vacuum printer.	_____	_____
4. Turned on vacuum.	_____	_____
5. Exposed and processed film for a spread.	_____	_____
6. Repeated with a film positive and produced a choke.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #7

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria:

Rating:

Darkroom properly set up and components placed on vacuum printer in register and in correct order.

Films correctly exposed and processed to produce a spread and a choke.

EVALUATOR'S COMMENTS: _____

**OTHER DARKROOM TECHNIQUES
UNIT IV**

**PRACTICAL TEST #8 — MAKE A COMBINATION PRINT WITH
REVERSED TYPE OVERPRINTED IN A SECOND COLOR**

STUDENT'S NAME _____

DATE _____

EVALUATOR'S NAME _____

ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "Yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE: Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:

Yes

No

- | | | |
|--|-------|-------|
| 1. Made a halftone negative. | _____ | _____ |
| 2. Made a line negative with type overlay. | _____ | _____ |
| 3. Made a line negative of amber or ruby peel coat window. | _____ | _____ |
| 4. Made a film positive. | _____ | _____ |
| 5. Made a spread negative. | _____ | _____ |
| 6. Assembled films in register. | _____ | _____ |
| 7. Made color key proof. | _____ | _____ |

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #8

PRODUCT EVALUATION

(EVALUATOR NOTE: Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria:

Rating:

Half-tone and line negatives correctly made.

Film positive and spread negative correctly made.

Films assembled in register and color key proof correctly made for a combination print with type overprinted.

EVALUATOR'S COMMENTS: _____

**OTHER DARKROOM TECHNIQUES
UNIT IV**

TEST

Name _____

Score _____

1. Match terms on the right with the correct definitions.

- | | | | |
|----------|---|-----|-----------------------------------|
| _____ a. | A photographic process characterized by exposing a sheet of sensitized paper, processing the paper in contact with a receiver sheet, and peeling the two apart after a short waiting period to produce a usable image on the receiver | 1. | Diffusion transfer receiver paper |
| _____ b. | Trade name of diffusion transfer material marketed by the Eastman Kodak Company | 2. | Choke |
| _____ c. | A light-sensitive camera speed paper designed for use in a process camera | 3. | Duplicating film |
| _____ d. | A non-light-sensitive, but chemically sensitive paper that accepts the transferred image as a positive print | 4. | Diffusion transfer |
| _____ e. | A non-light-sensitive, but chemically sensitive material with a transparent base | 5. | PMT |
| _____ f. | A one-step, ready-to-use processing chemical used in a diffusion transfer processor | 6. | Contact film |
| _____ g. | Making a line negative of a screened halftone illustration | 7. | Spread |
| _____ h. | The practice of compressing a full range of tones in a picture into a few flat tones | 8. | Combination print |
| _____ i. | A contact speed, thin base film used to make duplicates of an original negative or positive | 9. | Copy dot |
| _____ j. | A contact speed, thin base film used to make film positive from a film negative | 10. | Diffusion transfer negative paper |
| _____ k. | A contact process used for making line images fatter | 11. | Two-tone posterization |

TEST

- | | | | |
|---------|--|-----|---|
| _____l. | A contact process used for making line images thinner | 12. | Diffusion transfer transparent receiver sheet |
| _____m. | A screen used to generate different patterns or textures within the photo reproduction | 13. | Posterizing |
| _____n. | Material used to provide a color proof | 14. | Activator |
| _____o. | Posterization made using three film negatives, each one made at a different exposure | 15. | Three-color posterization |
| _____p. | A halftone combined with reverse lettering | 16. | Color key proofing material |
| _____q. | Tones of a photograph are reduced to a black and white illustration | 17. | Special effects screen |
| _____r. | Tones of photograph are reproduced as black and white with screened middle-tone area | 18. | Three-tone posterization |

2. Select true statements concerning the care of a diffusion transfer processor by placing an "X" in the appropriate blanks.

- _____a. Clean processor once a month.
- _____b. Remove and wash the tray with warm water.
- _____c. Clean the processor rollers.
- _____d. Dry and reassemble the processor.
- _____e. Drain and discard activator daily.

3. List the materials and equipment necessary to make a diffusion transfer print.

- a. _____
- b. _____
- c. _____
- d. _____
- e. _____

TEST

(NOTE. If the following activities have not been accomplished prior to the test, ask the instructor when they should be completed.)

4. Demonstrate the ability to:
 - a. Determine basic exposure and make a diffusion transfer line print. (Job Sheet #1)
 - b. Program a Q15 Exposure Computer and make a diffusion transfer halftone print. (Job Sheet #2)
 - c. Make a two-tone posterization using diffusion transfer material. (Job Sheet #3)
 - d. Make a three-tone posterization using special effects screen and diffusion transfer material. (Job Sheet #4)
 - e. Make a three-color posterization using graphic arts film. (Job Sheet #5)
 - f. Make a duplicate negative and a film positive using graphic arts film. (Job Sheet #6)
 - g. Make a spread and a choke using graphic arts film. (Job Sheet #7)
 - h. Make a combination print with reversed type overprinted in a second color. (Job Sheet #8)

**OTHER DARKROOM TECHNIQUES
UNIT IV****ANSWERS TO TEST**

- | | | | | | | |
|----|----|----|----|----|----|----|
| 1. | a. | 4 | g. | 9 | m. | 17 |
| | b. | 5 | h. | 13 | n. | 16 |
| | c. | 10 | i. | 3 | o. | 15 |
| | d. | 1 | j. | 6 | p. | 8 |
| | e. | 12 | k. | 7 | q. | 11 |
| | f. | 14 | l. | 2 | r. | 18 |
2. b, c, d
3. a. Diffusion transfer negative paper
b. Diffusion transfer receiver paper
c. Activator
d. Camera
e. Processor
4. Performance skills evaluated to the satisfaction of the instructor

OVERVIEW OF PROCESS COLOR PHOTOGRAPHY UNIT V

UNIT OBJECTIVE

After completion of this unit, the student should be able to make a set of uncorrected direct screen four-color separation negatives and use acetate overlay proofing material to make a full color proof. Competencies will be demonstrated by completing the job sheets and the unit tests with a minimum score of 85 percent.

SPECIFIC OBJECTIVES

After completion of this unit, the student should be able to:

1. Match terms related to process color photography with their correct definitions.
2. Distinguish between additive and subtractive primary colors.
3. Select true statements concerning the functions of printing inks.
4. Select true statements concerning color separation.
5. Name methods for making color corrections.
6. Demonstrate the ability to:
 - a. Make a set of unmasked direct screen four-color separation negatives. (Job Sheet #1)
 - b. Make an acetate overlay proof. (Job Sheet #2)

OVERVIEW OF PROCESS COLOR PHOTOGRAPHY UNIT V

SUGGESTED ACTIVITIES

- A. Obtain additional materials and/or invite resource people to class to supplement/reinforce information provided in this unit of instruction.

(NOTE. This activity should be completed prior to the teaching of this unit.)

- B. Provide students with objective sheet.
- C. Discuss unit and specific objectives.
- D. Provide students with information sheet.
- E. Discuss information sheet.
- F. Provide students with job sheets.
- G. Discuss and demonstrate the procedures outlined in the job sheets.
- H. Integrate the following activities throughout the teaching of this unit:
1. Visit a local printing facility that is involved in the four-color reproduction process.
 2. Make sure students develop an understanding of the differences between a typical printing operation that buys out separations for printing and a trade shop which specializes primarily in making only the separation negatives for the printing process.
 3. Work with the students on exposure ratios; i.e., if a trial exposure for cyan is 30 seconds and a trial exposure for magenta is 70 seconds, assume that after making a cyan separation the correct exposure was 40 seconds, the following ratio may be used to determine the actual magenta exposure.

$$\frac{\text{original cyan}}{\text{original magenta}} \times \frac{\text{new cyan}}{\text{unknown magenta}}$$

Substitute exposure numbers for the words as given in the basic formula.

The formula would now look like the following.

$$\frac{30 \text{ seconds}}{70 \text{ seconds}} \times \frac{40 \text{ seconds}}{X}$$

The X factor represents the new unknown magenta exposure.

Cross multiply.

$$30X = 2800$$

SUGGESTED ACTIVITIES

$X = 93\frac{1}{3}$ seconds

The new magenta exposure would then be $93\frac{1}{3}$ seconds.

Other exposures may be determined in like manner by comparing the cyan exposure to the yellow and black accordingly.

Note that due to differences in cameras, lighting systems, etc., an exposure device such as the Kodak direct screen calculator will be needed to fine tune the exposure system.

4. Meet individually with students to evaluate their progress through this unit of instruction, and indicate to them possible areas for improvement.
- I. Give test.
 - J. Evaluate test.
 - K. Reteach if necessary.

REFERENCES USED IN WRITING THIS UNIT

- A. Eastman Kodak. *Basic Color for the Graphic Arts*. Rochester, NY: Eastman Kodak., 1986.
- B. Eastman Kodak. *Direct Screen Calculator Q-10B*. Rochester, NY: Eastman Kodak Co., 1975.
- C. Graphic Arts Technical Foundation. *Color and its Reproduction*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1988.

OVERVIEW OF PROCESS COLOR PHOTOGRAPHY UNIT V

INFORMATION SHEET

I. Terms and definitions

- A. Color separation — A process of separating the color original into three black-and-white negatives
- B. Color correction — The process of compensating for ink deficiencies in making separation negatives
- C. Code notch — One or more notches on one corner of a sheet of film used to identify the emulsion and emulsion side of the film

(NOTE: Notches are primarily used on panchromatic film and transparent materials.)
- D. Complementary color — The color that is opposite another color on a color wheel
- E. Cyan — A blue-green color that is used in color separation and color printing
- F. Magenta — A dark pink color that is used in color separation and color printing
- G. Mask — A black-and-white photographic image of a color original used for color correction
- H. Moire — An undesirable pattern on a halftone negative created by the improper angling of the contact screen
- I. Neutral density filter (ND) — A gray-colored filter used to add density with no change in color
- J. Panchromatic film — Film that is sensitive to all colors of light
- K. Primary colors — Colors which cannot be produced by mixing other colors
- L. Separation negative — The negative that represents one of the primary colors from a color original
- M. Scanner — A color separation device that electronically processes images through circuits that correct color and enhance detail
- N. Acetate proofing system — A system used to proof separation negatives


(NOTE: The colorant used on the acetate overlay sheet is selected so that when the four process colors are mounted in register, the proof will produce a close visual simulation of the printed job.)

INFORMATION SHEET

II. Primary colors


A. Additive primary colors

1. The additive primary colors are blue, green and red.
2. When the three additive primary colors are added together, they will form white light.



3. When one color is subtracted, the remaining two will form another color which is complementary to the subtracted color.


(NOTE: If the blue light is subtracted, the red and green will form yellow, which is complementary to blue.



INFORMATION SHEET

B. Subtractive primary colors

1. The subtractive primary colors are cyan, magenta, and yellow.
2. Cyan, magenta and yellow are the complementary colors of additive primary colors.
3. When the cyan, magenta, and yellow inks are mixed together in various proportions, they produce a full range of colors.
4. Cyan, magenta, and yellow are also called process colors.
5. When solid layers of the process colors are printed on a white sheet, they produce black.



III. Functions of printing inks

- A. Inks absorb light.
- B. Inks are used to control the light that is permitted to strike the paper and to be reflected from it.
- C. Each of the three primary colored printing inks absorbs one of the three component colors of white light and leaves the other two components to be reflected.
 1. Cyan ink absorbs the red part of white light.

(NOTE: Where cyan ink is printed, only green and blue light can be reflected from it. This combination of green and blue light appears cyan in color.)

INFORMATION SHEET

2. Magenta ink absorbs the green part of white light.

(NOTE: Where magenta ink is printed, only red and blue light can be reflected from it. This combination of red and blue light appears magenta in color.)

3. Yellow ink absorbs the blue part of white light.

(NOTE: Where yellow ink is printed, only red and green light can be reflected from it. This combination of red and green light appears yellow in color.)

4. Black ink absorbs all components of white light.

(NOTE: Its only function in four-color printing is to increase the contrast of the reproduction.)

IV. Color separation

- A. Three plates are used for printing the three colored inks.

(NOTE: Four plates will be necessary if a black printer is also used.)

- B. Each plate records either the cyan, magenta, or yellow ink.

- C. Three separate negatives are needed, each one representing one of the primary colors.

(NOTE: To avoid moire, each separation negative is made at a different screen angle, i.e., cyan printer at 105°, yellow printer at 90°, magenta printer at 75°, and black at 45°.)

- D. Negatives are made by photographing the color original three times through three different filters on black-and-white panchromatic film.

- E. The cyan printer separation negative is made by exposing through a red filter.

- F. The magenta printer separation negative is made by exposing through a green filter.

- G. The yellow printer separation negative is made by exposing through a blue filter.

INFORMATION SHEET**V. Methods for making color corrections**

(NOTE: Printing three color images [cyan, magenta, and yellow] with one on top of the other in perfect register will not reproduce a faithful image of the original. The problem is not in faulty craftsmanship, filters, or the process, but rather in the inks. Process inks are not pure absorbers. Each of the inks absorbs some of the other two colors in addition to its complementary color. The result is a low contrast and muddy reproduction. The correction is achieved by printing less of the inks of certain colors in specific areas. There are three popular methods of color correcting which are described below.)

A. Photographic masking

1. Photographic mask—A weak image of the color original on photographic film
2. Mask—Used with either the color copy or the negative when making separation negatives

(NOTE: Photographic masking is the most popular method of color correcting. There are several methods of masking: positive masking, negative masking, camera back masking, using an enlarger, using a contact frame, single stage masking, two stage masking, etc. Although a very important part of process photography, masking procedures will not be discussed in this unit due to the time-consuming nature of the process in a typical school shop. However, a job sheet on unmasked direct screen color separation is included. Unmasked separations are extensively used in newspaper reproduction. Masking is strongly recommended if time permits.)

B. Electronic scanning**C. Localized dot etching**

**OVERVIEW OF PROCESS COLOR PHOTOGRAPHY
UNIT V**

HANDOUT #1 — DIRECT SCREEN SEPARATION RECORD

Subject Matter _____ Date _____

Contact Screen: Type _____

Ruling _____

Printer	Filter	Main Exposure	Flash Exposure
Cyan	PM23A/25		
Magenta	PM58		
Yellow	PM47B/47		
Black	PMK2		

Suggested AIM points for negative dot percentages on halftone separation negatives

	A (Highlight)	M (Middletone)	B (Shadow)
Cyan	95 ± 2%	50 ± 3%	10 ± 4%
Magenta	97 ± 2%	63 ± 3%	20 ± 4%
Yellow	97 ± 2%	63 ± 3%	20 ± 4%
Black	Solid	Solid	55% ± 5%

OVERVIEW OF PROCESS COLOR PHOTOGRAPHY UNIT V

JOB SHEET #1 — MAKE A SET OF UNMASKED DIRECT SCREEN FOUR-COLOR SEPARATION NEGATIVES

A. Equipment and materials

1. Process camera
2. Standard darkroom equipment
(NOTE: See unit on halftone photography for the list of equipment.)
3. Flash lamp with 7 1/2 watt frosted bulb and ND No. 96 (1.30 density) filter
4. Preangled chipboard
(NOTE: This chipboard was made in the unit entitled "Halftone Photography.")
5. Kodak Color Separation Guide with A, M, B Patch, Q13
6. Color illustration (photograph)
(NOTE: Instant color prints are not suitable for this process.)
7. Filter holder
8. Filters (PM23A, PM58, PM47B, K2)
(NOTE: These filters may be substituted with the following: No. 25 for PM23A, and PM47 for PM47B.)
9. Black masking tape
10. Transparent tape
11. Gray contact screen
12. Panchromatic film
13. Magnifying glass
14. Kodak Direct Screen Calculator Q-10B

B. Procedure

1. Set up the process camera.
2. Set up the darkroom and stabilize the temperature.


JOB SHEET #1

3. Set up flash lamp for making flash exposure.

(NOTE: A conventional flash lamp filter is not suitable for the separation process. A neutral density filter No. 96 [1.30 density] over a 7 1/2 watt frosted tungsten bulb 7 feet from the camera back is recommended.)

4. Place the preangled chipboard on the copyboard and fasten it down (Figure 1).

FIGURE 1




5. Place a Kodak Color Separation Guide (A, M, B Patch) next to the original color illustration. Add registration marks as indicated.

JOB SHEET #1

6. Fasten these two pieces on a mounting board that is approximately the same size as the two pieces (Figure 2).

FIGURE 2



7. Draw two short lines on the center of the mounting board, one on the top and one on the bottom. (See Figure 2.)
8. Place the copy on the center of the preangled chipboard and line up the short lines of the copy with the 105° line.
9. Set up the camera for the first trial exposure by placing a PM 23A or a number 25 (red) filter in the filter holder of the camera.
10. Set the lens at $f/16$ and timer at 25 seconds.

JOB SHEET #1

11. Set the flash exposure at 20 seconds.

(NOTE: Due to extreme differences in cameras, lighting systems and films, the main and flash exposures are listed as trial exposures. The actual determination of the acceptability of a particular separation negative must be evaluated by checking the A, M, and B patch dot size. The A patch dot may be adjusted for proper size by using the trial exposure in conjunction with the Q-10B exposure calculator. The shadow dot (B patch) may be adjusted in dot size by using the traditional flash step-off test to determine a basic flash and adjusting the flash exposure to correspond for the density of step B. In some instances it is not unusual for the M patch dot size to fall outside recommended tolerance when using the main/flash exposure system. Once the correct main/flash exposures have been determined, they may be recorded on Handout #1. A permanent record of this information will be helpful if subsequent separations are to be made.)

12. Set the darkroom timer to 2 minutes and 45 seconds (2:45).

(NOTE: A timer with a buzzer is recommended to signal the end of the developing time.)

13. Place reference marks on the camera back.

(NOTE. Place two pieces of black masking tape at right angles to each other on the camera back to aid in the positioning of the film in total darkness. Since the copy is angled on the copy board, a much larger sheet of film must be used to cover the entire copy. A 10" x 12" sheet of film is recommended for a 4" x 5" copy.)

14. Turn all lights off.

(NOTE. Before doing so, remember where everything is [for example, the film, screen, developer, and fixer].)

15. Place a sheet of panchromatic film on the camera back with the emulsion side up.

(NOTE: The emulsion side is up when the code notice is in the top right hand corner of the film.)

16. Place the contact screen on the top of the film with the emulsion side down.

(NOTE. Make sure the screen is parallel with the camera back and is placed at the same position for all four separation negatives. To ensure this, the contact screen may be fastened to the camera back with black masking tape.)

17. Rub the screen with the back of your hand or a rubber roller to ensure a good contact.

18. Expose for main and flash.

JOB SHEET #1

19. Develop, fix, and wash the film.

(NOTE: Refer to the unit on halftone photography for the proper methods of film processing.)

20. Examine the negative on a light table with a magnifying glass.

(NOTE: Check the dot sizes in A, M, and B Patch. The aim points for this negative [cyan printer] are: A-step—95% \pm 2%, M-step—50% \pm 3%, and B-step—10% \pm 4%. If these percentages are not present, remake the negative. Use a Q-19B Exposure Computer and alter the exposure until the desired dot structure is achieved. Keep a record of the exposures of all four separation negatives; it will help reduce the remaking of future separation negatives.)

21. Turn the copy on the copyboard and line up the short lines of the copy with the 75° line.

22. Place a PM58 (green) filter in the filter holder of the camera.

23. Set the lens at $f/16$ and timer at 70 seconds.

24. Set the flash exposure at 20 seconds.

25. Repeat procedure steps 12 through 20.

(NOTE: The aim points for this negative [magenta printer] are: A-step—97% \pm 2%, M-step—63% \pm 3%, and B-step—20% \pm 4%. Remake if necessary.)

26. Turn the copy on the copyboard and line up the short lines of the copy with the 90° line.

27. Place a PM47B (blue) filter in the filter holder of the camera.

28. Set the lens at $f/11$ and timer at 130 seconds.

29. Set the flash exposure at 20 seconds.

30. Repeat procedure steps 12 through 20.

(NOTE: The aim points for this negative [yellow printer] are the same as magenta printer: A-step—97% \pm 2%, M-step—63% \pm 3%, and B-step—20% \pm 4%. Remake if necessary.)

31. Turn the copy on the copyboard and line up the short lines of the copy with the 45° line.

32. Place a K2 filter (yellow) in the filter holder of the camera.

33. Set the lens at $f/16$ and timer at 20 seconds.

JOB SHEET #1

34. Repeat procedure steps 12 through 20.

(NOTE: DO NOT FLASH THIS NEGATIVE. The aim points for this negative [black printer] are: A-step—no dots, M-step—no dots, and B-step— $55\% \pm 5\%$. Remake if necessary.)

35. Clean work area and return equipment and materials to proper storage.

180

**OVERVIEW OF PROCESS COLOR PHOTOGRAPHY
UNIT V**

JOB SHEET #2 — MAKE AN ACETATE OVERLAY PROOF

A. Equipment and materials

1. Vacuum printer/platemaker
2. Table or sink for processing acetate sheets
3. Transparent gray scale (used for correct exposure determination)
4. Acetate overlay proofing material (3-M Color-Key or comparable product)
5. Required processing solution
6. Newsprint or other absorbent paper
7. Squeegee
8. Cotton pads
9. Transparent tape
10. White cover stock for mounting acetate proof

B. Procedure

1. Set up vacuum printer to make test exposure.
2. Make step-off exposure using transparent gray scale.

(NOTE: Check with instructor for exposure times and procedure to be used for step-off test.)
3. Process test exposure material according to manufacturer's recommendation.
4. Evaluate test results and determine exposure to be used.
5. Proof all four separation negatives on their respective color proofing materials.
6. Mount yellow proof on white cover stock with transparent tape.
7. Place the magenta printer on top of the yellow; with the aid of the magnifying glass and register marks on the two proofs, bring the two images into register.
8. Tape the magenta printer along the top edge.
9. Register the cyan printer with the other two and tape it down on the top edge.

JOB SHEET #2

10. Register the black printer with the previous three and tape down along the top edge.
11. Turn in the registered proof and separation negatives to the instructor.
12. Clean work area and return equipment and materials to proper storage.

182

**OVERVIEW OF PROCESS COLOR PHOTOGRAPHY
UNIT V**

**PRACTICAL TEST #1 — MAKE A SET OF UNMASKED
DIRECT SCREEN FOUR-COLOR SEPARATION NEGATIVES**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE: Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in the procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Set up process camera and darkroom correctly.	_____	_____
2. Set up flash lamp and copyboard correctly.	_____	_____
3. Mounted original and separation guide.	_____	_____
4. Made exposures to obtain negatives with correct dot percentages.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #1

PRODUCT EVALUATION

(EVALUATOR NOTE: Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____

Rating: _____

Appropriate filter and screen angle used with each separation negative.

Separation negatives made with correct dot percentages in A, M, and B patches as specified.

EVALUATOR'S COMMENTS: _____

**OVERVIEW OF PROCESS COLOR PHOTOGRAPHY
UNIT V**

PRACTICAL TEST #2 — MAKE AN ACETATE OVERLAY PROOF

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Set up vacuum printer.	_____	_____
2. Made and processed step-off exposure.	_____	_____
3. Proofed the four separation negatives.	_____	_____
4. Assembled the acetate overlay proof correctly.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #2

PRODUCT EVALUATION

(EVALUATOR NOTE: Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____

Rating: _____

Proofing material properly exposed and developed.

Overlay proof mounted in register and in proper sequence on white cover stock.

EVALUATOR'S COMMENTS: _____

OVERVIEW OF PROCESS COLOR PHOTOGRAPHY UNIT V

TEST

Name _____ Score _____

1. Match the terms on the right with their correct definitions.

- | | | | |
|---------|--|-----|-------------------------|
| _____a. | A process of separating the color original into three black-and-white negatives | 1. | Complementary color |
| _____b. | The process of compensating for ink deficiencies in making separation negatives | 2. | Moire |
| _____c. | One or more notches on one corner of a sheet of film used to identify the emulsion and emulsion side of the film | 3. | Panchromatic film |
| _____d. | The color that is opposite another color on a color wheel | 4. | Color separation |
| _____e. | A blue-green color that is used in color separation and color printing | 5. | Primary colors |
| _____f. | A dark pink color that is used in color separation and color printing | 6. | Color correction |
| _____g. | A black-and-white photographic image of a color original used for color correction | 7. | Code notch |
| _____h. | An undesirable pattern on a halftone negative created by the improper angling of the contact screen | 8. | Cyan |
| _____i. | A gray-colored filter used to add density with no change in color | 9. | Mask |
| _____j. | Film that is sensitive to all colors of light | 10. | Magenta |
| _____k. | Colors which cannot be produced by mixing other colors | 11. | Separation negative |
| _____l. | The negative that represents one of the primary colors from a color original | 12. | Neutral density filter |
| _____m. | A system used to proof separation negatives | 13. | Scanner |
| | | 14. | Acetate proofing system |

TEST

- ____n. A color separation device that electronically processes images through circuits that correct color and enhance detail
2. Distinguish between additive and subtractive primary colors by placing an "A" before descriptions of additive primary colors and an "S" before descriptions of subtractive primary colors.
- ____a. These primary colors are blue, green, and red.
- ____b. These primary colors are cyan, magenta, and yellow.
- ____c. When these colors are mixed together in various proportions, they produce a full range of colors.
- ____d. These are also called process colors.
- ____e. When these colors are added together, they form white light.
3. Select true statements concerning the functions of printing inks by placing an "X" in the appropriate blanks.
- ____a. One function of ink is to control the light that is permitted to strike the paper and to be reflected from it.
- ____b. Magenta ink absorbs the blue part of white light.
- ____c. Yellow ink absorbs the green part of white light.
- ____d. Cyan ink absorbs the red part of white light.
- ____e. Black ink absorbs all components of white light.
4. Select true statements concerning color separation by placing an "X" in the appropriate blanks.
- ____a. Three plates are used for printing three colored inks.
- ____b. The yellow printer separation negative is made by exposing through a blue filter.
- ____c. The magenta printer separation negative is made by exposing through a red filter.
- ____d. The cyan printer separation negative is made by exposing through a green filter.
- ____e. Three separate negatives are needed for color separation, each one representing one of the primary colors.

TEST

5. Name the methods for making color corrections.

- a. _____
- b. _____
- c. _____

(NOTE: If the following activities have not been accomplished prior to the test, ask your instructor when they should be completed.)

6. Demonstrate the ability to:

- a. Make a set of unmasked direct screen four-color separation negatives. (Job Sheet #1)
- b. Make an acetate overlay proof. (Job Sheet #2)

OVERVIEW OF PROCESS COLOR PHOTOGRAPHY
UNIT V

ANSWERS TO TEST

- | | | | | |
|----|----|----|----|----|
| 1. | a. | 4 | h. | 2 |
| | b. | 6 | i. | 12 |
| | c. | 7 | j. | 3 |
| | d. | 1 | k. | 5 |
| | e. | 8 | l. | 11 |
| | f. | 10 | m. | 14 |
| | g. | 9 | n. | 13 |
2. a. A
b. S
c. S
d. S
e. A
3. a, d, e
4. a, b, e
5. a. Photographic masking
b. Electronic scanning
c. Localized dot etching
6. Performance skills evaluated to the satisfaction of the instructor

STRIPPING PROCEDURES UNIT VI

UNIT OBJECTIVE

After completion of this unit, the student should be able to strip negatives using a variety of flat systems commonly used in the graphic arts industry. Competencies will be demonstrated by completing the job sheets and the unit tests with a minimum score of 85 percent.

SPECIFIC OBJECTIVES

After completion of this unit, the student should be able to:

1. Match terms related to stripping procedures with their correct definitions.
2. Match stripping tools and materials with their proper uses.
3. Identify the parts on a layout of a typical flat.
4. Select true statements concerning the emulsion side and the base side of a negative.
5. Select true statements concerning the methods of combining line and halftone work.
6. Name types of combination printing.
7. Identify stripping register marks and pins.
8. Demonstrate the ability to:
 - a. Lay out and strip an unruled flat (wrong reading). (Job Sheet #1)
 - b. Strip a ruled flat (right reading). (Job Sheet #2)
 - c. Strip for step-and-repeat. (Job Sheet #3)
 - d. Combine line and halftone work. (Job Sheet #4)
 - e. Strip for combination print (double burn). (Job Sheet #5)
 - f. Strip complementary flats for multi-color printing. (Job Sheet #6)
 - g. Lay out signature flats for multi-page or book printing. (Job Sheet #7)
 - h. Strip a two-color job using pin register and masking film. (Job Sheet #8)
 - i. Expose a blue-line proof. (Job Sheet #9)

STRIPPING PROCEDURES UNIT VI

SUGGESTED ACTIVITIES

- A. Obtain additional materials and/or invite resource people to class to supplement/reinforce information provided in this unit of instruction.
- (NOTE: This activity should be completed prior to the teaching of this unit)
- B. Make transparency from the transparency master included with this unit.
- C. Provide students with objective sheet.
- D. Discuss unit and specific objectives.
- E. Provide students with information sheet.
- F. Discuss information sheet.
- (NOTE: Use the transparency to enhance the information as needed.)
- G. Provide students with job sheets.
- H. Discuss and demonstrate the procedures outlined in the job sheets.
- I. Integrate the following activities throughout the teaching of this unit:
1. Help students develop an understanding of different bend and gripper lines as they relate to different presses and the importance of knowing press specifications to determine accurate stripping procedures for each press.
 2. Discuss different types of imposition that are used to lay out and prepare printed material.
 3. If possible, plan a field trip to a nearby printing company where students may have the opportunity to see step-and-repeat equipment as well as electronic stripping devices in operation.
 4. Meet individually with students to evaluate their progress through this unit of instruction, and indicate to them possible areas for improvement.
- J. Give test.
- K. Evaluate test.
- L. Reteach if necessary.

SUGGESTED ACTIVITIES**REFERENCES USED IN WRITING THIS UNIT**

- A. Blair, Ray and Thomas M. DeStree. *The Lithographer's Manual*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1988.
- B. Cogoli, John E. *Photo-Offset Fundamentals*. Bloomington, IL: McKnight Publishing Company, 1986.

SUGGESTED SUPPLEMENTAL MATERIAL

Texts

- A. Film Image Assembly 0411, *Introduction to Film Assembly*. Pittsburgh, PA, Graphic Arts Technical Foundation, 1980.
- B. Film Image Assembly 0421, *Basic Signature Imposition*. Pittsburgh, PA. Graphic Arts Technical Foundation, 1980.
- C. Film Image Assembly 0461, *Preparing Multiple-Image Imposition (Step-and-Repeat)*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1981.
- D. Film Image Assembly 0451, *Assembling a Two-Color Booklet*. Pittsburgh, PA. Graphic Arts Technical Foundation, 1981.

**STRIPPING PROCEDURES
UNIT VI****INFORMATION SHEET****I. Terms and definitions**

- A. Stripping — The process of fastening negatives to masking sheets to produce a flat
- B. Flat — Negative or negatives attached to masking sheet from which the offset plate is made
- C. Masking sheet — Special opaque paper or plastic sheet used to make the flat
(NOTE: Masking sheets can be either ruled or unruled.)
- D. Goldenrod — Another name for masking paper; yellow or orange in color
- E. Windows — Openings in the masking sheet that expose image areas onto the offset plate
- F. Opaque — To prevent light from passing through a material
- G. Emulsion side — The side of the film coated with light-sensitive material
- H. Pinholes — Small clear areas in the negative which would allow light to pass through if not detected and opaqued
- I. Lithographer's tape — Red tape; opaque in nature
- J. Rule — A line scribed or scratched on a negative
- K. Step-and-repeat — The process of repeating the exposure of a flat several times on an offset plate

(NOTE: The step-and-repeat method of stripping is used for press-run economy by burning a single image on the plate several times to produce many images on each press sheet.)
- L. Register — To print the image in the exact same position on each sheet of paper
- M. Register marks — Small crosses, guides, or patterns placed on originals and flats to aid registration
- N. Pin register — Accurate system of registration using punched negatives, flats, plates, and positioned register pins
- O. Main flat — Flat containing the key negatives of a multi-color job

INFORMATION SHEET

- P. Complementary flat — A flat containing negatives for only one color or part of a multi-color job
- Q. Combination printing — Printing line copy on top of a halftone
(NOTE: Combination printing is also called *surprinting*.)
- R. Signatures — Usually two, four, eight, or sixteen pages printed on a single sheet to be folded and trimmed as a book or part of a book
- S. Imposition guide — A sheet marked to show the page positions
(NOTE: This is commonly referred to as a dummy.)
- T. Double burn — Exposing a plate twice using two complementary flats

II. Uses of stripping tools and materials

- A. Stripping knife — A single-edged, pointed razor blade, affixed to a handle; used to cut masking sheets and windows
- B. Opaque brush or pen — A fine-pointed artist tool used to apply opaquing solution to a negative
- C. T-square — Instrument, usually stainless steel or plastic, used to square work on a light table
- D. Straight edge ruler — Instrument, usually stainless steel or plastic, used to measure, rule, and cut along an edge
- E. Tape dispenser — Holds rolls of tape and contains attached cutting edge
- F. Triangles — Metal or plastic 45-45-90 or 30-60-90 degree triangles used to rule and cut along specific lines
- G. Scribing tool — A shaped, sometimes looped point with handle for scratching lines on negatives
- H. Light table — A table with a frosted glass top and a light underneath to view flats and negatives
- I. Magnifier (linen tester) — Magnifying glass mounted on a small frame; used to detect negative flaws
- J. Register pins and punches — Used to secure flats and plates for close registration
- K. Scissors — Cutting instrument used in trimming
- L. Line-up-table — Light table with built-in vertical and horizontal straight edges, calibrated for accuracy

INFORMATION SHEET

- M. Goldenrod (masking sheets) — Used to prevent light from reaching the plate
- N. Masking tape — Used to tape masking sheets to the light table
- O. Lithographer's tape — Used to fasten negatives to the masking sheet and cover large pinholes
- P. Opaque solution — Used to cover pinholes and scratches
- Q. Amber or ruby peel coat — Peelable film used for stripping multi-color work

III. Parts on a layout of a typical flat (Transparency 1)

- A. Position of cut-out for gray scale
- B. Size of press sheet
- C. Final trim size
- D. Image positions laid out
- E. Image limit
- F. Sheet gripper margin
- G. Leading edge of plate
- H. Wedge cut-out to indicate leading edge of plate
- I. Leading edge of press sheet

IV. The emulsion side and base side of a negative

- A. Emulsion side
 1. Coated side which carries the image
 2. If scratched, the emulsion comes off, leaving only the clear base, thus allowing light to pass through the negative.
 3. Backward or wrong-reading




Emulsion Side Up

INFORMATION SHEET

B. Base side


1. Made of a polyester or acetate (plastic) base
2. Coated with a dye which absorbs light and prevents reflection (antihalation coating)
3. Right-reading



Emulsion Side Down

V. Methods of combining line and halftone work


- A. Halftone window is cut from red or black material such as paper or masking film, and window is positioned on paste-up.
 1. Line negative is developed so halftone window remains clear.
 2. Halftone negative is stripped into the clear window.



INFORMATION SHEET


B. Line and halftone negatives are stripped separately to the same flat.

1. Negatives are trimmed and taped into position on the flat.
2. Windows are cut for halftone and line copy in the flat.



C. Negatives are stripped and exposed on separate flats.

1. Line negative is positioned carefully on flat and plate burned.
2. Halftone negative is positioned carefully on second flat and second burn made on plate.




INFORMATION SHEET

VI. Types of combination printing (surprinting)

- A. Positive lettering printed on top of halftones
- B. Reversed lettering printed on top of halftones (single burn)


VII. Stripping register marks and pins

A. Alignment marks




Common Register Marks Used for Alignment or Single Runs

B. Multiple printing marks




Register Marks for Multiple Printings

C. Register pins




Round Register Pin



Elongated (or Oval) Register Pin

Parts on a Layout of a Typical Flat



STRIPPING PROCEDURES UNIT VI

JOB SHEET #1 — LAY OUT AND STRIP AN UNRULED FLAT (WRONG-READING)

A. Equipment and materials

1. Unruled masking sheet (goldenrod stock)
2. Tape dispenser with masking tape and red lithographer's tape
3. Black fine or medium point ballpoint pen
4. T-square
5. Triangle
6. Printer's line gauge or centering rule
7. Stripping knife or single-edge razor blade
8. Opaque solution and brush or opaquing pen
9. Line negative appropriate for an 8½" x 11" job size

(NOTE: Instructor may provide you with a negative or he/she may require you to make your own.)

10. Light table


B. Procedure

(NOTE: Although there are many stripping systems currently used in the graphics industry, the center line stripping method will be used throughout this unit. Two vertical and two horizontal center marks in black ink are placed on the outer edge of the vertical and horizontal center of the copy. When a line negative is made, these four marks show up as tiny clear areas which may be used to position the negative with the vertical and horizontal lines drawn within the page size on the masking sheet.)

1. Obtain the correct masking sheet size.
2. Position the masking sheet on the light table; check with instructor for orientation of gripper edge.
3. Using the T-square, butt the masking sheet up against blade of T-square to assure masking sheet is squarely aligned.

JOB SHEET #1

FIGURE 1



JOB SHEET #1

4. Using masking tape, tape down the top left and right hand corners of the sheet


(NOTE: Make sure masking sheet is still square after taping.)
5. Determine the plate bend and measure down from the gripper edge of the masking sheet.
6. Rule across the bend mark on the masking sheet using a ballpoint pen.

(NOTE: This line represents the top edge of the printed sheet and is also called the paper line. See Figure 1.)
7. Measure down from plate bend the amount of space required for the gripper bite and rule another line parallel to the plate bend line (Figure 1).
8. Measure down 11" (if using an 8½" x 11" sheet) from the line drawn in Step 6 and draw another rule across the sheet (Figure 1).
9. Using the ruler, find the center point perpendicular to the plate bend line.
10. Use the T-square (and triangle, if necessary) to rule the center line (Figure 1).
11. Measure 4¼" (if using an 8½" x 11" sheet) on each side of center line and make mark.
12. Use T-square (and triangle, if necessary) to draw rules on the 4¼" marks.

(NOTE: These two lines represent the left and right edges of the printed sheet. See Figure 1.)
13. To complete the flat, draw another center line perpendicular to the existing center line. This center line should be one-half the distance of the page size (Figure 1).
14. Position negative emulsion up (backward reading) on the masking sheet so the vertical and horizontal center marks on the negative are in alignment with the center lines on the masking sheet. Double check image alignment on negative to be sure it is square (Figure 2).
15. Use red lithographer's tape and tape negative to masking sheet by using a small piece of tape in each of the four corners.
16. Remove masking tape from top corners of masking sheet and turn over so negative faces down on light table (image should now be right reading).
17. Turn on light table so image area of negative can be seen through the flat.

JOB SHEET #1

FIGURE 2



204

JOB SHEET #1

18. Using the stripping knife, cut away masking sheet to expose all of the image area. This is referred to as opening up a window.

(NOTE: Cut no closer than 1/8" to any part of the type or image.)

19. Use opaque solution and brush (or pen) to cover any imperfection such as a scratch or pinhole that may allow light to pass through the non-image area of the negative.
20. Give completed flat to instructor for evaluation.
21. Clean work area and return equipment and materials to proper storage.

STRIPPING PROCEDURES UNIT VI

JOB SHEET #2 — STRIP A RULED FLAT (RIGHT-READING)

A. Equipment and materials

1. Tape dispenser
2. Masking tape
3. Lithographer's tape
4. T-square
5. 12-inch ruler
6. Stripping knife
7. Opaque brush and opaque solution
8. Light table
9. Ruled masking sheet
10. Appropriate line negative


B. Procedure

1. Position masking sheet with gripper margin toward top of light table.
2. Turn on light table.
3. Position line negative under masking sheet and line up center marks on negative with center lines found within the page size identified on masking sheet.
4. Move negative into exact square position by using the vertical and horizontal lines printed on the masking sheet.
5. Hold negative in aligned position with left hand and secure lower right corner to masking sheet with lithographer's tape.
6. Hold negative and masking sheet in aligned position with right hand and secure lower left corner of negative to masking sheet with lithographer's tape.
7. Leave top edge of masking sheet taped to light table, and flip flat over to tape remaining two corners of negative.
8. Flip flat back over and use stripping knife to open image area by cutting masking sheet (Figure 1).

(NOTE: Do not cut closer than 1/8" to the image.)

JOB SHEET #2

FIGURE 1



Base-Line masking sheet used with permission of Base-Line, Inc.

207

JOB SHEET #2

(NOTE: Figure 1 shows negative stripped to a ruled masking sheet. In this stripping procedure, the negative is positioned underneath the masking sheet emulsion down with the image right reading. Although center marks on the negative are not visible, the same type of image alignment may be used as in Job Sheet #1. The outer four dots represent the page size, the inner four dots represent the vertical and horizontal center lines of the indicated page size. As the negative is slid underneath the masking sheet, the center marks on the edges of the negative are lined up with the center lines on the masking sheet.)

9. Use opaque brush and opaque solution to cover any pinholes or scratches in exposed negative area.
10. Give completed flat to instructor for evaluation.
11. Clean work area and return equipment and materials to proper storage.

**STRIPPING PROCEDURES
UNIT VI****JOB SHEET #3 — STRIP FOR STEP-AND-REPEAT****A. Equipment and materials**

1. Light table
2. T-square
3. Tape dispenser (with masking tape and lithographer's tape)
4. Stripping knife
5. Opaque brush and opaque solution
6. 10" x 15" ruled masking sheet
7. 2" x 3" trimmed line negative
8. Spare 10" x 15" masking sheet


B. Procedure

1. Using T-square, position 10" x 15" masking sheet square on light table with gripper margin at the top.

(NOTE: If this position of the gripper edge at the top is maintained throughout the stripping platemaking process by all personnel, consistent image positioning is better achieved.)
2. Position negative and strip negative in center line position.
3. Check image on negative with T-square to make sure image is square on flat.
4. Line up T-square with ruled line on masking sheet which represents the top edge of the finished printed sheet.
5. Using the stripping knife, cut a 1/4" V-shaped notch in the right side of the masking sheet on the line representing the top edge of the printed finished piece (Figure 1).

JOB SHEET #3

FIGURE 1



6. Move the T-square down (or to your right on the masking sheet) and line up with the ruled line on the masking sheet representing the bottom edge of the finished printed sheet.
7. Cut a second 1/4" notch on the same right edge of the masking sheet along position of T-square in Step 6 (Figure 1).
8. Use opaque brush and opaque solution to cover any pinholes or scratches in exposed negative area.

(NOTE: When the first exposure [burn] is completed, the flat is repositioned by matching the #1 notch on the flat with the exposure mark left by notch #2 during the first exposure. An additional masking sheet is placed over the previously exposed part of the plate for each additional exposure. A slight change of color will be noticed where the notch openings were exposed to light during the first burn, which may be removed with deletion fluid or eraser.)

9. Give flat to instructor for evaluation.
10. Clean work area and return equipment and materials to proper storage.

**STRIPPING PROCEDURES
UNIT VI****JOB SHEET #4 — COMBINE LINE AND HALFTONE WORK****A. Equipment and materials**

1. Light table
2. T-square
3. Stripping knife
4. Tape dispenser with masking tape and lithographer's tape
5. Line negative with halftone window
6. Halftone negative
7. Appropriate masking sheet
8. Scissors
9. Opaque solution and opaque brush

B. Procedure

1. Strip line negative to masking sheet.
2. Turn masking sheet over and position halftone negative over window so 1/8" of negative laps over edge of window on all four sides.
3. Make sure the emulsion sides of both the line and halftone negatives are facing up.
4. Secure two overlapping corners of the halftone negative to the line negative with small strips of lithographer's tape.

(NOTE: Taping on two sides helps prevent buckles which may occur in the halftone and results in better contact with the plate.)

5. Cut away masking sheet to expose all images.
6. Opaque any pinholes or scratches on line negative.
7. Turn in completed flat to instructor for evaluation.
8. Clean work area and return equipment and materials to proper storage.

**STRIPPING PROCEDURES
UNIT VI**

**JOB SHEET #5 — STRIP FOR COMBINATION
PRINT (DOUBLE BURN)**

A. Equipment and materials

1. Light table
2. T-square
3. Stripping knife
4. Tape dispenser with masking and lithographer's tape
5. 2 line negatives

(NOTE: One line negative should include typographical material and register marks, the second negative should be a window negative with register marks that correspond with the first negative. The second negative is used as a window for the halftone.)

6. Halftone negative
7. Opaque solution and brush

B. Procedure

1. Obtain necessary negatives.
2. Strip line negative that contains type into position on masking sheet; strip negative underneath flat with emulsion down.
3. Open up mask over register marks and image of line negative.
4. Register window negative by using register marks.

(NOTE: This negative will be used for stripping the halftone.)

5. Tape window negative to primary flat with masking tape to maintain register between the two negatives.
6. Align second masking sheet with primary masking sheet and tape into position using masking tape.
7. Attach window negative to second masking sheet using lithographer's tape.
8. Release masking tape and separate primary and secondary flats.
9. Open up window in mask over image area in secondary flat.

JOB SHEET #5

10. Do necessary opaquing on both negatives.
11. Turn flat with window over and attach halftone negative (emulsion up).
12. Use red lithographer's tape to cover up any open register marks.

(NOTE: Register marks for double burning are used primarily for image alignment in stripping and would not normally be exposed to the plate.)
13. Turn in flats to instructor for approval.
14. Clean work area and return equipment and materials to proper storage.

**STRIPPING PROCEDURES
UNIT VI****JOB SHEET #6 — STRIP COMPLEMENTARY FLATS FOR
MULTI-COLOR PRINTING****A. Equipment and materials**

1. Light table
2. T-square
3. Stripping knife
4. Tape dispenser with masking and lithographer's tape
5. Line negative (image area appropriate for two-color printing)
6. Three 10" x 15" masking sheets
7. Black felt tip pen
8. Opaque solution and brush or opaquing pen

B. Procedure

1. Strip line negative to masking sheet.
2. Using stripping knife, cut away masking sheet exposing all lines of type on negative; opaque negative to eliminate imperfections.
3. Using black pen, mark which lines of type are to be printed in first and second colors.
4. Tape second masking sheet over stripped flat and cut away masking sheet to expose all lines to print in first color.
5. Identify masking sheet cut in Step 4 as first color (name color).
6. Tape third masking sheet to first flat and cut away masking sheet to expose all lines of second color.
7. Identify third masking sheet cut in Step 6 as second color (name color).
8. Identify first flat as main flat.

(NOTE: A color proof may be made using acetate overlay proofing material. Burn the first color by placing the first mask over the main flat. Burn the second color by placing the second mask over the main flat.)

JOB SHEET #6

9. Turn in main and complementary flats to instructor for evaluation.
10. Clean work area and return equipment and materials to proper storage.

215

STRIPPING PROCEDURES UNIT VI

JOB SHEET #7 — LAY OUT SIGNATURE FLATS FOR MULTI-PAGE OR BOOK PRINTING

(NOTE. Instructor may enlarge on this job sheet to include 16 or 32 signatures and either saddle stitch or side bound formats.)


A. Equipment and materials

1. Light table
2. T-square
3. Stripping knife
4. Tape dispenser with clear tape and lithographer's tape
5. Blank sheet of paper, size 11" x 17"
6. Two 11" x 17" masking sheets
7. Black felt tip pen

B. Procedure

1. Fold the 11" x 17" sheet in half and then into a quarter fold.
2. Holding folded edges at left and top, number lower right corner of sheets from 1 through 8 (Figure 1).

FIGURE 1




JOB SHEET #7

3. Unfold the marked sheet, now called an imposition guide.

(NOTE: Be sure to have instructor show you how to identify the gripper edge and side guide as it relates to a particular press and folding machine.)

4. Mark the two masking sheets using the imposition guide (Figure 2).

FIGURE 2



5. Turn in the imposition guide and marked sheets to the instructor for evaluation.
6. Clean work area and return equipment and materials to proper storage.

**STRIPPING PROCEDURES
UNIT VI****JOB SHEET #8 — STRIP A TWO-COLOR JOB USING
PIN REGISTER AND MASKING FILM****A. Equipment and materials**

1. Register punch
2. Two register pins
3. Masking sheet
4. Stripping knife
5. Negative for two-color job
6. Light table
7. Opaquing solution and brush
8. Amber or ruby peel coat (two sheets same size as masking sheet)
9. Tape dispenser with masking tape and red lithographer's tape

B. Procedure

1. Using register punch, punch masking sheet and peel coat film on the gripper edge.
2. Place masking sheet on light table and strip negative into position.
3. Fit register pins into holes punched in masking sheet.
4. Tape tabs of register pins to glass top of light table using masking tape.
5. Using the stripping knife, open up the mask over the image area.
6. Register punched peel coat masking film to pins.
7. Using stripping knife, cut outline of area to be printed in the primary color, cutting through peelable membrane only.
8. Peel away the colored film from the image area to be printed in the primary color.
9. Remove masking film from pins.
10. Get second piece of masking film and repeat steps 6 through 9.
11. Give stripped flat and two-color break masks to instructor for evaluation.

JOB SHEET #8

12. Clean work area and return equipment and materials to proper storage.

**STRIPPING PROCEDURES
UNIT VI****JOB SHEET #9 — EXPOSE A BLUE-LINE PROOF****A. Equipment and materials**

1. Vacuum printer
2. Register pins
3. Register punch
4. Blue-line proofing material

(NOTE: Some blue-line proofing materials require the use of an exposing filter for obtaining a high quality blue image. The purpose of the filter is to help balance the exposing light source to the emulsion sensitivity of the proofing material.)

B. Procedure

1. Obtain necessary stripped flats for making a combination print.
2. Obtain appropriate piece of blue-line proofing material.
3. Punch proofing material and position on pins.
4. Register first flat on the pins for exposure to the proofing material.
5. Make exposure (check with instructor).
6. Remove primary flat from pins and place secondary flat on pins.
7. Make exposure.
8. Remove secondary flat.
9. Check proof for image registration.
10. Give flats and exposed proof to instructor for evaluation.
11. Clean work area and return equipment and materials to proper storage.

**STRIPPING PROCEDURES
UNIT VI**

**PRACTICAL TEST #1 — LAY OUT AND STRIP AN
UNRULED FLAT (WRONG READING)**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Laid out masking sheet with correct plate bend line, gripper line and center lines.	_____	_____
2. Aligned and taped negative correctly.	_____	_____
3. Stripped away masking sheet no closer than 1/8" to the image area.	_____	_____
4. Opaqued imperfections in the negative.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #1

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria:

Rating:

Masking sheet properly laid out with plate bend line, gripper line and center lines.

Negative properly located on masking sheet with correct emulsion orientation and taped with litho tape.

Window properly opened up over image area, no closer than 1/8" to image area.

Imperfections in negative properly opaqued out.

EVALUATOR'S COMMENTS: _____

**STRIPPING PROCEDURES
UNIT VI**

**PRACTICAL TEST #2 — STRIP A RULED FLAT
(RIGHT READING)**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Positioned masking sheet on light table.	_____	_____
2. Positioned negative under masking sheet.	_____	_____
3. Taped negative to masking sheet.	_____	_____
4. Opened image area with stripping knife.	_____	_____
5. Opaqued imperfections in negative.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #2

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____

Rating: _____

Negative properly positioned and taped to masking sheet.

Window opened up no closer than 1/8" to image area.

Imperfections in negative properly opaqued.

EVALUATOR'S COMMENTS: _____

**STRIPPING PROCEDURES
UNIT VI**

PRACTICAL TEST #3 — STRIP FOR STEP-AND-REPEAT

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE: Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Positioned masking sheet on light table.	_____	_____
2. Positioned and stripped negative in center line position.	_____	_____
3. Cut V-shaped notches aligned with top and bottom edges of printed sheet.	_____	_____
4. Opaqued imperfections in negative.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #3

PRODUCT EVALUATION

(EVALUATOR NOTE: Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____

Rating: _____

Negative properly stripped in center line position of masking sheet.

V-shaped notches cut in correct locations.

Imperfections in negative properly opaqued.

EVALUATOR'S COMMENTS: _____

**STRIPPING PROCEDURES
UNIT VI**

PRACTICAL TEST #4 — COMBINE LINE AND HALFTONE WORK

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Stripped line negative to masking sheet.	_____	_____
2. Positioned and taped halftone negative to line negative.	_____	_____
3. Cut away masking sheet to expose all images.	_____	_____
4. Opaqued pinholes and scratches on line negative.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #4

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____ Rating: _____

Line negative properly stripped to masking sheet.

Halftone negative positioned over window and taped on two sides.

Masking sheet cut away to expose all images.

Imperfections in line negative opaqued.

EVALUATOR'S COMMENTS: _____

**STRIPPING PROCEDURES
UNIT VI**

**PRACTICAL TEST #5 — STRIP FOR COMBINATION
PRINT (DOUBLE BURN)**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions. When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Stripped line negative containing type into position on masking sheet.	_____	_____
2. Opened up mask over line negative.	_____	_____
3. Registered window negative and taped to primary flat.	_____	_____
4. Aligned second masking sheet and attached window negative.	_____	_____
5. Separated flats and opened window over image area in secondary flat.	_____	_____
6. Opaqued both negatives.	_____	_____
7. Attached halftone negative.	_____	_____
8. Covered register marks.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #5

PRODUCT EVALUATION

(EVALUATOR NOTE. . Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____

Rating: _____

Negatives aligned and windows
opened up correctly.

Negatives properly registered.

Open register marks covered with
lithographer's tape.

EVALUATOR'S COMMENTS: _____

230

**STRIPPING PROCEDURES
UNIT VI**

**PRACTICAL TEST #6 — STRIP COMPLEMENTARY FLAT
FOR MULTI-COLOR PRINTING**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Stripped line negative to masking sheet.	_____	_____
2. Cut away masking sheet to expose lines of type.	_____	_____
3. Opaqued negative.	_____	_____
4. Marked lines of type to be printed in first color.	_____	_____
5. Taped masking sheet over flat and cut away to expose lines in first color and labelled color.	_____	_____
6. Taped third masking sheet over flat and cut away to expose lines of second color and labelled color.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #6

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria:

Rating:

Main flat correctly stripped to expose all lines of type.

Lines marked for first and second colors.

Second masking sheet stripped to expose all lines in first color and labelled.

Third masking sheet stripped to expose all lines in second color and labelled.

EVALUATOR'S COMMENTS: _____

230

**STRIPPING PROCEDURES
UNIT VI**

**PRACTICAL TEST #7 — LAY OUT SIGNATURE FLATS
FOR MULTI-PAGE OR BOOK PRINTING**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:

Yes No

- | | | | |
|----|---|-------|-------|
| 1. | Folded 11" x 17" sheet into a quarter fold. | _____ | _____ |
| 2. | Numbered folded sheet to make imposition guide. | _____ | _____ |
| 3. | Marked masking sheets using imposition guide. | _____ | _____ |

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #7

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____ Rating: _____

Imposition guide correctly folded and numbered.

Masking sheets correctly marked.

EVALUATOR'S COMMENTS: _____

**STRIPPING PROCEDURES
UNIT VI**

**PRACTICAL TEST #8 — STRIP A TWO-COLOR JOB USING
PIN REGISTER AND MASKING FILM**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Punched masking sheet and peel coat film.	_____	_____
2. Stripped negative onto masking sheet.	_____	_____
3. Placed register pins in masking sheet and taped down.	_____	_____
4. Opened mask over image area.	_____	_____
5. Registered peel coat to pins.	_____	_____
6. Cut away membrane of peel coat.	_____	_____
7. Peeled colored film from image area of first color.	_____	_____
8. Removed masking film from pins.	_____	_____
9. Registered second piece of masking film.	_____	_____
10. Cut away membrane of peel coat and peeled colored film away from image area of second color.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #8

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____ Rating: _____

Masking sheet and peel coat correctly punched.

Negative correctly stripped to masking sheet.

Peel coat accurately registered and cut away for two colors.

EVALUATOR'S COMMENTS: _____

**STRIPPING PROCEDURES
UNIT VI**

PRACTICAL TEST #9 — EXPOSE A BLUE-LINE PROOF

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Punched proofing material and positioned on pins.	_____	_____
2. Registered first flat on pins.	_____	_____
3. Made exposure.	_____	_____
4. Removed primary flat; registered secondary flat.	_____	_____
5. Made exposure.	_____	_____
6. Checked proof for image registration.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #9

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____

Rating: _____

Exposures correctly made.

Proof image accurately registered.

EVALUATOR'S COMMENTS: _____

**STRIPPING PROCEDURES
UNIT VI**

TEST

Name _____ Score _____

1. Match the terms on the right with the correct definitions.

- | | | |
|---------|---|--------------------------|
| _____a. | The process of fastening negatives to masking sheets to produce a flat | 1. Flat |
| _____b. | Negative or negatives attached to masking sheet from which the offset plate is made | 2. Emulsion side |
| _____c. | Special opaque paper or plastic sheet used to make the flat | 3. Windows |
| _____d. | Openings in the masking sheet that expose image areas onto the offset plate | 4. Rule |
| _____e. | Another name for masking paper; yellow or orange in color | 5. Stripping |
| _____f. | To prevent light from passing through a material | 6. Pinholes |
| _____g. | The side of the film coated with light-sensitive material | 7. Opaque |
| _____h. | Small clear areas in the negative which would allow light to pass through if not detected and opaqued | 8. Goldenrod |
| _____i. | Red tape; opaque in nature | 9. Lithographer's tape |
| _____j. | A line scribed or scratched on a negative | 10. Masking sheet |
| _____k. | The process of repeating the exposure of a flat several times on an offset plate | 11. Pin register |
| _____l. | To print the image in the exact same position on each sheet of paper | 12. Step-and-repeat |
| _____m. | Small crosses, guides, or patterns placed on originals and flats to aid registration | 13. Register |
| | | 14. Combination printing |
| | | 15. Imposition guide |
| | | 16. Main flat |
| | | 17. Register marks |
| | | 18. Complementary flat |
| | | 19. Signatures |
| | | 20. Double burn |

TEST

- ____n. Flat containing the key negatives of a multi-color job
- ____o. A flat containing negatives for only one color or part of a multi-color job
- ____p. Printing line copy on top of a halftone
- ____q. Usually two, four, eight, or sixteen pages printed on a single sheet to be folded and trimmed as a book or part of a book
- ____r. A sheet marked to show the page positions
- ____s. Accurate system of registration using punched negatives, flats, plates, and positioned register pins
- ____t. Exposing a plate twice using two complementary flats

2. Match the stripping tools and materials on the right with their proper uses.

- | | |
|---|-------------------------------|
| ____a. A single-edged, pointed razor blade, affixed to a handle, used to cut masking sheets and windows | 1. Triangles |
| ____b. A fine-pointed artist tool used to apply opaquing solution to a negative | 2. Opaque brush or pen |
| ____c. Instrument, usually stainless steel or plastic, used to square work on a light table | 3. Scribing tool |
| ____d. Instrument, usually stainless steel or plastic, used to measure, rule, and cut along an edge | 4. Magnifier |
| ____e. Holds rolls of tape and contains attached cutting edge | 5. T-square |
| ____f. Metal or plastic 45-45-90 or 30-60-90 degree triangles used to rule and cut along specific lines | 6. Tape dispenser |
| ____g. A shaped, sometimes looped point with handle for scratching lines on negatives | 7. Light table |
| | 8. Line-up table |
| | 9. Straight edge ruler |
| | 10. Scissors |
| | 11. Register pins and punches |
| | 12. Stripping knife |


TEST

- | | | | |
|---------|---|-----|-------------------------|
| _____h. | A table with a frosted glass top and a light underneath to view flats and negatives | 13. | Opaque solution |
| _____i. | Magnifying glass mounted on a small frame; used to detect negative flaws | 14. | Ruby or amber peel coat |
| _____j. | Used to secure flats and plates for close registration | 15. | Lithographer's tape |
| _____k. | Cutting instrument used in trimming | 16. | Goldenrod |
| _____l. | Light table with built-in vertical and horizontal straight edges, calibrated for accuracy | 17. | Masking tape |
| _____m. | Used to prevent light from reaching the plate | | |
| _____n. | Used to tape masking sheets to the light table | | |
| _____o. | Used to fasten negatives to the masking sheet and cover large pinholes | | |
| _____p. | Used to cover pinholes and scratches | | |
| _____q. | Peelable film used for stripping multi-color work | | |

TEST

3. Identify the parts on the layout of a typical flat illustrated below. Write the correct names in the corresponding blanks.

- | | |
|----------|----------|
| a. _____ | f. _____ |
| b. _____ | g. _____ |
| c. _____ | h. _____ |
| d. _____ | i. _____ |
| e. _____ | |



TEST

4. Select true statements concerning the emulsion side and the base side of a negative by placing an "X" in the appropriate blanks.

- ____ a. The emulsion side of the negative can be scratched to allow light to pass through.
- ____ b. The base side of the negative carries the image.
- ____ c. The base side of the negative is right-reading.
- ____ d. The emulsion side of the negative is backward or wrong-reading.
- ____ e. The emulsion side of the negative is coated with a non-reflective dye.
- ____ f. The emulsion side of the negative is made of polyester or acetate base.


5. Select true statements concerning the methods of combining line and halftone work by placing an "X" in the appropriate blanks.

- ____ a. To strip a halftone negative into the window of a line negative, the window must be clear.
- ____ b. Halftone windows are cut from any color material for paste-up.
- ____ c. When line and halftone negatives are stripped separately to the same flat, windows must be cut in the flat.
- ____ d. When line and halftone negatives are stripped separately to the same flat, both negatives must be trimmed.
- ____ e. Stripping and exposing negatives on separate flats requires only a single plate burn.
- ____ f. Stripping and exposing negatives on separate flats requires careful positioning of negatives on flats.

6. Name two types of combination printing.


- a. _____
- b. _____

7. Identify the following stripping register marks and pins.



- a. _____
- b. _____


TEST



c. _____



d. _____



e. _____

(NOTE: If the following activities have not been accomplished prior to the test, ask your instructor when they should be completed.)

8. Demonstrate the ability to:

- a. Lay out and strip an unruled flat (wrong reading). (Job Sheet #1)
- b. Strip a ruled flat (right reading). (Job Sheet #2)
- c. Strip for step-and-repeat. (Job Sheet #3)
- d. Combine line and halftone work. (Job Sheet #4)
- e. Strip for combination print (double burn). (Job Sheet #5)
- f. Strip complementary flats for multi-color printing. (Job Sheet #6)
- g. Lay out signature flats for multi-page or book printing. (Job Sheet #7)
- h. Strip a two-color job using pin register and masking film. (Job Sheet #8)
- i. Expose a blue-line proof. (Job Sheet #9)

**STRIPPING PROCEDURES
UNIT VI**

ANSWERS TO TEST

- | | | | | |
|----|----|----|----|----|
| 1. | a. | 5 | k. | 12 |
| | b. | 1 | l. | 13 |
| | c. | 10 | m. | 17 |
| | d. | 3 | n. | 16 |
| | e. | 8 | o. | 18 |
| | f. | 7 | p. | 14 |
| | g. | 2 | q. | 19 |
| | h. | 6 | r. | 15 |
| | i. | 9 | s. | 11 |
| | j. | 4 | t. | 20 |
-
- | | | | | |
|----|----|----|----|----|
| 2. | a. | 12 | j. | 11 |
| | b. | 2 | k. | 10 |
| | c. | 5 | l. | 8 |
| | d. | 9 | m. | 16 |
| | e. | 6 | n. | 17 |
| | f. | 1 | o. | 15 |
| | g. | 3 | p. | 13 |
| | h. | 7 | q. | 14 |
| | i. | 4 | | |
-
- 3.
- a. Position of cut-out for gray scale
 - b. Size of press sheet
 - c. Final trim size
 - d. Image positions laid out
 - e. Image limit
 - f. Sheet gripper margin
 - g. Leading edge of plate
 - h. Wedge cut out to indicate leading edge of plate
 - i. Leading edge of press sheet
4. a, c, d
5. a, c, d, f
- 6.
- a. Positive lettering printed on top of halftones
 - b. Reversed lettering printed on top of halftones
- 7.
- a. Alignment or single run
 - b. Second run
 - c. Fourth run
 - d. Third run
 - e. Round register pin
8. Performance skills evaluated to the satisfaction of the instructor

PLATEMAKING PROCEDURES UNIT VII

UNIT OBJECTIVE

After completion of this unit, the student should be able to determine the correct plate exposure and make required plates for single and multiple color jobs when using line negatives and/or screens and halftones. Competencies will be demonstrated by completing the job sheets and the unit tests with a minimum score of 85 percent.

SPECIFIC OBJECTIVES

After completion of this unit, the student should be able to:

1. Match terms related to platemaking procedures with their correct definitions.
2. Identify types of plate ends.
3. Match types of offset plates with their correct characteristics.
4. Identify plate exposing devices.
5. Match types of presensitized plates with their characteristics.
6. Select true statements concerning the gumming of plates.
7. Select true statements concerning handling and storing plates.
8. Select true statements related to the do's and don'ts for properly handling plates and chemicals.
9. Demonstrate the ability to:
10.
 - a. Expose and develop a subtractive plate. (Job Sheet #1)
 - b. Determine plate exposure using a step-off test. (Job Sheet #2)
 - c. Expose a step-and-repeat plate. (Job Sheet #3)
 - d. Expose a plate when using a screen tint. (Job Sheet #4)
 - e. Make plates for a two-color job. (Job Sheet #5)
 - f. Expose a photo-direct plate. (Job Sheet #6)

PLATEMAKING PROCEDURES UNIT VII

SUGGESTED ACTIVITIES

- A. Obtain additional materials and/or invite resource people to class to supplement/reinforce information provided in this unit of instruction.

(NOTE: This activity should be completed prior to the teaching of this unit.)

- B. Make transparencies from the transparenc / masters included with this unit.
- C. Provide students with objective sheet.
- D. Discuss unit and specific objectives.
- E. Provide students with information sheet.
- F. Discuss information sheet.

(NOTE: Use the transparencies to enhance the information as needed.)

- G. Provide students with job sheets.
- H. Discuss and demonstrate the procedures outlined in the job sheets.
- I. Integrate the following activities throughout the teaching of this unit:
1. Help students develop an understanding of different types of printing plates and exposure systems by planning a field trip to a nearby printing company. Watching a skilled technician strip-up a four-color process job with related areas of flat color would be extremely informative for students.
 2. Supplement instruction provided in this unit with related audio-visual materials or guest speakers. An area technical representative from a plate manufacturing company would be a good resource person to speak to the class.
 3. Job Sheet #6 deals with a photo-direct platemaking procedure. Many school shops do not have this type of equipment although it is an important part of platemaking technology. Once again a field trip to a quick-print shop or other printing establishment that might have this type of equipment would be helpful to supplement student learning. Perhaps the instructor could obtain an exposed and processed photo-direct plate to use on a press in the school shop to give students the opportunity to work with this type of imaging technology.
 4. Meet individually with students to evaluate their progress through this unit of instruction, and indicate to them possible areas for improvement.
- J. Give test.

SUGGESTED ACTIVITIES

- K. Evaluate test.
- L. Reteach if necessary.

REFERENCES USED IN WRITING THIS UNIT

- A. Blair, Ray, and Thomas M. DeStree. *The Lithographer's Manual*. Pittsburgh, PA: Graphic Arts Technical Foundation, 1988.
- B. 3-M Imaging Systems Group. *Press Operator's Guide*. St. Paul, MN: 3-M Printing and Publishing Systems, 1989.

(NOTE: This publication contains platemaking information formerly found in the 3-M *Platemaker's Guide* which is no longer in print.)

SUGGESTED SUPPLEMENTAL MATERIAL

Text — Cogoli, John E. *Photo-Offset Fundamentals*. Bloomington, IL: McKnight Publishing Company, 1989.

Audio-visual materials

- A. *Introduction to Lithographic Platemaking* (AV 60), 35mm slides with tape, 1972.

Available from:

Graphic Arts Technical Foundation
4615 Forbes Ave.
Pittsburgh, PA 15213-3796
(412) 21-6941

- B. *Plates and Platemaking*, VHS videotape, 1986.

Available from:

Sunshine Enterprises
P.O. Box 13245
Spokane, WA 99213

240

**PLATEMAKING PROCEDURES
UNIT VII**

INFORMATION SHEET

I. Terms and definitions

- A. Grained plate — A plate where tiny pits or indentations in the surface of the plate allow it to carry water
- B. Smooth plate — A plate whose surface is grainless
- C. Process gum/desensitizer — A solution used to desensitize an additive plate
(NOTE: Manufacturers have different processes. Use recommended chemistry with plate.)
- D. Light-sensitive coating — Diazo compound or photopolymer which, after exposing and processing, creates image area on plate
- E. Gum arabic — Solution used to preserve plate and protect surface from oxidation

(NOTE: Many plate manufacturers use a finisher/desensitizer in lieu of gum arabic.)
- F. Surface plate — A plate in which the image and non-image areas are level; may be exposed from either a negative or positive film flat depending on plate coating
- G. Deep-etch plate — A plate in which the image is etched slightly below the surface; exposed from a flat composed of film positives
- H. Squeegee — A smooth rubber blade used to wipe moisture from plate surface
- I. Ink-receptive — Areas on plate which accept and hold ink and reject water
- J. Ink-repellent — Areas on plate which accept and hold water and reject ink
- K. Gray scale (sensitivity guide) — A commercially produced sensitivity guide with a 12-step negative representing the various tones from white to black; used by platemakers to determine plate exposure
- L. Halo — A shadow around the edge of a halftone created by improper stripping or platemaking procedures
- M. Dot — The individual element of a halftone
- N. Dot loss — Disappearance of a dot from the plate

INFORMATION SHEET

- O. Dot spread — Dot enlargement on the plate
(NOTE: This is commonly referred to as dot gain.)
- P. Broken image — An incomplete image on the plate
- Q. Blind — An imaged plate surface that will not accept ink
- R. Hone — An abrasive stone used to remove unwanted marks on the plate surface
- S. Lacquer — Solution used for hardening the image area of an additive plate
- T. Deletion fluid — A solution used to eliminate plate flaws or unwanted image areas
- U. Image-add pen — A fiber-tip pen used to repair broken images on the plate surface
- V. AGE (asphaltum gum etch) — Protective gum storage chemical typically used on plates that need to be stored for a long period of time

II. Types of plate ends (Transparency 1)

- A. Serrated/loop
- B. Straight cut
- C. Pinbar
- D. Slotted/oval

III. Types of offset plates and their characteristics

- A. Surface
 - 1. Presensitized — Light-sensitive coating is applied during plate manufacturing.
 - 2. Photodirect. — Made directly in automatic platemakers making intermediate step (flat) unnecessary.

(NOTE: These commonly come in roll form.)
 - 3. Wipe-on — Light-sensitive coating is applied in shop immediately before exposure.
 - 4. Electrostatic — Image is produced on plate surface by an electrostatic charge.

INFORMATION SHEET

5. Direct-image — Has no sensitized coating; image is accomplished by typing or hand lettering.

(NOTE: The direct-image plates are often called *masters*.)

- B. Deep-etch — Image area chemically etched to a depth slightly below non-printing area; common types are single metal and multimetal.

IV. Plate exposing devices (Transparencies 2 and 3)

- A. Vacuum frame — Holds flat and plate in close contact
 1. Flip-top
 2. Overhead
 3. Stand-alone
- B. Light sources
 1. Carbon arc
 2. Pulsed-xenon
 3. Mercury-vapor or metal halide

V. Types of presensitized plates and their characteristics

- A. Additive-working — A special ink-holding coating is added during plate developing process
- B. Subtractive-working — Have a factory applied synthetic lacquer coating which is removed during development
- C. Negative-working — Produce an image area in all places on the plate that are struck by light during exposure
- D. Positive-working — Produce an image area in all places on the plate not struck by light during exposure

VI. Gumming of plates

- A. After applying gum arabic or other recommended finisher to plate, the surface should be buffed totally dry with cheese cloth.
- B. Both sides of plate should be buffed totally dry before hanging up.
- C. Hang up plates in such a way that one plate does not lie against another.
- D. If plate has been run, clean both sides before gumming.

INFORMATION SHEET

- E. AGE should be used to gum plates for long term storage.

VII. Handling and storing plates

(NOTE: Do not contaminate the plates with any foreign matter, use only approved chemicals and handling procedures.)

A. Handling

1. Pick up plates at ends using only thumb and index finger.

(CAUTION: Avoid sliding fingers along plate edges as they are sharp.)

2. Avoid touching plate surfaces with fingers before and after processing.
3. Lift plates by opposite corners to avoid crimping or scratching.

B. Storing

1. Be certain all plates are clean and dry before storing.
2. Store plates in vertical hanging envelopes if possible.
3. Protect plates stored in flat drawers with folders.
4. Store unexposed presensitized plates in cool, dry area away from light and do not remove until ready for exposure.

VIII. Do's and don'ts for properly handling plates and chemicals

- A. **Do** handle sharp edged plates carefully.
- B. **Do** raise, rotate, and close vacuum frame slowly and carefully.
- C. **Do** shake chemicals well before using.
- D. **Do** pour chemicals slowly.
- E. **Do** store chemicals in properly marked, tightly closed containers.
- F. **Do** read and use recommended HMIS handling procedures when using plate processing chemicals.
- G. **Do not** handle electrical platemaking equipment with wet hands.
- H. **Do not** lean on glass-topped vacuum frame.

INFORMATION SHEET

- I. **Do not** breathe chemical fumes.
- J. **Do not** look directly at light sources.

(CAUTION: Do not wear contact lenses when working in arc platemaking area.)

Four Types of Plate Ends






Plate Exposing Devices




Flip-Top Exposing Unit



Overhead Exposing Unit

Courtesy of Burgess Industries, Inc.,
Plymouth, Minnesota




Stand-Alone Exposing Unit

(Used with stand-alone
vacuum printer for
exceptionally large
offset plates)


Courtesy of Burgess Industries, Inc.,
Plymouth, Minnesota

Light Sources for Plate Exposing Devices



**Pulsed-Xenon Light
(Helical Type)**

Courtesy of Burgess Industries, Inc.,
Plymouth, Minnesota



Carbon-Arc Light



Mercury Vapor or Metal Halide Lamp

Courtesy of Burgess Industries, Inc., Plymouth, Minnesota

(NOTE: Carbon arc is the oldest and least used of the available light sources. It is found only in flip-top and stand-alone units. The other two light sources may be found in any of the three types of exposure units.)

PLATEMAKING PROCEDURES
UNIT VII

JOB SHEET #1 — EXPOSE AND DEVELOP
A SUBTRACTIVE PLATE

A. Equipment and Materials

1. Plate exposure device
2. Glass cleaner and wipes
3. Presensitized subtractive plate (negative-acting)
4. Plate developing sink or table
5. Plate processing chemicals

(NOTE: Plate processing chemicals usually consist of a developer and a finisher for subtractive plates; be sure to follow manufacturer's recommendations for use.)

6. Sponge or pad applicator for developer
7. Squeegee
8. Sponge or cotton litho pads for finisher
9. Cheese cloth or comparable soft material for buffing plate dry
10. Paper pad

(NOTE: Pad should be slightly larger than largest plate size used. Sheets of newsprint work nicely for making pads.)

B. Procedure

(NOTE. All plate handling including exposing and processing should be done in a yellow light environment if possible to avoid excessive exposure to UV light.)

1. Clean sink area. Arrange chemicals and other materials in an orderly fashion to facilitate plate processing procedure.
2. Check developing pad applicator to be sure it is clean and free of excessive moisture.
3. Clean glass on vacuum printer.
4. Make plate exposure.
5. Place plate in developing sink and pour a liberal amount of developer over plate surface.

JOB SHEET #1

6. Use developer applicator to spread chemical over plate surface.
7. Allow chemical to set for 10 to 15 seconds.
(NOTE: This dissolves the unexposed coating.)
8. Finish developing plate using pad applicator in a figure-8 motion, being sure to cover entire surface area of plate.
9. Check any screens and halftones closely to assure they are properly cleaned out.
10. Flush plate with water to remove excess developer and dissolved light-sensitive coating.
11. Squeegee excess moisture from plate surface and place plate on a pad of absorbent paper.
12. Apply a thin uniform coating of finisher/desensitizer to the plate surface using vertical and horizontal strokes.
(NOTE: This final protective coating should be rubbed into the plate surface for 15 to 20 seconds for each square foot of plate surface area.)
13. Buff both sides of plate totally dry.
14. Give finished plate to instructor for evaluation.
15. Clean work area, return equipment and materials to proper storage.

PLATEMAKING PROCEDURES
UNIT VII

JOB SHEET #2 — DETERMINE PLATE EXPOSURE
USING A STEP-OFF TEST

A. Equipment and materials

1. 10" x 15" masking sheet
2. Platemaker's continuous tone 12- or 21-step transparent gray scale
3. Stripping knife
4. Red lithographer's tape
5. Light table
6. Plate exposing and processing equipment (Refer to Job Sheet #1.)

B. Procedure

1. With the aid of a light table and stripping knife, cut out gray scale size section of mask slightly back from leading edge of masking sheet.
2. Position gray scale in cut out section of masking sheet and attach on both ends using small pieces of red lithographer's tape.
3. Position flat on offset plate in vacuum frame of platemaker with the plate emulsion facing up and the emulsion side of the gray scale facing down in contact with the plate.
4. Close vacuum frame, lock, and turn on vacuum.
5. Check vacuum pressure.


(NOTE: When vacuum pressure is at a sufficient level, plate is ready for the first exposure. Ask your instructor to explain the concept of Newton's Rings to determine vacuum pressure.)

6. Make a step-off exposure (Figure 1)
 - a. Make first exposure of 15 seconds.
 - b. Release vacuum, move flat down about 1 inch and cover up uncovered area of the plate with another masking sheet.
 - c. Make second exposure of 30 seconds.
 - d. Repeat step b.
 - e. Make third exposure for 45 seconds.

JOB SHEET #2

- f. Repeat step b.
- g. Make fourth exposure for 60 seconds.
- h. Repeat step b.
- i. Make fifth exposure at 90 seconds.

FIGURE 1: Exposed gray scale



Courtesy Stouffer Graphic Arts Equipment Company

7. Process plate (See Job Sheet #1).

(NOTE: Check plate manufacturer's recommendations for correct step on gray scale. Making a 5-step step-off test as previously described will usually yield an exposure that will provide the recommended step on the gray scale. If not, the test may simply be redone using different exposure numbers.)

8. Give plate to instructor for evaluation.
9. Clean work area and return equipment and materials to proper storage.

**PLATEMAKING PROCEDURES
UNIT VII**

JOB SHEET #3 — EXPOSE A STEP-AND-REPEAT PLATE

A. Equipment and materials

1. Flat stripped for step-and-repeat

(NOTE: Use flat prepared for Job Sheet #3 in Unit VI, "Stripping Procedures.")

2. 10" x 15" masking sheets
3. Plate exposure device
4. Glass cleaner and wipes
5. Presensitized subtractive plate (negative-acting)
6. Plate developing sink or table
7. Plate processing chemicals
8. Sponge or pad applicator for developer
9. Squeegee
10. Sponge or cotton litho pads for finisher
11. Cheese cloth
12. Paper pad

B. Procedure

1. Position flat on presensitized plate.
2. Make first exposure (burn).
3. Reposition flat for second exposure (burn) by matching first notch on flat with exposure mark on plate left by second notch.
4. Place masking sheet over exposed portion of plate.
5. Make second exposure.
6. Repeat procedure until number of desired images are exposed on plate.

(NOTE: Make certain edge of plate and flat are aligned perfectly for each exposure. Place an additional masking sheet over exposed part of the plate for each additional exposure.)

JOB SHEET #3

7. Develop plate.
8. Rinse plate and squeegee off excess moisture.
9. Place processed plate on pad of absorbent paper.
10. Apply finisher/desensitizer (gum).
11. Buff plate dry on both sides.
12. Give plate to instructor for evaluation.
13. Clean work area and return equipment and materials to proper storage.

283

**PLATEMAKING PROCEDURES
UNIT VII**

JOB SHEET #4 — EXPOSE A PLATE WHEN USING A SCREEN TINT

A. Equipment and materials

1. Flat acceptable for screening portion of image (see instructor)
2. Light table
3. Screen tint (line ruling and percentage optional)
4. Red lithographer's tape /
5. Scissors
6. Offset plate
7. Processing chemicals and supplies
8. Vacuum exposing unit

B. Procedure

1. Lay flat on light table emulsion side up.
2. Identify area to be screened.
3. Use scissors to cut a piece of screen tint 1/4" larger on all four sides than area to be screened.
4. Tape screen (emulsion up) over image area making sure of total coverage with overlap on all sides.

(NOTE: using litho tape, attach screen to negative on two sides, keeping tape as far away from image as possible to avoid the possibility of halation.)
5. Position plate in vacuum exposing unit and position flat on plate with image right reading and the emulsion of the screen tint in direct contact with the plate surface.
6. Close vacuum frame and expose plate.
7. Process plate (see Job Sheet #1).
8. Check screen to see that it is properly cleaned out.
9. Give plate to instructor for evaluation.
10. Clean work area and return equipment and materials to proper storage.

**PLATEMAKING PROCEDURES
UNIT VII**

JOB SHEET #5 — MAKE PLATES FOR A TWO-COLOR JOB

A. Equipment and materials

1. Flats stripped for two-color job

(NOTE: Use flats prepared for Job Sheet #6, Unit VI, "Stripping Procedures.")

2. Vacuum exposing unit

3. Processing chemicals and supplies (See Job Sheet #1.)

(NOTE: If available, pin register system may be used to register main flat with color break masks and offset plates.)

B. Procedure

1. Cut 1/4" triangle in all three masking sheets in area above gripper margin.

(NOTE: Use register punch if available.)

2. Cover triangle openings with small strips of lithographer's tape.

(NOTE: This procedure is used only when not using register punch.)

3. Position main flat on the first plate.

4. Register first color flat over main flat.

5. Make first plate exposure.

6. Position main flat on the second plate.

7. Register second color flat over main flat.

8. Make second plate exposure.

9. Process plates (See Job Sheet #1).

10. Present plates to instructor for evaluation.

11. Clean work area and return equipment and materials to proper storage.

**PLATEMAKING PROCEDURES
UNIT VII**

JOB SHEET #6 — EXPOSE A PHOTO-DIRECT PLATE

A. Equipment and materials

1. Photo-direct platemaker
2. Photo-mechanical copy (paste-up or original)
3. Glass cleaner
4. Paper towel

B. Procedure

1. Clean copy frame glass.
2. Position photo-mechanical copy (paste-up or original) in copy frame.
3. Set percentage (100%) on copy frame.
4. Set percentage (100%) on control panel.
5. Set plate length (13-14").
6. Set exposure dial $S \times 10$ and $1.5 = 15$ seconds.
(NOTE: Assume this is the normal exposure.)
7. Press exposure button.
8. When plate comes out (approximately 90 seconds) check to make sure entire image is on plate.
(NOTE: Compare plate with original copy.)
9. Check contrast between image and background.
10. Check for flaws, scratches, and spots.
11. Correct exposure.
 - a. If copy and background are dark, lengthen exposure by 2 seconds.
 - b. If copy is light, shorten exposure by 2 seconds.
12. Turn in final plate to instructor for evaluation.
13. Clean work area and return equipment and materials to proper storage.

**PLATEMAKING PROCEDURES
UNIT VII**

**PRACTICAL TEST #1 — EXPOSE AND
DEVELOP A SUBTRACTIVE PLATE**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Cleaned work area and printer.	_____	_____
2. Exposed plate.	_____	_____
3. Applied developer, let set, then used pad to cover entire surface.	_____	_____
4. Flushed plate with water.	_____	_____
5. Squeegeed plate surface and placed plate on paper pad.	_____	_____
6. Applied finisher.	_____	_____
7. Buffed plate dry on both sides.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #1

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____

Rating: _____

Plate properly exposed based on manufacturer's recommendations.

Plate correctly developed, rinsed, gummed and buffed dry to provide an ink receptive image area and a water receptive nonimage area.

EVALUATOR'S COMMENTS: _____

**PLATEMAKING PROCEDURES
UNIT VII**

**PRACTICAL TEST #2 — DETERMINE PLATE
EXPOSURE USING A STEP-OFF TEST**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Cut out mask for gray scale.	_____	_____
2. Positioned gray scale and attached with lithographer's tape.	_____	_____
3. Positioned flat on offset plate with emulsion side of gray scale in contact with plate.	_____	_____
4. Closed vacuum frame and checked for proper pressure.	_____	_____
5. Made step-off exposure.	_____	_____
6. Processed plate.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #2

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____

Rating: _____

Flat aligned properly on offset plate to maintain squareness of image.

Gray scale properly masked.

Plate properly exposed based on manufacturer's recommendations.

Plate correctly developed, rinsed, gummed and buffed dry to provide an ink receptive image area and a water receptive nonimage area.

EVALUATOR'S COMMENTS: _____

270

**PLATEMAKING PROCEDURES
UNIT VII**

**PRACTICAL TEST #3 — EXPOSE A STEP-AND-REPEAT
PLATE**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE: Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Positioned flat.	_____	_____
2. Made first exposure.	_____	_____
3. Repositioned flat by matching first notch to exposure mark left by second notch.	_____	_____
4. Placed masking sheet over exposed portion of plate.	_____	_____
5. Made second exposure.	_____	_____
6. Developed plate.	_____	_____
7. Gummed plate.	_____	_____
8. Buffed plate dry on both sides.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #3

PRODUCT EVALUATION

(EVALUATOR NOTE: Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria:

Rating:

Flat aligned properly on offset plate to maintain squareness of image.

Plate properly exposed; notches in register.

Plate correctly developed, rinsed, gummed and buffed dry to provide an ink receptive image area and a water receptive nonimage area.

EVALUATOR'S COMMENTS:

**PLATEMAKING PROCEDURES
UNIT VII**

**PRACTICAL TEST #4 — EXPOSE A PLATE
WHEN USING A SCREEN TINT**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions: When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE: Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Cut out area of flat to be screened.	_____	_____
2. Taped screen over image area with overlap on all sides.	_____	_____
3. Positioned flat on plate with image right reading and emulsion of screen tint in direct contact with plate surface.	_____	_____
4. Exposed plate.	_____	_____
5. Developed plate.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #4

PRODUCT EVALUATION

(EVALUATOR NOTE: Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____

Rating: _____

Screen properly stripped in.

Flat aligned properly on offset plate to maintain squareness of image.

Plate properly exposed.

Plate correctly developed, rinsed, gummed and buffed dry.

Screen tint dots properly developed and cleaned out to avoid plugging.

EVALUATOR'S COMMENTS: _____

**PLATEMAKING PROCEDURES
UNIT VII**

**PRACTICAL TEST #5 — MAKE PLATES
FOR A TWO-COLOR JOB**

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions. When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Cut or punched masking sheets for registration.	_____	_____
2. Positioned main flat on first plate and registered first color flat over main flat.	_____	_____
3. Exposed first plate.	_____	_____
4. Positioned main flat on second plate and registered second color flat over main flat.	_____	_____
5. Exposed second plate.	_____	_____
6. Processed plates.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #5

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____ Rating: _____

Register holes properly cut or punched.

Flat aligned properly on offset plate to maintain squareness of image.

Multiple image flats are in register.

Plate correctly developed, rinsed, gummed and buffed dry.

EVALUATOR'S COMMENTS: _____

270

**PLATEMAKING PROCEDURES
UNIT VII**

PRACTICAL TEST #6 — EXPOSE A PHOTO-DIRECT PLATE

STUDENT'S NAME _____ DATE _____

EVALUATOR'S NAME _____ ATTEMPT NO. _____

Instructions. When you are ready to perform this task, ask your instructor to observe the procedure and complete this form. All items listed under "Process Evaluation" must receive a "yes" for you to receive an acceptable performance evaluation.

PROCESS EVALUATION

(EVALUATOR NOTE. Place a check mark in the "Yes" or "No" blanks to designate whether or not the student has satisfactorily achieved each step in this procedure. If the student is unable to achieve this competency, have the student review the materials and try again.)

The student:	Yes	No
1. Cleaned copy frame glass.	_____	_____
2. Positioned copy in copy frame.	_____	_____
3. Set percentages, plate length and exposure time.	_____	_____
4. Exposed plate.	_____	_____
5. Checked image for completeness, contrast and flaws.	_____	_____
6. Corrected exposure.	_____	_____

EVALUATOR'S COMMENTS: _____

PRACTICAL TEST #6

PRODUCT EVALUATION

(EVALUATOR NOTE. Rate the student on the following criteria. If the student is unable to demonstrate mastery, student materials should be reviewed and another product must be submitted for evaluation. See suggested performance evaluation keys below.)

Option A

- 4 — Skilled — Can perform job with no additional training.
- 3 — Moderately skilled — Has performed job during training program; limited additional training may be required.
- 2 — Limited skill — Has performed job during training program; additional training is required to develop skill.
- 1 — Unskilled — Is familiar with process, but is unable to perform job.

Option B

- Yes — Can perform job with no additional training.
- No — Is unable to perform job satisfactorily.

Criteria: _____

Rating: _____

Copy positioned properly to maintain squareness of image.

Plate correctly exposed containing entire image, good contrast, and no flaws, scratches or spots.

EVALUATOR'S COMMENTS: _____

**PLATEMAKING PROCEDURES
UNIT VII**

TEST

Name _____ Score _____


1. Match the terms on the right with their correct definitions.

- | | | | |
|----------|---|-----|--------------------------|
| _____ a. | A plate where tiny pits or indentations in the surface of the plate allow it to carry water | 1. | Light-sensitive coating |
| _____ b. | A solution used to desensitize an additive plate | 2. | Ink-repellent |
| _____ c. | Diazo compound or photopolymer which, after exposing and processing, creates image area on plate | 3. | Squeegee |
| _____ d. | Solution used to preserve plate and protect surface from oxidation | 4. | Process gum/desensitizer |
| _____ e. | A plate in which the image and non-image areas are level; may be exposed from either a negative or positive film flat depending on plate coating | 5. | Grained plate |
| _____ f. | A plate in which the image is etched slightly below the surface; exposed from a flat composed of film positives | 6. | Gray scale |
| _____ g. | A smooth rubber blade used to wipe moisture from plate surface | 7. | Ink-receptive |
| _____ h. | Areas on plate which accept and hold ink and reject water | 8. | Gum arabic |
| _____ i. | Areas on plate which accept and hold water and reject ink | 9. | Deep-etch plate |
| _____ j. | A commercially produced sensitivity guide with a 12-step negative representing the various tones from white to black; used by platemakers to determine plate exposure | 10. | Surface plate |
| _____ k. | A plate whose surface is grainless | 11. | Smooth plate |
| _____ l. | A shadow around the edge of a halftone created by improper stripping or platemaking procedures | 12. | Blind |
| | | 13. | Broken image |
| | | 14. | Dot |
| | | 15. | Halo |
| | | 16. | Dot spread |
| | | 17. | Dot loss |
| | | 18. | Hone |
| | | 19. | Lacquer |
| | | 20. | AGE |
| | | 21. | Image-add pen |

TEST

- ___m. The individual element of a halftone
 - ___n. Disappearance of a dot from the plate
 - ___o. Dot enlargement on the plate
 - ___p. An incomplete image on the plate
 - ___q. An imaged plate surface that will not accept ink
 - ___r. An abrasive stone used to remove unwanted marks on the plate surface
 - ___s. Solution used for hardening the image area of an additive plate
 - ___t. Solution used to eliminate plate flaws or unwanted image areas
 - ___u. Protective gum storage chemical used for long term plate storage
 - ___v. Fiber-tip pen used to repair broken images on plate surface
22. Deletion fluid

2. Identify the types of plate ends below.




TEST


3. Match the types of offset plates on the right with their correct characteristics.

- | | | | |
|---------|---|----|---------------|
| _____a. | Has no sensitized coating; image accomplished by typing or hand lettering. | 1. | Wipe-on |
| _____b. | Made directly in automatic platemakers making intermediate step unnecessary. | 2. | Electrostatic |
| _____c. | Light-sensitive coating is applied in shop immediately before exposure. | 3. | Direct-image |
| _____d. | Light-sensitive coating is applied during plate manufacturing. | 4. | Photo-direct |
| _____e. | Image is produced on plate surface by an electrostatic charge. | 5. | Presensitized |
| _____f. | Image area is chemically etched to a depth slightly below nonprinting area; common types are single and multimetal. | 6. | Deep-etch |

4. Identify the following plate exposing devices.



a. _____




b. _____


TEST




c. _____



d. _____



e. _____



f. _____

5. Match the types of presensitized plates on the right with their characteristics.

- _____ a. A special ink-holding coating is added during developing process
- _____ b. Have a factory applied synthetic lacquer coating which is removed during development

- 1. Additive-working
- 2. Negative-working
- 3. Positive-working
- 4. Subtractive-working

TEST

- _____c. Produce an image area in all places on the plate that are struck by light during exposure
- _____d. Produce an image area in all places on the plate not struck by light during exposure
6. Select true statements concerning the gumming of plates by placing an "X" in the blanks beside the true statements.
- _____a. After applying gum arabic or finisher to plate, the plate should be immediately hung up to dry.
- _____b. If plate has been run, clean both sides before gumming.
- _____c. Hang up plates in such a way so that plates lie against each other.
- _____d. Gum arabic is used for long term plate storage.
7. Select true statements concerning handling and storing plates by placing an "X" in the blanks beside the true statements.
- _____a. Lift plates by opposite corners to avoid crimping or scratching.
- _____b. Avoid touching plate surfaces with fingers before and after processing.
- _____c. Pick up plates at center using only thumb and index finger.
- _____d. Plates should be stored in vertical hanging envelopes.
8. Select true statements related to the do's and don'ts for properly handling plates and chemicals by placing an "X" in the blanks beside the true statements.
- _____a. **Do** shake chemicals well before using.
- _____b. **Do** look directly at light sources.
- _____c. **Do not** lean on glass-topped vacuum frame.
- _____d. **Do not** breathe chemical fumes.
- _____e. **Do** adhere to HMIS chemical handling procedures.

(NOTE: If the following activities have not been accomplished prior to the test, ask your instructor when they should be completed.)

TEST

9. Demonstrate the ability to:
 - a. Expose and develop a subtractive plate. (Job Sheet #1)
 - b. Determine plate exposure using a step-off test. (Job Sheet #2)
 - c. Expose a step-and-repeat plate. (Job Sheet #3)
 - d. Expose a plate when using a screen tint. (Job Sheet #4)
 - e. Make plates for a two-color job. (Job Sheet #5)
 - f. Expose a photo-direct plate. (Job Sheet #6)

**PLATEMAKING PROCEDURES
UNIT VII**

ANSWERS TO TEST

- | | | | | | |
|----|-------|------|-------|-------|-------|
| 1. | a. 5 | f. 9 | k. 11 | p. 13 | u. 20 |
| | b. 4 | g. 3 | l. 15 | q. 12 | v. 21 |
| | c. 1 | h. 7 | m. 14 | r. 18 | |
| | d. 8 | i. 2 | n. 17 | s. 19 | |
| | e. 10 | j. 6 | o. 16 | t. 22 | |
-
2. a. Serrated/loop
 b. Straight cut
 c. Pinbar
 d. Slotted/oval
-
3. a. 3
 b. 4
 c. 1
 d. 5
 e. 2
 f. 6
-
- | | | |
|----|------------------------------------|---------------------------|
| 4. | a. Stand-alone exposing unit | d. Pulsed-xenon light |
| | b. Overhead exposing unit | e. Flip-top exposing unit |
| | c. Mercury vapor/metal halide lamp | f. Carbon-arc light |
-
5. a. 1
 b. 4
 c. 2
 d. 3
-
6. b
-
7. a, b, d
-
8. a, c, d, e
-
9. Performance skills evaluated to the satisfaction of the instructor

END

U.S. Dept. of Education

Office of Educational
Research and Improvement (OERI)

ERIC

Date Filmed
July 23, 1991