#### DOCUMENT RESUME

EF 004 142 ED 037 957

Facilities Inventory and Utilization Study, Fall of TITLE

1968, for the State of North Carolina, Higher

Education Comprehensive Planning Program.

North Carolina State Commission on Higher Education INSTITUTION

Facilities, Raleigh.

Jun 69 PUB DATE

NOTE 219p.

North Carolina State Commission on Higher Education AVAILABLE FROM

Facilities, 320 West Jones Street, Raleigh, North

Carolina 27602

EDRS Price MF-\$1.00 HC Not Available from EDRS. EDRS PRICE

Campus Planning, \*College Buildings, \*College DESCRIPTORS

Planning, Facility Guidelines, \*Facility Inventory,

\*Facility Utilization Research, Higher Education,

Interior Space, \*Space Utilization

ABSTRACT

ERIC

Findings are presented of inventory and space utilization studies encompassing the facilities at 105 of the institutions of higher education in North Carolina. Information is given regarding-- (1) building characteristics, (2) interior space characteristics, and (3) utilization of instructional space. The majority of the data is presented in tabular form. (FS)

#### FACILITIES INVENTORY AND UTILIZATION STUDY 1968

U.S. DEPARTMENT OF HEALTH, EDUCATION

WELFARE
OFFICE OF EDUCATION
THIS DOCUMENT HAS BEEN REPRODUCED
EXACTLY AS RECEIVED FROM THE PERSON OR
ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECES-SARILY REPRESENT OFFICIAL OFFICE OF EDU-CATION POSITION OR POLICY

#### HIGHER EDUCATION COMPREHENSIVE PLANNING PROGRAM

#### Facilities Inventory and Utilization Study Fall of 1968

For
THE STATE OF NORTH CAROLINA

North Carolina State Commission on Higher Education Facilities 320 West Jones Street Raleigh, North Carolina 27602

June 1969

#### North Carolina State Commission on Higher Education Facilities

Honorable Sneed High, Chairman Fayetteville

Mrs. Earl W. Brian

Raleigh

Mr. Halbert Jones

Laurinburg

Mr. William A. Dees, Jr.

Goldsboro

Mr. John R. Jordan

Raleigh

Mr. Joseph W. Grier, Jr.

Charlotte

Mr. A. E. Spears

Charlotte

Mr. R. Barton Hayes

Hudson

Dr. Harold L. Trigg

Greensboro

Staff

Charles L. Wheeler

Director

Milton H. Gupton Assistant Director

John H. Dixon
Inventory Project Supervisor

#### General Advisory Committee

Pres. J. E. Danieley

Elon College

Pres. William H. Plemmons Appalachian State University

Pres. William C. Friday

University of North Carolina

Pres. Bruce E. Whitaker

Chowan College

Pres. Douglas M. Knight

Duke University

Pres. Kenneth R. Williams Winston-Salem State College

Pres. Leo W. Jenkins
East Carolina University

#### **Facilities Technical Committee**

Vincent Outland

Department of Community Colleges

Cameron West
Board of Higher Education

Noah W. Sites

Department of Property Control

Charles L. Wheeler

Higher Education Facilities

#### **Facilities Advisory Committee**

Silas Vaughn, Chairman Business Manager St. Andrews Presbyterian College Laurinburg

♠ Dr. W. Archie Blount Director of Development Winston-Salem State College Winston-Salem

F. H. Eason Comptroller Methodist College Fayetteville

Dr. John Davis
Director of Institutional Research
East Carolina University
Greenville

Dr. Gerald B. James
President
Rockingham Community College
Wentworth

Dr. Joseph Jones, Jr. Dean St. Augustine's College Raleigh

L. Felix Joyner
Vice President-Finance
University of North Carolina
Chapel Hill

Robert W. LeMay
President
W. W. Holding Technical Institute
Raleigh

James A. Ward
Director of Physical Planning
Duke University
Durham

Larry G. Owen
Director of Institutional Research
UNC at Charlotte
Charlotte

Dr. W. Burkette Raper President Mount Olive Junior College Mount Olive

Ned R. Trivette Director of Business Affairs Appalachian State University Boone

#### **Project Staff**

John H. Dixon, Supervisor

Philip V. Albano Maurice E. Salani Janice Stephenson Allen E. Weatherford, III



#### **Foreword**

In 1966 and 1967, the Congress provided funds to state higher education facilities commissions for the conduct of comprehensive facilities planning studies. With these planning grants, 1967 and 1968 inventory and space utilization studies have been developed encompassing the facilities at 105 of the institutions of higher education in North Carolina.

This report presents selected summary information from the quantities of data assembled in the 1968 comprehensive studies.

Public and private institutions throughout the state have cooperated fully in time, energy, and funds to provide data for the studies. The participating institutions are listed in Appendix B. The gathering and review of data for the studies have been accomplished through the joint effort of the state agencies providing membership to the Facilities Technical Committee.

Special acknowledgement and appreciation are expressed to the following individuals for their cooperation and contributions: Dr. Cameron West and Mr. Allen Barwick of the State Board of Higher Education, Mr. Vincent Outland and Mr. Julian Wingfield of the State Department of Community Colleges, and Mr. Noah Sites and Mr. Donald Sibley of the State Property Control and Construction Division.

The Commission staff also expresses special acknowledgement and appreciation to members of the Facilities Advisory Committee for their advice and counsel during all phases of the study.

Charles L. Wheeler Director



#### Contents

			Page
Fore	eword		v
Con	tents		vi
List	of Tal	oles	vii
Defi	nition	of Terms	ix
I.	Introd	luction	1
II.	Buildi	ng Characteristics	7
III.	Interi	or Space Characteristics	27
IV.	Utiliz	ation of Instructional Space	43
v.	Apper	ndixes:	
	A.	Supplementary Data for Community Colleges and Technical Institutes	79
	В.	Participating Institutions, With Abbreviation Codes Used in the Study	129
	С.	Instructions and Procedures for Completing Facilities Inventory	135
	D.	Codes, Terms, and Definitions Used in Facilities Inventory	171
	E.	Instructions and Procedures for Gathering Instructional Space Utilization Data	207



#### List of Tables

		Page
Build	ing Characteristics	
1.	Ownership of Buildings	15
2.	Capital Investment in Buildings and Gross Square Feet By Residential and Non-Residential Categories	16
3.	Estimated Replacement Value of Buildings and Gross Square Feet By Residential and Non-Residential Categories	17
4.	Age of Buildings Reported By Gross Square Feet Per Age Classification (Includes All Spaces, Owned and Not Owned)	18
5.	Condition of Buildings as Reported By Institutions	19
6.	Projection For Demolition of Buildings	20
7.	Source of Funds For Building Construction For Buildings Initially Occupied After June 30, 1964 (By Specific Source Category)	22
8.	Source of Funds For Building Construction For Buildings Initially Occupied After June 30, 1964 (By General Source Category)	23
9.	Gross Square Footage of Buildings Classified By Percent of Air Conditioning	24
-10.	Gross Square Footage of Buildings Classified In National Shelter Survey	25
Interi	or Space Characteristics	
11.	Net-To-Gross Ratio	33
12.	Net Assignable Square Feet Classified By Organizational Units	35
13.	Net Assignable Area By Room Type (Including Residential and Non-Residential)	36
14.	Net Assignable Area By Room Type (Non-Residential)	37



		Page
15.	Square Feet Per Student Station For Classrooms	38
16.	Square Feet Per Student Station For Class Laboratories	40
Utiliza	tion of Instructional Space	
17.	Assignable Square Feet of Academic Facilities Per FTE Student	58
18.	Capacity/Enrollment Ratio	60
19.	Average Student Station Hours Per Week for Classrooms	62
20.	Average Student Station Hours Per Week for Class Laboratories	64
21.	Percent Student Station Utilization For Classrooms	66,
22.	Percent Student Station Utilization For Class Laboratories	68
23.	Selected Space Utilization Indices For Classrooms	70
24.	Selected Space Utilization Indices For Class Laboratories	72
25.	Comparative Ranges of Selected Space Utilization Indices For Classrooms By Type of Institution	74
26.	Comparative Ranges of Selected Space Utilization Indices For Class Laboratories By Type of Institution	75
27.	Comparison Between North Carolina and Other States of Actual Classroom and Class Laboratory Utilization, Showing Average Room Hours Per Week and Percent Student Station Utilization	76
28.	Recommended Utilization Standards of Selected States, Showing Average Room Hours Per Week and Percentage Occupancy	77
29.	Recommended "Space Factors for Classrooms and Class Laboratories, Selected States	78
Appen	dix A - Individual Community Colleges and Technical Institutes	
	In Tables A-1 through A-24, Appendix A presents data rough for individual community colleges and technical institutes.	80-127



#### **Definition of Terms**

Academic Facilities means the sum of all "instructional and library facilities" and all "instruction-related facilities" as defined below.

Instructional and library facilities means all rooms or areas used regularly for instruction of students, for faculty offices, or for library purposes, and service areas (such as storage closets, projection booths, balance rooms, dark rooms, locker and shower rooms, and private toilets) which are used in conjunction with such rooms or areas. A room intended and equipped for any such purposes is counted in the appropriate category regardless of the building (e.g., administration building, library building, or classroom building) in which it is located.

Instruction-related facilities means all rooms or areas (other than instructional and library facilities) which are used for purposes related to the instruction of students, or for research, or for the general administration of the educational or research programs of an institution of higher education, and service areas (such as storage rooms, private toilets, or control rooms) which are used in conjunction with such rooms or areas.

Average Room Hours Of Instruction Weekly (or average room hours) means the ratio of "total room hours of instruction" to "total number of rooms", where one room hour (of instruction) equals one scheduled hour of instruction for one class session.

Average Student Station Hours Weekly (or average student station hours) means the ratio of "total student hours of instruction" to "total number of student stations", where one student hour of instruction equals one hour of scheduled instruction for one student.

Capacity/Enrollment Ratio (or C/E Ratio) is the ratio of "assignable square



feet of instruction and library facilities" to the "total student clock hours of scheduled instruction per week."

Credit Hour FTE Student means the same as FTE Student (see below). (Credit Hour FTE Student is used in Table A-17 to differentiate from "Contact Hour FTE" which is commonly used in the institutions of the North Carolina Community College System.)

<u>Daytime Class</u> means any scheduled class with beginning time between and including 0500 and 1659 (24-hour clock).

FTE Enrollment (Student) is defined as the number of full-time students (those carrying at least 75 percent of the normal credit-hour load) plus the equivalent number of students enrolled for less than 75 percent of the normal full-time load. In obtaining FTE enrollment figures for community colleges and technical institutes, the Department of Community Colleges counts a student carrying 12 or more credit hours as a full-time student, and uses the following method of equating part-time students: a student with a load of 9 through 11 credit hours is the equivalent of 3/4 FTE; the student with a 6 through 8 credit hour load is the equivalent of 1/2 FTE; and a student enrolled for less than 6 credit hours is the equivalent of 1/4 FTE. For other than community colleges and technical institutes, the method used by the North Carolina Board of Higher Education for equating part-time students is in accordance with their published definitions. Although the two methods referred to above are slightly different, the resulting FTE student count would be essentially the same using either method.

Grand Weighted Mean is an extension of the weighted mean (see below) in that it is the "weighted mean" for all reporting institutions in the state.

I&R is an abbreviation for "instruction and research". For definition of "instruction and research", see Appendix D.

Instructional and Library Facilities. Definition of this term is included within the definition of "academic facilities" (see above).

Mean is the quotient obtained by dividing the sum of the responses received on a given item by the number of institutions reporting some quantity for that particular item. Institutions that did not submit data for a particular item are not included in the computation of the mean for that item. The mean value is used to give an average of a certain group of institutions, and is calculated by giving equal weight to the values obtained for each institution.

NASF is an abbreviation for "net assignable square feet" (see below).

Net Assignable Square Feet (or net assignable area, or net assignable space) means the sum of all interior areas on all floors of a building assigned to, or available for assignment to an occupant, including every type of space functionally usable by an occupant. It includes all such described space used for the conduct of institutional programs in all buildings, both residential and non-residential, regardless of whether owned, leased, rented, made available at nominal or no cost, being purchased, or shared. It does not include such

non-assignable spaces as circulation areas, custodial areas, mechanical areas, and construction area.

Nighttime Class means any scheduled class with beginning time between and including 1700 and 0459 (24-hour clock).

Organized Research. For definition of this term, see Appendix D.

Percentage Occupancy means the same as "percent student station utilization" (see below).

Percent Student Station Utilization (or percent student station utilization when rooms are in use) is the ratio of "total student hours of instruction" to "potential student hours of instruction" (see p. 51).

Research is any activity the primary objective of which is the discovery or application of knowledge, including the research activities engaged in by students as a part of their graduate training.

Room Hours of Instruction Per Week (or room hours per week, or room hours) means the number of hours of scheduled instruction, regardless of class size, occuring in a room during a one-week time period.

Space Factor (SF) is a measure reporting NASF per student clock hour (see pp. 51-52 and p. 55 for significance and derivation of the space factor).

Student Clock Hours Per Week (or student contact hours, or student clock hours)



is a measure which reports the sum of the number of scheduled hours of instruction received by all students, where one student clock hour equals one hour of scheduled instruction for one student. This measure is tabulated separately for classrooms (Room-type 110), class laboratories (Room-type 210), and other teaching facilities (all Room-types, except 110 and 210).

Weighted Mean is the sum of a column of figures divided by the sum of another column of figures. The weighted mean value is used to show the effect of a group of institutions as an entity. It not only takes into account the number of units to be averaged, but also makes allowance for the value of each unit.

#### L. Introduction

#### General Content of the Report

Compiled in this report in tabular form are summaries of selected data developed in the 1968 North Carolina higher education facilities inventory and space utilization study, along with accompanying analyses. Encompassed are all institutions of higher learning in the state, including the community college system but excepting one community college and one small private junior college.

Tabular data and associated narrative appear under three general headings: Chapter II, Building Characteristics; Chapter III, Interior Space

Characteristics; and Chapter IV, Utilization of Instructional Space. A

standardized format for all tables in the main body of the report reflects data
applicable to: (1) Groups of senior public colleges and universities and
individual institutions within these groups; (2) Private universities, private
four-year colleges, and private 2-year colleges by single line entry for each
category; and (3) community colleges and technical institutes by one line entry
per category. In the last instance above, corresponding supplementary tables
listing data for each community college and technical institute are included in
Appendix A.

#### Purposes of the Study

The purposes of the 1968 study continue as reported for the previous year. The immediate aim is on an annual basis to develop and refine higher education facilities inventory and utilization data which will meet the infor-



mation needs of (1) the North Carolina Board of Higher Education, (2) the State Board of Education and Department of Community Colleges, (3) the Property Control and Construction Division in the State Department of Administration, and (4) the State Commission on Higher Education Facilities, and which will satisfy the reporting requirements of the U. S. Office of Education. The ultimate goal, major elements of which have been achieved through the completed studies, is to establish a continuing basis for the agencies named and for the individual educational institutions to determine the number and kinds of facilities needed, their estimated cost, and probable sources of funds. Using information from the 1967 and 1968 studies, cooperating state agencies have already made significant advances toward attainment of this long-range objective.

#### Scope of the Study

The facilities inventory has assembled descriptive data on a building-by-building, room-by-room basis for 105 of the 107 institutions of higher education in the state. Included were 16 public colleges and universities, 40 private colleges and universities, 12 community colleges, and 37 technical institutes. Only one institution declined to participate, a small private 2-year college. One community college was not inventoried, since it had not yet occupied its permanent buildings. The utilization portion of the survey encompassed these same institutions. The participating institutions, with related abbreviations used in the tables, are listed in Appendix B.

#### Procedures for the Study

The procedures established for the 1967 study were continued in 1968, with minor modifications suggested by participating agencies and institutions.

The 1967 inventory and utilization manual was again used to guide the collection and reporting of data. Precise inventory up-dating procedures previously built into the system were highly effective in improving the speed and accuracy of reporting.

Members of the project staff visited a number of institution campuses to assist in the joint gathering and recording of data. The staff also provided valuable assistance to institutions which were establishing or refining their capability to report both inventory and utilization information by data processing cards or magnetic tape. All reported data were audited centrally for accuracy, completeness, and agreement.

Through cooperative arrangement, concerned state agencies provided noteworthy contributions in readying information for publication: (1) The Department of Community College reviewed all inventory data of the 49 participating institutions in the community college system, and assembled, pre-audited, and key-punched all utilization data for these same institutions. (2) The Property Control and Construction Division accomplished the same functions as in (1) above for the 16 public 4-year colleges and universities.

The Facilities Technical Committee and the Facilities Advisory Committee appointed for the previous year continued to assist and advise throughout the progress of the study.



#### Limitations of the Study

Because instructional space utilization data and factors are so often misinterpreted, a word of caution is placed here. Percentages arrived at can, of course, apply only to one period of time -- in the case of this study, to the end of the drop-and-add period of the fall term, 1968. Immediately following a utilization study, an institution may place new or renovated space into use or determine certain space to be unusable and thus appreciably alter its utilization picture. It is equally true that the physical characteristics of the instructional space and the funds available for its maintenance and alteration, as well as the amount of space the budget is able to provide, may dictate what appears to be good or poor utilization. In this study, no attempt has been made to assemble data reflecting the condition of instructional space or to judge its adequacy for the purposes used.

There is no optimum utilization figure or formula which will always apply to all types and conditions of space. Since utilization of classroom or laboratory space may vary by the nature of the instructional programs and the level of instruction involved, comparison of data among institutions may be misleading.

The mission and philosophy of the institution, and the instructional programs and methods developed to fulfill these aims, will vary among institutions and influence the manner in which space is used or in which it may be best used.

#### Instructions, Terms, Codes, and Definitions

ERIC\*

To facilitate an understanding of the specialized terminology used in the study and the procedures employed in assembling the information reported, a set of definitions is provided on pp. ix-xiii, and, in Appendixes C, D, and E, an account of the instructions, procedures, terms, codes, and forms used for data gathering is included.

#### II. Building Characteristics

As of September 30, 1968, physical facilities inventoried in North Carolina colleges and universities, including community colleges and technical institutes, encompassed just short of 43 million square feet of building area in more than 2,300 buildings. These statistics represent a net increase of approximately 6.5 million gross square feet, including 224 additional buildings and additions to previously existing buildings, over the area inventoried as of September 30, 1967. A significant portion of this increase results from the net gain of 20 institutions represented in the present study over the number inventoried in 1967.

In this chapter, gross area data for buildings at institutions and/or groups of institutions throughout the state are analyzed in Tables 1 through 10.

#### Ownership of Buildings

Table 1 categorizes all institutional buildings by status of ownership in terms of numbers of buildings and combined gross area of those buildings. The following two categories of ownership are reflected in these tables: (1) Buildings "Owned" by institutions, and (2) Buildings "Not Owned" by institutions, irrespective of whether Leased or Rented, Made Available at Nominal or No Cost, under Lease-Purchase Arrangements, or Shared With Another Institution. This reporting shows also the percent of total campus gross area comprising each ownership category.



<sup>&</sup>lt;sup>1</sup>Added to the 1968 inventory were one private university, 2 community colleges and 18 technical institutes. Dropped were one private 2-year college, which for 1968 converted its curriculum to a high school/preparatory school level, and one private university medical school which was unable to complete its 1968 inventory up-date.

Of all buildings inventoried, 97 percent of the gross area is owned by institutions, and 3 percent is owned by other agencies.

As groups of institutions, the regional universities reported the highest proportion (100.0%) of buildings owned, followed closely by the Consolidated University (99.5%) and the private universities (98.9%); then, the private 4-year colleges (95.4%) and the public senior colleges (95.1%). The private 2-year colleges reported the highest proportion (3.3%) of building usage under lease-purchase arrangements, while the community college system used the greatest proportion (4.2%) of leased or rented buildings. The community college system (8.4%), the private 4-year colleges (3.3%), and the public senior colleges (3.2%) had the three largest proportions of space made available at nominal or no cost. Only two institutions reported use of buildings shared with another institution.

In the state-wide picture, categories of building ownership, by gross square feet, ranked in the following order: owned (97%), made available at nominal or no cost (1.8%), leased or rented (0.7%), held by lease-purchase arrangements (0.5%); shared with another institution (0.1-%).

#### Capital Investment in Buildings and Gross Square Feet

The gross area of all buildings in the 1968 North Carolina higher education facilities inventory is 42,867,134 square feet constructed at an actual cost of \$582,522,000 as reported by institutions. While capital investment in non-residential buildings is more than twice (225.2%) that in residential buildings, actual gross square feet of non-residential facilities amount to only about two-thirds more (168.9%) than gross square feet of residential space.

As in 1967, only one residential building (a president's home) was

reported by the community college system.

Table 2 reflects actual dollar building costs (rounded to the nearest thousand dollars) as reported by institutions, and gross square feet of institutional buildings. Both measures are shown by residential and non-residential categories and by total campus summations for each institution and for each grouping of institutions.

In reviewing these tables, one should observe two cautions: (1) "Actual Capital Investment" shows actual dollar costs to the institution for construction and major renovations at the time expenditures were made. These costs, no matter when incurred, have not been updated to adjust for rising costs of construction (See the following discussion of "Estimated Replacement Value" which does reflect rising construction costs); (2) "Gross Square Feet" includes all institutional buildings, regardless of how procured and regardless of category of ownership.

#### Estimated Replacement Value of Buildings

Using percentage factors derived from indexes for the Raleigh, North
Carolina area as listed in the 1968 F. W. Dodge Corporation's costing guide,
institutions computed and reported for each building an estimated current
replacement value for purposes of the present study.

Resultant figures



F. W. Dodge Corporation, <u>Dow Building Cost Calculator and Valuation</u> Guide Edition 159 A, October-December, 1968.

<sup>3 &</sup>quot;Estimated Replacement Value" of a building is the estimated cost to replace the building's gross square footage using current costs for similar projects as the estimate basis.

shown in Table 3 are, therefore, standardized (using September, 1968 as the base) representations that list building values for each institution and for each group of institutions. Non-residential and residential segments are separately listed and are then combined to yield the total campus summation.

To show the relationship between the estimated value of the square feet reported and the actual cost of this space, capital investment figures from Table 2 are repeated.

One notes that as of the reporting date, the total of North Carolina's facilities for higher education were estimated to represent an average value of just over \$21.05 per square foot at current construction costs (including building service systems and fixed equipment). The average estimated replacement value per gross square foot of non-residential buildings is \$23.37; the average replacement value per gross square foot of residential buildings is \$17.15.

At \$27.52 per gross square foot campus-wide, the private universities had the most expensive buildings in the state in terms of replacement value. In order of decreasing estimated costs of replacement, the Consolidated University (\$23.06/ft.), the regional universities (\$19.59/ft), the private 4-year colleges (\$19.26/ft.), the community college system (\$18.17/ft.), the public senior colleges (\$17.58/ft.), and the private 2-year colleges (\$15.13/ft.) followed. Further detail may be noted in the table.

#### Age of Buildings Reported by Gross Square Feet Per Age Classification

Table 4 reports by institution, in terms of gross square feet, the age of all institutional buildings whether owned or not owned (See Appendix C, p. 143,

for buildings excluded from the inventory). Of the 42,867,134 gross square feet of facilities in North Carolina as of the reporting date, the greatest single proportion (39.4%) was of relatively new construction (9 years old or less); 27.6% was 30-68 years old, and 22.2% was 9-19 years old. Comparatively little construction (6.9%) has survived from the period 1940-1949, and even less (2.3%) has survived from the year 1900 or earlier. Only 1.6% of all facilities were reported of unknown dates of construction.

#### Condition of Buildings as Reported by Institutions

Table 5 reflects for each campus the amount of gross square feet of building space categorized by the following conditions: "satisfactory," "needs major rehabilitation," and "should be razed." In reporting one of these conditions for each building, judgments of institutional personnel were often, of necessity, subjective in nature since professional evaluation was not requested. (For the broad guidelines used in reporting building condition, see Appendix C).

As should be expected, most (89.6%) of all facilities for higher education in North Carolina were reported in satisfactory condition. Other buildings amounting to 6.4% of the state-wide total gross area were reported in need of extensive repairs and deferred maintenance. The remaining 4.0% were reported in such a state of deterioration that they should be razed, but were being used only because of the urgent need for space and lack of funds for new construction. As measured against comparable figures of the 1967 study, the status of North Carolina's facilities is generally improved with respect to condition of buildings. The percentage of buildings in "satisfactory" condition



has been increased by 0.5 of one percentage point, while the percentage of buildings in "should be razed" condition has been decreased by 0.6 of one percentage point. The percentage of state-wide gross area needing major rehabilitation, while having increased, is only 0.1 percentage point above last year's figure.

#### Projection for Demolition of Buildings

Institutions throughout the state reported a total of 1,168,076 gross square feet of buildings to be demolished between 1968-1976. This amount of space, while being only 2.7% of all institutional space available, represented 67.7% of the space categorized under the building condition, "should be razed (See Table 5). Two groups of institutions had planned to demolish more space than they had classified "should be razed." Those groups were the private universities (projected demolition in the proportion of 130.0% of their "should be razed" space) and the regional universities (projected demolition in the proportion of 103.4% of their "should be razed" space). Other groups projected lesser proportions: the private 2-year colleges at 80.2%, the Consolidated University at 76.7%, the private 4-year colleges at 55.1%, the public senior colleges at 48.3%, and the Community College System at 34.1%. In noting the foregoing comparisons, one should keep in mind that while projections for demolition are extended through 1976, the building condition, "should be razed," and others reflected in Table 5 show conditions only as they existed on September 30, 1968. Demolition projections are reported in Table 6.

#### Source of Funds for Building Construction

Tables 7, and 8 show the sources of funds used for financing the construction or acquisition of all buildings initially occupied by institutions after June 30, 1964. (For source codes and definitions, see Appendix C).

Using money spent as an index of the amount of construction or purchase, one notes that over the four-year period, June 30, 1964 - September 30, 1968, acquisition of facilities by the private 4-year colleges accounted for the greatest proportion (21.9%) of the total state-wide acquisition. The Consolidated University (18.9%), the regional universities (17.7%), and the private universities (15.4%) accounted for the next three positions.

Sources of funds categorized as "other" provided 34.4% of all monies spent, while state and local government appropriations (25.0%) and revenue bonds (16.6%) supplied the next largest proportions. Federal government grants (13.4%) and funds from general obligation bonds (10.1%) supported lesser proportions of facilities construction and purchase, and direct tax levies (0.5%) supplied the least revenue for expanding educational facilities.

#### Gross Square Footage of Buildings Classified by Percent of Air Conditioning

Information gathered from institutions listed in this study revealed that buildings containing 50.0% of the gross area of facilities in the state were to some degree air conditioned. As reflected in Table 9, air conditioning is interpreted to include not only central systems, but also lesser sized units, individual window units, and evaporative coolers.



#### Gross Square Footage of Buildings as Classified in National Shelter Survey

As of September 30, 1968, 88.8% of all institutional gross area had been included in the National Shelter Survey. Of that 38,065,672 square feet included in the Survey, 28.8% had been both licensed as fallout shelter and stocked with supplies; 10.6% had been licensed as fallout shelter, but not stocked with supplies; and 60.6% had not been licensed as suitable for fallout shelter. Table 10 shows additional detail.

## Table 1

# Ownership Of Buildings Fall 1968

, ,					I cased Or Bented	_	Made	N + W Helier	ominal		Leage-Purchage		Shared	Shared With Another	11			
INSTITUTION		} } • •				ı		Or No Cost		₹	Arrangements		Ħ	Institution	<b>.</b> .		Total	
	No. of Bldgs.	Gross Sq. Ft.	%	No. of Bldgs.	Gross Sq. F	Ft. %	No. of Bldgs.	Gross Sq. Ft.	8	No. of Bldgs.	Gross Sq.	Ft. %	No. of Bldgs.	Gross Sq. F	Ft. %	No. of Bldgs.	Gross Sq. Ft.	%
Consolidated University:																		
UNC-CH UNC-CH(HA) NCSU	151 30 82	4,551,076 1,028,634 4,227,717	100.0 96.3 100.0	35	39,126	3.7	1 1 1	1 1 1	1 1 1	F 1 1	* 1 1	1 1 1	1 1 1	I I I	1 1 1	151 65 82	4,551,076 1,067,760 4,227,717	100.0 100.0 100.0
UNC-G UNC-C	68 10	1,920,799 368,352	98.9	<b>-</b> 1	21,136	1.1	1 1		1 1	į į	1 1	1 1	1 1	1 1	1 1	69	1,941,935 368,352	100.0
Subtotal	341	12,096,578	99.5	36	60,262	0.5	í	I		1	ı	ı	1		ı	377	12,156,840	100.0
Regional Universities:															•			
A&TU ASU ECU	69 55 52	1,325,937 1,648,185 1,868,009	100.6 100.6 100.0	i i i	1 1 1	1 1 1	l l t	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	69 55 52	1,325,937 1,648,185 1,868,009	100.0
WCU	47	1,107,697	100.0	l		1	ı	i	ι	ı	I	1	ı	ſ	1	47	1,107,697	100.0
Subtotal	223	5,949,828	100.0	ı	1	ı	í	ı	1	ı	ì	1	ı	1	ſ	. 223	5,949,828	100.0
Public Senior Colleges:			*	·_														
A-BC ECSC FSC	17 37 30	234,928 348,420 495,744	100.0 100.0 100.0	I I I	1 1 1	1 1 1		1 1 1	1 1 1	1 1 1	1 i 1	1 1 1	1 1 1	1 1 1	1 1 1	17 37 30	234, 928 348, 420 495, 744	100.0 100.0 100.0
NCC-D NCSA PSC	39	1,017,544 283,406	100.0	1 - 1	7,945	5.1	' 2 '	102,244		- 2 -	45,890	29.4	1 1 1	1 1 1	1 1 1	39 * 5 27	1,017,5 <del>44</del> 156,079 283,406	100.0 100.0 100.0
Wil C WSSC	9 7 9 7	138,629 481,541	100.0	1 1	1 1	t t	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	F 1	8 26	138,629 481,541	100.0
Subtotal	184	3,000,212	95.1	r	7,945	0.2	2	102,244	3.2	2	45,890	7.5	ı	1	ı	189	3,156,291	100.0
Private Universities:		····																
Subtotal	148	5,777,390	6.86	2	56,095	1.0	1	968'6	0.1	ı		1	ı	ı	ı	151	5,842,881	100.0
Private 4-Year Colleges: Subtotal	<b>8</b> 0 <b>4</b>	9,871,428	95.4	. 4	56,647	6.0	62	338,350	* E, E	m	82,421	8.0		ı	ı	873	10.348.846	100.00
Private 2-Year Colleges:	٠.																	
Subtotal	852	2,623,676	93.4	ю	10,432	<b>₹</b> -0	6	83,371	2.9	17	91,889	3,3	1	1	ı	287	2,809,368	100.0
Community College System:																		
Com. Coll.'s Tech. Inst.'s	63 99	1,127,585 1,115,581	98.7 76.4	- 22	110,252	7.5	4 5	14,362 203,892	1.3 14.0	- 2	10,432	7.0	۱ 🕶	20,976	1.4	67 172	1,141,947 1,461,133	100.0
Subtotal	162	2,243,166	86.2	22	110,252	4.2	49	218,254	4.8	7	10,432	0.4	4	20,976	8.0	239	2,603,080	100.0
GRAND TOTAL	2,120	41,562,278	0.79	89	301,633	2.0	123	751,615	1.8	24	230,632	6.5	4	916,02	0.1-	2,339	42,867,134	100.0



# Capital Investment In Buildings And Gross Square Feet By Residential And Non-Residential Categories

Fall 1968

		ACT	UAL	C A P I	TALINV	EST	Z H Z	I		7		ROSS	s a u	ARE FE	H			
INSTITUTION	No. of Bldgs.	Non-Residential Dollars	F.	No. of Bldgs.	Residential Dollars	р, •	No. of Bldg*.	Total Dollars	<b>3</b> 2	No. of Bldgs.	Non-Residential Gross Sq. Ft.	p o/	No. of Bldgs.	Residential Gross Sq. Ft.	<i>5</i> °	No. of Bldgs.	Total Gross Sq. Ft.	8€
Consolidated University:			š	*:														
UNC-CH UNC-CH(HA) NCSU	96 <b>4</b> 6 54	39,713,000 20,676,000 36,285,000	67.0 98.6 71.9	55 1 28	19,526,000 294,000 14,200,000	33.0 1.4 28.1	151 65 82	59,239,000 20,970,000 50,485,000	100.0 100.0 100.0	96 64 54	2,594,286 1,045,540 2,905,333	57.0 97.9 68.7	55 1 28	1,956,790 22,220 1,322,384	43.0 2.1 31.3	151 65 82	4,551,076 1,067,760 4,227,717	100.0 100.0 100.0
UNC-G UNC-C	42 10	16,622,000 5,231,000	58.0 100.0	27	12,046,000 -	42.0	69 10	28,668,000 5,231,000	100.0	<b>4</b> 2 10	1,118,512 368,352	57.6 100.0	27	823,423	42.4	69	1,941,935 368,352	100.0
Subtotal	992	118,527,000	72.0	111	46,066,000	28.0	37.7	164,593,000	100.0	992	8,032,023	66.1	111	4,124,817	33.9	377	12,156,840	100.0
Regional Universities:								`										
A&TU ASU ECU	52 26 35	11,853,000 14,387,000 15,765,000	75.2 57.9 57.2	17 29 17	3,900,000 10,455,000 11,784,000	24.8 42.1 42.8	69 55 52	15,753,000 24,842,000 27,549,000	100.0 100.0 100.0	52 26 35	862,343 916,767 938,530	65.0 55.6 50.2	17 29 17	463,594 731,418 929,479	35.0 44.4 49.8	69 55 52	1,325,937 1,648,185 1,868,009	100.0 100.0 100.0
WCU	25	8,623,000	64.3	. 22	4,783,000	35.7	47	13,406,000	100.0	25	622,310	56.2	22	485,387	43.8	47	1,107,697	100.0
Subtotal	138	50,628,000	62.1	85	30,922,000	37.9	223	81,550,000	100.0	138	3,339,950	56.1	85	2,609,878	43.9	223	5,949,828	100.0
Public Senior Colleges:																•		
A-BC ECSC FSC	9 14 17	2,842,000 2,258,000 3,136,000	78.1 70.5 61.7	8 23 13	795,090 943,000 1,945,000	21.9 29.5 38.3	17 37 30	3,637,000 3,201,000 5,081,000	100.0 100.0 100.0	9 14 17	185,548 206,303 202,135	79.0 59.2 40.8	8 23 13	49,380 142,117 293,609	21.0 40.8 59.2	17 37 30	234, 928 348, 420 495, 744	100.0 100.0 100.0
NCC-D NCSA PSC	24 3 22	7,114,000 _ 2,330,000	58.0	15 2 5	5,148,000 - 1,063,000	32.0 - 31.3	39 5 27	12,262,000 _ 3,393,000	100.0	2 <b>4</b> 3	522,720 110,189 192,054	51. <b>4</b> 70.6 67.8	15 2 5	494,824 45,890 91,352	48.6 29.4 32.2	39 5 27	1,017,544 156,079 283,406	100.0 100.0 100.0
Wil C WSSC	8 17	2,043,000	100.0	- 6	1,890,000	31.8	8 26	2,943,000 5,945,000	100.0	8 17	138,629 285,670	100.0 59.3	6	195,871	40.7	8 26	138,629 481,541	100.0
Subtotal	114	23,778,000	6-99	75	11,784,000	33.1	189	35,562,000	100.0	114	1,843,248	58.4	75	1,313,043	41.6	189	3,156,291	100.0
Private Universities: Subtotal	6	87 879 000	79,5	89	22.600,000	20.5	151	110,479,000	100.0	93	4.039.323	69.1	œ	1.803.558	6 01	151	5 842 881	0 00 1
Private 4-Year Colleges:																	FT	
Subtotal	408	76,371,000	58.2	465	54,944,000	41.8	873	131,315,000	100.0	₹08	5,680,572	54.9	465	4,668,274	45.1	873	10,348,846	100.0
Private 2-Year Colleges:																		
Subtotal	139	14,293,000	52.8	148	12,784,000	47.2	287	27,077,000	100.0	139	1,393,270	9.6	148	1,416,098	50.4	287	2,809,368	100.0
Community College System:																		
Com. Coll.'s Tech. Inst.'s	66 172	17,936,000 13,958,000	99.7	٦,	52,000	0.3	67 172	17,988,000 13,958,000	100.0	66 172	1,136,602	99.5 100.0	۲ ,	5,345	0.5	67 172	1,141,947 1,461,133	100.0
Subtotal	238	31,894,000	8.66	T	52,000	0.2	239	31,946,000	100.0	238	2,597,735	8.66	1	5,345	0.2	239	2,603,080	100.0
GRAND TOTAL	1,396	403,370,000	69.2	943	179,152,000	30.8	2,339	582,522,000	100.0	1,396	26,926,121	62.8	943 1	5,941,013	37.2 2	,339	42,867,134	100.0
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1																		



Estimated Replacement Value of Buildings and Gross Square Feet By Residential and Non-Residential Categories Fall 1968

			1									
		NON-RESI	DENTIAL			RESID	ENTIAL	j ا		TOT	T V	
INSTITUTION	Gross Sq. Ft.	Actual Capital Investment	Estimated Replacement Value	%	Gross Sq. Ft.	Actual Capital Investment	E¤timated R¢viacement Value	alue %	Gross	Actual Capital Investment	Estimated Replacement Value	·,F
Consolidated University:												
UNC-CH UNC-CH(HA) NCSU	2,594,286 1,045,540 2,905,333	39,713,000 20,676,000 36,285,000	70,758,000 35,643,000 68,568,000	64.8 98.8 72.2	1,956,790 22,220 1,322,384	19,526,000 294,000 14,200,000	38,439,000 440,000 26,411,000	35.2	4,551,076 1,067,760 4,227,717	59,239,000 20,970,000	109,197,000	100.0
UNC-G UNC-C	1,118,512 368,352	16,622,000 5,231,000	19,288,000 7,7 <b>44</b> ,000	59.6 100.0	823,423	12,046,000	13,059,000	40.4	1,941,935	28,668,000	32,347,000	100.0
Subtotal	8,032,023	118,527,000	202,001,000	72.1	4,124,817	46,066,000	78,34%,000	27.9	12.156.840	3,231,000	780 350 000	100.0
Regional Universities:							;				280, 330, 000	0.001
A&TU ASU ECU	862,343 916,767 938,530	11,853,000 14,387,000 15,765,000	16,731,000 19,539,000 26,535,000	71.9 60.1 60.7	463,594 731,418 929,479	3,900,000 10,455,000 11,784,000	6,550,000 12,978,000 17,15 <b>4</b> ,000	28.1 39.9	1,325,937 1,648,185	15,753,000	23,281,000	100.0
WCU	622,310	8,623,000	10,742,000	61.6	485,387		6,709,000	38.4	1,107,697	13.406.000	43,689,000	100.0
Subtotal	3,339,950	50,628,000	73,547,000	67.9	2,609,878	30,922,000	43,391,000	37.1	5,949,828	81,550,000	116.938.000	100.0
Public Senior Colleges:									,			
A-BC ECSC FSC	185,548 206,303 202,135	2,842,000 2,258,000 3,136,000	3,325,000 3,413,000 5,772,000	79.5 60.3 64.7	49,380 142,117 293,609	795,000 943,000 1,945,000	858,000 2,249,000 3,154,000	20.5 39.7 35.3	234,928 348,420 495,744	3, 637, 000 3, 201, 000 5, 081, 000	4,183,000 5,662,000 8,926,000	100.0
NCC-D NCSA PSC	522,720 110,189 192,054	7,114,000	10,232,000 2,571,000 2,375,000	59.9 74.1 69.1	494,824 45,890 91,352	5,148,000	6,852,000 900,000 1,063,000	40.1 25.9 30.9	1,017,544 156,079 283,406	12,262,000	17,084,000	100.0
Wil C	138,629 285,670	2,043,000 4,055,000	2,083,000	100.0	195,871	1,890,000	2,760,000	26.0	138,629	2,043,000	2,083,000	100.0
Subtotal	1,843,248	23,778,000	37,645,000	6.79	1,313,043	11,784,000	17,836,000	32.1	3,156,291	35,562,000	10,634,000	100.0
Private Universities:												
Subtotal	4,039,323	87,879,000	129,088,000	80.3	1,803,558	22,600,000	31,710,000	19.7	5,842,881	110.479.000	160 798 000	0 001
Private 4-Year Colleges:												
Subtotal	5,680,572	76,371,000	117,413,000	58.9	4,668,274	54,944,000	81,865,000	41.1	10.348.846	131 315 000	000 826 061	90.
Private 2-Year Colleges:			-									0.001
Subtotal	1,393,270	14,293,000	22,306,000	52.5	1,416,098	12,784,000	20,208,000	47.5	2,809,368	27,077,000	42.514.000	0 001
Community College System:												
Com. Coll.'s Tech. Inst.'s	1,136,602 1,461,133	17,93 <b>6</b> ,000 13,958,000	22,980,000 2 <b>4</b> ,252,000	99.7 100.0	5,345	52,000	000,09	0.3	1,141,947	17,988,000 13,958,000	23, 040, 000 24, 252, 000	100.0
Subtotal	2,597,735	31,894,000	47,232,000	6-66	5,345	52,000	60,000	0.1	2,603,080	31,946,000	47,292,000	100.0
GRAND TOTAL	26,926,121	403,370,000	629,232,000	1-69	15,941,013	179,152,000 2	273,419,000	30.3	42,867,134	582,522,000	902,651,000	100.0
:				á			:					



Age Of Buildings, Reported By Gross Square Feet Per Age Classification.

(Includes All Space, Owned And Not Owned) Fall 1968

Particulary									t t						
19,139   2.2   10,590   1.1   1.0	INSTITUTION	Unknown	P <sub>6</sub>	69 Years And Older	F6	30-68 Years	Pe	20-29 · Years	P	9-19 Years	Po	9 Years Or Less	Pe	Total	β¢
1.0.1.0.   1.0.1.0.	Consolidated University:														
1,544   1,1   1,	UNC-CH(HA) NCSU	104,730	2.3	166,900	3.7	1,686,698 118,841 1,394,474	37.1 11.1 33.0	397,632 49,641 478,599	8.7 4.6 11.3	497,660 585,769 1,167,542		1,697,456 290,374 1,142,695	37.3 27.2 27.0	4,551,076 1,067,760 4,227,717	100.0 100.0 100.0
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	UNC-G UNC-C	7,288	4.0	27,172	1.4	936,457	48.2	59,837	3.1	432,487	22.3	478,694 368,352	24.6 100.0	1,941,935 368,352	100.0
The color of the	Subtotal	135,153	1.1	238,479	2.0	4,136,470	34.0	602,286	8.1	2,683,458	22.1	3,977,571	32.7	12,156,840	100.0
1,458   4,5   1,15,	Regional Universities:								•						
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	A&TU ASU ECU	1 1 1	1 1 1	1 1 1	t I I		17.4 10.2 25.7	77,687 92,482 44,630	5.8 5.6 2.4	711,925 368,663 482,527	53.7 22.4 25.8	306,032 1,018,753 861,558	23.1 61.8 46.1	1,325,937 1,648,185 1,868,009	100.0 100.0 100.0
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	wcu	t	ı	ı	I	120,587	10.9	136,577		346,198	31.3	504,335	45.5	1,107,697	100.0
14,597   4,2       135,504   56,0   58,759   16,1   73,607   19,9   24,928   100   24,928   100   24,928   100   24,928   100   24,928   100   24,928   100   24,928   100   24,928   100   24,928   100   24,928   24,0   24,00   24,20   24,00   24,20   2	Subtotal	ι	1	ı	t	998,461	16.8	351,376	•	1,909,313	32.1	2,690,678	45.2	5,949,828	100.0
1, 37   4.2   1.0   1.	Public Senior Colleges:														
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	A-BC ECSC FSC	14,587	4.2	1 1 1	1 1 1	125,502	36.0 38.6	- 58,263 8,008	16.7	73,087 98,467	21.0 19.9	234, 928 76, 981 198, 065	100.0 22.1 39.9	234, 928 348, 420 495, 744	100.0 100.0 100.0
13,733   6.6   -	NCC-D NCSA PSC	1 1 1	1 1 1	1 1 1	1 1 1	237,076	23.3	35,351	3.5	45 <b>4</b> ,291 - 36,3 <b>2</b> 5	<b>44.</b> 6 - 12.8	290,826 156,079 196,591	28.6 100.0 69.4		100.0 100.0 100.0
46,560 1,5 808,881 25.6 126,622 4.0 728,526 23.1 1,146,702 45.8 3,156,291  57,258 0.9 34,538 0.6 2,470,088 42.3 307,267 5.3 1,713,929 29.3 1,259,801 21.6 5,842,881  155,264 1.5 543,657 5.2 2,537,732 24.5 695,232 8.7 1,807,662 17.5 4,409,899 42.6 10,348,846  140,923 5.0 173,308 6.2 666,784 21.6 228,425 8.5 156,618 3.2 940,621 82.8 1,441,137  163,021 6.2	Wil C WSSC	31,973	9.9	1 1	1 1	229,609	47.7	1 1	1 1	956,399	13.8	138,629 153,603	100.0 31.9	138,629 481,541	100.0
57,258 0.9 34,538 0.6 2,470,088 42.3 307,267 5.3 1,713,929 29.3 1,259,801 21.6 5,842,881  155,264 1.5 543,657 5.2 2,537,732 24.5 895,232 8.7 1,807,062 17.5 4,409,899 42.6 10,348,846  140,923 5.0 173,308 6.2 606,784 21.6 238,425 8.5 452,599 16.1 1,197,329 42.6 2,809,368  146,932 10.0 123,778 8.7 24,841 2.0 36,683 13.5 940,521 82.4 1,441,947  153,021 6.2 2550,335 9.6 54,258 2.1 233,301 9.0 1,902,165 73.1 2,603,080  699,982 2.3 11,808 751 27.6 2,958,889 6.9 9,528,188 22.2 16,883,145 39,4 42,867,134	Subtotal	46,560	1,5	ı	I	808,881	25.6	126,622	0.4.0	728,526	23.1	1,445,702	45.8	3,156,291	100.0
57,258 0.9 34,538 0.6 2,470,088 42.3 307,267 5.3 1,713,929 29.3 1,259,801 21.6 5,842,881   155,264 1.5 5,43,657 5.2 2,537,732 24.5 895,232 8.7 1,807,062 17.5 4,409,899 24.2 6 10,348,846   140,923 5.0 173,308 6.2 606,784 21.6 238,425 8.5 452,599 16.1 1,197,329 42.6 2,809,368   1.4 146,932 10.0 - 1 123,778 10.8 8.7 29,417 2.0 196,683 13.5 940,621 65.8 11,446,133   163,021 6.2 - 250,335 9.6 5,43,89 6.9 9,528,188 22.2 16,883,145 39.4 42,807,184   158,021 6.2 6.2 6.3 11,808 751 7.6 7,958,889 6.9 9,528,188 72.2 16,883,145 73.1 7,807,184   158,021 6.2 6.3 6.4 6.5 6.4 6.5 6.4 6.5 6.5 6.4 6.8 8,145 73.1 7,807,184   158,021 6.2 6.3 6.4 6.5 6.5 6.4 6.5 6.4 6.5 6.5 6.4 6.8 8,145 73.1 7,807,184   158,021 6.2 6.3 6.4 6.4 6.5 6.4 6.5 6.4 6.5 6.4 6.8 8,145 73.1 7,807,184 72,867,134	Private Universities:														
155,264   1.5   543,657   5.2   2,537,732   24.5   895,232   8.7   1,807,062   17.5   4,409,899   42.6   10,348,846   1.6   1,107,329   42.6   10,348,846   1.4   1,107,329   42.6   10,348,846   1.4   1,107,329   42.6   2,809,368   1.4   1,107,329   16.1   1,107,329   42.6   2,809,368   1.4   1,107,329   16.1   1,107,329   42.6   2,809,368   1.4   1,107,329   1.4   1,401,133   1,107,329   1.4   1,401,133   1.4   1,401,133   1.5   1,401,133   1.5   1,401,133   1.5   1,401,133   1.5   1,401,133   1.5   1,902,165   1,9	Subtotal	57,258	6.0	34,538	9.0	2,470,088	42.3	307,267		1,713,929	29.3	1,259,801	21.6	5,842,881	100.0
155,264   1.5   543,657   5.2   2,537,732   24.5   895,232   8.7   1,807,062   17.5   4,409,899   42.6   10,348,846   1.5   1,607,84   1,607,84   1.5   1,607,84   1.5   1,607,84   1.5   1,607,84   1,607,84   1.5   1,607,84   1.5   1,607,84   1.5   1,607,84   1.5   1,607,84   1.5   1,607,84   1.5   1,607,84   1.5   1,607,84	Private 4-Year Colleges:														
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Subtotal	155,264	1.5	543,657	5.2	2,537,732	24.5	895,232	8.7	1,807,062		4,409,899	42.6	10,348,846	100.0
140,923   5.0   173,308   6.2   606,784   21.6   238,425   8.5   452,599   16.1   1,197,329   42.6   2,809,368   1.4   2.2   123,778   10.8   24,841   2.2   36,618   3.2   940,621   82.4   1,141,947   1.46,133   1.46,932   10.0   2.0   250,335   9.6   54,258   2.1   233,301   9.0   1,902,165   73.1   2,603,080   2.2   11,808,751   27.6   2,958,889   6.9   9,528,188   22.2   16,883,145   39.4   42,867,134   2.8   2.	Private 2-Year Colleges:														
16,089   1.4   -	Subtotal	140,923	5.0	173,308	6.2	<b>₹8</b> 2,909	21.6	238,425		452,599	16.1	1,197,329	42.6	2,809,368	
16,089 1.4 123,778 10.8 24,841 2.2 36,618 3.2 940,621 82.4 1,141,947 1.1	Community College System:											ŭ			
163,021 6.2 250,335 9.6 54,258 2.1 233,301 9.0 1,902,165 73.1 2,603,080 698,179 1.6 989,982 2.3 11,808 751 27.6 2,958,889 6.9 9,528,188 22.2 16,883,145 39.4 42,867,134	Com. Coll.'s Tech. Inst.'s	16,089 146,932	1.4	i I	1 1	123,778 126,557	10.8	24,841 29,417	2.2	36,618 196,683	3.2	940,621 <sub>.</sub> 961,544	82.4 65.8	1,141,947	100.0
698,179 1.6 989,982 2.3 11,808,751 27.6 2,958,889 6.9 9,528,188 22.2 16,883,145 39.4 42,867,134	Subtotal	163,021	6.2	1	I	250,335	9.6	54,258	2.1	233,301	9.0	1,902,165	73.1	2,603,080	100.0
	GRAND TOTAL	641,179	1.6	989,982	2.3	11,808,751	27.6	2,958,889	6.9	9,528,188	22.2	16,883,145	39.4	42,867,134	100.0
				-		-									

Condition Of Buildings As Reported By Institution (Includes All Space, Owned And Not Owned)

Fall 1968

Table 5

ERIC Fruit Frovided by ERIC

	SATISFACTORY	RY	NEEDS MAJOR REHABILITIATION	HABILITIATION	SHOULD BE RAZED	ZED	TOTAL	
INSTITUTION	Gross Sq. Ft.	Pr	Gross Sq. Ft.	<b>*</b> *	Gross Sq. Ft.	k	Gross Sq. Ft.	<b>)</b> &
Consolidated University:								
UNC-CH UNC-CH(HA) NCSU	4,385,358 1,052,966 3,672,267	96.4 98.6 98.9	789	, w	165,718 14,794 265.645	3.6 1.4 6.3	4,551,076 1,067,760	100.0
UNC-C	1,825,522	94.0 100.0	63,846	3.3	52,567	2.7	1,941,935	100.0
Subtotal	11,304,465	93.0	353,651	2.9	498,724	<b>.</b>	12,156,840	100.0
Regional Universities:								
A&TU ASU ECU	1,210,679 1,619,851 1,816,337	91.3 98.3 97.2	101,15	7.6	14,105 28,334	1.1	1,325,937 1,648,185 1,868,009	100.0
WCU	1,067,452	<b>4-96</b>	20,317	1.8	19,928	1.8	1,107,697	100.0
Subtotal	5,714,319	96.1	173,142	2.9	62,367	1.0	5,949,828	100.0
Public Senior Colleges:								
A-BC ECSC FSC	234,928 228,368 453,617	100.0 65.5 91.5	93,386	26.8 2.5	26,666 29,545	7.7	234,928 348,420 495,744	100.0
NCC-D NCSA PSC	848,338 156,079 257,916	83.4 100.0 91.0	164,302	16.1	4,904 - 25, <u>4</u> 90	0.5	1,017,544 156,079 283,406	100.0 100.0 100.0
WSSC .	138,629 321,417	100.0 66.8	107,954	22.4	52,170	10.8	138,629 481,541	100.0
Subtotal	2,639,292	83.6	378,224	12.0	138,775	4.4	3,156,291	100.0
Private Universities:								,
Subtotal	5,243,124	8.68	455,693	7.8	144,064	2.4	5,842,881	100.0
Colleges: Subtotal	8,899,207	0.98	841,100	8.1	608.539	o v	778 875 01	9
Private 2-Year Colleges:								
Subtotal	2,316,077	82.5	410,874	14.6	82,417	2.9	2,809,368	100.0
Community College System:								
Com. Coll.'s Tech. Inst.'s	1,088,679 1,207,086	95.3 82.6	30,645 85,953	2.7	22,623 168,094	2.0	1,141,947 1,461,133	100.0
Subtotal	2,295,765	88.2	116,598	4.5	190,717	7.3	2,603,080	100.0
GRAND TOTAL	38,412,249	9.68	2,729,282	<b>*</b> -9	1,725,603	4.0	42,867,134	100.0

#### Projection For Demolition Of Buildings

Table	6
-------	---

Fall 1968

INSTITUTION	GROSS S		FISCAL YEAR	DEMOLISH RS	ED
	1968-1969	1970-1971	1972-1973	1974-1975	1976
Consolidated					
University:	•				
UNC-CH	20,716	27,335	-	90,258	-
UNC-CH(HA)	<b>-</b>	-	eg on	-	<b>-</b> ,
NCSU	-	38,545	66,891	81,163	-
UNC-G	2,873	14,116	8,406	32,406	_
UNC-C	-	-	-	-	-
Subtotal	23,589	79,996	75,297	203,827	^ <del>_</del>
Regional					
Universities:		3,		•	
A&TU	<b>-</b>	22,860	_		_
ASU	28,334	-	-	, <b>-</b>	
ECU	-	13,320	-	-	-
WCU	-	- America	· -	-	-
Subtotal	28,334	36,180	-	-	-
Public Senior Colleges:		•			
A-BC	-	_	· -	-	-
ECSC	-	2,751	_	-	<u> </u>
FSC	-	-	-	29,568	-
NCC-D	<u>-</u>	. <b>-</b>	_	_	_
NCSA	<b>-</b> . ~	_		· _	_
PSC	25,490	-	-	-	-
Wil C	-	_	-	_	_
WSSC	- -	2,990	6,216	-	-
Subtotal	25,490	5,741	6,216	29,568	-
		20			



### Projection For Demolition Of Buildings (continued) Fall 1968

IN	ISTITUTION	GROSS S	QUARE FE DURING	ET TO BE FISCAL YEAR	DEMOLISH RS	ED
		1968-1969	1970-1971	1972-1973	1974-1975	1976
P	rivate Universities:			. •		
	Subtotal	1,565	50,227	50,147	85,323	-
P	rivate 4-Year Colleges:					
*	Subtotal	147,227	85,154	40,858	62,178	_
<u>P</u> :	rivate 2-Year Colleges:	,		•		
	Subtotal	30,811	12,057	-	23,256	-
<u>C</u>	ommunity College System:					
	Com. Coll.'s Tech. Inst.'s	- 8,229	<b>-</b> 4,905	1,400 9,702	<b>-</b> 40,799	-
	Subtotal	8,229	4,905	11,102	40,799	-
GI	RAND TOTAL	265,245	274,260	183,620	444,951	-



For Buildings Initially Occupied After June 30, 1964

1704		
For buildings Initially Occupied Affer June 30, 1904	(By Specific Source Category)	Fall 1968

							S	e c i	fics	4 a o	) S	a teg	0 x y	C o d	*										
INSTITUTION	01	05	03	04	05	90	67	80	60	10	11	12	13	4	15	16	17	18	19	2.6	21	22	23 24	}	Total
Consolidated University:			,														15	.*							
UNC-CH UNC-CH(HA) NCSU	903 400 2,327	1 1 1	639	731	192 492 -	1,114	ee	i i t	6 1 i	4,645 -	) t I	1,689 5	5,544	9	995,9	1 1 1	- - 479 1,0	301 1,040	, <b>4</b> 09 31	וו	540 561 - 6	- - 639	  - 116	17,406 1,785 6 12,602	406 785 502
UNC-G UNC-C		1 1	340	1 1	1 1	t ŧ	1 1	l i	1 3	t i	1 1	n II	3,373	1 1	i i	1 1	1 1	1 1	1 1	1 1	1 1	t I	1 1	4,587	587
Subtotal	7,266	1	616	731	<b>\$89</b>	2,510	39	•	ı	4,645		1,689 8	8,917		995,9		479 1,3	,341	,440	- 1,1	, 101	639	- 116	99,082	280
Regional Universities:				<b>1</b>																					
A&TU ASU ECU	1,752 5,731 5,005		.,175	742	- 206	i i i	t l di	i t t	1 1 1	1 1 1	1 1 1	30	6 I I	111	412 9 4,411 1,6	937 - 7,9	7,913	- - 180	- 929 -	i i I	9#	1 1 1	236	3,889 . 15,475 .6 11,978	889 475 978
WCU	3,164		t	1	ı	ı	ı	ı	ı	ı	•	ı	ı I	- 2	2,237	ı	ı	ı	1	ι	1	ı		5,401	104
Subtotal	15,652		,175	742	506	ł	ı	ı	ı	ı	ı	30	ı	- 7	7,060 2,	,577 778,	7,913	180	929	1	<b>4</b> 6	1	- 236	16 36,743	743
Public Senior Colleges:								•																	
A-BC ECSC FSC	2,784 796 1,666	1 1 1	205 752	1 1 1	1 1 1	1 1 <u>i</u>	+ 1 +	t 1 t	1 1 1	1 1 1	t I I	1 1 1	1 1 1		٠ - 1 <sub>035</sub>	1 1 5	1 1 1	i i i	1 1 1	1 1 1	1 1 1	1 1 1		2,78 1,000 3,45	2,784 1,001 3,453
NCC-D	2,201	( )		ιı	1 1	1 1	į f	1 1	li	i 1	1 1	1 1	1 1		بر ر	į 1		1 1	6 I	1 1		i I	1 1	3,744	744
PSC	1,742	1 1	i i	411	ŧ	t	. 1	t	i	•	ı	ı	ı	i	ı	1	1	t	ı	1		205			2,358
Wil C WSSC	1,028	1 1	163	i i	<b>‡</b> 1	* I	1 1	1 1	1 1	7 I	1 1	1 1	1 1	i i	553	1 1	1 1	1 1		1 1	i I	1 1	1 4		1,028 2,448
Subtotal	11,949		,120	411	t	r	ı	1	ı	ı	ī	t	ţ	en •	3,131	1	ι		l	ı	ı	205		- 16,81	816
Private Universities: Subtotal	622	•	•	327 3	,932	2,253	ı	t	ı	1	t 1	i i	ı	, :	2,933	1	ا ع	3,960	e e	,414 8	8,024 2,	2,000 4	425	- 31,	,893
Private 4-Year Colleges:											,			bangan sa San San San San San San San San San San	;	•						7.7		1	45,369
Subtotal	1	1,884 3	3,941	342	ı	•	159	ŧ	ı	ı	ı	í	. 2	2,111	9,061	- 1,	,454 13,	13,612	7.56.2	- -	1,(11 8,	2	ſ		9
Private 2-Year Colleges:																						ı			9
Subtotal	ı	t	630	190	1	1	ı	1	4	ı	•	t	245 1,	383	3,091	ı	r I	,231	418	121	214 2,	,135	-	121 11,	11,785
Community College System:																									i i
Com. Coll.'s Tech. Inst.'s	4,983	3,634 5	5,897	ι ι	i i	1 1	160 950	190	79 809	1 1	1 1	1,306 507	1 1	γl	1 1	1 1	1 1	35	١٩٥	1 (	L I	I v		- 16, 946 9,	16,059 9,391
Subtotal			5,897	1	1		1,110	190	888	, I		1,813	ı	ľ	ı	ı	1	35	9	ı	1	1	+	946 25,	25,450
TATOT GNA 82	43 072	8.806.13.742		2,743 5	5,122	4,763 3	1,308	061	888	4,645	t.	3,532 9	9,162 3	,500	31,842 2,	,6 773	9,846 22,	22,359	5,120 3	,535	11,096 11	13,446	4,4251,	4,4251,419207,138	,138
																•						*In th	*In thousands **See Appendix	of dollars x C, p. 14	149



# Source Of Funds For Building Construction For Buildings Initially Occupied After June 30, 1964

e Category)

•	Source	Fig. 1968
•	General Source	F'9]
)	(By (	

HA)	Appropriations	20vt.	Federal Govt. Grants	Govt.	Direct Tax Levy	x Levy	Gen. Obligation Bonds	α	Revenue Bonds	Bonds	Other		Total	
	(01-02) Dollars	% (;	(03-07) Dollars	%	(08 Dollars	% (08-09) s	(10-14) Dollars	к,	(15-16) Dollars	8	(17-24) Dollars	8	(01-24) Dollars	8
								ı						
	903,000 400,000 2,327,000	5.2 22.4 18.5	2,676,000 492,000 1,435,000	15. <b>4</b> 27.5 11.4	1 1 1	1 1 1	11,878,000	68.2		5	1,949,000 894,000	50.1	17,406,000	100.0
	1,214,000	26.5	340,000	12.6	1 1	1 1	3,373,000	73.5	1 1	1 I		) )	4,587,000	100.0
	7,206,000	18.4	4,943,000	12.7	ı	ı	15,251,000	39.0	6,566,000	16.8	5.117.000	13.1	39.083.000	100.0
Regional Universities:														•
A&TU ASU ECU	1,752,000 5,731,000 5,005,000	45.0 37.0 41.8	742,000 1,175,000 506,000	19.1 7.6 4.2	1 1 1	1 1 1	30,000	6.2	1,349,000 - 6,051,000	34.7	46,000 8,539,000 416,000	1.2 55.2 3.5	3,889,000 15,475,000 11,978,000	100.0 100.0 100.0
WCU	3,164,000	58.6	ţ	ı	1	ı	1	1	2,237,000	41.4	ı	ı	5,401,000	100.0
Subtotal 1.	15,652,000	42.6	2,423,000	9.9	t	1	30,000	0.1	9,637,000	26.2	9,001,000	24.5	36,743,~00	100.0
Public Senior Colleges:														
A-BC ECSC FSC	2,784,000 796,000 1,666,000	100.0 79.5 48.2	205,000 752,000	_ 20.5 21.8	1 1 1	1 1 1		T T T	1,035,000	30.0	1 1 1	1 1 1	2,784,000 1,001,000 3,453,000	100.0 100.0 100.0
NCC-D 2	2,201,000	58.8	1 1	1 1	l t	i i	l i	1 1	1,543,000	41.2	1 1	1 1	3,744,000	100.0
	1,742,000	73.9	411,000	17.4	1	•	1	•	1	ı	205,000	8.7	2,358,000	100.0
Wil C 1	1,028,000 1,732,000	100.0	163,000	9.9	t t	I I	1 1	1 1	553,000	22.6	1 1	1 1	1,028,000 2,448,000	100.0
Subtotal 11	11,949,000	71.1	1,531,000	9.1		ſ	1	ı	3,131,000	18.6	205,000	1.2	16,816,000	100.0
Private Universities:					, , , , , e <sup>,</sup>									
Subtotal	622,000	2.0	6,512,000	20.4		ı	•	ı	2,933,000	9.2	21,826,000	68.4	31,893,000	100.0
Private 4-Year Colleges:														
Subtotal	1,884,000	4.2	4,442,000	8.6	ı	1	2,111,000	4.6	9,061,000	20.02	27,871,000	61.4	45,369,000	100.0
Private 2-Year Colleges:												•		
Subtotal	ı	ı	820,000	7.0	ı	ı	1,634,000	13.9	3,091,000	26.2	6,240,000	52.9	11,785,000	100.0
Community College System:														
Com. Coll.'s 8 Tech. Inst.'s 5	8,617,000 5,948,000	53.7	6,057,000 950,000	37.7 10.1	79,000 999,000	0.5	1,306,000	8.1	1 1	i i	987,000	10.5	16,059,000 9,391,000	100.0
Subtotal 14	14,565,000	57.2	7,007,000	27.6	1,078,000	4.2	1,813,000	7.1	ı	ı	000,186	3.9	25,450,000	100.0
GRAND TOTAL 51	51,878,000	25.0	27,678,000	13.4	1,078,000	0.5	20,839,000	10.1	34,419,000	16.6	71,247,000	34.4	207,139,000	100.0



# Gross Square Footage Of Buildings Classified By Percent Of Air Conditioning

Table 9

	Bldgs. With	k K	Bldgs. With	th	Bldgs. With	n Dud	Bldgs. With 25-49% Air Cond	Vith	Bldgs. With 50-74% Air Cond	With Cond	Bldgs. With 75-100% Air Cond	/ith Cond.	Total	
	Gross Sq. Ft.	%	Gross Sq. Ft.	₽~	Gross Sq. Ft.	<sub>દે</sub> ષ્ટ	Gross Sq. Ft.	₽%	Gross Sq. Ft.	٠ هر	Gross Sq. Ft.	<b>%</b>	Gross Sq. Ft.	<b>8</b> 6
Consolidated University:						t					ů			
UNC-CH UNC-CH(HA) NÇSU	2,211,558 113,433 1,352,209	48.6 10.6 32.0	486,869 - 113,279	10.7	210,225	3.0	229,624 121,156 947,816	5.1 11.4 22.4	120,363	2.6	1,292,437 833,171 1,199,347	28.4 78.0 28.4	4,551,076 1,067,760 4,227,717	100.0 100.0 100.0
UNC-G UNC-C	1,078,554 10,822	55.6	396,837	20.4	40,392	2.1	i i	1 1	I I	1 1	426,152 357,530	21.9	1,941,935 368,352	100.0 100.0
Subtotal	4,766,576	39.2	966,985	8.2	378,060	3.1	1,298,596	10.7	986, 209	5.0	4,108,637	33.8	12,156,840	100.0
Regional Universities:														
A&TU ASU ECU	628,180 1,489,015 1,195,641	47.4 90.3 64.0	316,981	23.9	70,276 23,040 109,068	5.3 1.4 5.8	39,841 - 91,472	3.0	9,298	0.7	261,361 136,130 371,486	19.7 8.3 19.9	1,325,937 1,648,1 <b>8</b> 5 1,868,009	100.0 100.0 100.0
WCU	948,254	85.6	159,443	14.4	1	ı	ı	ı	ı	I	. 1	ı	1,107,697	100.0
Subtotal	4,261,090	9.17	488,168	8.2	202,384	3.4	131,313	2.2	968,76	1.7	768,977	12.9	5,949,828	100.0
Public Senior Colleges:														
A-BC FC FSC	165,580 189,272 331,288	70.5 54.3 66.8	41,483 42,127	11.9 8.5	27,222 54,856 49,408	11.6 15.7 10.0	30,739	- 88 - 1	3,180 3,375	- 0.9 0.7	42,126 28,890 69,546	17.9 8.3 14.0	234,928 348,420 495,744	100.0 100.0 100.0
NCC-D NCSA PSC	645,833 71,093 187,397	63.5 45.5 66.1	197,419	19.4	32,000	3.1	7,756 84,986 -	0.8 54.5	16,249	1.6	118,287 - 96,009	11.6	1,017,544 156,079 283,406	100.0 100.0 100.0
Wil C	7,190 358,091	5.1	5,068 50,384	3.7	16,158	3,3	1 1	1 1	5,951	1.2	126,461 50,957	91.2	138,629 481,541	100.0
Subtotal	1,955,654	62.0	336,481	10.7	179,644	5.6	123,481	3.9	28,755	6.0	532,276	16.9	3,156,291	100.0
Private Universities:	,			ţ										
Subtotal	1,930,922	33.1	158,320	7.7	341,412	5.9	546,995	4.6	671,282	11.5	2,187,890	37.4	5,842,881	100.0
Colleges: Subtotal	6,145,363	59.4	588,225	5.7	203,119	2.0	217,599	2.1	130,453	1.2	3,064,087	29.6	10,348,846	100.0
Private 2-Year Colleges:														
Subtotal	1,849,490	8.59	210,978	7.5	100,804	3.6	73,579	2.6	4,656	0.2	569,861	20.3	2,809,368	100.0
Community College System:														
Com. Coll.'s Tech. Inst.'s	121,125 3 <b>4</b> 9,335	10.6	32,085 185,130	2.8	78,646	4.6	60,331 108,221	5.3	63,181 230,680	5.5 15.8	865,225 509,121	75.8 3 <b>4</b> .8	1,141,947 1,461,133	100.0
Subtotal	470,460	18.1	217,215	8.3	78,646	3.0	168,552	6.5	293,861	11.3	1,374,346	52.8	2,603,080	0.001
GRAND TOTAL	21,379,555	50.0	2,996,372	6.9	1,490,129	3.5	2,560,115	5.9	1,834,889	4.3	12,606,074	29.4	42,867,134	100.0



# Gross Square Footage Of Buildings As Classified In National Shelter Survey

Table 10

INSTITUTION	National Shelter Survey	l In Iter	Included In National Shelter Survey, But Not Licensed As Fallout Shelter	al Shelter Licensed selter	Licensed As Fallout Shelter, But Not Stocked With Supplies	allout Not upplies	Licensed As Fallout Shelter And Stocked With Supplies	llout cked s	Total	
	Gross Sq. Ft.	%	Gross Sq. Ft.	%	Gross Sq. Ft.	2/6	Gross Sq. Ft.	%	Gross Sq. Ft.	P
Consolidated University:										
UNC-CH UNC-CH(HA) NCSU	2,438,111 221,185	53.6 . 20.7	20,328	0.4	625,102 - 1,786,877	13.7	1,467,535 846,575 649,470	32.3 79.3 15.4	4,551,076 1,067,760 4,227,717	100.0 100.0 100.0
UNC-G UNC-C	95,700	4.9 18.2	864,416	44.5	102,83 <b>4</b> 301,181	5.3	878,985	45.3	1,941,935 368,352	100.0
Subtotal	2,822,167	23.2	2,676,114	22.0	2,815,994	23.2	3,842,565	31.6	12,156,840	100.0
Regional Universities:										
A&TU ASU ECU	131,360 - 979,06	9.9	813,170 1,648,185 795,203	61.3 100.0 42.5	- - 416.390		381,407	28.8	1,325,937 1,648,185 1,868,009	100.0 100.0 100.0
WCU	44,300	4.0	984, 492	6.88	78,905	7.1	· t	1	1,107,697	100.0
Subtotal	266,639	4.5	4,241,050	71.3	495,295	8.3	946,844	15.9	5,949,828	100.0
Public Senior Colleges:										
A-BC ECSC FSC	3,240 _ 75,661	1.4 - 15.3	56,389 97,516 301,041	24.0 28.0 60.7	52,751 -	22.4	122,548 250,904 119,042	52.2 72.0 24.0	234,928 348,420 495,744	100.0 100.0 100.0
NCC-D NCSA PSC	7,945 -	5.1	433,801 63,148 267,785	42.6 40.4 94.5	169,578	16.7	414,165 84,986 15,621	40.7 54.5 5.5	1,017,544 156,079 283,406	100.0 100.0 100.0
Wil C WSSC	5,068	3.7	133,561	96.3 86.8		1 1	63,573	13.2	138,629 481,541	100.0
Subtotal	91,914	2.9	1,771,209	56.1	222,329	7.1	1,070,839	33.9	3,156,291	100.0
Private Universities:										
Subtotal	106,587	1.8	1,944,303	33.3	106,162	1.8	3,685,829	63.1	5,842,881	100.0
Private 4-Year Colleges:										
Subtotal	450,590	4.4	8,541,606	82.5	183,314	1.8	1,173,336	11.3	10,348,846	100.0
Private 2-Year Colleges:										
Subtotal	105,409	3.7	2,494,113	88.8	121,125	4.3	88,721	3.2	2,809,368	100.0
Community College System:										
Com. Coll.'s Tech. Inst.'s	475,652	41.6	405,531 969,074	35.5 66.3	97,887 9,555	8.6	162,877	14.3	1,141,947	100.0
Subtotal	958,156	36.8	1,374,605	52.8	107,442	4.1	162,877	6.3	2,603,080	100.0
						,				

### III. Interior Space Characteristics

Whereas Chapter II was devoted to a description and analysis of facilities for higher education in terms of gross building area, the discussion and tables which follow deal with the functional aspects of these same facilities with respect to net assignable area. In this connotation, "net assignable area" or "net assignable square feet" (NASF) means the sum of all interior areas on all floors of a building assigned to, or available for assignment to an occupant, including every type of space functionally usable by an occupant. Moreover, it includes all such described space in all buildings, both residential and non-residential, regardless of whether owned, leased, rented, made available at nominal or no cost, being purchased, or shared. It does not include such spaces as circulation areas, custodial areas, mechanical areas, and construction area -- all of which are non-assignable.

### Net-To-Gross Ratio

Reporting as of September 30, 1968, institutions in North Carolina determined 60.7% of all residential facilities gross area to be NASF, and 70.6% of all non-residential gross area to be NASF. This interior area, totaling 28,685,611 square feet, represents 66.9% of the gross area of all reported facilities (including both residential and non-residential) for higher education in the state. This latter percentage represents an average 0.9% increase in usable space available over the corresponding data supplied in 1967. While Table 11 presents the general state-wide picture, more specific detail may be observed by comparison with Tables 2, 13, and 14.



### Net Assignable Square Feet Classified by Organizational Units

As of the reporting date, the greatest single item of space among institutions of higher education in North Carolina was that of auxiliary services (46.2% of total state-wide NASF). This area consisted mainly of residential facilities and such other general-use facilities as cafeterias and dining halls, recreation facilities, assembly areas, and student health facilities. Facilities for instruction and related research occupied the second largest proportion (35.4%) of state-wide net assignable campus space. Space devoted to general administration and institutional services ranked third (at 7.0%) in the statewide accounting. Further analysis reveals that the organizational units, Library (at 5.7%), Organized Activity Units (at 2.7%), and Non-Institutional Agencies (at 1.0%) combined with the above to account for 98.0% of all campus net assignable area. Most of the remaining space is accounted for as Unassigned (at 1.3%), and Public Service (at 0.6%).

Organizationally, institutions in North Carolina allocated little space to the category, Organized Research Units (0.1% of NASF). As a matter of practice, essentially all college and university research in the state is conducted within departments (i.e., as an organizational part of the instruction and research element, regardless of sources of funds or other budgetary distinctions).

Concerning the relatively high percentages of "Non-Institutional" space reported by some institutions, most is occupied by banks, post offices, and stores, or by cafeterias, dining halls, and snack bars with contracted food or other services.

Although changes in the organizational unit assignment of space have,



of course, occurred between 1967 and 1968, only one category indicates as much as a full percentage point of difference (a decrease in Auxiliary Services of 1.6%). The other most significant changes from 1967 occur in Organized Activities (an increase of 0.8%) and in General Administration and Institutional Services (an increase of 0.7%).

Table 12 presents more detail concerning apportionment of assignable area as categorized by organizational units. Definitions of the organizational units discussed here are contained in Appendix D.

### Net Assignable Area by Room Type

Tables 13 and 14 show the actual amount of space, with corresponding percents of total campus space, devoted to each of the room-type categories represented. In every case, the indicated footage and corresponding percent represent the combined areas of primary room and service areas. It is important to note that Table 13 includes both non-residential and residential space. Since the percentage of total space which is devoted to residential uses varies so markedly among colleges and universities and is a reflection of housing policy as opposed to academic philosophy, one should use this table with caution in comparing different types of institutions (e.g., residential vs. commuter). One needs to recognize also that relationships between different types of space and total space, as shown in Table 13, will be diversely influenced by the residential space included. It is suggested, therefore, that Table 14, which shows non-residential NASF only, should be used for such comparisons where it is desirable to consider general academic, administrative, and related facilities only. The following example illustrates how the proportions of office



space will vary depending upon institution type and upon use of Table 13 or Table 14.

Institution Group and (Type)	Office Space Table 13	Office Space Table 14
Regional Universities (primarily residential) Community College System (primarily commuter)	9.0% 13.3%	15.3% 13.4%

### Square Feet Per Student Station

In contrast to the preceding tables, Tables 15 and 16, reporting square feet per student station, do not include service areas.

Institutions in North Carolina reported a total of 3,354 teaching classrooms containing 137,680 student stations in 2,298,095 net assignable square
feet as of the 1968 reporting date. A state-wide average of 41.0 stations per
classroom of 685.2 square feet mean room size resulted. As indicated in
Table 15, the "average" classroom student station occupied 17 square feet,
exclusive of any service area. This student station size, while indicating no
significant change over the corresponding value reported in 1967, remains
higher than that for many states, and may still suggest that some institutions
in the state should (1) examine their classrooms to determine if additional
stations could be added without impairing efficiency of instruction, and/or
(2) investigate the feasibility of reducing the size of classrooms with large
station areas by remodeling into two rooms so as to provide additional
office space or additional smaller classrooms and seminar rooms.

Regarding class laboratories, 2,325 rooms, totaling 2,411,725 square feet and containing 54,348 student stations were reported. Such figures combine to indicate an average class laboratory size of 1,037.3 square feet

with 23.4 student stations. In view of the fact that the preponderance of institutions comprising the net gain in facilities inventoried for 1968 was contained in 18 technical institutes, it seems unusual that the state-wide average student station size in class laboratories was 0.4 square feet less in 1968 than in 1967. It would appear, therefore, that other changes involving more efficient use of laboratory space have occurred in some institutions during the past year.

Although average square footages and average student station sizes of laboratories are used as guides, the fact still remains that there is no such thing as the "average" class laboratory. Institutions offering only a liberal arts and sciences program with education and business curricula tend to have smaller laboratories and lesser student station sizes than do those institutions that support agricultural and engineering curricula. A language laboratory or a business machines laboratory, for example, is normally not of such large student station size as is a textiles laboratory or an automotive mechanics shop. When comparing the figures listed in Table 16, therefore, one should keep in mind that existing differences in program offerings among institutions, particularly at different academic levels, often result in significant variations in student station sizes in class laboratories among academic departments, among institutions, and especially among groups of institutions.

### Net-To-Gross Ratio

Table 11

INSTITUTION	Gross Sq. Ft.	Net Assignable Sq. Ft.	Net:Gross
Consolidated University:		·	
UNC-CH UNC-CH(HA) NCSU	4,551,076 1,067,760 4,227,717	3,078,209 687,689 2,704,189	67.6 63.6 64.0
UNC-G UNC-C	1,941,935 368,352	1,268,674 229,081	65.3 62.2
Subtotal	12,156,840	7,967,842	65.5
Regional Universities:			
A&TU ASU ECU	1,325,937 1,648,185 1,868,009	944,441 1,080,007 1,278,136	71.2 65.5 68.4
WCU	1,107,697	780,833	70.5
Subtotal	5,949,828	4,083,417	68.6
Public Senior Colleges:	,		
A-BC ECSC FSC	234,928 348,420 495,744	161,758 227,931 333,454	68.8 65.4 67.3
NCC-D NCSA PSC	1,017,544 156,079 283,406	668,258 102,755 195,569	65.7 65.8 69.0
Wil C WSSC	138,629 481,541	97,491 322,643	70.3 67.0
Subtotal	3,156,291	2,109,859	66.8



### Net-To-Gross Ratio (continued)

Table 11

INSTITUTION	Gross Sq. Ft.		Net Assignable Sq. Ft.	Net:Gross %
Private Universities:		,		
Subtotal	5,842,881		3,571,360	61.1
Private 4-Year Colleges:				
Subtotal	10,348,846		7,129,171	68.9
Private 2-Year Colleges:	,			
Subtotal	2,809,368		1,971,296	70.2
Community College System:			·	
Com, Coll.'s	•		762,654	66.8
Tech. Inst.'s	1,461,133		1,090,012	74.6
Subtotal	2,603,080	te oge-	1,852,666	71.2
		gr	•	
GRAND TOTAL	42,867,134		28,685,611	66.9



## Net Assignable Square Feet Classified By Organizational Units

Fall 1968

Table 12

INSTITUTION	Instruction and Research	h and	Organized Activities	ized	Organized Research	z <b>e</b> ď .ch	Public Service	,, A	Library	Gen. A Inst. Se	ı. Adm. & Services	Auxiliary Services	iry 38	Non- Institutional	- ional	Unassigned	Total Net Assignable A	vet e Area
	NASF	*	NASF	%	NASF	%	NASE	*	NASF %	NASF	8	NASF	8%	NASF	<i>%</i>	NASF %	NASF	P <sub>e</sub>
Consolidated University:																		
UNC-CH UNC-CH(HA) NCSU	973,961 355,978 1,368,326	31.6 51.8 50.6	235,139	34.2	6,264 4,5 <u>4</u> 0	0.2	60,527	2.0	207,916 6.8 10,028 1.4 63,540 2.4	18 <b>4,444</b> 1 5,364 114,055	6.0 0.8 4.2	1,584,527 75,594 1,049,934	51.5 11.0 38.8	10,782 628 8,538	0.3 0.1 0.3	49,788 1.6 418 0.1 22,842 0.8	3,078,209 687,689 2,704,189	100.0 100.0 100.0
UNC-G UNC-C	348,309 124,366	27.4 54.3	64,442	5.1	1 1	1 1	7,408	9.0	63,644 5.0 42,696 18.6	66,035	5.2 11.3	647,411 31,522	51.0 13.8	70,567	5.6	858 0.1 4,687 2.0	1,268,674 229,081	100.0
Subtotal	3,170,940	39.8	299,581	3.8	10,804	0.1	144,889	1.8	387,824 4.9	395,708	5.0	3,388,988	42.5	90,515	1.1	78,593 1.0	7,967,842	100.0
Regional Universities:																		
A&TU ASU ECU	366,407 315,722 386,625	38.8 29.2 30.3	1,934 54,800 26,002	0.2 5.1 2.0	1 1 1	1 1 1	969,8	0.9	54,211 5.8 68,753 6.4 43,826 3.4	41,964 31,733 51,194	4.4 2.9 4.0	<b>4</b> 28,705 579,738 770,489	45.4 53.7 60.3	27,944 12,242 -	3.0	14,580 1.5 17,019 1.6 -	944,441 1,080,007 1,278,136	100.0 100.0 100.0
wcu	219,629	28.1	56,288	7.2	1	ı	3,313	4.0	44,649 5.7	14,199	1.8	442,678	56.7		1	77 0.1-	780,833	100.0
Subtotal	1,288,383	31.5	139,024	3.4	ı	ı	12,009	0.3	211,439 5.2	139,090	3.4	2,221,610	54.4	40,186	1.0	31,676 0.8	4,083,417	100.0
Public Senior Colleges:																		
A-BC ECSC FSC	64,291 69,418 85,863	39.8 30.4 25.7	1,786	. 0.8	- 5,404	1.6	1 1 1	1 1 1	33,335 20.6 14,730 6.5 18,125 5.4	13,581 13,149 14,232	8.5 5.8 £.3	49,542 125,894 168,364	30.6 55.2 50.5	1,009	9.0	2,954 1.3 12,879 3.9	161,758 227,931 333,454	100.0 100.0 100.0
NCC-D NCSA PSC	194,897 46,982 69,726	29.2 45.7 35.6	2,870	0.4	1 1 1	1 1 1	1 1 1	1 1 1	38,138 5.7 2,549 2.5 19,866 10.1	34,360 8,997 18,132	5.1 8.8 9.3	347,981 43,281 85,178	52.1 42.1 43.6	946	6.0	50,012 7.5 	668,258 102,755 195,569	100.0 100.0 100.0
Wil C	7 <b>4,</b> 871 120,105	76.8	1 1	1 1	1 1	1 1	1 1	1 1	5,842 6.0 12,037 3.7	10,161	10.4	6,617 168,137	6.8 52.1	1 1	1 1	14,776 4.6	97,491 322,643	100.0 166.0
Subtotal	726,153	34.4	6,754	0.3	5,404	0.3	ı	1	144,622 6.9	120,200	5.7	₹66,466	47.2	30,542	1.4	81,190 3.8	2,109,859	100.0
Private Universities:																		
Subtotal	1,109,178	31.1	306,370	9.8	ı	,	4,766	0.1	238,092 6.7	478,441	13.4	1,279,739	35.8	54,198	1.5	100,576 2.8	3,571,360	100.0
Private 4-Year Colleges:					*	<b>.</b> :		;					!		ć			
Subtotal	1,976,623	7.72	18,590	0.3	198	0.1-	4,443	0.1	401,196 5.6	528,602	7.4	4,076,931	57.2	63,038	6.0	8.0 055,65	1,129,1/1	100.0
Private 2-Year Colleges:	•																	
Subtotal	480,447	24.4	ι	t	ı	ı	ı	1	122,261 6.2	156,218	7.9	1,180,955	6.69	15,438	8.0	15,977 0.8	1,971,296	100.0
Community College System:																		
Com. Coll.'s Tech. Inst.'s	549,496 863,871	72.1 79.3	1 1	1 1	1 1	1 1	208	0.1-	76,312 10.0 52,371 4.8	79,2 <b>4</b> 5 3 112,579	10.4	56,627 51,121	7.4	96 129	0.1-	670 0.1 8,829 0.8	762,654 1,090,012	100.0
Subtotal	1,413,367	76.3	•	ı	i	1	1,320	0.1	128,683 6.9	9 191,824	10.4	107,748	5.8	225	0.1-	9,499 0.5	1,852,666	100.0
GRAND TOTAL	10,165,091	35.4	770,319	2.7	16,406	0.1	167,427	9.0	1,634,117 5.7	7 2,010,083	1.0	13,250,965	46.2	294,142	1.0	377,061 1.3	28,685,611	100.0

## Net Assignable Area By Room Type (Including Residential And Non-Residential)

Table 13

1,	INSTITUTION	Classroom Facilities		Laboratory Facilities	1			Study Facilities		Special Use Facilities	<b>*</b>	General Use Facilities	e. %	Supporting Facilities	₽ <sub>2</sub>	Medical Care Facilities	 %	Residential Facilities	%	Tota]	<b>6</b> %
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		(100)	64	(200)	<b>6</b> ℃	(300)	%	(400)	۴,	(200)		(009)		(400)		(800)		(006)		(100-900)	
1.   1.   1.   1.   1.   1.   1.   1.	Consolidated University:								. **												
1.0   1.0	UNC-CH UNC-CH(HA) NCSU	205,304 37,094 173,736	6.7 5.4 6.4	274,396 187,468 715,080	8.9 27.3 26.4	418,026 181,127 478,270		523,729 20,874 56,427	3 3	258,652 4,043 223,267	8.4 0.6 8.3	281,838 32,079 187,758	9.1 4.7 5.9	153,515 7,832 46,214	5.0	164,131	23.9	1,162,749 53,041 823,437	37.8 7.7 30,5	3,078,209 687,689 2,704,189	100.0
1.1.   1.1.	UNC-G UNC-C	67,056 49,622	5.3	128,125 45,626		123,361		65,126 <b>4</b> 2,597	5.1	129,636	10.2	244,063 29,040	19.3	50,998	4.0 5.8	1 1	1 (	460,309	36.3	1,268,674	100.0
18.50   1.50	Subtotal	532,812	6.7	•	17.0	,245,87		508,753	6.4	619,348		774,778	7.6	271,916	3.4	164,131	2.0	•	31.4		100.0
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	Regional Universities:																				
14.5   1.5	ALTU ASU ECU		10.0 8.2 8.3	173,719 81,840 98,602	18.4 7.6 7.7	94,986 82,479 131,076		48,366 74,565 44,793	5.1 6.9 3.5	114,296 173,045 120,859	12.1 16.0 9.4	103,014 119,750 139,532	10.0	21,450 16,834 11,665	2.3	202	0.1	293,850 442,979 625,744	31.1 41.0 49.0	9 <b>44,441</b> 1,080,007 1,278,136	100.0 100.0 100.0
14, 15, 15, 15, 15, 15, 15, 15, 15, 15, 15	wcu	56,349	7.2	55,443	7.1	8	7	46,438			5.	.67	14.4	8,710	1.1	•	1	323,288	41.4	780,833	100.0
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	Subtotal	345,287		409,604	10.0	, 02	6	214,162	5.2	527,645	12.9	474,972	11.6	58,659		202	0.1-	1,685,861	41.3	4,083,417	100.0
84, 98         15,4         12,7         18,5         18,6         10,2         11,5         <	Public Senior Colleges:																				
66, 2066 9.3 4,1186 6.6 6.7 172.8 1.1 1.6 45,458 6.9 49,162 7.2 93,159 1.1 1.2 1.2	A-BC ECSC FSC	24,908 20,518 21,617	15.4 9.0 6.5	13,774 27,092 24,175	8.5 11.9 7.2	16,448 18,611 18,654		31,765 13,689 27,020	19.6 6.0 8.1	18,205 14,270 64,439	11.2 6.3 19.3	22,834 35,334 52,379	14.1 15.5 15.7	7,687 7,196 9,563	4.8 3.1 2.9	1 1 1	1 1 1	26,137 91,221 115,607	16.2 40.0 34.7	161,758 227,931 333,454	160.0 100.0 100.0
16, 538   17.4   16, 912   17.4   16, 158   16, 6   7, 158   6, 6   19, 355   6, 6   19, 355   18, 6   1, 158   18, 6   19, 355   18, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6,	NCC-D NCSA PSC	62,066 8,768 22,929	9.3 8.5 11.7	<b>44</b> , 126 22, 929 27, 412	6.6 22.3 14.0	77,278 13,321 19,268		45,858 2,439 18,647	6.9 2.4 9.5	49,162 - 1 <b>4,4</b> 13	7.3	93,159 26,927 25,819	13.9 26.2 13.2	14,938 641 7,754	2.2 0.6 4.0	t 1 1	i 1 i	281,671 27,730 59,327	42, ± 27, 5 30, 3	68,258 \$02,755 195,569	100.0 100.0 10 <b>0</b> .0
223.046 10.6 204,584 9.7 211,138 10.0 165,688 7.9 210,527 10.0 901,573 14.3 55,639 2.6	Wil C	16,938	17.4	16,912 28,16 <b>4</b>	17.4	16,158 31, <b>4</b> 00	_	7,15 <b>4</b> 19,286	7.3	30,703 19,335	31.5	5,874	6.0	3,752 4,108	3.8	1 1	i i	135,801	42.1	97,491 322,6 <del>4</del> 3	100.0
163,692 4.6 467,780 13.1 535,356 15.0 280,071 7.8 199,323 5.6 391,939 11.0 263,938 7.4 273,113 7.6 996,148 27.9 3,571,360 605,320 8.5 559,403 7.8 538,484 7.6 416,362 5.8 596,273 8.4 1,234,924 17.3 267,156 3.7 275 0.1 2,910,974 40.8 7,129,171 141,682 7.2 105,937 5.4 143,371 7.3 110,565 5.6 181,763 9.2 361,348 18.3 90,614 4.6	Subtotal	223,046	10.6	204,584	7.6	211,138		165,858	7.9	210,527	10.0	301,573	14.3	55,639	•	ı	1	737,494	34.9	2,109,859	100.0
163.692 4.6 467.780 13.1 535,356 15.0 280,071 7.8 199,323 5.6 391,939 11.0 263,938 7.4 273,113 7.6 996,148 27.9 3,571,360 605,320 8.5 559,403 7.8 538,484 7.6 416,362 5.8 596,273 8.4 1,234,924 17.3 267,156 3.7 273,113 7.6 996,148 27.9 3,571,360 19.5 903,537 48.8 246,665 13.3 125,533 11.5 68,136 6.2 3,146 0.3 5,246,816 19.5 903,547 48.8 246,665 13.3 128,732 11.5 184,746 6.4 2,366,578 8.3 3,46,816 12.7 1,048,973 3.7 4,98,155 11.5 1,845,764 6.4 2,366,578 8.3 3,46,816 12.7 1,048,973 3.7 4,98,155 11.5 1,845,764 13.9 3,287,912 11.5 1,845,764 6.4 2,366,578 8.3 3,466,816 12.7 1,048,973 3.7 4,915,151 11.5 11.5 11.5 11.5 11.5 11.5 11.	Private Universities:																				
665,320 8.5 559,403 7.8 538,484 7.6 416,362 5.8 596,273 8.4 1,234,924 17.3 267,156 3.7 275 0.1- 2,910,974 40.8 7,129,171 141,682 7.2 105,937 5.4 143,371 7.3 110,565 5.6 181,763 9.2 361,348 18.3 90,614 4.6 - 836,016 42.4 1,971,296 1.3 1.434 0.1 6,545 0.3 1,434 0.1 6,545 0.4 1,832,665 13.3 152,993 8.2 31,699 1.7 107,282 5.8 41,051 2.2 1,434 0.1 6,545 0.4 1,852,665 2,335,199 8.3 4,001,640 13.9 3,287,912 11.5 1,848,764 6.4 2,366,578 8.3 3,646,816 12.7 1,048,973 3.7 439,155 1.5 9,672,574 33.7 28,685,611	Subtotal	163,692	4.6	467,780	13.1	535,356	15.0	280,071	7.8	199,323	9.6	391,939	11.0	263,938	7.4			996,148		3,571,360	100.0
665,320 8.5 559,403 7.8 538,484 7.6 416,362 5.8 596,273 8.4 1,234,924 17.3 267,156 3.7 275 0.1- 2,910,974 40.8 7,129,171 141,682 7.2 105,937 5.4 143,371 7.3 110,565 5.6 181,763 9.2 361,348 18.3 90,614 4.6 1.3 1.434 0.2 287,660 37.7 121,132 15.9 84,857 1.1 28,553 3.7 55,188 7.2 9,695 1.3 1,434 0.2 6,545 0.9 762,654 193,770 17.8 615,977 66.5 13.3 152,993 8.2 31,699 1.7 107,282 5.8 41,051 2.2 141,061 2.3 1.434 0.1 1	Private 4-Year Colleges:											,									
141,682 7.2 105,937 5.4 143,371 7.3 110,565 5.6 181,763 9.2 361,348 18.3 90,614 4.6 - 6 836,016 42.4 1,971,296 167,590 22.0 287,660 37.7 121,132 15.9 84,857 1.1 28,553 3.7 55,188 7.2 9,695 1.3 1,434 0.2 6,545 0.9 762,654 193,770 17.8 615,977 56.5 125,533 11.5 68,136 6.2 3,146 0.3 52,094 4.8 31,356 2.9 1,090,012 2.0 361,360 19.5 903,637 48.8 246,665 13.3 152,993 8.2 31,699 1.7 107,282 5.8 41,051 2.2 1,434 0.1 6,545 0.4 1,852,666 2.333,199 8.3 4,001,640 13.9 3,287,912 11.5 1,848,764 6.4 2,356,578 8.3 3,646,816 12.7 1,048,973 3.7 439,155 1.5 9,672,574 33.7 28,685,611	Subtotal	605,320		559,403	7.8	538,484	7	416,362	5.8	596,273	8.4	,234,		267,156	3.7	275	0.1-	2,910,974	40.8	7,129,171	100.0
141,682         7.2         105,937         5.4         143,371         7.3         110,565         5.6         181,763         9.2         361,348         18.3         90,614         4.6         -         -         836,016         42.4         1,971,296           167,590         22.0         287,660         37.7         121,132         15.9         84,857         1.1         28,553         3.7         55,188         7.2         9,695         1.3         1,434         0.2         6,545         0.9         762,654           193,770         17.8         615,977         56.5         125,533         11.5         68,136         6.2         3,146         0.3         52,094         4.8         31,356         2.9         -         -         -         -         -         -         -         -         1,090,012         -         -         -         -         -         -         -         -         1,090,012         - </td <td>Private 2-Year Colleges:</td> <td></td> <td></td> <td>MA:1</td> <td></td>	Private 2-Year Colleges:			MA:1																	
167,590 22.0 287,660 37.7 121,132 15.9 84,857 1.1 28,553 3.7 55,188 7.2 9,695 1.3 1,434 0.2 6,545 0.9 762,654 193,770 17.8 615,977 56.5 125,533 11.5 68,136 6.2 3,146 0.3 52,094 4.8 31,356 2.9 1,090,012 361,360 19.5 903,637 48.8 246,665 13.3 152,993 8.2 31,699 1.7 107,282 5.8 41,051 2.2 1,434 0.1 6,545 0.4 1,852,666 2,373,199 8.3 4,001,640 13.9 3,287,912 11.5 1,848,764 6.4 2,366,578 8.3 3,646,816 12.7 1,048,973 3.7 439,155 1.5 9,672,574 33.7 28,685,611	Subtotal	141,682	7.2	105,937	5.4	143,371		110,565	9.6		9.2	361,348	80	90,614	<b>4</b> .6	1	ı	836,016	•	1,971,296	100.0
1.** 167,590 22.0 287,660 37.7 121,132 15.9 84,857 1.1 28,553 3.7 55,188 7.2 9,695 1.3 1,434 0.2 6,545 0.9 762,654  1.** 193,770 17.8 615,977 56.5 125,533 11.5 68,136 6.2 3,146 0.3 52,094 4.8 31,356 2.9 1,090,012  361,360 19.5 903,637 48.8 246,665 13.3 152,993 8.2 31,699 1.7 107,282 5.8 41,051 2.2 1,434 0.1 6,545 0.4 1,852,665  2,373,199 8.3 4,001,640 13.9 3,287,912 11.5 1,848,764 6.4 2,366,578 8.3 3,646,816 12.7 1,048,973 3.7 4,39,155 1.5 9,672,574 33.7 28,685,611	Conm. ty College System:																				
361,360 19.5 903,637 48.8 246,665 13.3 152,993 8.2 31,699 1.7 107,282 5.8 41,051 2.2 1,434 0.1 6,545 0.4 1,852,666 100. 2,373,199 8.3 4,001,640 13.9 3,287,912 11.5 1,848,764 6.4 2,366,578 8.3 3,646,816 12.7 1,048,973 3.7 439,155 1.5 9,672,574 33.7 28,685,611 (1,00)	Com. Coll.'s Tech. Inst.'s	167,590 193,770	22.0 17.8	287,660 615,977	37.7 56.5	121,132	15.	8 <b>4</b> ,857 68,136	1.1	28,553 3,1 <b>4</b> 6	3.7	55,188 52,094	7.2	9,695	1.3	1,434	0.2	6,545	6.0	762,654 1,090,012	100.0
2,373,199 8.3 4,001,640 13.9 3,287,912 11.5 1,848,764 6.4 2,366,578 8.3 3,646,816 12.7 1,048,973 3.7 439,155 1.5 9,672,574 33.7 28,685,611	Subtotal	361,360	•	903,637	48.8	246,665		152,993	8.2	69 -	1.7	107,282	5.8	41,051	2.2	1,434	0.1	6,545	0.4	,852	100.0
	GRAND TOTAL	2,373,199		4,001,640	13.9	3,287,912	11.5	1,848,764	<b>4</b> .9	2,366,578	8.3	3,646,816	12.7	1,048,973	3.7	439,155	1.5	9,672,574			(100°0



### Net Assignable Area By Room Type

(Non-Residential Facilities Only) Fall 1968

(INOII-RESIDIA T

75.364         16.3         418,026         21.9         323,729         16.9           77.756         5.9         181,127         28.5         20.874         3.3           77.062         8.3         186,462         29.5         181,127         28.5         20.874         3.3           76.066         8.3         187,468         29.5         15.36         18.3         65.126         3.3           94,760         1.4         4.5,626         19.9         45.089         19.7         45.569         19.8           38,812         9.7         1.350,695         24.7         1,246,873         22.8         504,753         9.3           38,515         11.2         8.6         19.8         18.6         14.6         44.793         6.9           36,515         11.2         8.479         11.0         14.793         6.9         10.2           46,528         11.2         8.479         11.0         11.7         10.2         10.2         10.2         10.2         10.2         10.2         10.2         10.2         10.2         10.2         10.2         10.2         10.2         10.2         10.2         10.2         10.2         10.2         10.2	CI INSTITUTION F	Classroom Facilities (100)	%	Laboratory Facilities (200)	84	Office Facilities (300)	<i>5</i> °	Study Facilities (400)	8%	Special Use Facilities (500)	%	General Use Facilities (600)	₽₹	Supporting Facilities (700)	<b>5</b> %	Medical Care Facilities (800)	ire %	Total (100-800)	<b>5</b> %
Colored   Colo	Midated iversity:																		
52.812 9.7 128.128 15.8 123.36 15.3 65.126 8.1 18.6 49.652 21.7 45.656 19.9 4.986 14.6 46.397 19.7 45.997 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6	a	205,30 <b>4</b> 37,09 <b>4</b> 173,736	10.7 5.9 9.2	274,396 187,468 715,080	14.3 29.5 38.0	418,026 181,127 478,270	21.9 28.5 25.4	323,729 20,874 56,427	16.9 3.3 3.0	258,652 4,043 · 223,267	13.5 0.6 11.9	281,838 32,075 187,758	14.7 5.1 10.0	153,515 7,832 46,214	8.0 1.2 2.5	_ 16 <b>4,</b> 131 _	25.9	1,915,460 634,648 1,880,752	100.0 100.0 100.0
24,760 14.6 1737,19 26.7 94,986 14.6 48,765 11.7 44,793 6.9 13.0 14,565 11.7 44,793 15.6 13.9 13.0 14,563 11.7 13.0 26.7 94,986 14.6 48,765 11.7 13.0 12.8 82,479 13.0 14,565 11.7 13.0 15.63 11.2 13.0 14,793 15.9 13.0 14,565 11.7 13.0 15.63 11.7 13.0 12.8 82,479 13.0 14,565 11.7 13.0 15.63 11.7 13.0 15.63 11.7 13.0 12.8 46,438 10.2 15.1 13.0 15.2 13.0 14,1793 16.9 10.2 13.0 15.2 13.0 15.2 13.0 15.3 13.3 13.3 13.3 13.3 13.3 13.3 13.3		67,056 49,622	8.3	128,125 45,626	15.8 19.9	123,361 <b>4</b> 5,089	15.3 19.7	65,126 42,597	8.1 18.6	129,636 3,750	16.0 1.6	244,063 29,040	30.2 12.7	50,998 13,357	6.3	1 1	1 1	808,365 229,081	100.0
24,766 14.6 173,719 26.7 94,986 14.6 46,366 7.4 11.7 11.5 11.5 11.7 11.7 11.7 11.7 11.7		532,812	.7		24.7	1,245,873	22.8	508,753	9.3	619,348	11.3	774,778	14.2	271,916	5.0	164,131	3.0	5,468,306	100.0
14,760   14,6   173,719   26,7   94,986   14,6   48,366   7.4     18,515   13,9   81,840   12,18   82,443   12,18   82,444   12,8   82,444   13,06   14,10   74,7555   10,0     26,349   12,3   55,443   12,11   367,025   15,3   214,162   8.9     26,349   12,3   55,443   12,11   367,025   15,3   214,162   8.9     20,518   15,0   27,032   19,8   18,611   13,6   13,689   10,0     21,617   9,7   24,125   11,11   18,654   8.6   27,020   12,4     22,518   11,7   24,125   11,11   18,654   8.6   27,020   12,4     22,518   11,7   22,132   30,6   11,328   14,1   18,647   13,7     22,504   16,0   24,125   11,11   13,689   14,11   18,647   13,7     22,504   16,0   24,125   11,11   13,1400   16,8   16,6   7,154   7,3     22,504   16,2   204,584   14,9   211,138   15,4   165,888   12,1     22,504   16,2   204,584   14,9   211,138   15,4   165,888   12,1     22,504   16,2   287,660   18,2   235,356   20,8   280,071   10,9     22,37,19   12,5   105,977   56,5   125,533   11,5   68,136   6,2     24,302   22,2   287,660   38,0   121,132   11,5   68,136   6,2     24,302   22,2   287,660   38,0   121,132   11,5   68,136   6,2     24,302   22,2   287,660   38,0   121,132   11,5   68,136   6,2     24,303   17,4   615,977   56,5   125,533   11,5   68,136   6,2     25,373,199   12,5   4,001,640   21,1   3,287,912   17,3   1,848,764   9,7   2,7     25,373,199   12,5   4,001,640   21,1   3,287,912   17,3   1,848,764   9,7   2,7     26,342   24,354   24,354   24,354   9,7   2,7     26,343   24,354   24,354   24,354   9,7   2,7     27,373,199   12,5   4,001,640   21,1   3,287,912   17,3   1,848,764   9,7   7,7     27,373,199   12,5   4,001,640   21,1   3,287,912   17,3   1,848,764   9,7   7,7     27,373,199   12,5   4,001,640   21,1   3,287,912   17,3   1,448,764   9,7   7,7     28,373,199   12,5   4,001,640   21,1   3,287,912   17,3   1,448,764   9,7   7,7     28,484   28,4857   21,484   21,484   21,484   21,484   21,484   21,484   21,484   21,484   21,484   21,484   21,484   21,484   21,484   21,484   21,484   21,484   21,484   21,484	nal iversities:										,								
145,287   12.3   55,443   12.1   58,484   12.8   46,438   10.2     345,287   14.4   409,604   17.1   367,025   15.3   214,162   8.9   15.2     22,908   17.4   13,774   10.2   16,448   12.1   13,765   12.4     22,0318   17.4   13,774   10.2   11.1   18,654   12.1   13,765   12.4     22,046   16.0   44,126   11.4   17,7278   20.0   45,838   11.9     8,768   11.7   22,929   30.6   13,328   17,8   20,499   3.2     16,938   17.4   16,912   17.4   16,128   16.6   17,154   17.3     16,938   17.4   16,912   17.4   16,128   15.1   16,858   12.1   223,046   16.2   204,584   14.9   211,138   15.4   165,858   12.1   223,046   14.3   559,403   13.3   538,484   12.8   416,362   9.9   9.3      141,682   12.5   105,937   9.3   143,371   12.6   110,565   9.8   11.2     24,302   22,2   287,660   38.0   121,132   16.0   84,857   11.2     24,313,199   12.5   4,001,640   21.1   3,287,912   17.3   1,848,764   9.7   2.9		94,760 88,515 105,663	14.6 13.9 16.2	173,719 81,840 98,602	26.7 12.8 15.1	94,986 82,479 131,076	14.6 13.0 20.1	48,366 74,565 44,793	7.4 11.7 6.9	114,296 173,045 120,859	17.6 27.2 18.5	103,014 119,750 139,532	15.8 18.8 21.4	21,450 16,834 11,665	3.3 2.6 1.8	- 202	- 0.1-	650,591 637,028 652,392	100.0 100.0 100.0
346,287 14.4 409,604 17.1 367,025 15.3 214,162 8.9 8.9 246,287 14.4 409,604 17.1 367,025 15.3 214,162 8.9 8.9 20,518 15.0 27,020 19.8 18,611 13.6 13,689 10.0 12.4 20,518 15.0 27,020 19.8 11.1 18,654 8.6 27,020 12.4 10.0 22,929 10.0 44,125 11.1 13,654 11.1 13,689 11.9 10.0 12,929 10.0 44,125 11.4 11.1 13,689 11.9 11.9 11.9 11.9 11.9 11.9 11.9 11	WCU	56,349	12.3	55,443	. 12.1	58,484	12.8	46,438	0	119,445	26.1	112,676	24.6	8,710	1.9	ı	1	457,545	100.0
24,908 15.4 13,774 10.2 16,448 12.1 31,765 23.4 20,518 15.0 27,092 19.8 18,611 13.6 13,689 10.0 21,617 9.7 24,775 11.1 18,654 8.6 27,020 12.4 20,518 11.7 22,929 10.0 21,617 9.7 24,775 11.1 18,654 8.6 27,020 12.4 28,788 11.9 28,768 11.7 22,929 11.7 278 20.0 45,858 11.9 28,768 11.7 22,929 11.7 278 20.0 45,858 11.9 28,768 11.7 22,929 17.4 16,912 17.4 16,158 16.6 7,154 7.3 45,302 24.3 28,164 15.1 15.14 16,158 16.6 7,154 7.3 45,302 24.3 28,164 15.1 15.14 16,158 16.6 7,154 7.3 12.1 223,046 16.2 204,584 14.9 211,138 15.4 165,858 12.1 223,046 16.2 204,584 14.9 211,138 15.4 165,858 12.1 2 223,046 16.2 204,584 14.9 211,138 15.4 165,858 12.1 2 233,046 16.5 20.8 280,071 10.9 11 10.		345,287		409,604	17.1	, 02	15.3	214,162		527,645	22.0	474,972	19.8	58,659	2.4	202	0.1-	2,397,556	100.0
24,908 15.4 13.774 10.2 16,448 12.1 31.765 23.4 20.518 15.0 27.7092 19.8 18,611 13.6 13.699 10.0 21,617 9.0 27,702 19.8 18,611 13.6 13.699 10.0 10.4 22,929 16.6 44.126 11.1 11.1 18,654 17.2 24.39 30.6 13.22 17.2 25.929 16.8 27,412 20.1 11.1 19.268 14.1 18,647 13.7 22,929 16.8 27,412 20.1 19.268 14.1 18,647 13.7 22,929 16.8 24.3 28,164 15.1 31,400 16.8 19.286 10.3 22,3046 16.2 204,584 14.9 211,138 15.4 165,858 12.1 22.3,046 16.2 204,584 14.9 211,138 15.4 165,858 12.1 22.3,046 16.2 204,584 14.9 211,138 15.4 165,858 12.1 22.3,046 16.2 204,584 14.9 211,138 15.4 165,858 12.1 22.3,046 16.2 204,584 14.9 211,138 15.4 165,858 12.1 22.3,046 16.2 204,584 14.9 211,138 15.4 165,858 12.1 22.3,046 16.2 204,584 14.9 211,138 15.4 165,858 12.1 22.3,046 16.2 204,584 14.9 211,138 15.4 165,858 12.1 2.3 281,404 12.8 416,362 9.9 558,484 12.5 405,937 9.3 143,371 12.6 110,565 9.8 11.5 681,360 19.6 903,637 48.9 246,665 13.4 152,993 8.3 24,665 13.4 152,993 8.3 24,665 13.4 152,993 8.3 24,665 13.4 152,993 8.3 24,7 2,373,199 12.5 4,001,640 21.1 3,287,912 17.3 1,848,764 9.7 2,3 2,3 2,3 3,199 12.5 4,001,640 21.1 3,287,912 17.3 1,848,764 9.7 2,3 2,3 2,3 2,3 2,3 2,3 2,3 2,4 2,4 2,4 2,4 2,4 2,4 2,4 2,4 2,4 2,4	c Senior Heges:														,				
62,066 16.0 44,126 11.4 77,278 20.0 45,858 11.9 8,768 11.7 22,929 30.6 13,321 17.8 2,439 3.2 8,768 11.7 22,929 30.6 13,321 17.8 2,439 3.2 16,938 17.4 16,912 17.4 16,158 16.6 7,154 7.3 45,302 24.3 28,164 15.1 31,400 16.8 19,286 10.3 223,046 16.2 204,584 14.9 211,138 15.4 165,858 12.1 2 163,692 6.4 467,780 18.2 535,356 20.8 280,071 10.9 1 141,682 12.5 105,937 9.3 143,371 12.6 110,565 9.8 1 167,590 22.2 287,660 38.0 121,132 16.0 84,857 11.2 167,590 19.6 903,637 48.9 246,665 13.4 152,993 8.3	N	24,908 20,518 21,617	15.4 15.0 9.3	13,774 27,092 24,175	10.2 19.8 11.1	16,448 18,611 18,654	12.1 13.6 8.6	31,765 13,689 27,020	23.4 10.0 12.4	18,205 14,270 64,439	13.4 10.4 29.6	22,83 <del>4</del> 35,33 <del>4</del> 52,379	16.8 25.9 24.0	7,687 7,196 9,563	5.7 5.3	1 1 1	ŧ 1 5	135,621 136,710 217,847	100.0 100.0 100.0
16,938     17.4     16,158     16.6     7,154     7.3       45,302     24.3     28,164     15.1     31,400     16.8     19,286     10.3       223,046     16.2     204,584     14.9     211,138     15.4     165,858     12.1     2       163,692     6.4     467,780     18.2     535,356     20.8     280,071     10.9     1       605,320     14.3     559,403     13.3     538,484     12.8     416,362     9.9     9       141,682     12.5     105,937     9.3     143,371     12.6     110,565     9.9     9       167,590     22.2     287,660     38.0     121,132     16.0     84,857     11.2       193,770     17.8     615,977     56.5     125,533     11.5     68,136     6.2       361,360     19.6     903,637     48.9     246,665     13.4     152,993     8.3       2,373,199     12.5     4,001,640     21.1     3,287,912     17.3     1,848,764     9.7     2,33		62,066 8,768 22,929	16.0 11.7 16.8	44,126 22,929 27,412	11.4 30.6 20.1	77,278 13,321 19,268	20.0 17.8 14.1	45,858 2,439 18,647	3.2 13.7	49,162 - 14,413	12.7	93,159 26,927 25,819	24.1 35.9 19.0	14,938 641 7,754	3.9 0.8 5.7	1 1 1	1 1 1	386,587 75,025 136,242	100.0 100.0 100.0
223,046       16.2       204,584       14.9       211,138       15.4       165,858       12.1         163,692       6.4       467,780       18.2       535,356       20.8       280,071       10.9       1         605,320       14.3       559,403       13.3       538,484       12.8       416,362       9.9       9         141,682       12.5       105,937       9.3       143,371       12.6       110,565       9.8       1         167,590       22.2       287,660       38.0       121,132       16.0       84,857       11.2         193,770       17.8       615,977       56.5       125,533       11.5       68,136       6.2         361,360       19.6       903,637       48.9       246,665       13.4       152,993       8.3         2,373,199       12.5       4,001,640       21.1       3,287,912       17.3       1,848,764       9.7       2,33		16,938 45,302	17.4 24.3	16,912 28,16 <b>4</b>	17.4 15.1	16,158 31,400	16.6 16.8	7,154 19,286	7.3	30,703 19,335	31.5 10.3	5,87 <b>4</b> 39,247	6.0	3,752 4,108	3.8	1 1	1 .	97,491 186,842	100.0
163,692     6.4     467,780     18.2     535,356     20.8     280,071     10.9     1       605,320     14.3     559,403     13.3     538,484     12.8     416,362     9.9     9.9       141,682     12.5     105,937     9.3     143,371     12.6     110,565     9.8     1       167,590     22.2     287,660     38.0     121,132     16.0     84,857     41.2       193,770     17.8     615,977     56.5     125,533     11.5     68,136     6.2       2,373,199     12.5     4,001,640     21.1     3,287,912     17.3     1,848,764     9.7     2,33		223,046	16.2	204,584	14.9	211,138	15.4	165,858	12.1	210,527	15.3	301,573	22.0	55,639	4.1	1	ι	1,372,365	100.0
163,692       6.4       467,780       18.2       535,356       20.8       280,071       10.9       1         605,320       14.3       559,403       13.3       538,484       12.8       416,362       9.9       9         141,682       12.5       105,937       9.3       143,371       12.6       110,565       9.8       1         167,590       22.2       287,660       38.0       121,132       16.0       84,857       11.2         193,770       17.8       615,977       56.5       125,533       11.5       68,136       6.2         361,360       19.6       903,637       48.9       246,665       13.4       152,993       8.3         2,373,199       12.5       4,001,640       21.1       3,287,912       17.3       1,848,764       9.7       2,373,19	iversities:		. 4																
605,320 14.3 559,403 13.3 538,484 12.8 416,362 9.9 E 141,682 12.5 105,937 9.3 143,371 12.6 110,565 9.8 1 167,590 22.2 287,660 38.0 121,132 16.0 84,857 11.2 193,770 17.8 615,977 56.5 125,533 11.5 68,136 6.2 361,360 19.6 903,637 48.9 246,665 13.4 152,993 8.3 2,373,199 12.5 4,001,640 21.1 3,287,912 17.3 1,848,764 9.7 2,3		163,692		467,780	18.2	535,356	20.8	280,071	10.9	199,323	7.7	391,939	15.2	263,938	10.2	273,113	10.6	2,575,212	100.0
605,320       14.3       559,403       13.3       538,484       12.8       416,362       9.9         141,682       12.5       105,937       9.3       143,371       12.6       110,565       9.8       1         167,590       22.2       287,660       38.0       121,132       16.0       84,857       11.2         193,770       17.8       615,977       56.5       125,533       11.5       68,136       6.2         361,360       19.6       903,637       48.9       246,665       13.4       152,993       8.3         2,373,199       12.5       4,001,640       21.1       3,287,912       17.3       1,848,764       9.7       2,33	ite 4-Year														•				•
141,682       12.5       105,937       9.3       143,371       12.6       110,565       9.8       1         167,590       22.2       287,660       38.0       121,132       16.0       84,857       J1.2         193,770       17.8       615,977       56.5       125,533       11.5       68,136       6.2         361,360       19.6       903,637       48.9       246,665       13.4       152,993       8.3         2,373,199       12.5       4,001,640       21.1       3,287,912       17.3       1,848,764       9.7       2,33			14.	559,403	13.3	538,484	12.8	416,362	6.6	596,273	14.1	1,234,924	29.3	267,156	6.3	1275	0.1-	4,218,197	100.0
141,682       12.5       105,937       9.3       143,371       12.6       110,565       9.8       1         167,590       22.2       287,660       38.0       121,132       16.0       84,857       11.2         193,770       17.8       615,977       56.5       125,533       11.5       68,136       6.2         361,360       19.6       903,637       48.9       246,665       13.4       152,993       8.3         2,373,199       12.5       4,001,640       21.1       3,287,912       17.3       1,848,764       9.7       2,33	ite 2-Year																		
1.'* 167,590 22.2 287,660 38.0 121,132 16.0 84,85711.2 1.'* 193,770 17.8 615,977 56.5 125,533 11.5 68,136 6.2 361,360 19.6 903,637 48.9 246,665 13.4 152,993 8.3 2,373,199 12.5 4,001,640 21.1 3,287,912 17.3 1,848,764 9.7 2,3		1.	12.	105,937		143,371	12.6	110,565	8.	181,763	16.0	361,348	31.8	90,614	8.0	ſ	8	1,135,280	100.0
361,360 19.6 903,637 48.9 246,665 13.4 152,993 8.3 2,373,199 12.5 4,001,640 21.1 3,287,912 17.3 1,848,764 9.7		167,590 193,770	22.2 17.8	287,660 615,977	38.0 56.5	121,13 <b>2</b> 125,533	16.0		, 11 6	28,553 3,146	3.8 0.3	55,188 52,094	7.3	9,695 31,356	1.3	1,434	0.2	756,109 1,090,012	100.0
2,373,199 12.5 4,001,640 21.1 3,287,912 17.3 1,848,764 9.7		361,360	19.6	903,637	48.9	246,665	13.4	152,993	•	31,699	1.7	107,282	5.8	41,051	2.2	1,434	0.1	1,846,121	100.0
		373,199	2	1,001,640	21.1	3,287,912	17.3	1,848,764	7.6	2,366,578	12.4	3,646,816	19.2	1,048,973	5.5	439,155	2.3	19,013,037	100.0
and the second s	1.11						٠ ٠	,											

Table 14

### Net Assignable Square Feet Per Student Station For Classrooms

 Table 15
 Fall 1968

INSTITUTION	Number of Rooms	Number of Student Stations	Total Assignable Sq. Ft.	Sq. Ft. Per Student Station
	<del></del>			
Consolidated University:				
UNC-CH UNC-CH(H <b>A)</b> NCSU	241 47 210	11,783 2,476 10,754	195,270 36,060 166,909	17 15 16
UNC-G UNC-C	93 80,	4,545 3,473	64,161 46,672	14
Subtotal	671	33,031	509,072	15
Regional Universities:				
A&TU	131	5,658	89,582	16 17
ASU ECU	97 149	5,007 6,536	84,958 101,874	16
WCU	7,5	2,912	54,486	19
Subtotal	452	20,113	330,900	16
Public Senior Colleges:		t a		
A-BC ECSC FSC	36 29 32	1,440 1,274 1,365	24,486 19,895 21,617	17 16 16
NCC-D	84	3,570	57,853	16
NCSA PSC	17 36	416 1,393	8,449 22,149	20 16
Wil C WSSC	24 54	950 2,263	16,747 42,686	18 19
Subtotal	312	12,671	213,882	17

### Net Assignable Square Feet Per Student Station For Classrooms (continued)

Table 15

ERIC Full Text Provided by ERIC

INSTITUTION	Number of Rooms	Number of Student Stations	Total Assignable <b>Sq.</b> Ft.	Sq. Ft. Per Student Station
<u>Private</u>				
Universities:				
Subtotal	233	10,943	158,828	15
Private 4-Year			Šv.	
Colleges:				
Subtotal	904	34,614	589,214	17
Private 2-Year				
<u>Colleges:</u>				
Subtotal	206	8,275	140,167	17
Community				
College System:			AN.	
Com. Coll.'s	<b>2</b> 50	9,491	163,225	17
Tech. Inst.'s	326	8,542	192,807	23
Subtotal	576	18,033	356,032	20
			•	<u> </u>
GRAND TOTAL	0.0-			
GRAND TOTAL	3,354	137,680	2,298,095	17

### Net Assignable Square Feet Per Student Station For Class Laboratories

Table 16 Fall 1968

INSTITUTION	Number	Number	Total	Sq. Ft.
	of	of Student	Assignable	Per Student
	Rooms	Stations	Sq. Ft.	Station
Consolidated University:				
UNC-CH	91	1,944	83,386	43
UNC-CH(HA)	32	1,974	40,565	21
NCSU	177	3,760	217,952	58
UNC-G	74	1,802	81,877	45
UNC-C	40	867	32,634	38
Subtotal	414	10,347	456,414	44
Regional Universities:		·		
A&TU	111	2,594	173,719	46
ASU	64	1,528	81,840	39
ECU	79	2,075	98,602	33
WCU	50	1,049	55,443	41
Subtotal	304	7,246	409,604	40
Public Senior Colleges:			• '	
A-BC	10	265	10,040	38
ECSC	26	595	22,511	38
FSC	23	760	19,890	26
NCC-D	44	1,077	30,210	28
NCSA	11	408	16,737	41
PSC	30	683	22,087	32
Wil C	18	447	14,346	32
WSSC	26	647	20,923	32
Subtotal	188	4,882	156,744	32

### Net Assignable Square Feet Per Student Station For Class Laboratories, (continued)

		·		
INSTITUTION	Number of Rooms	Number of Student Stations	Total Assignable Sq. Ft.	Sq. Ft. Per Student Station
Private Universities:				
Subtotal	152	3,607	105,564	29
Private 4-Year Colleges:				
Subtotal	472	11,848	369,151	31
Private 2-Year Colleges:				
Subtotal	106	2,825	105,937	30
Community College System:				
Com, Coll.'s	238	5,238	252,160	48
Tech. Inst.'s	451	8,355	556,151	67
Subtotal	689	13,593	808,311	59
GRAND TOTAL	2,325	54,348	2,411,725	44

### IV. Utilization of Instructional Space

This chapter presents, in Tables 17 through 26, an analysis of each of the space utilization measures indicated in the underscored captions below. The term, "square feet," as used in these tables represents the "net assignable square feet" (NASF) of the facilities considered.

In reviewing Tables 17 and 18, the following should be particularly noted:

(1) Data for the medical school of one private university are not included, and

(2) For North Carolina School of the Arts (NCSA) only the college level portion of the total enrollment has been reflected under headings "Total FTE Enrollment" and "Total Student Clock Hours." This procedure was designed to provide essential data for federal reporting and for State Commission use in reviewing requests for federal grants. To limit the possibility of misunderstanding on the part of other users of these data, however, footnotes have been added to Tables 17 and 18 to show the effect of including also NCSA's pre-college enrollment within the utilization indices reported.

With reference to Tables 19 through 26, especial attention is called to the following: (1) Utilization data for the medical centers/schools of the University of North Carolina at Chapel Hill, Duke University, and Wake Forest University are not included because of difficulties encountered in assembling this type of information, and (2) Utilization data for North Carolina School of the Arts are not included since to do so might invite misleading comparisons.



### Net Assignable Square Feet of Academic Facilities Per FTE Student

Table 17 shows the relationship between the total amount of academic facilities space and number of FTE students. This ratio provides an index of the degree of adequacy or crowding of institutional areas devoted primarily to academic use.

In estimating country-wide needs for academic facilities, the United States Office of Education (USOE) has often used as its planning factor 150 gross square feet of academic facilities per FTE student. This factor, USOE indicates, "falls about in the middle of those used by a sample of institutions and state coordinating boards, and is useful for broad budgetary analyses and projections covering an average 'mix' of institutional types." While USOE recognizes the limited value of the factor in analyzing the situation at an individual institution, it does point to the usefulness of this measure if appropriate allowances are made. Some qualifications are that "allowances for graduate students would tend to run higher and those for junior college students somewhat lower (e.g., 200 square feet and 120 square feet respectively)"; that institutions which have agriculture and engineering curricula would probably have values above 150 square feet; and that institutions which offer a liberal arts and science program with education and business curricula might tend to have values below 150. In a 1957 nationwide survey of college and university facilities, USOE reported for non-

<sup>1 &#</sup>x27;'An Interim Assessment of Academic Facilities Needs and the Contributions of the Higher Education Facilities Act of 1963," Division of College Facilities, USOE, Washington, D. C., February 1968, p. 7.

<sup>2</sup> Ibid.

residential buildings at public institutions an overall net-to-gross ratio of 70.2% and for private institutions a net-to-gross ratio of 73.3%. As a matter of convenience and for broad planning purposes, however, the factor is usually modified to a 2/3 ration, or 100 NASF per FTE student.

Bearing in mind the limitations noted in the preceding paragraph, institutions may wish to review the data in Table 1 on the basis of a "norm" of 100 NASF. It is pointed out, however, that the mix of academic programs may be such that an institution is able to operate effectively with less than 100 NASF, and that other program combinations may require a greater allocation of space.

In 1968, a single FTE student in North Carolina had the use of somewhere between a low of 37 to a high of 342 square feet of academic facilities among the individual institutions listed. The average FTE student enjoyed the benefit of 109 square feet of the total 14,057,995 net assignable square feet of academic facilities available among reporting institutions, an increase of 4 NASF per FTE student over 1967.

<sup>&</sup>lt;sup>3</sup>Part 3: Inventory of College and University Physical Facilities, College and University Facilities Survey, U. S. Department of Health, Education, and Welfare, USOE, Washington, D. C., 1965, p. 251.

Following is a brief of Table 17 reflecting NASF of academic facilities per FTE student for school years 1967 and 1968, by institutional groupings:

Groups of			
Institutions	<u>1967</u>	1968	Net Change *
Consolidated University	133	120	- 9.78%
Regional Universities	76	82	+ 7.89%
Public Senior Colleges	· 99	102	+ 3.03%
Private Universities	188	211	+12.23%
Private 4-Year Colleges	108	11 <b>2</b>	+ 4.70%
Private 2-Year Colleges	86	<ul><li>88</li></ul>	+ 2.32%
Community College System	84	81	- 3.58%
State Weighted Mean:	105	109	+ 3.80%

<sup>\*</sup> Minus (-) indicates decrease in NASF/FTE student.

### Capacity/Enrollment Ratio

Table 18 reflects the overall relationship between available instructional and library (I & L) facilities and the demand which the academic program of instruction, in combination with student enrollment, places upon such facilities. The capacity/enrollment ratio (C/E ratio) is obtained by dividing the assignable square footage of I & L facilities by the total resident student clock hours of instruction. By use of this measure, functional, as well as physical, adequacy or crowding of instruction and library facilities may be observed. Generally speaking, the numberically lower the capacity/enrollment ratio, the higher the degree of utilization. In evaluating by this index, however, the fact should be recognized that an institution with a large percentage of graduate work, particularly in fields such as engineering or agriculture, will generally have a higher C/E ratio, even though it may be utilizing its facilities as well as another institution.

Among reporting institutions in North Carolina, C/E ratios as of the end

of the drop-add period of the Fall Term 1968, ranged from a low utilization of 9.23 to a high of 1.45. In terms of means for groups of institutions, the range of C/E ratios narrowed to a low of 6.59 (private universities) and a high of 2.85 (community college system). As a group, the Consolidated University most closely (by 0.04 C/E ratio points) approached the state C/E ratio mean for reporting institutions.

In most states, C/E ratios between 3.00 and 4.00 are considered within a desirable range.

Shown below by groups of institutions are the C/E ratios for 1968 along with those from the 1967 study. In 1967, C/E ratios of three institution groupings were above the normally desirable high. In 1968, the number increased to four by the addition of the private university group. The community college system shows an increased ratio in 1968, but still remains at the austere end of the scale by this measure. The state-wide mean (4.13), is of limited significance in itself, but does infer that some institutions should examine their individual situations by this index.

	C/E Ratio	C/E Ratio	
Groups of Institutions	1967	1968	Net Change*
Consolidated University	4.03	4.09	+0.06
Regional Universities	3.46	3.72	+0.26
Public Senior Colleges	4.50	4.45	-0.05
Private Universities	-	6.59	=
Private 4-year Colleges	5.33	4.84	-0.49
Private 2-year Colleges	3.63	3.59	-0.04
Community College System	2.78	2.85	+0.07
State Weighted Mean	3.87	4.13	+0.26

<sup>\*</sup> Minus (-) indicates improved C/E ratio.

### Average Student Station Hours Per Week

Average student station hours per week, as used here, is the ratio of total student hours of instruction per week to total number of student stations in available teaching rooms. Tables 19 and 20 show the relationships between daytime, nighttime, and all hours, or total use of student stations for class-rooms and for class laboratories, respectively. "Daytime" utilization refers to all classes with beginning times between and including 0500 and 1659 (24-hour clock); "nighttime" utilization references all classes with beginning times between and including 1700 and 0459; "all hours" represents the sum of "daytime" and "nighttime" utilization.

With respect to "all hours," 1968 classroom student station occupancy averaged 12.7 hours per week while that for class laboratories averaged 9.6 hours per week -- a difference, of 3.1 hours more per week in classrooms.

These statistics represent a 0.5 hour-per-week increase in classroom station scheduling and a 0.1 hour-per-week increase in class laboratory station scheduling over corresponding figures reported for 1967.

By the considered index, the community college system had greatest utilization of both classroom and class laboratory facilities, as was the case in 1967.

The greatest improvement, 1968 over 1967, in average student station scheduling for classrooms was by the public senior colleges, and for laboratories, by the private 2-year colleges. Encouragingly, all institutional groups showed improvement by this measure in 1968, except for one in classroom station use (no change from 1967) and one in laboratory use (less by



only .9 hours).

The Consolidated University most closely approximated the state mean of 12.7 hours per week for classrooms. The regional universities duplicated the state mean of 9.6 average student station hours per week for laboratories, while increasing their average scheduling of stations by 0.3 hours per week over their 1967 figures.

The following statistics show how North Carolina compares in average student station hours per week with three other states for which information is available:

	Average Student Station Hours Per Week		
	Classrooms	Class Laboratories	
NORTH CAROLINA (1968)	12.7	9.6	
Illinois (1967)	15.4	12.6	
South Dakota (1967)	13.8	9.4	
Tennessee (1967)	11.8	8.3	

### Percent Student Station Utilization (When Rooms are in Use)

Tables 21 and 22 show the (1) Daytime, (2) Nightime, and (3) All Hours use of student stations in classrooms and in class laboratories, expressed as a percentage of student stations occupied when rooms are in use. In each case, percent student station utilization is reported relative to the total time that such rooms were actually used. Explanation of the method used for these calculations appears on page 51. "Daytime" and "nighttime" classes are defined as in the immediately preceding discussion.

Although lower than the 60.0% student station utilization which many states consider a desirable standard for classrooms, actual use figures for North Carolina compare favorably with those of other states for which reports

 $\mathcal{F}$ 

are available. As anticipated, station utilization is higher in teaching laboratories than in classrooms. One should bear in mind, however, that the percent student station utilization for class laboratories can be expected to vary with the size of institution and the relative degree of specialization of the facilities. It is not possible, therefore, to specify a par value which will be representative institution-wide or state-wide, and station utilization standards may need to be established for each major subject area. In establishing goals for percent student station use in class laboratories, institutions may find it useful to compare against the statistics shown in Table 29.

A comparison of percent student station utilization reported for 1968 with that reported for 1967 is shown below:

	Class	rooms	Labora	tories
Groups of Institutions	1967	1968	1967	1968
Consolidated University	<b>56.</b> 8	56.2	72.7	63.6
Regional Universities	59.9	59.1	74.3	60.9
Public Senior Colleges	49.9	51.7	64.5	62.4
Private Universities	-	46.7	-	51.0
Private 4-Year Colleges	55.0	57.0	56.1	54.3
Private 2-Year Colleges	63.3	60.5	72.0	75.2
Community College System	60.3	60.9	69.5	68.0
State Weighted Mean	57.2	55.8	68.5	<b>6</b> 3.5

Classroom station use, in general, varied from 2.0% above to 2.8% below last year's figures, and laboratory station use ranged from 3.2% above to as much as 13.4% below the 1967 figures for groups of institutions. The generally lesser degrees of student station use are reflected in the state weighted means which indicate 1.4% less classroom student station occupancy in 1968 than in 1967, and 5.0% less laboratory station use in 1968 than in the previous year.

The following indicates how North Carolina compares with four other states for which general use data is available:

	Percent Student Station Utilization		
	Classrooms	Class Laboratories	
NORTH CAROLINA (1968)	55.8	63.5	
Illinois (1967)	58.7	<b>75.</b> 3	
Indiana (1967)	55.0	64.0	
South Dakota (1967)	<b>59.</b> 3	72.5	
Tennessee (1967)	54.4	58.7	

### Selected Space Utilization Indices for Classrooms and Class Laboratories

The columns headed "Average Room Hours Per Week" in Tables 23 and 24 show the average number of hours of instruction in classrooms and class laboratories during a one-week period, calculated as

where one room hour equals one scheduled hour of instruction for one class.

Columns captioned "Percent Student Station Utilization", show the ratio of total student hours of instruction in classrooms and class laboratories to the potential student station hours of instruction while rooms are in use. That is,

where "potential student hours of instruction" equals "total student capacity of scheduled rooms" x "hours scheduled." It should be noted that the potential is derived by totaling separately for classrooms (Room-type 110) and for class laboratories (Room-type 210) the products of the following calculations for each room: "number of student stations" x "hours of actual instruction."

The third index "Space Factor" (SF), represents the net assignable square



feet (NASF) of all classroom or of all class laboratory floor space per student clock (contact) hour of instruction in these types of rooms during one week. As a composite of both space allocation and space utilization in one simple term, this measure takes into account such indicators as the number of room hours scheduled per week, the number of student station hours per week, the percent of student stations scheduled per week, the NASF of each type of room, and the NASF per student station. The space factor is usually expressed as

SF = NASF/Student Clock Hour

By way of example, SF components for classrooms at Western Carolina University are: NASF, 54,486; total student clock hours, 58,485. Thus:

$$\frac{54,486}{58,485}$$
 = WCU's SF of 0.93

The foregoing indices illustrate in simple form that improved utilization of teaching facilities can be obtained by any one of, or by a combination of the following methods:

- (1) Provide better match of room size to class size.
- (2) Increase the number of hours scheduled per week.
- (3) Increase the number of stations per room (Reduce the area per student station).

By the space factor index for 1968, most institutions in North Carolina showed improved utilization of both classrooms and class laboratories over 1967. The state weighted mean reflected this improvement by 0.17 factor points decrease for classrooms and 0.35 factor points decrease for laboratories. The regional universities reported highest utilization of classroom space (S.F. of 1.12) while the private 2-year colleges and the com-



munity college system indicated highest laboratory use (with SF's of 3.05 and 3.72, respectively).

Classroom and laboratory space factors for 1967 and 1968 are summarized below by institutional groupings:

	Classr	oom SF	Labora	tory SF
Groups of Institutions	1967	1968	1967	1968
Consolidated University	1.30	1.20	7.03	5.83
Regional Universities	1.17	1.12	4.04	4.18
Public Senior Colleges	1.66	1.57	3.81	4.67
Private Universities	_	1.57	-	7.56
Private 4-Year Colleges	2.08	1.68	8.40	6.52
Private 2-Year Colleges	1.30	1.21	4.00	3.05
Community College System	1.20	1.21	4.00	3.72
State Weighted Mean	1.45	1.28	4.80	4.45

### Comparative Ranges of Selected Utilization Indices for Classrooms and Class Laboratories

Tables 25 and 26 report for classrooms and laboratories, respectively, comparative ranges of the space utilization indices (1) Average Room Hours Per Week, (2) Percent Student Station Utilization, and (3) Space Factor, for groups of institutions of higher education in North Carolina and for the state as a whole. For each index, the group high, the group mean, and the group low utilization measures are recorded. In addition, typical standards (see also Table 29) are presented for reference.

### Comparison Between North Carolina and Other States of Actual Classroom and Class Laboratory Utilization, Showing Average Room Hours Per Week and Percent Student Station Utilization

Table 27 indicates how North Carolina compares in actual space utilization with five other states for which the above-stated measures are available.



It will be observed that institutions in North Carolina used their classrooms an average of 3.25 hours less and at 0.98% less student station
occupancy than did other states for which "total public and private institutions"
figures were reported (using simple averages of grand weighted means for
other states as basis for comparison). Such a comparison shows, also, that
class laboratories in the state were used 0.85 hours per week less, with 4.43%
less station occupancy than were those in other states.

Compared against 1967 average room hours per week, institutions in North Carolina, in general, have achieved better utilization of both class-rooms (by 1.2 hours more per week) and laboratories (by 0.2 hours more per week) for 1968. Comparison of North Carolina's 1967 and 1968 percent student station utilization index is shown on page 51.

### Recommended Utilization Standards of Selected States, Showing Average Room Hours Per Week and Percentage Occupancy

In several states, standards in the indices cited above have been adopted or recommended for adoption. Such information is available for ten states, as indicated on Table 28.

Noting North Carolina's 1968 record in these utilization measures (Tables 23 and 24), it is evident that, as in 1967, opportunity for improvement continues to exist. In this respect, while average room use of both classrooms and laboratories in North Carolina has more nearly approached these standards in 1968 than in the previous year, percent student station utilization has become less comparable.



### Recommended Space Factors for Classrooms and Class Laboratories, Other States

In those states making use of standards for Average Room Hours Per Week,

Percent Student Station Occupancy, and Square Feet Per Student Station, most

also use the "Space Factor" standard since it is a composite of the other three.

That is:

(See also discussion of SF, pp. 51-52, which although derived differently, is the same end product as shown here.)

Space factors known to have been recommended for use in other states are shown in Table 29. Most states listed base their classroom SF on an average weekly room use of 30 hours, a square footage per student station of 15, and a student station occupancy ranging from 55.5% to 66.6%. These factors combine to yield a SF range of from 0.751 to 0.901. A more narrow range, however, of 0.833 - 0.900 is most often considered typical of SF standards.

Comparing 1968 classroom space factors (actual) of institutions in North Carolina against the SF's (proposed standards) of other states, it is noted that only twelve institutions in the state made approximately equal or better use of space by this index than the representative standard of 0.90. Although this represents some improvement over 1967, results of the 1968 study show that neither the weighted mean classroom SF for the state (1.28) nor the weighted mean for any grouping of institutions in the state (ranging from 1.12 to 1.68) has closely approached the representative standard.

As in 1967, the 1968 North Carolina space factor of 4.45 for laboratories



compares favorably with the standard factors of other states. Bearing in mind that to be fully meaningful a laboratory space factor must be related to the program or discipline involved, the SF's as shown in the table can be used as general guides.

### Possible Uses of Data

This study, as a continuation of the series begun in 1967, has refined and brought current the mass of data resulting from a comprehensive building-by-building and room-by-room inventory of physical facilities at institutions of higher education in North Carolina. Available now are summations for each individual campus in the state, for types of institution in the state, and for the state as a whole which encompass such measurements as: (1) the square footage for each classroom, each laboratory, each office, and each other such type of space; (2) the square footage devoted to the various fields of study; (3) the square footage of space by its organizational assignment within the institutions; and (4) the square footage and number of student spaces in teaching rooms.

This wealth of needed information, not previously existing, will serve as a planning tool for those boards and agencies which are concerned with higher education. Legislators and others responsible for financing, staffing, and providing facilities for higher education can be kept better informed in advance of the time assistance is needed. Planning bodies for education-related programs can be afforded like assistance. Many individual institutions will know for the first time exactly how much space they have and, through further analysis, how much space they will need to carry out their educational

programs.

Provided also in the study is a wealth of data and comparative information regarding space utilization at educational institutions in the state. This element of the study, in particular, lends itself to further analysis by individual institutions. Based on the facts presented, each institution can review its space utilization in light of its own definition of role and scope, in terms of its own educational philosophy, and with respect to its yearly progress.

### Net Assignable Square Feet Of Academic Facilities Per FTE Student

Table 17

INSTITUTION	NASF of Academic	Total FTE	NASF of Facilities	-
	Facilities	Enrollment	1968 Stud	ent (1967)
Consolidated University:				
UNC-CH	1,375,415	13,000	106	( 97)
UNC-CH(HA)	611,049	1,786	342	(357)
NCSU	1,545,921	10,367	149	(155)
UNC-G	543,288	5,165	105	(115)
UNC-C	197,559	2,064	96	(113)
Subtotal	3,662,183	30,596	120	(133)
Regional Universities:				
A&TU	470,061	3,642	129	(117)
<b>AS</b> U	482,524	5,317	91	(72)
ECU	507,647	8,836	57	( 58)
WCU	334,765	4,089	82	( 83)
Subtotal	1,794,997	21,884	82	( 76)
Public Senior Colleges:				
A-BC	111,207	638	174	(189)
ECSC	99,879	944	106	(107)
FSC	126,226	1,218	104	(72)
NCC-D	270,265	2,904	93	( 92)
NCSA	58,528	218*	268*	(309)*
PSC	110,391	1,548	71	(70)
Wil C	90,874	1,192	76	(73)
WSSC	141,250	1,210	117	(122)
Subtotal	1,008,620	9,872	102	( 99)



### Net Assignable Square Feet Of Academic Facilities Per FTE Student (continued) Fall 1968

Table 17

INSTITUTION	NASF of Academic Facilities	Total FTE Enrollment	NASF of <b>A</b> ca Facilities pe Student	भागम भ
			·	
Private Universities:				
Subtotal	2,132,081**	10,081**	211**	(188)**
Private 4-Year Colleges:				
Subtotal	2,963,324	26,383	112	(108)
Private 2-Year Colleges:				
Subtotal	759,022	8,636	88	( 86)
Community College System:				
Com, Coll.'s	705,537	10,987	<i>L A</i>	/ / 0)
Tech. Inst.'s	1,032,231	10,345	64 100	( 68)
room, mov. p	1,032,231	10,545	100	( 98)
Subtotal	1,737,768	21,332	81	( 84)
GRAND TOTAL	14,057,995	128,784	109	(105)

<sup>\*</sup>Figures do not include pre-college enrollment. In 1968, inclusion of 151 pre-college enrollees would result in a NASF/FTE of 159.



<sup>\*\*</sup>Excludes 2 medical schools.

### Capacity/Enrollment Ratio

Table 18

INSTITUTION	Net Assignable Sq. Ft. of Instructional and Library Facilities	Total Student Clock Hours	Capacity/E Rati	
			1968	(1967)
Consolidated University:			•	
UNC-CH	914,634	221,737	4.12	(3.48)
UNC-CH(HA) NCSU	215,653	207 415	- 4 24	- 12 69)
MC20	900,812	207,415	4.34	(3.68)
UNC-G	316,850	96,629	3.28	(3.88)
UNC-C	166,916	36,447	4.58	(5.42)
	·	•		, ,
Subtotal	2,514,865	562,228	4.09	(4.03)
Regional Universities:				
A&TU	386,268	66,026	5.85	(5.32)
ASU	383,309	92,277	4.15	(2.89)
ECU	402,009	154,395	2.60	(2.83)
WCU	251,149	70,258	3.57	(3.74)
Subtotal	1,422,735	382,955	3.72	(3.46)
Public Senior Colleges:				
A-BC	93,617	10,147	9.23	(9.55)
ECSC	84,184	21,410	3.93	(4.84)
FSC	100,149	22,729	4.41	(3.37)
NCC-D	202,573	52,010	3.89	(3.65)
NCSA	38,722	5,227*	7.41 *	(7.22)*
PSC	88,322	26,429	3.34	(3.49)
Wil C	80,006	21,271	3.76	(3.85)
WSSC	118,651	21,974	5.40	(6.17)
Subtotal	806,224	181,195	4.45	(4.50)



### Capacity/Enrollment Ratio (continued)

Table 18

INSTITUTION	Net Assignable Sq. Ft. of Instructional	Total Student	Capacity/Enrollment	
	and Library Facilities	Clock Hours	1968 Ratio	(1967)
Private Universities:				
Subtotal	927,594**	140,657**	6.59 **	-
Private 4-Year Colleges:			·	
Subtotal	2,251,096	464,792	4.84	(5.33)
Private 2-Year Colleges:				
Subtotal	584,362	162,898	3.59	(3.63)
Conmunity College System:				
Com. Coll.'s Tech. Inst.'s	613,454 913,433	240,249 295,165	2.55 3.09	(2.72) (2.75)
Subtotal	1,526,887	535,414	2.85	(2.78)
GRAND TOTAL	10,033,763	2,430,139	4.13	(3.87)

<sup>\*</sup>Figures do not include Student Clock Hours for pre-college enrollment. In 1968, addition of an estimated 3,620 hours would result in a C/E Ratio of 4.38.



<sup>\*\*</sup>Excludes 2 medical schools.

### Average Student Station Hours Per Week For Classrooms

Table 19

INSTITUTION	Darrtima	NTi «la tatira»	A 11 1	I <b>T</b>
	Daytime	Nighttime	1968	Hours (1967)
Compolidated				
Consolidated University:				
UNC-CH	14.0	0.4	14.4	(15.2)
UNC-CH(HA)	1.4.2	~~ ^ 4	-	- (10 =)
NCSU	14.3	0.4	14.7	(13.7)
UNC-G	13.5	0.6	14,2	(12.9)
UNC-C	8.5	0.5	9.0	(8.0)
TTT - 1 - 1 - 1 - 1				
Weighted Mean	13.4	0.4	13.9	(13.5)
Regional				
Universities:				
A&TU	8.0	0.5	8.4	(10.6)
ASU	13.9	0.0	13.9	(12.6)
ECU	17.8	0.5	18.3	(16.0)
WCU	19.7	0.4	20.1	(15.3)
Weighted Mean	14.3	0.4	14.7	(13.9)
Public Senior				
Colleges:				
A-BC	5.7	0.2	5.8	( 6.0)
ECSC	10.6	0.0	10.6	(10.4)
FSC	10.2	0.3	10.6	(14.4)
NCC-D	11.5	0.3	7 T O	(12 2)
NCSA	-	0.5	11.9	(12.3)
PSC	15.2	0.0	15.2	(13.0)
Wil C	16.3	0.1	16.3	(15 6)
WSSC	6.3	0.5	6.8	(15.6) ( 4.2)
	-		•••	·/
Weighted Mean	10.4	0.2	10.7	(9.3)



### Average Student Station Hours Per Week For Classrooms (continued) Fall 1968

Table 19

INSTITUTION	Daytime	Nighttime	А 11 т	lours
		14 ignittimie	1968	(1967)
Private Universities:				
Weighted Mean	9.0*	0.1*	9.2*	-
Private 4-Year Colleges:				
Weighted Mean	9.8	0.3	10.1	(9.3)
Private 2-Year Colleges:				
Weighted Mean	13.8	0.1	14.0	(14.0)
Community College System:				
Com. Coll.'s	13.2	2.8	16.0	(14.6)
Tech. Inst.'s	13.4	3.0	16.3	(17.3)
Weighted Mean	13.4	2.9	16.3	(15.9)
ND WEIGHTED MEAN	12.0	0.7	12.7	(12.2)

<sup>\*</sup>Excludes 2 medical schools.



### Average Student Station Hours Per Week For Class Laboratories

Table 20

INSTITUTION				
	Daytime	Nighttime	All H 1968	ours (1967)
Consolidated University:				
UNC-CH	12.7	0.2	12.9	(12.3)
UNC-CH(HA) NCSU	9.6	0.4	10.0	(9.6)
UNC-G	9.1	0.2	9.2	(7.2)
UNC-C	5.5	0.0	5.6	(5.0)
Weighted Mean	9.8	0.3	10.1	(9.3)
Regional Universities:				
$\mathbf{A}\&\mathbf{T}\mathbf{U}$	6.4	0.4	6.8	(6.9)
ASU	10.9	0.1	11.1	(10.9)
ECU	12.9	1.0	13.9	(11.9)
WCU	6.1	0.0	6.1	(6.8)
Weighted Mean	9.2	0.5	9.6	(9.3)
Public Senior Colleges:				
A-BC	3.4	0.6	4.1	(2.9)
ECSC	9.3	0.8	10.1	(6.9)
FSC	7.3	0.8	8.1	(7.3)
NCC-D	5.3	0.1	5.3	(6.4)
NCSA	<b>6</b> 00	-	-	
PSC	5.9	0.0	5.9	(6.3)
Wil C	8.4	0.2	8.6	(9.7)
WSSC	4.3	0.5	4.9	(5.0)
Weighted Mean	6.2	0.4	6.6	(6.5)



### Average Student Station Hours Per Week For Class Laboratories (continued)

Table 20

Fall 1968

INSTITUTION	Dorstino	Nighttime	Δ <b>11</b> Τ	lours
	Daytime	nighteline	. 1968	(1967)
Private Universities:				· ———
Weighted Mean	3.8*	0.1-*	3.9*	-
Private 4-Year Colleges:				
Weighted Mean	4.7	0.1	4.8	(4.6)
Private 2-Year Colleges:				
Weighted Mean	9.8	0.2	10.0	(7.9
Community College System:				
Com. Coll.'s Tech. Inst.'s	11.6 13.4	2.7 3.6	14.3 17.0	(14.8 (18.9
Weighted Mean	12.7	3.3	16.0	(17.1
ND WEIGHTED MEAN	8.6	1.0	9.6	( 9.5

\*Excludes 2 medical schools



### Percent Student Station Utilization For Classrooms

Table 21

Fall 1968

INSTITUTION	<b></b>	BT to all A 4 to and a	A 11 T	Hours
	Daytime	Nighttime	1968	(1967)
Consolidated				
<b>University:</b>				
UNC-CH	58.0	37.1	57.0	(59.6)
UNC-CH(HA)	-	42 /	46.3	- /52 7\
NCSU	46.3	43.6	46.2	(53.7)
UNC-G	60.0	46.6	59.2	(58.3)
UNC-C	54.9	48.4	54.5	(54.7)
Weighted Mean	53.0	42.0	52.6	(56.8)
Regional				
Universities:				
A&TU	64.4	44.5	62.8	(60.2)
ASU	55.6	35.6	55.5	(53.1)
ECU	57.7	36.7	56.8	(62.4)
wcu	67.2	41.1	66.5	(62.5)
Weighted Mean	59.8	39.8	59.1	(59.9)
Public Senior				
Colleges:				
A-BC	46.5	37.6	46.1	(46.3)
ECSC	52.2	0.0	52.2	(50.9)
FSC	50.8	71.3	51.3	(46 , 4)
NCC-D	48.3	35.8	47.8	(51.0)
NCSA	-	-	-	•••
PSC	58.1	0.0	58.1	(47.8)
Wil C	57.6	18.1	57.2	(62.4)
WSSC	53.2	63.2	53.8	(46.2)
Weighted Mean	51.9	45.5	51.7	(49.9)



### Percent Student Station Utilization For Classrooms (continued)

Fall 1968

Table 21

INSTITUTION Daytime Nighttime All Hours 19**6**8 (1967)**Private** Universities: Weighted Mean 47.0\* 32.3\* 46.7\* Private 4-Year Colleges: Weighted Mean 57.2 49.8 57.0 (55.0)Private 2-Year Colleges: 60.4 Weighted Mean 78.8 60.5 (63.3)Community College System: Com. Coll.'s 58.8 50.8 57.2 (58.2)Tech. Inst.'s 65.0 65.2 65.1 (62.7)Weighted Mean 61.7 57.2 60.9 (60.3)GRAND WEIGHTED MEAN 56.2 50.7

55.8

(57.2)



<sup>\*</sup>Excludes 2 medical schools.

### Percent Student Station Utilization For Class Laboratories

Table 22

Fall 1968

INSTITUTION	Doubles	Ni abttino	A 11 T	<b>Iours</b>
	Daytime	Nighttime	1968	(1967)
Consolidated University:				
UNC-CH UNC-CH(HA)	<b>76.</b> 9	94.0	77.1	(74.2) -
NCSU	57.1	48.9	56.7	(73.9)
UNC-G	69.0	54.1	68.7	(69.4)
UNC-C	52.1	56.8	52.1	(66.4)
Weighted Mean	63.9	54.9	63.6	(72.7)
Regional Universities:				
A&TU	60.4	52.2	59.8	(61.0)
<b>AS</b> U	59.8	89.0	60.1	(67.9)
ECU	62.1	55.2	61.6	(89.3)
WCU	63.3	0.0	63.3	(76.7)
Weighted Mean	61.2	55.3	60.9	(74.3)
Public Senior Colleges:				
A-BC	35.3	<b>7</b> 7.1	38.4	(45.6)
ECSC	83.5	117.4	85.4	(66.1)
FSC	70.6	97.5	72.6	<b>(71.2)</b>
NCC-D	62.9	42.1	62.3	(64.2)
NCSA	-	-	-	-
PSC	44.9	0.0	44.9	(69.7)
Wil C	51.7	118.2	<b>52.</b> 3	(61.1)
WSSC	73.2	113.1	76.2	(74.5)
Weighted Mean	61.1	95.4	62.4	(64.5)



### Percent Student Station Utilization For Class Laboratories (continued)

Table 22

INSTITUTION				
	Daytime	Nighttime		Hours
			1968	(1967)
Private Universities:				
Weighted Mean	51.1*	40.6*	51.0*	-
Private 4-Year Colleges:				
Weighted Mean	54.5	42.5	54.3	(56.1)
Private 2-Year Colleges:				
Weighted Mean	75.0	88.9	75.2	(72.0)
Community College System:				
Com. Coll.'s Tech. Inst.'s	66.1 68.3	58.4 76.7	64.5 70.0	(67.9) (70.5)
Weighted Mean	67.5	69.7	68.0	(69.5)
AND WEIGHTED MEAN	63.0	67.7	63.5	(68.5)

<sup>\*</sup>Excludes 2 medical schools.



### Selected Space Utilization Indices For Classrooms

Table 23

Fall 1968

INSTITUTION	Average Room Hours Per Week	Percent Student Station Utilization	Space 1968	Factor (1967)
Consolidated University:				
UNC-CH	23.6	57.0	1.15	(1.15)
UNC-CH(HA)	-	-	=	-
NCSU	26.9	46.2	1.06	(1.24)
UNC-G	23.5	59.2	0.99	(1.37)
UNC-C	13.8	54.5	1.49	(1.54)
Weighted Mean	23.4	52.6	1.20	(1.30)
Regional Universities:				
A&TU	13.5	62.8	1.88	(1.66)
<b>AS</b> U	23.2	55.5	1.22	(1.42)
ECU	30.4	56.8	0.86	(0.95)
WCU	29.7	66.5	0.93	(1.05)
Weighted Mean	23.8	59.1	1.12	(1.17)
Public Senior Colleges:				
A-BC	13.1	46.1	2.91	(2.24)
ECSC	18.4	52.2	1.47	(1.89)
FSC	18.4	51.3	1.50	(1.23)
NCC-D	23.1	47.8	1.37	(1.53)
NCSA	-	-	-	-
PSC	24.7	58.1	1.05	(1.41)
Wil C	28.3	57.2	1.08	(1.01)
WSSC	12.6	53.8	2.78	(2.27)
Weighted Mean	19.6	51.7	1.57	(1.66)



### Selected Space Utilization Indices For Classrooms (continued)

Table 23

INSTITUTION E	Average Room Hours	Percent Student Station	Space H	ractor
	Per Week	Utilization	1968	(1967)
Private Universities:				
Weighted Mean	19.3*	46.7*	1.57*	-
Private 4-Year Colleges:				
Weighted Me <b>an</b>	10.1	57.0	1.68	(2.08)
Private 2-Year Colleges:				
Weighted Mean	21.8	60.5	1.21	(1.30)
Community College System:				
Com. Coll.'s Tech. Inst.'s	28.5 23.2	57.2 65.1	1.07 1.38	(1.18) (1.22)
Weighted Mean	25.6	60.9	1.21	(1.20)
RAND WEIGHTED MEAN	21.2	55.8	1.28	(1.45)

<sup>\*</sup>Excludes 2 medical schools.



### Selected Space Utilization Indices For Class Laboratories

Table 24

TAXONI MILIMIONI	Average Room Hours	Percent Student Station	Space F	`actor
INSTITUTION	Per Week	Utilization	1968	(1967)
Consolidated University:				
UNC-CH	14.3	77.1	3.29	(7.10)
UNC-CH(HA) NCSU	12.3	56 <b>.</b> 7	<b>5.7</b> 3	(5.48)
UNC-G	9.9	68.7	5.93 6.76	(5.99) (9.62)
UNC-C	6.6	52.1	0.10	().0-)
Weighted Mean	11.7	63.6	5.83	(7.03)
Regional Universities:				
A O COTY	8.4	59.8	6.76	(8.84)
A&TU	15.4	60.1	3.56	(3.20)
ASU	18.4	61.6	2.37	(2.11)
ECU	10.1			
WCU	8 <b>.2</b>	63.3	6.81	(4.76)
Weighted Mean	12.4	60.9	4.18	(4.04)
Public Senior Colleges:				
		20 4	9.33	(9.98)
A-BC	9.2	38.4 $85.4$	3.57	(4.60)
ECSC	10.3	72.6	3.41	(1.60)
FSC	9.6	72.0	J • 11	(,
NCC-D	7.8	<b>62.</b> 3	5.25	(4.82)
NCSA	-	44.0	5.47	(3.39)
PSC	11.4	44.9	J. T1	(3.37)
Wil C	13.0	<b>52.</b> 3	3.75	(3.05)
WSSC	5.2	76.2	6.62	(3.50)
Weighted Mean	9.2	62.4	4.67	(3.81)



### Selected Space Utilization Indices For Class Laboratories (continued)

Table 24

Per Week		Space	Factor
	Utilization	1968	(1967)
5.0*	51.0*	7.56*	-
4.8	54.3	6.52	(8.40)
12.2	75.2	3.05	(4.00)
19.7	64.5	<b>3.</b> 37	(3.68)
22.4	70.0	3.91	(4.26)
21.5	68.0	3.72	(4.00)
13.4	63 <b>5</b>	1 1E	(4.80)
	4.8 12.2 19.7 22.4	4.8 54.3  12.2 75.2  19.7 22.4 64.5 70.0 21.5 68.0	4.8       54.3       6.52         12.2       75.2       3.05         19.7       64.5       3.37         22.4       70.0       3.91         21.5       68.0       3.72

<sup>\*</sup>Excludes 2 medical schools.



# Comparative Ranges Of Selected Space Utilization Indices For Classrooms By Type Of Institution

Table 25			Fall	1968					
	Room Hrs.	l .	Per Week	% Student Sta.		Utilization	Sp	Space Factor	
INSTITUTION	High	Mean	Low	High	Mean	Low	High	Mean	Low
Consolidated University:	26.9	23.4	13.8	59.2	52.6	46.2	66.0	1.20	1.49
Regional Universities:	30.4	23.8	13.5	66.5	59.1	55.5	0.86	1.12	1.88
Public Senior Colleges:	28.3	19.6	12.6	58.1	51.7	46.1	1.05	1.57	2.91
Private Universities:	21.0	19.3	17.1	56.3	46.7	41.5	1.45	1.57	1.66
Private 4-Year Colleges:	30.0	10.1	9.9	71.4	57.0	45.0	0.93	1.68	4.22
Private 2-Year Colleges:	31.6	21.8	10.8	81.3	60.5	45.3	0.91	1.21	2.32
Community College Syst.:	43.8	25.6	*0*6	117.8	6.09	28.9*	0.65	1.21	8.53*
STATE RANGE	43.8	21.2	*9.9	117.8	55.8	28.9*	0.65	1.28	8.53*
TYPICAL STANDARD	RD	30.0			0.09			0.833-	

<sup>\*</sup> Discounts Martin Technical Institute which reported no utilization for classrooms.

Comparative Ranges Of Selected Space Utilization Indices For Class Laboratories By Type Of Institution

ERIC Foulded by ERIC

Table 26				Fall 1968	<sub>∞</sub>				
	Room	Hrs. Per Week	Week	% Student Sta.		Utilization	S	Space Factor	н
INSTITUTION	High	Mean	Low	High	Mean	Low	High	Mean	Low
Consolidated University:	14.3	11.7	9.9	77.1	63.6	52.1	3.29	5.83	92.9
Regional Universities:	18.4	12.4	8.2	63.3	6.09	59.8	2.37	4.18	6.81
Public Senior Colleges:	13.0	9.2	5.2	85.4	62.4	38.4	3.41	4.67	9.33
Private Universities:	5.6	5.0	4.2	52.2	51.0	50.3	7.12	7.56	8.38
Private 4-Year Colleges:	15.0	4.8	3.1	80.3	54.3	29.3	3,31	6.52	14.28
Private 2-Year Colleges:	19.8	12.2	6.3	177.2	75.2	41.9	1.55	3.05	11.21
Community College Syst.:	45.6	21.5	8.0	102.7	0.89	33.8	2.01	3.72	11.33
STATE RANGE	45.6	13.4	3.1	177.2	63.5	29.3	1.55	4.45	14.28
TYPICAL STANDARD	Ω	20.0			80.0			3.00-	

### Comparison Between North Carolina and Other States of Actual Classroom and Class Laboratory Utilization, Showing Average Room Hours Per Week And (Percent Student Station Utilization)

Table 27

State	Class	rooms		lass oratories
NORTH CAROLINA (1968)				
Public universities	22.6	(55.1%)	11.1	(62.4%)
Public senior colleges	19.6	(51.7%)	9.2	(62.4%)
Community college system	25.6	(60.9%)	21.5	(68,0%)
Private universities	19.3	(46.7%)	5.0	(51.0%)
Private 4-year colleges	10.1	(57.0%)	4.8	(54.3%)
Private 2-year colleges	21.8	(60.5%)		(75.2%)
Total public and private institutions	21.2	(55.8%)	13.4	(63.5%)
FLORIDA (1968)				
Public colleges and universities	24.4	(58.8%)	8.6	(57.9%)
Public junior colleges	22.7	(60.0%)	14.0	
Private colleges and universities	16.6	(51.4%)	3.4	(66.4%)
Private junior colleges	19.0	(52.4%)	0.0	(0.0%)
Total public and private institutions	21.9	(57.9%)	9.1	(59.9%)
ILLINOIS (1967)				
Public universities	31.6	(61.5%)	22.1	(78.3%)
Public junior colleges	41.7	(71.3%)	29.2	(85.7%)
Private universities	23.5	(53.5%)	14.3	(71.0%)
Private 4-year colleges	21.9	(55.7%)	15.3	
Private junior colleges	21.4	(62.4%)	14.5	(79.0%)
Total public and private institutions	26.0	(58.7%)	17.6	• •
INDIANA (1967)				
Public universities	32.8	••	20.2	(65 %)
Private colleges	22.0	•••	14.6	(60 %)
Total public and private institutions	26.7	(55 %)	17.5	(64 %)
SOUTH DAKOTA (1967)				
Public colleges and universities	26.4	(61.1%)	15.1	(72.6%)
Private colleges and universities	19.3	(51.5%)	7.9	
Total public and private institutions		(55.5%)	12.8	(72.5%)
WEST VIRGINIA (1967)				
Public universities	25	(84.1%)	15	(93.1%)
Public colleges	24	(62.0%)	17	(72.4%)
Private colleges	27	(57.9%)	13	(74.3%)
Junior colleges	22	(59.5%)	18	(65.9%)
0 4		(37.3/0)	- 0	(00.7/0)



### Recommended Utilization Standards Selected States Showing Average Room Hours Per Week and (Percentage Occupancy)

Table 28

State	Class	rooms	_	Class oratories
California:				
Lower Division	34	(66.0%)	25	(85.0%)
Upper Division	34	(66.0%)	20	(80.0%)
Florida:				
Jr. Colleges to 999 Students	28	(60.0%)	18	(80.0%)
1,000 - 1,999 Students	28	(65.0%)	21	(80.0%)
2,000 (plus) Students	28	(70.0%)	24	(80.0%)
Senior Colleges	30	(60.0%)	20	(80.0%)
Universities	33	(60.0%)	21	(80.0%)
Illinois	30	(60.0%)	20	(80.0%)
Kentucky	31	(66.0%)	22	(85.0%)
Oklahoma:				
1 - 999 Students	27	(66.6%)	24	(80.0%)
1,000 - 3,000 Students	28.5	(66.6%)	24	(80.0%)
3,000 (plus) Students	30	(66.6%)	24	(80.0%)
Oregon	30	(60.0%)	20	(80.0%)
South Dakota	30	(67.0%)	24	(80.0%)
Texas	30	$(55.6\%)^{1}$	20	(60.0%) <sup>2</sup>
Virginia	30	(60.0%)	20	(80.0%)
West Virginia	30	(66.6%)	20	(80.0%)

Suggested percent occupancy based on an assumed 15 sq. ft. per student station.



<sup>2</sup> Suggested percent occupancy variable with size of student station by program.

### Recommended "Space Factors" For Classrooms and Class Laboratories, Selected States

Table 29

Room- Type	State	Av Rm Hrs Per Wk	% Stu Sta Occupancy	Sq Ft Per Stu Sta	Space Factor
CLASSR	OOMS				
	California	34	66.0%	15	0.668
	Florida	28-33 <sup>1</sup>	60-70% <sup>1</sup>	15-181	0.758-0.918
	Illinois	30	60.0%	15	0.833
	Kentucky	31 ,	66.0%	$9-17\frac{2}{3}$	0.440-0.831
	Oklahoma	27-30 <sup>1</sup>	66.6%	15-16	0.758-0.898
	Oregon	30	60.0%	9-20 <sup>2</sup>	0.500-1.111
	South Dakota	30	67.0%	9-20 <sup>2</sup>	0.448-0.995
	Texas	30	55.6%	15	0.900
	Virginia	30	60.0%	15	0.833
	West Virginia	30	66.6%	15	0.751
LABORA	ATORIES				
	California	20-25	80-85.0%1	30 <b>-</b> 200 <sup>3</sup>	1.412-12.500
	Florida	18-21	80.0%	55	3.274-3.819
	Illinois	20	80.0%	68 ,	4.250
	Kentucky	22	85.0%	35-601	1.872-3.209
	Oklahoma	24	80.0%	$38-144^{3}$ $30-50^{3}$	1.979-7.500
	Oregon	20	80.0%	$30-50^3$	1.875-3.125
	South Dakota	24	80.0%	20-150	1.042-7.813
	Texas	20	60.0%	$25-60^3$	2.500-5.000
	Virginia	20	80.0%	40	2,500
	West Virginia	20	80.0%	40	2.500

<sup>&</sup>lt;sup>1</sup> Varies with institution enrollment and/or institution level.



<sup>2</sup> Varies with type of classroom and type of seating therein.

Varies with disciplinary area and type of laboratory.

### Appendix A

Supplementary Data For Community Colleges and Technical Institutes Ownership Of Buildings

Fall 1968

Fall

Table A-1

	8%		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	106.0	100.0	100.0	100.0	
Total	Gross Sq. Ft.		208,498	75,450	83,836	146,714	59,852	72,898	114,186	106,820	77,323	67,901	59,186	69,283	
No. of	Bldgs.		۲	6	N	10	ທ	m	4	ĸ	4	4	10	41	
Another	1. Ft. %		•	•	•	,	r	•	,	•	•	ı	•	ı	
Shared With Another Institution	gs. Gross Sq. Ft.		•	•	•	•	•	ı	•	ı	•	•	•	ı	
S S	A Bldgs.		,	,	•	•	•	•						•	
Lease-Purchase Shared With Anothe Arrangements Institution of	Ŧ.			,		•	•	•	•	,	,	'	•	'	
Lease. Arra No. of	Bldgs. Gross Sq.		ı			•	•	•	•	•	•	•	ı		
lina]	8%		•	19.0	•	•	•	•	•				,	•	
Made Available At Nominal Or No Cost . of	Gross Sq. Ft.		ı	14,362	ı	•	,	•	ı	ı		,		,	
Made No. of	Bldgs.		•	41	ı	ı	,	1			•	ı	•	ı	
ented	. Ft. %		,	•	•	•	•	ı	ı	•	•	•	ı	•	
Leased Or Rented	s Gross Sq. Ft.		ı	•	•	•	•	•	•	•	•	•	•	ı	
13 S	Bldgs		•	•	•	•	•	ı	•	•	•	•	•	•	
	%		100.0	81.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Owned	Gross Sq. Ft.		208,498	61,088	83,836	146,714	59,852	72,898	114,186	106,820	77,323	67,901	59,186	69,283	
Jo of	Bldgs.		~	ις	2	10	ហ	ĸ	4	ιn	4	4	10	4	
INSTITUTION		Colleges:	CP CC	C of A	DC CC	Gas C	Iso CC	TC CC	Roc CC	San CC	S/E CC	Sur CC	Way GC	WP CC	

80

100.0

7.86

63



### ERIC Provided by ERIC

(Cont'd)

Table A-1

Ownership of Buildings Fall 1968

	١
	l
	I

MOITHTHEM		Owned			Leased Or Rented	eď	Mad	Made Available At Nominal Or No Cost	[omina]		Lease-Purchase Arrangements	o v v	S	Shared With Another Institution	er		Total	
	No. of Bldgs.	f Gross Sq. Ft.	%	No. of. Bldgs.	Gross Sq. Ft.	%	No. of Bldgs. (	Gross Sq. Ft.	8	No. of Bldgs. (	Gross Sq. Ft.	8	No. of Bidgs.	Gross Sq. Ft.	<i>1</i> %	No. of Bldgs.	Gross Sq. Ft.	₽¢
Technical Institutes:																		
Ans TI A-B II	٠ 9	96,481	100.0	1 1	1 1		41	16,692	100.0	• •		1 1	1 1			4-9	16,692 96,481	100.0
Bea TI Bla TI	• •		' '	4 7	22,680 9,945	87.2 48.8	٦ ١	3,325	12.8	- 2	10,432	51.2			1 1	rv 4+	26,005 20,377	100.0
Cal TI CF TI	3 2	58,585 49,813	100.0 94.2	1 1				- 651	1.3					2,400	4.5	2 2	58,585 52,864	100.0
Car II CV II	1	3,208 69,907	21.4				7 1	11,769	78.6				, ,	1 1		3 12	14,977 69,907	100.0
CC TI Cle TI	KA I	55,610	91.1	ım	18,732	100.0	- ·	5,429	6.8	1 1				1 1	, ,	3 6	61,039 18,732	100.0
Gra II Dur II	1 44	46,822	100.0	m I	14,330	6.79	<b>-</b> 1	984.99	32.1				1 1	1 +	1 1	ক ক	21,116 46,822	100.0
Edg TI Fay TI	1	17,209 71,248	100.0	• •		• •								1.1	, ,	1 10	17,209 71,2 <b>4</b> 8	100.0
For II Gui II	2 2	78,626 108,787	100.0	1 1									1 1	1 1	1 1	5	78,626 108,787	100.0
Hal TI Hay TI	<b>м</b> і	23,780	100.0	1 1	1,000	- 4.9	1 -	1,000	4.9				ım	18,576	2.06	юю	23,780 20,576	100.0
JS I Mar TI	N 1	25,104	100.0	۱ -	000*6	34.5	1 0	17,075	65.5		1 1					9.19	25,10 <del>4</del> 26,075	100.0
McD II Mon II	1 1			m ı	13,780	100.0	۱	6,807	100.0	1 1			1 1			1 3	13,780 9,807	100.0
Nas TI Ons TI	। ४	44,552	100.0				- 1	30,000	100.0							L 4	30,000 44,552	100.0
Pam II Pit II	٠, ٦	33,441	100.0	1 1	• •		41	11,110	100.0				1 1			4 T	11,110 33,441	100.0
Ran TI Ric TI	4 L	44,363 42,628	100.0		7,590	13.9	ıκ	4,466	8.1	٠.	1 1			1 1	1 1	4 N	44,363 54,684	100.0
Roa TI Rob TI	1 1	• •					9 8	12,458 33,651	100.0		1 1					9 8	12,458 33,651	100.0
Row II Sam II	Мι	47,517	100.0				٠,	27,451	100.0			1 1	, ,	1 1		4.3	47,517 27,451	100.0
S/W TI TI of A	3 3	17,800 60,562	94.2 100.0		1 1		<b>-</b> -	1,100	κς ι 80					1 1	1 1	9.0	18,900 60,562	100.0
Tri TI WC TI	11 5	19,384 51,843	100.0				• •	1 1	, ,		1 1		, ,	1 1		11 5	19,384 51,843	100.0
ижи ті	ιΩ	48,311	66.5	4	13,195	18.2	г	11,122	15.3			ı	ı		ı	10	72,628	100.0
TOTAL	66	1,115,581	76.4	22	110,252	7.5	45	203,892	14.0	7	10,432	0.7	*	20,976	1.4	172	1,461,133	100.0

Capital Investment In Buildings And Gross Square Feet By Residential And Non-Residential Categories Fall 1968

Lable A-2

	%		100.0	100.0	100.0	0.001	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	Total Gross Sq. Ft.		208,498	75,450	83,836	146,714	59,852	72,898	114,186	106,820	77,323	67,901	59,186	69,283	1,141,947
	No. of Bldgs.		۲-	6	8	10	ĸ	m	4	rs.	4	4	10	41	29
TEET	я́с		•	•	1	1	•	•		5.0	ı	•	ı	ı	0.5
S SQUARE	Residential No. of Bldgs, Gross Sq. Ft.		•	1	,	•	•	1	ı	5,345	ı	J	,	ı	5,345
GROSS	No. of Bldgs.		1	•	•	•	•	•	•	-	•	1	ı	,	1
	8		100.0	100.0	100.0	100.0	100.0	100.0	100.0	95.0	100.0	100.0	100.0	100.0	99.5
	Non-Residential No. of Bldgs. Gross Sq. Ft.		208,498	75,450	83,836	146,714	59,852	72,898	114,186	101,475	77,323	67,901	59,186	69,283	1,136,602
	No. of Bldgs.		7	6	72	10	ĸ	m	44	4	44	4	10	41	99
	%:		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	Total Dollars		2,606,000	487,000	1,397,000	2,498,000	i,555,000	1,115,000	2,099,000	1,618,000	1,289,000	1,335,000	620,000	1,369,000	17,988,000
ENT	No. of Bldgs.		2	ტ	8	10	ĸ	m	4	ĸ	4	4	10	4	67
INVESTMENT	%		•	•	ŧ	1	ı	ı	•	3.2	•	•	1	ı	0.3
GAPITAL IN	Residential Dollars		1	•	•	•	ι	•	,	52,000	ı	•	1	ı	52 000
	No. of Bldgs.		ı	1	•	•	ſ	1	1	Ħ	ı	1	•	•	-
ACTUAL	×		100.0	100.0	100.0	100.0	100.0	100.0	100.0	8.96	100.0	100.0	100.0	100.0	7
	Non-Residential Dollars		2,606,000	487,000	1,397,000	2,498,000	1,555,000	1,115,000	2,099,000	1,566,000	1,289,000	1,335,000	620,000	1,369,000	000 750 21
	No. of Bldgs.		2	6	2	10	£,	m	4	4	4	4	10	4	33
	INSTITUTION	Community Colleges:	CP CC	C of A	DC CC	Gas C	Iso CC	TC CC	Roc CC	San CC	S/E CC	Sur CC	Way CC	WP CC	# # E C E



Capital Investment In Buildings And Gross Square Feet By Residential And Non-Residential Categories Fall 1968

Table A-2 (Cont'd)

			100.0 100.0	100.0 100.0	100.0 100.0	0.0	0.0	0.0.	0.0.	0.0,	0.00.	o.	0.0.	0, 0.	0.0.	0.0.	۰.۰	0.0.	0.0.	0.0.	0.	0.
			100	100	100.	100.0	100.0	100.0	196.0	100.0 100.0	100	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.	100.0
	Total Grozs Sq. Ft.	· ]	16,692	26,005	58,585 52,864	14,977 69,907	61,039 18,732	21,116 46,822	17,209 71,248	78,626 108,787	23,780 20,576	25,104 26,075	13,780	30,000 44,552	11,110 33,441	44,363 54,684	12,458 33,651	47,517 27,451	18,900 60,562	19,384 51,843	72,628	1,461,133
	No. of Bldgs.		4 9	ro 41	2 5	3 12	3 6	44	10	2 2	mи	3.2	1 3	П 4	4 T	4 rc	9 &	2 3	3 5	11 5	10	172
TEEK	Ft. %		1 1	1 1	1 ,					+ 1			1 1					1 (		1 1	t	•
SQUARE	Residential No. of Bldgs. Gross Sq.		1 1		1 1		1 1			1 8							1 1		1 1	1 1		
GROSS S	Re No. of Bldgs. (		1 1	1 1		• •	1 1		+ 1	1 1	1 +	1 4	1 1			, ,				1 1	•	
GR	200		106.0	100.0	100.0 100.0	100.0 106.0	100.0	100.0	160.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	160.0	100.0	100.0	100.0	100.0	100.0
	Nor-Residential Gross Sq. Ft.		16,692 96,481	26,005 20,377	58,585 52,864	14,977 69,907	61,039 18,732	21,116 46,822	17,209 71,248	78,626 108,787	23,780 20,576	25,10 <del>4</del> 26,075	13,780 9,807	30,000 44,552	11,110 33,441	44,363 54,684	12,458 33,651	47,517 27,451	18,900 60,562	19,384 51,843	72,628	1,461,133
	No. of	i i	4 9	ro. 44	2 5	3 12	3 6	4 4	10	2	വന	3 8	3	Н 4	4 .⊣	4 5	9 8	2	3 8	111	10	172
	₽%		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	<b>,</b> ,	100.0	100.0	100.0	100.0	100.0
	Total Dollars		116,000	42,000	1,399,000 965,000	1,021,000	575,000	561,000	117,000 961,000	1,063,000 898,000	000,09	266,000 14,000	88,000	285,000 50,000	6,000 450,000	619,000 700,000	1 1	525,000 11,000	90,000	99,000 489,000	623,000	13,958,000
MENT	No. of Bldgs.	1	4 9	<b>2</b> . 4	2 5	3 12	3 6	4 4	1 10	2 2	വര	3 8	3	<b>-</b> 4	4 T	4 rv	9 80	2 2	3.2	11 5	10	172
INVESTMENT	%		• •											1 1		1 1		1 4			•	
	Residential of Jollars			f 1	1 1	1 1	4 1	1 4	, ,	t t	t +	1 1				1 3		1 4	f 1	1 4	•	,
٥	Re No. of Bldgs.						1 +			1 3			1 1		1 1	1 1	1 1	1 1	1 1	1 1	1	t
ACTUAL	%		100.0 100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		100.0	100.0	100.0	100.0	100.0
	Non-Residential Dollars		116,000	42,000	1,399,000 965,000	1,021,000	575,000	501,000	117,000 961,000	1,063,000 898,000	000,09	266,000 14,000	88,000	285,000 50,000	6,000 450,000	61 <b>9,</b> 000 700,000		525,000 11,000	90,000 692,000	99,000 489,000	623,000	13,958,000
	No. of Bldgs.		4 9	ર 4	2 5	3 12	9 8	4 4	10	۰. ت	നഹ	3 5	1 3	1 4	4 1	4 ·c	9 8	. 33	3 8	i1 5	10	172
	INSTITUTION	Technical Institutes:	Ans TI A-B TI	Bea TI Bla TI	Cal TI CF TI	Car II CV II	CC TI Cle TI	Cra II Dur II	Edg TI Fay TI	For II Gui II	Hal TI Hay TI	JS I Mar TI	McD TI Mon TI	Nas TI Ons TI	Pam TI Pit TI	Ran TI Ric TI	Roa TI Rob Ti	Row TI Sam TI	S/W TI TI of A	Tri TI WC TI	WWH TI	TOTAL

### Estimated Replacement Value of Buildings and Gross Square Feet By Residential and Non-Residential Categories Fall 1968

Table A-3

Estimated TOTAL Actual Capital Gross RESIDENTIAL Estimated Actual Capital Gross NON-RESIDENTIAL Estimated Actual Capital Gross INSTITUTION

	Sq. Ft.	Investment	Replacement Value	%	Sq. Ft.	Investment	Replacement Value	%	Sq. Ft.	Actual Capital Investment	Replacement V
Community Colleges:											
25 <b>d</b> 2	208,498	2,606,000	5,131,000	100.0	•	ı	ţ	•	208,498	2,606,000	5,131,000
C of A	75,450	487,000	1,383,000	100.0	•	•	·	•	75,450	487,000	1,383,000
DC CC	83,836	1,397,000	1,550,000	100.0	•	,	4	1	83,836	1,397,000	1,550,000
O seg	146,714	2,498,000	2,822,000	100.0	•	ı	1	•	146,714	2,498,000	2,822,000
Iso CC	59,852	1,555,000	1,704,000	100.0	,	ı	ı	•	59,85 <b>2</b>	1,555,000	1,704,000
TC CC	72,898	1,115,000	1,115,000	100.0	•	,	•	•	72,898	1,115,000	1,115,000
Roc CC	114,186	2,099,000	2,414,000	100.0	•	,	ı		114,186	2,099,000	2,414,000
San CC	101,475	1,566,000	1,740,000	7.96	5,345	52,000	000,09	3,3	106,820	1,518,000	1,800,000
S/E CC	77,323	1,289,000	1,417,000	100.0	,	•	ı	•	77,323	1,289,000	1,417,000
Sur CC	67,901	1,335,000	1,401,000	100.0	1	•	ı	•	67,901	1,335,000	1,401,000
Way CC	59,186	620,000	781,000	100.0	•	,	ı	1	59,186	620,000	781,000
WP CC	69,283	1,369,000	1,522,000	106.0	•	ı	,		69,283	1,369,000	1,522,000

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

23,040,000

17,988,000

1,141,947

0.3

000,09

52,000

5,345

7.66

22,980,000

17,936,000

1,136,602

TOTAL

100.0



### Estimated Replacement Value of Buildings and Gross Square Feet By Residential and Non-Residential Categories Fall 1968

Table A-3 (Cont'd)

MOTHITHINGM		NON-RESI	DENTIAL		:	RESIDEN	NTIAL		T	ОТАГ	
NOTIO TITON	Gross Sq. Ft.	Actual Capital Investment	Estimated Replacement Value	%	Gross Sq. Ft.	Actual Capital Investment Re	l Estimated Replacement Value %	Gross Sq. Ft.	Actual Capital Investment	Estimated Replacement Value	84
Technical Institutes:											
Ans TI A-B TI	16,692 96,481	116,000	167,000 1,739,000	100.0	1 1		1 1	16,692 96,481	116,000 1,233,000	167,000	100.0
Bea TI Bla TI	26,005 <b>20,</b> 377	42,000	404,000 198,000	100.0		<b>1 1</b>	1 1	26,005 <b>20,</b> 377	42,000	404,000 198,000	100.0
Cal TI CF TI	58,585 52,864	1,399,000 965,000	1,414,000 1,798,000	100.0			1 1	58,585 52,864	1,399,000	1,414,000 1,798,000	100,0
Car II CV II	1 <b>4</b> ,977 69,907	1,021,000	230,000 1,304,000	100.0	1 1	1 1		14,977 69,907	1,021,000	230,000 1,304,000	100.0
CC TI Cle TI	61,039 18,732	575,000	819,000 126,000	100.0		1 1		61,039 18,732	575,000	819,000 126,000	100.0
Cra II Dur II	21,116 46,822	501,000	379,000 696,000	100.0		1 1		21,116	501,000	379,000 696,000	100.0
Edg TI Fay TI	17,209 71,248	117,000 961,000	327,000 1,362,000	100.0		1 1	1 1	17,209 71,248	117,000 961,000	327,000 1,362,000	100.0
For TI Gui TI	78,626 108,787	1,063,000 898,000	1,277,000 1,584,000	100.0			1 1	78,626 108,787	1,063,000 898,000	1,277,000 1,584,000	100.0
Hal TI Hay TI	23,780 20,576	000,09	248,000 333,000	100.0			1 1	23,780 20,576	900,009	248,000 333,000	100.0
JS I Mar TI	25,10 <del>4</del> 26,075	266,000 14,000	346,000 196,000	100.0			1 1	25,104 26,075	266,000 14,000	346,000 196,000	100.0
McD TI Mon TI	13,780 9,807	88,000	176,000 98,000	100.0		1 1	1 1	13,780 9,807	000,88	176,000	100.0
Nas TI Ons TI	30,000 44,552	285,000 50,000	350,000 1,113,000	100.0		1 1	1 1	30,000 44,552	285,000	350,000 1,113,000	100.0
Pam II Pit II	11,110 33,441	6,000 450,000	<b>84,</b> 000 668, 000	100.0		Li	, ,	11,110 33,441	6,000	84,000	100.0
Ran TI Ric TI	44,363 54,684	619,000 700,000	809,000 914,000	100.0		1 1	1 1	44,363 54,684	619,000	809,000	100.0
Roa TI Rob TI	12,458 33,651		88,000 575,000	100.0			1 1	12,458 33,651	, ,	88,000	100.0
Row TI Sam TI	47,517 27,451	525,000 11,000	838,000 335,000	100.0		, ,	, ,	47,517 27,451	525,000 11,000	838,000	100.0
S/W TI TI of A	18,900 60,562	90,000 692,000	195,000 905,000	100.0	, ,	1 1	1 1	18,900 60,562	90,000	195,000	130.0
Tri TI WC II	19,384 51,843	99,000 489,630	189,000 848,000	100.0		1 1	, ,	19,384 51,843	99,000	189,000	100.0
WWH TI	72,628	623,000	1,120,000	100.0	ı	ı		72,628	623,000	1,120,000	100.0
I & II C	1 461 133	13 058 000	24 252 000	9		•					



Age Of Buildings, Reported By Gross Square Feet Per Age Classification. (Includes All Space, Owned And Not Owned) Fall 1968

Table A-4

%		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
% Total %		208,498	75,450	83,836	146,714	59,852	72,898	114,186	106,820	77,323	67,901	59,186	69,283
%		37.6	29.1	100.0	0.66	100.0	100.0	100.0	100.0	100.0	100.0	72.7	100.0
9 Years Or Less		78,286	21,916	83,836	145,314	59,852	72,898	114,186	106,820	77,323	67,901	43,006	69,283
6 6 CO		9.1	•	ı	1.0	ı	ı	ı	ı	ı	•	27.3	1
9-19 Years		19,038	•	ı	1,400	ı	ı	ı	ı	ı	ı	16,180	•
%		•	32.9	•	•	•	•	,	•	,	,	,	•
20-29 Years		4	24,841	ı	•	ı	ı	•	•	ı	ı	ı	•
84		49.2	28.1	•	•	•	•	•	•	•	1	1	•
30-68 Years		102,555	21,223	ı	ı	ı	ı	ı	ı	ı	•	ı	•
%		ı	1	•	•			•	1	ı	ı	ı	•
69 Years And Older		ı	1	•	. 1	1	•	,	ı	ı	ı	ı	•
84		4.1	6.6	•	•	•	•	•	ı	t	ı		
Unknown		8,619	7,470	ı	•	•	ı	ı	ı	ı	ı	•	1
INSTITUTION	Colleges:	CP CC	C of A	DC CC	Gas C	Iso CC	TC CC	Roc CC	San CC	S/E CC	Sur CC	Way CC	WP CC

100.0

1,141,947

940,621

36,618

24,841

10.8

123,778

16,089

Age Of Buildings. Reported By Gross Saugr

Per Age Classification. (Includes All Space, Owned	And Not Owned)	Fall 1968	
	Table A-4 (Cont'd)		

<b>8</b> 4		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	.100.0
Total		16,692	26,005	58,585 58,585 52,864	14,977	61,039	21,116	17,209 71,248	78,626 108,787	23,780 20,576	25,104 26,075	13,780	30,000 44,552	11,110 33,441	44,363 54,684	12,458 33,651	47,517 27,451	18,900 60,562	19,384 51,843	72,628	1,461,133
₽		100.0	· "	100.0	100.0	91.1	100.0	100.0	100.0	23.8	100.0	1 1	13.5	100.0	100.0	24.9	100.0 37.8	100.0 50.3	44.7	81.0	65.8
9 Years Or Less		16,692	ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο	58,585 48,164	206,69	55,610	46,822	71,248	78,626 52,938	4,900	25,104 5,075	1 1	6,003	33,441	44,363 42,628	8,380	47,517 10,369	18,900 30,475	8,665 25,923	58,833	961,544
8		' '	11.9	, ,		f I		1 1	13.8	100.0	34.5	100.0	100.0 86.5		t i	23.6	. 12.6	- 49.7	50.0	ı	13.5
9-19 Years			3,085	1 1				1 1	15,050	23,780	000*6	- 6	30,000 38,549		1 1	7,955	3,450	30,087	25,920	•	196,683
<b>3</b> %			5.7	4.4			1 1			, ,			<b>f</b> 1	• 1	• 1	3.8	49.6	1 1	55.3	ı	2.0
20-29 Years		1 1	1,496	2,300	1 1		1 1	1 1	1 1		1 1	1 1	1 1	1 1		1,270	13,632		10,719	ı	29,417
₽¢.			82.4	1 1	1 1	6.8	1 1	100.0	37.5	76.2	46.0	1 1	1 1	1 1'	1 1	41.7	1 1	1 1	1 1	1	8.7
30-68 Years		1 1	21,424			5,429	1 1	17,209	40,799	15,676	12,000	1 1	1 1	1 1	1 1	14,020	1 1	1 1		ı	126,557
Pe				1 1	1 1		1.1		1 1	1 1	1 1		1 (	t 1	1 1	1 1	1 1	1 1	1 1	ŧ	ı
69 Years And Older		1 1	1 1		1 1		1 4	1 1	1 1	1 1		1 1		1 1	1 1	1 1	1 1	1 1	1 1	•	
R		5,1	_ 96.1	- <del>4</del> .5	100.0	100.0	100.0	1 1	1 1			100.0	1 1	100.0	22.0	100.0			1 1	19.0	10.0
Unknown		4,905	19,577	2,400	14,977	18,732	21,116	1 1	1 1		1 1	13,780	1 1	11,110	12,056	12,458 2,026	1 1	1 1	1 1	13,795	146,932
INSTITUTION	Technical Institutes:	Ans TI A-B TI	Bea TI Bla TI	Cal TI CF TI	Car II CV II	CC TI Cle TI	Cra II Dur II	Edg TI Fay TI	For II Gui II	Hal TI Hay TI	JS I Mar TI	McD TI Mon TI	Nas II Ons II	Pam TI Pit TI	Ran TI Ric TI	Roa II Rob II	, Row TI Sam TI	S/W TI TI of A	Tri TI WC TI	WWH II	TOTAL



Condition Of Buildings As Reported By Institution (Includes All Space, Owned And Not Owned)

Fall 1968

A-5	
Table	

			•	r all 1900				
	Satisfactory	:tory	Needs Rehabil	Needs Major Rehabilitation	Should Be Razed	. B	Total	1
INSTITUTION	Gross Sq. Ft.	ક્ષ્	Gross Sq. Ft.	%	Gross Sq. Ft.	8	Gross Sq Ft.	%
Community Colleges:								
25 GP	180,841	6.78	27,657	13.3	,	,	208,498	100.0
C of A	51,239	6.79	2,988	4.0	21,223	28.1	75,450	100.0
DC CC	83,836	100.0	,	ı	ı	ı	83,836	100.0
Gas C	145,314	0.66	1	ı	1,400	1.0	146,714	100.0
Iso CC	59,852	100.0	1	ı	ı	•	59,852	100.0
TC CC	72,898	100.0	,	ı	ı	ı	72,898	100.0
Roc CC	114,186	100.0	1	ı	ı	•	114,186	100.0
San CC	106,820	100.0	ı	,	ı	,	106,820	100.0
S/E CC	77,323	100.0	ı	ı	ı	,	77,323	100.0
Sur CC	67,901	100.0	•	ı	,	•	67,901	100.0
Way CC	59,186	100.0	ı	ı	,	,	59,186	100.0

100.0

1,141,947

2.0

22,623

2.7

30,645

95.3

1,088,679

100.0

69,283

WP CC

100.0

69,283



ERIC

Full Test Provided by ERIC

(Cont'd)

Table A-5

1968
Fall 1
, ,

a.1	%		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Total	Gross Sq. Ft.		16,692 96,481	26,005 20,377	58,585 52,864	14,977 69,907	61,039 18,732	21,116 46,822	17,209 71,248	78,626 108,787	23,780 20,576	25,10 <del>4</del> 26,075	13,780 9,807	30,000 <del>44</del> ,552	11,110 33,441	44,363 54,684	12,458 33,651	47,517 27,451	18,900 60,562	19,384 51,843	72,628	1,461,133
hould Be Razed	<i>%</i>		25.4 5.1	88.1 47.3	4.5	91.5			1 1	37.5	5.9	46.0	44.3	1 1			52.1 65.3	78.4	1 (	1 1	•	11.5
Should Be Razed	Gross Sq. Ft.		4,237 4,905	22,920 9,632	2,400	13,702	1 1		1.1	40,799	1,400	12,000	6,110	1.1		Li	6,492 21,975	21,522			,	168,094
Major tation	%		34.8	19.0		1.1	8.9	100.0		1 1	94.1	34.5		33.9	1 1		1 1	11.8	1 1	1 1	ı	5.9
Needs Major Rehabilitation	Gross Sq. Ft.		5,808	3,885	1 1	1 1	5,429	21,116	1.1		22,380	000,6	1.1	15,095	1.1	T i	1.1	3,240	1.1	1.1		85,953
ory	<i>%</i>		39.8 94.9	11.9	100.0 95.5	8.5 100.0	91.1 100.0	100.0	100.0	100.0 62.5	100.0	100.0 19.5	55.7 100.0	100.0 66.1	100.0	100.0 100.0	47.9 34.7	100.0	100.0	100.0	100.0	82.6
Satisfactory	Gross 3q. Ft.		6,647 91,576	3,085 6,860	58,585 50,464	1,275 69,907	55,610 18,732	46,822	17,209 71,248	78,626 67,988	20,576	25,104 . 5,075	7,670 7,807	30,000 29,457	11,110 33,441	44,363 54,684	5,966 11,676	47,517 2,689	18,900 60,562	19,384 51,843	72,628	1,207,086
	INSTITUTION	Technical Institutes:	Ans TI A-B TI	Bea TI Bla TI	Cal TI CF TI	Car TI CV TI	CC TI Cle TI	Gra TI Dur TI	Edg TI Fay TI	For TI Gui TI	Hal TI Hay TI	, JS I Mar TI	McD TI Mon TI	Nas TI Ons TI	Pam TI Pit TI	Ran II Ric II	Roa TI Rob TI	Row TI Sam TI	S/W TI TI of A	Tri TI WC TI	WWH TI	TOTAL

### Projection For Demolition Of Buildings

Table A-6

GRC	SS SQUARE DUE	FEET TO		ISHED	
INSTITUTION	1968-1969	1970-1971	1972-1973	1974-1975	1976
Community				_	
Colleges:					
CP CC	-	-	-	-	-
C of A DC CC	-	-	-	-	-
Gas C	-	-	1,400	-	-
Iso C	-	-	-	-	-
LC CC	-	-	-	-	-
Roc CC	-	_	-	-	-
San CC	-	-	-	_	-
S/E CC	-	-	-	-	-
Sur CC	-	-	-	-	-
Way CC	-	-	~	-	-
WPCC	-	-	-		-
TOTAL		-	1,400	-	-
Technical Institutes:					
Ans TI	4,237	_	_	_	_
A-B TI	-	4,905	-	-	-
Bea TI	-	-	-	-	-
Bla TI	-	-	-	-	-
Cal TI	-	-	-	-	-
CF TI	-	-	-	-	-
Car TI	-	-	-	-	-
CV TI	-	-	-	-	-
CC TI	-	-	-	-	-
Cle TI	-	-	-	-	-



### Projection For Demolition Of Buildings (continued)

Table A-6

INSTITUTION	GRC	SS SQUARI	E FEET T		DLISHED	
Dur TI	INSTITUTION				1974-1975	1976
Dur TI		-				
Edg TI       -       -       -       -         Fay TI       -       -       -       -         For TI       -       -       -       -       -         Gui TI       -	Cra TI	-	-	-	-	-
Fay TI	Dur TI	-	-	1,800	-	-
For TI Gui TI Gui TI - Gui TI	Edg TI	-	-	-	-	-
For TI Gui TI Gui TI - Gui TI	Fay TI	-	_	-	_	-
Hal TI	For TI	-	-	-	-	-
Hay TI JS I 2,604	Gui TI	-	-	-	40,799	-
Mar TI	Hal TI		-	-	-	-
Mar TI       -       -       -         McD TI       -       -       -         Mon TI       -       -       -         Nas TI       -       -       -         Ons TI       -       -       -         Pam TI       -       -       -         Pit Tİ       -       -       -         Ran TI       -       -       -         Ric TI       -       -       -         Rob TI       -       -       -         Row TI       -       -       -         Sam TI       -       -       -         Tri TI       1,388       -       -         WC TI       -       -       -	Hay TI	-	-	-	-	-
McD TI       -       -       -       -         Mon TI       -       -       -       -         Nas TI       -       -       -       -         Ons TI       -       -       -       -         Pam TI       -       -       -       -         Pit Tİ       -       -       -       -         Ran TI       -       -       -       -         Ric TI       -       -       -       -         Rob TI       -       -       -       -         Row TI       -       -       -       -         Sam TI       -       -       -       -         TI of A       -       -       -       -         Tri TI       1,388       -       -       -         WC TI       -       -       -       -	JS I	2,604	-	-	-	-
Mon TI       -       -       -       -         Nas TI       -       -       -       -         Ons TI       -       -       -       -         Pam TI       -       -       -       -         Pit TI       -       -       -       -         Ran TI       -       -       -       -         Ric TI       -       -       -       -         Rob TI       -       -       -       -         Row TI       -       -       -       -         Sam TI       -       -       -       -         TI of A       -       -       -       -         Tri TI       1,388       -       -       -       -         WC TI       -       -       -       -       -       -	Mar TI	-	-	-	_	-
Nas TI	McDTI	-	-	-	-	-
Ons TI	Mon TI	-	-	-	-	-
Pam TI       -       -       -         Pit Tİ       -       -       -         Ran TI       -       -       -         Ric TI       -       -       -         Roa TI       -       -       -         Rob TI       -       -       -         Row TI       -       -       -         Sam TI       -       -       -         S/W TI       -       -       -         Tri TI       1,388       -       -       -         WC TI       -       -       -       -	Nas TI	-	-	-	-	_
Pit TI	Ons TI	-	-	-	-	-
Ran TI	Pam TI	-	-	-	-	-
Ric TI 7,902 - Rob TI	Pit Tİ	-	-	-	-	
Roa TI 7,902 - Rob TI Row TI Sam TI S/W TI TI of A WC TI	Ran TI	-	-	-	-	-
Rob TI	Ric TI	-	-		-	-
Row TI       -       -       -         Sam TI       -       -       -         S/W TI       -       -       -         TI of A       -       -       -         Tri TI       1,388       -       -       -         WC TI       -       -       -       -	Roa TI	-	-	7,902	-	_
Sam TI S/W TI	Rob TI	-	-	-	-	-
S/W TI	Row TI	-	-	-	-	-
Tri TI 1,388	Sam TI	-	-	-	-	-
Tri TI 1,388 WC TI	S/W TI	-	-	-	-	-
WC TI		-	-	-	-	-
WC TI	Tri TI	1,388	_	-	-	-
WWH TI		-	-	-	-	-
	WWH TI	-	-	-	-	-
TOTAL 8,229 4,905 9,702 40,799	TOTAL	8,229	4,905	9,702	40,799	-



Source Of Funds For Building Construction\*
For Buildings Initially Occupied After June 30, 1964

(By Specific Source Category)

Fall 1968

Total 24 23

	22		•	•	ı	•	•		t	•	1	•	•	•	
	2 1		1	•	,	•	ı	1	•	•	•	1	ı	ı	
	2 0		•	•	•	1	ı	•	•	,	•	ı	,	ı	
	19		•	•	•		•	ŧ	•		1	ı	•	,	
	18		•	•		1					,		1		
	17		•		1	ı	1	ı		ı	ı				
	16		•			1	•	1				1	•		
*	15		•		•	1	•	1	•	ſ			•		
o d * *	4.		1		,		•	•			•	ı	•	ı	
ς C	13		ı		•	r	•	•	ı	•	1		1	ı	
е О Н	12		837	•	•	•		1		,	•	•	•	469	
C a t	11													4,	
o U			ı	ı	."	į	,	•	r	ı	ı	,	•	•	
р Н	10		,	•	•	•	1	•	ı	•	•	•	ı	,	
i c S	60		1	•	•	•	1	1	•	44	•	•	ı	1	
e c i f	8 0		1	1	ı	•	•	•	•	1		•	•	ı	
Ω Gʻ	20		•	1	1	•	1	•	•	•	•	•	160	•	
	90		1			ı	1	1							
	0.5		1		ı	ı		ŧ	ı	,			,		
	0 4 0													•	
			,	1	'	. 1	'	•	'	'	•	1	'	•	
	0 3		729	•	407	1,066	490	298	838	969	515	438	1	520	
	0.5		•	12	28	554	536	128	761	649	387	439	110	•	
	0.1		255	235	500	878	529	424	200	294	387	458	143	380	
7															
NOLTHEITSME		Community	CP CC	C of A	DC CC	Gas C	Iso CC	TC CC	Roc CC	San CC	S/E CC	Sur CC	Way CC	WP CC	
FSXI		- CO													
							92								
							- <del>-</del>								

247

1,821

2,498

1,555

850

2,099

1,618

1,289

1,335

413

1,369

16,059

1,306

42

160

5,897

3,634



Table A-7

Source Of Funds For Building Construction\* For Buildings Initially Occupied After June 30, 1964

ERIC Provided by ERIC

(By Specific Source Category) Fall 1968 Table A-7 (Cont'd)

Total		921		1,399	- 621	312	- 21	117 556	342 635	09	266	88	285	6 450	249 700		525 11
2 4		- 268	1 1	220	1 1	1 1	• 1	1 1	152 4	1 1	٠,	1 1		1 1	1 1	1 1	1 1
2.3		, ,			, ,	1 1	1 1	1 1	1 1		1 1			1 1			1 1
2.2		1 1	1 1	1 1	1 1	1 1	1 1				1.1			1 1		1 1	1 1
2.1		1 1			, ,			1 1	1 1	1 1		1 4	1 1	1 1			1 1
2.0	İ	1 1					1 4	1 1	1 4	1 1	1 1				1 1	1 1	
19		1 1	1 1	1 1		1 1	1 1	1 4	1 1		1 1	1 1	1 1	1 1			1 4
18			1 1	1 1		, ,	, ,		1 1	1 1	1 1	1 1	1 1	1 1	35		1 1
17		1 1			1 1			1 1		1 1					1 1	1 1	
16	i	1 1	1 1	1 1	1 1	1 1							1 1				
e *		1 1		1 1		. ,	ē 1	1 1	1 1					1 1			1 1
C o d		1 1		1 1	1 4		1 1	1 1		1 1		, ,					, ,
0 r y 13		1 1	1 1	, ,	1 1	1 1	1 1		1 1	, ,				1 1			1 (
a te g 12		1 1	1 1		1 1	- 50	1 1	- 147		. ,		1 1	1 1		10	1 1	1 1
e C																	
urc 0 1																	
c S o								1 1									
c i f i 09		1 1	<b>i</b> 1	1 1		1 1			1 1	1 1	1 1		285	6 450		• •	1 1
S p e 08		1 1	1 1	1. 1		190					, ,	1 1	1 1	1 1	1 1		1 1
,		1 1	1 1	264		1 1	ì	64 240	95 95	1 1	1 1	1 1	1 1	1 4		1 1	1 1
90			1 1			1 1					1 1	1 1					1 1
0.5			1 1	1 1	1 1	1 1	1 1	1 1		1 1	1 1		1 1	1 1			1 1
0.4			1 1	1 1	1 1	1 1	1 1				1 1					1 1	1 1
03			1 1		1 1	1 1	1 1	• •	1 1	1 1	1 1				1 1	1 1	
0.2		209	1 1	635 372	358	69	21	53	<b>-</b> 441	. 09	265 13	1 1	50		ro i	1 1	462 11
70		- 144	1 1	500 373	263	m ,	1 1	- 94	95 95	1 1	, ,	. 88		1 1	244 355		63
					•							ш.		н			
NOITUTITSNI	Technical Institutes:	Ans TI A-B TI	Bea TI Bla TI	Cal TI CF TI	Car II CV II	CC TI Cle TI	Cra II Dur II	Edg TI Fay TI	For TI Gui TI	Hal TI Hay TI	JS I Mar TI	McD TI Mon TI	Nas TI Ons TI	Pam TI Pit TI	Ran TI Ric TI	Roa TI Rob TI	Row TI Sam TI

\*In thousands of dollars \*\*See Appendix C, p. 149

9,391

946

35

507

809

190

950

3,288

TOTAL

90 12 60 95

> -190 58

S/W TI TI of A Tri TI WC TI

90 202 99

123

For Buildings Initially Occupied After June 30, 1964 Source Of Funds For Building Construction

(By General Source Category) Fall 1968

Table A-8

	Total	(01-24)	₽<
		)	Dollars
	Other	(17-24)	85
	Õ	(17	Dollars
	Bonds	(9	8
	Revenue Bonds	(15-16)	Dollars
	ion		85
	Gen. Obligation	10-14)	Dollars
	Levy		%
	Direct Tax Levy	(08-06)	Dollars
	<b>;</b>		ж
	Federal Govt.	(03-07)	Dollars
,	ovt.		%
9	State and Local Govt.	Appropriations (01-02)	Dollars
	NOILLITITIES		

al 24)	₽¢		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Total (01-24)	Dollars		1,821,000	247,000	965,000	2,498,000	1,555,000	850,000	2,099,000	1,618,000	1,289,000	1,335,000	413,000	1,369,000
Other (17-24)	%		ı	ı	1	ı	ſ	i	ı	1	ı	•	,	ı
	Dollars		ı	ţ	•	•	ı	ı	ı	•	ı	1	1	ı
Revenue Bonds (15-16)	%		ı	•	ı	•	1	1	ı	•	ı	ı	1	1
Revenu	Dollars		ı	í	ı	•	1	1	i	ı	ı	1	•	•
Gen. Obligation Bonds (10-14)	%		46.0	ı	•	•	•	•	•	1	•	ı	•	34.2
Gen. O Bc (10	Dollars		837,000	1	•	ı	ı	•	•	1	·	1	ı	469,000
ax Levy 19)	%		ı	t	1	1	1	1	1	4.9	ſ	ı	ſ	ı
Direct Tax Levy (08-09)	Dollars		ı	ı	•	•	1	•	•	79,000	•	•	•	•
Federal Govt. Grants (03-07)	Ж		40.0	1	42.2	42.7	31.5	35.1	39.9	36.8	40.0	32.8	38.7	38.0
Federi Gr:	Dollars		729,000	ı	407,000	1,066,000	490,000	298,000	838,000	296,000	515,000	438,000	160,000	520,000
State and Local Govt. Appropriations (01-02)	η,		14.0	100.0	57.8	57.3	68.5	64.9	60.1	58.3	0.09	67.2	61.3	27.8
State and I Appropr (01-	Dollars		255,000	247,000	558,000	1,432,000	1,065,000	552,000	1,261,000	943,000	774,000	897,000	253,000	380,000
INSTITUTION		Community Colleges:	CP CC	C of A	DC CC	Gas C	Iso CC	TC CC	Roc CC	San CC	S/E CC	Sur CC	Way CC	WP CC

16,059,000

1,306,000

79,000

6,057,000

8,617,000

## Source Of Funds For Building Construction For Buildings Initially Occupied After June 30, 1964 (By General Source Category) Fall 1968

Table A-8 (Cont'd)

Total (01-24)	, y		100.0		106.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	160.0	100.0		100.0	100.0	100.0	100.0	100.0
T. (0)	Dollars		921,000		1,399,000 965,000	621,000	312,000	21,000	117,000 556,000	34 <b>2</b> ,000 635,000	60,000	266,000 13,000	88,000	285,000 50,000	6,000 450,000	249,000 700,000	1 1	525,000 11,000	90,000 202,000	99,000	123,000	9,391,000
	%		61.7		22.8			1 1		44.4 0.6	, ,	4.0			1 1	5.0					5.6	10.5
Other (17-24)	Dollars		568,000		220,000		1 1	1 1	1 1	152,000 4,000	1 1	1,000			1 1	35,000		1 1	1 1	1 1	7,000	987,000
Bonds	%					, ,				1 1	1 1								1 1	1 1	•	ı
Revenue Bonds	Dollars		1 1			1 1	1 1	<i>i</i> 1								1 1	1 1				•	•
ıtion	%		1 1				16.0		26.4					1 1	1 1	44.3		1 1			•	5.4
Gen. Obligation Bonds (10-14)	Dollars		1 1				50,000	1 1	147,000						1 1	310,000	1 1	1 1			•	507,000
k Levy	<i>%</i>		, ,	1 1		1 1	6.09		12.2	1 1	1 1			100.0	100.¢ 100.0	1 1					r	10.6
Direct Tax Levy	Dollars		1 1				190,000		000'89			1 1		285,000	6,000 450,000						•	966,000
vt.	%		1 1	1 1	18.9	1 1			54.7	27.8 15.0		1 1		• •				1 1	47.0	39.4	47.2	10.1
Federal Govt. Grants (03-07)	Dollars		1 1	1 1	264,000	1 1		1 1	64,600 240,000	95,000 95,000	1 1		1 1				• •		000,36	39,000	58,000	950,000
l Govt. ons	%		38.3	1 1	81.1	100.0	23.1	100.0	45.3 18.2	27.8 84.4	100.0	99.6	100.0	100.0	1 1	100.0	1 1	100.0	100.0 53.6	60.6 100.0	47.2	63.4
State and Local Govt. Appropriations (01-02)	Dollars		353,000	1 1	1,135,000 745,000	621,000	72,000	21,000	53,000 101,000	95,000 536,000	60,000	265,000 13,000	88,000	50,000		249,000 355,000		525,000 11,000	90,000 107,000	60,000 285,000	58,000	5,948,000
INSTITUTION		Technical Institutes:	Ans TI A-B TI	Bea TI Bla TI	Cal TI CF TI	Car TI CV TI	CC TI Cle TI	Gra TI Dur TI	Edg TI Fay TI	For TI Gui TI	Hal TI Hay TI	JS I Mar TI	McD TI Mon TI	Nas TI Ons TI	Pam TI Pit TI	Ran TI Ric TI	Roa TI Rob TI	Row TI Sam TI	S/W TI TI of A	Tri TI WC TI	WWH II	TOTAL



Gross Square Footage Of Buildings Classified By Percent Of Air Conditioning Fall 1968

Table A-9

ERIC Full Text Provided by ERIC

4.21   2.3           2.3   3.4           Cross 85, 75, 8         Cross 85, 75, 75, 8         Cross 85, 75, 8         Cross 85, 75, 75, 8         Cross 85, 75, 75, 8         Cross 85, 75, 75, 75, 75, 75, 75, 75, 75, 75, 7	INSTITUTION	Bldgs. With 0% Air Cond.	<u>.</u> تهر	Bldgs. With 1-9% Air Cond.		Bldgs. With 10-24% Air Cond.	ı nd.	Bldgs. With 25-49% Air Cond.	h and.	Bldgs. With 50-74% Air Cond.	th ond.	Bldgs. With 75-100% Air Cond.	ı ond.	Total	
2.423         2.6         5.443         4.0         5.443         4.0         5.6443         4.0         5.6463         9.1         7.1         15.466         9.1         7.1         15.466         9.1         7.1         15.466         9.1         7.1         15.466         9.1         7.1         15.466         9.1         7.1         15.466         9.1         7.1         15.466         9.1         7.1         15.466         9.1		Gross Sq. Ft.	<i>%</i>	Gross Sq. Ft.	%	Gross Sq. Ft.	<i>%</i>	Gross Sq. Ft.	%	Gross Sq. Ft.		Gross Sq. Ft.	%	Gross Sq. Ft.	%
4,219 27.3 24,841 32.9 15.15.19 20.4 6,453 4.0 5.15.19 20.4 6,484 9.1 13,194 20.4 15.195 2	Community Colleges:														
2.6.17.         2.10         2.10         2.10         4.0														<u>.</u>	
28,521         37,6         24,641         32,96         15,196         20.1         6,892         9,1         7         75,456         15,496         15,496         15,496         15,496         15,496         15,496         15,496         16,197         15,456         16,171         15,456         16,174         15,456         16,174         15,456         16,714         15,456         16,714         15,456         16,714         15,456         16,714         15,456         16,714         15,456         16,714         15,456         16,714         15,456         16,714         15,456         16,714         15,456         16,714         15,456         16,714         <	CP CC		2.0	,	•	•	ı	8,413	4.0	•	•	195,866	94.0	208,498	100.0
3,542         2,4         1,400         1,0         2         31,982         38,11         2         41,772         61,9         61,9         83,845           5,844         9,8         1,0         1<	C of A	28,521	37.8	24,841	32.9	ı	,	15,196	20.5	6,892	9.1	•	ı	75,450	100.0
3.542         2.4         1,400         1,0         -         -         -         -         146,712         96.6         146,714           5.844         9.8         5,844         9.8         -         -         -         -         -         45,164         96.6         146,714           10,480         9.8         5,844         9.8         -         -         -         -         45,898         100.0         72,892           10,480         9.8         -         -         -         -         -         -         -         -         59,822           10,480         9.8         9.8         - </td <td>DC CC</td> <td>•</td> <td>ı</td> <td>•</td> <td></td> <td>•</td> <td>ı</td> <td>31,982</td> <td>38.1</td> <td>• .</td> <td>ı</td> <td>51,854</td> <td>61.9</td> <td>83,836</td> <td>100</td>	DC CC	•	ı	•		•	ı	31,982	38.1	• .	ı	51,854	61.9	83,836	100
5,844         9.8         5,844         9.8         -         -         -         -         49,164         80,4         39,822           -         -         -         -         -         -         -         -         -         49,164         80,4         99,82           -         -         -         -         -         -         -         -         72,898         100,0         72,898         100,0         72,898         114,186           10,480         9.8         -         -         -         -         -         96,340         90,2         114,186           45,883         56.8         -         -         -         -         -         96,340         90,2         106,820           10,557         15.5         -         -         -         -         -         96,340         90,2         106,820           10,554         15.5         -         -         -         -         -         -         95,340         93,2         17,323           10,554         21.3         -         -         -         -         -         -         -         -         -         -         -         -	Gas C	3,542	2.4	1,400	1.0	•	1		ı	•	ŧ	141,772	9.96	146,714	100.0
72,898         100.0         72,898           10,480         9.8           27,109         23.7         87,077         76.3         114,186           43,683         56.8              96,340         90.2         106,820           43,683         56.8              96,340         90.2         106,820           10,557         15.5               96,340         90.2         106,820           12,594         15.5              57,344         84.5         67,901           1,485         2.13 </td <td>Iso CC</td> <td>5,844</td> <td>8.6</td> <td>5,844</td> <td>8.6</td> <td>•</td> <td>1</td> <td>•</td> <td>ı</td> <td>ı</td> <td>ı</td> <td>48,164</td> <td>80.4</td> <td>278<sup>'</sup>65</td> <td>100.0</td>	Iso CC	5,844	8.6	5,844	8.6	•	1	•	ı	ı	ı	48,164	80.4	278 <sup>'</sup> 65	100.0
10,480         9.8         -<	TC CC	•	ı	ı	•	•	1	ř	ı	,	•	72,898	100.0	72,898	100.0
10,480         9.8         -         -         -         -         96,340         90.2         106,826           43,883         56.8         -         -         -         -         -         -         96,340         90.2         106,826           10,557         15.5         -         -         -         -         -         77,323           12,594         21.3         -         -         -         -         -         57,344         84.5         67,901           1,485         2.1         -         -         -         -         -         -         59,186           1,485         2.1         -         -         -         -         -         67,798         97.9         69,283	Roc CC	•	1	•	•	•	•	ı	•	27,109	23.7	87,077	76.3	114,186	100.0
43,883       56.8       -       -       -       -       -       -       -       77,323         10,557       15.5       -       -       -       -       -       -       57,344       84.5       67,901         12,574       21.3       -       -       -       -       -       -       59,186         1,485       2.1       -       -       -       -       -       -       67,798       97.9       69,283	San CC	10,480	8.6	ı	•	•	1	ı	ı	ı	ı	96,340	90.2	106,820	100.0
10,557       15.5       -       -       -       -       -       57,344       84.5       67,901         12,594       21.3       -       -       4,740       8.0       29,180       49.3       12,672       21.4       59,186         1,485       2.1       -       -       -       -       -       69,283	S/E CC	43,883	56.8	ı	ı	•	ı	ı	ı	,	•	33,440	43.2	77,323	100
12,594     21.3     -     -     -     4,740     8.0     29,180     49.3     12,672     21.4     59,186       1,485     2.1     -     -     -     -     -     67,798     97.9     69,283	Sur CC	10,557	15.5	ı	•	,	1	ı	ı	ı	•	57,344	84.5	67,901	100
1,485 2.1 67,798 97.9 69,283	Way CC	12,594	21.3	ı	•	ı	1	4,740	8.0	29,180	49.3	12,672	21.4	59,186	100.
	WP CC	1,485	2.1	•	•	•	•	ı	•		•	861,798	9.79	69,283	100.

100.0

1,141,947

8.52

865,225

63,181

60,331

32,085

10.6

121,125

Gross Square Footage Of Buildings Classified By Percent Of Air Conditioning Fall 1968

Table A-9 (Cont'd)

MOTHER	Bldgs. With	With	Bldgs. With	ith	Bldgs. With	ith	Bldgs. With	th	Bldgs. Wi	th	Bldgs. W	7ith		
	Gross Sq. Ft.		Gross Sq. Ft.	ond.	Gross Sq. Ft.	Cond.	25-49% Air (Gross So. Ft	Cond.	50-74% Air Cond		75-100% Air Cond		Total	
					1 · h	Ì	ng the sent	70	Gross 3q. F.	%	Gross Sq. Ft.	%	Gross Sq. Ft.	<b>1</b> 5
Technical Institutes:														
Ans TI A-B TI	4,237 67,386	25.4 69.8	29,095	30.2	6,647	39.8		, ,		ı	5,808	34.8	16,692	100.0
Bea TI Bla TI	3,325	12.8	1 1		090.9	29.7	18,099	69.6		, ,	4,581	17.6	96, <b>4</b> 81 26,005	100.0
Cal TI CF TI	8,073	15.3						177.1	750,4	47.3	58,585	3.9	<b>20,</b> 377 58, 585	
Car II CV II	9,876	14.1	35,308	50.5			10,494	70.1		' ' '	<b>44,</b> 791 <b>4,48</b> 3 24 722	84.7 29.9	5 <b>2</b> ,864 14,977	100.0
CC II Cle II	8,980 8,148	14.7 43.5					9,408	50.2	5,429	8.9	46,630	76.4	61,039	100.0
Cra II Dur II			45,022	2.96	6,786	32.1	12,474	59.1			1,856 1,800		21,116	100.0
Edg TI Fay TI	5,014	7.0				1 1			51,940	72.9	17,209	100.0	17,209	100.0
For TI Gui TI	21,620 16,490	27.5 15.1	19,390 40,541	24.7	30,298	27.9		٠.	16,128	20.5	21,488	27.3	78,626	100.0
Hal TI Hay TI	15,392	74.8	5,184	25.2	1 1	1 1	1,400	5.9	22,380	94.1			23,780	100.0
JS I Mar TI	2,604 14,075	10.4 54.0			12,000	46.0			, ,	<b>.</b> .	22,500	. 89.6	20,576 25,104	100.0
McD TI Mon TI	6,110	44.3	( )				1	•	7,670	55.7	· 1		26,075 13,780	100.0
Nas TI Ons TI	30,000 44,552	100.0					<b>,</b>		7,807	100.0			9,807	100.0
Pam TI Pit TI	3,284	29.6					5,266	47.4	1,034	9.3	1,526	13.7	44,552	100.0
Ran TI Ric II	1,728 3,206	3.9	7,590	13.9					33,000	74.4	9,635	21.7	33,441 44,363	100.0
Roa TI Rob TI	8,270 6,650	66.4 19.8	3,000	. 8.9	10,165	30.2			11.810	 	4,188	33.6	34,084 12,458	100.0
Row TI Sam TI	. 4,234 8,744	8.9 31.8		1 4	069,9	24.4	, ,		10,392	37.9	43,283 1,625	91.1	55,051 47,517	100.0
S/W TI TI of A	18,900	100.0			1 1		<u> </u>	- 27.9			13.367	22.1	18,900	100.0
Tri TI WC TI	16,521 11,10 <b>4</b>	85.2 21.4		, ,	1 1					1 1	2,863	14.8 78.6	19,384	100.0
WWH TI	812	1.1	•	1		ı	•	•	18,017	24.8	53,799	74.1	72,628	100.0
TOTAL	349,335	23.9	185,130	12.7	78,646	4,2	108,221	7.4	230,680	15.8	509,121	34.8	1,461,133	100.0

Gross Square Footage Of Buildings As Classified In National Shelter Survey Fall 1968

Table A-10

 	%		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Total	Gross Sq. Ft.		208,498	75,450	83,836	146,714	59,852	72,898	114,186	106,820	77,323	67,901	59,186	69,283
Fallout Stocked olies	₽.		49.2	53.1	•	,	•	•	ı	,	26.2	•	ı	,
Licensed As Fallout Shelter And Stocked With Supplies	Gross Sq. Ft.		102,555	40,037	1	,	,	•	•	ı	20,285	,	,	•
s Fallout out Not Supplies	ĸ		,	9.1	ı	,	ı	,	•	85.2	,	ı	•	,
Licensed As Fallout Shelter, But Not Stocked With Supplies	Gross Sq. Ft.		•	6,892	ı	ı	ı	ı	•	90,995	,	,	,	,
mal Shelter t Licensed Shelter	%		13.3	37.8	•	100.0	,	30.3	ı	9.8	55.6	100.0	100.0	ı
Included in National Shelter Survey, But Not Licensed As Fallout Shelter	Gross Sq. Ft.		759,72	28,521	•	146,714	•	. 960,22	•	10,480	42,976	67,901	59,186	ı
ed In ielter	%		37.5	•	100.0	•	100.0	2.69	100.0	5.0	18.2	•	•	100.0
Not Included In National Shelter Survey	Gross Sq. Ft.		78;286	•	83,836	•	59,852	50,802	114,186	5,345	14,062	•	•	69,283
INSTITUTION		Community Colleges:	CP CC	C of A	DC CC	Gas C	Iso CC	LG GG	Roc CC	San CC	S/E CC	Sur CC	Way CC	wp ęg

100.0

1,141,947

162,877

9.8

788,76

35.5

405,531

475,652

# Gross Square Footage Of Buildings As Classified In National Shelter Survey Fall 1968

Table A-10 (Cont'd)

INSTITUTION	Not Included In National Shelter Survey	ded in helter 'y	Included In National Shelter Survey, But Not Licensed As Fallout Shelter	l Shelter censed ter	Licensed As Fallout Shelter, But Not Stocked With Supplies	Fallcut t Not hpplies	Licensed As Fallout Sielter And Stocked With Supplies	Fallout Stocked plies	Total	
	Gross Sq. Ft.	%	Gross Sq. Ft.	%	Gross Sq. Ft.	%	Gross Sq. Ft.	%	Gross Sq. Ft.	%
Technical Institutes:										
Ans TI A-B TI	16,69 <b>2</b> 96,481	100.0						1.1	16,692 96,481	100.0
Bea TI Bla TI	008	3.9	26,005 19,577	100.0 96.1		1 1	1 1	1 4	26,005 20,377	100.0
Gal Ti CF TI	58,585 52,213	100.0		1 1	• 651	1.2			58,585 52,864	100.0
Car II CV II			14,977 69,907	100.0		, ,			14,977 69,907	100.0
CC TI Cle TI	11,338	18.6	49,701 18,732	81.4 100.0		1 1	1 1		61,039 18,732	100.0
Cra II Dur II	10,356 1,800	49.0	1,856 45,022	8.8 96.2	8,904	42.2	1 1		21,116 46,822	100.0
Edg TI Fay TI			17,209 71,248	100.0		1 1	1 1		17,209 71,248	100.0
For II Gui II	21,458	19.7	78,62 <b>6</b> 87,329	100.0		1 1	1 1	1 1	78,626 108,787	100.0
Hal TI Hay TI			23,780 20,576	100.0	, ,	1 1	1 1		23,780 20,576	100.0
JS I Mar TI	25,104 5,075	100.0 19.5	21,000	80,5	1 1			1 1	25,10 <b>4</b> 26,075	100.0
McD TI Mon TI	6,110 9,807	44.3 100.0	7,670	55.7				1 1	13,780 9,807	140.0
Nas TI Ons TI	30,000 44,552	100.0		1 1					30,000 44,552	100.0
<b>Pa</b> m II Pit II	11,110	100.0	33,441	100.0		. ,	, ,		11,110 33,441	100.0
Ran TI Ric TI			44,363 54,684	100.0				1 f	44,363 54,584	100.0
Roa TI Rob TI	3,000	. 8	12,458 30,651	100.0 91.1	, ,			f 1	12,458 33,651	100.0
Row TI Sam TI			47,517 27,451	100.0					47,517 27,451	100.0
S/W TI TI of A			18,900 60,562	100.0					. 18,900 60,562	100.0
Tri TI WC TI	6,625 51,843	34.2 100.0	12,759	65.8			, ,		19,384 51,843	100.0
WWH TI	19,555	26.9	53,073	73.1	•	•	•	1	72,628	100.0
TOTAL	482,504	33.0	969,074	66.3	9,555	2.0	ı	,	1,461,133	100.0



#### Net-to-Gross Ratio

Table A-11

Fall 1968

INSTITUTION	Gross Sq. Ft.	Net Assignable Sq. Ft.	Net:Gross %
Community Colleges:			
Colleges.			
CP CC	208,498	115,937	55.6
C of A	75,450	53,014	70.3
DC CC	83,836	57,098	68.1
Gas C	146,714	97,464	66.4
Iso C	59,852	39,090	65.3
LC CC	<b>72,</b> 898	53,986	74.1
Roc CC	114,186	85,068	74.5
San CC	106,820	70,834	66.3
S/E CC	77,323	54,170	70.1
Sur CC	67,901	44,458	65.5
Way CC	59,186	47,502	80.3
WPCC	<b>69,2</b> 83	44,033	63.6
TOTAL	1,141,947	762,654	66.8
Technical Institutes:			
Ans TI	14 402	11 042	<b>7</b> 0.9
Ans II A-B TI	16,692 96,481	11,842 <b>7</b> 0,954	73.5
Bea TI	26,005	15,956	61.4
,	20,000	20,,00	• • • • • • • • • • • • • • • • • • • •
Bla TI	20,377	18,622	91.4
Cal TI	<b>58,</b> 585	44,006	<b>7</b> 5.1
CF TI	52,864	33,224	62.8
Car TI	14,977	14,026	93.7
CV TI	69,907	50,907	72.8
CC TI	61,039	46,252	<b>7</b> 5.8
Cle TI	18,732	14,695	78.4



### Net-to-Gross Ratio (continued)

Table A-11

INSTITUTION	Gross Sq. Ft.	Net Assignable Sq. Ft.	Net:Gross %
Cra TI	21,116	12,658	59.9
Dur TI	46,822	36,369	77.7
Edg TI	17,209	11,242	65.3
Fay TI	71,248	54,743	76.8
For TI	78,626	66,752	84.9
Gui TI	108,787	76,628	70.4
Hal TI	23,780	17,104	71.9
Hay TI	20,576	16,599	80.7
JS I	25,104	19,159	76.3
Mar TI	26,075	20,976	80.4
McD TI	13,780	12,340	89.6
Mon TI	9,807	6,777	69.1
Nas TI	30,000	16,396	5 <b>4.</b> 7
Ons TI	44,552	36,516	82.0
Pam TI	11,110	9,992	89.9
Pit TI	33,441	22,166	66.3
Ran TI	44,363	36,382	82.0
Ric TI	54,684	38,692	70.8
Roa TI	12,458	10,710	86.0
Rob TI	33,651	25,204	74.9
Row TI	47,517	33,551	70.6
Sam TI	27,451	23,044	83.9
S/W TI	18,900	12,236	64.7
TI of A	60,562	41,456	68.5
Tri TI	19,384	15,796	81.5
WC TI	51,843	41,092	79.3
WWH TI	72,628	54,948	75.7
TOTAL	1,461,133	1,090,012	74.6



## Net Assignable Square Feet Classified By Organizational Units Fall 1968

Table A-12

: t	፠		100.0 100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0	100.0 1≎∺.ņ	100.0 100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0 100.0	100.0	100.0
Total Net Assignable Area			7 7	11	77	11	11	11 11	21 21	10	10	100	10	10	10	10	10	01	10	10	10	10
To	NASF		11,842 70,954	15,956 18,622	44,006 33,224	14,026 50,907	46,252 14,695	12,658 36,369	11,242 54,743	66,752 76,628	17,104 16,599	19,159 20,976	12,340 6,777	16,396 36,516	9.992 22,166	36,382 38,692	10,710 25,204	33,551 23,044	12,236 41,456	15,796 41,092	54,948	1,090,012
gned	8%		5.7	t i	2.1	4.1			1 1	1 1	1 1	1 1	1 1	0.4	1 (			, ,	3.0	8.6	6.0	8.
Unassigned	NASF		4,074		714	576		1 1	1 1	, ,	1 1		1 1	162	1 1		1 1	1 1	1,260	1,550	493	8,829
ı- ional	8%		, ,	1 1	F I			1 1	į I	1 1	1 1	; i	1 1	1 1	1 1	0.3					ı	0.1-
Non- Institutional	NASF			1 1					, ,	1 1	1 1			1 1		129					ı	129
	8%		1.4	0.6 5.6	5.5 5.5	10.1	2.8	3.8	6.7	1.1	4.2	8.8	1.9	4.3	2.3	8.4	16.0	4.4	6.1	2.3	5.5	4.7
Auxiliary Services	NASF		161 1,020	94 1,050	2,601 1,824	5,115	1,301 221	486 820	750 3,035	760 4,431	720	1,680 1,500	240 184	1,579	225 666	3,055 2,302	4,032	1,476 2,009	2,532	360 1,851	3,041	51,121
																				7	ю	
Adm. & Services	8%		9.6 13.6	11.6	9.3	12.8	11.8	23.4	8.9	6.2 5.6	57.5	3.2	8.5	15.7	28.6 15.5	9.5	15.9 10.1	6.6	12.5	8.4 13.3	6.6	10.3
Gen.	NASF		1,142 9,623	1,856 1,180	4,1143,382	1,793	5,445 855	2,963 3,541	1,004 4,765	4,135 4,281	9,844 1,231	1,688	1,045	2,584 3,460	2,861 3,429	3,463 4,450	1,698	2,232	1,525 3,252	1,328 5,465	5,422	112,579
ry	88		3.5	4.4	9.5	9.1 3.4	5.1	3.9	11.4 3.6	1.8	13.2	3.4	3.8	11.6	15.5	4.8 8.8	9.7	3.2	6.2	4.0	2.2	4.8
Library	NASF		2,469	701	4,180 1,551	1,270 1,740	1,996 750	495 1,135	1,287	1,205 5,467	2,250 1,440	855 704	465	1,896 1,519	1,548 892	1,735 2,239	1,037 672	964 740	758 2,897	624 1,730	1,193	52,371
vìce	8%			, ,			1 1	1 1		1 1			13.5	1 1		1 1	1.8			1 1	•	0.1
Public Service	NASF		i 1	1 1	1 1		, ,		1 1	1 1			917		, ,	1 1	195		1 1	1 1	•	1,112
ized :rch	%		, ,	, i			1 1					, ,	1 1	1 1			1 1				•	•
Organized Research	NASF		1 1	1 1		i i	1 1	, ,									1 1				ı	i
Organized Activities	%			l f	1 1					1 1		F P	1 1		1 1	1 1				1 1	•	1
Orge	NASF		• •	1 1	1 1	1 1	i 1	ŧ I		1 1		' '	, ,		1 1			1 1		1 1	•	•
on And trch	%		89.0 75.8	83.4	75.3 77.5	74.0 85.0	81.1 87.6	68.9 84.9	73.0	90.9	25.1 83.9	77.9	85.8 58.8	72.7 81.6	53.6 77.5	77.3	72.6	86.1 80.2	81.3	75.5	81.5	79.3
Instruction And Research	NASF		10,539 53,768	13,305 16,392	33,111 25,753	10,387 43,270	37,510 12,869	8,714 30,873	8,201 44,976	60,652 62,449	4,290 13,928	14,936 18,100	10,590 3,984	11,916 29,796	5,358 17,179	28,129 29,572	7,780 17,943	28,879 18,475	9,953 31,515	11,934 32,046	44,799	863,871
INSTITUTION		Technical Institutes:	Ans TI A-B TI	Bea TI Bla TI	Cal TI CF TI	Car II CV II	CC TI Cle TI	Cra II Dur II	Edg TI Fay TI	For II Gui II	Hal TI Hay TI	JS I Mar TI	McD TI Mon TI	Nas TI Ons TI	Pam TI Pit TI	Ran TI Ric TI	Roa TI Rob TI	Row TI Sam TI	S/W TI TI of A	Tri TI WC TI	WWH II	TOTAL

## Net Assignable Square Feet Classified By Organizational Units Fall 1968

Table A-12 (Cont'd)

Total Net ignable Area	ĸ		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Ass	10171		115,937	53,014	860,72	97,464	39,090	53,986	85,068	70,834	54,170	44,458	47,502	44, 033	762,654
Unassigned	٤ ]		ı	•	0.3	0.5	,		•	ı	ı	•	ı	•	0.1
Unassigned			1	•	186	484	ı	•	•	•	•	•	ı	ı	029
n- tional			ı	•	•	1		•	•	•	0.2	,	ı	ı	0.1-
Non- Institutional			ı	•		ı	•	•	ı		96	ı	1	•	96
iary ces %	4		<b>4.</b>	9.6	13.5	0.7	ı	2.3	8.1	16.9	15.9	10.6	3.1	7.0	7.4
Auxiliary Services NASF			5,143	5,111	7,698	710	i	1,222	6,891	11,981	8,597	4,702	1,468	3,104	56,627
n. & vices			11.7	5.9	7.7	11.8	7.8	12.9	14.5	10.8	9.1	7.6	8.8	8.6	10.4
Gen. Adm. & Inst. Services NASF			13,543	3,094	4,417	11,460	3,065	6,954	12,285	7,619	4,919	3,396	4,194	4,299	79,245
ry %			<b>9.</b> 0	6.4	0.6	8.1	16.4	<b>9.</b> 4	17.3	<b>9.4</b>	10.1	10.4	7.5	14.6	10.0
Library			6,943	3,409	5,138	7,921	6,389	5,085	14,703	6,661	5,477	4,609	3,563	6,414	76,312
rvice			•	1	1	ŧ	•	•	0.2	•	•	ı		•	0.1-
Public Service			ı	•	ı	ı	ı		208	•		ı	•	ı	208
Organized Pub Research NASF % NAS			ı	•	•	ı	•	•	•	•	•	•	•	•	
Organized Research NASF %			1	ı	•	•	ı	•	•	•	•	ı	•	ı	1
Organized Activities NASF %	1		•	ı	ı	ı	•	•	•	•	ı	ı	•	ı	•
Organ Activ			•	•	•	•	1	ı	í	•	ı	ı	•	ł	ı
t And th %			77.9	78.1	69.5	78.9	75.8	75.4	59.9	62.9	64.7	71.4	80.6	9:89	72.1
Instruction And Research NASF			90,308	41,400	39,659	76,889	29,636	40,725	50,981	44,573	35,081	31,751	38,277	30,216	549,496
INSTITUTION	Community	Colleges:	CP CC	C of A	DC CC	O se	Iso CC	TC CC	Roc CC	San CC	S/E CC	Sur CC	Way CC	WP CC	TOTAL

# Net Assignable Area By Room Type (Including Residential And Non-Residential) Fall 1968

Table A-13

88		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0 100.0	100.0	100.0	100.0	100.0
Total (100-900)		11,842 70,954	15,956 18,622	44,006 33,224	14,026 50,907	46,252 14,695	12,658 36,369	11,242 54,743	66,752 76,628	17,104 16,599	19,159 20,976	12,340 6,777	16,396 36,516	9,992 22,166	36,382 38,692	10,710 25,204	33,551 23,044	12,236 41,456	15,796 41,092	54,948	1,090,012
rai es Æ		1 1	1 1		1 1	ii	1 1	1 1	1 1	1 1			1 1	1 1	, ,	1 1	1 1	1 1	1 1	•	-
Residential Facilities (900)		, ,		1 1	, ,	• •	, ,		1 1	1 1	1 1	1 1	i i	1 1	1 1	1 1	1 1	1 1		•	ı
<b>5€</b>		1 1	' '	1 1		1 1	, ,	1 1	1 1	1 1		1 1	1 1	1 1	• •	• •				•	1
Med F2		. 1	- 2.	. 5	. 6.	0.	0. 9.	ri ni	4. '	6.		. 4.		.5 .1.	.1			. 0.	2 - 1	0.	- 6
ρο κι R×		0.9 9.1	.0 '	0.5	- 0.9	4,	12. 1.	2.5	1 '	47.	' '	. 2.	• •	17. 2.	3.	• •	' '	2.	6.2	2.	2.9
Supporting Facilities (700)		105 6,450	120	217 576	450	1,854	1,521 581	282 169	957	8,190		162		1,748 464	1,116	1 1		-827	975	1,114	31,356
8		1.4	0.6 5.6	11.3	2.1	2.8	3.8	6.7 5.5	1.1	4.2	8.8	1.9	4.3	3.0	5.9	1.3	<b>4.4</b> 8.3	6.1	2.3	5.5	8.8
General Use Facilities (600)		161 1,020	, 94 1,050	4,995 424	289 <b>4,4</b> 15	1,301	486 820	750 3,035	760 <b>4,</b> 431	720 330	1,680	240 184	1,579	225 666	3,055 2,302	144 4,032	1,476 1,925	2,532	360 1,851	3,041	52,094
% %			, ,	0.4						, ,	• •		2.1		7.0			6.0	0.3	0.2	0.3
Special Use Facilities (500)		1 1		162 1,400							, ,		752	1 (	244	, ,		376	132	80	3,146
8		3.9	8.8	9.3	9.0	5.9 8.9	8.2	11.5	1.7	13.2	6.5	3.8 10.4	11.6	17.3	6.4 8.4	18.1 6.3	5.9 6.5	6.2	6.8 6.6	2.0	6.2
Study Facilities (400)		2,747	1,401 748	4,084 2,209	1,270	2,716 1,310	1,037 1,135	1,287 2,821	1,100 6,073	2,250 1,440	1,250 1,304	465 704	1,896 2,191	1,728 1,755	2,340 3,242	1,944 1,596	1,988 1,490	758 3,025	1,074 2,714	1,113	68,136
8		8.8	10.9	14.5 14.1	10.7	12.6 9.4	17.3	8.9	9.4	9.7	13.1 3.2	9.4	15.7	13.1 14.0	8.9	15.8 13.5	11.4	17.2	8.9	14.8	11.5
Office Facilities (300)		1,037 5,665	1,736	6,379 4,681	1,504 3,116	5,817 1,378	2,181 4,005	1,004 8,268	6,288 10,837	1,654 1,729	2,512 672	1,165 1,743	2,584 4,824	1,304 3,088	3,223 5,256	1,689 3,394	3,815 2,259	2,099 3,450	1,402 4,445	8,150	125,533
%		72.2 65.6	57.0 65.9	45.5 55.7	59.6 51.8	56.0 60.0	44.7 61.5	63.9 54.9	76.6 58.2	11.0 50.3	52.0 66.0	79.1 38.0	49.1 42.5	42.9 60.2	61.4 46.4	44.1 46.5	59.8 58.4	66.9 53.1	54.1 57.1	55.6	56.5
Laboratory Facilities (200)		8,557 46,570	9,092 12,265	20,033 18,498	8,361 26,399	25,901 8,821	5,658 22,355	7,185 30,022	51,124 44,555	1,890 8,350	9,967 13,840	9,760 2,576	8,046 15,5 <b>2</b> 5	4,283 13,350	22,353 17,94I	4,719 11,718	20,056 13,455	8,191 22,009	8,55 <b>2</b> 23,456	30,544	615,977
%		16.7 12.0	22.0 18.2	18.5	18.6	18.7	14.0 20.5	6.5	9.8	14.0 28.6	19.6 17.4	5.8	23.6	7.0	11.1	20.7	18.5	9.7	21.7	19.9	17.8
Classroom Facilities (100)		1,982	3,513 3,379	8,136 5,436	2,602 14,596	8,663 2,965	1,775	734 10,428	6,523 10,732	2,400 4,750	3,750 3,660	710	3,870 11,645	704	4,051 9,373	2,214 4,464	6,216 3,915	1,188	3,433 5,594	10,906	193,770
INSTITUTION	Technical Institutes:	Ans TI A-B TI	Bea TI Bla TI	Cal TI CF TI	Car II CV II	CC TI Cle TI	Gra II Dur II	Edg TI Fay TI	For TI Gui TI	Hal TI Hay TI	JS I Mar TI	McD TI Mon TI	Nas TI Ons TI	Pam TI Pit TI	Ran II Ric II	Roa TI Rob TI	Row TI Sam TI	S/W TI TI of A	Tri TI WC TI	IT HWW	TOTAL

Net Assignable Area By Room Type (Including Residential And Non-Residential) Fall 1968

Table A-13 (Cont'd)

P <sub>6</sub> ¢		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Total (100-900)		115,937	53,014	57,098	97,464	39,090	53,986	85,068	70,834	54,170	<b>44,</b> 458	47,502	44,033	
84		ı	2.9	1	•	1	•	ı	7.1	,	•	•	•	
Residential Facilities (900)		í	1,536	ı	ı	ı	ŧ	•	5,009	ŧ	ı	ı	1	
84		1.2	•	ı	•	•	ı	ı	•	ı	,	ı	•	
Medical Care Facilities (800)		1,434	1	ı	ı	ı	ı	•	i	ı	ı	1	í	
8		1.0	0.1	•	1.1	,	0.7	2.3	4.0	1.1	0.2	ı	3.2	
Supporting Facilities (700)		1,230	09	•	1,088	•	379	2,007	2,814	592	116	•	1,409	
₽~		4.	7.0	13.5	4.4	1.2	2.3	8.0	9.1	18.0	10.2	4.2	7.0	
General Use Facilities (600)		5,143	3,700	7,730	4,268	448	1,222	6,822	6,470	9,749	4,524	2,008	3,104	
8		1	24.4	•	1.1	4.2	•	4.9	5.0	3.5	4.5	0.3	2.5	
Special Use Facilities (500)		•	12,960	ı	1,065	1,629	,	4,174	3,543	1,903	2,021	143	1,115	
S. P.		δ <u>ς</u> α	9.9	10.4	8.	18.1	10.6	18.5	11.1	10.9	9.4	9.1	15.5	
Study Facilities (400)		9,234	3,486	5,932	8,607	7,080	5,752	15,734	7,828	5,913	4,164	4,305	6,822	
₽~		19.3	14.4	12.5	17.5	13.7	16.8	15.4	13.9	14.3	13.4	16.5	18.2	
Office Facilities (300)		22,396	7,642	7,141	17,044	5,367	080*6	13,062	6.8879	7,728	5,947	7,841	8,005	
<i>b</i> %		39.0	27.7	42.5	48.8	39.7	37.6	33.6	32.9	26.5	35.6	6.03	31.5	
Laboratory Facilities (200)		45,214	14,656	24,278	47,561	15,528	20,304	28,582	23,292	14,384	15,818	24,175	13,868	
7%		26.9	16.9	21.1	18.3	23.1	32.0	17.3	16.9	25.7	26.7	19.0	22.1	
Classroom Facilities (100)		31,286	8,974	12,017	17,831	9,038	17,249	14,687	11,999	13,901	11,868	9,030	9,710	
INSTITUTION	Community Colleges:	CP CC	C of A	DC CC	Gas C	Iso CC	70 00	Roc CC	San CC	S/E CC	Sur CC	Way CC	WP CC	

## Net Assignable Area By Room Type (Non-Residential) Fall 1968

Table A-14

		_	_											
<b>%</b>		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Total (100-800)		115,937	51,478	57,098	97,464	39,090	53,986	85,068	65,825	54,170	44,458	47,502	44,033	756,109
re %		1.2	•	•	•	•	,	•	,	ı	ı	1	1	2.0
Medical Care Facilities (800)		1,434		ı	ı	1	ı	,	ı	•	•	•	1	1,434
%		1.1	0.1	•	1.1	•	0.7	2.3	4.3	۲٦ د	0.2	•	3.2	1.3
Supporting Facilities (700)		1,230	09	,	1,088	•	379	2,007	2,814	592	116	•	1,409	9,695
ጽ		<b>4</b> .	7.2	13.5	<b>4.</b>	1.2	2.3	8.0	8.6	18.0	10.2	4.2	7.0	7.3
General Use Facilities (600)		5,143	3,700	7,730	4,268	448	1,222	6,822	6,470	9,749	4,524	2,008	3,104	55,188
%		ı	25.2	•	1.1	4.2	•	4.9	5.4	3.5	4.5	0.3	2.5	ج م
Special Use Facilities (500)		•	12,960	ı	1,065	1,629	ı	4,174	3,543	1,903	2,021	143	1,115	28,553
ъ.		8.0	8*9	10.4	8.	18.1	10.6	18.5	11.9	10.9	4.6	9.1	15.5	11.2
Study Facilities (400)		9,234	3,486	5,932	8,607	7,080	5,752	15,734	7,828	5,913	4,164	4,305	6,822	84,857
8		19.3	14.8	12.5	17.5	13.7	16.8	15.4	35.0	14.3	13.4	16.5	18.2	16.0
Office Facilities (300)		22,396	7,642	7,141	17,044	5,367	9,080	13,062	6,879	7,728	5,947	7,841	8,005	121,132
8		39.0	28.5	42.5	48.8	39.7	37.6	33.6	35.4	26.5	35.6	50.9	31.5	38.0
Laboratory Facilities (200)		45,214	14,656	24,278	47,561	15,528	20,304	28,582	23,292	14,384	15,818	24,175	13,868	287,660
85		27.0	17.4	21.1	18.3	23.1	32.0	17.3	18.2	25.7	26.7	19.0	22.1	22.2
Classroom Facilities (100)		31,286	8,974	12,017	17,831	9,038	17,249	14,687	11,999	13,901	11,868	9,030	9,710	167,590
INSTITUTION	Colleges:	CP CC	C of A	90 CC	Gas C	Iso CC	DO OT	Roc CC	San CC	S/E CC	Sur CC	Way CC	WP CC	TOTAL



## Net Assignable Area By Room Type (Non-Residential) Fall 1968

Table A-14 (Cont'd)

%		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.00 100.0	ं ∂.ध 165.0	100.0	100.0	100.0	100.0	100.0	100.0 100.0	100.0	100.0	100.0	100.0
Total (100-800)		11,842 70,954	15,956 18,622	44,006 33,224	14,026 50,907	46,252 14,695	12,658 36,369	11,242 54,743	66,752 76,628	17,104 16,599	19,159 20,976	12,340 6,777	16,396 36,516	9,992 22,166	36,382 38,692	10,710 25,204	33,551 23,044	12,236 41,456	15,796 41,092	54,948	1,090,012
رد س			1 1		1 1	1 1								, ,					, ,	1	•
Medical Care Facilities (800)				1 1	1 1					1 1						, ,		1 1		•	•
Me F		0.9	0.7	0.5	6.0	4.0	12.0 1.6	2.5	1.4	47.9		2.4	1 1	17.5 2.1	3.1	1 1		2.0	6.2	2.0	2.9
Supporting Facilities (700)		105 6,450	120	217 576	450	1,854	1,521 581	282 169	957	8,190	1 1	162	1.1	1,748 464	1,116 578			827	975 2,900	1,114	31,356
8		1.4	0.6 5.6	11.3	2.1	2.8	3.8	6.7	1.1	4.2	8.8	1.9	4.3	3.0	5.9	1.3	4.4 4.3	6.1	2.3 4.5	5.5	8.
General Use Facilities (600)		161 1,020	94 1,050	4,995 424	289 4,415	1,301 221	486 820	750 3,035	760 <b>4,</b> 431	720 330	1,680 1,500	240 184	1,579	225 666	3,055 2,302	144 4,032	1,476 1,925	2,532	360 1,851	3,041	52,094
8				0.4 4.2								3 1	2.1	, ,	0.7	1 1		0.9	0.3	0.2	0.3
Special Use Facilities (500)				162 1,400	1 1	1.1							752	1 1	244		1 1	376	132	80	3,146
%		3.9	8.8	9.3	9.0	5.9 8.9	8.2	11.5	1.7	13.2 8.7	6.5	3.8	11.6	17.3 7.9	6.4 8.4	18.1 6.3	5.9	6.2	6.8 6.6	2.0	6.2
Study Facilities (400)		2,747	1,401 748	4,084 2,209	1,270	2,716 1,310	1,037 1,135	1,287	1,100 6,073	2,250 1,440	1,250 1,304	465 704	1,896 2,191	1,728 1,755	2,340 3,242	1,944 1,596	1,988	758 3,025	1,074 2,714	1,113	68,136
8		8.8	10.9	14.5 14.1	10.7	12.6 9.4	17.3	8.9	9.4 14.1	9.7 10.4	13.1 3.2	9.4	15.7	13.1 14.0	8.9 13.6	15.8	11.4	17.2 8.3	8.9	14.8	11.5
Office Facilities (300)		1,037	1,736	6,379 4,681	1,504 3,116	5,817 1,378	2,181 4,005	1,004 8,268	6,288 10,837	1,654 1,729	2,512 672	1,165	2,584 4,824	1,30 <del>4</del> 3,088	3,223	1,689 3,394	3,815 2,259	2,099 3,450	1,402 4,445	8,150	125,533
8		72.2 56.6	57.0 65.9	45.5 55.7	59.6 51.8	56.0 60.0	44.7 61.5	63.9 54.9	76.6 58.2	11.0	52.0 66.0	79.1 38.0	49.1 42.5	42.9 60.2	61.4 46.4	44.1 46.5	59.8	66.9 53.1	5 <u>4.1</u> 57.1	55.6	56.5
Laboratory Facilities (200)		8,557 46,570	9,092 12,265	20,033 18,498	8,361 26,399	25,901 8,821	5,658	7,185 30,022	51,124 44,555	1,890 8,350	9,967 13,840	9,760	8,046 15,525	4,283 13,350	22,353 17,941	<b>4,</b> 719 11,718	20,056 13,455	8,191 22,009	8,552 23,456	30,544	615,977
%		16.7 12.0	22.0	18.5 16.4	18.6 28.7	18.7	14.0	6.5	9.8 14.0	14.0 28.6	19.6 17.4	5.8	23.6 31.9	7.0	11.1 24.2	20.7	18.5 17.0	9.7	21.7	19.9	17.8
Classroom Facilities (190)		1,982 8,502	3,513 3,379	8,136 5,436	2,602 14,596	8,663	1,775 7,473	734 10,428	6,523 10,732	2,400 4,750	3,750 3,660	710	3,870 11,645	704 2,843	4,051 9,373	2,214 4,464	6,216 3,915	1,188 9,237	3,433 5,594	10,906	193,770
INSTITUTION	Technical Institutes:	Ans TI A-B TI	Bea TI Bla TI	Cal TI CF TI	Car II CV II	CC TI Cle TI	Cra II Dur II	Edg TI Fay TI	For TI Gui TI	Hal TI Hay TI	JS I Mar TI	McD TI Mon TI	Nas TI Ons TI	Pam TI Pit TI	Ran TI Ric TI	Roa TI Rob TI	Row TI Sam TI.	S/W TI TI of A	Tri TI WC TI	WWH TI	TOTAL

#### Net Assignable Square Feet Per Student Station For Classrooms

Table A-15

INSTITUTION	Number Of Rooms	Number Of Student Stations	Total Assignable Sq. Ft.	Sq. Ft. Per Student Station
Community Colleges:				
CP CC	53	1,722	31,036	18
C of A	18	603	8,914	15
DC CC	21	698	11,837	17
Gas C	29	1,022	17,577	17
Iso C	13	551	8,829	16
LC CC	26	1,004	17,024	17
Roc CC	16	511	13,532	26
San CC	13	626	11,476	18
S/E CC	19	680	13,614	20
Sur CC	14	689	10,646	15
Way CC	16	775	9,030	12
WPCC	12	610	9,710	16
TOTAL	250	9,491	163,225	17
Technical Institutes:				
Ans TI	3	68	1,982	29
A-B TI	15	367	8,392	<b>2</b> 3
Bea TI	6	121	3,513	29
Bla TI	4	99	3,379	34
Cal TI	12	308	7,735	25
CF TI	8	160	5,436	34
Car TI	5	112	2,602	<b>2</b> 3
CV TI	21	665	14,596	22
CC TI	17	439	8,486	19
Cle TI	8	170	2,965	17

### Net Assignable Square Feet Per Student Station For Classrooms (continued)

Table A-15

INSTITUTION	Number Of Rooms	Number Of Student Stations	Total Assignable Sq. Ft.	Sq. Ft. Per Student Station
Cra TI	6	103	1,775	17
${f Dur}$ TI	11	403	7,473	19
Edg TI	2	30	694	<b>2</b> 3
Fay TI	16	565	10,428	18
For TI	12	322	6,523	20
Gui TI	19	556	10,732	19
Hal TI	6	115	2,400	21
Hay TI	8	245	4,750	19
JS I	5	134	3,750	28
Mar TI	6	140	3,660	26
McD TI	2	37	710	19
Mon TI	2	46	1,408	31
Nas TI	5	120	3,870	32
Ons TI	13	340	11,645	34
Pam TI	1	28	704	25
Pit TI	7	135	2,843	21
Ran TI	9	137	4,051	30
Ric TI	13	420	9,373	22
Roa TI	8	107	2,165	20
Rob TI	6	133	4,464	34
Row TI	11	399	6,216	16
Sam TI	8	130	3,915	30
S/W TI	3	56	1,188	21
TI of A	15	454	9,087	20
Tri TI	7	139	3,397	24
WC TI	8	225	5 <b>,</b> 594	25
WWH TI	18	514	10,906	21
TOTAL	326	8,542	192,807	23

#### Net Assignable Square Feet Per Student Station For Class Laboratories

Table A-16

INSTITU'TION	Number Of Rooms	Number Of Student Stations	Total Assignable Sq. Ft.	Sq. Ft. Per Student Station
Community Colleges:				
CP CC	33	917	42,532	46
C of A	17	368	12,075	33
DC CC	17	383	21,072	55
Gas C	47	867	41,136	47
Iso C	12	<b>2</b> 95	14,367	49
LC CC	15	385	18,218	47
Roc CC	20	<b>42</b> 3	24,318	57
San CC	13	317	20,009	63
S/E CC	12	<b>2</b> 95	13,083	44
Sur CC	13	<b>27</b> 3	12,511	46
Way CC	27	478	21,298	45
WPCC	12	237	11,541	49
TOTAL	238	5 <b>,2</b> 38	252,160	48
Technical Institutes:				
Ans TI	7	102	8,557	84
A-B TI	29	59 <b>4</b>	36,774	62
Bea TI	7	107	8,347	78
Bla TI	6	130	9,402	72
Cal TI	13	212	18,729	88
CF, TI	15	<b>27</b> 0	17,229	64
Car TI	10	144	8,281	58
CV TI	20	454	25,193	55
CC TI	21	399	23,375	59
Cle TI	9	172	8,653	50

## Net Assignable Square Feet Per Student Station For Class Laboratories (continued)

Table A-16

INSTITUTION	Numbe <b>r</b> Of Rooms	Number Of Student Stations	Total Assignable Sq. Ft.	Sq. Ft. Per Student Station
• • • • • • • • • • • • • • • • • • • •				
Cra TI	9	121	5,386	45
Dur TI	12	292	18,565	64
Edg TI	8	115	7,169	62
Fay TI	22	468	27,586	59
For TI	21	463	44,124	95
Gui TI	29	441	39,102	89
Hal TI	2	27	1,370	51
Hay TI	· 9	60	8,350	52
JS I	8	162	9,060	56
Mar TI	10	196	13,840	71
McD TI	7	109	9,760	90
Mon TI	3	64	2,576	40
Nas TI	7	123	7,266	59
Ons TI	14	265	13,979	53
Pam TI	4	60	4,123	69
Pit TI	7	155	11,488	74
Ran TI	17	270	20,355	<b>7</b> 5
Ric TI	15	271	16,932	62
Roa TI	6	84	4,620	55
Rob TI	9	177	11,272	64
Row TI	15	288	16,148	56
Sam TI	8	118	12,755	108
S/W TI	10	171	7,946	46
TI of A	19	418	20,528	49
Tri TI	8	108	7,050	65
WC TI	15	301	21,961	<b>7</b> 3
WWHTI	20	344	28,300	82
TOTAL	451	8,355	556,151	67

#### Net Assignable Square Feet Of Academic Facilities Per Credit-Hour FTE Student

Tabl	e	<b>A</b> -	1	7

INSTITUTION	NASF of Academic Facilities	ic Total FTE		NASF of Academic Facilities Per Credit Hour FTE Student 1968 (1967)	
Community Colleges:					
CP CC	110,794	3,010	37	( 35)	
C of A	47,903	554	86	(90)	
DC CC	49,214	. 652	75	(103)	
Gas C	96,754	1,217	80	(76)	
Iso C	39,090	387	101		
LC CC	52,764	970	54	(60)	
Roc CC	77,969	<b>7</b> 71	101	(91)	
San CC	58,853	829	71	(79)	
S/E CC	45,477	655	69	(70)	
Sur CC	39,756	452	88	( 95)	
Way CC	46,034	815	56	(78)	
WPCC	40,929	675	61	-	
TOTAL	705,537	10,987	64	( 68)	
Technical Institutes:					
Ans TI	11,681	78	150	•	
A-B TI	65,860	710	93	( 96)	
Bea TI	15,862	147	108	-	
Bla TI	17,572	98	179	-	
Cal TI	41,405	292	142	(141)	
CF TI	31,286	398	79	(141)	
Car TI	13,450	100	135		
CV TI	45,792	741	62	(73)	
CC TI	44,951	257	175	(201)	
Cle TI	14,474	151	96	-	



#### Net Assignable Square Feet Of Academic Facilities Per Credit-Hour FTE Student (continued)

Table A-17

INSTITUTION	NASF of Academic Facilities	Total FTE Enrollment	NASF of Academic Facilities Per Credit Hour FTE Student	
	<del></del>		1968	(1967)
		•		
Cra TI	12,172	114	107	-
Dur TI	35,549	440	81	( 66)
Edg TI	10,492	66	159	<b>#</b>
Fay TI	51,708	766	68	(76)
For TI	65,992	706	93	(98)
Gui TI	72,197	529	136	(134)
Hal TI	16,384	119	138	-
Hay TI	16,599	192	86	-
JS I	17,479	180	97	(120)
Mar TI	19,476	94	207	-
McD TI	12,100	109	111	-
Mon TI	5,676	33	172	•
Nas TI	16,396	83	198	-
Ons TI	<b>34,775</b>	231	151	-
Pam TI	9,767	55	178	-
Pit TI	21,500	380	57	( 54)
Ran TI	33,327	200	167	(186)
Ric TI	36,261	324	112	(202)
Roa TI	10,515	64	164	-
Rob TI	21,172	198	107	-
Row TI	32,075	460	70	(90)
Sam TI	21,035	188	112	-
S/W TI	12,236	171	72	(76)
TI of A	38,924	550	71	(78)
Tri TI	15,436	69	224	•••
WC TI	39,241	461	85	( 98)
WWH TI	51,414	591	87	(74)
TOTAL	1,032,231	10,345	100	( 98)



#### Capacity/Enrollment Ratio

Table A-18

INSTITUTION	Net Assignable Sq. Ft. of Instructional	Total Student	-	Enrollment atio
	and Library Facilities	Clock Hours	1968	(1967)
Community				
Colleges:				
CP CC	95,477	65,996	1.45	(1.50)
C of A	42,647	12,313	3.46	(4.32)
DC CC	44,797	14,771	3.03	(3.79)
Gas C	83,768	24,551	3.41	(2.93)
Iso C	33,948	9,476	3.58	-
LC CC	45,810	20,277	2.26	(2.11)
Roc CC	65,684	16,612	3.95	(3.41)
San CC	51,234	18,608	2.75	(4.02)
S/E CC	38,928	13,613	2.86	(2.73)
Sur CC	<b>35,7</b> 93	9,340	3.83	(4.26)
Way CC	41,157	21,436	1.92	(2.11)
WPCC	34,211	13,256	2.58	~
TOTAL	613,454	240,249	2.55	(2.72)
Technical Institutes:				
Ilistitutes.				
Ans TI	10,539	1,061	9.93	-
A-B TI	56,237	15,509	3.63	(3.16)
Bea TI	14,006	5,025	2.79	-
Bla TI	16,392	3,805	4.31	-
Cal TI	34,735	7,482	4.64	(6.44)
CF TI	27,656	14,649	1.89	(2.16)
Car TI	11,657	3,583	3.25	-
CV TI	45,010	20,125	2.24	(2.23)
CC TI	39,136	7,976	4.91	(4.84)
Cle TI	13,619	3,895	3.50	-



## Capacity/Enrollment Ratio (continued)

Table A-18

INSTITUTION	Net Assignable Sq. Ft. of Instructional	Total Student	Capacity/F Ra	Enrollment tio
	and Library Facilities	Clock Hours	1968	(1967)
CraTI	9,209	2,905	3.17	-
Dur TI	32,008	9,854	3.25	(2.58)
$\mathbf{E}\mathbf{d}\mathbf{g}$ TI	9,206	2,630	3.50	-
Fay TI	46,943	25,021	1.88	(1.33)
For TI	61,857	20,916	2.96	(3.11)
Gui TI	67,916	14,152	4.80	(4.69)
	( 7.10			
Hal TI	6,540	1,699	3.85	-
Hay TI	15,188	5,335	2.85	-
JS I	15,791	4,672	3.38	(5.67)
Mar TI	18,804	2,912	6.46	-
McD TI	11,055	2,331	4.74	-
Mon TI	3,984	<b>7</b> 51	5.30	-
Nas TI	13,812	2,399	5 76	
Ons TI	30,563	9,567	5.76	-
	6,906	1,752	3.19	-
Pam TI	0,700	1,752	3.94	-
Pit TI	18,071	8,584	2.11	(1.76)
Ran TI	29,620	7,616	3.89	(2.26)
Ric TI	31,811	9,037	3.52	(5.86)
Dog TI	8,817	1 072	4 47	
Roa TI	18,615	1,972	4.47	-
Rob TI	29,843	7,930	2.35	- (2 57)
Row TI	. 47,043	11,816	2.53	(3.57)
Sam TI	19,215	5,916	3.25	-
S/W TI	10,711	4,653	2.30	(2.91)
TI of A	35,296	16,032	2.20	(1.94)
Tri TI	13,309	2,927	4.55	_
WC TI	33,444	12,721	2.63	(3.34)
WWH TI	45,912	15,966	2.88	(2.18)
TOTAL	913,433	295,165	3.09	(2.75)



#### Average Student Station Hours Per Week For Classrooms

Table A-19

INSTITUTION	Daytime	Nighttime	A11 F	Hours
	•	J	1968	(1967)
Community				
Colleges:				
CP CC	19.5	4.9	24.4	(23.7)
C of A	11.3	1.6	12.8	(10.5)
DC CC	14.0	0.5	14.5	(10.2)
Gas C	11.1	2.8	13.9	(16.6)
Iso C	8.6	4.1	12.7	
LC CC	11.2	2.4	13.6	(13.8)
Roc CC	16.4	3.2	19.6	(18.9)
San CC	17.6	2.2	19.8	(12.3)
S/E CC	10.9	1.8	12.7	(13.6)
Sur CC	6.2	1.0	7.2	(7.7)
Way CC	12.2	3.6	15.8	(11.5)
WPCC	12.4	2.4	14.8	-
WEIGHTED MEAN	13.2	2.8	16.0	(14.6)
Technical				
Institutes:				
Ans TI	2.4	2.0	4.5	_
A-B TI	11.8	4.1	15.9	(17.5)
Bea TI	22.5	3.9	26.5	(17.5)
Dea II	22.5	J. /	20.5	<del>-</del>
Bla TI	5.8	0.0	5.8	-
Cal TI	5.8	2.6	8.4	(7.8)
CF TI	23.7	15.4	39.0	(33.3)
Car TI	9.1	3.5	12.6	-
CV TI	13.9	4.6	18.5	(15.9)
CC TI	7.0	0.8	7.8	(9.2)
Cle TI	12.0	1.3	13.4	-



#### Average Student Station Hours Per Week For Classrooms (continued)

Table A-19

INSTITUTION	Daytime Nighttime		All Hours		
	·	3	1968	(1967)	
,					
Cra TI	10.4	2.5	12,9	-	
Dur TI	17.6	1.1	18.7	(19.3)	
Edg TI	16.4	18.9	35.3	-	
Fay TI	19.4	3.9	23.3	(20.2)	
For TI	18.2	7.4	25.6	(23.0)	
Gui TI	9.8	1.1	10.9	(14.4)	
Hal TI	7.9	2.7	10.6	-	
Hay TI	14.4	0.5	14.9	n=	
JS I	13.5	0.0	13.5	(8.6)	
Mar TI	0.0	0.0	0.0	<b>-</b>	
$M_{cD}$ TI	18.0	0.0	18.0	-	
Mon TI	2.6	1.0	3.6	-	
Nas TI	10.7	1.1	11.8	-	
Ons TI	10.4	4.4	14.8	<b>-</b>	
Pam TI	18.9	6.9	25.8	-	
Pit TI	22.2	3.5	25.7	(38.5)	
Ra_ TI	13.9	6.2	20.1	(35.7)	
Ric TI	10.2	1.0	11.3	(6.9)	
Roa TI	8.3	0.5	8.8	-	
Rob TI	26.0	2.6	28.6	_	
Row TI	9.9	3.1	13.1	(12.9)	
Sam TI	21.2	0.0	21.2		
S/W TI	6.7	2.9	9.5	(19.0)	
TI of A	16.3	4.5	20.8	(21.3)	
Tri TI	9 , 5	3.7	13.2	-	
WC TI	18.9	3.6	22.5	(20.3)	
WWH TI	16.4	0.8	17.2	(26.9)	
WEIGHTED MEAN	13.4	3.0	16.3	(17.3)	

#### Average Student Station Hours Per Week For Class Laboratories

Table A-20

INSTITUTION	Daytime	Nighttime	A11 I	Hours
	,	<b>5</b>	1968	(1967)
Community				
Colleges:				
CP CC	18.9	4.2	23.1	(17.7)
C of A	<b>7.</b> 5	0.6	8.0	(7.8)
DC CC	6.8	1.9	8.7	(11.4)
Gas C	8.2	3.1	11.3	(12.8)
Iso C	6.6	1.0	7.6	<b>**</b>
LC CC	13.7	3.0	16.7	(20.3)
Roc CC	10.9	1.5	12.5	(14.6)
San CC	12.1	1.9	14.0	(14.1)
S/E CC	7.4	2.6	9.9	(15.5)
Sur CC	10.5	3.1	13.6	(10.0)
Way CC	15.2	3.2	18.3	(21.0)
WPCC	12.9	2.9	15.8	-
WEIGHTED MEAN	11.6	2.7	14.3	(14.8)
Technical				
Institutes:				
Ans TI	4.7	2.7	7.4	_
A-B TI	12.7	3.4	16.1	(17.2)
Bea TI	15.6	0.9	16.5	-
Bla TI	14.1	1.1	15.3	-
Cal TI	11.6	6.4	18.0	(11.2)
CF TI	22.8	6.8	29.7	(23.9)
Car TI	7.3	6.8	14.1	-
CV TI	13.4	3.1	16.5	(18.8)
CC TI	9.8	0.8	10.6	(13.5)
Cle TI	4.8	3.1	7.9	-

#### Average Student Station Hours Per Week For Class Laboratories (continued)

Table A-20

INSTITUTION	Daytime	Nighttime	All Hours	Hours
	,	3	1968	(1967)
	<del></del>			
Cra TI	5.3	2.5	7.8	_
Dur TI	6.9	1.1	8.0	(16.0)
Edg TI	10.2	2.6	12.7	-
Fay TI	19.7	4.3	24.0	(24.0)
For TI	19.3	8.1	27.4	(29.2)
Gui TI	13.9	3.7	17.6	(19.7)
Hal TI	13.0	0.0	13.0	-
Hay TI	4.7	2.2	6.9	-
JS I	11.2	0.4	11.6	(10.1)
Mar TI	9.9	0.0	9.9	-
McD TI	14.4	0.9	15.3	-
Mon TI	7.1	1.4	8.5	-
Nas TI	5.7	0.6	6.3	-
Ons TI	7.6	8.8	16.4	-
Pam TI	13.5	0.6	14.1	-
Pit TI	23.0	4.1	27.1	(32.7)
Ran TI	11.8	4.0	15.8	(36.4)
Ric TI	11.3	3.7	15.0	(10.1)
Roa TI	3.0	3.4	6.4	-
Rob TI	16.7	4.5	21.2	-
Row TI	15.2	6.3	21.6	(13.6)
Sam TI	23.0	0.0	23.0	-
S/W TI	15.7	4.9	20.6	<b>(14.3)</b>
TI of A	11.5	3.4	14.8	(15.7)
Tri TI	8.4	1.3	9.7	-
WC TI	22.0	3.4	25.4	·
WWH TI	17.8	2.6	20.3	(26.9)
WEIGHTED MEAN	13.4	3.6	17.0	(18.9)

#### Percent Student Station Utilization For Classrooms

Table A-21

INSTITUTION	Dayt <sup>;</sup> me	Nighttime	A11 F	Hours
11(0111011011			1968	(1967)
	,		<b>7</b>	
Community				
Colleges:				
CP CC	70.9	<b>52.</b> 4	66.2	(62.9)
C of A	<b>57.</b> 6	<b>57</b> .6	57.6	<b>(</b> 69 <b>.</b> 1)
DC CC	69.4	31.1	66.4	(67.2)
Gas C	57.6	53.0	56.6	(63.1)
Iso C	45.4	110.0	56.2	-
LC CC	66.1	50.8	62.8	(50.3)
Roc CC	61.5	42.8	57.4	(65.8)
San CC	45.9	42.7	45.5	(45.4)
S/E CC	54.2	42.9	52.2	(54.3)
Sur CC	52.4	53.3	52.6	(48.4)
Way CC	45.8	38.1	43.8	(47.2)
WPCC	57.5	58.5	57.7	-
WEIGHTED MEAN	58.8	50.8	57.2	(58.2)
Technical				
Institutes:				
Ans TI	31.0	39.3	34.3	-
A-B TI	62.7	54.5	60.3	(68.9)
Bea TI	81.6	73.7	80.3	-
Bla TI	44.5	0.0	44.5	-
Cal TI	57.0	47.6	53.7	(42.8)
CF TI	91.9	165.2	111.5	(63.4)
Car TI	43.3	88.0	50.3	-
CV TI	62.1	54.5	60.1	(62.6)
CC TI	47.6	62.8	48.8	(57.9)
Cle TI	72.6	57.3	70.7	-



#### Percent Student Station Utilization For Classrooms (continued)

Table A-21

INSTITUTION	Daytime	Nighttime	A11 1968	Hours (1967)
Cra TI	52.0	72.6	55.0	_
Dur TI	50.1	51.7	50.2	(57.7)
Edg TI	88.6	164.6	117.8	-
Fay TI	63.2	59.5	62.5	(59.8)
For TI	70.9	76.8	72.5	(70.2)
Gui TI	61.3	53.8	60.5	(51.6)
Hal TI	77.7	86.7	79.8	-
. Hay TI	56.9	29.6	55.0	-
JS I	42.9	0.0	42.9	(84.3)
Mar TI	0.0	0.0	0.0	-
McD TI	106.0	0.0	106.0	400
Mon TI	25.0	50.0	28.9	-
Nas TI	69.2	73.3	69.6	-
Ons TI	156.0	61.8	107.6	-
Pam TI	94.6	57.1	80.6	-
Pit TI	87.0	77.3	85.6	(91.8)
Ran TI	95.0	84.3	91.4	(96.8)
Ric TI	77.6	60.3	75.6	(49.5)
Roa TI	90.9	66.7	89.2	-
Rob TI	109.6	90.5	107.6	-
Row TI	60.2	51.5	<b>57.</b> 9	(45.8)
Sam TI	102.2	0.0	102.2	-
S/W TI	62.2	60.6	61.7	(59.4)
TI of A	58.6	65.2	59.9	(63.0)
Tri Tī	43.0	65.2	47.5	-
WC TI	58.7	53.0	57.7	(75.9)
WWH TI	64.7	43.0	63.2	(70.1)
WEIGHTED MEAN	65.0	65.2	65.1	(62.7)



#### Percent Student Station Utilization For Class Laboratories

Table A-22

Fall 1968

INSTITUTION	Daytime Nighttime		All Hours	
1145111011014	20,011110	11.28.20022220	1968	(1967)
Community				
<u>Colleges:</u>				
CPCC	63.5	46.7	59.6	(58.4)
C of A	68.0	51.3	66.5	(63.2)
DC CC	52.2	70.0	55.2	(63.6)
Coo C	71.3	86.2	74.9	(87.0)
Gas C	51.7	50.0	51.5	(67.0)
Iso C	67.7	41.5	60.8	/50 1)
LC CC	01.1	41.5	00.0	(50.1)
Roc CC	68.1	37.7	62.0	(68.7)
San CC	68.0	86.0	69.9	(76.9)
S/E CC	72.9	59.0	68.7	(79.4)
Sur CC	62.4	93.0	67.5	(64.3)
	75.4	73.2	75.0	(75.2)
Way CC	67.7	63.6	66.9	(13.2)
WPCC	07.7	05.0	00.9	-
WEIGHTED MEAN	66.1	58.4	64.5	(67.9)
Technical				
Institutes:				
Ans TI	51.8	43.1	48.3	pa
A-B TI	72.4	56.3	68.2	(64.3)
Bea TL	83.8	51.0	80.9	-
Bla TI	50.2	49.7	50.2	
	70.0	78.6		161 01
Cal TI			72.8	(64.8)
CF TI	84.8	91.3	86.2	(71.6)
Car TI	38.5	130.4	58.2	-
CV TI	58.0	63.7	59.0	(73.2)
CC TI	57.6	82.5	59.0	(77.6)
				•



#### Percent Student Station Utilization For Class Laboratories (continued)

Table A-22

	Dorrtimo	Nighttime	All Hours	
INSTITUTION	Daytime	Nighttiiie	1968	(1967)
Cra TI	48.6	56.2	50.8	-
Dur TI	44.8	87.2	47.9	(67.4)
Edg TI	62.6	99.0	67.7	-
ray Ti	73.1	80.9	74.4	(81.7)
Fay TI	74.8	81.9	76.8	(76.5)
For TI Gui TI	90.1	62.9	82.6	(74.5)
Hal TI	71.9	0.0	71.9	-
Hay TI	49.1	63.3	52.9	-
JS I	39.0	25.0	<b>38.</b> 3	(47.1)
Mar TI	56.8	0.0	56.8	-
McD TI	79.9	40.0	75.5	-
Mon TI	33.3	37.1	33.8	-
Nas TI	48.6	28.6	45.6	-
Ons TI	62.8	121.3	84.7	-
Pam TI	70.9	80.0	71.2	••
Pit TI	61.4	53.2	60.0	(75.4)
Ran TI	83.0	116.0	89.4	(74.9)
Ric TI	85.1	101.8	88.7	(56.9)
Roa TI	73.9	79.2	76.6	-
Rob TI	68.9	178.7	79.3	-
Row TI	82.3	78.5	81.1	(56,7)
Como TI	86.2	0.0	86.2	-
Sam TI	94.8	140.0	102.7	(64.2)
S/W TI TI of A	54.5	60.9	55.8	(56.9)
m : m:	90.0	104.5	91.7	-
Tri TI	69.9	77.4	70.8	(75.1)
WC TI WWH TI	83.1	51.3	77.1	(76.6)
WEIGHTED MEAN	68.3	76.7	70.0	(70.5)

#### Selected Space Utilization Indices For Classrooms

Table A-23

	Average Percent Student		Space Factor	
INSTITUTION	Room Hours Per Week	Station Utilization	1968	(1967)
Community				
Community Colleges:				
CP CC	36.2	66.2	0.74	(0.72)
C of A	21.6	57.6	1.15	(1.54)
DC CC	20.0	66.4	1.17	(1.72)
Gas C	24.0	56.6	1.24	(1.02)
Iso C	<b>25.</b> 3	56.2	1.26	-
LC CC	25.3	62.8	1.24	(1.12)
Roc CC	30.7	57.4	1.35	(1.39)
San CC	43.8	45.5	0.93	(1.51)
S/E CC	24.3	52.2	1.58	(1.44)
Sum CC	15.9	52.6	2.14	(2.30)
Sur CC	35.9	43.8	0.74	(1.07)
Way CC WP CC	33.8	57.7	1.07	<b>-</b>
WEIGHTED MEAN	28.5	57.2	1.07	(1.18)
Technical Institutes:				
A TDT	13.0	34.3	6.48	-
Ans TI	25.7	60.3	1.44	(1.35)
A-B TI Bea TI	34.0	80.3	1.10	
73.1	10.3	44.5	5.84	
Bla TI	15.5	53.7	2.99	(3.41)
Cal TI	35.0	111.5	0.87	(1.94)
CF TI	33.0	111.5		\- · · - /
Car TI	18.6	50.3	1.85	-
CV TI	28.1	60.1	1.18	(1.20)
CC TI	10.8	48.8	2.49	(2.47)
Cle TI	19.1	<b>7</b> 0.7	1.30	-



## Selected Space Utilization Indices For Classrooms (continued)

Table A-23

	Average	Percent Student	Space	Space Factor	
INSTITUTION	Room Hours Per Week	Station Utilization	1968	(1967)	
Cra TI	22.3	55.0	1,34	<b>-</b>	
Dur TI	36.2	50.2	0.99	(1.01)	
Edg TI	30.0	117.8	0,65	-	
Fay TI	37.1	62.5	0.79	(0.98)	
For TI	34.1	<b>72.</b> 5	0.79	(0.88)	
Gui TI	17.8	60.5	1.78	(1.28)	
Hal TI	12.8	79.8	1.97	-	
Hay TI	24.5	55.0	1.30	-	
JS I	33.0	42.9	2.08	(2.59)	
Mon TIT	0.0	0.0	-	-	
Mar TI	17.0	106.0	1.06	-	
$f McD\ TI$ $f Mon\ TI$	16.5	28.9	8.53	-	
No. TI	20.0	69.6	2.73	-	
Nas TI	14.4	107.6	2.32	-	
Ons TI Pam TI	32.0	80.6	0.98	-	
D:4 TI	<b>32.</b> 3	85.6	0.82	(0.57)	
Pit TI	20.0	91.4	1.47	(0.95)	
Ran TI Ric TI	14.3	75.6	1.98	(3.14)	
Dec TI	9.0	89.2	2.30	-	
Roa TI Rob TI	26.2	107.6	1.17	-	
Row TI	19.5	57.9	1.19	(1.27)	
Como TI	21.3	102.2	1.42	-	
Sam TI	15.0	61.7	2.23	(1.05)	
S/W TI TI of A	33.2	59.9	0.96	(0.96)	
æ.: æ.	16.9	47.5	1.85		
Tri TI	38.5	57.7	1.11	(1.24)	
WC TI WWH TI	25.3	63.2	1.23	(0.68)	
WEIGHTED MEAN	23.2	65.1	1.38	(1.22)	

### Selected Space Utilization Indices For Class Laboratories

Table A-24

	Average Percent Student		Space	Space Factor	
INSTITUTION	Room Hours Per Week	Station Utilization	1968	(1967)	
Community					
Colleges:					
CP CC	34.4	59.6	2.01	(3.06)	
C of A	11.6	66.5	4.09	<b>(</b> 5.74)	
DC CC	16.8	55.2	6.34	(4.44)	
Gas C	13.9	74.9	4.21	(3.94)	
Iso C	14.0	51.5	6.41	-	
LC CC	27.1	60.8	2.83	(2.48)	
Roc CC	17.5	62.0	4.61	(3.79)	
San CC	20.2	69.9	4.52	(5.39)	
S/E CC	15.0	68.7	4.47	(2.46)	
Sur CC	20.5	67.5	3.36	(5.49)	
Way CC	19.7	75.0	2.43	(2.55)	
WPCC	20.5	66.9	3.08	-	
WEIGHTED MEAN	19.7	64.5	3.37	(3.68)	
Technical					
<u>Institutes:</u>					
Ans TI	14.1	48.3	11.33	-	
A-B TI	21.3	68.2	3.84	(5.73)	
Bea TI	16.6	80.9	4.72	-	
Bla TI	27.5	50.2	4.74	<del>ant</del>	
Cal TI	21.1	72.8	4.91	(9.87)	
CF TI	31.5	86.2	2.15	(8.67)	
Car TI	18.3	58.2	4.07	-	
CV TI	27.4	59.0	3.36	(2.98)	
CC TI	15.5	59.0	5.51	(5.84)	
Cle TI	14.1	51.2	6.38	-	



### Selected Space Utilization Indices For Class Laboratories (continued)

Table A-24

Fall 1968

	$\mathbf{Average}$	Percent Student	Space Factor	
INSTITUTION	Room Hours Per Week	Station Utilization	1968	(1967)
	· ·			
Cra TI	13.9	50.8	5.69	-
Dur TI	15.0	47.9	7.98	(4.16)
Edg TI	18.0	67.7	4.89	-
Fay TI	28.2	74.4	2.45	(2.62)
For TI	35.7	76.8	3.48	(3.80)
Gui TI	1%.3	82.6	5.02	(6.50)
Hal TI	18.5	71.9	3.91	-
Hay TI	13.2	<b>52.</b> 9	7.56	-
JS I	30.3	38.3	4.81	(5.45)
Mar TI	17.4	<b>56.</b> 8	7.13	-
McD TI	20.4	75.5	5.87	-
Mon TI	24.3	33.8	4.74	-
Nas TI	14.9	45.6	9.34	-
Ons TI	19.0	84.7	3.22	-
Pam TI	19.8	71.2	4.89	-
Pit TI	45.6	60.0	2.73	(2.94)
Ran TI	17.2	89.4	4.76	(2.57)
Ric TI	14.7	88.7	4.17	(7.55)
Roa TI	8.0	76.6	8.56	-
Rob TI	26.2	79.3	3.00	-
Row TI	26.5	81.1	2.60	(4.20)
Sam TI	28.1	86.2	4.69	~
S/W TI	24.5	102.7	2.26	(3.84)
TI of A	22.6	55.8	3.31	(4.14)
Tri TI	10.9	91.7	6.73	-
WC TI	36.1	70.8	2.87	(4.40)
WWH TI	24.5	77.1	4.04	(3.19)
WEIGHTED MEAN	22.4	70.0	3.91	(4.26)

127-128-

#### Appendix B

**Participating Institutions** 

With Abbreviation Codes Used In The Study

## Participating Institutions With Abbreviation Codes Used In The Study

Abbreviation	Location	FTE Enrollment
NCSU	Raleigh	10,367
UNC-CH	Chapel Hill	13,000
UNC-CH(HA)	Chapel Hill	1,786
UNC-C	Charlotte	2,064
UNC-G	Greensboro	5,165
ASU	Boone	5,317
ECU	Greenville	8,836
$\mathbf{A}\&\mathbf{T}\mathbf{U}$	Greensboro	3,642
WCU	Cullowhee	4,089
A-BC	Asheville	638
ECSC	Elizabeth City	944
FSC	Fayetteville	1,218
NCC-D	Durham	2,904
NCSA	Winston-Salem	218
PSC	Pembroke	1,548
Wil C	Wilmington	1,192
WSSC	Winston-Salem	1,210
	NCSU UNC-CH UNC-CH(HA) UNC-C UNC-G  ASU ECU A&TU WCU  A-BC ECSC FSC NCC-D NCSA PSC Wil C	NCSU Raleigh UNC-CH Chapel Hill UNC-CH(HA) Chapel Hill UNC-C Charlotte UNC-G Greensboro  ASU Boone ECU Greenville A&TU Greensboro WCU Cullowhee  A-BC Asheville ECSC Elizabeth City FSC Fayetteville NCC-D Durham NCSA Winston-Salem PSC Pembroke Wil C Wilmington



#### Private Universities:

Duke University  Medical Center of Duke University	Durham	6,883 338
Wake Forest University Bowman Gray School of Medicine of Wake Forest University	Winston-Salem	2,860
Private 4-Year Colleges:		
Atlantic Christian College	Wilson	1,465
Barber Scotia College	Concord	598
Belmont Abbey College	Belmont	798
Bennett College	Greensboro	683
Campbell College	Buie's Creek	2,366
Catawba College	Salisbury	1,040
Davidson College	Davidson	1,028
Elon College	Elon College	1,742
Greensboro College	Greensboro	682
Guilford College (Downtown Campus)	Greensboro	408
Guilford College (Guilford Campus)	Guilford	973
High Point College	High Point	1,214
Johnson C. Smith University	Charlotte	1,331
Lenoir Rhyne College	Hickory	1,302
Livingstone College	Salisbury	85 <b>7</b>
Mars Hill College	Mars Hill	1,248
Meredith College	Raleigh	<b>8</b> 5 <b>2</b>
Methodist College	Fayetteville	974



N. C. Wesleyan College	Rocky Mount	629
Pfeiffer College	${f Misenheimer}$	940
Queens College	Charlotte	777
Sacred Heart College	Belmont	476
St. Andrews Presbyterian College	Laurinburg	889
St. Augustine's College	Raleigh	1,122
Salem College	Winston-Salem	537
Shaw University	Raleigh	1,078
Warren Wilson College	Swannanoa	374
Private 2-Year Colleges:		
Brevard College	Brevard	639
Chowan College	Murfreesboro	1,326
Gardner Webb Jr. College	Boiling Springs	1,270
Kittrell College	Kittrell	316
Lees-McRae College	Banner Elk	682
Louisburg College	Louisburg	819
Mitchell College	Statesville	521
Montreat-Anderson College	Montreat	460
Mount Olive Jr. College	Mount Olive	328
Peace College	Raleigh	425
Southwood College	Salemburg	268
Wingate College	Wingate	1,582



#### Community Colleges:

	Central Piedmont	CP CC	Charlotte	3,010
	College of Albemarle	C of A	Elizabeth City	554
	Davidson County	DC CC	Lexington	631
	Gaston College	Gas C	Gastonia	1,217
	Isothermal	Iso CC	Spindale	387
	Lenoir County	LC CC	Kinston	970
	Rockingham	Roc CC	Wentworth	771
	Sandhills	San CC	Southern Pines	829
	Southeastern	S/E CC	Whiteville	655
	Surry	Sur CC	Dobson	45 <b>2</b>
	Wayne	Way CC	Goldsboro	815
	Western Piedmont	WP CC	Morganton	673
Techn	ical Institutes:			
	Anson	Ans TI	Ansonville	78
	Asheville-Buncombe	A-B TI	Asheville	668
	Beaufort County	Bea TI	Washington	147
	Bladen	Bla TI	Elizabethtown	98
	Caldwell	Cal TI	Lenoir	292
	Cape Fear	CF TI	Wilmington	398
	Carteret	Car TI	Morehead City	100
	Catawba Valley	CV TI	Hickory	741
	Central Carolina	CC TI	Sanford	257
	Cleveland County	Cle TI	Shelby	151
	Craven County	Cra TI	New Bern	114
		122		



Durham	Dur TI	Durham	440
Edgecombe County	Edg TI	Tarboro	66
Fayetteville	Fay TI	Fayetteville	<b>7</b> 66
Forsyth	For TI	Winston-Salem	706
Guilford	Gui TI	Jamestown	529
Halifax County	Hal TI	Halifax	119
Haywood	Hay TI	Clyde	192
James Sprunt Institute	JS I	Kenansville	180
Martin	Mar TI	Williamston	94
McDowell	McD TI	Marion	109
Montgomery	Mon TI	Troy	33
Nash	Nas TI	Rocky Mount	83
Onslow	Ons TI	Jacksonville	231
Pamlico	Pam TI	Alliance	55
Pitt	Pit TI	Greenville	380
Randolph	Ran TI	Asheboro	200
Richmond	Ric TI	Hamlet	324
Roanoke-Chowan	Roa TI	Ahoskie	64
Robeson	Rob TI	St. Pauls	198
Rowan	Row TI	Salisbury	460
Sampson	Sam TI	Clinton	188
Southwestern	S/W TI	Sylva	171
TI of Alamance	TI of A	Burlington	550
Tri-County	Tri TI	Murphy	69
Wilson County	WC TI	Wilson	461
W. W. Holding	WWH TI	Raleigh	591



#### Appendix C

Instructions And Procedures
For Completing Facilities Inventory

### **CONTENTS**

		Page
INTRO	DUCTION	139
PART I	-GENERAL	
Α.	Scope	139
в.	Value of Survey	140
C.	Project Guidelines	140
D.	Data Collection	140
E.	Use of Data	140
F.	Project Coordinator	141
G.	Completed Forms	141
PART	II—THE FACILITIES INVENTORY	
Α.	General	143
В.	Formats for the Facilities Inventory	143
c.	Inventory Existing Facilities Only	143
D.	Buildings to be Excluded	143
E.	General Instructions for the Facilities Inventory	144
F.	Instructions for Up-dating the Facilities Inventory (Using Computer Printout)	144
G.	Instructions for Completing the Building Characteristics Format (Hard Copy)	144
н.	Layout for Key Punch of Building Characteristics Cards	150
I.	Instructions for Completing the Room-By-Room Facilities Inventory (Hard Copy)	150
Ј.	Criteria for Classifying, Defining, and Measuring Building Areas	156
K.	Layout for Key Punch of Room-By-Room Inventory Cards	156
L.	Classifications and Definitions of Building Areas	158



### Introduction

The Congress in 1963 passed the Higher Education Facilities Act, designed to help meet the financial problem faced by colleges in providing buildings for the growing enrollment. Under this program about \$41,600,000 have been made available through Fiscal Year 1969 to assist institutions in North Carolina.

In 1966, the Congress asked that a study be conducted of the facilities requirements of all colleges and universities in each state to determine the number and kinds of buildings needed, their estimated cost, and probable sources of funds. This information would enable the Congress to judge realistically if additional federal aid must be provided and in what amounts. Apparent in such a study is the annual requirements for a comprehensive inventory and utilization survey covering all facilities at all institutions of higher education.

In North Carolina, this inventory and survey requirement is being accomplished under the supervision of a Technical Committee consisting of representatives of each of the concerned state agencies—the State Board of Higher Education and Department of Community Colleges; the Property Control and Construction Division, Department of Administration; and the State Commission on Higher Education Facilities. The State Commission acts as the executive agency to conduct the inventory and survey. Surveys have been completed for school years 1967-68 and 1968-69.

This manual supersedes the manual used for the facilities inventory and utilization surveys of 1967 and 1968. For the most part, terms, codes, and definitions remain the same as in the previous publication. In both manuals, the terms, codes, definitions, and procedures are identical to or compatible with those used in the *Higher Education Facilities Classification and Inventory Procedures Manual*, U. S. Office of Education.

### Part I. General

### A. Scope

- 1. The facilities inventory is designed to secure and to up-date at least annually a campus-by-campus, building-by-building, room-by-room physical facilities inventory of the following North Carolina educational institutions: public colleges and universities, public community colleges, those technical institutes which have or expect to have a majority of their full-time equivalent enrollment in two-year technical programs, and those private institutions which agree on a voluntary basis to participate. The utilization study will assemble, record, and analyze instructional room use information for these same institutions.
- 2. Through computerized data and information accrual and retrieval means, the inventory will be developed as a permanent system. Institutions will be individually assisted in expanding the capability to maintain their own inventory data.



<sup>&</sup>lt;sup>1</sup> U. S. Office of Education, Superintendent of Documents Catalogue No. FS 5.251:51016, U. S. Government Printing Office, Washington, D. C., 1968.

### B. Value of the Survey

- 1. With complete, accurately gathered facilities and facilities use data available, it is possible to develop more wisely considered schedules for constructing and financing new buildings, to improve utilization practices, to develop justifiable cost-sharing budgets, to have a sound basis for making intra- and inter-institutional cost comparisons, and to interpret facilities problems to faculty, trustees, and to state, regional, and federal agencies as well as to citizens at large.
- 2. The goal will be to develop inventory and utilization data and analyses which will meet most institutional needs, the needs of the state agencies listed above, and the requirements of the U. S. Office of Education.

### C. Project Guidelines

- 1. The State Plan governing the conduct of the project provides that data from participating private institutions will be given the degree of confidential treatment requested by the president of the college or university. It is hoped that the demonstrated benefits of this program have been such that all institutions will desire to continue their participation.
- 2. Except for private institutions, the gathering and processing of data will be accomplished through the joint effort of the agencies named in the introduction.

### D. Data Collection

- 1. Three sets of data are being collected (or up-dated) for participating institutions:
  - a. Selected building characteristics
  - b. Selected room characteristics
  - c. Instructional space utilization information
- 2. It is especially important that there be uniformity in reporting data since most of the statistical work in the project will be accomplished by computer.
- 3. The systems set forth herein, including definitions, terminology, and coding, are essentially the same as those used for the 1967 and 1968 surveys. Even so, because of the many codes and other identifications reported, institutions should review the instructions provided before beginning their reports. This review is particularly applicable for institutions reporting by data processing cards.

### E. Use of Data

- 1. The U. S. Office of Education and the state agencies named herein will use the collected data in developing state, regional, and nation-wide projections of higher education needs.
- 2. Inventory information with respect to public institutions will become a part of a comprehensive data system now being developed by the State Board of Higher Education.
- 3. The concerned state agency or agencies of the Technical Committee will review and edit the data submitted by institutions. The Committee will provide to each institution the following information in the form of data processing printouts and analyses:



- a. Inventory and information in terms of gross square feet:
  - (1) Building Characteristics Report—a raw data printout
  - (2) Building Report—an analysis by ownership, date of construction, actual capital investment, etc.
  - (3) Source of Funds (For building construction)
- b. Inventory information in terms of net assignable square feet (NASF):
  - (1) Room Characteristics Report—a raw data printout
  - (2) Total Campus by Types of Rooms and Groups of Organizational Units
  - (3) Selected Organizational Units by Types of Rooms
  - (4) Instruction, Research and Public Service by Subject Field; Selected Organizational Units by Subject Field
  - (5) Selected Types of Rooms by Subject Field
  - (6) Total Campus by Function
- c. Utilization information:
  - (1) A raw data sort by building, room, and class beginning hour
  - (2) Instructional Space Utilization—an analysis of space use by selected utilization indices
- 4. Significantly, in the interest of reduced institutional effort, the U. S. Office of Education has announced that two of the above enumerated computer printouts (to be specified) may be submitted by institutions in lieu of the present facilities portion of the Higher Education General Information Survey (HEGIS).

### F. Project Coordinator

Each institution has appointed a project coordinator as a point of contact for this continuing survey. At four-year public institutions, the designated coordinator is normally the Director of Institutional Research. For all public institutions, the list of project coordinators has been supplied to all members of the Technical Committee.

### G. Completed Forms

Send to: Higher Education Facilities Inventory Project

Higher Education Facilities Commission

P. O. Box 2147

Raleigh, North Carolina 27602



### Part II. The Facilities Inventory

### A. General

Through participation in the 1967 and 1968 facilities inventories, most institutions of higher education in North Carolina are familiar with the procedures and techniques described in this manual. Also, because of this participation, it will not be necessary for most colleges and universities to re-inventory most spaces. Rather, an up-dating only will be required. Instructions for up-dating the inventory and for complete re-inventory of facilities are given in the pages which follow.

### B. Formats for the Facilities Inventory

- 1. For up-dating inventory information, the Commission will provide each institution a "come-back" copy of the Building Characteristics Report and the Room Characteristics Report computer printouts accomplished for the previous year.
- 2. For inventory of spaces not previously included in the survey or for complete re-inventory of space, two sets of blank forms will be provided:
  - a. Building Characteristics (Sample, p. 8)
  - b. Room-By-Room Facilities Inventory (Sample, p. 15)
- 3. Institutions which provide inventory or inventory up-date information by data processing cards should note card layout formats on pp. 13, 19, 28.

### C. Inventory Existing Facilities Only

Existing facilities are defined as those in use on September 30, 1969. Facilities being planned or under construction on September 30, 1969, or which were initially occupied by the institution after that date should not be included in the data reported.

### D. Buildings to be Excluded

Do not report buildings falling within these categories:

- a. Those located on remote institutional properties that are used by relatively small portions of the student body for only a short period of time each year, such as field camps, farms, and ranches.
- b. Investment properties. Excluded also under this term are such facilities as Water Departments, Telephone Departments, Electric and Heating Plants, and Utilities, where these enterprise facilities serve the community as well as the institution and charge both the institution and the community for these services.
- c. Hospitals not owned by the institution, even though some limited instruction and/or research may be carried on in them.
- d. Public schools, not owned by the institution, which are used for practice teaching.
  - e. Federal contract research centers.
- f. Branches, centers, or other components located outside the United States or its outlying parts.



### E. General Instructions for the Facilities Inventory

- 1. Report all data requested on inventory formats or by data processing cards in accordance with instructions which follow.
- 2. In accomplishing the blank forms, be sure that every entry is legible and confined within the space provided for the entry. When in doubt about an entry, make necessary notes or sketches on the back of the sheet so that decisions concerning the entry may be made at a later time in consultation with the person on the campus who is responsible for the institution's inventory.
- 3. To lessen the possibility of error, it is recommended that data be placed directly on the inventory form and not on some intermediate schedule.
- 4. Institutions are particularly cautioned that where data are transposed from existing records onto the inventory forms or to punched cards, experience has shown that accuracy is particularly difficult to attain. Accordingly, a careful review of the transposing is strongly urged.

### F. Instructions for Up-dating the Facilities Inventory (Using Computer Printout)

- 1. Building Characteristics
- a. Using the previous year's computer printout ("come-back" copy), correct each individual printed item which is incorrect to show accurate current information. Line through the item to be corrected (up-dated) and insert the correction *in red* in such a way that one item will not be confused with another.
- b. Using the Building Characteristics blank form provided, report on a single line applicable information for each building not previously included in the inventory (i.e., if the building is included on the computer printout for the previous year, up-date as in a, above; otherwise, use the blank form).
  - 2. Room-By-Room Facilities Inventory
- a. Using the previous year's computer printout ("come-back" copy), correct each individual printed item which is incorrect, to show accurate current information as in 1, a, above.
- b. Using the Room-By-Room Facilities Inventory blank form provided, report required information for each room in those additional buildings reported in 1, b, above (i.e., if the building information is included in the previous year's computer printout, place up-dated or new room information on the Room Characteristics computer printout; otherwise, use the blank form). For each line entry on the Building Characteristics form, supporting Room-By-Room forms are required.

### G. Instructions for Completing the Building Characteristics Format (Hard Copy) (See exhibit, p. 8)

- 1. Type or print all of the information requested in the heading. If the "Name of Institution" and its "Location" are the same as "Campus" and its "Location" complete only the "Name of Institution" and its "Location".
  - 2. If more than one sheet must be used, number the sheets consecutively.



- 3. Use one horizontal line per building. Use as many sheets as necessary.
- 4. Since coded entries will be punched on data processing cards, it is important that entries be recorded on the sheet exactly as indicated in the instructions.
- 5. The numbers in parentheses below refer to the item and column numbers on the Building Characteristics form.
- (1) Building Number: All buildings to be inventoried should be numbered consecutively. If numbers have not been assigned, the person responsible for the inventory should assign numbers. Use no more than four characters (numbers and letters combined). Place on this Building Characteristics Sheet and on every Room-by-Room Inventory Sheet this same number for each building. Note from the exhibit that the last of the four spaces in this field is reserved for an "Alpha" (or letter suffix) and that leading zeros (LZ) are required. For example:

Building 5 is entered
Building 5A is entered

0 0 5 0 0 5 A

Where there are building additions, it will be necessary in most instances to make separate line entries for the original building and each addition in order to provide the data required in columns (4) to (8). In cases where the institution identifies the original building and the additions by separate building numbers, (as, for example, where the function of an addition departs from the function of the original building or where the addition is, in effect, a separate entity) use these numbers as separate line entries in this column. Where the institution identifies the original building along with its additions by a single building number, use the number in the first line entry to represent the original building and this same number plus "A", "B", "C", etc., to represent additions (e.g., original building, 43; additions, 43A, 43B, 43C.)

Irrespective of the numbering system used, be sure that the same building number used on this form is used on the Room-by-Room Inventory form.

- (2) Name of Building: Report the institutional name for this building in not more than 20 characters, including spaces between words or abbreviations. Where the same name applies to more than one building, it is suggested that they also be numbered sequentially; for example, Faculty House #1, Faculty House #2, etc. Separate name entries need not be made for building additions.
- (3) Non-Residential or Residential: Use the appropriate one of the following numerical codes to indicate if the building is Non-Residential or Residential:
  - 1. Non-Residential
  - 2. Residential
- (4) Ownership: Enter the number for the descriptive statement below which best describes the method by which the building is made available to the institution for use.
  - 1. Owned by the institution or is being paid for on an amortization schedule.
  - 2. Not owned, but leased or rented to the institution at a typical rate for the locality.
  - 3. Not owned by the institution, but made available to it at either no cost or at a nominal rate.
  - 4. Title now vested in a holding company or building corporation to which

### BUILDING CHARACTERISTICS

	(year)				SC								<b>\</b>		
	(day)	(state)	(state)	(tel. no.)	SOURCES OF FUNDS	(\$) JanomA	1	167,000				10,000	` }		
	(month)					Code No.	/0		(5)	a) b) c)	a) b)	a) 18 b)			
Date					(13)	Gross Area (sq. ft.)		•	27,300 0	2,630c)	3,400 (c)	a) 3 160c)			
		(city)	(city)		(1.2)	Fallout Shelter		*	*	8	2	2			
				(title)	(11)	Estimated Replacement Value			\$25,000	39,000	51,000	70,000			
	rottoo		Location		(10)	gnibliu& tsoO			500,000	18,000	30,000	000001			
	-	, 	7 		(6)				e	m	w	_			
					(8)	Bribling Condition				m	2				
					(7)				_	7   2	_				
					(9)	Vilially (Yr.) Occupied (Yr.)	[		91916	01116		5 9 6		_	1
					(5)	Year Constructed			91618	9,1,0	6 7 6	9,3,0			
					(4)	shoO qidranwC	•		-	$\omega$	_	9	( )		
	ers			E	(3)	Non-Residential solutial solutial	I		-	_	2	_	} (		
		•	Campus	Person Preparing This Form	(2)	gnibling smsN	I		JOYNER HALL	NFIRMARY	w	GYMNASIUM	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	)	
		Name of	Name of	Person P	(1)	Saiblius redmuN	- H		J. 1.	2,7,	4				-



payments are being made by the institution; title will ultimately pass to the institution (Includes lease-purchase arrangements).

5. Not owned by the institution, but shared with an institution of less than college level.

6. Shared with another institution of college level.

### (5) Year Constructed:

Report the year the building was completed; report only the terminal three digits; for example, "1959" should be entered as "959". If unknown, enter "Unk."

(6) Initially Occupied (not age of buildings):

Report the year the building was first occupied by the institution for its activities or purposes, whether by construction, purchase, gift, lease, or a sharing agreement. Report only the terminal three digits; for example, "1956" should be entered "956." If unknown, enter "Unk."

- (7) Scheduled to be Demolished: If it has been firmly established that a building will be torn down some time prior to the end of 1979, estimate here the year demolition is likely to begin. Report only the terminal two digits. For example, "1975" should be reported as "75."
- (8) Condition: "Condition" refers to the condition of the building only on the inventory date; not to the condition of its movable equipment and furniture. Enter the rating number from the descriptive statement below which best describes the condition of the building.
  - 1. Satisfactory condition.
  - 2. Needs major rehabilitation.
  - 3. Should be razed, but the need for its space and the lack of funds to build a replacement force continuation of its use.
- (9) Percent Air-Conditioned: Air conditioning is intended to include such systems as refrigeration cooling, evaporative cooling, and the like which have the effect of creating comfortable temperature in hot weather. Enter the number for the percentage below which represents the portion of the gross area that is air-conditioned.
  - 1. None
  - 2. 1-9 percent
  - 3. 10-24 percent
  - 4. 25-49 percent
  - 5. 50-74 percent
  - 6. 75-100 percent
- (10) Building Cost: Report to the nearest thousand dollars\* the plant fund investment for this building, and the cost of any additions and/or major renovations that may have been made, as it is carried on your records. If building cost is unknown make an estimate, mark with an asterisk, and place a note on the reverse of the form that the figure is estimated.
- (11) Estimated Replacement Value of Building: The value of this building on the inventory date (including the value of connecting utilities and foundations) and its fixed equipment should be reported (to the nearest thousand dollars)\* as the estimated replacement value. As a suggestion, this estimate may be arrived at by applying dollar



<sup>\*</sup> For example, \$532,615 is \$533,000.


costs per gross square foot for similar current projects. Additionally, the Commission will provide a suggested guide which institutions may find helpful in achieving their estimates.

- (12) Fallout Shelter: Enter the number for the descriptive statement below which best describes the status of this building in the National Shelter Survey as a shelter for protection from fallout of radioactive materials.
  - 1. Building was NOT included in the National Shelter Survey.
  - 2. Building WAS included in the National Shelter Survey, but was NOT licensed as a fallout shelter.
  - 3. Building was LICENSED as a fallout shelter by the National Shelter Survey, but has NOT been stocked with supplies.
  - 4. Building was LICENSED as a fallout shelter in the National Shelter Survey, and is STOCKED with supplies.

(Note: Per the State Civil Defense Agency, all buildings on which construction had been completed prior to October 1, 1967, state-wide, have been included in the National Shelter Survey.)

(13) Gross Area: Report the gross area of this building in square feet. The gross area of a building is here defined as the sum of the areas at each floor level included within the principal outside faces of exterior walls, neglecting architectural setbacks or projections. (For detailed definition and illustrations, see pp. 30-41.)

### Illustration: Computing Gross Area



Gross Area = length x width ± insets or offsets (outside dimensions).

Therefore:

Gross Area =  $48 \times 104$  -  $(20 \times 19 + 8 \times 11)$  = 4,524 sq. ft.



- (14) and (15) SOURCES OF FUNDS (FINANCING) INFORMATION RE-LATED TO ALL BUILDINGS INITIALLY OCCUPIED AFTER JUNE 30, 1964
- (14) Source Code Number: Report appropriate code(s) from the list below for the source of funds used for financing the construction or acquisition of this building. Provision is made for reporting as many as three sources and related amounts. Report only buildings initially occupied after June 30, 1964.

### CODES FOR SOURCE OF FUNDS BY CATEGORY (COL. 14)

Governmental Appropriations	Direct Tax Levy	Revenue Bonds	Other (Cont.)
01. State Government	08. State government	15. College Housing	21. Investment of or
02. Local Government	09. Local government	Loan Program (HHFA)	borrowed from
FEDERAL GOVERNMENT CRANTS	GENERAL OBLIGA- TION BONDS	16. Other than from HHFA	other college funds
03. Title I HEFA, P.L.	10. State government	OTHER	22. Borrowed from
88-204	11. State authority	17. Pledged student	private or com-
04. Title II HEFA, P.L.	12. Local government	building fees	mercial sources outside the
88-204	13. Institutional	18. Gifts and grants	institution
05. Public Health Service	14. Title III HEFA	19. Current Funds	
06. National Science Foundation	loans under P.L. 88-204	20. Investment of or borrowed from	23. Source unknown
07. Other (specify on reverse side of form—NASA, AEC, DOD, etc.)		endowment funds	24. Other (specify on reverse side of form)

(15) Amount: Report the amount received from each of the coded sources in column (14). The total for column (15) should coincide with the entry for item (10). If insufficient space exists on the form for these entries, place the additional data on an attached sheet of paper referencing it to the proper Building Number (listed in Column 1).



### H. Layout for Key Punch of Building Characteristics Cards

Layout is shown on p. 13.

### I. Instructions for Completing the Room-By-Room Facilities Inventory Format (Hard Copy) (See exhibit, p. 15)

1. Enter the information requested in the heading. In the space, Building Number, enter the same number as that appearing on the Building Characteristics form. Use no more than four characters (numbers and letters combined). Note from the exhibit that the last of the four spaces in this field is reserved for an "Alpha" (or letter suffix) and that leading zeros (LZ) are required. For example:

Building 5 is entered	0,0,5
Building 5A is entered	0 0 5 A
Building 134 is entered	1,3,4

- 2. If a building has more than twenty rooms, two or more sheets will be needed. Do not use one sheet for two or more buildings even if each building has only a few rooms. The data for the assignable rooms of a building should appear only on the sheet or sheets carrying that building's number.
- 3. Since coded entries will be punched on data processing cards, it is important that entries be recorded on the sheet exactly as indicated in the instructions.
- 4. The numbers in parentheses below refer to the column numbers on the sample form. The sample also acts as an exhibit to exemplify the following instructions:
- (1) Room Number: Enter the room as posted at the entry to the room. If the room is not numbered, supply a non-repetitive number on both the sheet and the floor plan being used to control the inventory process. If a teaching room has two or more doors, each with a number, it is advisable to determine which number is used for class assignment purposes since the same number must be used on the Instructional Space Utilization Survey (See Part III.) Note from the exhibit that the last of the six spaces in this field is reserved for an "Alpha" (or letter suffix). Although allowable, use of the letter suffix is discouraged unless required by the existing room numbering system. Leading zeros (LZ) are required. For example:

Room 6 is entered	0,0,0,6,
Room 6A is entered	0 0 0 0 6 A
Room 2263B is entered	0 2 2 6 3 B

Every room must be identified by a number except in the case of dormitories which may be inventoried by the following procedure if desired. Dormitory space (Room Type Code 911) in a given building may be lumped, rather than recorded on a room-by-room basis, and assigned the room number, 'DORM'. Dormitory storage space is included under Room Type Code 911 and room number, 'DORM'. General storage space (Room Type Code 730) in a given dormitory may be lumped and assigned the room number, 'STOR'. Lounge space (Room Type Code 650) in a given dormitory may be lumped and assigned the room number, 'LOUN'. Enter leading zeros before these abbreviations (See exhibit).



# CARD LAYOUT FOR KEY PUNCH OF BUILDING CHARACTERISTICS CARDS

# Building Characteristics (Card Layout 1)

C B H BUILDING NAME EN FERR 72 6 H BUILDING ESTIMATED G GROSS SOURCE OF FUNDS  NO NO. 10 H LJ  LE LZ  LZ LZ  12345 6/78 9 1011121314151617181920212223242526272829303132333435 363738394041424344454647484950515253545555758859606162636465666768697071727377789980						T
8 H BUILDING NAME RWCHR YEHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR TO HE TO HE BUILDING NAME RWCHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR YEHR YEHR YEHR YEHR YEHR YEHR YE		<b>\(\gamma\)</b>			<u>@</u> 1	
8 H BUILDING NAME RWCHR YEHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR TO HE TO HE BUILDING NAME RWCHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR YEHR YEHR YEHR YEHR YEHR YEHR YE	ZZ	77	Z	77	$\tilde{z}$	
8 H BUILDING NAME RWCHR YEHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR TO HE TO HE BUILDING NAME RWCHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR YEHR YEHR YEHR YEHR YEHR YEHR YE	FUNDS	# HMOONT	No CENTS	して	72 73 74 75 76 77 78	
8 H BUILDING NAME RWCHR YEHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR TO HE TO HE BUILDING NAME RWCHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR YEHR YEHR YEHR YEHR YEHR YEHR YE	IL	٥٥	O II	1	707	
8 H BUILDING NAME RWCHR YEHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR TO HE TO HE BUILDING NAME RWCHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR YEHR YEHR YEHR YEHR YEHR YEHR YE	1	#MOUNT	No CENTS	벌	1 62 63 64 65 66 67 68 69	
8 H BUILDING NAME RWCHR YEHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR TO HE TO HE BUILDING NAME RWCHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR YEHR YEHR YEHR YEHR YEHR YEHR YE			,		8	
8 H BUILDING NAME RWCHR YEHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR TO HE TO HE BUILDING NAME RWCHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR YEHR YEHR YEHR YEHR YEHR YEHR YE				벋	55 56 57 58 59	
8 H BUILDING NAME RWCHR YEHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR TO HE TO HE BUILDING NAME RWCHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR YEHR YEHR YEHR YEHR YEHR YEHR YE	W/O	U.E.III	<u>۱۸-۱</u>	12	33.54	
8 H BUILDING NAME RWCHR YEHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR TO HE TO HE BUILDING NAME RWCHR YEHR YEHR TO HE BUILDING NAME RWCHR YEHR YEHR YEHR YEHR YEHR YEHR YEHR YE	ESTIMATE	6057	NOCENTS	ごれ	47 48 49 50 51 52 5	
8 H BUILDING NAME RAR YEHR YE CHAR YE RR YE RR YE RR TOO RETOO RE TOO RETO	8		No	7	40 41 42 43 44 45 46	
8 H BUILDING NAME ENGLOS 122334353638	DE				839	
8 H BUILDING NAME ENGLOS 122334353638	300	<u> </u>			37 3	
8 H BUILDING NAME ENGLOSIS 122 23 2425 2627 28 29 30 31 32 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 2425 2627 28 29 30 31 32	az 💮	<u>_</u>			34 35 36	
8 H BUILDING NAME ENGLY KANDE OF THE	Qζ			Lut	32/33	
85-70-05-4 15-17-17-7-7-7-7-17-17-17-17-17-17-17-17-1		°≥ <sub>W</sub>	 _0_2	,,,,,,,	33	
85-70-05-4 15-17-17-7-7-7-7-17-17-17-17-17-17-17-17-1		2W.X	N E ~		2829	
85-70-05-4 15-17-17-7-7-7-7-17-17-17-17-17-17-17-17-1	HME				19 20 21 22 23 24 25 26 27	
85-70-05-4 15-17-17-7-7-7-7-17-17-17-17-17-17-17-17-1	BUI LD IN G			LJ	8 9 10 11 12 13 14 15 16 17 18	
<u> </u>	Ä	_16		-	6,7	
OF Econ Sing	80,2			<u> </u>	3 4 ₹	
	ڻ¥	Σσ.	-3V)	<u> </u>	- 2	┧┃
<del></del>	1					

# Building Characteristics (Card Layout 2)

	0	80	
SOURCE OFFUNDS	7777	124744/5 4647/8 49 5951 52 5354 58 56 56 58 58 66 1,62 58 64 65 64 65 64 70 71 72 73 74 75 76 77 78 1980	
2	MOUNT NO CENTS	77.	
14	AMOUNT No CENT	576	
0	2 2	47	
CE	20	LE 72737	
œ		72	
Ö	UOPI	<b>E</b> 071	
<u>~</u>	77	7 8	
Ι,	///	\\ <u>\</u>	
' '	///	13	
( )	///	18	
		1 4	
	//,	18/	
/ )	///	18	
' '	///	1/2/	
.\	//	12	
/	///	1 %	
Ι,	///	K	
//	///	/ /‰,	ĺ
\ \	///	/ <del>x</del>	
//	///	13/	
//	///	12	
//	///	$\bar{z}/$	
N	///	/ Jz.	1
	///		1
Ι,	///	1/3/	1
' '	///	12/	
\	//,	12/	
/	//	1 3	
Ϊ,	///		
' '	///	1 2	١
/	///	\%'	4
$\mathcal{N}$		1 8	1
/	//,	18/8	
Ι,	///		
' '	///	18	١
//	///		1
//	I/I	12	
/	///		
.\	///	18	
/	///		1
/	///	/%	1
//	///	/%	
//	///	17.7%	
//	111	18	
//	///	17	
//	///	1/6	
//	///	/ JE,	
//	///	/ / <u>~</u>	1
/	///	1/3	1
<i>\</i>	///		1
/,	///	\ <u>\</u> Z	
//	///	<u>Æ</u> //	
//	///	77	
//	///	1/2	
7/	77,	1/8	
Ψ.:		 1 17	7
<b>6</b> 25°	-10 - 50	1.26.4 4.56	
	~ o > o <	3	1
<b>. T</b>	Σ <sub>σ &gt; 1</sub> 5	12.17	

### Campus Description (Card Layout 3)

			<u> </u>
****		30	
CITY & STATE (2,9., DAVIDSON NC)	LEHVE I SPHCE BETWEEN WORDS & PBREN	<b>L J</b> 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79	
NAME OF CAMPUS ( R. g., DAVIDSON COLLEGE)	LEHVE   SPACE BETWEEN WORDS.	LJ LZ 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 65 75 88 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80	
C)z∑a	, zw <u>č</u>	5 교 2	
L			

Legend: LZ—Leading zeros LJ—Left justify CL—Card layout



- (2) Name of (Organizational) Unit: Enter the institution's own name of the department or administrative unit which occupies the room (e.g., Business Office, Dean of Students, Student Housing, French Department, Agricultural Research, etc.) Place the first three letters of the entry in the three spaces at the left. (Note: If the room represented on the entry line is not readily identifiable with a specific department or administrative unit, institutions may use such general organizational unit labels as "Academic Department" or "General Administration.")
- (3) Institution Code: If the institution has its own organizational unit code for the department or administrative unit which occupies the room, enter that number in this space.
- (4) Unit Code: Enter that one code number from the Standard Classification of Organizational Units in the Appendix which is most appropriate. Each line must have an entry in this column. Examples follow:

I&R is entered	I & R
GEN is entered	$G_{E}N$
UNFIN is entered	UNFIN

(5) Subject Field: Enter the appropriate subject field code number from the Standard Classification of Subject Fields in the Appendix. An entry must appear in this column if the Organization Unit Code (Column 4) is "I&R," "ACT," "RES," or "PUB". There will be no entry in this column if the Organizational Unit Code is other than quoted above. (For further clarification of this entry, see Appendix C.) Examples follow:

199C is entered	1,9,9,C
620ED	6,2,0,E,D

- (6) Type of Room (Name): Enter the type of room name used by the institution for each room (e.g., faculty office, analytical laboratory, dining room). Place the first three letters of the entry in the three spaces at the left.
- (7) Type of Room Code: Enter the appropriate type of room code from the Standard Type of Room Classification in the Appendix. When in doubt, review the definitions of type of rooms in order to make decisions, or make notes which will allow a decision to be made later. Note from the Appendix that all rooms are identified by "type" with a three-digit code or by a three-digit code plus a letter suffix. The "210" code with letter suffix (e.g., 210B) is for use only by public colleges and universities, including community colleges and technical institutes. Private institutions should use the "210" code without suffix to identify all class laboratories. Right justify all entries (i.e., leave no blank spaces to the right of the field). Examples follow:

110	1,1,0
210B (used with suffix by public insts.)	2 1 0 B
210 (used without suffix by private insts.)	2,1,0

(8) Stations: Enter the number of stations (seats; work stations; carrels; and, in residential facilities, bed spaces per the room's rated capacity) in classrooms, laboratories of all types, study facilities, assembly facilities, and residential facilities only. Enter leading zeros. In the case of dormitories, the rated dormitory capacity, rather than a



# ROOM BY ROOM FACILITIES INVENTORY

Campus   C		Do Not Welte in this Space	Net Area Research Assignable Per Sq. Ft. (9)	0,0,0,1,7,5	8'9'1'0	54.4.1	0,0,1,2,2,5	0,0,0,5,7,2	2,4,6,6	0,0,0,1,2,0	1,2,2,3	1,2,4,5	0,0,0,2,4,2 0,2,5	0,0,1,0,1,4	10,0,0,3,4,0 1,0,0	2,6,3,0	5,2,2,3		
Partitution   Partitution		28		-	-	0,0,1,8,40,1,	1111	1 1 1	0,0,0,1,80,0,0	0,0,0	0,0,1,0,10,0	0,0,0,0,0,0	1 1	-	0,0,0,0		-		ilding
Desiritation   Desire of Room   Desire			Sode (1)	,3,5,6	🎝	19,1,	,6,5,0	. 7,	2,1,0,9	21/6	2' /'/	,2,3,6	_	,6,3,0	2,50	2,1,0,1	1		Sheets for this B
Paidress   Paidress	Campus	Building No.	Type of Room Name (\$\mathcal{\varphi}\$)	C,O,N,FERENCE	0,6,6,00	DO.R.MITORY	L,O,U,NGE		L.H.B.ORATORY	0,F.F. 1CE	C,L,A, SSROOM		14/		1	L. A. B.ORATORY	O.F.F.ICE		
Pace     Pace			Subject Field Code (33)			-	-	7		-			13,1,0,M		9.3.0.P	6,2,0,5,0	1 1 1		
				1	$T^{-1}$			-	_			-	5,0,1		$I^{-1}$	<b>'</b> -	-		Recorded by
	InstitutionAddress	Building Name	Room   Organizational No.	-W	:w	H, U, X, 1,	0,1,0,0,1//, ", ", ",	F.D.M.INI STRAT		0,0,2,3,6,8 H,1,5,TORY	O.B.2,3,9,H H,C,H, DEMIC	0,0,2,2,3, MU,S,ic	M.A.T.HEMATIC	10,0,0,0,5,4 N.C.NI-1NSTITUTIONAL	0,0,1,6,3, P,H,Y,5,0s				Date of Record

- EXPLANATORY NOTES:

  1. Hachured lines denote separation of examples applicable to different buildings; however, in accomplishing this form, make entries for not more than one building on a single sheet.

  2. Right justify entries in Column (7), irrespective of common practice.



physical count of beds, should be recorded in each case as the applicable number of stations for that dormitory. (See exhibit for examples.)

(9) Net Assignable Area: For purposes of this inventory, only assignable rooms and spaces are to be reported. However, for the institution's own use, it may be desirable to have a complete inventory of both "assignable area" and "non-assignable area" in order to gain maximum utility from the inventory data.

For each room enter the net assignable square feet to the nearest whole number (computed 785 not 784.7). Enter leading zeros.

If the net assignable area is available for any or all rooms it may, of course, be transferred for such rooms to the Room-by-Room Facilities Inventory Sheet. If the net assignable square feet of any room is not available, it may be taken either from "as-built" plans, or by an actual measuring of the room in question.

Definition of "Net Assignable Area", basis for measurement, description, and limitations are given in Appendix C. Techniques for measuring rooms are enumerated in paragraph 7, below.

(10) Research: Give to the nearest whole number your best estimate of the percent to which each room is used for research. Enter leading zeros. Define research as

Any activity the primary objective of which is the discovery or application of knowledge, including the research activities engaged in by students as a part of their graduate training.

Examples of the types of rooms often wholly allocated to research are non-class laboratories, offices assigned to research personnel, and relatel service facilities. Many rooms are only partly allocated to research as so defined.

Institutions with large scale and complex research programs may desire to report their estimates of square footage devoted to research by some procedure other than the foregoing. In such instance, the institution's inventory coordinator should contact the Inventory Project Supervisor, Higher Education Facilities Commission.

- 5. Fill in the blanks at the bottom of the sheet.
- a. Date of Record: Enter here the date when the entries were completed on each sheet.
  - b. Recorded By: Enter here the name of the person recording the data.
  - c. Sheet of Sheets: Fill in as indicated.
- 6. Room Measuring Techniques: To secure dimensions from drawings or by actual room measurements, it is suggested that the procedure outlined below be followed:
- a. First determine how much of the room measuring can be completed by using existing floor plans and blue prints. Only those drawings or sections of drawings should be used which are known to reflect actual conditions accurately.
- b. Then prepare a scaled, single line, simply prepared, floor plan for all floors for all buildings for which a reliable floor plan or blue print does not already exist. (Note: For technique to use in measuring residential facilities space, see footnote, p. 80.)
- c. From the Building Characteristics forms prepared as the first part of the inventory program, take the number and name of every building—Items (1) and (2)—and place them on the corresponding building and floor plans. Take special note of the directions which apply to buildings with additions.




d. Assemble the following items:

1 set of floor plans for every building to be inventoried Room-by-Room Facilities. Inventory Sheets Instructions Pencils 50-100' steel measuring tape

- e. Enter the name and address of the institution and its campus on all Roomby-Room Facilities Inventory Sheets that are to be used for the inventory.
- f. Assemble a stack of Room-by-Room Facilities Inventory Sheets for each building to be inventoried and enter the name of the building and its number on each sheet to be used for that building.
- g. The sheets in each stack should then be marked with room numbers of all of the assignable rooms therein, being careful to keep the sheets in numerical order, floor by by floor, building by building.
- h. Use reliably scaled and dimensioned floor plans and blue prints to the extent they are available. (See Appendix A for Basis of Measurement.) The information requested for each assignable room should be entered in the appropriate place on each sheet insofar as such information is available from the plans or from the accurate knowledge of the recording team.
- i. A survey of the site should then be made of all assignable rooms in each building for which measurement data could not be secured from the plans. (A suggested method for measuring on-site is shown in the sketch on p. 18). Two persons with the items listed in #d above should go floor by floor, from the bottom to the top of each building to be inventoried, to secure data on all rooms for which the data were unobtainable from existing floor plans.
- j. These two persons should identify each building and analyze it sequentially room by room. The findings should be concurrently entered on both the floor plans and the Room-by-Room Facilities Inventory Sheet. Rooms should be measured and recorded in numerical sequence. One person can hold the free end of the tape against one base-board, while the second person can read the measurement off the tape while holding the coiled end of the tape against the opposite baseboard. The person with the clipboard records the length and the width both on the floor plans and on the reverse side of the Room-by-Room Facilities Inventory Sheet as soon as they are read out by his team mate. Net assignable square feet can later be calculated and entered in Column (9) of the sheet. (Note: For technique to use in measuring residential facilities space, see footnote, p. 80.)



### k. Example of measuring individual rooms:



- l. When the inventory is finished the institution will have a complete set of floor plans dimensioned and numbered with the same data as appear on the inventory sheets.
- m. Alcoves, major offsets, irregularly shaped rooms, etc. often complicate the measuring process. In such cases it may prove helpful to draw a free-hand sketch with necessary measurements on the back of the sheet so that the area can be verified or calculated at a later time.
- J. Criteria for Classifying, Defining, and Measuring Building Areas<sup>2</sup> Definitions and illustrations are contained in Appendix A.

### K. Layout for Key Punch of Room Inventory Card

Card layout is shown on p. 19.



<sup>&</sup>lt;sup>2</sup> Ibid., pp 17-29. Definitions are based on Classification of Buildings Areas, (1964), Publication 1235, National Academy of Sciences, National Research Council.


# LAYOUT FOR KEY PUNCH OF ROOM INVENTORY CARD

<del></del>	<u> </u>
//////	
/////	
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	/ Æ】
/////	/ %
/////	<b>/%</b> /
/////	/%/
/////	13
/////	
	/ /s/
/////	
/////	
/////	(5)
	/ / 3
JE N E	. 22
Ama ama Canal	150
<del>2</del> <del>4</del> 0	9 5(
NET HREA Assign. Sq. Ft.	184
NET HRE Assign. Sq. FT.	47.4
F 20 %	46
所なな	7 145
Z Na V	<u>8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 </u>
o ·	<b>Z</b> 424
_ II	🕹
~~~	M 4
<u>v'</u>	38
r -   h   · ·	, 173
ο <u>Σ</u> [ ο ]	<b>-3</b> 83
ROOM ROOM NAME CODE	<b>%</b> 55
<b>6</b> 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	334
ROOM NAME CODE	7333
<del></del>	3
UBJEC TIELD	30:
30 田 10	7
SUBJECT FIELD CODE	7 28
	- 2 -
F   L	25.2
3 - 6	24:
ントライ	733
,   ~ ~ ~ ~	
UN IT	<u>62 52</u>
26N 0 1. 2	02122
TTIONAL ST. Ur DE C.	19 20 21 22
NST. UN	2   R
INST. Un	RJ RJ 819202122
GANIZATIONAL  WE INST. UR  F GODE C	1 RJ 8 19 20 21 22
DREANIZATIONAL VAME INST. Un OF CODE C	LJ RJ 8
ORGANIZATIONAL UNIT FIELD NAME CODE  L OF CODE CODE CODE  PUNIT	13 14 15 16 17 18 19 20 21 22
ORGANIZATIONAL ORGANIZATIONAL UNIT	12 13 14 15 16 17 18 19 20 21 22
ORGANIZATIONAL  MAME INST. Ur  L. OF CODE C.	H LJ RJ RJ 8
BER ORGANIZATIONAL OOM HAME INST. UN	10111213141516171819202122
ROOM H WAME INST. UNINOT OF CODE CO	に歪 <mark>  に</mark>   RJ   RJ   R   89 10 11 12 13 14 15 16 17 18 19 20 21 22
H ROOM H WAME INST. UNIT NO. P CODE C.	478910111213141516171819202122
NOMBER ORGANIZATIONAL  THE ROOM HAME INST. UN  NO. 19 UNIT	15 6 78 9 10 11 12 13 14 15 16 17 18 19 20 21 22
D. NOMBER ORGANIZATIONAL UNIT  B. H ROOM H WAME INST. UNIT  I. I. NO. P CODE CODE  O. P UNIT	345678910111213141516171819202122
L.D. NOMBER ORGANIZATIONAL THE BOOM IN INST. UN OF CODE CO	1234567889101112131415161718192021223242526272829303132333435363738394041424344454647484950515265545556575859806162336464546474849505112213141516171819202122232425262728293031323334353637383940414243444546474849505152655545556575859806162336456478849505112213141516171819202122232425262728293031323334353637383444544546474849505152655545556575859806162336456478849505152655545556575859806162336456867081

Legend:
LZ—Leading zeros
RJ—Right justify
LJ—Left justify
Alpha—ietter suffix

Note: Right justify entries in card columns 35-38 irrespective of common practice.

### L. Classifications and Definitions of Building Areas



### 1. Gross Area

### a. Definition

"Gross Area" should be construed to mean the sum of the floor areas included within the outside faces of exterior walls for all stories, or areas, which have floor surfaces.


### b. Basis for Measurement

Gross area should be computed by measuring from the outside face of exterior walls, disregarding cornices, pilasters, buttresses, etc., which extend beyond the wall face.

### c. Description

In addition to ground - to top - story internal floored spaces obviously covered in "a" above, gross area should include basements (except unexcavated portions), attics, garages,






enclosed porches, penthouses and mechanical equipment floors, lobbies, mezzanines, all balconies--inside or outside--utilized for operational functions, and corridors, provided they are within the outside face lines of the building. Roofed loading or shipping platforms should be included whether within or outside the exterior face lines of the building.

### d. Limitations

Open courts and light wells, or portions of upper floors eliminated by rooms or lobbies which rise above single-floor ceiling height, should not be included in the gross area, nor should unenclosed roofed-over areas or floored surfaces with less than 6 ft. 6 in. clear head-room be included unless they can properly be designated and used as either net assignable, mechanical, circulation, or custodial area.




### 2. Net Assignable Area

### a. Definition

"Net Assignable Area" should be construed to mean the sum of all areas on all floors of a building assigned to, or available for assignment to, an occupant, including every type of space functionally usable by an occupant (excepting those spaces elsewhere separately defined in area classifications 3, 4, and 5.

### b. Basis for Measurement

All net assignable areas should be computed by measuring from the inside finish of permanent outer building walls, to the office side of corridors and/or to permanent partitions.




### c. Description

Included should be space subdivisions for offices, classrooms, laboratories, seminar and conference rooms, libraries, file rooms, storage rooms, etc., including those for special purposes (e.g., auditoriums, cafeterias, TV studios, faculty and student locker and shower rooms, maintenance and research shops, garages), which can be put to useful purposes in accomplishment of the institution's mission.

### d. Limitations

Deductions should not be made for columns and projections necessary to the building.





### 3. <u>Custodial Area</u>

### a. Definition


"Custodial Area" should be construed to mean the sum of all areas on all floors of a building used for building protection, care, maintenance, and operation.

### b. Basis for Measurement

These areas should be measured from the inside surfaces of enclosing walls.



المشاسينية الأرادان




### c. Description

Included should be such areas as custodial, locker rooms, janitors' closets, maintenance storerooms.

### d. Limitations

Deductions should not be made for columns and projections necessary to the building.






### 4. Circulation Area

### a. Definition

"Circulation Area" should be construed to mean that portion of the gross area--whether or not enclosed by partitions--which is required for physical access to some subdivision of space.

### b. Basis for Measurement

Circulation area should be computed by measuring from the inner faces of the walls or partitions which enclose horizontal spaces used for such purposes; or, when such spaces are not enclosed by walls or partitions, measurements should be taken from imaginary lines which conform as nearly as possible to the established circulation pattern of the building.




### c. Description

Circulation areas should include, but not be limited to: corridors (access, public, service, also "phantom" for large unpartitioned areas); elevator shafts; escalators; fire towers or stairs; stairs and stair halls; loading platforms (except when required for operational reasons and, thus, includable in net assignable area); lobbies (elevator, entrance, public, also public vestibules); tunnels and bridges (not mechanical).

### d. Limitations

When assuming corridor areas, only horizontal spaces required for general access should be included—not aisles which are normally used only for circulation within offices or other working areas. Deductions should not be made for columns and projections necessary to the building.






### 5. Mechanical Area

### a. Definition

"Mechanical Area" should be construed to mean that portion of the gross area designed to house mechanical equipment, utility services, and non-private toilet facilities.

### b. Basis for Measurement

Mechanical area should be computed by measuring from the inner faces of the walls, partitions, or screens which enclose such areas.




### c. Description

Mechanical area should include, but not be limited to: Air-duct shafts; boiler rooms; fixed mechanical and electrical equipment rooms; fuel rooms; mechanical service shafts; meter and communications closets; service chutes; stacks; and non-private toilet rooms (custodial and public).

### d. Limitations

Deductions should not be made for columns and projections necessary to the building.





### 6. Construction Area


### a. Definition

"Construction Area" should be construed to mean that portion of the gross area which cannot be put to use because of the presence of structural features of the building.

### b. Basis for Measurement

Precise computation of construction area is not contemplated under these definitions—some construction features are included in the computation of other areas. However, total construction area should generally be determined by assuming it to be the residual area after the net assignable, circulation, custodial, and mechanical areas have been subtracted from the gross area.





### c. Description

Examples of areas normally classified as construction area are exterior walls, fire walls, permanent partitions, and unusable areas in attics, basements, or comparable portions of the building.

### d. Computation of Construction Area

Gross Area	34,578	Square Feet	100.0%
Net Assignable	15,596	-	45.1
Circulation	10,385		30.0
Custodial	577		1.7
Mechanical	4,1.86		12.0
Construction	3,834	Square Feet	11.2%

### Appendix D

Codes, Terms, And Definitions
Used In Facilities Inventory

171 -172 -

### ORGANIZATIONAL UNITS-CODES, TERMS, DEFINITIONS

(Code) (Term)

### I & R DEPARTMENTS OF INSTRUCTION AND RESEARCH

Departments ordinarily identified within the terms, "Instruction and Departmental Research" and "Organized Research." Includes separately budgeted research which is organizationally part of an instruction-and-research department, irrespective of the sources of funds or other budgetary distinctions. (See also Category RES)

### ACT ORGANIZED ACTIVITY UNITS (RELATED TO INSTRUCTION AND RESEARCH)

Demonstration and practice schools for education departments; demonstration and practice homes for home-economics departments; teaching hospitals for medical schools; any other organizationally separate and physically identifiable units which are functionally related to department of instruction and research, and/or to organized research units.

### RES ORGANIZED RESEARCH UNITS

Research institutes, laboratories, museums, etc., which are organizationally separate and physically identifiable, irrespective of the sources of funds. This category does *not* include research projects which are organizationally part of, and physically indistinguishable from, the other research activities in a department of instruction and research.

### PUB PUBLIC SERVICE UNITS

Extension, i.e., adult or continuing education, including agricultural extension, engineering extension, etc.; also any other organizationally separate public-service unit with the primary objective of making available to the general public the benefits of the instructional and/or research activities of an institution of higher education, including activities of a cultural nature, e.g., dramatic and/or musical performances.

NOTE: Each organizational unit in the above categories is to be classified and independently coded in accordance with the classification of subject fields. The following categories of organizational units are *not* to be classified in terms of subject fields.

### LIB LIBRARY

Main library and branches thereof, or equivalent, including subject-field libraries administered by the main library or otherwise professionally staffed, including law libraries and medical libraries, but *not* informal "departmental libraries" which are organizationally part of any units in Categories I&R, ACT, RES, or PUB.



### GEN GENERAL ADMINISTRATION AND INSTITUTIONAL SERVICES

Any institutional unit the primary objective of which is the orderly planning and operation of the instructional, research, and/or public-service activities of the institution in terms of academic affairs, fiscal affairs, personnel, student affairs, public relations, development, etc. (Note: This category is intended to include the institutional units ordinarily represented by the budget categories of General Administration, General Services, and Physical Plant.)

### AUX AUXILIARY SERVICES

Institutional units which are characteristically represented by the types of physical facilities classified as General-Use Facilities (room-type codes in the 600-series) and/or Residential Facilities (room-type codes in the 900-series), except to the extent that those units support specific instructional, research, and/or public-service units. Includes inter-collegiate athletics if organizationally separate and physically distinguishable from physical education, irrespective of budgetary classification in the institution's own records.

### NON NON-INSTITUTIONAL AGENCIES

Public or private agencies which are not under the direct supervision or control of the institutional administration, irrespective of the degree of association with, or relationship to, any institutional units.

### UNA UNASSIGNED

Facilities which are not assigned to, or are not available to, any institutional unit (or non-institutional agency) at the time of the facilities inventory. The overall code UNA is intended only for captions and subtotals in tabulated reports; itemized data should be coded in terms of the most appropriate of the following categories only:

- INACT INACTIVE: Rooms or other assignable floor areas which are available for assignment, but which are unassigned at the time of the facilities inventory.
- ALT ALTERATION OR CONVERSION: Rooms or other assignable floor areas which are temporarily out of use because they are under alteration or conversion (or rehabilitation) at the time of the facilities inventory.
- UNFIN UNFINISHED: Rooms or other assignable floor areas in new buildings, or in new additions to existing buildings, which are unfinished at the time of the facilities inventory.



### SUBJECT FIELDS—SUMMARY OF CODES AND TERMS

100	GENE	RAL OR UNCLASSIFIED FIELDS		499G	GENERAL BEHAVIORAL	
	110G	GENERAL			SCIENCES	
	<b>120</b> U	UNCLASSIFIED	500	HUMANITIES		
	199C	(CLASSROOM FACILITIES)		<b>510</b> F	FINE ARTS	
2	00 <i>LIF</i>	E SCIENCES		<b>520</b> L	LETTERS	
	<b>210</b> B	BIOLOGICAL SCIENCES		599G	GENERAL HUMANITIES	
	220A	AGRICULTURAL SCIENCES		PROFESSIONS .		
	<b>230</b> H	HEALTH SCIENCES	600			
		231M MEDICINE		610A	ADMINISTRATIVE PROFESSIONS	
		232V VETERINARY MEDICINE 233D DENTISTRY		620ED	EDUCATION	
		234N NURSING		630EN	ENVIRONMENTAL DESIGN	
		235PH PHARMACY		640H	HOME ECONOMICS	
		236PU PUBLIC HEALTH		650L	LAW	
		239HS OTHER HEALTH SCIENCES		660S	SOCIAL WORK	
	299G	GENERAL LIFE SCIENCES		670T	THEOLOGY	
			690P	OTHER PROFESSIONS		
300	M.C.P.E. SCIENCES			<b>6</b> 99G	GENERAL PROFESSIONS	
	310M	MATHEMATICAL SCIENCES				
	320C	COMPUTER SCIENCES	700	TECHN	VICAL-VOCATIONAL FIELDS	
	330P	PHYSICAL SCIENCES		705AG	AGRICULTURAL	
	340E	ENGINEERING SCIENCES			TECHNOLOGIES	
	399G	GENERAL M.C.P.E. SCIENCES		710AP	APPAREL DESIGN OR FABRICATION	
400	BEHAV	ORIAL SCIENCES		715B	BUSINESS TECHNOLOGIES	
	410P	PSYCHOLOGY		720C	CONSTRUCTION TECHNOLOGY	
	420S	SOCIAL SCIENCES				



725E	ENGINEERING & INDUSTRIAL TECH.		790TV	OTHER TECHNICAL- VOCATIONAL	
730G	GRAPHIC ARTS TECH- NOLOGIES		799G	GENERAL TECHNICAL- VOCATIONAL FIELDS	
735H	HEALTH TECHNOLOGIES	800	PHYSIC	CAL EDUCATION & MIL.	
750P	PUBLIC SERVICE TECH-		SCIENCE		
	NOLOGIES		810P	PHYSICAL EDUCATION	
760T	TRANSPORTATION TECHNOL-		00014	NATE TO A DAY COLUNIOUS	
	OGIES		820M	MILITARY SCIENCES	

#### SUBJECT FIELDS-CODES, TERMS, DEFINITIONS

The three digits of the code number identifies the subject-field category. The broad categories coded in multiples of 100 are intended only for captions and subtotals in tabulated reports. The letter suffix is for verification purposes and should be included in all cases.

The same three digit and letter code of subject field categories is used in classifying each of the first four organizational unit categories (I & R, ACT, RES, and PUB); the other organizational units are not classified by subject fields.

For departments or other organizational units (Column 4 entry, Room-by-Room Inventory) with subject fields sufficiently precise for specific identification in this system, use the appropriate subject-field code beginning with 210B and ending 820M, excluding those codes with 9 as the last digit. For departments or other organizational units with subject fields too broad for specific identification, the most appropriate code with 9 as the last digit will be used, except that units significantly representing two or more subject fields here coded in multiples of 100 should be coded 110G.

The subject-field code 199C is reserved for rooms classified as classroom facilities (Room-type codes 110 and 115). The subject field coding of all such rooms should be 199C irrespective of any departmental assignment indicated in the institution's own records, so that these rooms (classrooms and classroom service only) will be consistently excluded from the subject-field data of all institutions. Thus these facilities can be readily tabulated for analysis on a campus-by-campus basis. (Note: The subject field of all other rooms for departments of instruction and research should be coded 110G if no more specific coding is appropriate.)

The code 120U is for use only in those exceptional cases where no other code is considered applicable.

#### 100 GENERAL OR UNCLASSIFIED SUBJECT FIELDS

- 110G GENERAL: Identifiable but broader than any category below—e.g., dean of arts and sciences.
- 120U UNCLASSIFIED: Not identifiable in any other category. This category should be avoided except as a last resort.
- 199C (CLASSROOM FACILITIES: Room-Type Codes 110 & 115 Only)

#### 200 LIFE SCIENCES

210B BIOLOGICAL SCIENCES: Animal sciences, plant sciences, biochemistry, biophysics, microbiology, etc., if not in an agricultural college or school, nor in a medical center, college, or school. (See also 220A and 230H.)



220A AGRICULTURAL SCIENCES: As above but in an agricultural college or school, including forestry but excluding agricultural economics, agricultural education, agricultural engineering, home economics, and veterinary medicine. (See also 232V, 340E, 420S, 620ED, 640H, and 705AG.)

230H HEALTH SCIENCES: (Professional level; see also 735H.)

231M MEDICINE: All basic medical sciences and clinical specialties

232V VETERINARY MEDICINE

233D DENTISTRY

234N NURSING

235PH PHARMACY

236PU PUBLIC HEALTH

239HS OTHER HEALTH SCIENCES: Osteopathy, podiatry, etc.

299G GENERAL LIFE SCIENCES

300 M.C.P.E. SCIENCES (Mathematical, Computer, Physical, and Engineering)

310M MATHEMATICAL SCIENCES: Excludes computing science if organizationally separate.

320C COMPUTER SCIENCES: Includes information and computing sciences.

330P PHYSICAL SCIENCES: Astronomy, including astrophysics, cosmology, radio astronomy, etc.; chemistry; environmental sciences, including atmospheric physics, earth sciences, meteorology, oceanography, paleontology, vulcanology, etc.; physics; etc.

340E ENGINEERING SCIENCES: Aeronautical, astronautical, agricultural, architectural, ceramic, chemical, civil, construction, electrical, electronic, general, geological, geophysical, industrial, materials, mechanical, metallurgical, physical metallurgy, mineral mining, mining geology, nuclear, petroleum, petroleum refining, sanitary, textile, transportation, and welding engineering, engineering mechanics, physics, and science; naval architecture and marine engineering; etc. (See also 725E.)

399G GENERAL M.C.P.E. SCIENCES

#### **400** BEHAVIORAL SCIENCES

410P PSYCHOLOGY

420S SOCIAL SCIENCES: Anthropology and archaeology; economics, including agricultural economics; geography, including physical geography; history, including history of science, technology, etc.; political science

and government; sociology; etc., including area studies, i.e., inter-disciplinary studies of geographically defined areas.

#### 499G GENERAL BEHAVIORAL SCIENCES

#### 500 HUMANITIES

- 510F FINE ARTS: Art; drama, including cinematography, radio and television, and theater arts; music, including both musicology and performance; other fine arts, including dance. (See also 730G.)
- 520L LETTERS: English language and literature; foreign languages and literature; folklore, linguistics, philology, etc.; philosophy; religion, e.g., comparative religion (but see also 670T); speech if not primarily dramatic arts; journalism if not a professional school (see also 690P).

#### 599G GENERAL HUMANITIES

600 PROFESSIONS (Professional schools not included above.)

610A ADMINISTRATIVE PROFESSIONS: Business administration, institutional administration, public administration, including hospital administration; public administration; etc. (See also 715B.)

620ED EDUCATION: Includes agricultural education, business education, etc.

630EN ENVIRONMENTAL DESIGN: Architecture, landscape architecture, urban and regional planning, etc.

640H HOME ECONOMICS: Includes departments which are not in a professional school; includes departments of agricultural colleges.

650L LAW

660S SOCIAL WORK

670T THEOLOGY: Includes *all* instructional departments of divinity schools, so that data will be consistent with statutory exclusions from Federal-aid programs such as the Higher Education Facilities Act of 1963 and subsequent related legislation.

690P OTHER PROFESSIONS: Criminology, journalism, library science, mortuary science, museum curatorship, etc.

699G GENERAL PROFESSIONS

# 700 TECHNICAL-VOCATIONAL FIELDS

705AG AGRICULTURAL TECHNOLOGIES



#### 710AP APPAREL DESIGN OR FABRICATION TECHNOLOGIES

- 715B BUSINESS TECHNOLOGIES: Accounting, advertising, cosmetology, data processing, hotel, motel, and restaurant operation, insurance, physical distribution, retailing, sales, secretarial, and other business technologies.
- 720C CONSTRUCTION TECHNOLOGIES: Air conditioning and heating, cabinet making, carpentry, construction electricity, forest products, sheet metal, etc.
- 725E ENGINEERING AND INDUSTRIAL TECHNOLOGIES: Architectural, chemical, civil, drafting and design, electrical, electronic, industrial, mechanical, and other engineering and industrial technologies.
- 730G GRAPHIC ARTS TECHNOLOGIES: Commercial art and advertising design, photography, printing, technical illustration, and other graphic-arts technologies.
- 735H HEALTH TECHNOLOGIES: Clinical laboratory technician, dental auxiliary (dental assistant, dental hygienist, dental technologists, etc.), food-service supervisor, inhalation therapist, vocational nurse, psychiatric aide, ward manager, x-ray technologist, etc.
- 750P PUBLIC SERVICE TECHNOLOGIES: Fire protection, law enforcement, library assistant, teaching aide, urban-planning assistant, etc.
- 760T TRANSPORTATION TECHNOLOGIES: Automotive, aviation, heavy truck, and other transportation technologies.
- 790TV OTHER TECHNICAL-VOCATIONAL FIELDS
- 799G GENERAL TECHNICAL-VOCATIONAL FIELDS

#### 800 PHYSICAL EDUCATION AND MILITARY SCIENCES

- 810P PHYSICAL EDUCATION: Includes health and recreation education as in "HPER" departments. Includes intramural athletic programs administered by the physical-education department, but excludes intercollegiate athletics if organizationally separate.
- 820M MILITARY SCIENCES: Air and Aerospace R.O.T.C., Army R.O.T.C., Navy R.O.T.C., and the equivalent.



#### TYPE OF ROOM-SUMMARY OF CODES AND TERMS

#### 100 CLASSROOM FACILITIES

- 110 Classroom
- 115 Classroom Service

#### 200 LABORATORY FACILITIES

- 210 Class Laboratory (Public institutions should not use this classification or code; see footnote.)
  - \*210A Class Laboratory, Other than Those Below
  - \*210B Scientific and Engineering Laboratory
  - \*210C Language and Speech Laboratory
  - \*210D Home Economics Laboratory
  - \*210E Photographic, Graphic Arts, and Audio-Visual Laboratory
  - \*210G Business Machines Laboratory
  - \*210H Industrial-Oriented Laboratory
  - \*210J Art Laboratory
  - \*210K Drafting Laboratory
  - \*210L Observation or Listening Room/Laboratory
  - \*210M Kindergarten and Child Care Laboratory
  - \*210N Broadcasting (Radio and TV) Studio/Laboratory
  - \*210P Agricultural Facility/Laboratory
  - \*210R Greenhouse/Laboratory
  - \*210S Rehearsal Hall/Laboratory
- 215 Class Laboratory Service
- 220 Special Class Laboratory
- 225 Special Class Laboratory Service
- 230 Individual Study Laboratory
- 235 Individual Study Laboratory Service
- 250 Non-Class Laboratory
- 255 Non-Class Laboratory Service

#### 300 OFFICE FACILITIES

- 310 Office
- 315 Office Service
- 350 Conference Room
- 355 Conference Room Service

<sup>\*</sup> Applicable to public institutions only.

#### 400 STUDY FACILITIES

- 410 Study Rooms
- 420 Stack
- 430 Open-Stack Reading Rooms
- 440 Library Processing Rooms
- 455 Study Facilities Service

#### 500 SPECIAL-USE FACILITIES

- 510 Armory Facilities
- 515 Armory Facilities Service
- 520 Athletic-Physical Education Facilities
- 523 Athletic Facilities Spectator Seating
- 525 Athletic-Physical Education Facilities Service
- 530 Audio-Visual, Radio, TV Facilities
- 535 Audio-Visual, Radio, TV Facilities Service
- 540 Clinic Facilities (Non-Medical)
- 545 Clinic Facilities Service (Non-Medical)
- 550 Demonstration Facilities
- 555 Demonstration Facilities Service
- 560 Field-Service Facilities
- 590 Other Special-Use Facilities
- 595 Other Special-Use Facilities Service

#### 600 GENERAL-USE FACILITIES

- 610 Assembly Facilities
- 615 Assembly Facilities Service
- 620 Exhibition Facilities
- 625 Exhibition Facilities Service
- 630 Food Facilities
- 635 Food Facilities Service
- 640 Health Facilities (Student)
- 645 Health Facilities Service (Student)
- 650 Lounge Facilities
- 655 Lounge Facilities Service
- 660 Merchandising Facilities
- 665 Merchandising Facilities Service



670 Recreation Facilities

675 Recreation Facilities Service

690 Other General-Use Facilities

695 Other General-Use Facilities Service

#### **700** SUPPORTING FACILITIES

710 Data Processing-Computer Facilities

715 Data Processing-Computer Facilities Service

720 Shop Facilities

725 Shop Facilities Service

730 Storage Facilities

735 Storage Facilities Service

740 Vehicle Storage

745 Vehicle Storage Service

750 Central Food Stores

760 Central Laundry

790 Other Supporting Facilities

795 Other Supporting Facilities Service

#### 800 MEDICAL CARE FACILITIES

810 Human Hospital-Clinic Facilities

815 Human Hospital-Clinic Facilities Service

820 Human Hospital-Patient Care Facilities

825 Human Hospital-Patient Care Facilities Service

840 Dental Clinic Facilities

845 Dental Clinic Facilities Service

850 Veterinary Hospital-Clinic Facilities

855 Veterinary Hospital-Clinic Facilities Service

860 Veterinary Hospital-Animal Care Facilities

865 Veterinary Hospital-Animal Care Facilities Service

#### 900 RESIDENTIAL FACILITIES

910 Residence for Single Persons (Do not use 910 Code; for Recap only.)

911 Dormitory

912 Food Service in Residence Halls

920 One-Family Dwelling

930 Multiple Family Dwelling



#### TYPE OF ROOM-CODES, TERMS, AND DEFINITIONS

#### 100 CLASSROOM FACILITIES

#### 110 Classroom

Definition: A room used by classes which do not require special-purpose equipment for student use.

Description: Included in this category are rooms generally referred to as lecture rooms, lecture-demonstration rooms, seminar rooms, and general purpose classrooms. A Classroom may be equipped with tablet arm chairs (fixed to the floor, joined together in groups, or flexible in arrangement), tables and chairs (as in a seminar room), or similar types of seating. A Classroom may be furnished with special equipment appropriate to a specific area of study if this equipment does not render the room unsuitable for use by classes in other areas of study.

Limitations: This category does NOT include conference rooms, auditoriums, or class laboratories. Conference rooms are distinguished from seminar rooms on the basis of primary use; a room with tables and chairs which is used primarily for meetings (as opposed to classes) is a Conference Room. Auditoriums are distinguished from lecture rooms on the basis of primary use; a large room (with seating oriented toward some focal point) which is used for dramatic or musical productions, or for general meetings is an Assembly Facility (i.e., an auditorium normally used for other than scheduled classes). Class Laboratories are distinguished from classrooms on the basis of equipment in the room and by its limited use; a room with specialized equipment such as laboratory benches, typewriters, desk calculators, drafting tables, musical equipment, (instructional) shop equipment, etc., which is used for instructional purposes is a Class Laboratory.

#### 115 Classroom Service

Definition: A room which directly serves a Classroom as an extension of the activities of the Classroom.

Description: Included in this category are projection rooms, cloak rooms, preparation rooms, closets, and storage if they serve a classroom.

Limitations: This category does NOT include projection rooms, cloak rooms, preparation rooms, closets, and storage, if such rooms serve laboratories, conference rooms, assembly facilities, etc. A projection booth in an auditorium is classified as Assembly Facilities Service.

#### 200 LABORATORY FACILITIES

210 Class Laboratory (Public institutions should not use this classification or code; see footnote, next page.)

Definition: A room used by regularly scheduled classes which require spe-



cial-purpose equipment for student participation, experimentation, observation, or practice in a field of study.

Description: A Class Laboratory is designed and/or furnished with specialized equipment to serve the needs of a particular area of study for group instruction in regularly scheduled classes. The design and/or equipment in such a room normally precludes its use for other areas of study. Included in this category are rooms generally referred to as teaching laboratories, instructional shops, typing laboratories, drafting rooms, band rooms, choral rooms, (group) music practice rooms, language laboratories, (group) studios, and similar specially designed and/or equipped rooms IF they are used primarily for group instruction in regularly scheduled classes.

Limitations: This category does NOT include laboratory rooms which serve as individual (or independent) study rooms (see 230 and 410). It does NOT include laboratories used for group instruction which are informally or irregularly scheduled (see 220). This category does NOT include rooms generally referred to as research laboratories (see 250). It does NOT include gymnasiums, pools, drill halls, laboratory schools, teaching clinics, demonstration houses, and similar facilities which are included under SPECIAL-USE FACILITIES.

\*210A Class Laboratory, Other Than Those Below

Description and Limitations: As for 210 above, but excluding other room types in the 210 series—a catch-all category.

\*210B Scientific and Engineering Laboratory

Description and Limitations: Along with other types of scientific and engineering laboratories, this category includes rooms equipped with computer and computer-related facilities if such areas are used primarily for instructional purposes. It does not include instruction facilities equipped with calculators, business machines, and like business-related types which are included under BUSINESS MACHINES. (If the purpose of the facility is other than instruction, see Code 710, under SUPPORTING FACILITIES.)

\*210C Language and Speech Laboratory

Description and Limitations: None

\*210D Home Economics Laboratory

Limitations: This category does NOT include home management houses or home economics residences which are included under DEMONSTRATION FACILITIES.

\*210E Photographic, Graphic Arts, and Audio-Visual Laboratory

Description and Limitations: None



<sup>\*</sup> Applicable to public institutions only.

#### \*210G Business Machines Laboratory

Description and Limitations: This category includes instructional facilities equipped with calculators, typewriters, and like business-related machines. It does NOT include computer and computer-related facilities which are included under SCIENTIFIC AND ENGINEERING.

#### \*210H Industrial-oriented Laboratory

Description and Limitations: Included in this category are such rooms as ceramics, furniture-making, textiles, etc., laboratories where students receive instruction in the trade or vocational aspects of this type subject. Included also are industrial shops such as welding and electrical repair where industry or trade related equipment is used for instructional purposes. NOT included are mechanical, electrical, aeronautical, etc., engineering laboratories which are included under SCIENTIFIC AND ENGINEERING.

#### \*210J Art Laboratory

Description: Rooms designed and/or equipped for art studies such as sculpture and painting.

#### \*210K Drafting Laboratory

Description: Rooms equipped with architectural, engineering, and/or mechanical drawing tables and appurtenances.

# \*210L Observation or Listening Room/Laboratory

Description: This category includes such rooms as those used by supervised groups of students for observing or listening to human or animal behavior.

Limitations: This category does NOT include rooms for individual student observation or listening; this type is included under INDIVIDUAL STUDY LABORATORY. It does not include rooms for informally (or irregularly) scheduled classes; this type is included in SPECIAL CLASS LABORATORY.

# \*210M Kindergarten and Child Care Laboratory

Description and Limitations: None

# \*210N Broadcasting (Radio and TV) Studio/Laboratory

Limitations: This category does NOT include such studios except where used primarily for regularly scheduled classes.



<sup>\*</sup> Applicable to public institutions only.

# \*210P Agricultural Facility/Laboratory

Limitations: Included in this category are covered areas only; NOT open fields. It does NOT include barns or similar structures for animal shelter or the handling, storage, and/or protection of farm products, supplies, or tools; this type is included under FIELD-SERVICE FACILITIES. It does not include green houses which are included under either GREENHOUSE/LABORATORY or FIELD SERVICE FACILITIES.

#### \*210R Greenhouse/Laboratory

Limitations: This category does NOT include greenhouses related to farm operations; this type is included under FIELD-SERVICE FACILITIES.

# \*210S Rehearsal Hall/Laboratory

Description and Limitations: This category includes rooms generally referred to as band rooms, choral rooms, and (group) music practice rooms. It does NOT include such rooms if used for informally (or irregularly) scheduled classes; this type is included under SPECIAL CLASS LABORY.

#### 215 Class Laboratory Service

Definition: A room which directly serves a Class Laboratory as an extension of the activities of the class laboratory.

Description: Included in this category are balance rooms, cold rooms, stock rooms, dark rooms, equipment issue rooms, animal rooms, greenhouses, and similar facilities which serve a Class Laboratory.

Limitations: This category does NOT include balance rooms, cold rooms, stock rooms, dark rooms, animal rooms, greenhouses, etc., which serve a Non-Class Laboratory.

# 220 Special Class Laboratory

Definition: A room used by informally (or irregularly) scheduled classes which require special-purpose equipment for student participation, experimentation, observation, or practice in a field of study.

Description: A Special Class Laboratory is designed and/or furnished with specialized equipment to serve the needs of a particular area of study for group instruction in informally (or irregularly) scheduled classes. The design and/or equipment in such a room normally precludes its use for other areas of study. Special Class Laboratories typically (but not necessarily or exclusively) include such rooms as language laboratories, (group) music practice rooms, (group) studios, etc.



<sup>\*</sup> Applicable to public institutions only.

Limitations: This category does NOT include Class Laboratories (210), individual study rooms (230 and 410), nor research laboratories (250). It does NOT include gymnasiums, pools, drill halls, laboratory schools, teaching clinics, demonstration houses, and similar facilities which are included under SPECIAL-USE FACILITIES.

#### 225 Special Class Laboratory Service

- Definition: A room which directly serves a Special Class Laboratory as an extension of the activities in such a facility.
- Description: Included in this category are rooms which serve Special Class Laboratories.
- Limitations: This category does NOT include rooms which serve Class Laboratories, Individual Study Laboratories, or Non-Class Laboratories.

#### 230 Individual Study Laboratory

- Definition: A room especially equipped and/or designed for individual student experimentation, observation, or practice in a particular field of study.
- Description: Included in this category are music practice rooms, individual study laboratories, and similar rooms which serve a particular subject-matter area. Stations may be grouped (as in an individual study laboratory) or individualized (as in a music practice room).
- Limitations: This category does NOT include individual study facilities which are intended for general study purposes. Study facilities not related to a specific area of study are classified as Study Rooms (410).

# 235 Individual Study Laboratory Service

- Definition: A room which directly serves an Individual Study Laboratory as an extension of the activities in such a facility.
- Description: Included in this category are rooms which serve Individual Study Laboratories.
- Limitations: This category does NOT include rooms which serve Class Laboratories, Special Class Laboratories, Non-Class Laboratories, or Study Facilities Service.

# 250 Non-Class Laboratory

- Definition: A room used for laboratory applications, research and/or training in research methodology which requires special-purpose equipment for staff and/or student experimentation or observation.
- Description: Included in this category are rooms generally referred to as research laboratories and research laboratory-office.



Limitations: This category does NOT include rooms generally referred to as teaching laboratories; see Class Laboratory, Special Class Laboratory, and Individual Study Laboratory, above.

255 Non-Class Laboratory Service

Definition: A room which directly serves a Non-Class Laboratory as an extension of the activities of the Non-Class Laboratory.

Description: Included in this category are balance rooms, cold rooms, stock rooms, dark rooms, animal rooms, greenhouses, etc., which serve a Non-Class Laboratory.

Limitations: This category does NOT include balance rooms, cold rooms, stock rooms, dark rooms, animal rooms, greenhouses, etc., which serve a Class Laboratory, a Special Class Laboratory, or an Individual Study Laboratory.

#### 300 OFFICE FACILITIES

#### 310 Office

Definition: A room used by faculty, staff, or students working at a desk (or table).

Description: Included in this category are rooms generally referred to as faculty offices, administrative offices, clerical offices, graduate assistant offices, teaching assistant offices, student offices, etc. Also included in this category is a Studio (music, art, etc.) if such a room serves as an office for a staff member. (A Studio intended to serve a group of students is classified as Class Laboratory.) An Office typically is equipped with one or more desks, chairs, tables, bookcases, and/or filing cabinets.

Limitations: This category does NOT include rooms which are equipped both as office and "research laboratory." A room equipped with laboratory benches, specialized scientific equipment, and/or such utilities as gas, water, steam, air, etc., is classified as a Non-Class Laboratory. Note that this distinction rests on equipment rather than function. It is recommended that those rooms which have office type equipment and fixed laboratory type equipment (primarily in the biological and physical sciences) within the same room be classified within the Non-Class Laboratory category. Large rooms, such as glass shops, printing shops, reading rooms, research laboratories, etc., which have a desk space for a technician or staff member are classified according to the primary purpose of the room rather than Office.

#### 315 Office Service

Definition: A room which directly serves an Office (or group of offices as an extension of the activities in an Office (or group of offices).



Description: Included in this category are file rooms, mimeograph rooms, vaults, waiting rooms, interview rooms, closets, private toilets, records rooms, and office supply rooms. Centralized mimeograph and printing shops which are campus-wide in scope should be classified as Shop Facilities.

Limitations: This category does NOT include centralized mimeograph and printing shops.

#### 350 Conference Room

Definition: A room used by non-class groups for meetings.

Description: A Conference Room may be equipped with tables and chairs, lounge-type furniture, straight-back chairs, and/or tablet arm chairs. It typically (but not necessarily) is assigned to a department for its use. It is distinguished from such Classroom Facilities as seminar rooms, lecture rooms, and general classrooms because it is used primarily for activities other than (scheduled) classes.

Limitations: This category does NOT include classrooms, seminar rooms, lecture rooms, auditoriums, interview rooms, or lounges.

#### 355 Conference Room Service

Definition: A room which directly serves a Conference Room as an extension of the activities of the Conference Room.

Description: Included in this category are such rooms as kitchenettes, chair storage rooms, projection rooms, sound equipment rooms, etc.

Limitations: This category does NOT include kitchens, dining rooms, and similar facilities in a centralized conference-type building. (Dining rooms open to the student body at large and/or the public are categorized as Food Service Facilities.)

#### **400 STUDY FACILITIES**

#### 410 Study Room

Definition: A room used to study books or audio-visual materials on an individual basis.

Description: Included in this category are rooms generally referred to as library reading rooms, carrels, study rooms, individual study stations, study booths, and similar rooms which are intended for general study purposes. Study stations may be grouped (as in a library reading room) or individualized (as in a carrel). Study stations in a Study Room may include typewriters, remote terminals of a computer, electronic display equipment, etc. (See also 430.)



Limitations: This category does NOT include Individual Study Laboratories. An Individual Study Laboratory is limited in use to a particular area of study, while a Study Room is intended for general study (or a broad area of study). This category does NOT include Classrooms, Class Laboratories, Special Class Laboratories, Non-Class Laboratories, Offices, combined sleeping-study rooms in residence halls or other housing units, waiting rooms, or lounges.

#### 420 Stack

Definition: A room (or portion of a room) used to provide shelves for books or audio-visual materials used by staff and/or students on an individual basis.

Description: Included in this category are rooms generally referred to as library stacks. (See also 430.)

Limitations: This category does NOT include book-shelf space in Classrooms, Laboratories, or Offices. Audio-visual film and tape libraries which generally serve groups (rather than individuals) are classified as AV-Radio-TV Facilities. Separate tape storage rooms for language laboratories should be classified as Laboratory Service. Separate rooms containing musical scores, records, and tapes are classified as Stack if the primary purpose of the materials is for instruction or research (as in a Library or Music Building). Rooms containing such materials and intended for listening enjoyment (as in a Student Union) should be classified as Recreation Facilities Service. Stacks serving Non-Class Laboratories should be classified as Non-Class Laboratory Service.

# 430 Open-Stack Reading Room

Definition: A room which is a combination of Study Room and Stack, generally without physical boundaries between the stack areas and the study areas.

Description: Included in this category are rooms generally referred to as open-stack reading rooms.

Limitations: See limitations defined under Study Room (410) and Stack (420).

# 440 Library Processing Rooms

Definition: A room which serves a Study Room, Stack, or Open-Stack Reading Room as supporting service to such rooms.

Description: Included in this category are rooms generally referred to as card catalog, circulation desk, bookbinding, microfilm processing, and



audio-visual record-playback equipment for distribution to individual study stations.

Limitations: This category does NOT include such library spaces as: offices for staff (which are classified as Offices); acquisitions work areas (which are classified as Offices); campus-wide or centralized audio-visual preparation areas, bookbinding, and microfilm processing areas (which are classified as Shops); instructional facilities for Library Science staff (which are classified as Classrooms, Class Laboratories, Special Class Laboratories, Offices, or other appropriate designations.

#### 455 Study Facilities Service

Definition: A room which directly serves a Study Room, Stack, Open-Stack Reading Room, or Library Processing Room as a direct extension of the activities in such rooms.

Description: Other categories in these TYPE OF ROOM DEFINITIONS have provided a "service" category for each type of room. Because such facilities are minimal in library-type spaces this one category of Study Facilities Service is provided for all types of STUDY FACILITIES. Included are such areas as closets, locker space, coatrooms, etc.

Limitations: This category does NOT include card catalogs, circulation desks, and other areas designated under Library Processing Rooms (440).

#### 500 SPECIAL-USE FACILITIES

#### 510 Armory Facilities

Definition: A room (or area) used by ROTC units.

Description: This category includes indoor drill areas, rifle ranges, and special-purpose military science rooms.

Limitations: Classrooms, Class Laboratories, and Offices in an Armory are designated as Classrooms, Class Laboratories, and Offices.

#### 515 Armory Facilities Service

Definition: A room which directly serves an Armory Facility as an extension of the activities of such a facility.

Description: This category includes supply rooms, weapons rooms, etc.

Limitations: Classroom Service, Class Laboratory Service, and Office Service rooms are so classified even though they are located in an Armory.



#### 520 Athletic-Physical Education Facilities

- Definition: A room (or area) used by students, staff, or the public for athletic activities.
- Description: Included in this category are rooms generally referred to as gymnasiums, basketball courts, handball courts, squash courts, wrestling rooms, swimming pools, ice rinks, indoor tracks, indoor "fields," and fieldhouses.
- Limitations: No distinction is made on the basis of instructional versus intramural or intercollegiate use of gymnasiums, swimming pools, etc. (Institutions which wish to study the utilization of such facilities will need to further subdivide this category.) This category does NOT include Classrooms, Laboratories, or Offices even though they may be located in an Athletic building. This category does NOT include the spectator seating area associated with athletic facilities (see below). It does NOT include outside fields, tennis courts, archery ranges, etc.

#### 523 Athletic Facilities Spectator Seating

- Definition: The seating area used by students, staff, or the public to watch athletic events.
- Description: Included in this category are permanent seating areas in field-houses, gymnasiums, and natatoria. Stadium seating should NOT be included, since by definition it is considered non-assignable area.
- Limitations: This category does NOT include temporary or moveable-seating areas.

#### 525 Athletic-Physical Education Facilities Service

- Definition: A room which directly serves an Athletic-Physical Education Facility as an extension of the activities in such a facility.
- Description: Included in this category are rooms generally referred to as locker rooms, shower rooms, coaches' rooms, ticket booths, dressing rooms, equipment supply rooms, first aid rooms, skate sharpening rooms, towel rooms, etc.

Limitations: This category does NOT include public toilet rooms.

#### 530 Audio-Visual, Radio, TV Facilities

- **Definition:** A room or group of rooms used in the production and distribution of instructional media.
- Description: This category includes rooms generally referred to as TV studios, radio studios, sound studios, graphic studios, and similar rooms.



- Limitations: Studios used primarily as part of an instructional program to train students in communication techniques should be classified as Class Laboratories (if scheduled) or Class Laboratory Service (if not scheduled).
- 535 Audio-Visual, Radio, TV Facilities Service
  - Definition: A room which directly serves an Audio-Visual, Radio, or TV Facility as an extension of the activities in such facilities.
  - Description: Included in this category are rooms generally referred to as film library, tape library, control room, video tape recorder room, property storage, recording rooms, and engineering maintenance rooms.
  - Limitations: Control rooms, recording rooms, and similar facilities used primarily to train students in communication techniques should be classified as Class Laboratories (if scheduled) or Class Laboratory Service (if not scheduled).
- 540 Clinic Facilities (Non-Medical)
  - Definition: A room used for the diagnosis and/or treatment of patients in a program other than medicine (human or veterinary), dentistry, and student health care.
  - Description: Included in this category are rooms generally referred to as patient examination rooms, testing rooms, consultation rooms. Clinics are typically associated with such educational areas as psychology, speech and hearing, remedial reading, and remedial writing.
  - Limitations: This category does NOT include clinics associated with student health care. It does NOT include clinics for the medical or dental treatment of humans or animals.
- 545 Clinic Facilities Service (Non-Medical)
  - Definition: A room which directly serves a Clinic as an extension of the activities in a Clinic.
  - Description: Included in this category are waiting rooms, observation rooms, control rooms, records rooms, and similar supporting rooms.
  - Limitations: This category does NOT include rooms which serve Medical . Care Facilities.
- 550 Demonstration Facilities
  - Definition: A room (or group of rooms) used to practice the principles of certain subject-matter areas, particularly teaching and home management.



Description: This category includes demonstration schools, laboratory schools, pre-school nurseries, etc., IF the facilities support the training of the college-level students involved as (certified) teachers. This category includes home management houses which serve to train collegelevel students in home management.

Limitations: Demonstration schools, laboratory schools, pre-school nurseries, and home management houses in which the students serve as the subjects for a research study are classified as Non-Class Laboratory. Rooms which serve nursery, elementary, or secondary school students (in a laboratory school or preschool nursery) will NOT be classified as Classrooms, Class Laboratory, Office, etc., but rather as Demonstration Facilities. However, Classrooms or Class Laboratories in such facilities used primarily for collegiate level students should be classified as Classrooms or Class Laboratories. Offices and Conference Rooms used by collegiate level staff should be designated Offices and Conference Rooms.

#### 555 Demonstration Facilities Service

Definition: A room which directly serves a Demonstration Facility as an extension of the activities of the Demonstration Facility.

Description: Included in this category are facilities generally referred to as store rooms, laundry, etc. (in a home demonstration facility) and kitchen, lockers, shower rooms, etc. (in a laboratory school).

Limitations: The distinction between Demonstration Facilities and Demonstration Facilities Service is somewhat arbitrary. In general, the primary activity areas such as kitchen, dining room, living room (in a home demonstration house) or classroroms, laboratories, gymnasiums (in a laboratory school) should be designated as Demonstration Facilities.

#### **560** Field-Service Facilities

Definition: A barn or similar structure for animal shelter or the handling, storage, and/or protection of farm products, supplies, and tools.

Description: Field-Service Facilities include barns, animal shelters, sheds, silos, feed units, hay storage, and seedhouses. Greenhouses related to farm operations are included in this category. Structures are typically of light frame construction with unfinished interiors, usually related to agricultural field operations, and are frequently located outside the central campus area.

Limitations: Location of a building is NOT sufficient justification for classification as a Field-Service Facility. Finished rooms such as endocrine research laboratories, diary research laboratories, etc., should be classified as Non-Class Laboratories.

195

#### 590 Other Special-Use Facilities

A category of last resort.

ERIC

# 595 Other Special-Use Facilities Service

A category of last resort.

#### 600 GENERAL-USE FACILITIES

#### 610 Assembly Facilities

Definition: A room designed and equipped for dramatic, musical, devotional, or livestock judging activities.

Description: This category includes rooms generally referred to as theatres, auditoriums, concert halls, arenas, chapels, and (livestock) judging pavilions. Seating area, stage, orchestra pit, chancel, arena, and aisles are included in Assembly Facilities.

Limitations: Assembly rooms are NOT primarily used for instructional purposes (see Classroom Facilities).

#### 615 Assembly Facilities Service

Definition: A room which directly serves as Assembly Facility as an extension of the activities of such a facility.

Description: This category includes check rooms, coat rooms, ticket booths, dressing rooms, projection booths, property storage, make-up rooms, costume storage, green rooms, control rooms, etc.

Limitations: Lobbies are non-assgnable space classified as Circulation space.

#### 620 Exhibition Facilities

Definition: A room used for exhibits.

Description: This category includes museums, art galleries, and similar exhibition areas.

Limitations: Study collections NOT primarily for general exhibition such as departmental displays of anthropological, botanical, or geological specimens should be classified under an appropriate Laboratory Facility category.

#### 625 Exhibition Facilities Service

Definition: A room which directly serves an Exhibition Facility as an extension of the activities in such a facility.

Description: This category includes work rooms for the preparation of materials and displays, vault or other storage for works of art, check rooms, etc.

Limitations: Research areas in a museum are classified as Non-Class Laboratories or Non-Class Laboratory Service.



#### 630 Food Facilities

Definition: A room used for eating food.

Description: This category includes dining halls, cafeterias, snack bars, restaurants, and similar eating areas.

Limitations: This category is limited to facilities which are open to the student body and/or public at large. Dining halls in residence halls (or separate facilities serving a group of residence halls) are classified as Residential.

#### 635 Food Facilities Service

Definition: A room which directly serves a Food Facility as an extension of the activities in such a facility.

Description: This category includes such areas as kitchens, refrigeration rooms, freezers, dishwashing rooms, cafeteria serving areas, and other non-dining areas.

Limitations: This category is limited to service areas in which the Food Facility is open to the student body and/or public at large. Service areas to Food Facilities in a residence hall (or a facility serving a group of residence halls) are classified as Residential.

#### 640 Health Facilities (Student)

Definition: A room used for the medical examination or treatment of students.

Description: This category includes examination rooms, bedrooms, surgery rooms, clinics, etc.

Limitations: This category does NOT include such clinics as speech and hearing clinics, psychology clinics, and similar instructional and/or research facilities. Teaching hospitals for students in Human or Veterinary Medicine are NOT included. Incidental use of a Health Facility by staff members may occur.

#### 645 Health Facilities Service (Student)

Definition: A room which directly serves a Health Facility (Student) as an extension of the activities in such a facility.

Description: Included in this category are such rooms as dispensaries, record rooms, waiting rooms, clinical laboratories, scrub-up rooms, linen closets, etc.

Limitations: This category does NOT include service rooms for teaching clinics or teaching hospitals.



#### 650 Lounge Facilities

Definition: A room used for rest and relaxation.

Description: A lounge is typically equipped with upholstered furniture, draperies, and/or carpeting.

Limitations: A Lounge is distinguished from a Conference Room by its more informal atmosphere and its general public availability. A "lounge" area associated with a toilet is non-assignable space and classified as Mechanical Area.

#### 655 Lounge Facilities Service

Definition: A room which directly serves a Lounge, such as a kitchenette.

## 660 Merchandising Facilities

Definition: A room (or group of rooms) used to sell products or services.

Description: This category includes such rooms as bookstores, barber shops, post offices, dairy stories, student union "desks," and motel-hotel rooms.

Limitations: This category does NOT include dining rooms, restaurants, snack bars, and similar Food Facilities. It does NOT include meeting rooms which are classified as Conference Rooms.

# 665 Merchandising Facilities Service

Definition: A room which directly serves a Merchandising Facility as an extension of the activities in that room.

Description: Included in this category are rooms generally referred to as supply closets, sorting rooms, freezers, telephone rooms, linen rooms, laundry rooms, valet service, and private toilets.

Limitations: This category does NOT include public toilet rooms.

#### 670 Recreation Facilities

Definition: A room used by students (staff and/or the public) for recreational purposes.

Description: This category includes such rooms as bowling alleys, pool and billiards rooms, ping pong rooms, ballrooms, chess rooms, card-playing rooms, (non-instructional) music listening rooms, and hobby rooms.

Limitations: This category does NOT include gymnasiums, basketball courts, handball courts, squash courts, wrestling rooms, swimming pools, ice rinks, indoor tracks, indoor fields, or field houses, which should be classified as Athletic-Physical Education Facilities. It does NOT include



outside facilities such as tennis courts, archery ranges, fields (football, hockey, etc.), or golf courses.

#### 675 Recreation Facilities Service

Definition: A room which directly serves a Recreation Facility as an extension of the activities of such a facility.

Description: This category includes storage closets, equipment issue rooms, cashiers desk, and similar areas.

Limitations: This category does NOT include kitchens, short-order kitchens, snack bars, or other Food Facilities. It does NOT include Athletic-Physical Education Facilities Service areas.

#### 690 Other General-Use Facilities

A category of last resort.

695 Other General-Use Facilities Service

A category of last resort.

#### 700 SUPPORTING FACILITIES

# 710 Data Processing-Computer Facilities

Definition: A room (or group of rooms) for institution-wide processing of data by machines or computers.

Description: This category includes keypunch rooms, electronic data processing rooms, electronic computer rooms, and similar data processing areas.

Limitations: This category does NOT include rooms containing desk calculators, posting-billing machines, check-writing machines, and similar Office or Office Service rooms. It is recommended that the area occupied by a keypunch machine, sorter, or other EDP equipment in a room otherwise classifiable as an Office NOT be prorated to this category. A data processing facility used primarily for instruction should be classified as a Class Laboratory. Such a facility used primarily for research and/or administrative data processing should be included in the "710" category. gory.

# 715 Data Processing-Computer Facilities Service

Definition: A room which directly serves a Data Processing-Computer Facility as an extension of the activities of that facility.

Description: This category includes such rooms as card storage, paper form storage, tape storage, tape storage vaults, control rooms, plugboard storage, wiring rooms, equipment repair rooms, observation rooms, and similar service areas.



Limitations: This category does NOT include offices for data processing personnel which should be classified as Offices.

#### 720 Shop Facilities

Definition: A room used for the manufacture or maintenance of products and equipment.

Description: This category includes such rooms as carpenter shops, plumbing shops, electrical shops, painting shops, and similar physical plant maintenance facilities. It also includes central printing and duplicating shops, central receiving, and central stores.

Limitations: This category does NOT include instructional shops; industrial arts and vocational-technical shops used for instruction should be classified as Class Laboratories. Highly specialized shops for the production of scientific apparatus and equipment should be classified as Laboratory Service (Class Laboratory Service or Non-Class Laboratory Service). Materials preparation areas in Audio-Visual, Radio Stations, and TV Studios should be classified as Audio-Visual, Radio, TV Facilities. Maintenance and repair areas of vehicles, airplanes, boats, etc., should be classified as Vehicle Storage Service. Engineering drafting rooms serving the physical plant operation are classified as Offices. Blueprint storage rooms are classified as Office Service.

#### 725 Shop Facilities Service

Definition: A room which directly serves a Shop as an extension of the activities in such a room.

Description: Included in this category are tool supply-storage rooms, materials storage rooms, and similar equipment or material supply and/or storage rooms. Locker rooms, shower rooms, lunch rooms, and similar non-public areas should be included.

Limitations: This category does NOT include service areas related to Class or Non-Class Laboratories. It does NOT include vehicular repair facilities ("garages") which are classified as Vehicle Storage Service. Blueprint storage rooms should be classified as Office Service. Public toilets are NOT included.

# 730 Storage Facilities

Definition: A room used to store materials.

Description & Limitations: Classification of a room as a Storage Facility is limited by definition to a central storage facility (warehouse) and inactive departmental storage. Storage related to other types of space follow the classification of that type of space with a "service" designation. For example, a storage closet for office supplies is classified as Office Service. The distinction between a "service" classification and "storage"



rests on the possibility of physical separation of the materials stored. If the material being stored could be placed in a warehouse, implying only occasional demand for the materials, then Storage Facility is the appropriate classification. Storage which must, by the nature of the materials stored and the demands placed upon them by the program, be close at hand should be classified according to the appropriate "Service" category.

#### 735 Storage Facilities Service

Definition: A room which directly serves a Storage Facility.

#### 740 Vehicle Storage

Definition: A room which is used to store vehicles.

Description: This category includes rooms generally referred to as garages, boat houses, airport hangars, and other storage areas for vehicles (broadly defined).

Limitations: This category does NOT include portions of barns or similar Field-Service Facilities which are used to house farm implements. It is recommended that parking structures NOT be included, since these do not represent assignable square feet.

#### 745 Vehicle Storage Service

Definition: A room (or structure) used to service vehicles.

Description: This category includes any area associated with a Vehicle Storage Facility which is used for the maintenance and repair of automotive equipment, boats, airplanes, and similar vehicles.

#### 750 Central Food Stores

Definition: A central facility for the processing and storage of foods used in Residence Facilities and Food Facilities.

Description: This category includes food storage areas, lockers, cold rooms, refrigerators, meat processing areas, and similar facilities located in a Central Food Stores building.

Limitations: Offices and conference rooms located in a Central Food Stores building are classified as Offices and Conference Rooms. Food storage areas, freezers, lockers, etc., NOT located in a Central Food Stores building are classified as Food Facilities Service.

#### 760 Central Laundry

Definition: A central facility for washing, drying, and ironing of linens, uniforms, and other institutional material.



Description: This category includes laundry rooms, drying rooms, ironing rooms, etc., located in a Central Laundry.

Limitations: Offices and conference rooms located in a Central Laundry are classified as Offices and Conference Rooms. Laundry rooms, drying rooms, ironing rooms, etc., NOT located in a Central Laundry are classified as Residential Facilities or as a Service facility to whatever type of space they serve.

790 Other Supporting Facilities

A category of last resort.

795 Other Supporting Facilities Service

A category of last resort.

#### 800 MEDICAL CARE FACILITIES

Note: This category does NOT include students health care facilities. This category does NOT include non-medical clinic facilities.

810 Human Hospital-Clinic Facilities

Definition: A room used for the medical examination and/or treatment of humans as inpatients or outpatients.

Description: This category includes rooms generally referred to as examination rooms, operating rooms, x-ray rooms, physical therapy rooms, delivery rooms, labor rooms, recovery rooms, and similar facilities which are (or may be) used in the examination and/or treatment of several patients within the course of a day. It also includes such clinics as medical, surgical, obstetric-gynecology, pediatric, psychiatric, otorhinolaryngology, and ophthalmology. Physical and occupational therapy clinics associated with a hospital are also included.

Limitations: Human Hospital-Clinic Facilities are distinguished from Human Hospital-Patient Care Facilities primarily on the basis of the length of time which a patient spends in such facilities. Clinic Facilities such as examination rooms, operating rooms, etc., are capable of serving many patients in the course of a day. Patient Care Facilities such as bedrooms, wards, etc., serve as a "home base" for a patient for a relatively long period of time.

This category does NOT include Student Health Care Facilities, Non-Medical Clinics, Classrooms, Class Laboratories, Special Class Laboratories, Offices, Study Facilities, Shops, Merchandishing Facilities, and similar rooms which can be otherwise classified.

This category does NOT include Dental Clinics.



# 815 Human Hospital-Clinic Facilities Service

- Definition: A room which serves a Human Hospital-Clinic Facility as a direct extension of the activities in such a room.
- Description: This category includes rooms generally referred to as clinical laboratories, pharmacy, radium storage, control rooms, isotope vaults, animal rooms supporting diagnostic functions, and similar rooms which support clinical facilities, but which the patient does not normally enter.
- Limitations: Clinic Facilities are distinguished from Clinic Facilities Service on the basis of the presence of patients. Rooms which patients enter for examination and/or treatment are Clinic Facilities. Supporting clinical facilities not normally entered by patients are classified as Clinic Facilities Service.

#### 820 Human Hospital-Patient Care Facilities

Definition: A room which provides a bed for patients in a hospital.

Description: This category includes rooms generally referred to as bedrooms, wards, nurseries, and similar rooms.

Limitations: This category does NOT include Clinic Facilities. (See Limitations in category 810 for basis of distinction.) This category does NOT include Patient Care Facilities in a Student Health Center. It does NOT include Non-Medical Clinics.

# 825 Human Hospital-Patient Care Facilities Service

Definition: A room which serves a Patient Care Facility as a direct extension of the activities in such a room.

Description: This category includes rooms generally referred to as nurses stations, charting rooms, tub rooms, medication rooms, nourishment rooms, formula rooms, and food service facilities for patients.

Limitations: This category does NOT include facilities which support student health care facilities, nor does it include Clinic Service Facilities.

#### 840 Dental Clinic

Definition: A room used for the dental examination and/or treatment of humans.

Description: This category includes rooms generally referred to as dental clinics.

Limitations: This category does NOT include Medical Clinics.



#### 845 Dental Clinic Service

Definition: A room which serves a Dental Clinic as a direct extension of the activities in such a room.

Description: This category includes supporting laboratory services and other facilities which serve a Dental Clinic.

Limitations: Dental Clinic Service rooms are generally NOT entered by patients.

#### 850 Veterinary Hospital-Clinic Facilities

Definition: A room used for the medical examination and/or treatment of animals as inpatients or outpatients.

Description: This category includes rooms generally referred to as examination rooms, surgery rooms, x-ray rooms, and similar facilities which are (or may be) used in the examination and/or treatment of several patients within the course of a day.

Limitations: Veterinary Hospital-Clinic Facilities are distinguished from Veterinary Hospital-Patient Care Facilities primarily on the basis of the length of time which a patient spends in such a facility. Clinic Facilities such as examination rooms, operating rooms, etc., are capable of serving many patients in the course of a day. Patient Care Facilities serve as a "home base" for a patient for a relatively long period of time.

This category does NOT include surgery rooms and similar facilities which serve as preparation areas for Class Laboratories or Non-Class Laboratories. Such rooms are classified as Service Facilities to such laboratories.

# 855 Veterinary Hospital-Clinic Facilities Service

Definition: A room which serves a Clinic Facility as a direct extension of the activities in such a facility.

Description: This category includes rooms generally referred to as clinical laboratories, pharmacy, radium storage, scrub-up rooms, animal rooms used for diagnostic purposes, etc.

Limitations: Clinic Facilities are distinguished from Clinic Facilities Service on the basis of the presence of patients. Rooms which patients enter for examination and/or treatment are Clinic Facilities. Supporting clinic facilities not normally entered by patients are classified as Clinic Facilities Service.

# 860 Veterinary Hospital-Animal Care Facilities

Definition: A room which provides a cage or stall for animal patients.



- Description: This category includes rooms generally referred to as animal rooms, stalls, wards, and similar rooms.
- Limitations: This category does NOT include Clinic Facilities. (See Limitations in category 850 for basis of distinction.) Animal rooms, stalls, wards, etc., which house animals intended for use in Class Laboratories, Non-Class Laboratories, or Human Hospital Clinic Facilities, are classified as Service areas to such rooms.
- 865 Veterinary Hospital-Animal Care Facilities Service
  - Definition: A room which serves an Animal Care Facility as a direct extension of the activities in such a room.
  - Description: This category includes rooms generally referred to as feed storage rooms, feed mixing rooms, cage washing rooms, and similar facilities.
  - Limitations: This category does NOT include facilities which directly serve animal-care facilities associated with Class Laboratories, Non-Class Laboratories, or Human Hospital-Clinic Facilities.

#### \*900 RESIDENTIAL FACILITIES

- 910 Residence for Single Persons (Do not use 910; for Recap only.)
  - 911 Dormitory

Definition: Living quarters for unmarried persons.

Description: This category includes all bedrooms, non-public bathrooms, laundry rooms, pressing rooms, and storage rooms (other than Food Storage) in a residence hall for unmarried persons.

Limitations: Rooms in a dormitory which serve primarily as classrooms should be classified as classrooms. Offices for staff members should be classified as Offices. Study Rooms (for general student use, not in areas, which are part of bedrooms) should be classified as Study Rooms. Food Storage Rooms should be classified under 912 Food Service In Residence Halls.

912 Food Service in Residence Halls

Definition: Those facilities where food is prepared and served to the occupants.



<sup>\*</sup> For residential facilities it is preferred that the inventory indicate total net assignable space by building per type of room category rather than on a room-by-room basis.

Description: This category includes all dining halls, kitchens and food service facilities in residence halls for unmarried persons.

Limitations: Rooms which are used primarily for the public or for faculty should not be included here. Faculty dining facilities should be classified under 630.

# 920 One-Family Dwelling

Definition: A house provided for one family.

Description: This category includes houses provided for, or rented to, staff (or students).

Limitations: This category does NOT include investment properties which may be rented to non-institutional personnel.

## 930 Multiple-Family Dwelling

Definition: A duplex house or apartment building for more than one family.

Description: This category includes student and faculty apartment buildings and duplex houses rented to staff and/or students.

Limitations: This category does NOT include investment properties which may be rented to non-institutional personnel.



# Appendix E

Instructions and Procedures

For Gathering Instructional Space Utilization Data

# **CONTENTS**

PART	III—UTILIZATION OF INSTRUCTIONAL SPACE	Page
Α.	Scope	211
В.	Purpose	211
C.	Data Collection and Forwarding	211
D.	Key Punched Cards	211
E.	Room Utilization Data	212
F.	Instructions for Completing the Instructional Space Utilization Form	212
G.	Validation	216
н.	Card Format for Instructional Space Utilization	216
I.	Layout for Key Punch of Instructional Space Utilization Cards	218



# Part III. Utilization of Instructional Space

# A. Scope

This survey is designed to obtain data from which to produce a meaningful analysis of instructional space use on a campus-by-campus basis at institutions of higher education in North Carolina.

# B. Purpose

- 1. It is intended that information gathered by this survey and summaries produced by analysis of this information will form a sound basis for institutions involved and agencies concerned to make effective examination of current instructional space utilization practices. Integration of data from this survey with information obtained from the facilities inventory should provide improved bases for estimating future space needs state-wide.
- 2. Based upon results of the study and recommendations of participants and using agencies, survey procedures will be refined and requirements for use data redefined to improve the effectiveness of future surveys of this type.

# C. Data Collection and Forwarding

1. Institutions, except community colleges and technical institutes, are asked to provide their space use data on the Instructional Space Utilization form, p. 23, by a deck of punched cards, according to instructions which follow.

Community Colleges and technical institutes should report utilization data to the Department of Community Colleges on Form 33B-DCC. For each room reported on Form 33B-DCC, be sure to use room and building numbers identical to corresponding numbers on the inventory forms.

2. Forms are being provided to each institution. Additional forms may be obtained from the Higher Education Facilities Inventory Project, State Commission on Higher Education Facilities, (919)829-3266. Prepare forms or cards in duplicate, retain one copy or set, and forward one copy or set to the Higher Education Facilities Inventory Project (See address, p. 3.) Be sure the completed forms or cards are securely bundled and clearly labeled on a campus-by-campus basis.

# D. Key Punched Cards

- 1. For those institutions with card punch capability, we request these same data by key-punched cards. Use the card layout indicated on p. 28.
- 2. Note that there are no card columns specified for the instructor's name since the system is keyed to the instructor's number. We recommend that the instructor's number be his social security number.
  - 3. Where institutions have the capability, cards should be interpreted.
- 4. It will not be necessary for institutions submitting their data on punched cards to forward the long-hand form.



# E. Room Utilization Data

- 1. This survey measures room use for only administratively scheduled courses of instruction which are offered for college credit or which are non-credit courses offered as a part of degree requirements. These courses only will be entered on the utilization form. Extension courses and short courses such as refreshers which are offered as a service to the community will not be included.
- 2. It is important that requested information reflect room utilization after the "drop and add" period for the fall semester or quarter, 1969. Entries must show the actual place a particular class is held rather than the place it might have been originally scheduled, if different.

# F. Instructions for Completing the Instructional Space Utilization Form (Exhibit, p. 23)

- 1. Note that the Instructional Space Utilization form is oriented around the teaching schedule of the individual instructor. Selection of this method of gathering room-use data is based on survey indications that most North Carolina institutions favor this system over others available. It appears likely that existing institutional (departmental) records contain the same information requested by the form, in much the same format.
- 2. Institutions should record all indoor teaching areas used and all instruction (as described below) accomplished therein.
- 3. Experience indicates a high incidence of error in this type report. It is therefore recommended that all entries be verified at both departmental and institutional level.
  - 4. Type or print in the blanks provided the information requested in the heading.
  - 5. Be sure that every entry is legible and confined within the space provided.
- 6. Make a separate line entry for each segment of each instructor's classroom activity. That is, in the case of each instructor, make a separate line entry for each section of each course he teaches. Separate entries are needed for laboratories associated with recitations and lectures, for classes taught by different instructors, for sessions which meet in different rooms, and for sessions which meet at different hours. Where a class is taught at times by one instructor and at others by a different instructor, the institution should select the name and number of a single instructor for the entries in Columns (1) and (2) in order to avoid duplication in succeeding columns. All periods of indoor instruction should be entered irrespective of the type of room in which conducted. Instrution which occurs out-of-doors should normally not be included. If, however, these classes periodically meet indoors, and if space for the period of instruction is reserved for indoor meetings, then these classes (whether indoor or outdoor) should be recorded as occuring in the reserved space.
- 7. Such activities as individual study, practice, and experimentation should not be included.
- 8. Do not record "to be arranged" for either time or place. Where formal schedules for instruction are not maintained (i.e., for such courses as music, art, honors, research, and theses) or where class schedules are arranged informally and/or periodically, it will be necessary to determine and record the *normal* class location and *average* days and hours scheduled and students attending. For such recordings, the following elements



# INSTRUCTIONAL SPACE UTILIZATION

John Doe College Institution \_ Sheet #\_

As-of-Fall Semester or Quarter, 196.9

Downtown Campus

	(2) Instr.	(3) Dent	17 70	(4) Course	LE 70	(6) Sect.	(e)	(7) Davs	ø.		(8) Begin	(9) Ending	(10) Bids	72.31	(11)	(12)	(13)
No.			J. エル	No.			LabM	TW	표	N H	Hr.	Hr.		-TE	No.	<b>S</b>	Seq. No.
P. E. 218,913,716,8,1,01	6,8,1,0	1.19.011.	T	0 101 10 12 1	1	0,0,1	X	×		0' 0' 6' 0		0,5,6,0	0 12 13	0	191811010	0 10 12 15	1, 0, 0, 0
1.1 1 1.1	11.1	1,1		1"1 1"1		0,0,1	2		×	1 13 10	Q	1,3,5,0	0 2 13	0	0 10 1 13 18 1		C1 ()1 ()1 ()
H. H 113151617191412102 181711	9141210	2 181711		1910/110/0		0.01	L X	×	×	0 18 13	Ç		0.0	0	0.0.2.2.0.0	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	2 0 0 0 0
1.1 1 1.1	1,, 1	1 11 1	1	0.011.0.611.010.12	I 0	-				1 14 10	2 0	1 16 15 10	121010	0	0101213111	5 r	4, 0, 0, 0
	:- -			1111111	0	6,010	2	X		1 18	3 10 2	<del></del>	1 21 01 0	0	0,0,2,3,1	1 15	0 0 0 5
PHILLIPSK-K111171316121511182181511	2151118	2 1815111	_0	0 101211 101		2,0,0		×		0, 2, 7, 0	-		A <sub>1</sub> 1 10 1	0		0 0	9' 0' 0' 0
1,1 1 1,1	-11	1   1	-9	0 10 1411 11 1		2,010	- 2	_×		0, 0, 8, 10, 10		1,5,5,0	0 12 16 1	0	0 10 10 14 17 1	0 10 13 10 (	21 01 01 0
SAUNDERS B. 4421618191713191821218111	7131918	2 12 18 11 1		0,012,014,1		91010		×		0 18 12 10		0,11,6,0	0 1 10 1	0	1911101010	٥	8. 0. 0. 0
"1 1 1"1	-1.1			1 1"1 1"1		0 10 15	1	X	×	0 18 12 10		0,1,9,1	0,1,0,	0	0,0,0,2,3,	9 8	
11 1 111		1   1		1"1 1"1	0	0.015	mark Ewent 27 March	X		1 14 10 10			0 12 15 1B	B 0 1 (	0.01013121A	91 81 01 0	
			A		1	/_					1/	<del> /</del>		Z			1//
2161016101121017010111214010111	11910[7	771101	<u>A</u> 0	10,11,121	0	0'0'B	2	X		1 13 10	0_	1,3,5,0	91010	0	0 10 10 12 11 1	0 0 0 15	0.0.1
			4				$\langle \ \rangle$					/	7	/-	7		
	1811	HILSLT	7	0 1011 (2 11)		O 10 1A	X	×	×	01610		0191510	0,11,13,1	0 10	0 10 10 12 11 1	0 10 14 10 0	0 11 10 10
			/		$\mathcal{A}$		$\mathcal{A}$				/-			4	7	/_	7
														İ			

Prepared by: John Doe, Registrar

Date November 15, 1968

are essential: a) The requirement for the presence of an instructor or instructor-monitor and b) The requirement for the presence of the student for course credit purposes, even though the time of his attendance is optional.

- 9. In the case of closed circuit TV instruction where each receiving classroom has an instructor-monitor, entries should reflect room use by the instructor-monitor-controlled rooms only so that the number of attending students is not listed twice. (This situation should be reported by an explanation attached to the record.)
- 10. The following exemplifies how such an irregularly scheduled class as music may be entered. Note the sample entry on the form, p. 23, for Instructor R. B. Smith. Although Smith's actual instruction is to 5 music students, each on different days of the week, and each at a different hour, he has elected to make a single line entry to reflect his weekly average for Room 21, Building 6. (Thus, each of the five students in Instructor Smith's classes receives an average of one hour of music per week in Room 21). This entry will preperly reflect room hours of instruction, use of room space by type, student contact hours, and other such data which are being analyzed in this study. Where such instruction occurs in different rooms, there must be an entry for each room.
- 11. It is suggested that at large colleges and universities the data be recorded on the form at departmental level and verified at a higher level. In small institutions, the dean of instruction may be the most appropriate recording office.
- 12. The numbers in parentheses below refer to the item and column numbers on the Instructional Space Utilization form. Entries appearing on the form are for purposes of illustration.
- (1) Instructor Name: Suggest this entry show last name first and then initials. Where the entry needs to be repeated on subsequent lines, ditto marks may be used.
- (2) Instructor Number: Institutions may wish to use a system which will separately identify instructors, graduate student instructors, and undergraduate assistants who have been assigned teaching duties. We recommend, however, that the instructor's number be his social security number. There must be an entry in this column. Except for instructor numbers with only one or two digits, ditto marks may be used for repeats.
- (3) Department Number (or name): This is the institution's own department number or code. Institutions may find it desirable to make it the same as the "Organizational Unit Code" reported in the facilities inventory. This is feasible only if in the facilities inventory (Column 3) the institution's "Departmental Code" was used as its Organizational Unit Code for classrooms, laboratories, and other rooms where teaching is conducted. Note from the exhibit that this entry is limited to five spaces and that the last of the spaces is reserved for an "Alpha" (or letter suffix). Enter leading zeros.

Examples of entries follow:

Dept. No. 5 is entered	0,0,0,5
Dept. No. 15 is entered	0,0,1,5
Dept. No. 1306 is entered	1,3,0,6
Dept. No. 130A is entered	0,1,3,0,A
Dept. Name "History" is entered	HIST

Except for one or two-digit department numbers, ditto marks may be used for repeats. There must be an entry in this column.



(4) Course Number (or name): There are six spaces in this field. The last space is reserved for an "Alpha" (or letter suffix). Except for one or two-digit course numbers, ditto marks may be used for repeats. The need to repeat an entry in this column involves consideration of other item entries on the particular line. For example, each separate Section Number line entry will require a corresponding entry (or ditto marks) in this column.

Enter leading zeros. Examples follow.

Course No. 22 is entered	0 0 0 2 2
Course No. 22A is entered	0 0 0 2 2 A
Course No. A22 is entered	0 0 A 2 2
Course No. 102 is entered	0,0,1,0,2
Course Name "History" is entered	OH,I,S,T

There must be an entry in this column.

- (5) Section Number (or letter): Use an entry which will identify each section being recorded. Record each section of each course taught by each instructor. One or more line entries may be required in the case of each section. A minimum of two line entries are normally needed for a course which includes a laboratory. The need to repeat an entry involves consideration of other item entries on a particular line (See sample entries on the form). There must be an entry in this column. Enter leading zeros.
- (6) Lecture or Laboratory: For the period(s) of instruction represented on this line, enter one of the following numerical codes:
  - 1. For recitation and/or lecture session(s)
  - 2. For laboratory session(s)
- (7) Days: Enter an "X" in the appropriate columns to indicate the days of the week on which a section meets.
- (8) Beginning Hour: Enter the time the class begins. Use the 24-hour clock (or military) system of hours: i.e., if the class begins at 9:30 a.m., enter 0930 in the four spaces provided; if the class begins at 2:30 p.m., enter 1430.
  - (9) Ending Hour: Enter the time the class ends using the 24-hour clock system.
- (10) Building Number: For the building in which the class is held, enter the building number in four characters or less. Be sure that this number is the same as the number used for the building in the facilities inventory. If different sections of a class meet in two different buildings, two line entries are required to record this fact. There are four spaces in this field. The last space is reserved for an "Alpha". Use leading zeros. Sample entries are shown in the exhibit.
- (11) Room Number: For the room in which the class is held, enter the room number in six characters or less. Be sure that this number is the same as the number used for the room in the facilities inventory. If different sections of a class meet in different rooms, a separate line entry is required for each room. There are six spaces in this field. The last space is reserved for an "Alpha", Use leading zeros. (See exhibit for sample entries.)
- (12) Number of Students: Enter the number of students enrolled in the session(s) represented on the entry line (i.e., if 25 students are enrolled for the Monday,



Wednesday, and Friday sessions in the room shown and at the hour indicated, then 25 is the appropriate entry—not 75; if there is a different number of enrolled students for different periods in one line entry, use the average). Use leading zeros.

(13) Sequence Number: For use in control of the data processing card deck, enter a numeric sequence number on each line. Begin with 0001 (See exhibit).

#### G. Validation

In the interest of accurate and complete reporting, it is requested that institutions make validation checks of all entries, whether on raw data sheets or punched cards, before forwarding data.

# H. Card Format for Instructional Space Utilization

Card Columns	Items on the Space Utilization Form
1-3	Institution or Campus code (same as 1968-69 Facilities Inventory). Punch leading zeros.
-	(1) Instructor's name.
4-12	(2) Instructor's number—Right justify.
13-17	(3) Department number—Leave cc-17 blank unless required for alpha character suffix; e.g., 1831A. Punch leading zeros.
18-23	(4) Course number—Leave cc-23 blank unless required for alpha character suffix; e.g., 31226B. Punch leading zeros.
<b>24</b> -26	(5) Section number. Punch leading zeros.
27	(6) Lecture or Lab—For lecture, punch 1; for lab, punch 2.
<b>28</b> -33	(7) Days—Punch alpha "X" for actual meeting days; leave others blank.
<b>34</b> -37	(8) Begin hour—Military time (see manual).
38-41	(9) End hour—Military time (see manual).
42	Leave cc-42 blank.



Card Columns	Items on the Space Utilization Form
43-46	(10) Building number—Leave cc-46 blank unless required for alpha character suffix; e.g., Bldg. 002A. Punch leading zeros.
47-52	(11) Room number—Leave cc-52 blank unless required for alpha character suffix; e.g., 00202B. Punch leading zeros.
53-56	(12) Number of students. Punch leading zeros.
<b>57-7</b> 1	Blank.
72-75	Use for numeric sequence control of deck starting with 0001.
<b>76</b> -79	Blank
80	Enter a "5" in cc-80 to indicate that this is the Instructional Space Utilization Card.



# LAYOUT FOR KEY PUNCH OF INSTRUCTIONAL SPACE UTILIZATION CARDS

P #4			ł
7//	1118		
			1
	5 m		1
- 2m	3 2 1		1
_سوے	No. No. 227374		
777			. 1
	///%		
///			
			1
	\$ 8		1
10	35.55		1
10 1 2	35.4		
<del> \</del>	20 - E C 1 T		1
5			1 1
0 0	9.50		
0 2	H 88 4		H
Room No.	7 4		
٠.	ヹゔゔヹヹ - ゚゚゚゚゚゚゚゚゚゚		
40	H 4		
100	-4 E		
	1113		
نه نخ	404		
7 Q	39,		
	738		
2 2	36 3		1 1
M 9	35		
<u>@</u> #	<u> </u>		1
:0	32 3	- 1	
3.	I 👼		
工	3 8		
_	¥ 8		
311201-	00 7 AW 2		
	-0~ MI 20		
Sm or	Z 1,2 ₹		
			1 !
1	ESCEE !		
N III	12223 HF 7 H F E		
URSE 0.	20212223		
Jours∈ No.	LZ 1920212223		
Course No.	7 IB 19 20 21 22 23 23		
T. Course No.	14 LZ 14 14 16 17 18 19 20 21 22 22 23		
PT. COURSE O. No.	15 16 17 18 19 20 21 22 23		
DEPT. COURSE No.	14		
R DEPT. COURSE No.	LZ 19 LZ 19 19 20 21 22 23 23		
TOR DEPT. COURSE	11 2 3 14 15 16 17 18 19 20 21 22 22 23		
OCTOR DEPT. COURSE SER No. No.	H		
RUCTOR DEPT. COURSE NO. NO.	14   14   15   15   15   15   15   15		
ISTRUCTOR DEPT. COURSE !	14		
INSTRUCTOR DEPT. COURSE NO. NO.	RJ LZ 11 LZ 14 LZ 14 LZ 14 LZ 14 LZ 14 LZ 14 LZ 14 LZ 14 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ 15 LZ		
MINSTRUCTOR DEPT. COURSE 'NUMBER No. No.	2 RJ LZ 19 1011 12 13 14 15 16 17 18 19 20 21 22 23		
A INSTRUCTOR DEPT. COURSE 'S NUMBER NO. NO.			

Legend: LZ-Leading zeros RJ-Right justify Alpha-Letter suffix