DOCUMENT RESUME

ED 039 072 RC 004 330

AUTHOR Baty, Carl F.; And Others

TITLE The Availability and Distribution of Health

Personnel in Louisiana.

INSTITUTION Louisiana State Univ. and A and M Coll. System,

Baton Bouge.

SPONS AGENCY Public Health Service (DHEW), Washington, D.C.

PEPORT NO Bull-637
PUB DATE Aug 69
NOTE 16p.

FDRS PRICE FDRS Price MF-\$0.25 HC-\$0.90

DESCRIPTORS Demography, *Dentists, Dietitians, Health Needs, Medical Services, Medical Technologists, Murses,

Optometrists, *Paramedical Occupations, Physical Therapists, *Physicians, *Population Distribution,

Padiologic Technologists, *Rural Urban Differences


TDENTIFIERS *Louisiana

ABSTRACT

The data presented in this document make it possible to assess trends in the availability and distribution of medical and paramedical personnel in Louisiana. The report shows the existing situation and provides a basis for evaluating the nature and extent of problems related to health-care needs. The relation of persons per physician, dentist, and various paramedical personnel in Louisiana is compared with national average for the last 2 decades. It is concluded (1) that Louisiana is in a relatively disadvantaged position with regard to availability of all levels of medically related personnel; (2) that the state has not made a great deal of progress toward achieving national norms in the last 2 decades; and (3) that medical personnel are more available to urban people than to rural residents, making the distribution of medical and paramedical personnel in the state highly uneven. The document contains maps and tables relative to the study. (AN)

Carl F. Baty Virginia P. Steelman Alvin L. Bertrand





U.S. DEPARTMENT OF HEALTH, EDUCATION

& WELFARE

OFFICE OF EDUCATION

THIS DOCUMENT HAS BEEN REPRODUCED

EXACTLY AS RECEIVED FROM THE PERSON OR

ORGANIZATION ORIGINATING IT. POINTS OF

VIEW OR OPINIONS STATED DO NOT NECES
SARILY REPRESENT OFFICIAL OFFICE OF EDU
CATION POSITION OR POLICY.

ISTURALS EXPERIMENT STATION

COOKERATION WITH REGIONAL MEDICAL PROGRAM

Foreword

The study reported in this publication was funded through the Louisiana Regional Medical Program for Heart Disease, Cancer and Stroke. This monograph represents one of several similar publications to be completed by Dr. Bertrand, Mr. Baty, Mrs. Steelman and staff as part of a project related to "The Delineation of Health Care Regions Within the State of Louisiana."

The information published in these monographs should facilitate

effective health care planning at all levels within the state.

The disparity between the pressures being brought to bear on the health care system by public demand and the resources within the system leave no obvious alternative other than effective broad-based health care planning.

Only if planning emanates from the grass roots level can the products

of planning be expected to be implemented.

If these monographs stimulate more effective planning at the grass roots level, their purpose will be well served.

J. A. SABATIER, JR., M.D.
Director, Louisiana Regional
Medical Program



Table of Contents

| | Pag |
|--|---------|
| Foreword | |
| Methodology | |
| Availability of Physicians | |
| Availability of Dentists | |
| Availability of Registered Nurses | |
| Availability of Licensed Practical Nurses | |
| Availability of Medical Technologists | |
| Availability of Radiologic Technologists | |
| Availability of Physical Therapists | |
| Availability of Dietitians | |
| Availability of Optometrists | |
| Summary and Implications | 2' |
| List of Tables | |
| | Page |
| 1. Number of Physicians and Persons per Physician, | 0, |
| by Parish, 1950 and 1967 | , , , , |
| 2. Specialties for Physicians, by Parish, 1967 | I |
| 3. Number of Dentists and Persons per Dentist, by Parish, | |
| 1948 and 1967 | 14 |
| 4. Number of Registered Nurses and Persons per Registered | |
| Nurse, by Parish, 1949 and 1967 | 16 |
| 5. Number of Licensed Practical Nurses and Persons per | |
| Licensed Practical Nurse, by Parish, 1967 | 19 |
| 6. Number of Medical Technologists and Persons per Medical | |
| Technologist, by Parish, 1967 | 2 |
| 7. Number of Radiologic Technologists and Persons per | |
| Radiologic Technologist, by Parish, 1968 | 28 |
| 8. Number of Physical Therapists and Persons per Physical | |
| Therapist, by Parish, 1968 | 24 |
| 9. Number of Dietitians and Persons per Dietitian, | |
| by Parish, 1968 | 25 |
| 0. Number of Optometrists and Persons per Optometrist, | |
| by Parish, 1968 | 27 |
| 1. Changes in Ratios of Persons per Physician, Dentist and | |
| Registered Nurse, for Degree of Urbanity, Louisiana and | |
| United States, 1950 and 1967 | 28 |
| | |
| List of Figures | D |
| 1 Persons per physician Louisiana 1067 | Page |
| 1. Persons per physician, Louisiana, 1967 | |
| 2. Persons per dentist, Louisiana, 1967 | |
| 3. Persons per registered nurse, Louisiana, 1967 | 18 |



The Availability and Distribution Of Health Personnel in Louisiana*

CARL F. BATY, VIRGINIA P. STEELMAN AND ALVIN L. BERTRAND**

The importance of health and medical care to the well-being of a population is self-evident. In view of this fact, it is important that continuing studies of the availability of medical personnel be made. This report is designed to show the situation which exists in Louisiana. The information given provides a basis for evaluating the nature and extent

of problems related to health care needs.

In reviewing the data presented in this report, it should be noted that certain factors related to current trends appear to be influencing the distribution of medical personnel. On the one hand, a proliferation of medical specialties and the increasing complexity and cost of medical practice make the larger clinics and hospitals the most efficient mechanisms for the delivery of optimal medical treatment. On the other hand, rapid urbanization and the accompanying relative depopulation of rural areas make even more observable and dramatic the problems of medical personnel distribution. It appears reasonable to expect that rural areas of Louisiana will not only continue to be relatively disadvantaged in regard to the statewide distribution of medical personnel, but will demonstrate an increasing disparity on this measure of well-being.

This study represents an investigation of the distribution of selected medical and paramedical personnel in both rural and urban areas of Louisiana. In addition, the situation in terms of availability and distribution of this type personnel is compared with that evidenced in

the late 1940's.

Methodology

The data for this study were obtained from a wide range of sources. Membership lists for medical and paramedical associations were integrated with directories from state licensing or examining boards. Indices of personnel were developed from the prepared lists and related to population estimates for each parish.¹ Medical personnel-population ratios at the national level were compared with state ratios and utilized as indices of availability of medical personnel.² In order to show

**Graduate Research Assistants and Professor, respectively, Departments of Sociology and Rural Sociology, Louisiana State University.

^{*}This investigation was supported by the Louisiana Regional Medical Program (LRMP) with funds provided by the U.S. Public Health Service. The findings in this report are not to be construed as an official LRMP or USPHS position unless so designated by other authorized documents.

¹Footnote 1 on Page 6. ²Footnote 2 on Page 6.

changes over time, current state and parish data were related to data taken from a 1950 study of medical personnel in Louisiana.³

The basic unit of analysis for this study was the parish (county). Data were not readily available for other plausable units, such as urban places, wards, or census cracts, although analysis at these levels would have yielded meaningful results.

For analytical purposes, a distinction was made between rural and urban parishes. Rural parishes were delineated according to census classification as those which did not contain an incorporated or unincorporated place with a population of 2,500 or more in 1960. Parishes were arbitrarily designated as urban if they contained at least one urban area with a population of over 25,000 in 1960. This scheme of classification was designed to make rural-urban comparisons more meaningful. Altogether, 13 rural and nine urban parishes were delineated. The remaining 42 parishes can be seen as intermediate to these extremes.

In most cases more than one source of personnel data was available. Variations between sources were due to different methods of classification. Extreme variations are noted in the individual sections where they occur.

The distribution of medical and paramedical personnel given does not necessarily refer to all persons who were actively engaged in practice. Some persons maintaining membership in a given medical organization or certification in a health specialty were employed in other activities and others were retired. On the other hand, some practitioners were not registered for one reason or another. Each person reported as being licensed or certified was included although his or her precise employment status was not known.

Availability of Physicians

In 1967, there were 3,941 physicians residing in Louisiana who were licensed by the Louisiana State Board of Medical Examiners.⁴ Approximately 97 per cent of these physicians were engaged in patient care.⁵ The ratio of persons per physician in the state was 913. By comparison, there were 2,709 physicians in the state in 1950 and the persons-per-physician

¹Parish population projections were taken from quarterly publications of the Louisiana Department of Public Welfare. See: Louisiana Public Welfare Statistics, April, May, and June 1967 and April, May, and June 1968. These figures had been obtained by applying natural increases to census data and increasing or decreasing estimates for migration. These estimates were compared with parish population projections contained in: James R. Bobo, Sandra A. Etheridge and Norma L. Weed, *The Population of Louisiana*, Division of Business and Economic Research, College of Business Administration, Louisiana State University, New Orleans (1968). Interpolations of the parish projections for 1965 and 1970 were compared with welfare department estimates for 1967 and 1968. No excessive discrepancies were found.

²U.S. Public Health Service, Health Resouces Statistics (1968).

³Paul H. Price and Homer L. Hitt, *The Availability of Medical Personnel in Rural Louisiana*, Louisiana State University and Agricultural and Mechanical College, Agricultural Experiment Station, Bulletin No. 459, June 1951.

⁴Footnote 4 on Page 7

⁵Footnote 5 on Page 7.

ratio was 985. The number of physicians increased approximately 45 per cent in this 18-year period. However, the persons-to-physician ratio improved by less than 10 per cent. Although this change represents a trend in the right direction, it is evident that the increase in number of physicians was, for the most part, absorbed by population increases.

In 1967, the national ratio of persons per physician was 639. The unfavorable position of Louisiana was indicated by the fact that the state ratio of 913 was approximately 40 per cent higher than the national ratio. Only one parish in the state, Orleans, had a persons-per-physician ratio below the national average. Six other parishes had a persons-to-physician ratio of less than 1,000 (Table 1 and Fig. 1). These included Caddo, Lafayette, East Baton Rouge, St. Tammany, Rapides, and Jefferson parishes.

TABLE 1.—Number of Physicians and Persons per Physician, by Parish, 1950 and 1967*

| | | 1950 | | | 1967 | | | |
|----------------|--------|-------|-------------|---------|--------------------|-----------|--|--|
| | No. of | | sons Dr. | No. of | Persons per Dr. | | | |
| Parish d | octors | Ratio | Rank | doctors | Ratio | Rank | | |
| Acadia | 30 | 1,567 | 13 | 29 | 1,751 | 22 | | |
| Allen | 12 | 1,563 | 12 | 12 | 1,644 | 19 | | |
| Ascension | | 1,718 | 17 | 9 | 3,599 | 53 | | |
| Assumption | 6 | 2,874 | 47 | 6 | 3,079 | 50 | | |
| Avoyelles | . 18 | 2,106 | 31 | 16 | 2,235 | 39 | | |
| Beauregard | 7 | 2,530 | 42 | 7 | 2,690 | 45 | | |
| Bienville | . 10 | 1,909 | 26 | 5 | 2,919 | 47 | | |
| Bossier | | 3,696 | 56 | 22 | 3,074 | 49 | | |
| Caddo | .242 | 722 | 2 | 387 | 643 | 2 | | |
| Calcasieu | | 1,209 | 88 | 1 19 | 1,432 | 14 | | |
| Caldwell | . 5 | 2,042 | 28 | 4 | 1,979 | 30 | | |
| Cameron | | 2,078 | 29 | 3 | 2,555 | 42 | | |
| Catahoula | | 5,869 | 61 | 4 | 2,609 | 44 | | |
| Claiborne | | 1,474 | 11 | 12 | 1,208 | 9 | | |
| Concordia | | 2,391 | 39 | 10 | 2,352 | 40 | | |
| DeSoto | | 2,234 | 3 5 | 5 | 4,646 | 60 | | |
| E. Baton Rouge | . 183 | 855 | 3 | 316 | 874 | 4 | | |
| E. Carroll | . 4 | 4,074 | 58 | 6 | 2,144 | 34 | | |
| E. Feliciana | | 1,468 | 10 | 16 | 1,285 | 11 | | |
| Evangeline | | 3,190 | 52 | 14 | 2,206 | 38 | | |

(Continued)

⁵Distribution of Physicians, Hospitals, and Hospital Beds in the U.S. 1967. Chicago, American Medical Association (1968).

⁴Louisiana State Board of Medical Examiners, Official List (1967). The data obtained from the official list of the Louisiana State Board of Medical Examiners represent all active physicians residing in Louisiana. This source was utilized in Table 1. The American Medical Association Directory was the source of data for physician specialties listed in Table 2. This table does not include federal physicians, and substantial discrepencies in the total number of physicians are noted in Bossier, Jefferson, Orleans and Vernon parishes. The discrepencies found in Jefferson and Orleans parishes are due, in part, to inappropriate inclusion of some Jefferson Parish physicians in the total for Orleans Parish. The Board of Medical Examiners lists 1,646 physicians in Orleans Parish and 304 physicians in Jefferson Parish, while the American Medical Association Directory shows 1,796 and 188 respectively.

TABLE 1.—(Continued)

| | <u> </u> | 1950 | | | 1967 | |
|---------------------|---------------|----------------|-------------|-----------|----------------|----------------|
| | No. of | Per | sons Dr. | No. of | Per | sons Dr. |
| Parish | doctors | Ratio | Rank | doctors | Ratio | Rank |
| Franklin | . 16 | 1,839 | 21 | 8 | 2,846 | 46 |
| Grant | 4 | 3,555 | 55 | 3 | 4,079 | 55 |
| Iberia | 23 | 1,751 | 18 | 40 | 1,520 | 15 |
| Iberville | . 14 | 1,903 | 24 | 17 | 1,886 | 26 |
| Jackson | 9 | 1,713 | 16 | 9 | 1,749 | 21 |
| Jefferson | . 34 | 3,020 | 49 | 304 | 904 | 7 |
| Jefferson Davis | 15 | 1,757 | 19 | 16 | 1,976 | 29 |
| Lafayette | 49 | 1,162 | 7 | 123 | 853 | 3 |
| Lafourche | 22 | 1,896 | 23 | 43 | 1,606 | 17 |
| LaSalle | . 11 | 1,154 | 6 | 8 | 1,570 | 16 |
| Lincoln | 16 | 1,589 | 14 | 22 | 1,364 | 12 |
| Livingston | 7 | 2,828 | 45 | 9 | 3,565 | 52 |
| Madison | 8 | 2,181 | 33 | 4 | 3,805 | 54 |
| Morehouse | 16 | 2,004 | 27 | 17 | 1,966 | 28 |
| Natchitoches | 18 | 2,097 | 30 | 15 | 2,187 | 36 |
| Orleans | .312 | 432 | 1 | 1,646 | 402 | 30 1 |
| Ouachita | 79 | 940 | 5 | 113 | 1,057 | 8 |
| Plaquemines | 6 | 2,371 | 38 | 5 | 5,704 | |
| Pointe Coupee | 7 | 3,117 | 51 | 7 | | 61 |
| Rapides | 98 | 920 | 4 | • | 2,972 | 48 |
| Red River | 5 | 2,418 | 41 | 138 4 | 892 2,120 | 6 33 |
| Richland | 14 | 1,904 | 25 | 11 | 1,895 | 27 |
| Sabine | 9 | 2,315 | 37 | 12 | 1,371 | 13 |
| t. Bernard | ĭ | 11,089 | 62 | 11 | 4,130 | 56 |
| st. Charles | 6 | 2,216 | 34 | 11 | 2,461 | 41 |
| t. Helena | 2 | 4,499 | 59 | 11 | 9,172 | 64 |
| t. James | 5 | 3,070 | 50 | 8 | 2,602 | 43 |
| t. John the Baptist | 5 | 2,968 | 48 | 5 | 4,199 | 57 |
| t. Landry | 30 | 2,612 | 43 | 50 | 1,632 | 18 |
| t. Martin | 8 | 3,314 | 54 | 6 | 6,655 | 63 |
| t. Mary | 16 | 2,238 | 36 | 33 | | |
| t. Tammany | 20 | 1,344 | 9 | 60 | 1,795 889 | 24 5 |
| angipahoa | 33 | 1,608 | 15 | 29 | 2,157 | 35 |
| ensas | 5 | 2,630 | 44 | 3 | 3,413 | |
| errebonne | 18 | 2,396 | 40 | 42 | 1,780 | 51 |
| nion | 10 | 1,909 | 26 | 8 | 1,780 | 23 31 |
| ermilion | 17 | 2,169 | 32 | 24 | 1,646 | 20 |
| ernon | 9 | 2,105 | 31 | 13 | 1,040 1,271 | 20 13 |
| Vashington | 21 | 1,822 | 20 | 25 | 1,271 | |
| Vebster | 19 | 1,822 | 20 22 | 29 20 | 1,836 2,038 | 25 20 |
| V. Baton Rouge | 3 | 3,854 | 57 | | | 32 |
| /. Carroll | <i>5</i> 6 | | | 4 | 4,328 | 58 69 |
| /. Feliciana | 2 | 2,840 | 46 | 2 3 | 5,800 | 62 |
| Vinn | 5 | 5,021 3,217 | 60 53 | 3 7 | 4,593 2,198 | 59 37 |
| ouisiana2, | 709 | 985 | | 3,941 | 913 | - |

^{*}Louisiana State Board of Medical Examiners Official List (1967) and Homer L. Hitt, The Availability of Medical Personnel In Rural Louisiana, Louisiana State University and Agricultural and Mechanical College, Agricultural Experiment Station, Bulletin No. 459 (1951).




FIGURE 1.-Persons per physician, Louisiana, 1967.

At the most disadvantaged extreme, six parishes had more than 4,500 persons per physician. These were West Feliciana, DeSoto, Plaquemines, West Carroll, St. Martin, and St. Helena. However, since three of these border on parishes containing large urban centers, they can be construed to be partially dependent on the latter for service. Only St. Helena, West Feliciana, and West Carroll parishes appear relatively isolated.

When a distinction is made between completely rural parishes and parishes with urban centers of over 25,000 persons, interesting variations in patterns are noted. The 13 totally rural parishes, taken collectively, had a persons-per-physician ratio of 2,773. It is of note that three of these parishes, East Feliciana, LaSalle and Caldwell, had ratios of less than 2,000. Of the remaining rural parishes, three had ratios between 2,000 and 3,000, but seven had ratios above 3,000.

The nine parishes with urban centers of over 25,000 persons had a total of 3,170 physicians. The persons-per-physician ratio for these parishes was 545. This ratio compares favorably with the 1967 national persons-per-physician ratio of 639. It is significant that the physicians in these nine urban parishes comprised more than 75 per cent of all the physicians in the state.

ERIC

The above discussion of the distribution of physicians does not give a complete picture of availability. Most physicians practice to some degree as specialists and thus the types of patients and illnesses they treat are limited. The American Medical Association lists 35 specialties. Thirty-three of these were represented among physicians practicing in Louisiana in 1967 (Table 2). The specialties of general surgery, internal medicine, pediatrics, obstetrics and gynecology, and psychiatry comprised approximately 60 per cent of the state total for specialists. Therapeutic radiology and pediatric allergy were not listed by any Louisiana physician as a primary specialty. In addition, three specialties, pediatric cardiology, child psychiatry, and diagnostic roentgenology, were listed as the primary specialty of only one physician each.

The statewide total of physicians listing primary specialties other than general practice was 3,050. Approximately 85 per cent of these practitioners resided in the nine most urban parishes. Less than 1 per cent were located in the 13 totally rural parishes of the state. Orleans Parish alone accounted for over 50 per cent of all primary specialties. The parishes of Caddo, East Baton Rouge and Rapides, collectively,

accounted for more than 20 per cent of all specialists.

The data reported above make it clear that Louisiana needs additional medical doctors. They also indicate that persons residing in major urban areas of the state have greater access to medical doctors than those residing in rural areas. This situation is even more marked in regard to specialists. The implications of these findings have their relevance in planning programs for the future.

Availability of Dentists

In 1967, there were 1,376 dentists in Louisiana certified by the State Board of Dentistry (Table 3 and Fig. 2). The ratio of persons per dentist was 2,615. By contrast, there were only 976 certified dentists in the state in 1948. However, the persons-per-dentist ratio of 2,667 for that year indicates that the rate of increase for dentists has barely equaled the rate of growth for the state population in the last two decades. The national ratio of persons per dentist in 1967 was 1,758. The state ratio of 2,615 was 37 per cent above the national average. Orleans, with a ratio of 1,624, was the only parish characterized by a persons-per-dentist ratio below the national average. Only six other parishes had a sufficient number of dentists to fall below the state ratio of persons per dentist. These were Claiborne, Caddo, East Baton Rouge, Jefferson Davis, LaSalle, and Jefferson. In at least one of these parishes, LaSalle, the number of dentists is exaggerated by the presence of several retirees.⁷

Five parishes—Tensas, St. John the Baptist, St. Bernard, West Carroll and East Feliciana—had a persons-per-dentist ratio of over 10,000. No dentists were located in two parishes: Cameron and St. Helena. Such

findings suggest a great unmet dental care need.

The American Medical Association Directory lists primary and secondary specialties. Only primary specialties were utilized in this report.

7Verified by personal contact with parish officials.

TABLE 2.—Specialties for Physicians, by Parish, 1967

| 80 |) | | ı | ı | ı |) | 1 | ı | ı | ı |) | | ı , | ı | ı | ı | 1 | 1 | ı | l |) |) | · • | ı | ١ | ı | ı | ı | ı | ı | ı | (|
|--|---|-----------------|--|--|--|--|--|--|--|--|------------------|---|--|--|--|--|--|--|--|--|--|--|--|---|----------------------------|---|--|--|---|---|---|--|
| 2 | 2 | | ı | I | l | Į, | ļ | ı | ı | 1 1 | ۱ (| 1 | ı | 1 | ı | ı | ı | ı | ı | ı | | ١ (| · • | 1 | ı | 1 | ı | ı | 1 | 1 | ı | ١ |
| 01 | ; | | ı | ı | l | l | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50 | | | ı | ı | ŀ | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | . 1 | ı | ı | ı | ı | | ! | l 1 | | 1 | I | 1 | 1 | ı | | | | | | | | | | | | | | | | | | |
| 70 | ŝ | - | 2 | 1 0 | 4 | - | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | ı | ı | ı | 1 1 | 1 | ı | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34 | 1 ' | - | 4- | ٦ ۱ | ١ | ı | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 51 | οų · | - 5 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | - 1 |
| 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | - 1 |
| 91 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | - 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | I | | | | | | | ١ |
| 7 | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | | | | | |
| 6 | ı | 1 1 | | 1 | ı | ı | ı | ı | ı | ı | ! | ı | ı | | - | ٠, | ı | 1 | _ | , , | _ | ı | | 1 | ı | | | I I | | | | |
| 15 | l. | ı, ı | | ı | ļ | 1 | 1 | ı | ı | 1 | 10 | ი - | - | 1 1 | rc | ۱ ۱ | _ | 1 | | į | N | 1 | 1 1 | | | | | . <u>-</u> | ٠, | | ' | |
| General Practice. Administrative Medicine | Allergy | Anesthesiology. | Aviation Medicine | Cardiovascular Disease | Child Psychiatry | Colon & Rectal Surgery | Diagonostic Roentgenology | Forensic Pathology | Gastroenterology. | General Preventive Medicine. | General Surgery. | Internal Medicine. | Neurological Surgery | Neurology. | Obstetrics & Gynecology | Occupational Medicine. | Opnthalmology. | Otolering of Contraction | Pathology. | Pediatrics | Pediatric Allergy. | Pediatric Cardiology. | Physical Medicine & Rehabilitation. | Plastic Surgery. | Psychiatry | Public Health. | Pulmonary Diseases. | Radiology | Therapeutic Radiology | I noracic Surgery. | Urology | |
| | Addicina 15 9 7 5 16 5 5 5 1 34 4 3 3 11 6 5 70 6 5 10 10 | fedicine. | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | dicine | dicine 15 9 7 5 16 5 5 5 1 34 4 3 3 11 6 5 70 6 5 10 10 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 15 9 7 5 16 5 5 5 5 19 34 4 3 3 11 6 5 70 6 5 10 10 | 15 9 7 5 16 5 5 5 5 11 0 4 | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 15 9 7 5 16 5 5 5 5 134 4 3 3 11 6 5 70 6 5 10 10 10 10 10 10 10 10 10 10 10 10 10 | reference 15 9 7 5 16 5 5 5 13 4 4 8 9 11 6 5 70 6 5 10 10 For Medicine 15 9 7 5 16 5 5 5 13 4 4 8 9 11 6 5 70 6 5 10 10 For Medicine 17 1 | Wedicine 15 9 7 5 16 5 5 5 11 4 4 8 3 11 6 5 70 6 5 10 10 | 15 9 7 5 16 5 5 5 5 1 34 4 3 3 11 6 5 70 6 5 10 10 10 | Medicine 15 9 7 5 16 5 5 5 18 4 4 8 5 11 6 5 70 6 5 10 10 | Wedicine 15 9 7 5 16 5 5 5 13 34 4 3 5 11 6 5 70 6 5 10 10 |

| _ | |
|----|--|
| 2 | |
| Ĭ | |
| ij | |
| Ē | |
| 3 | |
| Τ | |
| ď | |
| ч | |
| ۲, | |
| 7 | |

| St, Bernard | S |
|-----------------|--|
| Sabine | |
| Richland | (o |
| Red River | |
| Rapides | 201-10 |
| Pointe Coupee | © |
| Plaquemines | re |
| Ouachita | 8 |
| | 158 158 171 171 171 188 188 188 188 188 188 18 |
| | 211111111111111111-11-1 |
| | 211111111111111111111111111111111 |
| Madison | 4.11111111111111111111111111111111111 |
| Livingston | ec 1 |
| Lincoln | 0 - |
| Sinstalle | © |
| ГаРоитсће | 12 |
| Lafayette | #24 |
| Jeff. Davis | 21 |
| Jefferson | 37 8 27 12 19 19 19 19 19 19 |
|] sckæou | ~~!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!! |
| əllivrədI | € |
| Iberia | g |
| Specialty | Administrative Medicine Allery Anesthesiology Aviation Medicine Cardiovascular Disease Child Psychiatry Colon & Rectal Surgery Dermatology Diagonostic Roentgenology Gastroenterology Gastroenterology General Preventive Medicine General Preventive Medicine General Preventive Medicine General Preventive Medicine General Purgery Internal Medicine Neurology Obstetrics & Gynecology Ophthalmology Ophthalmology Opthopedic Surgery Otolaryngology Pathology Pathology Pathology Pediatric Cardiology Pediatric Cardiology Pediatric Surgery Pediatric Surgery Pediatric Surgery Pediatric Surgery Pediatric Surgery Pristic Surgery Public Health |

| = |
|----|
| 3 |
| 2 |
| Ē |
| 5 |
| 9 |
| I |
| લં |
| 'n |
| 描 |
| 7 |

| Total | 12 | 12 | ;= | :8: | 84 | <u>.</u> | - 4 | 57 | | 8 | 7 | = | 5 | 2 2 |) oc | 3 4 | 2 ∞ | 7 | ស | i D | ≈ 9 | 0 | _ | 9 | <u>∞</u> | <u>م</u> | <u></u> | י דַ 0ג | #⊂ | 21 | 오!! |
|------------------------------|------------------|-------------------------|-----------------------------|--------------------|------------------------|------------------|-------------------------|---------------------------|---------------------------|------------------|-----------------------------|-----------------|-------------------|----------------------|-----------|--------------------------|-----------------------|--------------------|------------------|-----------|------------|----------------------|------------------------------------|-----------------|-------------------|---------------|------------|------------|-----------------------|-------------------|-----|
| nniW | - | h • | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | સં' | _ | | : | CVI | = |
| W. Feliciana | | | | ' | ' | | ' ' | | | | | | | | | | | | | - | | | 1 | , | ļ | l | 1 | - | - | 1 | 1 |
| | | | • | | | | | | 1 | | | | | | | | | | | | | | - 1 | 1 | t | ı | ı | 1 | 1 1 | ı | |
| W. Baton Rouge W. Carroll | | 4 1 | | | | | | | | ! | | | | | | | | | | | | | | | | | - | | | 1 | |
| Webster | 00 | | | _ | | | | | | | 1 | | ا ~ - | | i I | | | | | | | | | | | | | | | 1 | Ī |
| | | 3 1 | | _ | | | | | | | | | | | | | | | | İ | - ۱ | | | | | | | | | ı | |
| Washington | | | | | | | | | | | | | | | | | | | ı | ı | ۱ - | | | | | | | | | t | 1 |
| Vermon | |) - | | - | ! | ! | | | ı | | | | | | • | · | • | • | ı | ı | 1 1 | | | | | | | | | 1 | |
| Vermilion | | | | _ | | | | | | | | | | | | | | | | 1 | 1 1 | | | | | | | | | t | |
| noinU | | • 1 | | t | | | | | | | | | | | | | | | | | | | | | | | | | | ı | ı |
| Terrebonne | 20 | 1 | 1 | t | t | | | | | | | | | | | | | | | | | | ı | 1 | t | ı | l | ۱۰ | 1 | T. | 7 |
| Tensas | | 1 | ı | ı | ı | 1 1 | 1 | | | | | | | | | | - | | | - | | • | t | ı | Į | t | t I | 1 1 | ı | 1 | 1 |
| , sorteqigne T | | 1 | | _ | t | | _ | t | ١ | ı | t | ا د | 10 | 1 | t | ı | ł | ı | ı | t I | 8 | 1 | t | ı | t | ı | l I | ı – | 1 1 | ı | 1 |
| or Tammany | 1 | 1 | | _ | 1 | | t | 1 | | | 1 | • | | | • | | • | • | | | 14 | • | ı | 1 | ⊸ <u>•</u> | CI - | - 1 | · - | 1 | t | 1 |
| St. Mary | 18 | 1 | 1 | _ | 1 | 1 1 | ı | ł | _ | t | t | l ac | ا ق | 1 | I | 2 | t | t | ı | ٦ ا | - 67 | İ | t | 1 | ı | ı | l I | 8 | 1 | 1 | 1 |
| St. Martin | 9 | 1 | l | t | 1 | 1 1 | 1 | t | t | l | t | 1 1 | l I | 1 | ı | İ | t | ı | ı | 1 1 | | t | t | t | ı | ٦ ا | ۱ ا | 1 | t | t | 1 |
| St. Landry | 28 | 1 | 1 ' | _ | 1 1 | 1 | 1 | 1 | t | İ | ı | 1 00 | . ac | , 1 | t | ıO | 1 | - | ⊸ ≎ | c – | • 00 | 1 | I | ı | I | ı = | - 1 | 2 | ' | 1 | - |
| St. John | 4 | 1 | ı | t | 1 | 1 1 | 1 | 1 | ı | t | t | 1 1 | 1 1 | t | ı | t | ı | 1 - | - | 1 1 | 1 | ı | ı | ı | t | t I | † | İ | t | t | ı |
| St. James | 2 | 1 | 1 | ١ | H | 1 | t | ı | t | ı | ı | ı – | ۱ ا | ŧ | ı | t | t | ŀ | t | l l | ı | 1 | I | ı | t | l i | 1 | t | ı | ı | ۱ |
| St. Helena | - | I | ı | 1 | 1 1 | 1 | t | t | t | ı | 1 | l I | | ١ | ı | t | t | 1 | ı | 1 | t | t | t | t | ı | t I | | 1 | 1 | t | ı |
| St. Charles | 2 | ! | 1 | ! | 1 1 | 1 | ŀ | ! | ı | ! | 1 1 | _ | ۱ ٔ | 1 | 1 | t | ! | ı | 1 | l t | - | t | t | t | t | 1 1 | I | ı | ı | t | ı |
| Specialty | General Practice | Administrative Medicine | Allerry A necthed inform | Aviation Medicine. | Cardiovascular Disease | Child Psychiatry | Colon & Rectal Surgery. | Disconsisting Description | Diagonostic Roenigenology | Gastroenterology | General Preventive Medicine | General Surgery | Internal Medicine | Neurological Surgery | Neurology | Ubstetrics & Gynecology. | Occupational Medicine | Orthopedic Surgery | Otolary ngology. | Pathológy | Pediatrics | Pediatric Cardiology | Physical Medicine & Rehabilitation | Plastic Surgery | Psychiatry | Public Héalth | | Radiology | Therapeutic Radiology | L ROTZCIC SUrgery | (8) |




FIGURE 2.—Persons per dentist, Louisiana, 1967.

TABLE 3.—Number of Dentists and Persons per Dentist, by Parish, 1948 and 1967*

| | | 1948 | | | 1967 | |
|------------|----------|-------|----------------|----------|-------|----------------|
| | No. of | | sons D.D.S. | No. of | | sons D.D,S. |
| Parish I | Dentists | Ratio | Rank | Dentists | Ratio | Rank |
| Acadia | 10 | 4,687 | 38 | 11 | 4,617 | 37 |
| Allen | | 4.628 | 37 | 7 | 2,818 | 12 |
| Ascension | | 4,422 | 33 | 10 | 3,239 | 22 |
| Assumption | _ | 2,917 | 10 | 4 | 4,619 | 38 |
| Avoyelles | | 2,727 | 7 | 10 | 3,577 | 28 |
| Beauregard | | 5,713 | 46 | 5 | 3,766 | 30 |
| Bienville | | 4,011 | 24 | 3 | 4.866 | 39 |
| Bossier | | 5,171 | 43 | 7 | 9,660 | 57 |
| Caddo | 87 | 1,952 | 2 | 137 | 1,817 | 3 |
| Calcasieu | | 2,763 | 8 | 62 | 2,749 | 10 |
| Caldwell | | 3,526 | 19 | 2 | 3,958 | 33 |
| Cameron | - | 6,429 | 50 | 0 | | 63 |
| Catahoula | - | 4,105 | 26 | 2 | 5,218 | 42 |
| Claiborne | | 2,602 | 6 | 8 | 1,811 | 2 |
| Concordia | | 4.797 | 40 | 4 | 5,879 | 51 |
| DeSoto | _ | 3,717 | 21 | 4 | 5,808 | 50 |

(Continued)

TABLE 3.—(Continued)

| | | 1948 | | | 1967 | |
|-----------------------|----------|-----------------|-------------------|----------|----------------|----------|
| • | No. of | | sons D.D.S. | No. of | Pers per D | |
| Parish I | Dentists | Ratio | Rank | Dentists | Ratio | Rank |
| E. Baton Rouge | 69 | 2,071 | 3 | 134 | 2,062 | 4 |
| E. Carroll | 2 | 8,421 | 54 | 3 | 4,288 | 35 |
| E. Feliciana | 3 | 6,292 | 49 | l | 20,556 | 62 |
| Evangeline | ž | 4,512 | 35 | 7 | 4,412 | 36 |
| Franklin | 4 | 7,498 | 52 | 4 | 5,691 | 47 |
| Grant | | 14,561 | 59 | 2 | 6,119 | 32 |
| beria | | 2,833 | 9 | 20 | 3,039 | 17 |
| (berville | 6 | 4,477 | $3\overset{v}{4}$ | 10 | 3,207 | 21 |
| ackson | 9 | 7,946 | 53 | 3 | 5,248 | 43 |
| efferson | | 10,249 | 56 | 108 | 2,546 | 7 |
| efferson Davis | . U | 3,241 | 15 | 13 | 2,340 | |
| Lafayette | 0 | | | | | 5 |
| Lafourche | | 2,363 | 4 | 37 | 2,835 | 13 |
| LaSalle | | 3,160 | 12 | 24 | 2,878 | 14 |
| | | 4,109 | 27 | 5 | 2,511 | 6 |
| Lincoln Livingston | | 4,217 | 29 | 9 | 3,335 | 25 |
| | | 19,397 | 60 | 6 | 5,348 | 44 |
| Aadison | | 8,822 | 55 | 2 | 7,611 | 55 |
| Morehouse | *** | 5,194 | 44 | 6 | 5,572 | 46 |
| Natchitoches | | 4,266 | 30 | 8 | 4,101 | 34 |
| Orleans | | 1,414 | 1 | 407 | 1,629 | 1 |
| Duachita | 29 | 2,457 | 5 | 39 | 3,062 | 18 |
| Plaquemines | 1 + | | 64 | 4 | 7,131 | 54 |
| Pointe Coupee | | 3,710 | 20 | 4 | 5,200 | 40 |
| Kapides | | 2,992 | II | 47 | 2,619 | 8 |
| Red River | . 1 | 12,850 | 58 | 1 | 8,478 | 56 |
| Richland | | 3,870 | 22 | 6 | 3,475 | 26 |
| abine | | 21,388 | 61 | 3 | 5,485 | 45 |
| st, Bernard | | 41,000 | 63 | 4 | 11,357 | 60 |
| st. Charles | | 4.367 | 31 | | | 31 |
| | | 4,007 | | 7 | 3,867 | |
| St. Helena | | 9.000 | 62 | | F 000 | 64 |
| st. Jaines | | 3,900 | 23 | 4 | 5,203 | 41 |
| St. John the Baptist | 3 | 4,942 | 42 | 2 | 10,499 | 59 |
| t. Landry | | 4,812 | 41 | 27 | 3,023 | 16 |
| t, Martin | 5 | 5,291 | 45 | 7 | 5,705 | 48 |
| st. Mary | . 11 | 3,176 | 13 | 17 | 3,484 | 27 |
| st. Tammany | . 6 | 4,372 | 32 | 20 | 2,667 | 9 |
| Cangipahoa | 15 | 3,436 | 17 | 17 | 3,680 | 29 |
| l'ensas., | | 4,570 | 36 | 1 | 10,238 | 58 |
| f'errebonne | | 3,473 | 18 | 19 | 3,935 | 32 |
| Jnion | | 6,487 | 51 | 5 | 3,192 | 20 |
| /ermilion | 11 | 3,367 | 16 | 12 | 3,291 | 24 |
| /ernon | | 4,748 | 39 | 6 | 2,754 | 11 |
| | | 4,167 | 28 | 14 | 3,278 | 23 |
| Washington | | | 26 14 | | | 25 15 |
| Webster | | 3,203 | | 14 | 2,911 | |
| W. Baton Rouge | | 5,751 | 47 | 3 | 5,771 | 49 |
| | | 5,828 | 48 |] | 11,601 | 61 |
| W. Feliciana Winn | | 10,378 4,063 | 57 25 | 2 5 | 6,890 3,077 | 53 19 |
| | - | , | 40 | | • | 10 |
| Louisiana | 976 | 2,670 | | 1,376 | 2,615 | - |

^{*}Official List Dentists, Louisiana State Board of Dentistry (1965-1967).

The 13 totally rural parishes had an average persons-per-dentist ratio of 7,542. This ratio was over three times the persons-per-dentist ratio of 2,059 for the nine urban parishes with centers of 25,000 or over. Only one of the urban parishes, Bossier, ranked as high as 20th among the 64 parishes, while eight of the 13 totally rural parishes ranked between 50th and 64th.

Again, the data collected show an important health care need in Louisiana. In fact, the need for dentists appears more critical in some areas than the need for physicians. It is clear that a direct relationship exists between urbanization and adequate numbers of dental personnel.

Availability of Registered Nurses

The number of registered nurses in Louisiana was 7,450 in 1967 (Table 4 and Fig. 3). Approximately 90 per cent of these were classified as "active" by the Louisiana State Board of Nurse Examiners. The state ratio of persons per registered nurse was 483. In 1949, there were 6,060 registered nurses in the state. This represented a persons-per-registered nurse ratio of 435. Thus, the increase in total number of registered nurses during this 18-year period was not sufficient to counter the effects of a growing state population.

TABLE 4.—Number of Registered Nurses and Persons per Registered Nurse, by Parish, 1949 and 1967*

| | | 1040 | · · · · · · · · · · · · · · · · · · · | | 1005 | <u></u> | | |
|----------------|------------|------------|---------------------------------------|-----------|-----------------|-----------|--|--|
| | | 1949 | | | <u> </u> | | | |
| | No. of | | sons R.N. | No. of | Personsper R.N. | | | |
| Parish | R.N | Ratio | Rank | R.N. | Ratio | Rank | | |
| Acadia | 34 | 1,380 | 38 | 47 | 1,080 | 36 | | |
| Allen | | 1,164 | 27 | 16 | 12,327 | 64 | | |
| Ascension | 19 | 1,170 | 28 | 18 | 1,799 | 54 | | |
| Assumption | 19 | 914 | 19 | 9 | 2,053 | 57 | | |
| Avoyelles | 29 | 1,312 | 32 | 32 | 1,118 | 40 | | |
| Beauregard | 11 | 1,584 | 43 | 27 | 697 | 22 | | |
| Bienville | 20 | 979 | 22 | 5 | 2,919 | 59 | | |
| Bossier | 48 | 762 | 16 | 71 | 952 | 32 | | |
| Caddo | ······ 733 | 235 | 2 | 813 | 306 | 2 | | |
| Calcasieu | 199 | 433 | 7 | 290 | 588 | 17 | | |
| Caldwell | 13 | 800 | 17 | 18 | 440 | 8 | | |
| Cameron | 1 | 6,332 | 61 | 7 | 1,095 | 38 | | |
| Catahoula | ······ 2 | 6.013 | 59 | 7 | 1,491 | 50 | | |
| Claiborne | 18 | 1,419 | 39 | 26 | 557 | 16 | | |
| Concordia | 7 | 2,053 | 53 | 12 | 1,960 | 56 | | |
| DeSoto | 16 | 1,581 | 42 | 19 | 1,223 | 43 | | |
| E. Baton Rouge | 535 | 280 | 4 | 775 | 357 | 5 | | |
| E. Carroll | 11 | 1,506 | 41 | 6 | 2,150 | 58 | | |
| E. Feliciana | 14 | 1,356 | 36 | 43 | 478 | 12 | | |
| Evangeline | 19 | 1.670 | 44 | 35 | 882 | 28 | | |

(Continued)

⁸Officials of the Louisiana State Nurses Association estimated that approximately 1,000 of the 7,450 registered nurses were not actively employed.

TABLE 4.—(Continued)

| | | 1949 | | | 1967 | |
|---------------------|--------|-------|--------------|--------|------------|--------------|
| | No. of | | sons R.N. | No. of | | sons R.N. |
| Parish | R.N. | Ratio | Rank | R.N. | Ratio | Ran |
| Franklin | 00 | 1 950 | 95 | •0 | . 005 | 4 = |
| Grant | " 44 | 1,350 | 35 | 18 | 1,265 | 45 |
| Iberia | • 14 | 1,028 | 23 | 2 | 6,119 | 63 |
| Iberville | . 34 | 1,176 | 29 | 64 | 950 | 31 |
| iocivilic | . 43 | 622 | 10 | 42 | 764 | 25 |
| ackson | . 8 | 1,957 | 52 | 19 | 829 | 26 |
| Jefferson | · 140 | 696 | 14 | 499 | 551 | 14 |
| Jefferson Davis | · 14 | 1,867 | 48 | 29 | 1,090 | 37 |
| Lafayette | 88 | 632 | - ĭi | 237 | 443 | 10 |
| Lafourche | . 48 | 862 | 18 | 112 | 617 | 18 |
| LaSalle | 19 | 1,043 | 24 | 8 | 1,570 | |
| Lincoln | . 54 | 470 | 8 | 68 | | 52 |
| Livingston | . 9 | 2,178 | | | 441 | 9 |
| | ' 3 | 4,170 | 55 | 36 | 891 | 29 |
| Madison | 9 | 1,949 | 51 | 9 | 1,691 | 53 |
| Morehouse | 23 | 1,374 | 37 | 49 | 682 | 21 |
| Natchitoches | 20 | 1,903 | 49 | 49 | 670 | 20 |
| Orleans | 2,568 | 218 | 1 | 2,243 | 295 | Ĭ |
| Duachita | 250 | 291 | 5 | 285 | 419 | 6 |
| Plaquemines | 12 | 1,170 | 28 | 24 | 1,188 | 42 |
| ointe Coupee | 12 | 1,837 | 47 | 14 | 1,486 | 49 |
| Rapides | 332 | 266 | 3 | 386 | 319 | 3 |
| Red River | 2 | 6,236 | 60 | 6 | 1,413 | 40 |
| Richland | 15 | 1,791 | 46 | 23 | | 48 |
| abine | 16 | 1,320 | 33 | | 906 866 | 30 |
| t. Bernard | 15 | 714 | 15 | 19 | | 27 |
| t. Charles | 11 | | | 29 | 1,667 | 51 |
| t Halana | 11 | 1,200 | 30 | 38 | 712 | 23 |
| t. Helena | | | 62 | 7 | 1,310 | 47 |
| t. James | 9 | 1,719 | 45 | 20 | 1,041 | 34 |
| t. John the Baptist | 10 | 1,483 | 40 | 11 | 1,909 | 55 |
| t. Landry | 62 | 1,253 | 31 | 76 | 1,074 | 35 |
| t. Martin | 10 | 2,647 | 57 | 9 | 3,659 | 61 |
| t. Mary | 87 | 956 | 21 | 80 | 740 | 24 |
| t. Tammany | 24 | 1,107 | 25 | 116 | 460 | 11 |
| `angipahoa | 57 | 918 | 20 | 120 | 521 | 13 |
| ensas | 10 | 1,343 | 34 | 9 | 1,138 | 41 |
| errebonne | 64 | 663 | 12 | 134 | 558 | 16 |
| nion | 10 | 1,927 | 50 | 13 | 1,228 | 44 |
| ermilion | 19 | 1,949 | 51 | · 40 | 097 | ġ o |
| ernon | 17 | 1,948 | 26 | | 987 | 33 |
| Vashington | 93 | 407 | _ | 30 | 342 | 4 |
| Vebster | 69 | | 6 | 108 | 425 | 7 |
| V Raton Rouge | | 513 | 9 | 62 | 657 | 19 |
| V. Baton Rouge | 17 | 678 | 13 | 4 | 4,328 | 62 |
| V. Carroll | 8 | 2,158 | 54 | 9 | 1,289 | 46 |
| V. Feliciana | 2 | 5,105 | 5 8 | 4 | 3,445 | 60 |
| Vinn | 7 | 2,310 | 56 | 14 | 1,099 | 39 |
| ouisiana | 6.060 | 435 | | 7,450 | 483 | |

^{*}Official List of the Louisiana State Board of Nurse Examiners (1967).

In 1967, there were 299 persons per registered nurse in the nation. This ratio was approximately 40 per cent lower than the Louisiana ratio and indicated the state's unenviable position. In 1940, the national ratio of persons per registered nurse was 370. It is of note that the national ratio decreased substantially, while the state ratio increased.

Within the state, the parishes of Orleans, Caddo, Rapides, Vernon, and East Baton Rouge had less than 400 persons per registered nurse in 1967. Of these five parishes, only Orleans had a ratio which fell below

the national average.

Five parishes in the state were found to have more than 3,000 persons per registered nurse. West Feliciana, St. Martin, West Baton Rouge, Grant, and Allen parishes fell within this group. It should be noted that, with the exception of Grant, each of these parishes is contiguous to a parish having a large urban center.

A comparison of the 13 totally rural parishes with the nine parishes containing urban centers of over 25,000 again revealed that the rural parishes were relatively disadvantaged. In all of the 13 rural parishes there were only 158 registered nurses. The ratio of persons per registered nurse was 1,193. Eleven of the 13 rural parishes showed over 1,000 persons per registered nurse. In the nine urban parishes the number of




FIGURE 3.—Persons per registered nurse, Louisiana, 1967.

persons per registered nurse was only 355. This was less than one-third the number of persons served by one nurse in the rural parishes. Six of the nine urban parishes ranked within the 10 parishes having the most favorable population-nurse ratios.

These findings highlight a growing problem. This is the fact that professional nurses are in very short supply everywhere. The fact that the state ratio is less favorable than the national ratio emphasizes the need for a serious study of the nursing shortage.

Availability of Licensed Practical Nurses

In Louisiana the licensing of practical nurses is relatively new. The program began in 1949. The rapid development of this paramedical

TABLE 5.—Number of Licensed Practical Nurses and Persons per Licensed Practical
Nurse, by Parish, 1967*

| No. | Per of per L | sons P.N. | | No of | | sons |
|----------------------------|-----------------|--------------|------------------------------|-----------|---------------|--|
| | .N. Ratio | | Parish | | per L | ······································ |
| Acadia 6 | | 24 | | | Ratio | |
| Allen | | | Madison | . 4 | 3,805 | 61 |
| A | • | 43 | Morehouse | . 63 | 531 | 10 |
| | 9 1,705 | 49 | Natchitoches | | 886 | 35 |
| | 9 2,053 | 54 | Orleans | . 1,437 | 460 | 8 |
| Avoyelles 2 | | 46 | Ouachita | . 281 | 425 | 4 |
| Beauregard 24 Bienville 18 | | 17 | Plaquemines | . 10 | 2,852 | 57 |
| Bienville | 8 811 | 27 | Pointe Coupee | . 16 | 1,300 | 45 |
| Bossier 88 | 8 768 | 22 | Rapides | . 286 | 430 | 5 |
| Caddo684 | 4 364 | 3 | Red River | . 8 | 1,060 | 41 |
| Calcasieu35 | 3 483 | 9 | Richland | 24 | 868 | 33 |
| Caldwell 29 | 9 272 | 1 | Sabine | . 18 | 914 | 36 |
| Cameron | 3 2,555 | 56 | St. Bernard | 41 | 1,108 | 42 |
| Catahoula | 2 870 | 34 | St. Charles | 15 | 1,804 | 51 |
| Claiborne 20 | 0 725 | 18 | St. Helena | . 2 | 4:586 | 62 |
| Concordia | 8 2,949 | 58 | St. James | . 7 | 2,973 | 59 |
| DeSoto 32 | 2 726 | 19 | St. John the Baptist | 3 | 6,997 | 63 |
| E. Baton Rouge499 | 9 554 | 11 | St. Landry | 189 | 432 | 6 |
| E. Carroll 4 | 4 3.216 | 60 | St. Martin | 20 | 1,647 | 48 |
| E. Feliciana 22 | 934 | 37 | St. Mary | 33 | 1,795 | 50 |
| Evangeline 52 | 2 594 | 14 | St. Tammany | 70 | 762 | 21 |
| Franklin 24 | 949 | 38 | Tangipahoa | 70 72 | 869 | 32 |
| Grant 20 | 612 | 16 | Tensas | 5 | 2,048 | 55 |
| Iberia 72 | 844 | 31 | Terrebonne | 38 | 1.968 | 52 |
| Iberville 40 | 802 | 25 | Union | 10 | 1,596 | 47 |
| Jackson 27 | 583 | 13 | Vermilion | 54 | 731 | 90 |
| Jefferson33 1 | 830 | 29 | Vernon | 36 | 459 | 20 7 |
| Jefferson Davis 39 | 810 | 26 | Washington | 168 | 273 | 2 |
| Lafayette175 | 599 | 15 | Washington Webster | 49 | 832 | 30 |
| Lafourche56 | 1,234 | 44 | W Raton Pouge | 49 17 | 1,018 | 39 |
| LaSalle 12 | 1,046 | 40 | W. Baton Rouge W. Carroll | 6 | 1,934 | 59 53 |
| Lincoln 54 | 556 | 12 | W. Feliciana | | | |
| Livingston 39 | | 28 | Winn | 1 1 20 | 13,780 769 | 64 23 |
| | | | Louisiana | 5,913 | 609 | |

^{*}Official Roster of the Louisiana State Board of Practical Nurse Examiners (1967).

specialty within recent years has been, in part, a consequence of the

chronic unmet need for registered nurses.

In 1967, there were 5,913 licensed practical nurses registered in the state, with a ratio of persons per licensed practical nurse of 609 (Table 5). In the United States, in 1967, there were approximately 615 persons per licensed practical nurse. It is interesting that licensed practical nurses were in relatively greater supply in Louisiana than in the nation. This appears to be one of the only medically-related occupations in the state displaying a more favorable ratio than that found at the national level.

Nine parishes in Louisiana had less than 500 persons per licensed practical nurse. These included Caldwell, Washington, Caddo, Ouachita, Rapides, St. Landry, Vernon, Orleans, and Calcasieu. At the other extreme, five parishes had more than 3,000 persons for each licensed practical nurse. These were East Carroll, Madison, St. Helena, St. John the Baptist, and West Feliciana. Only one licensed practical nurse reported

living in West Feliciana Parish.

The distribution of licensed practical nurses in totally rural parishes and in parishes having large urban centers did not follow the patterns of medical personnel mentioned previously, although some similarities were noted. While the ratios were more favorable in urban than in rural parishes, the differences were not as extreme. The 13 totally rural parishes had a ratio of persons per licensed practical nurse of 1,109, which was in contrast to a ratio of 473 for the nine urban parishes. Orleans Parish, the largest urban area in the state, consistently ranked best in ratios of persons per physician, dentist, and registered nurse. However, in the case of licensed practical nurses, Orleans Parish dropped to eighth position in the state, while a rural parish, Caldwell, had the lowest ratio of persons per licensed practical nurse.

Louisiana, in 1967, compared favorably with the national ratio of licensed practical nurses. This was probably accounted for by the presence of several active training programs spread over the state. However, a thorough investigation is needed to determine why some inequities in

distribution existed.

Availability of Medical Technologists

In 1967, there were 1,077 registered medical technologists in Louisiana (Table 6). The ratio of persons per medical technologist in the state was 3,342.

Almost all medical technologists work in hospitals, clinics, or other diagnostic centers. Because of this, it was expected that the distribution of medical technologists would not be as diffused as the distribution of most other medical specialties. This was in fact evidenced in the wide range found among parishes in ratios of persons per medical technologist. Vernon Parish, for example, had a ratio of persons per medical technologist of 1,650. This was accounted for by the presence of Fort Polk's medical facilities. By comparison, Webster Parish had only one medical technologist for a population of over 40,000 persons. This can probably be explained by the proximity of Webster Parish to Shreveport. Parishes with persons-per-medical technologist ratios of less than 2,500

were Vernon, Lafayette, Orleans, Livingston, Jefferson, Caddo, and East Baton Rouge.

Nine parishes in Louisiana had no registered medical technologists in residence and it should be noted that, of these, Plaquemines, DeSoto, Franklin, Jackson, West Feliciana, St. Helena, and Caldwell had hospital facilities of some type.

The 13 totally rural parishes, altogether, had only 19 medical technologists in residence, and five of these parishes had none. The ratio of persons per medical technologist in the rural parishes was 9,922. This ratio compared unfavorably with the ratio of 2,400 for the nine urban parishes. However, as mentioned previously, medical technologists are primarily hospital or clinic personnel and urban parishes obviously would contain more hospitals and clinics than rural parishes.

TABLE 6.—Number of Medical Technologists and Persons per Medical Technologist, by Parish, 1967*

| , | No of | Person | ns per Tech | | No. of | Person Med. | |
|-----------------|-------|--------|----------------|----------------------|--------|----------------|-----------|
| | | Ratio | | Parish | | Ratio | |
| Acadia | . 4 | 12,696 | 47 | Madison | 3 | 5,074 | 17 |
| Allen | | 9,862 | | Morehouse | 5 | 6,686 | 29 |
| Ascension | | 10,797 | 44 | Natchitoches | 9 | 3,646 | 11 |
| Assumption | . 2 | 9,238 | | Orleans | 331 | 1,997 | 3 |
| Avoyelles | . 5 | 7,153 | | Ouachita | 41 | 2,913 | 9 |
| Beauregard | ., 3 | 6,277 | | Plaquemines | | | 64 |
| Bienville | · i | 14,597 | 49 | Pointe Coupee | 2 | 10,410 | 41 |
| Bossier | . 10 | 6,762 | | Rapides | 45 | 2,735 | 8 |
| Caddo | | 2,222 | _ | Red River | | | 58 |
| Calcasieu | 37 | 4,606 | 14 | Richland | 3 | 6,949 | 33 |
| Caldwell | | | 55 | Sabine | 3 | 5,485 | 20 |
| Cameron | | 7,666 | | St. Bernard | 8 | 5,679 | 21 |
| Catahoula | | 10,436 | | St. Charles | 3 | 9,022 | 37 |
| Claiborne | . 3 | 4,831 | | St. Helena | | | 57 |
| Concordia | . 2 | 11,759 | | St. James | 4 | 5,203 | 19 |
| DeSoto | | | 63 | St. John the Baptist | 2 | 10,499 | |
| E. Baton Rouge | · 112 | 2,467 | 7 | St. Landry | 12 | 6,801 | 32 |
| E. Carroll | · 1 | 12,863 | | St. Martin | 2 | 19,966 | 52 |
| E. Feliciana | · i | 20,555 | | St. Mary | 5 | 11,865 | 46 |
| Evangeline | . 3 | 10,294 | | St. Tammany | 8 | 6,668 | 28 |
| Franklin | | | 62 | Tangipahoa | 10 | 6,255 | 25 |
| Grant | | | 59 | Tensas | 2 | 5,119 | 18 |
| Iberia | . 10 | 6,731 | | Terrebonne | 12 | 6,231 | |
| Iberville | . 1 | 32,070 | | Union | 4 | 3,991 | 19 |
| Jackson | _ | | 61 | Vermilion | 13 | 3,038 | 10 |
| Jefferson | | 2,067 | _ | Vernon | 10 | 1,652 | |
| Jefferson Davis | | 4,516 | | Washington | | 15,296 | |
| Lafayette | | 1,979 | | Webster | | 40,753 | |
| Lafourche | . 12 | 5,756 | | W. Baton Rouge | | 17,312 | |
| LaSalle | 2 | 6,278 | | W. Carroll | 2 | 5,801 | |
| Lincoln | . 6 | 5,003 | | W. Feliciana | | _ , | 60 |
| Livingston | | 2,006 | | Winn | 2 | 7,693 | |
| | | | | Louisiana | 1,077 | 3,342 | |

^{*}Board of Registry, American Society of Clinical Pathologists (1967).

National and historical data on medical technologists were not available in a form which allowed quick comparisons. The time and resources available did not permit the processing of these data for this report. However, one can infer that there is a need for additional registered medical technologists when it is noted that some hospitals and clinics apparently did not have such personnel.

Availability of Radiologic Technologists

The distribution of radiologic technologists throughout the state followed much the same pattern found for medical personnel previously mentioned. In 1968, there were 798 radiologic technologists in Louisiana (Table 7). One estimate was that about one fourth of these were employed in hospitals. The ratio of persons per radiologic technologist was 4,578. 10

Parishes with more than one radiologic technologist for each 3,000 persons were Cameron, Evangeline, Jefferson, Caddo, and St. Tammany. Cameron's position as the parish with the most favorable ratio can be accounted for by the relatively low population of the parish. Actually, there were only four radiologic technologists registered in Cameron Parish in 1968.

Seven parishes in the state had no radiologic technologists in residence. These were Red River, West Carroll, West Feliciana, Claiborne, St. John the Baptist, Point Coupee, and Plaquemines. Other parishes showing a marked deficiency in this area, with more than 20,000 persons per radiologic technologist, were East Feliciana, Franklin, Richland, and Webster.

The 13 totally rural parishes in the state, collectively, had only 24 radiologic technologists in residence. This was reflected in a ratio of persons per radiologic technologist of 8,171. Three of the totally rural parishes, Red River, West Carroll, and West Feliciana, were included among the parishes in which no radiologic technologist reported residence.

The ratio of persons per radiologic technologist in parishes with an urban center of 25,000 was, by comparison, much more favorable. There were 490 radiologic technologists in these nine parishes. This number yielded a ratio of 3,751 persons per technologist. Six of the 10 parishes with the most favorable ratios were urban parishes.

Again, no data were readily obtainable for historical comparisons. However, as in the case of medical technologists, it is apparent that an overall shortage exists.

22

⁹Health Resources Statistics, U.S. Department of Health, Education, and Welfare 1968).

¹⁰The American Registry of Radiologic Technologists lists the following three categories of certification: X-ray technology, nuclear medicine technology, and radiation therapy technology. Only seven persons in Louisiana were registered as nuclear medicine technologists and three were certified as radiation therapy technologists.

TABLE 7.—Number of Radiologic Technologists and Persons per Radiologic Technologist, by Parish, 1968*

| and the second of the second control of the second of the | Per | sons | energical access for a surface sea in the sea of the surface of the surface of the season of the sea | Carantina La | Per | sons |
|---|--------|------|--|------------------------|---|------|
| No. c | | R.T. | | No. of | | R.T. |
| | Ratio | Rank | Parish | | Ratio | |
| Acadia 9 | 5,788 | 19 | Madison | | 17,226 | |
| Allen 2 | 10,306 | 37 | Morchouse | . 3 | 11,660 | 41 |
| Ascension 7 | 4,788 | 14 | Natchitoches | 5 | 6,721 | 22 |
| Assumption | 17,415 | 52 | Orleans | 165 | 4,005 | 12 |
| Avoyelles 3 | 12,709 | 44 | Ouachita | . 35 | 3,328 | 19 |
| Beauregard 2 | 9,811 | 26 | Plaquemines | | 171174417 | 64 |
| Bienville | 16,365 | 49 | Pointe Coupee | | | 63 |
| Bossier 22 | 3,159 | 6 | Rapides | . 39 | 3,236 | 8 |
| Caddo 97 | 2,585 | 4 | Red River | | *************************************** | 58 |
| Calcasieu 35 | 4.942 | 17 | Richland | . 1 | 22,503 | 55 |
| Caldwell | 8.501 | 32 | Sabine | . 2 | 8,749 | 34 |
| Cameron 4 | 2,027 | Ĩ | St. Bernard | . 9 | 5,342 | 18 |
| Catahoula 1 | 10,593 | 38 | St. Charles | $\ddot{2}$ | 14,638 | 46 |
| Claiborne | - | 61 | St. Helena | \cdot $\overline{2}$ | 4.349 | 18 |
| Concordia 3 | 7,276 | 24 | St. James | . 2 | 10.786 | 39 |
| DeSoto 1 | 24,235 | 57 | St. John the Baptist | - | | 62 |
| E. Baton Rouge 57 | 4,913 | 16 | St. Landry | . 7 | 12,228 | 42 |
| E. Carroll 2 | 6,327 | 21 | St. Martin | 4 | 8,077 | 29 |
| E. Feliciana 1 | 20,719 | 58 | St. Mary | 7 | 8.434 | 31 |
| Evangeline 15 | 2,082 | 2 | St. Tammany | · 20 | 2.641 | 5 |
| Franklin | 22,983 | 56 | Tangipahoa | 4 | 16,070 | 48 |
| Grant 3 | 3,966 | 11 | Tensas | î | 11,618 | 40 |
| Iberia 10 | 6,180 | 20 | Terrebonne | 6 | 12,592 | 43 |
| Iberville4 | 8.069 | 28 | Union | | 17,160 | 50 |
| Jackson 2 | 7,868 | 26 | Vermilion | 6 | 6,796 | 23 |
| Jefferson113 | 2,480 | 3 | Vernon | ž | 9,115 | 35 |
| Jefferson Davis 5 | 7,975 | 27 | Washington | 3 | 15,628 | 47 |
| Lafayette 30 | 3,453 | 10 | Webster | 2 | 21,296 | 54 |
| Lafourche 21 | 3,277 | 7 | W. Baton Rouge | 2 | 8,294 | 30 |
| LaSalle | 13,050 | 45 | W. Carroll | | | 59 |
| Lincoln 4 | 7,347 | 25 | W. Feliciana | | | 60 |
| Livingston 7 | 4,819 | 15 | Winn | 2 | 8,692 | 33 |
| | | | Louisiana | 798 | 4,578 | |

^{*}The American Registry of Radiologic Technologists (1968).

Availability of Physical Therapists

The distribution of physical therapists throughout the state, as expected, was extremely uneven. In fact, only 117 physical therapists were registered with the Louisiana State Board of Medical Examiners in 1968 and these claimed residence in only 23 of the 64 parishes (Table 8).¹¹

Parishes with the most favorable ratio of persons per physical therapist were Orleans, Vermilion, Caddo, and Claiborne. Each of these parishes had less than 20,000 persons for each physical therapist.

ERIC

*Full Text Provided by ERIC

¹¹The data reported here includes physical therapists registered nationally and those registered with the state.

TABLE 8.—Number of Physical Therapists and Persons per Physical Therapist, by Parish, 1968*

| | | sons | risn, 1998 | No of | Pers | |
|--------------------------|---|--------------|----------------------|---------------------------------------|---|----|
| Parish P. | o. of <u>per</u> T. Ratio | P.T. Rank | Parish | No. of P.T. | per Ratio | |
| Acadia | 31-1271-Y-1281-Y-1281-Y-1281-Y-1281-Y-1281-Y-1281-Y-1281-Y-1281-Y-1281-Y-1281-Y-1281-Y-1281-Y-1281-Y-1281-Y-1 | 19 | Madison | The second second | ******* | 39 |
| Allen | R 67444 \$176744. | 45 | Morchouse | | | 60 |
| Ascersion | TOTAL STREAMS TO | 58 | Natchitoches | · · · · · · · · · · · · · · · · · · · | 33,605 | 13 |
| Assumption | | 41 | Orleans | | 12,015 | 1 |
| Avoyelles | | 61 | Ouachita | | 23,259 | 6 |
| Beauregard = | | 44 | Plaquemines | , | | 54 |
| Bienville | | 36 | Pointe Coupee | | *************************************** | 48 |
| Bossier | 2 34,744 | 16 | Ranides | ., | | 11 |
| | 4 Sultu | 10 | Rapides | 4 | 31,549 | 11 |
| Caddo 1 | 5 16,718 | 5 | Red River | | *************************************** | 27 |
| Calcasieu | 5 34,600 | 15 | Richland | | - | 51 |
| Caldwell | | 25 | Sabine | | | 42 |
| Cameron | | 24 | St. Bernard | | *************************************** | 64 |
| Catahoula | - | 28 | St. Charles | . — | | 55 |
| Claiborne | 1 16,715 | 4 | St. Helena | | | 26 |
| Concordia | | 50 | St. James | i e " eest | | 49 |
| Dc\$oto | | 53 | St. John the Baptist | | | 47 |
| E. Baton Rouge | 4 70,007 | 22 | St. Landry | 2 | 42,799 | 18 |
| E. Carroll | | 31 | St. Martin | | | 57 |
| E. Feliciana | - | 46 | St. Mary | 2 | 29,518 | 8 |
| Evangeline | | 56 | St. Tammany | | 52,814 | 20 |
| Franklin | *************************************** | 52 | Tangipahoa | . 2 | 32,140 | 12 |
| Grant | | 30 | Tensas | | - | 29 |
| Iberia | 2 30,899 | 10 | Terrebonne | | 37,778 | 17 |
| Iberville | 2 16,138 | 3 | Union | . — | | 38 |
| Jackson | | 35 | Vermilion | . 3 | 13,592 | 2 |
| | 2 140,140 | 23 | Vernon | | , | 43 |
| Jefferson Da <i>l</i> is | 1 29,877 | 9 | Washington | , | | 63 |
| | 3 34,533 | 14 | Webster | . , | *************************************** | 62 |
| Lafourche | 1 68,822 | 21 | W. Baton Rouge | | ************************ | 37 |
| LaSalle – | | 33 | W. Carroll | | | 32 |
| | 1 29,389 | 7 | W. Feliciana | | | 34 |
| Livingston | | 59 | Winn | | | 40 |
| | | | Louisiana | . 117 | 31,222 | |

^{*}Roster, Louisiana Chapter, American Physical Therapy Association (1968).

None of the totally rural parishes included a physical therapist among its inhabitants. By sharp contrast, 95 of the 117 physical therapists in the state resided in nine parishes with a population center of at least 25,000. It is of even more significance that 60 per cent of the 117 physical therapists in the state were located in Orleans and Caddo parishes.

It is difficult to speak of the need of a highly specialized occupation such as that of the physical therapist without basic information relative to optimal persons-to-specialist ratios. Yet one may observe that the relative concentration of physical therapists represents a degree of inaccessability for many needy persons, especially in rural areas of the state. It

ERIC

also seems likely that the number of therapists is inadequate to serve the state population.

Availability of Dietitians

The functions of dietitians are not limited to medically-related institutions. However, nutrition is an integral part of health care, and in this sense dietitians can be classified as paramedical personnel. In 1968, there were 319 members of the American Dietetic Association who reported residence in Louisiana. This represented a persons-perdietitian ratio of 11,380 (Table 9).

TABLE 9.—Number of Dictitians and Persons per Dictitian, by Parish, 1968*

| ADLE 3.—Rumoc | L OL TAIC | TITE ALLO | and retains her Dietitian, by rai | | |
|-------------------|---|-----------|-----------------------------------|-----------|--------------|
| No. of | Perso | ns per | | of Person | • |
| Diet- | Diet | itian | Die | et- Diet | <u>itian</u> |
| Parish Itians | Ratio | Rank | Parish itiz | ns Ratio | Rank |
| Acadia 1 | 52,082 | 40 | Madison | - | 50 |
| Allen | | 58 | | 3 11,660 | 14 |
| Ascension 1 | 33,128 | 35 | Natchitoches | 2 16,803 | 24 |
| Assumption | | 63 | Orleans109 | 6,294 | 6 |
| Avoyelles 2 | 19,065 | 27 | Ouachita 10 | 11,630 | 13 |
| Beauregard | | 52 | Plaquemines | | 60 |
| Bienville | | 48 | Pointe Coupee | | 55 |
| Bossier 2 | 34,744 | 37 | Rapides | 7,423 | 7 |
| Caddo 22 | 12,308 | 15 | Red River | 1 9,867 | 11 |
| Calcasieu 9 | 19,222 | 28 | Richland — | | 58 |
| Caldwell — | *************************************** | 44 | | 2 8,799 | 10 |
| Cameron | - | 43 | | 1 48,080 | 39 |
| Catahoula — | | 45 | St. Charles | | 61 |
| Claiborne 1 | 16,715 | 23 | | 1 8,699 | 9 |
| Concordia — | | 57 | St. James | | 56 |
| DeSoto | | 59 | St. John the Baptist — | | 54 |
| E. Baton Rouge 52 | 5,385 | | • | 1 85,597 | 42 |
| E, Carroll l | 12,653 | 17 | St. Martin — | | 64 |
| E. Feliciana l | 20,719 | 30 | St. Mary | 3 19,678 | 29 |
| Evangeline — | | 62 | St. Tammany | 4 13,204 | |
| Franklin 1 | 22,983 | 32 | 0 1 | 5 12,856 | |
| Grant 2 | 5,950 | 5 | Tensas | | 46 |
| Iberia l | 61,797 | 41 | Terrebonne | 6 12,593 | |
| Iberville 2 | 16,138 | 22 | Union | 1 17,160 | 26 |
| Jackson 2 | 7,868 | | | 1 40,777 | 38 |
| Jefferson 10 | 28,028 | 34 | | 4 4,558 | 2 |
| Jefferson Davis 3 | 9,959 | 12 | Washington | 2 23,442 | |
| Lafayette19 | 5,452 | 4 | Webster | 2 21,296 | |
| Lafourche 2 | 34,411 | | W. Baton Rouge | _ | 4 9 |
| LaSalle l | 13,050 | 20 | *** | 1 12,739 | |
| Lincoln 10 | 2,939 | 1 | W. Feliciana | | 47 |
| Livingston 2 | 16,868 | | Winn – | | 51 |
| | | | Louisiana 32 | 1 11,380 | |

^{*}Roster, Louisiana Dietetic Association (1968).

¹²According to the membership roster of the Louisiana Dietetic Association approximately one-third of these were employed in hospitals.

Parishes with less than 7,000 persons per dietitian were Lincoln, Vernon, East Baton Rouge, Lafayette, Grant, and Orleans. At the other extreme, 22 parishes had no dietitians reporting residence within their bounds, although 21 of these parishes had hospital facilities. It can be presumed that there were food service personnel employed in these parishes who did not qualify for membership in the American Dietetic Association. Five parishes had a persons-per-dietitian ratio ranging from 40,000 to 85,000. These were Vermilion, St. Bernard, Acadia, Iberia, and St. Landry parishes.

There were only eight members of the American Dietetic Association residing in the 13 totally rural parishes. This number yielded a personsper-dietitian ratio of 24,512, which was over three times the ratio of 7,772 derived from the parishes with urban centers of over 25,000 persons.

It is apparent from the above data that many persons were serving as dietitians in Louisiana who were not qualified and/or professionally related to the national association. This means that many schools, hospitals, and other health-concerned establishments can be assumed to be served at a subprofessional dietary level. The need for more dietitians seems clear in all parts of the state, but especially in rural areas.

Availability of Optometrists

There were 234 members of the Louisiana State Association of Optometrists in 1968, and 15,611 persons for each optometrist in the state (Table 10). Since many physicians are trained as ophthalmologists, there is no implication that availability of eye care can be fully assessed from the number of optometrists. However, the work of the latter is an important paramedical service.

Parishes with a persons-per-optometrist ratio below 10,000 were Acadia, Beauregard, Jefferson Davis, Caldwell, Winn, Vernon, and Avoyelles. Acadia Parish, with four optometrists, had a favorable ratio of 1,302. Beauregard, the second-ranked parish, had a ratio approximately four times that of Acadia. Caldwell Parish, although the fourth-ranked parish, had only one optometrist in residence. This high ranking was due to the relatively small parish population.

There were 18 parishes with no reported optometrist. Of these parishes, DeSoto, St. James, Pointe Coupee, St. John the Baptist, and East Feliciana had estimated populations of over 20,000 persons. These parishes plus Vermilion, St. Martin, and Iberville—all of which had estimated populations of over 30,000 and only one optometrist—represent areas where the need appears to be great.

Of the 13 totally rural parishes, nine had no optometrist living within their bounds. The remaining four rural parishes, taken collectively, had only five optometrists. In contrast, the nine parishes with urban centers of over 25,000 persons were found to have an average ratio of 14,503 persons per optometrist, and a range of ratios from 11,393 in Orleans Parish to 23,162 in Bossier Parish.



TABLE 10 .- Number of Optometrists and Persons per Optometrist, by Parish, 1968*

| No. o | | sons | | | | sons |
|-------------------|---|-----------|----------------------|-----------------|------------|-----------|
| | | O.D. | • | No. of | <u>per</u> | O.D. |
| Parish O.D | Ratio | Rank | <u>Parish</u> | O.D. | Ratio | Rank |
| Acadia 4 | 1,302 | 1 | Madison | | | 57 |
| Allen 2 | 10,306 | 8 | Morehouse | 3 | 11,660 | 15 |
| Ascension 3 | 11,043 | 12 | Natchitoches | $\ddot{2}$ | 16,803 | 30 |
| Assumption | | 58 | Orleans | $\overline{58}$ | 11,393 | 13 |
| Avoyelles 4 | 9,532 | 7 | Ouachita | 7 | 16,710 | 28 |
| Beauregard 4 | 4,906 | 2 | Plaquemines | i | 25,850 | 43 |
| Bienville | 16,365 | 27 | Pointe Coupee | | | 62 |
| Bossier 3 | 23,162 | 40 | Rapides | 7 | 18,028 | 34 |
| Caddo12 | 20,897 | 36 | Red River | | | 50 |
| Calcasieu12 | 14,417 | | Richland | 1 | 22,503 | 38 |
| Caldwell | 8,501 | 4 | Sabine | | | 59 |
| Cameron | • | 48 | St. Bernard | 2 | 24,040 | 42 |
| Catahoula | | 51 | St. Charles | 2 | 14,638 | 23 |
| Claiborne | 16,715 | 29 | St. Helena | | | 49 |
| Concordia1 | 21,829 | 37 | Št. James | | | 63 |
| DeSoto | *************************************** | 64 | St. John the Baptist | | | 61 |
| E. Baton Rouge 19 | 14,738 | 24 | St. Landry | 7 | 12,226 | 18 |
| E. Carroll | 12,653 | 19 | St. Martin | | 32,306 | 46 |
| E. Feliciana | | 60 | St. Mary | 5 | 11,807 | 17 |
| Evangeline 3 | 10,411 | 9 | St. Tammany | 5 | 10,562 | 10 |
| Franklin | 22,983 | 39 | Tangipahoa | 6 | 10,713 | ii |
| Grant | | 53 | Tensas | | | 52 |
| Iberia 3 | 20,599 | 35 | Terrebonne | 5 | 15,111 | 25 |
| Iberville | 32,276 | 45 | Union | | | 56 |
| Jackson 1 | 15,736 | 26 | Vermilion | 1 | 40,777 | 47 |
| Jefferson 12 | 23,357 | 41 | Vernon | 2 | 9,115 | 6 |
| Jefferson Davis 5 | 5,975 | 3 | Washington | | 11,721 | 16 |
| Lafayette 6 | 17,267 | 33 | Webster | | 11,398 | 14 |
| Lafourche 4 | 17,206 | 32 | W. Baton Rouge | | . , | 55 |
| LaSalle 1 | 13,050 | 21 | W. Carroll | 1 | 12,739 | 20 |
| Lincoln | 29,389 | 44 | W. Feliciana | | ., | 54 |
| Livingston 2 | 16,868 | 31 | | | | |
| | | | Louisiana | 234 | 15,611 | |

^{*}Roster, Louisiana State Association of Optometrists (1968).

Summary and Implications

The data presented in this report make it possible to assess trends in the availability and distribution of medical and paramedical personnel in Louisiana. In addition, in some instances it was possible to compare state and parish ratios with national norms. In this regard, when the three medical categories for which national ratios were available were compared with state ratios, Louisiana was in a uniformly unfavorable position (Table 11). Louisiana was 45.7 per cent above the national average in terms of number of persons per physician; 48.7 per cent above the national average in terms of number of persons per dentist; and 61.5 per cent above national norms in terms of number of persons per registered nurse.

ERIC Provided by ERIC

TABLE 11.—Changes in Ratios of Persons per Physician, Dentist and Registered Nurse, for Degree of Urbanity, Louisiana and United States, 1950 and 1967

| | | | | - | TOOL THE OCCU | • | | | | | | |
|---|-------|-----------------------|----------------|------------------|---------------|---------------------|----------------|------------------|-------------------|------------------|----------------|------------------|
| | 1 | Persons per physician | r physicia | ll. | | Persons per dentist | er dentist | | | Persons per R.N. | per R.N. | |
| | | | Per cen | Per cent change | | | Per cen | Per cent change | | | Per cen | Per cent change |
| Category | 1950 | 1961 | Favor- able | Unfavor- able | 1948 | 1961 | Favor- able | Unfavor- able | 1949 ^c | 1967 | Favor- able | Unfavor- able |
| Parishes with no population center of more than 2,500ª | 2,520 | 2,773 | | 10.0 | 5,944 | 7,542 | | 26.9 | 1,475 | 1,193 | 19.1 | |
| Parishes with population centers over 2,500 but none 25,000 or more a | 2,123 | 1,629 | 23.3 | | 4,471 | 3,423 | 23.4 | | 1,064 | 735 | 30.9 | |
| Parishes with a population center of 25,000 or more ⁴ | 621 | 545 | 12.2 | | 1,821 | 2,059 | | 13.1 | 263 | 355 | | 35.0 |
| Louisiana | 985 | 931 | 5.5 | | 2,670 | 2,615 | 2.1 | | 435 | 483 | | 11.0 |
| United States ^b | 742 | 639 | 13.8 | | 1,938 | 1,758 | 9.3 | | 501 | 299 | 54.3 | |

28

^a These parishes were categorized according to 1960 census figures only.

^b Statistical Abstract of the United States, 1954.

^c 1950 data not available.

In the last two decades the position of the state in relation to national averages has worsened 12.9 per cent for physicians, 19.9 per cent for dentists, and 74.7 per cent for registered nurses. The discrepancies between the state and national situations with regard to the above medical personnel appear to be increasing with time. It is evident that Louisiana will remain in an unfavorable position in relation to national averages for persons per physician, dentist, and registered nurse unless remedial programs are inaugurated.

It is not as easy to generalize about the changes in the patterns of distribution of medical and paramedical personnel within the state. The degree and direction of change is different for each of the major medical-

ly-related occupations.

The ratios of persons per physician showed moderate drops over the last two decades in parishes with population centers of 25,000 or more, and for parishes with centers ranging from 2,500 to 25,000. However, there has been a very slight decrease in the ratio of persons per physician

in totally rural areas.

Persons-per-dentist ratios changed for the better since 1948 only in those parishes with population centers between 2,500 and 25,000. However, this improvement is sufficient to make the statewide trend appear slightly favorable. Parishes without population centers over 2,500, and parishes with an urban center larger than 25,000 persons, show unfavorable trends in persons-per-dentist ratios. When considered in light of the fact that the rural parishes were already in a disadvantaged position, the 26.9 per cent change for the worse in these parishes is extreme-

ly significant for future planning.

The change in ratios of persons per registered nurse from 1949 to 1967 is also quite uneven. Favorable trends can be noted in rural parishes and in parishes with population centers ranging from 2,500 to 25,000. These changes are negated, however, by the extremely unfavorable trend in ratios of persons per registered nurse in parishes with population centers of 25,000 or more. The 35 per cent rise in ratios in these parishes over the past 18 years was sufficient to keep the statewide ratio of persons per registered nurse unfavorable. The latter trend attains greater significance in light of the fact that the national ratio of persons per registered nurse showed a 54.3 per cent change for the better in the same period of time that the state ratio worsened by 11 per cent.

Data were not available for longitudinal trend comparisons of paramedical personnel, including licensed practical nurses, medical technologists, radiologic technologists, physical therapists, dietitians, and optometrists. However, statewide ratios for these paramedical classifications were 609 persons per licensed practical nurse; 3,342 persons per medical technologist; 4,578 persons per radiologic technologist; 31,222 persons per physical therapist; 11,380 persons per dietitian, and

15,611 persons per optometrist.

Several basic conclusions can be drawn from an analysis of the data collected. First, it is clear that Louisiana is in a relatively disadvantaged position with regard to all levels of medically-related personnel. Second, it is obvious that the state has not made a great deal of progress toward



achieving national norms in the last two decades. Third, it is readily noted that medical personnel are more available to urban people than to rural residents. The differences between rural and urban areas in this

respect have remained fairly stable since the late 1940's.

There are two clear implications which may be derived from the findings of this study. The first is that the people of Louisiana as a whole do not have available to them the numbers of medical and paramedical personnel which are available to much of the nation's population. To the extent that national norms exceed Louisiana averages, the people of the state can be said to be underserviced. The second implication is that the distribution of medical and paramedical personnel in the state is highly uneven. To this extent some of the state's people have important health care advantages over others. All in all, there appears to be a need for a comprehensive approach to planning and development in the state with respect to the availability and distribution of medical personnel.

