#### DOCUMENT RESUME

ED 065 503

SP 007 361

**AUTHOR** 

Lundman, Donald; And Others

TITLE

Elementary Art Constructions: A Supplement to the

Elementary Art Guide 1968.

INSTITUTION

Bloomington Public Schools, Minn.

PUB DATE NOTE

68 102p.

EDRS PRICE

MF-\$0.65 HC-\$6.58

DESCRIPTORS \*Art Education: \*Cu

\*Art Education; \*Curriculum Guides; \*Elementary School Curriculum; Grade 1; Grade 2; Grade 3; Grade 4; Grade 5; Grade 6; Kindergarten; \*Practical Arts

#### **ABSTRACT**

ART-Constructions. ORGANIZATION AND PHYSICAL APPEARANCE: After a brief introduction and a scope and sequence chart, the guide is divided into seven sections, one for each grade covered, and these sections contain details for between three and nine projects, including the making of cheese boards, bookmarks, napkin holders, tool boxes, pencil cases and book covers. The text on each project includes objectives, materials and tools, and operations. There is also a detailed listing of materials and supplies and a glossary of terms. The guide is lithographed and spiral bound with a soft cover. OBJECTIVES AND ACTIVITIES: Objectives and activities are set out in detail for each project. INSTRUCTIONAL MATERIALS: Materials and tools are listed for each project and there is also a full listing of materials required for elementary art constructions. STUDENT ASSESSMENT: None. (MBM)

U.S. DEPARTMENT OF HEALTH.
EDUCATION & WELFARE
OFFICE OF EDUCATION
THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM
THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY
REPRESENT OFFICIAL OFFICE OF EDUCATION POSITION OR POLICY

**BLOOMINGTON PUBLIC SCHOOLS** 

Bloomington, Minnesota 55431

ELEMENTARY ART CONSTRUCTIONS

A Supplement to the Elementary Art Guide 1968

Donald Lundman



### BLOOMINGTON PUBLIC SCHOOLS Independent School District No. 271 Bloomington, Minnesota 55431

Mr. Fred M. Atkinson Superintendent of Schools

Mr. P. Arthur Hoblit
Assistant Superintendent
in charge of
Secondary Education

Mr. Bernard Larson
Assistant Superintendent
in charge of
Elementary Education

Mr. Stanley Gilbertson Director of Curriculum

### INDUSTRIAL ARTS WRITING TEAM

Mr. Donald Lundman, Chairman

Mr. Howard Ernst Mr. Larrys Krueger Mr. Richard Leiviska Miss Janet Minert

# BLOOMINGTON PUBLIC SCHOOLS

# ELEMENTARY ART GUIDE. . . CONSTRUCTIONS

# TABLE OF CONTENTS

			•							F	age
Introduction	•	•	•		•	•		•			ν
Scope and Sequence of Pro	oject	Act	ivit	ies	•	•	•	•	•	•	vii
Kindergarten	•	•	•		•				•	•	1
Wood - Yarn Frame .	•	•	•	•	•	•	•	•		•	3
Wood - Yarn Frame . Wood - Freeform Scrap	Cons	truc	tion		•	•	•	•	•	•	4
Plastics - Plastic Pi	n	•	•	•	•	•	•		•	•	5
Grade 1	•		•	•	•						7
Wood - Cheese Cutting	Boar	d			•	•	•	•	•	•	9
Wood - Cheese Cutting Wood - Trivet	•	•	•	•	•	•	•	•	•	•	11
Leather - Bookmark.	•		•	•	•		•	•	•	•	13
Grade 2					•	•	•			•	15
Wood - Note Holder.											17
Wood - Boat											19
Metals - Copper Tooli	ng Pi	ctur	e:e		•		•	•		•	21
Metals - Chasing a De											23
Grade 3	•				•		•		•	•	25
Wood - Music or Book	Stand				•	•	•		•	•	<b>27</b> .
Grade 3 Wood - Music or Book Wood - Napkin Holder	•	•	•	•	•	•	•	•	• .	•	29
Leather - Coasters	•			•	•					•	31
Leather - Design for	Napki	n Ho	older	•	• .	• '	•	•	•	•	32
Grade 4	•		•			•					33
Grade 4	•	•	•	•	•	•	•		•	•	35
Tool Box Proce	dure	Shee	et	•	•	•	•	•	•	•	37
Wood - Bird House .	•	•		•	•	• ,	•	•	•	•	39
Birh House Pro	cedur	e Si	neet	•	•	•	•	• .	•	•	41
Plastic - Key Chain H	lo1der	•	•	•			•	•	•	•	43
Key Chain H	lo1der	Pro	ocedi	ıre	Sheet	:.	•	•	•	•	45
Plastic - Ear Rings Ear Rings P	•		•	•	•	•	•	•	•	•	47
Ear Rings P	roced	lure	Shee	ŧ	•	•	•	•	•	•	49



Grade 4 (continued)				
Metal - Candy Dish		•		51
Candy Dish Procedure Sheet		•		53
Metal - Bird Feeder		•		55
Bird Feeder Procedure Sheet		•		57
Grade 5		•	•	59
Wood - Book Rack	• •	•	•	61
Book Rack Procedure Sheet		•	•	63
Wood - Owl Bread Board		•	•	65
Grade 5		•	•	67
Drawing - Floorplan of Classroom and House .				69
Drawing - Problem of Classicom and nouse .	•	•	•	70
Drawing - Architectural Symbols	•	•	•	70
Floorplan of Classroom Procedure Sneet	•	•	•	/1
Floorplan of House Procedure Sheet.	•	•	•	73
Leather - Pencil Case, Coin Purse, Comb Case				75
Pencil Case Procedure Sheet		-	•	77
Coin Durse Procedure Sheet	•	•	·	79
Coin Purse Procedure Sheet Comb Case Procedure Sheet	•	•	•	Ω1
Comb case Procedure Sheet	• •	•	•	01
Plastic - Letter Opener		•		83
Letter Opener Procedure Sheet		•		85
Plastic - Heat Formed Dish		•		87
Plastic - Heat Formed Dish		•	•	89
Grade 6	• . •	•	•	91
Wood - Picture Frame		•	•	93
Picture Frame Procedure Sheet		•	•	95
Wood - Book Cover		•		97
Wood - Book Cover		•	•	99
Province Maltinian Province				101
Drawing - Multiview Drawings	Ch +	•	•	101
Multiview from a 3-d Figure Procedure	Sneet	•	•	103
Multiview from a Pictorial View Proced				
Enlarging a Picture Procedure Sheet	•	•	•	107
Metals - Chased Design				111
Chased Design - Bracelet or Letter Oper	er	-	-	
Procedure Sheet		•		113
Elementary Workbench		•	•	115

Glossary of Terms

. 121

The second

#### INTRODUCTION

The second of the second secon

The elementary constructions program for grades K-6 is an extension of the Bloomington elementary art curriculum. This program introduces the concept of expressing ideas graphically through drawings to the elementary student. It also acquaints them with a new variety of media such as wood, leather, plastics, and metal. The basic concepts of shaping, forming, cutting, and finishing are initiated in a variety of activities of graduated difficulty. The tools used will be simple; however, the correct and safe use of each tool will be stressed.

It is expected that the program will serve as a basis for future motivation and inquiry into the world of industrial arts activities and give the student another outlet for creativity and achievement.



# ELEMENTARY SCOPE AND SEQUENCE

KINDERGARTEN	GRADE ONE	GRADE TWO	GRADE THREE
1. TO ENABLE THE CHILD TO EXPRESS HIMSELF APPROPRIATELY TO MATURITY AND GROWTH PERIOD UNIQUE TO HIMSELF.  2. TO INTRODUCE CONCEPT OF COLOR DEALING WITH BASIC HUES: RED, YELLOW, BLUE, GREEN, ORANGE, PURPLE, BLACK, BROWN.  3. TO DEVELOP VISUAL AWARENESS OF SHAPE AND SIZE.  4. TO DEMONSTRATE PROPER USES OF ART MATERIALS AND TOOLS. FINGER PAINTING TEMPERA CRAYON CLAY MODELING PAPER PRINTING CHALK  CONSTRUCTIONS PAPIER MACHE *WOOD SCRAPS *PLASTICS YARN & STRING *PRINTING STRANGE MUSCLES.  6. TO DEVELOP CONTROL OF LARGE MUSCLES.  6. TO PROVIDE EXPERIENCES LEADING TO PUPIL AWARENESS OF EXHIBITS AND DISPLAYS.  7. TO BUILD AND MAINTAIN THE CREATIVE RESPONSE OF CHILDREN TO THEIR ENVIRONMENT.  8. TO INCLUDE THE CLASSROOM AND SCHOOL ENVIRONMENT IN BUILDING RELATIONSHIPS THROUGH MEANINGFUL ART EXPERIENCES.  9. TO DEVELOP CRITERIA FOR SELF-EVALUATING ART PRODUCTS IN RELATIONSHIP TO ONESELF.  10. TO AID THE CHILD IN RELATIONSHIP TO ONESELF.  110. TO AID THE CHILD IN RELATIONSHIP TO ONESELF.  121. TO HELP CHILD SEE THE RELATIONSHIP OF ART TO DAILY LIVING.	1. To enable the child to express himself appropriately to maturity and growth period unique to himself.  2. To introduce concept of color dealing with basic hues: red, yellow, blue, green, orange, purple, black, brown.  3. To develop visual awareness of shape and size.  4. To demonstrate proper uses of materials and tools  Finger Painting Tempera Crayon Clay Modeling Paper Printing Chalk  Constructions Papier Mache Scraps Yarn & String *Wood *LEATHER *Printing  5. To develop control of large muscles.  6. To provide experiences leading to pupil PARTICIPATION of exhibits and displays.  7. To build_and maintain the creative response of children to their environment.  8. To include the classroom and school environment in building relationships through meaningful art experiences.  9. To develop criteria for self-evaluating art products in relationship to oneself.  10. To aid the child in relating himself to the classroom peer group within the framework of a group situation.  11. To help child see the relationship of art to daily living.	1. To enable the child to express himself appropriately to maturity and growth period unique to himself.  2. To introduce concept of color dealing with basic hues: red, yellow, blue, green, orange, purple, black, brown, PINK, TAN, GRAY — AND VALUES OF LIGHTNESS OR DARKNESS.  3. To develop visual awareness of shape and size WITH DETAILS ASSUMING MORE IMPORTANCE.  4. TO DEMONSTRATE EXTENDED USE OF MATERIALS AND ADDED RESPONSIBILITY OF CARE IN  Finger Painting Tempera Crayon Clay Modeling Paper Printing Chalk  Constructions Papier Mache Scraps Yarn & String SAWDUST PAPER SCULPTURE *Wood *METAL *Printing  5. To develop control of large muscles, WITH SOME SMALL MUSCLE ACTIVITY.  6. To provide experiences for pupil participation in the PLANNING AND EXECUTING OF exhibits, displays, AND BULLETIN BOARDS.  7. To build and maintain the creative response of children to their environment.  8. To include the classroom and school environment in building relationships through meaningful art experiences WITH INCREASED CORRELATION OF ART WITH OTHER CURRICULUM ACTIVITIES.  9. To develop criteria for self-evaluating art products in relationship to oneself.  10. To aid the child in relating himself to the classroom peer group within the framework of a group situation.  11. To help child see the relationship of art to daily living.	1. To enable the child to explimself appropriately to mate and growth period unique to self.  2. To introduce concept of dealing with hues — red, yellow, green, orange, purple, be brown, pink, tan, gray - VALAND INTENSITIES OF BRIGNESS OR DULLNESS.  3. To develop visual awareness shape, size and details SENSE OF PROPORTION AREALISM.  4. To demonstrate extended use materials and added responsition of care in:  Finger Painting Tempera Clay Modeling Paper Printing Chalk  Constructions  Papier Mache Scraps  Yarn & String Sawdust  Paper Sculpture PLASTER  WATER COLOR  *Wood  *Leather  *Printing  5. To continue development of recular control with added simuscle development.  6. To provide experiences for participation in planning and cuting exhibits, displays, build boards and DIORAMAS WAN AWARENESS OF SPAT RELATIONSHIPS.  7. To build and maintain the extive response of children to the environment.  8. To include the classroom school environment in build relationships through meaning art experiences with incred correlation of art with ocurriculum activities.  9. To develop criteria for self-evating art products in relation to oneself.  10. To aid the child in relating is self to the classroom peer givithin the framework of a gristuation IN A VARIETY GROUP PROJECTS.  11. To help child see the relation of art to daily living.

Capitals indicate concepts new to grade level.
\*Refer to Elementary Constructions Guide (Art Guide Supplement)

# SEQUENCE OF PROJECT OBJECTIVES

GRADE THREE	GRADE FOUR	GRADE FIVE	GRADE SIX
e enable the child to express mself appropriately to maturity d growth period unique to him-	1. To enable the child to express himself in a manner which is appropriate to his maturity and the growth period unique to himself.	1. To enable the child to express himself in a manner which is appropriate to his maturity and the growth period unique to himself.	1. To enable the child to express himself in a manner which is appropriate to his maturity and the growth period unique to himself.
introduce concept of color aling with hues — red, yellow, he, green, orange, purple, black, own, pink, tan, gray - VALUES XD INTENSITIES OF BRIGHT-ESS OR DULLNESS.  develop visual awareness of ape, size and details with ENSE OF PROPORTION AND EALISM.  demonstrate extended use of a details and added responsibility	<ol> <li>To extend concept of color dealing with hues — red, yellow, blue, green, orange, purple, black, brown, pink, tan, gray — values, intensities, SHADOWS, WARMTH AND COOLNESS OF COLOR TONES AND AWARENESS OF PERSONAL RESPONSE TO COLOR.</li> <li>To extend a sense of visual awareness concerning shape, size and details with a sense of proportion and realism AND A FEELING OF</li> </ol>	<ol> <li>To extend concept of color dealing with hues — red, yellow, blue, green, orange, purple, black, brown, pink, tan, gray — values, intensities, shadows, warmth and coolness of color tones, MOODS AND FEELINGS.</li> <li>To extend a sense of size, shape, detail, proportion, realism, a feeling of action, SIMPLE PERSPECTIVE, TEXTURE, SHADING AND PATTERNS OF LIGHT AND DARK.</li> </ol>	<ol> <li>To extend concept of color dealing with hues — red, yellow, blue, green, orange, purple, black, brown, pink, tan, gray — values, intensities, shadows, warmth and coolness of color tones, moods, and feelings.</li> <li>To extend a sense of size, shape, detail, proportion, realism, a feeling of action, simple perspective and texture. Shading and patterns of light and dark in his PAINTINGS AND DESIGNS BECOM-</li> </ol>
care in: Finger Painting Tempera Clay Modeling Paper Printing Chalk constructions Papier Mache	ACTION.  4. To increase variety of art materials, more responsibility for care of and preparation of materials in:  Finger Painting Tempera Clay Modeling Paper Printing	4. To increase variety, responsibility for care of and preparation of materials in:  Finger Painting Tempera Clay Modeling Paper Printing Chalk	ING MORE NOTICEABLE.  4. To increase variety and responsibility for the care of and preparation of materials in:  Finger Painting Tempera Clay Modeling Paper Printing
Scraps Yarn & String Sawdust Paper Sculpture PLASTER WATER COLOR Wood Leather Printing Continue development of mus- lar control with added small uscle development.	Chalk  Constructions  Papier Mache Scraps Yarn & String Sawdust Plaster Paper Sculpture Water Color CHARCOAL *Wood *Metal *Plastics *Printing	Constructions Papier Mache Scraps Sawdust Plaster Yarm & String Paper Sculpfure Water Color Charcoal *Wood *Plastics *Leather *DRAWING *Printing	Chalk Constructions Papier Mache Scraps Sawdust Plaster Yarn & String Paper Sculpture Water Color Charcoal *Wood *Nietal *Drawing *Printing
articipation in planning and executing exhibits, displays, bulletin bards and DIORAMAS WITH NAWARENESS OF SPATIAL ELATIONSHIPS.  build and maintain the creater response of children to their vironment.  b include the classroom and hool environment in building lationships through meaningful texperiences with increase correlation of art with other	<ul> <li>5. To continue development of muscular control with added small muscle development.</li> <li>6. To provide experiences for pupils to ASSUME MAJOR RESPONSIBILITY IN planning and executing exhibits, displays, bulletin boards and dioramas with an awareness of spatial relationships.</li> <li>7. To build and maintain the creative response of children to their</li> </ul>	5. To continue development of museular control with added small muscle development and COORDINATION BETWEEN EYE AND HAND.  6. To provide experiences for pupils to assume major responsibility in planning and executing exhibits, displays, bulletin boards and dioramas with an awareness of spatial relationships.	<ul> <li>5. Continued growth of large and small muscle dexterity with continued emphasis on coordination between eye and hand.</li> <li>6. To provide experiences for pupils to assume major responsibility and participation in planning and executing exhibits, displays, bulletin boards and dioramas with an awareness of spatial relationships.</li> <li>7. To build and maintain the crea-</li> </ul>
correlation of art with other rriculum activities.  develop criteria for self-evaluage art products in relationship oneself.  aid the child in relating him-	environment.  8. To include the classroom and school environment in building relationships through meaningful art experiences with increased correlation of art with other	7. To build and maintain the creative response of children to their environment WITH CONTINUED GROWING EMPHASIS ON CREATIVENESS.  8. To include the classroom and spheel environment in building	tive response of children to thei environment with continued grow ing emphasis on creativeness.  8. To include the classroom an school environment in buildin relationships through meaningfu

- o aid the child in relating himelf to the classroom peer group ithin the framework of a group tuation IN A VARIETY OF IROUP PROJECTS.
- o help child see the relationship art to daily living.
- curriculum activities.
- 9. To develop criteria for self-evalua-ting art products in relationship to oneself AND TO HIS ENVI-RONMENT.
- 10. To aid the child in relating him-self to the classroom peer group within the framework of a group situation in a variety of group
- 11. To help child see the relationship of art to daily living.
- ro include the classroom and school environment in building relationships through meaningful art experiences with increased correlation of art with other curriculum activities and INDIVID-UALIZED PROJECTS EMERGING.
- 9. To develop criteria for self-evalua-ting art products in relationship to oneself and to his environment.
- 10. To aid the child in relating himself to the classroom peer group within the framework of a group situation in a variety of group
- 11. To help child see the relationship of art to daily living.
- relationships through meaningful art experiences with increased correlation of art with other curriculum activities and individualized projects emerging.
- To develop criteria for self-evalua-ting art products in relationship to oneself and to his environment.
- To aid the child in relating him-self to the classroom peer group within the framework of a group situation in a variety of group projects.
- 11. To help child see the relationship of art to dally living.



# ELEMENTARY SCOPE AND SEQUENCE O

	GRADE ONE	GRADE TWO	GRADE THREE
"An Awareness of Art"	"The Field of Art"	"The Art Product, Heritage, History"	"The Anist"
DEVELOP AN AWARENESS OF ART AND ITS PLACE IN MAN'S HISTORY.  TO DEVELOP AN AWARENESS OF THE RELATIONSHIP OF ART TO DAILY LIFE.  DEVELOP DEGREE OF EMPATHY WITH ARTISTS BY EXPOSURE TO: MEDIAS TOOLS ART PRODUCTS ARTISTS  BEGIN TO DEVELOP A SET OF PERSONAL CRITERIA OF ACCEPTANCE OF AN ART PRODUCT.	1. TO EXTEND THE CONCEPT OF "ART" AND ITS PLACE IN HISTORICAL DEVELOPMENT OF MAN.  2. To develop an awareness of the relationship of art to daily life.  3. TO DEVELOP UNDERSTAND- ING OF THE ARTIST AND HIS METHODS OF PROBLEM SOLV- ING.  4. TO DEVELOP AN AWARENESS OF THE MANY FACETS OF "THE FIELD OF ART"  HISTORICAL ORIGIN OF ARTIST PRIMITIVE PRESENT TYPES OF ARTISTS PAINTERS SCULPTORS ARCHITECTS ARTIST'S TRAINING SELF-TAUGHT STUDY FROM GREAT TEACHERS ART SCHOOLS WHERE ARTIST WORKS HOME SPECIAL SCHOOLS FROM NATURE ARTISTS MATERIALS AND TOOLS/SCHOOL ART MEDIA AND TOOLS: FINGER PAINTING TEMPERA CRAYON CLAY MODELING PAPER PRINTING CHALK CONSTRUCTIONS YARN & STRING PAPIER MACHE SCRAPS WOOD LEATHER PRINTING ARTIST'S DISPLAY AREAS HOMES MUSEUMS GALLERIES  5. Begin to develop a set of personal criteria of acceptance of an art product,	1. To extend concept of "art" and its place in historical development of man.  2. To develop an awareness of the relationship of art to daily life.  3. TO DEVELOP AN AWARENESS OF THE DIFFERENT FORMS OF ARTISTIC EXPRESSION — THEIR FUNCTIONAL AND AESTHETIC VALUES.  PAINTING SCULPTURE ARCHITECTURE DECORATIVE ARTS WEAVING TAPESTRIES FABRICS RUG MAKING BASKETRY POTTERY ILLUMINATIONS FURNITURE  4. TO INTRODUCE THE AWARENESS OF THESE ART FORMS IN A HISTORICAL PERSPECTIVE INCLUDING: ANCIENT ART MODERN ART  5. CONTINUE to develop a set of personal criteria of acceptance of art products,	1. To develop concept of its place in historical defect of man.  2. To develop an awareness relationship of art to one of the control of the

Capitals indicate concepts new to grade level.

# JENCE OF APPRECIATION OBJECTIVES

GRADE THREE	GRADE FOUR	GRADE FIVE	GRADE SIX
"The Artist"	"The Field of Art"	"The Art Product, Heritage, History"	"The Artist"
velop concept of "art" and ce in historical development in.  yelop an awareness of the oship of art to daily life.  PTRODUCE ARTISTS AS LE REPRESENTING MA-ART FORMS.  NTERS OTTICELLI EONARDO DA VINCI AN GOGH YDER LEE ICASSO LPTORS ONATELLO UONARROTI LENRY MOORE CHITECTS UONARROTI LENRY MOORE CELLINI OTTICH ARTISTS TEAVING AND ANONYMOUS URTITUTE HEPPLEWHITE ILVER & GOLDSMITHS REVERE CELLINI EWELRY CTRODUCE THE VARIOUS LES AND STYLES OF ENPRESSION FROM SPE- ARTISTS.  ue the development of per- criteria of acceptance of STS.	1. To extend concept of "art" and its place in historical development of man.  2. To develop an awareness of the relationship of art to daily life.  3. To develop understanding of the artist and his problems and methods of problem solving.  4. TO EXTEND the awareness of the many facets of the "field of art." Historical origin of artist Primitive Present  Types of artist Painters Sculptures Architects Decorative Arts CRAFTSMEN Artist's training Self-taught Study from great teachers Art Schools Where artist works Home Special Schools Outdoors OFFICE (BUSINESS & INDUSTRIAL) DESIGN OFFICES Artist's materials and tools/School Art media and tools: Finger Painting Tempera Crayon Clay Modeling Paper Printing Chalk Constructions Yarn & String Papier Mache Scraps Sawdust Plaster Paper Sculpture Water Color CHARCOAL Wood Metal Plastics Printing ARTIST'S SPECIAL TOOLS PAINTER SCULPTOR ARCHITECT WEAVER POTTER GLASS BLOWER SILVER SMITH DESIGNER Artist's display areas Homes Museums Galleries CHURCHES PUBLIC BUILDINGS LOCAL SHOWING  5. EXTENDING the development of personal criteria for the accepance of the FIELD OF ART.	1. To extend the concept of the correlation of historical events and the development of art serving basic human needs.  2. To develop an awareness of the relationship of art to daily life.  3. To develop EXTENDED awareness of the forms of artistic expression, their functional and aesthetic values.  Painting Sculpture Architecture Decorative Arts Weaving Pottery Illuminations Furniture Silver & Goldsmith  4. To EXTEND the awareness of additional Examples of artist's products, periods, schools, and styles in a historical perspective, including: Ancient Art Modern Art RENAISSANCE ART MEDIEVAL ART  5. Extending the development of personal criteria of acceptance of art products.	1. To extend the concept of the correlation of historical events and the development in the art of serving basic human needs.  2. To develop an awareness of the relationship of art to daily life.  3. TO ACQUAINT CHILDREN WITH ADDITIONAL ARTISTS AND THEIR STYLES REPRESENTING MAJOR ART PERIODS AND PRODUCTS.  Painters GIOTTO ROUAULT BRUEGHEL CASSATT REMBRANDT CHAGALL EL GRECO MONDRAIAAN RENOIR MUNCH GOYA WOOD LARKIN ROOD CEZANNE  Sculptors  Sculptors  Buonarrotti CHIBERTI BARLACH RODIN LIPCHITZ BRANCUSI Architects Buonarrotti Wright GHIBERTI WREN YAMASAKI  Decorative Arts Weaving and Tapestry Raphael MARTHA ERPS Pottery, China, Glassware HENRICH WILHELM STIEGEL Illuminations Furniture Hepplewhite DUNCAN PHYFE CHIPPENDALE Silver and Goldsmith Revere Cellini  4. Extending the development of personal criteria of acceptance of art products.

# KINDERGARTEN

# WOOD

- 1. Yarn Frame
- 2. Freeform Scrap Construction

# PLASTIC

ERIC Full Text Provided by ERIC

1. Plastic Pin

#### Kindergarten

Area: Wood

Project: Yarn Frame

#### Objectives:

To be able to:
 select stock
 sand with grain of wood
 sand end grain of wood
 draw parallel lines
 start a nail
 pound a nail
 apply wax finish

#### Materials and Tools:

1 x 6 x 6 White Pine (pre-cut)
8 - 6d casing nails
80 grit abrasive paper
scrap pieces for sanding blocks
liquid floor wax
ruler
11½ or 12 oz. claw hammer

# Operation:

- 1. Select stock
- 2. Sand with grain (use sanding block)
- 3. Sand end grain (use sanding block)
- 4. Draw lines parallel to edge (1/2")
- 5. Lay out place for center nail
- 6. Set and pound nails, one in each corner at point where lines intersect and one at center point of each edge
- 7. Reverse board and drive protruding nails back flush with bottom of board
- 8. Apply two coats of wax to project. Let dry between coats.

#### Variations of above project:

Have free form shape with nails spaced around edge.



#### Kindergarten

Area: Wood

Project: Freeform Scrap Construction

#### Objectives:

To be able to:
 select stock
 sand with grain of wood
 sand end grain of wood
 start a nail
 pound a nail
 glue two pieces of wood together

#### Materials and Tools:

1 piece of 1" stock (any shape) approximately 40 or 50 square inches in size

Several pieces of odd shaped scraps (any thickness or size)

Assortment of various size brads and small nails

White glue (Elmer's or Wilhold)

100 grit abrasive paper


Sanding block

Claw hammer

#### Operation:

- 1. Select stock
- 2. Sand flat surfaces of stocks using sanding block
- 3. Sand edges of all pieces
- 4. Glue and nail small pieces of wood to the large board
  - a. Start nails in small pieces of wood
- b. Apply spot of glue to back of small piece of wood

- c. Put in place on the large piece
- d. Pound nails in flush with top piece of wood



### Kindergarten

Area: Plastics

Project: Plastic Pin

#### Objectives:

To be able to:

- 1. Sand a flat surface.
- 2. Smooth plastic wool
- 3. Polish with tooth paste
- 4. Cement findings to plastic

#### Materials and Tools:

Pre-cut plastic

Shapes

Pins (findings)

Sandpaper

Steel wool

Toothpaste

Plastic cement

Note for teacher: glue sheet of sandpaper on a flat board for sanding flat surfaces.

#### Operation:

- 1. Sand the large flat surfaces by placing the plastic on a flat sanding surface and moving the plastic back and forth.
- 2. Then smooth the plastic by rubbing with steel wool.
- 3. Polish by placing the plastic on a damp cloth which is on a flat surface.

  Put a small amount of toothpaste on the flat side of plastic and rub with back and forth motion.
- 4. Place plastic pin face down, apply plastic cement to pin (finding) and position on pin. Let dry overnight.



# GRADE 1

# WOOD

- 1. Cheese Cutting Board
- 2. Trivet (hot pad)

# LEATHER

1. Bookmark



Area: Wood

Project: Cheese Cutting Board

### Objectives:

To be able to:
 measure and mark stock
 square line across board
 use board and vise
 use cross cut saw
 file and grain
 layout round corners
 file convex edge
 dust project
 apply olive oil finish

#### Materials and Tools:

1 piece - 1" x 4" x 12" softwood (pine preferable)
olive oil
80 grit abrasive paper
120 grit abrasive paper
ruler
try square
coping saw
cross cut saw
8" flat cabinet file
sanding block
pencil

#### Operations:

- 1. Select stock
- 2. Measure 10" length
- 3. Square line across
- 4. Use cross cut saw and saw to length
- 5. File ends smooth
- 6. Layout round corners (trace around small jar cover or coin)
- 7. File corners (with the grain)
- 8. Sand long edges with the grain with 80 grit abrasive paper



### Cheese Cutting Board, Con't.


- 9. Sand flat end (one direction) with 80 grit abrasive paper
- 10. Sand corners (with the grain) with 80 grit abrasive paper
- 11. Repeat steps 8, 9, and 10 with 120 grit abrasive paper
- 12. Dust project with cloth
- 13. Apply olive oil finish by rubbing in well with fingers
- 14. Let dry over night
- 15. Repeat steps 13 and 14

Project: Cheese Cutting Board

Required stock: 1" x 4" x 10"

File corners with the grain, as arrows indicate

Round 4 corners to 3" radius



report was been being for this 10 to up a strained

Area: Wood

Project: Trivet (hot pad)

#### Objectives:

To be able to:

measure and mark stock
square line across board
use board and vise
use cross cut saw
file and grain
cut asbestos tile
attach furniture glides
apply food color stain

### Materials and Tools:

1 piece approximately 5" square (white pine preferable)
4 - ½" rubber tack bumpers
1 piece approximately 5 x 5 cork or asbestos tile
food coloring
waterlox (transparent)
glue (white-Elmer's)
80 grit abrasive paper
120 grit abrasive paper
cross cut saw
claw hammer
flat file

#### Operations:

- 1. Select stock
- 2. Measure and mark length (to match width of board makes a square)
- 3. Square line across at mark
- 4. Saw off with cross cut saw
- 5. File ends of board smooth
- 6. Sand face of board (with grain)
- 7. Sand edges with grain
- 8. Sand ends of board
- 9. Trace size of trivet base board onto asbestos tile
- 10. Cut tile to size




Trivet (hot pad), Con't.

- 11. Apply glue to the top face of the board and put tile in place
- 12. Weight down with books until glue is dry (over night). Be sure to put a piece of wax paper between project and books.
- 13. Pound in one furniture glide in each bottom corner
- 14. Dilute food coloring with water and use as a stain on the edges of the trivet (six cups to one cup)
- 15. Apply one coat of finish with a cloth to the wood (waterlox)
- 16. Let dry over night

Project: Trivet (hot pad)

Required stock: 1" x 6" x 6"



Furniture glides at each corner, set 1" in from each side of corner.

Area: Leather

Project: Bookmark

### Objectives:


To be able to:
 prepare leather for tooling by moistening
 transfer a design by tracing
 follow the proper procedure in tooling leather
 apply a finish to the leather

#### Materials and Tools:

1½" x 5" leather (est. 5¢) sponge nail paper clips shoe wax

Operation: (Preparation by teacher: cut 1" square on paper cutter)

- 1. Pupil will write initial on (square) until acceptable
- 2. Pupil will apply pencil texture to back of square
- 3. Lay the leather on a wet sponge with smooth side of leather up. Leather must remain on sponge until front begins to darken. (Speed up process by pushing down on leather.)
- 4. Place square with initial on smooth side of leather trace initial do not let paper shift - hold in place with paper clips on corners. Remove the paper clips.
- 5. Trace (tool) the initial on the leather using the nail as a scribe.
- 6. Let dry naturally 2 days. Neutral shade paste.
- 7. Apply finish wax (just as you would on shoes shoe wax)



# GRADE 2

#### WOOD

- 1. Note Holder
- 2. Boat

# **METALS**

- 1. Copper Tooling Picture (using a plaster mold)
- 2. Chasing a Design on Copper Sheet



Area: Wood

Project: Note Holder

#### Objectives:

To be able to:
 layout curved line
 use coping saw
 file concave edge

## Materials and Tools:

1 piece of 1" x 4" x 4" pine
1 piece of 1" x 2" x 2" pine
1 wood spring type clothes pin
white glue
1 - 4d casing nail
80 grit abrasive paper

120 grit abrasive paper 2 thick rubber bands cross cut saw coping saw ½ rd. file claw hammer


### Operations:

- 1. Select stock (1 "x 4") for base
- 2. Cut base to size
  - a. measure length 4"
  - b. square line across board for length
  - c. saw to length with cross cut saw
- 3. File ends smooth
- 4. Select stock for upright piece
- 5. Layout curved edges of upright piece
- 6. Use coping saw to saw out upright piece
- 7. File concave edges smooth (use ½ round file)
- 8. Sand all parts with 80 grit abrasive paper
- 9. Sand over all parts with 120 grit abrasive paper
- 10. Pound nail through center bottom of board so it protrudes through above 1/8"
- 11. Apply glue to bottom surface of upright piece
- 12. Clamp upright piece in vise, glued edge up
- 13. Center the base board on upright piece and pound nails in flush with surface of board.
- 14. Apply glue to top surface of upright piece.
- 15. Place wood (spring-type) clothes pin in place and hold in place with two rubber bands.

Note Holder, Con't.

Project: Note Holder

Required stock: 1 " x 4"



Area: Wood

Project: Boat

#### Objectives:

To be able to:
 trace a template
 use a hand drill
 use oil base paint

# Materials and Tools:

1 piece 1" x 4" x 7" pine
1 piece 1" x 2" x 3" pine
1 piece dowel rod ½ x 4"
80 grit abrasive paper
120 grit abrasive paper
1" brushes
paint thinner (for clean up)
2 - 1" brads
cross-cut saw

coping saw
8" flat file
claw hammer
hand drill
½" twist drill bit
12" bench rule
try square
boat hull template

#### Operations:


- 1. Select stock
  - a. 1 piece 1 x 4 x 7
  - b. 1 piece 1 x 2 x 3
- 2. Measure and mark to length
- 3. Square line across board for length
- 4. Saw pieces to length with cross cut saw
- 5. Trace template of boat hull on largest piece of wood
- 6. Saw out boat hull with coping saw
- 7. Smooth sawed edge with flat file
- 8. Use file to round corner of 1 x 2 x 3 piece for cabin

The second of the second of the second of the second

- 9. Draw center line on cabin top
- 10. Measure in 1" from end of cabin to locate hole
- 11. Drill 4" diameter hole on center line of cabin top, 1" from end with a hand drill
- 12. Sand both pieces with 80 grit abrasive paper
- 13. Repeat step 12 with 120 grit abrasive paper
- 14. Pound 2 1" brads into top of cabin, one in the center of each end

### Boat, Con't.

- Apply small amount of glue to cabin bottom 15.
- Place cabin in the center of hull and pound nails in, flush with wood 16.
- Measure 4" dowel rod to 4" length 17.
- Saw dowel rod to length with coping saw 18.
- Sand end of dowel rod with 120 grit abrasive paper 19.
- 20. Put spot of glue in hole in cabin top



20

Area: Metals

Project: Copper Tooling Picture (using a plaster mold)

#### Objectives:

To be able to:
 measure and mark metal
 cut copper foil with scissors
 use a modeling tool (pointed dowel rod)
 use steel wool to polish and clean metal
 use liver of sulphur solution for antiquing
 bend sheet metal
 use a mold
 paint metal

### Materials and Tools:

4" x 4" - 36 gauge soft copper foil
1 4/0 steel wool
liver of sulphur
fixative spray
masking tape
soft clay
4" x 5" sharpened dowel rod
plastic molds

#### Operations:

- 1. Select design (plaster mold)
- 2. Measure and mark copper foil (4" x 4")
- 3. Cut copper foil to size with teacher's scissors
- 4. Select modeling tool (sharpened piece of 4" x 5" dowel rod)
- 5. Tape copper foil on top side of plastic mold so it will not move around while being worked (use masking tape)
- 6. Use sharpened end of modeling tool (dowel rod) to work copper into mold
  - A. Start with light pressure going over entire design (rubbing)
  - B. Repeat with moderate pressure to work copper down into mold
  - C. Go over detailed parts of mold with modeling tool until all detail shows clearly
- 7. Fill depressed area on back side of picture with soft clay
- 8. Cut a piece of cardboard (tablet back) 3½" square
- 9. Center copper sheet over cardboard back and fold surplus copper over edge to lock back in place

#### Copper Tooling Picture, Con't.

- 10. Clean the face of copper with 4/0 steel wool
- 11. Dissolve liver of sulphur crystals in cold water
- 12. Apply liver of sulphur solution to copper with steel wool (same piece used in Step 10)
- 13. Rinse thoroughly with clear water
- 14. Stand copper on edge and let dry
- 15. Steel wool background very lightly
- 16. Steel wool raised areas to produce highlights (very bright and shiny areas)
- 17. Spray surface with a clear finish (fixative as used for chalk pictures)

Land Control of the State of th

Area: Metals

Project: Chasing a Design on Copper Sheet

#### Objectives:

To be able to:
 measure and mark metal
 bend sheet metal
 transfer design with carbon paper
 paint metal
 file metal
 chase design
 use a chasing hammer

#### Materials and Tools:

4" x 4" - 28 or 30 gauge soft copper sheet carbon paper masking tape 4/0 steel wool fixative cloth old magazines small hammer 8d common nails flat file

#### Operations:

- 1. Select design
- 2. Measure and mark the size on the copper sheet (4" x 4")
- 3. Trace over design to transfer to metal
- 4. Remove design and carbon paper
- 5. File off the point of a nail (8d common) until the end is smooth
- 6. Place copper on a magazine, design up
- 7. Use hammer and tap nail lightly, following the design on the copper A. space nail marks evenly (approximately 1/8" apart)
  - B. depressions from the nail should be approximately 1/16" deep

- 8. Cut a piece of cardboard (tablet back) 3½" square
- 9. Center copper sheet over cardboard back and fold surplus over edge to lock on side of cardboard



Chasing a Design on Copper Sheet, Con't.

- 10. Steel woo! the face of the copper to produce highlights (should be very shiny)
- 11. Dust off with a cloth
- 12. Spray lightly with any of the following to prevent oxidation of the copper
  - A. clear lacquer
  - B. clear crylon
  - C. fixative (same as used for chalk drawing)

The state of the second of the

A figure of the sweet at the sweet proceedings

in a person to have the

A CONTRACTOR OF THE STATE OF TH

# GRADE 3

# WOOD

- 1. Music or Book Stand
- 2. Napkin Holder

# LEATHER

- 1. Coasters
- 2. Leather Design for Napkin Holder





Area: Wood

Project: Music or Book Stand

#### Objectives:

To be able to:
 use brace and auger bit
 use brace and countersink
 use screw driver
 use "L" hooks
 layout screw holes
 apply varnish

#### Materials and Tools:

1 piece 1 x 12 x 10
1 piece 1 x 21 x 10
4 - 1½ x 8 F.H. zinc plated wood screws
glue
2 - #914 square bent screws
hooks (zinc-chromate - 1")
varnish
paint and varnish thinner (cleaner)
80 grit abrasive paper
120 grit abrasive paper


l" brush
bench rule
try square
cross cut saw
8" flat file
hand drill
5/32 twist drill bit
brace
countersink
slip joint pliers
4" screw driver

#### Operations:

- 1. Select stock
- 2. Measure and mark length
- 3. Square saw line across boards
- 4. Saw to length with cross cut saw
- 5. File ends of board with flat file
- 6. Layout 4 screw holes on end of 1 piece of wood 3/8" from edge, spaced evenly
- 7. Drill 5/32" diameter clearance holes for screws with hand drill and twist drill bit
- 8. Countersink for flathead screws
- 9. Align two pieces of wood in a tent-like fashion with the grain of the boards going uphill, and mark screw hole placement on edge of second piece. (2 screws placed 1" from each edge and 2 more screws placed 4" from each edge of wood.)
- 10. Drill 3/32" diameter anchor hole. (marked second piece)

Music or Book Stand, Con't.

- 11. Sand both pieces completely with 80 grit abrasive paper
- 12. Sand both pieces completely with 120 grit abrasive paper
- 13. Apply glue to butt joint edge
- 14. Align 2 pieces of wood and screw 14 x 8 F.H. zinc plated screws
- 15. Layout placement of hook 1" up from bottom, 2" in from edge



Area: Wood

Project: Napkin Holder

#### Objectives:

To be able to:
 use ripsaw
 use nail set
 plane edge of wood
 wipe-on finish

## Materials and Tools:

1 piece 1 x 4 x 6 pine
2 pieces 1 plywood 5 x 6
80 grit abrasive paper
120 grit abrasive paper
6 - 3/4" #16 brads
glue
(decoration from leather area)
waterlox
cloth


cross cut saw
try square
coping saw
bench rule
rip saw
nail set
claw hammer
flat file
smooth plane

#### Operations:

- 1. Select stock
- 2. Measure and mark length 6"
- 3. Square line across at mark
- 4. Saw to length with cross cut saw
- 5. Layout 2" width of the base
- 6. Saw to width using rip saw (stay 1/8" away from line)
- 7. Plane sawed edge down to line
- 8. File ends smooth
- 9. Measure and layout 2 side pieces of 4" plywood
- 10. Saw out side pieces (coping saw)
- 11. Lay out curved top corners on each side piece (optional)
- 12. File edges smooth
- 13. Sand with 80 grit abrasive paper
- 14. Sand with 120 grit abrasive paper

#### Napkin Holder, Con't.

- 15. Mark placement of 3 3/4" brads 3/8" from bottom edge of side pieces spaced at 1" 3" from side
- 16. Start nails into wood side pieces with hammer
- 17. Apply glue to opposite edge of base board
- 18. Position and nail one side in place
- 19. Apply glue to opposite edge of base board
- 20. Position and nail second side in place
- 21. Set nail by hitting nail set once with hammer
- 22. Apply decoration to one side of napkin holder (Suggestion: leather decoration)
- 23. Apply wipe-on finish with cloth. Note: do not apply finish to leather.



Area: Leather

Project: Coasters

#### Objectives:

To be able to:
 transfer a design using a template
 punch holes for lacing
 lace using the whip stitch on a single thickness

# Materials and Tools:

```
1 pre-cut 3½ D. leather piece (15¢ est.)
1 - 3" D. block
nail
sponge
plastic template of design (selection)
neutral shade paste shoe wax
plastic lacing
```

#### Operation:

- 1. Punch holes for lacing approximately 1/8" from edge using guide book
- Lay the leather on a wet sponge with smooth side of leather up. Leather
  must remain on sponge until front begins to darken. (Speed up process
  by pushing down on leather.)
- 3. Place design on front of leather using template (permanent pattern)
- 4. Trace (tool) over design on leather let dry naturally for two days
- 5. Apply finish wax on both sides (just as you would on shoes)
- 6. Lace using a whip stitch. Finish by going through the two starting holes again and drawing about 1" under the coils on underneath side

Area: Leather

Project: Leather Design for Napkin Holder (1 piece)

#### Objectives:

To be able to: transfer a design using a template glue leather on wood

#### Materials and Tools:

1 pre-cut 3½ D. leather
plastic template of design (selection)
sponge
nail
neutral shade paste shoe wax
Elmer's glue

### Operation:

- 1. Moisten leather from back (on sponge) until front begins to darken. (see project 1 #2)
- Acon the segment ages and the general ages gained roi selod domed.

  2. Place design on front of leather using template (permanent pattern)

  behaved of remark to also decome that expends have a no reduced entry that the second selection.

  Trace (tool) over design congleather 1 letudry naturally for 28 days

  (and the second selection of the
  - 4. Apply finish wax on front only (just as you would saddle soap on shoes)

    1. Place design on front of leather using template (permanent front of leather using template).
  - 5. Glue on front of napkin holder project
  - 6. Place weight (a book) on leather until glue is dry (before holder is assembled or place holder over) edge of cable and wapply weight (AP) of the control of the control
- 6.0 Lace using a whip stitch. Finish by going through the two starting house cales again and drawing about I' under the coals on processors the transfer of the coals on processors the coals.

## GRADE 4

## WOOD

- 1. Tool Box Procedure Sheet
- 2. Bird House Procedure Sheet

## **PLASTIC**

- 1. Key Chain Holder Procedure Sheet
- 2. Earrings
  Procedure Sheet

#### **METALS**

- 1. Candy Dish Procedure Sheet
- 2. Bird Feeder Procedure Sheet



Area: Wood

Project: Tool Box

## Objectives:

To be able to:
work with manila rope

## Materials and Tools:

1 piece 1 x 6 - 10½ (bottom)
2 pieces 1 x 6 - 6" (ends)
2 pieces 1 x 4 - 12" (sides)
16 - 6d common nails
18" of ½ manila rope
paint
paint thinner


1" brush cross cut saw bench rule pencil try square claw hammer flat file brace 3/8" auger bit knife

## Operations:

- 1. Select stock
- 2. Measure and mark length of bottom (10½")
- 3. Square line across at mark
- 4. Saw to length with cross cut saw
- 5. Measure and mark length of both side pieces (12")
- 6. Square line across at mark
- 7. Saw sides to length with cross cut saw
- 8. File ends of these pieces smooth
- 9. Measure and mark length of end pieces (6")
- 10. Square line across at mark on each piece
- 11. Saw to length with cross cut saw
- 12. Lay out curved top end on each piece
- 13. Saw curved edge with coping saw
- 14. File curve smooth
- 15. Locate and mark hole on end piece 3/4" from top edge on center line
- 16. Bore 3/8" diameter hole in each end
- 17. Nail end pieces to ends of bottom piece (2 nails each end)
- 18. Nail on side pieces
- 19. Paint box
- 20. Tie knot close to one end of manila rope
- 21. Pull rope through holes in end of tool box
- 22. Tie knot in opposite end of rope
- 23. Cut off surplus rope (knife)

Tool Box, Con't.

ERIC



PROCEDURE SHEET NAME GRADE 4 AREA: WOOD PROJECT: TOOL BOX SPECIFIC OBJECTIVE: WORK WITH MANILA ROPE OTHER INFORMATION: SAFETY FIRST MUST BE ABLE TO: USE CROSS CUT SAW SELECT STOCK SAND WITH THE GRAIN OF THE WOOD FILE END GRAIN SAND END GRAIN OF WOOD FILE CONVEX EDGE START A NAIL - POUND A NAIL. LAYOUT CURVED LINE MEASURE AND MARK STOCK USE COPING SAW SQUARE LINE ACROSS BOARD USE OIL BASE PAINT USE BOARD AND VISE USE BRACE AND AUGER BIT PLANE EDGE OF WOOD MATERIALS AND TOOLS: 1 PIECE 1 x 6 - 10% (BOTTOM)
2 PIECES 1 x 6 - 6% (ENDS)
2 PIECES 1 x 4 - 12% (SIDES)
16, - 6D COMMON NATICE BENCH RULE PENCIL TRY SQUARE 16 - 6D common nails  $18^{\prime\prime}$  of  $\frac{1}{4}$  manila rope CLAW HAMMER FLAT FILE PAINT 1" BRI BRACE 3/8" AUGER BIT BRUSH KNIFE PAINT THINNER CROSS CUT SAW **OPERATION STEPS:** SELECT STOCK MEASURE AND MARK LENGTH OF BOTTOM  $(10\frac{1}{2}")$ SQUARE LINE ACROSS AT MARK SAW TO LENGTH WITH CROSS CUT SAW MEASURE AND MARK LENGTH OF BOTH SIDE PIECES (12") SQUARE LINE ACROSS AT MARK SAW SIDES TO LENGTH WITH CROSS CUT SAW FILE ENDS OF THESE PIECES SMOOTH MEASURE AND MARK LENGTH OF END PIECES (6") SQUARE LINE ACROSS AT MARK ON EACH PIECE SAW TO LENGTH WITH CROSS CUT SAW LAY OUT CURVED EDGE WITH COPING SAW SAW CURVED EDGE WITH COPING SAW FILE CURVE SMOOTH LOCATE AND MARK HOLE ON END PIECE 3/4" FROM TOP EDGE ON CENTER LINE BORE 3/8" DIAMETER HOLE IN EACH END NAIL END PIECES TO ENDS OF BOTTOM PIECE (2 NAILS IN EACH END) NAIL ON SIDE PIECES PAINT BOX TIE KNOT CLOSE TO ONE END OF MANILA ROPE PULL ROPE THROUGH HOLES IN ENDS OF TOOL BOX TIE KNOT IN OPPOSITE END OF ROPE CUT OFF SURPLUS ROPE (KNIFE) 37

**ERIC** 

Area: Wood

Project: Bird House

#### Objectives:

To be able to:
use tin snips
use screw eyes
use pliers

#### Materials and Tools:


2 pieces - 1 x 4 x 4
1 piece - 1 x 4 x 5
1 piece - 1 x 3½ x 5
1 asbestos shingle 8 x 10 (cut)
1 piece - 3/8" x 3" dowel rod
80 grit abrasive paper
120 grit abrasive paper
12 - 6d chasing nails
10 - 3d galvanized shingle nails
varnish
paint thinner
2 - #212 screw eyes

1" brush
bench rule
cross cut saw
rip saw
flat file
compass
pencil
brace
7/8" auger bit
3/8" auger bit
smooth plane
claw hammer
2½ tin snip
try square
pliers

## Operations:

- 1. Select stock
- 2. Measure and mark 2 4" square end pieces
- 3. Saw to length with cross cut saw
- 4. Saw to width with rip saw
- 5. Layout curve for shape of roof (both pieces)
- 6. Saw curve with coping saw
- 7. File curved edge
- 8. Lay out location of bird hole entry
- 9. Bore 7/8" diameter hole entry
- 10. Layout location of hole for perch
- 11. Bore 3/8" diameter hole for perch
- 12. Measure 1 side piece 4 x 5
- 13. Measure 1 side piece  $3\frac{1}{4} \times 5$
- 14. Cut each side piece to length with cross cut saw
- 15. Cut each side piece to width with rip saw
- 16. Plane long edges smooth
- 17. Sand all pieces with 80 grit abrasive paper
- 18. Sand all pieces with 120 grit abrasive paper
- 19. Nail 2 sides together to form a "V". 5" lengths go together, wide piece laps over edge of narrow piece
- 20. Place front end part in place, edges flush with "V" shaped part, nail with nails on each side
- 21. Repeat step 20 with back end piece
- 22. Measure and layout size of roof on asbestos shingle (8" x 10")

### Bird House, Con't.



PROCEDURE SHEET PROJECT: BIRD HOUSE AREA: WOOD SPECIFIC OBJECTIVES: TO USE TIN SNIPS, SCREW EYES AND PLIERS OTHER INFORMATION: SAFETY FIRST MUST BE ABLE TO: FILE END GRAIN
FILE CONVEX EDGE
LAYOUT CURVED LINE
USE COPING SAW
USE BRACE AND AUGER BIT SELECT STOCK SAND WITH THE GRAIN OF THE WOOD SAND END GRAIN OF WOOD START A NAIL - POUND A NAIL MEASURE AND MARK STOCK SQUARE LINE ACROSS BOARD APPLY VARNISH PLANE EDGE OF WOOD USE BOARD AND VISE USE CROSS CUT SAW USE A RIP SAW MATERIALS AND TOOLS: 2 PIECES 1 x 4 x 4 1 PIECE 1 x 4 x 5 1 PIECE 1 x 34 x 5 1 ASBESTOS SHINGLE 8 x 10 (CUT) 1 PIECE 3/8" x 3" DOWEL ROD 80 GRIT ABRASIVE PAPER BENCH RULE CROSS CUT SAW RIP SAW FLAT FILE **COMPASS** PENCIL 120 GRIT ABRASIVE PAPER 12 - 6D CASING NAILS 10 - 3D GALVANIZED SHINGLE NAILS 7/8 AUGER BIT 3/8 AUGER BIT VARNISH 1" BRUSH SMOOTH PLANE CLAW HAMMER PAINT THINNER
2 - #212 SCREW EYES TRY SQUARE 22 TIN SNIP **PLIERS** 1. SELECT STOCK
2. MEASURE AND MARK 2 - 4" SQUARE END PIECES
3. SAW TO LENGTH WITH CROSS CUT SAW
4. SAW TO WIDTH WITH RIP SAW
5. LAYOUT CURVE FOR SHAPE OF ROOF (BOTH PIECES)
6. SAW CURVE WITH COPING SAW
7. FILE CURVED EDGE
8. LAYOUT **OPERATIONAL STEPS:** ACE AND MAN

WE AND MAN

TO LENGTH WE

SAW TO WIDTH WI

LAYOUT CURVE FOR

SAW CURVE WITH CO

FILE CURVED EDGE

LAYOUT LOCATION OF

BORE 7/8" DIAMETER

10. LAYOUT LOCATION OF

BORE 3/8" DIAMETER

12. MEASURE 1 SIDE

13. MEASURE 1 SIDE

14. CUT EACH

15. CUT F'

16. PI' LAYOUT LOCATION OF BIRD HOLE ENTRY
BORE 7/8" DIAMETER HOLE FOR ENTRY
LAYOUT LOCATION OF HOLE FOR PERCH
BORE 3/8" DIAMETER HOLE FOR PERCH
MEASURE 1 SIDE PIECE 4 X 5
MEASURE 1 SIDE PIECE 34 X 5 CUT EACH SIDE PIECE TO LENGTH WITH CROSS CUT SAW CUT EACH SIDE PIECE TO WIDTH WITH RIP SAW PLANE LONG EDGES SMOOTH 42 41

PROCEDURE SHEET: BIRD HOUSE, CON'T.

17.	SAND ALL PIECES WITH & GRIT ABRASIVE PAPER
ī8.	SAND ALL PIECES WITH 120 GRIT ABRASIVE PAPER
	SAND ALL PIECES WITH 120 GRIT ABRASIVE PAPER NAIL 2 SIDE PIECES TO FORM A V; 5" LENGTH GO TOGETHER, WIDE PIECES LAP
	OVER EDGE OF NARROW PIECE
20.	PLACE FRONT END PART IN PLACE, EDGES FLUSH WITH "V" SHAPED PART, NAIL
	WITH TWO NAILS ON EACH SIDE
21.	REPEAT STEP 20 WITH BACK END PIECE
22.	MEASURE AND LAYOUT SIZE OF ROOF ON ASBESTOS SHINGLE $(8'' \times 10'')$
23.	CUT OUT ROOF WITH TIN SNIPS
24.	CENTER ROOF ON BIRD_HOUSE SO IT EXTENDS OUT 2" BEYOND FIRST PIECE
—— 治·	NAIL IN PLACE WITH 3D GALVANIZED SHINGLE NAILS MEASURE AND MARK 3/8" DOWEL ROD FOR LENGTH - 3"
	SAW DOWEL TO LENGTH WITH COPING SAW
28 <sub>1</sub>	The service of the se
<del>3</del> 3'	LOCATE TOP CENTER ON FRONT AND BACK PIECE FOR SCREW EYES
<sup>2</sup> 4'	POUND NAIL PART WAY INTO WOOD AND REMOVE NAIL
——	ATTACH SCREW EYES USING PLIERS TO TURN
22.	VARNISH ALL WOOD PARTS



Area: Plastics

Project: Plastic Key Chain Holder

## Objectives:

To be able to:
 clean plastic
 laminate plastic surfaces together
 cement plastic
 file plastic smooth
 drill hole in plastic
 saw plastic with coping saw

## Materials and Tools:

2 pieces of 1/8" plastic 1½" square clothespins composite class picture to be cut up for individual pictures plastic cement sandpaper steel wool key chains toothpaste

hand drill 1/8" bit coping saw

#### Operations:

- 1. Wipe plastic with a clean, dry cloth. Remove all marks especially finger prints.
- 2. Place picture (from composite) in center of one square.
- 3. Apply cement around edges of plastic.
- 4. Place second plastic square over picture and apply pressure by clamping with 2 clothespins. Be sure edges on the squares line up as much as possible.
- 5. Let dry over night.
- 6. File edges flat.
- 7. Sand edges smooth.
- 8. Smooth surfaces with steel wool.
- 9. Drill 1/8" hole in one corner.
- 10. Polish by placing the plastic on a damp cloth which is on a flat surface.

  Put a small amount of toothpaste on the flat side of the plastic and rub
  in a back and forth motion.
- 11. Drop key chain through hole and fasten.

PROCEDURE S	SHEET
NAME	
GRADE 4	
AREA: PLAS	STICS PROJECT: PLASTIC KEY CHAIN HOLDER
SPECIFIC OF	BJECTIVES:
to be abl	LE TO: 1. CLEAN PLASTIC 2. CEMENT PLASTIC 3. FILE PLASTIC SMOOTH 4. DRILL HOLE IN PLASTIC 5. SAW PLASTIC WITH A COPING SAW
OTHER INFOF	RMATION: PLASTIC CEMENT BECOMES HARD IN ABOUT $5\ \mathrm{TO}\ 10$ MINUTES; HOWEVER, VERNIGHT IS RECOMMENDED BEFORE FILING OR SANDING TO INSURE A SMOOTH SURFACE
MUST BE ABI	LE TO:
SMOOTH PI	LAT SURFACE LASTIC WITH STEEL WOOL ITH TOOTHPASTE
MATERIALS A	AND TOOLS:
I KEY CHA 2 CLOTHES COMPOSITI	OF 1/8" PLASTIC HAND DRILL AND 1/8" BIT AIN PER STUDENT COPING SAW SPINS PER STUDENT FOR CLAMPS E CLASS PICTURE CEMENT 220 GRIT SANDPAPER OL
OPERATIONA	L STEPS:
1.	WIPE PLASTIC WITH A CLEAN, DRY CLOTH. REMOVE ALL MARKS, ESPECIALLY FINGER
3;	PRINTS. PLACE PICTURE (FROM COMPOSITE) IN CENTER OF ONE SQUARE. APPLY CEMENT AROUND EDGES OF THE LARGE FLAT SURFACE ABOUT 1/8". DO NOT CEMENT PICTURE.
4.	LAMINATE THE PLASTIC. PLACE THE SECOND PLASTIC SQUARE OVER THE PICTURE AND APPLY PRESSURE BY CLAMPING WITH 2 CLOTHESPINS. (BE SURE THE EDGES ARE LINED UP.)
	LET DRY OVERNIGHT. FILE EDGES FLAT.
7:	SAND THE EDGES SMOOTH.
<u> </u>	SMOOTH SURFACES WITH STEEL WOOL.  DRILL A 1/8" HOLE IN ONE CORNER ABOUT 1/8" IN FROM EACH SIDE WITH A HAND
10.	DRILL AND DRILL BIT.  POLISH BY PLACING THE PLASTIC ON A DAMP CLOTH WHICH IS ON A FLAT SURFACE.  PUT A SMALL AMOUNT OF TOOTHPASTE ON THE FLAT SIDE OF THE PLASTIC AND RUB IN A BACK AND FORTH MOTION.
11.	DROP KEY CHAIN THROUGH THE HOLE AND FASTEN.

Area: Plastics

Project: Plastic Ear Rings

#### Objectives:

To be able to:
 clean plastic
 laminate plastic surfaces together
 file plastic smooth
 drill hole in plastic
 saw plastic with coping saw

## Materials and Tools:

1/8" plastic sheets (colors) acrylic solvent cement No. 120 grit sandpaper No. 220 grit sandpaper earring findings coping saw file

## Operations:

- 1. Cut 6 pieces of plastic ½" x ½" using a coping saw. (Hold large end of plastic piece in vise.)
- 2. Laminate three squares together using acrylic solvent cement.
  - a. Spread the solvent on one clean surface.
  - b. Place second surface (clean) over the first and press down.
  - c. Place third surface (clean) over second and press down.
  - d. Repeat (a), (b), and (c) for other earring.
- 3. File the sides to form a flat surface.
- 4. Smooth with sandpaper.
- 5. Smooth with steel wool.
- 6. Polish with toothpaste and a damp cloth. Hold in your hands.
- 7. Cement finding to plastic cube on the corner and let dry for \( \frac{1}{2} \) hour.



NAME			
GRADE 4	-		
AREA: PLASTICS		PROJECT: PLASTIC	EARRINGS
SPECIFIC OBJECTIV	ES:		
TO BE ABLE TO:	3. FILE PLASTIC 4. DRILL HOLE I	C STIC SURFACES TOGETHER SMOOTH N PLASTIC WITH A COPING SAW	(SOLVENT CEMENT)
MUST BE ABLE TO:			
SAND A FLAT SUR SMOOTH PLASTIC POLISH WITH TOO CEMENT FINDINGS	WITH STEEL WOOL OTHPASTE		
MATERIALS AND TOO	ols:		
	ACRYLIC) SHEETS (C CEMENT GRIT SANDPAPER SS	LEAR OR COLORS)	FILE COPING SAW
OPERATIONAL STEPS	8:		
INT	THE VICE AND USE ANTE THREE SQUARES  (A) SPREAD THE SOLUTION OF SECOND PRESS DOWN  (C) WIPE TOP SUR	A COPING SAW FOR CUTTING TOGETHER USING ACRYLIC SOLVENT ON ONE CLEAN SUR PLASTIC PIECE (CLEAN O RFACE CLEAN AND SPREAD S	SOLVENT.  RFACE.  OVER THE FIRST AND  SOLVENT ON IT.
	(D) PLACE THE THE PRESS DOWN PRESS DOWN (E) CLAMP TOGETH	IIRD PLASTIC PIECE OVER	THE SECOND AND

T

]

1

-

1

1

-

]

1

1

Towns a

1

i maren

Area: Metal

Project: Candy Dish

## Objectives:

To be able to:
use steel wool to polish and clean metal
use a forming mold

## Materials and Tools:

4" diameter - 24 gauge soft aluminum disk 4/0 steel wool

plastic tipped hammer (one end flat, one end cone shaped) aluminum forms

#### Operations:

- 1. Select stock
- 2. Select aluminum forming mold.
- 3. Center aluminum stock over form.
- 4. Hold firmly by placing finger and thumb on opposite edges and tap around edge of design with flat face of the plastic-tipped mallet until outline of design is visible.
- 5. Using pointed tip of plastic mallet start tapping along edge of design to stretch the aluminum down into the mold (cavity).
  - a. Work slowly, tap lightly.
  - b. Keep working around the edge, gradually working the metal down until it matches the contour of the bottom of the mold.
- 6. If the outside edges curl or become distorted (not flat) use the flat face of the plastic hammer to flatten (tap lightly).
- 7. Remove aluminum dish and polish with 4/0 steel wool.

PROCEDURE	SHEET						
NAME		; 					
GRADE 4							
AREA: MET	ALS		PROJECT:	CANDY I	DISH		
SPECIFIC O	BJECTIVES:	USE A FORMING NUSE STEEL WOOL,		AND CLE	AN METAL		
OTHER INFO	RMATION: S	SAFETY FIRST					
MATERIALS	NEEDED:						
4/0 STEE	EL WOOL TIPPED HAM	AUGE SOFT ALUMINU MER (ONE FLAT ENI		E-SHAPED	END)		•
OPERATIONA	L STEPS:						
1.	SELECT STO	ск					
2.	SELECT ALL	JMINUM FORMING MO	LD				
3.	CENTER ALI	LIMINUM STOCK OVER	R FORM				
4.	EDGE OF DE	LY BY PLACING FIN ESIGN WITH FLAT F IS AVAILABLE	IGER AND THE	HUMB ON ( E PLASTIC	OPPOSITE C-TIPPED	EDGES AND R MALLET UNTI	AP AROUNI LOUTLIN
5.	USING POINTO STRETCH	NTED TIP OF PLAST	TIC MALLET	START TA	APPING AL (CAVITY)	ONG EDGE OF	DESIGN
	A. WOR	K SLOWLY, TAP LIG	HTLY				
		P WORKING AROUND MATCHES THE CONTO					N UNTIL
6.	IF THE OUT FACE OF TH	rside edges curl He plastic hammer	OR BECOME TO FLATTE	DISTORTI	ED (NOT F LIGHTLY)	LAT) USE TH	E FLAT
7.	REMOVE ALL	UMINUM DISH AND F	POLISH WITH	н 4/0 sт	EEL WOOL		;



Area: Metal

Project: Bird Feeder (2 raised aluminum bowls)

## Objectives:

To be able to:

measure and mark metal
paint metal
use raising hammer
cut wire
bend wire
draw circles on metal
use a hand drill
use a center punch

#### Materials and Tools:

2 - 6" diameter - 24 gauge soft aluminum disks brown paint 1" brush

3 paper clips

3 - wire pieces 3" long

#33 wood mallet (round end)
pliers
hand drill
1/8" diameter wire cutter
8" square sand bag (canvas)
center punch

Operations: The following procedures will be used for both parts of the bird feeder (steps 1-12)

- 1. Layout 2 concentric circles on one piece of metal with center of disk as the center.

  a. 1 4" in diameter
  - b. 1 2" in diameter
- 2. Place sand bag on a flat solid surface
- 3. Place metal on sand bag with small circle guide line over approximate center of bag.
- 4. Raise the rear of the metal about 20°, then with a round-faced wooden mallet, strike the metal a blow near the front circle guide line.
- 5. Rotate the metal slightly to the right and strike another blow, slightly overlapping the previous one. (hold the metal at the same angle)
- 6. Continue as in steps 4 and 5 to complete the circle.
- 7. Move the metal back a little further on the sand bag and repeat steps 4, 5 and 6 slightly overlapping the previous course. (You are working from the center to the side.)
- 8. Continue as in steps 6 and 7 until the outer edge of the metal is reached.

  NOTE: if the piece is formed gradually, it will not wrinkle. If

  wrinkles develop, they should be pounded out immediately.
- 9. To raise bowl more, repeat steps 5 through 8, rotating the bowl to the left. This will equalize stresses in the metal.
- 10. Measure and mark the placement of 3 holes, spaced equally around the edge of the bowl, 1/8" from edge.
- 11. Center punch location of holes (will just make a dent).
- 12. Use hand drill to drill 1/8" diameter holes.

REPEAT steps 1 through 12 for second bow1.



## Bird Feeder, Con't.

- 13. Cut 3 pieces of wire 3" long (straighten a paper clip)
- 14. Bend hook on each end
- 15. Place hook through hole (step 12) and bend hook closed
- 16. Repeat step 15 for all wires
- 17. Center the punch and drill 1/8" hole in center top for hanging (use paper clip for hanging)
- 18. Paint with brown paint

(a) The second of the secon

and of the standard of the action of the control of the control of the standard of the control o

海绵线 化对抗性 医抗性 电影电话

PROCEDURE SH	HEET
NAME	<del></del>
GRADE 4	
AREA: META	LS PROJECT: BIRD FEEDER (2 RAISED ALUMINUM BOWLS)
SPECIFIC OB	JECTIVES:
USE RAISII CUT WIRE BEND WIRE DRAW CIRCI USE A HANI USE A CEN	LES ON METAL D DRILL
OTHER INFOR	MATION: SAFETY FIRST
MUST BE ABL	E TO:
MEASURE A USE A MOL PAINT MET	
MATERIALS N	EEDED:
2 - 6" DI BROWN PAI 1" BRUSH 3 PAPER C	PLIERS PLIERS
OPERATIONAL	. STEPS:
THE FO	OLLOWING PROCEDURE WILL BE USED FOR BOTH PARTS OF THE BIRD FEEDER (STEPS $1$ – $12$ ):
2; 4; 5; 6;	LAYOUT 2 CONCENTRIC CIRCLES ON ONE PIECE OF METAL WITH CENTER OF DISK AS THE CENTER  A. 1 - 4" IN DIAMETER  B. 1 - 1" IN DIAMETER  PLACE SAND BAG ON A FLAT SOLID SURFACE  PLACE METAL ON SAND BAG WITH SMALL CIRCLE GUIDE LINE OVER APPROXIMATE  CENTER OF BAG  RAISE THE REAR OF THE METAL ABOUT 20°, THEN WITH ROUND-FACED WOODEN MALLET.  STRIKE THE METAL A BLOW NEAR THE FRONT CIRCLE GUIDE LINE  ROTATE THE METAL SLIGHTLY TO THE RIGHT AND STRIKE ANOTHER BLOW, SLIGHTLY  OVERLAPPING THE PREVIOUS ONE. (HOLD THE METAL AT THE SAME ANGLE)  CONTINUE AS IN STEPS 4 AND 5 TO COMPLETE THE CIRCLE  MOVE THE METAL BACK A LITTLE FURTHER ON THE SAND BAG AND REPEAT STEPS  4, 5 AND 6, SLIGHTLY OVERLAPPING THE PREVIOUS ONE  (YOU ARE WORKING FROM THE CENTER TO THE SIDE)
	CONTINUE AS IN STEPS 6 AND 7 UNTIL THE OUTER EDGE OF THE METAL IS REACHED. NOTE: IF THE PIECE IS FORMED GRADUALLY, IT WILL NOT WRINKLE. IF WRINKLES DEVELOP, THEY SHOULD BE POUNDED OUT IMMEDIATELY

BIRD FEEDER, CON'T.

9. 10. 11:	TO RAISE BOWL MORE, REPEAT STEPS 5 THROUGH 8, ROTATING THE BOWL TO THE LEFT. THIS WILL EQUALIZE THE STRESSES IN THE METAL.  MEASURE AND MARK THE PLACEMENT OF 3 HOLES, SPACED EQUALLY AROUND THE EDGE OF THE BOWL 1/8" FROM EDGE CENTER PUNCH LOCATION OF HOLES (WILL JUST MAKE A DENT) USE HAND DRILL TO DRILL 1/8" DIAMETER HOLES
	REPEAT STEPS 1 THROUGH 12 FOR SECOND BOWL
13. 14. 15. 16. 17.	CUT 3 PIECES OF WIRE 3" LONG (STRAIGHTEN A PAPER CLIP) BEND HOOK ON EACH END PLACE HOOK THROUGH HOLE (STEP 12) AND BEND HOOK CLOSED REPEAT STEP 15 FOR ALL WIRES CENTER THE PUNCH AND DRILL 1/8" HOLE IN CENTER TOP FOR HANGING (USE PAPER CLIP FOR HANGING) PAINT WITH BROWN PAPER

#### **GRADE 5**

#### WOOD

- 1. Book Rack Procedure Sheet
- 2. Owl Bread Board Procedure Sheet

#### DRAWING

- 1. Floorplan of Classroom Floorplan of House
- 2. Architectural Symbols
- 3. Procedure Sheet for Floorplan of Classroom
- 4. Procedure Sheet for Floorplan of House

#### LEATHER

- 1. Pencil Case Coin Purse Comb Case
- 2. Procedure Sheet for Pencil Case
- 3. Procedure Sheet for Coin Purse
- 4. Procedure Sheet for Comb Case

### **PLASTIC**

- 1. Letter Opener Procedure Sheet
- 2. Heat Formed Dish Procedure Sheet

Area: Wood

Project: Book Rack

#### Objectives:

To be able to: transfer design

## Materials and Tools:


1 piece ½" x 6" x 15" (base) 1 piece 1" x 6" x 6" (end support) 1 piece 1" x 1" x 6" (cleat to raise end)  $2 - 1\frac{1}{4} \times #6$  F.H. wood screws  $2 - 1\frac{1}{4}$  wire brads varnish 1" brush paint thinner pencil bench rule hack saw

coping saw brace counter sink hand drill 5/32 twist drill bit 3/32 twist drill bit claw hammer nail set screw driver try square 1 file (flat and ½ rd)

## Operations:

- Select stock
- Measure and mark length 14 in.
- Square line across
- Saw to length with cross cut
- File ends smooth
- 6. Transfer design to end piece
- 7. Saw art design with coping saw
- 8. File edges smooth
- 9. Measure and mark length of cleat
- 10. Saw to length with hacksaw
- Plane two corners of cleat at a 45° angle
- Use file to complete rounding of the two corners (step 11) 12.
- 13. File ends smooth
- 14. Sand all surfaces with 80 grit abrasive paper
- **15** 。
- Sand all edges with 80 grit abrasive paper Repeat steps 14 and 15 using 120 grit abrasive paper 16.
- 17. Layout and locate 2 screw holes 3/8" from one end of base board
- 18. Drill 5/32" diameter clearance holes at these two points for screws
- 19. Counter sink for flat head screws
- 20. Align two pieces of wood and mark screw holes placement in end piece
- 21. Drill 3/32" anchor hole
- 22. Apply glue to edge of end piece
- 23. Align the two pieces and screw  $l_x^4 \times 6$  flat head screws flush with the surface of the wood
- Start 2 nails, 1" in from each end of cleat 24.
- Apply glue to surface of cleat that fits against base board
- 26. Position cleat and drive nails flush with wood
- Set nails about 1/8" below surface of wood 27.
- 28. Varnish
- 29. Let dry overnight
- Repeat steps 28 and 29

Book Rack, Con't.




Flat Head wood screws and glue

PROCEDURE SHEET NAME GRADE 5 AREA: WOOD PROJECT: BOOK RACK SPECIFIC OBJECTIVE: TRANSFER DESIGN OTHER INFORMATION: SAFETY FIRST MUST BE ABLE TO: SELECT STOCK FILE CONVEX EDGE SAND WITH THE GRAIN OF THE WOOD USE COPING SAW FILE CONCAVE EDGE START A NAIL POUND NAILS USE A HAND DRILL GLUE TWO PIECES OF WOOD TOGETHER LAYOUT SCREW HOLES USE BRACE AND COUNTER SINK MEASURE AND MARK STOCK USE SCREW DRIVER SQUARE LINE ACROSS BOARD USE BOARD AND VISE APPLY VARNISH USE CROSS CUT SAW PLANE EDGE OF WOOD FILE END GRAIN USE A NAIL SET MATERIALS NEEDED: 1 PIECE  $\frac{1}{2}$ " x 6" x 15" (BORE) 1 PIECE 1" x 6" x 6" (END SUPPORT) 1 PIECE 1" x 1" x 6" (CLEAT TO RAISE END) 2 -  $\frac{1}{4}$  x #6 F.H. WOOD SCREWS 2 =  $\frac{1}{4}$ " WIRE BRADS **PENCIL** BENCH RULE TRY SQUARE HACK SAW **BRACE** YARNISH COUNTER SINK HAND DRILL 5/32 TWIST DRILL BIT 3/32 TWIST DRILL BIT " Brush PAINT THINNER CLAW HAMMER NAIL SET SCREW DRIVER 1 FILE (FLAT AND 1/2 RD) COPING SAW OPERATIONAL STEPS: 1. SELECT STOCK
2. MEASURE AND MARK LENGTH 14"
3. SQUARE LINE ACROSS
3. SQUARE LINE ACROSS CUT 3. SQUARE LINE ACROSS
4. SAW TO LENGTH WITH CROSS CUT SAW
5. FILE ENDS SMOOTH
6. TRANSFER DESIGN TO END PIECE
7. SAW OUT DESIGN WITH COPING SAW
8. FILE EDGES SMOOTH
9. MEASURE AND NAIL LENGTH OF CLEAT
10. SAW TO LENGTH WITH SAW
11. PLANE TWO CORNERS OF CLEAT AT A PLANE TWO CORNERS OF CLEAT AT A 450 ANGLE USE FILE TO CARYSLETE ROUNDING OF THE TWO CORNERS (STEP 11) FILE ENDS SMOOTH SAND ALL SURFACES WITH 80 GRIT ABRASIVE PAPER
SAND ALL EDGES WITH 120 GRIT ABRASIVE PAPER
REPEAT STEPS 14 AND 15 USING 120 GRIT ABRASIVE PAPER
LAYOUT AND LOCATE 2 SCREW HOLES 3/8" FROM OTHER END OF BASE BOARD

ERIC

# BOOK RACK, CON'T.

18. DRILL 5/32 DIAMETER CLEARANCE HOLES AT THESE TWO POINTS
19. COUNTER SINK FOR FLAT HEAD SCREWS
20. ALIGN TWO PIECES OF WOOD AND MARK SCREW HOLES PLACEMENT IN END PIECE
21. DRILL 3/32" ANCHOR HOLE
22. APPLY GLUE TO EDGE OF END PIECE
23. ALIGN THE TWO PIECES AND SCREW 1½ X 6 FLAT HEAD SCREWS FLUSH WITH SURFACE OF WOOD
24. START 2 NAILS, 1" IN FROM EACH END OF CLEAT
25. APPLY GLUE TO SURFACE OF CLEAT THAT FITS AGAINST BASE BOARD
26. POSITION CLEAT AND DRIVE NAILS FLUSH WITH WOOD
27. SET NAILS ABOUT 1/8" BELOW SURFACE OF WOOD
28. VARNISH
29. LET DRY OVER NIGHT
30. REPEAT STEPS 28, 29



Area: Wood

Project: Owl Bread Board

## Objectives:

To be able to: use a wood burning set apply mineral oil

#### Materials and Tools:

1 piece 1 x 8 x 12 soft maple mineral oil rags carbon paper bench rule pencil try square

cross cut saw coping saw flat file 's rd file brace 3/8" auger bit wood burner


## Operations:

- Select stock
- Measure and mark 12" length
- 3. Square line across at mark4. Saw to length with cross control Saw to length with cross cut saw
- 5. Transfer given design to wood (or use your own design) using carbon paper
- Saw out shape with coping saw
- File edges smooth (convex edge with flat file, concave edge with 1/2 rd file)
- 8. Locate and mark hole 3/4" from top edge on center line
- 9. Bore 3/8" diameter hole
- 10. Wood burn design on surface of wood
- Sand all surfaces and edges with 80 grit abrasive paper
- 12. Repeat step 9 with 120 grit abrasive paper
- Apply mineral oil finish
- 14. Rub in well with fingers
- 15. Wipe off surplus
- 16. Let dry overnight



PROCEDURE	SHEET	A		ا ر ِ
NAME GRADE 5 AREA: WOO	DD	· 	PROJECT:	OWL BREAD BOARD
	BJECTIVES: T	RANSFER DESIGN SE A WOOD BURN PPLY MINERAL O	ING SET	
OTHER INFO	RMATION: SAF	ETY FIRST		
MUST BE AB	LE TO:			
SAND END MEASURE	TOCK H THE GRAIN O GRAIN OF WOO! AND MARK STOC D AND VISE	D		FILE END GRAIN FILE CONVEX EDGE USE COPING SAW FILE CONCAVE EDGE USE BRACE AND AUGER BIT
MATERIALS	NEEDED:			
1 PIECE MINERAL RAGS CARBON PA BENCH RU PENCIL TRY SQUAR	APER LE	FT MAPLE	, , , , , , , , , , , , , , , , , , ,	CROSS CUT SAW COPING SAW FLAT FILE Z RD FILE 3/8" AUGER BIT BRACE WOOD BURNER
OPERATIONA	L STEPS:			
10;	SQUARE LINE ASAW TO LENGTH TRANSFER GIVE CARBON PAPER SAW OUT SHAPE FILE EDGES SET TO FILE DOCATE AND MARKE 3/8" DIA WOOD BURN DESSAND ALL SURI	NAIL 12" LENGTH ACROSS AT MARK H WITH CROSS CH EN DESIGN TO WO ER) E WITH COPING S MOOTH (CONVEX D ARK HOLE 3/4" H AMETER HOLE SIGN ON SURFACH FACES AND EDGES 9 WITH 120 GRIT L OIL FINISH WITH FINGERS PLUS	UT SAW DOD (OR USE SAW EDGE WITH F FROM TOP ED E OF WOOD S WITH 80 G	YOUR OWN DESIGN USING LAT FILE, CONCAVE EDGE WI GE ON CENTER LINE RIT ABRASIVE PAPER PAPER

ERIC.



ERIC

Full Text Provided by ERIC

K

Area: Drawing

Projects: (1) Floorplan of Classroom,

(2) Floorplan of House

## Objectives:

To be able to:
 read a tape measure
 read a ruler to the nearest 1/8 inch
 reduce full size measurements to a given scale
 place the physical features in the appropriate place on the drawing
 make a neat, accurate drawing
 use proper erasing procedures
 letter the drawing in a neat, orderly manner using manuscript writing
 select and draw proper plan view symbols
 read another person's plan

## Materials and Tools:

graph paper sharp pencil eraser ruler tape measure

#### Operation:

- (1.) on graph paper (½" squares) 17 x 22 or 18 x 24, make a scale drawing of the classroom showing all physical features, i.e., placement of doors, windows, blackboards, furniture, etc. ½" = 1' 0".

  Drawing is to be made using a ruler.
- (2.) on graph paper (4" squares) 17 x 22 or 18 x 24, make a scale drawing of one or several rooms of the student's house showing all physical features and placement of furniture. Drawing to be made using a ruler for measuring and a straight edge. 4" = 1' 0".
- Tell the children: imagine you sawed off the top half of the room -- what is left as you look down is the floor plan.

Note: make all grid measurements at one time without moving the ruler. (avoids multiple error)



NOTE: Each student is to have a sheet like this

ARCHITECTURAL SYMBOLS

Walls

Single sash (fixed window) one thickness of glass

Double-hung window

Inside door ,

Break line

Sink cabinet


Closet - 2 doors

Fireplace

Planter

Electrical outlets

Light switches



PROCEDURE SHEET	
NAME	en e
GRADE 5 AREA: DRAWING	PROJECT: FLOORPLAN OF CLASSROOM
SPECIFIC OBJECTIVES:  READ A TAPE MEASURE  READ A RULER TO THE NEAREST 1/8 INCORPORATE FULL SIZE MEASUREMENTS TO A COPLACE THE PHYSICAL FEATURES IN THE MAKE A NEAT, ACCURATE DRAWING USE PROPER ERASING PROCEDURES  LETTER THE DRAWING IN A NEAT, ORDER SELECT AND DRAW PROPER PLAN VIEW SYNEAD ANOTHER PERSON'S PLAN	GIVEN SCALE APPROPRIATE PLACE ON THE DRAWING  LY MANNER USING MANUSCRIPT WRITING
OTHER INFORMATION:  SCALE 2' = 1'  MUST BE ABLE TO MEASURE BY INCH, 2'  MUST UNDERSTAND THE MEANING OF PARAM  STRAIGHT ARC  MUST UNDERSTAND WHAT IS MEANT BY LI	LLEL, HORIZONTAL, VERTICAL, CURVED,
MATERIALS NEEDED:	
GRAPH PAPER SHARP PENCIL	ERASER RULER
OPERATIONAL STEPS:	
1. MEASURE THE CLASSROOM AS A CL MENTS OF: DOORS	ASS PROJECT: LOCATE AND RECORD MEASURE- WINDOWS CHALKBOARD
BULLETIN BOARDS	SINK CLOSET
OTHER  2. DRAW IN OUTSIDE WALLS AND ENTI- DRAW IN A WALL  3. DRAW IN DOOR. W X L  4. DRAW IN WINDOWS. W X L  5. DRAW IN CHALKBOARDS. W X L  6. DRAW IN BULLETIN BOARDS. W X  7. DRAW IN SINK CABINET. W X L  8. DRAW IN CLOSET.  9. LOCATE AND DRAW SYMBOL FOR LICATE AND DRAW SYMBOL FOR ELL 10. LOCATE AND DRAW SYMBOL FOR ELL 11. MANUSCRIPT WRITE YOUR NAME, G	RY. (IF ONE SIDE OF ROOM IS OPEN, DO NOT  (L X D  GHT SWITCHES (S). ECTRICAL OUTLETS (**). ERADE, AND THE DATE ON THE PLAN.



1 mm n 1

Trial.

NAME			
GRADE 5 AREA: DR	AWING	PROJECT: FLOORPLAN OF HOME (LIV	VING ROOM, THEN HE BEDROOM)
READ READ REDUC PLACE MAKE USE P LETTE SELEC	A NEAT, ACCURATE DRAWING PROPER ERASING PROCEDURES	/8 INCH TO A GIVEN SCALE N THE APPROPRIATE PLACE ON THE DRAWING ORDERLY MANNER USING MANUSCRIPT WRITING	
MUST MUST STR	RAIGHT ARC	CH, 월 INCH AND 월 INCH F PARALLEL, HORIZONTAL, VERTICAL, CURVED BY LENGTH, WIDTH AND DEPTH	
MATERIALS	NEEDED:		
	PAPER PENCIL	ERASER RULER TAPE MEASURE	
OPERATION	VAL STEPS:		
1,	MEASURE THE ROOM WALL DOORS		
	CLOSETS FIREPLACE PLANTER ELECTRICAL OUTLERS _		



Area: Leather

Projects: (1) Pencil case

(2) Coin purse

(3) Comb case

## Objectives:

To be able to:

stamp a design on leather using proper tools lace a double thickness of leather using the whip stitch

## Materials and tools:

Kits for pencil case, coin purse or comb case. Leather stamps Sponge Wooden mallet

## Operation:

- 1. Draw design on paper using those stamping tool designs available in the stamp kit.
- 2. Moisten leather from back (refer to grade 3).
- 3. Stamp design on front side using stamping tools (each child should follow his design as close as possible).
- 4. Let dry naturally for 2 days. Apply finish wax on smooth sides.
- 5. Lace using a whip stitch. See sample.



PROCEDUR	E SHEET		
NAME		<del></del>	
AREA: L	EATHER		PENCIL CASE
SPECIFIC	OBJECTI VES:	GRADE 5	
	P A DESIGN ON LEATHER USING PROPER OF LEATHER USING		STITCH
OTHER IN	FORMATION:		
STEP MUST MUST MUST	TY FIRST s 2, 3, 4, and 5 must be done in on know proper procedure in moistening understand basic tooling procedure be able to apply a wax finish to the be able to lace using the whip sti	g leather. He leather	
MATERIAL	S NEEDED:		
	HER STAMPS FOR PENCIL CASE	SPONGE WOODEN MA	LLET
OPERATIO	NAL STEPS:		
12345.	DRAW THE DESIGN YOU WOULD LIKE TO PAPER. USE THE DESIGNS ON THE STATE THE DESIGNS ON THE STATE THE LEATHER ON A WET SPONGE WILLIAM THE LEATHER ON SPONGE UNTION THE LEATHER WHILE IT IS ON THE REMOVE FROM SPONGE AND PLACE ON YOUS TAMP THE DESIGN ON THE SMOOTH SIDE THE STAMPS NEEDED FOR YOUR DESIGNSMOOTH SIDE OF THE BACK PIECE OF FOLD OVER FLAP AND WEIGH DOWN WITH LEATHER AND BOOK.	TAMPING TO TH SMOOTH L THE FROM E SPONGE. UR DESK TO E OF THE L IN WRITE LEATHER W	SIDE OF LEATHER UP. IT DARKENS. PRESS DOWN GENTLE OP. EATHER (FRONT PIECE) USING OR PRINT YOUR NAME ON THE ITH THE TRACING TOOLS. PUT A PLASTIC BAG BETWEEN
<u></u>	LET THE LEATHER DRY IN A NATURAL WAPPLY THE FINISHING WAX THE SAME AA. APPLY SMALL AMOUNT OF WAX WIB. RUB IT IN.  C. BUFF IT WITH A CLEAN, DRY CL	S YOU DO S TH YOUR FI	SHOE WAX.
8,	LACE THE TWO PIECES TOGETHER USING LAY 2 INCHES OF LACING BETWEEN TO NEAR THE STARTING EDGE. NOW DO BE ENCLOSED IN THE WHIP STITCH.  LAST 3 LOOPS LOOSE AND INSERT ARE FRONT AND BACK PIECES OF LEATHER LOOPS ON THE INSIDE. PULL LACING IS TIGHT. (START WITH 3RD LOOP)	A WHIP ST THE FRONT A THE WHIP S CONTINUE BOUT 2 INCH THE LACK GONE LOCK	AND BACK-PIECES OF LEATHER STITCH. THE 2 INCHES WILL AROUND PROJECT. LEAVE HES OF LACING BETWEEN THE CING MUST GO THROUGH THE DP AT A TIME, UNTIL LACING

PROCEDUR	E SHEET		
NAME			
AREA: L	EATHER	PROJECT:	COIN PURSE
SPECIFIC	OBJECTIVES:	grade 5	
	PADESIGN ON LEATHER USING PR ADOUBLE THICKNESS OF LEATHER		STITCH
OTHER IN	FORMATION:		
STEP MUST MUST MUST	TY FIRST s 2, 3, 4, and 5 must be done know proper procedure in mois understand basic tooling proc be able to apply wax finish t be able to lace using the whi	TENING LEATHER. EDURE. O THE LEATHER.	
MATERIAL	S AND TOOLS:		
	HER STAMPS FOR COIN PURSE	SPONGE WOODEN MAL	LET
OPERATIO	NAL STEPS:		
	DRAW THE DESIGN YOU WOULD LIKE OF PAPER. USE THE DESIGNS MAKE THE DESIGN FOR THE FROM LAY THE LEATHER ON A WET SPONDE LEAVE LEATHER ON SPONGE UNTO GENTLY ON THE LEATHER WHILE REMOVE FROM SPONGE AND PLACE STAMP THE DESIGN ON THE SMOOTH USING THE STAMPS NEEDED FOR ON THE SMOOTH SIDE OF THE ENTOOL.  FOLD OVER FLAP AND WEIGH DOWN LEATHER AND BOOK.  LET THE LEATHER DRY IN A NATURE.	ON THE STAMPING ONT.  IGE WITH SMOOTH  IL THE FRONT DA  IT IS ON THE S ON YOUR DESK TO TH SIDE OF THE L  R YOUR DESIGN.  BACK PIECE OF LE  WITH A BOOK.  JRAL WAY FOR TWO	TOOLS IN YOUR DRAWING.  SIDE OF LEATHER UP. RKENS. PRESS DOWN PONGE. P. EATHER (FRONT PIECE) WRITE OR PRINT YOUR NAME ATHER WITH THE TRACING PUT A PLASTIC BAG BETWEEN DAYS.
	APPLY THE FINISHING WAX THE S A. APPLY SMALL AMOUNT OF W B. RUB IT IN C. BUFF IT WITH A CLEAN, I	WAX WITH YOUR FI	NGERS
8,	LACE THE TWO PIECES TOGETHER LAY 2 INCHES OF LACING BETV NEAR THE STARTING EDGE. NO BE ENCLOSED IN THE WHIP STI LAST 3 LOOPS LOOSE AND INSI FRONT AND BACK PIECES OF LI ON THE INSIDE. PULL LACING	USING A WHIP ST VEEN THE FRONT A DW DO THE WHIP S ITCH: CONTINUE ERT ABOUT 2 INCH EATHER: THE LAC	ITCH.  ND BACK PIECES OF LEATHER  TITCH: THE 2 INCHES WILL  AROUND THE PROJECT: LEAVE

ERIC Frontised by ERIC

PROCEDUR	RE SHEET		
NAME			
AREA: L	EATHER	PROJECT:	COMB CASE
SPECIFIC	OBJECTIVES:	GRADE 5	
	P A DESIGN ON LEATHER USING PROPE A DOUBLE THICKNESS OF LEATHER US		IP STITCH.
OTHER IN	NFORMATION:		
MUST MUST MUST	TY FIRST KNOW PROPER PROCEDURE IN MOISTEN UNDERSTAND BASIC TOOLING PROCEDU BE ABLE TO APPLY WAX FINISH TO TO BE ABLE TO LACE USING THE WHIP S	RE. HE LEATHER	
MATERIAL	S AND TOOLS:		
	THER STAMPS S FOR COMB CASE	SPONGE WOODEN N	
OPERATIO	NAL STEPS:	·	
1234:	DRAW THE DESIGN YOU WOULD LIKE TO OF PAPER. USE THE DESIGNS ON MAKE THE DESIGN FOR THE FRONT. LAY THE LEATHER ON A WET SPONGE LEAVE LEATHER ON SPONGE UNTIL GENTLY ON THE LEATHER WHILE IT REMOVE FROM SPONGE AND PLACE ON STAMP THE DESIGN ON THE SMOOTH SUSING THE STAMPS NEEDED FOR YOU NAME ON THE SMOOTH SIDE OF THE TRACING TOOLS.	THE STAMPIN NITH SMOOTH THE FRONT I IS ON THE YOUR DESK TO IDE OF THE UR DESIGN.	NG TOOLS IN YOUR DRAWING.  I SIDE OF LEATHER UP.  DARKENS: PRESS DOWN  SPONGE:  TOP:  LEATHER (FRONT PIECE)  WRITE OR PRINT YOUR
5, 6,	LET THE LEATHER DRY IN A NATURAL APPLY THE FINISHING WAX THE SAME A. APPLY SMALL AMOUNT OF WAX IB. RUB IT IN.	AS YOU DO VITH YOUR F	SHOE WAX.
7.	C. BUFF IT WITH A CLEAN, DRY CLACE THE TWO PIECES TOGETHER USING LAY 2 INCHES OF LACING BETWEEN NEAR THE STARTING EDGE. NOW DO BE ENCLOSED IN THE WHIP STITCH 3 LOOPS LOOSE AND INSERT ABOUT BACK PIECES OF LEATHER. THE LACING, ONE LOOP (START WITH 3RD LOOP FROM THE INSIDE.	NG A WHIP S THE FRONT THE WHIP CONTINUE 2 INCHES C ING MUST C AT A TIME	AND BACK PIECES OF LEATHER STITCH. THE 2 INCHES WILL AROUNG PROJECT. LEAVE LAST OF LACING BETWEEN THE FRONT AND THROUGH THE LOOPS ON THE

Area: Plastics

Project: Letter Opener

## Objectives:

To be able to:
heat plastic and free form.
sand a curved edge.
transfer a design.

## Materials and tools:

l piece of 3/16" plastic 1" x 7"
coping saw
sand paper
steel wool
canvas gloves
toothpaste

#### Operation:

- 1. Draw the desired outline for the letter opener on paper to fit in a 1" x 7" rectangle. The narrowest width of the letter opener, other than the tip, should be 5/8". The handle should be 3" long.
- 2. Transfer design to plastic with carbon paper. Place carbon paper over masked surface of plastic and place design over carbon paper, then trace design.
- 3. Cut out shape with coping saw.
- 4. File edges and shape cutting edge of the blade (like a knife).
- 5. Sand edges smooth.
- 6. Smooth with steel wool.
- 7. Pre-heat oven to 3000 and place the letter opener on a sheet of asbestos board until flexible.
- 8. Remove from heat, wearing gloves, and twist the area between the blade and handle about 1/4 of a turn. This will make it easier to pick up when it is being used. Allow to cool about 5 minutes.
- 9. Polish with toothpaste.



PROCEDURE SHEET			
NAME	<u> </u>		•
GRADE 5			
AREA: PLASTICS	PROJECT:	LETTER OPENER	
SPECIFIC OBJECTIVES:	4.		
TO BE ABLE TO: TRANSFER A DESIGN HEAT PLASTIC AND FREEFORM SAND A CURVED EDGE			
OTHER INFORMATION:			
SAFETY FIRST TWIST THE PLASTIC AND HOLD BY HANDL FIVE MINUTES.	E IN A HANGII	NG POSITION FO	R ABOUT
MUST BE ABLE TO:		,	
SAND A FLAT SURFACE SMOOTH PLASTIC WITH STEEL WOOL POLISH WITH TOOTHPASTE FILE PLASTIC SMOOTH SAW PLASTIC WITH A COPING SAW			
MATERIALS AND TOOLS:			
1 PIECE OF 3/16" ACRYLIC PLASTIC 1' TOOTHPASTE CANVAS GLOVES 120 AND 220 GRIT SANDPAPER STEEL WOOL COPING SAW FILE	" x 7"		
OPERATIONAL STEPS:			
1. DRAW THE DESIRED OUTLINE FOR RECTANGLE. THE THINNEST PAI HANDLE SHOULD BE 3" LONG.	THE LETTER OP RT SHOULD BE 1	ENER TO FIT IN NO LESS THAN 5	/8". THE
EXAMPLE:		· · · · · · · · · · · · · · · · · · ·	
NOT LESS THAN 5/8	"	$\sim$	

ERIC

# LETTER OPENER (CONTINUED)

3,	SAW OUT THE SHAPE WITH A COPING SAW.
4.	FILE EDGES AND SHAPE CUTTING EDGE OF THE BLADE (LIKE A KNIFE).
<u>5</u> .	SAND EDGES SMOOTH.
<u>6</u> .	SMOOTH AND REMOVE_SCRATCHES BY RUBBING WITH STEEL WOOL.
	PRE-HEAT OVEN TO 3000 (USE COOK'S OVEN). PLACE LETTER OPENER OF
	A SHEET OF ASBESTOS BOARD AND HEAT IN THE OVEN UNTIL IT IS
_	FLEXIBLE. (ABOUT 7 TO 10 MINUTES.)
8.	REMOVE FROM HEAT WEARING GLOVES, AND TWIST THE AREA BETWEEN THE
	BLADE AND HANDLE ABOUT 1/4 OF A TURN. ALLOW TO COOL ABOUT 5
	MINUTES. THIS WILL MAKE IT EASIER TO PICK UP WHEN IT'S BEING
_	USED.
9.	POLISH ALL SURFACES BY RUBBING WITH TOOTHPASTE APPLIED TO A
	SLIGHTLY DAMP CLOTH.

. \_ \_



### Grade 5

Area: Plastics

Project: Heat Formed Dish

## Objectives:

To be able to:

make a jig for heat formed dish. heat plastic and form in mold. sand a curved edge

## Materials and tools:

1/8" plastic 3" square
5 pieces of wood 1" x 3" x 3"
20 - 6d casing nails
coping saw
file
canvas gloves
toothpaste
block of wood

## Operation:

Preparation by teacher: Prepare the molds by pounding a nail 3/4" from edge in the center of each side of the 3" square boards.

- 1. Round corners of 3" square plastic with file.
- 2. Sand edges of plastic smooth.
- 3. Place on a sheet of asbestos in oven (cook's) preheated to 300° until plastic is flexible (about 7 minutes.)
- 4. Remove from heat (wear gloves) and immediately put into position on mold.

  Press down in center with a round wood block. Let stand 5 minutes.

  Reheat if project isn't satisfactory and repeat step 4.
- 5. Remove from mold and polish with toothpaste and a damp cloth.



PROCEDURE SHEET		•	
NAME	. <u> </u>		
GRADE 5			
AREA: PLASTICS	PROJECT:	HEAT FORMED	DISH
SPECIFIC OBJECTIVES:			
TO BE ABLE TO:  MAKE A JIG FOR HEAT FORMED DISH HEAT PLASTIC AND FORM IN MOLD SAND A CURVED EDGE TRANSFER A DESIGN	l Ç		
OTHER INFORMATION:			
MUST BE ABLE TO SAND A FLAT SURFACE MUST BE ABLE TO SMOOTH PLASTIC WITH ST MUST BE ABLE TO POLISH WITH TOOTHPASTE MUST BE ABLE TO FILE PLASTIC SMOOTH MUST BE ABLE TO SAW PLASTIC WITH A COF			
MATERIALS AND TOOLS:			•
1 PIECE OF 1/8" ACRYLIC PLASTIC 3" SQUAF 5 PIECES OF 1" BOARD AT LEAST 3" SQUAF 20 - 6D CASING NAILS TOOTHPASTE COPING SAW FILE CANVAS GLOVES WOOD BLOCK ABOUT 1-1/2" IN DIAMETER	JARE REFORFORM	<b>S</b>	
OPERATIONAL STEPS:			
PREPARATION BY TEACHER: PREPARE THE M THE EDGE IN I SQUARE BOARDS	YOLDS BY PO THE CENTER S.	UNDING A NAI OF EACH SIDE	L 3/8" FROM OF THE 3"
1. ROUND THE CORNERS OF THE 3" SQUARE 2. SAND EDGES OF PLASTIC SMOOTH. 3. PRE-HEAT OVEN (COOK'S) TO 300°. AND HEAT IN OVEN UNTIL FLEXIBLE 4. REMOVE FROM HEAT (WEARING GLOVES. ON THE MOLD USING A ROUND BLOCK 5 MINUTES. 5. REMOVE FROM MOLD AND POLISH WITH	PLACE PLAS E. (ABOUT ) AND IMMED < TO PUSH T	TIC ON A SHE 7 MINUTES.) NATELY PRESS HE CENTER DO	ET OF ASBESTOS INTO POSITION WN. LET STAND



1

-

1

Tay Crass Co.

Service .

## GRADE 6

## WOOD

- 1. Picture Frame Procedure sheet
- 2. Book Cover Procedure sheet

## DRAWING

- 1. Multi-view drawing from a 3-dimensional figure Multi-view drawing from a pictorial view Enlarging a picture
- 2. Procedure sheets

### **METALS**

- Chased Design Bracelet
   Letter Opener
- 2. Procedure sheets



### Grade 6

Area: Wood

Project: Picture Frame (9 x 12)

## Objectives:

To be able to:

Use the mitre box Use hack saw Apply paste shoe polish

## Materials and Tools:

4-1/2' picture frame molding stock glue 4 - 1" wire brads 150 grit abrasive paper colored paste wax shoe polish

rags pencil bench rule shop made mitre box hammer hack saw

## Operations:

- 1. Select stock
- 2. Measure each side to length
- 3. Place stock in mitre box
- 4. Saw mitres using a hack saw
- 5. Start wire brad in one end of each side by pounding6. Apply spot of glue to mitred corner
- Apply spot of glue to mitred corner
- 7. Fit other half of corner in place.
- 8. Clamp in vise and pound wire brad in flush with surface of wood.
- 9. Repeat steps 6, 7, and 8 for the other 3 corners
- Sand corners lightly with 150 grit abrasive paper 10.
- Apply colored shoe polish with a small rag
- 12. Let dry overnight.



PROCEDURE SILEET		
NAME	_	
grade 6		
AREA; WOOD	PROJECT: PICT	URE FRAME $(9 \times 12)$
SPECIFIC OBJECTIVES: USE MITRE BOX APPLY PASTE SHOE POLISH		
OTHER INFORMATION: SAFETY FIRST MUST BE ABLE TO: SELECT STOCK SAND WITH THE GRAIN OF THE WOO START A NAIL POUND NAILS GLUE 2 PIECES OF WOOD TOGETHER MEASURE AND MARK STOCK USE BOARD AND VISE USE HACKSAW		
MATERIALS AND TOOLS: 4-1/2' PICTURE FRAME MOLDING STOCK GLUE 4 - 1" WIRE BRADS 150 GRIT ABRASIVE PAPER COLORED SHOE POLISH (PASTE WAX) RAGS	PENCIL BENCH RULE SHOP MADE HAMMER HACKSAW	
OPERATIONAL STEPS:		
1. SELECT STOCK 2. MEASURE EACH SIDE TO LENGTH 3. PLACE STOCK IN MITRE BOX 4. SAW MITRES USING A HACKSAW 5. START WIRE BRAD IN ONE END OF SI 6. APPLY SPOT OF GLUE TO MITRED COR 7. FIT OTHER HALF OF CORNER IN PLACE 8. CLAMP IN VISE AND POUND WIRE BRAY 9. REPEAT STEPS 6, 7, AND 8 FOR OTH 10. SAND CORNERS WITH 150 GRIT ABRAS 11. APPLY COLORED SHOE POLISH WITH A 12. LET DRY OVERNIGHT	NER E D IN FLUSH WITH ER 3 CORNERS IVE PAPER.	I-SURFACE OF WOOD.



## Grade 6

Area: Wood

Project: Book Cover

## Objectives:

Be able to: attach hinges use binding posts use oil stains apply deft finish

# Materials and Tools:

2 pieces 1/4" plywood 9" x 12" 2 screw post binders 2 brass hinges 1" x 1" (screw included) 100 grit abrasive paper 150 grit abrasive paper 220 grit abrasive paper deft clear finish 1" paint brush oil stain and rags

pencil bench rule try square cross cut saw hand drill 1/4" twist drill bit wood burning set 3" screw driver

# Operations:

- Select stock
- 2. Measure and mark length (12")
- 3. Square line across at mark
- 4. Saw to length with cross cut saw
- 5. Measure and mark width 9"
- 6. Layout line for sawing
- 7. Saw to width, cross cut saw
- 8. Layout and mark line 1" from the long edge of one piece of plywood
- 9. Saw this strip off using a cross cut saw
- 10. Layout center line lengthwise on 1" wide piece of stock
- 11. Locate and mark the center point on this 1" wide piece of wood
- 12. Measure and mark 3" each way from this center point along the center line.
  13. Drill 1/4" diameter holes at these points (6" apart).

- riace the two parts of the top of book together

  15. Locate hinges on joint, 1-1/2" in from top and bottom edge of wood

  16. Hold in place and mark placement of screws

  17. Remove hinges and make a screws Remove hinges and make a small pilot hole with a nail for each screw
- 18. Attach hinges with screws
- Line up top half of book cover on bottom half 19.
- 20. Mark the two holes for binding posts (step 13) in bottom piece

### Book Cover

## Operations continued

- Drill 1/4" diameter holes
- Sand all surfaces and edges with 100 grit abrasive paper Sand all surfaces and edges with 150 grit abrasive paper
- Wood burn design on cover of book cover.
- Apply oil stain with cloth 25.
- Wipe off surplus stain 26.
- Let dry overnight 27.
- Sand very lightly with 220 grit abrasive paper 28.
- Apply deft finish. 29.

This person is the interest of the

CHARLEST AND CONTRACTOR OF THE




216847	+ (1)			Tytys.	
NAME		-			•
RADE 6				2 1 F 12	er, k Teresani
REA: WOOD		PROJECT:	BOOK COVE	R	
SPECIFIC OBJECTIVES:				一次 安静 19 19  张维也	
ATTACH HINGES USE BINDING POSTS USE OIL STAINS APPLY DEFT FINISH					
OTHER INFORMATION:				a i jaki Maratik Mara	
SAFETY FIRST MUST BE ABLE TO: SELECT STOCK SAND WITH THE GR START NAIL POUND NAILS	AIN OF THE WOOD				
MEASURE AND MARK SQUARE LINE ACRO USE BOARD AND VISE USE CROSS CUT SAI USE A HAND DRILL USE A SCREW DRIVI USE A WOOD BURNII	ss Board Se V				·
MATERIALS AND TOOLS:				•	
2 PIECES 1/4" PLYWOOD 9 2 - SAW POST BINDERS 100 GRIT ABRASIVE PAPER 150 GRIT ABRASIVE PAPER 220 GRIT ABRASIVE PAPER DEFT CLEAR FINISH 1" PAINT BRUSH OIL STAIN AND RAGS	" x 12"	PENCIL BENCH RUL TRY SQUAR CROSS CUT HAND DRILL 1/4" TWIS WOOD BURN 3" SCREW	E E SAW L T DRILL DIT ING SET DRIVER		
OPERATIONAL STEPS:					* **
1. SELECT STOCK 2. MEASURE AND MARK LI 3. SQUARE LINE ACROSS 4. SAW TO LENGTH WITH 5. MEASURE AND MARK WI 6. LAYOUT LINE FOR SAW 7. SAW TO WIDTH WITH C 8. LAYOUT AND MARK LIP 9. SAW THE STRIP OFF L 10. LAYOUT CENTER LINE 11. LOCATE AND MARK THE	$ \mathbf{E} \; \mathbf{1''} \; FROM \; THE \; LON $	G EDGE OF	ONE PIECE	OF PLYWO	<b>DD</b> •

ERIC

# PROCEDURE SHEET - BOOK COVER (CONTINUED)

12. MEASURE AND MARK 3" EACH WAY FROM THE CENTER LINE
13. DRILL 1/4" DIAMETER HOLES AT THESE 2 POINTS (6" APART)
14. PLACE THE TWO PARTS OF THE TOP OF BOOK COVER TOGETHER
15. LOCATE HINGES ON JOINT 2" IN FROM TOP AND BOTTOM EDGE OF WOOD
16. HOLD IN PLACE AND MARK PLACEMENT OF SCREWS
17. REMOVE HINGES AND MAKE A SMALL PILOT HOLE WITH A NAIL FOR EACH SCREW
18. ATTACH HINGES WITH SCREWS
19. LINE UP TOP HALF OF BOOK COVER ON BOTTOM HALF
20. MARK THE TWO HOLES FOR BINDING POSTS (STEP 13) IN BOTTOM PIECE
21. DRILL 1/4" DIAMETER HOLES
22. SAND ALL SURFACES AND EDGES WITH 100 GRIT ABRASIVE PAPER
23. SAND ALL SURFACES AND EDGES WITH 150 GRIT ABRASIVE PAPER
24. WOOD BURN DESIGN ON COVER OF BOOK COVER
25. APPLY OIL STAIN WITH CLOTH
26. WIPE OFF SURPLUS STAIN
27. LET DRY OVERNIGHT
28. SAND VERY LIGHTLY WITH 220 GRIT ABRASIVE PAPER
29. APPLY DEFT FINISH



## Grade 6

Area: Drawing

Projects: (1) Multiview drawing from a 3-dimensional figure, (2) multiview drawing from a pictorial view, (3) enlarging a picture

Objectives:

To be able to:

read a ruler to the nearest 1/8 inch
reduce full size measurements to a given scale
place the physical features in the appropriate place on the drawing
make a neat, accurate drawing
use proper erasing procedures
letter the drawing in a neat, orderly manner using manuscript writing
select and draw proper plan view symbols
transfer corresponding points from one grid picture to another
connect points on a grid picture with straight lines or a smooth curve
make a grid over any picture, locate and letter points and enlarge the
picture to make a new picture
make a multiview drawing from a three dimensional object
make a multiview drawing from a pictorial view
read a multivew drawing

### Materials and tools:

paper graph paper sharp pencil eraser ruler
small grid picture
three dimensional picture
compass

了。这个人的,这个人的,这个人的人的,也是不是一种的人的,也是一种的人的,也是一种的人的人的,也是一种的人的人的,也是一种的人的人的人的人,也是一种的人的人,也是

### Operations:

- 1. Enlarge a given picture using the grid system, from 1/4" squares to 1" squares. Work sheets to be provided.
- 2. Enlarge a picture of the student's choice using the grid system.
- 3. Make a multiview drawing on graph paper of a three dimensional figure to be supplied. Use ruler, compass, pencil, and eraser.
- 4. Make a multiview drawing on graph paper of a figure given in a pictorial view.



PROCEDURE SHEET

NAME

GRADE 6

AREA: DRAWING

PROJECT: MULTIVIEW FROM A 3-DIMENSIONAL

FIGURE

SPECIFIC OBJECTIVES:

TO BE ABLE TO:

MAKE A MULTIVIEW DRAWING FROM A THREE DIMENSIONAL OBJECT READ A MULTIVIEW DRAWING

OTHER INFORMATION:

SCALE 1/4'' = 1''

READ A RULER TO THE NEAREST 1/8 INCH
REDUCE FULL SIZE MEASUREMENTS TO A GIVEN SCALE
PLACE THE PHYSICAL FEATURES IN THE APPROPRIATE PLACE ON THE DRAWING
MAKE A NEAT, ACCURATE DRAWING
USE PROPER ERASING PROCEDURES
LETTER THE DRAWING IN A NEAT, ORDERLY MANNER USING MANUSCRIPT WRITING

MATERIALS AND TOOLS:

GRAPH PAPER


RULER


THREE DIMENSIONAL FIGURE

## OPERATIONAL STEPS:


1. MEASURE THE FIGURE AS A CLASS PROJECT
2. BLOCK (DRAW IN THE LINES) IN THREE VIEWS LIGHTLY ON GRAPH-PAPER
3. LOCATE EACH FEATURE (HOLES, ETC.) AND DRAW THESE LINES IN LIGHTLY ON EACH VIEW

4. DARKEN IN THE LINES OF THE FINISHED VIEWS
5. MANUSCRIPT WRITE YOUR NAME, GRADE, AND THE DATE ON THE DRAWING.





PROCEDURE SHEET	
NAME	
GRADE 6	
AREA: DRAWING	PROJECT: MULTIVIEW FROM A PICTORIAL VIEW
SPECIFIC OBJECTIVES:	
TO BE ABLE TO:  MAKE A MULTIVIEW DRAWING FROM A READ A MULTIVIEW DRAWING	A PICTORIAL VIEW
OTHER INFORMATION:	
SCALE 1" = 1" READ A RULER TO THE NEAREST 1/8 INCH REDUCE FULL SIZE MEASUREMENTS TO A GIV PLACE THE PHYSICAL FEATURES IN THE APP MAKE A NEAT, ACCURATE DRAWING USE PROPER ERASING PROCEDURES LETTER THE DRAWING IN A NEAT, ORDERLY	PROPRIATE PLACE ON THE DRAWING
MATERIALS NEEDED:	
GRAPH PAPER RULER	
OPERATIONAL STEPS:	
THE SQUARES. WRITE THE MEASUR  2. BLOCK (DRAW IN THE LINES) IN THE	





PROBLEM FOR MULTIVIEW DRAWING

PROCEDURE	SHEET			•
NAME				
grade 6			•	
AREA: DR	AWING		PROJECT:	ENLARGING A PICTURE
SPECIFIC	OBJECTIVES:			
TO BE	CONNECT POINTS SMOOTH CURVE MAKE A GRID OV	ON A GRID PICT	URE WITH STRA LOCATE AND I	ID TO ANOTHER: AIGHT LINES OR A LETTER POINTS, AND RE:
OTHER INF	ORMATION:			
READ REDUC PLACE MAKE USE P	A NEAT, ACCURATE PROPER ERASING PR	UREMENTS TO A G ATURES IN THE A DRAWING OCEDURES	PPROPRIATE PI	LACE ON THE DRAWING NG MANUSCRIPT WRITING
MATERIALS	AND TOOLS:			
	PAPER PENCIL ER			
OPERATION	IAL STEPS:	•	•	
1. 2: 3. 4. 5. 6.	VERTICALLY (DO SELECT POINTS O LETTER A, B, E NUMBER THE LARG LOCATE POINTS A SHAPE OF LINE UNTIL PICTURE	DOVER YOUR PIONS. NUMBER THE WAN). ON PICTURE WHICH TO CORPORE AND B. CONNECT AS THE SMALL PI	GRID HORIZON CORRESPOND VITH THESE POINT CTURE CONT	NTALLY (ACROSS) AND WITH GRID LINES AND THE PICTURE GRID. TS WITH THE SAME INUE WITH C, D, ETC.,




# DRAWING FOR ENLARGING





ERIC Full Text Provided by ERIC

C Fy 10



## Grade 6

Area: Metals - Chased Design

Projects: (1) Bracelet

(2) Letter Opener

## Objectives:

Use steel wool to polish and clean metal Transfer design with carbon paper File metal Chase design
Use a chasing hammer
Deburr an edge with a file
Use abrasive cloth
Use a bending jig.

### Materials and Tools:

1/2" x 6" pre-cut 20 gauge nickel-silver 220 grit abrasive cloth 320 grit abrasive cloth 4/0 steel wool bracelet bender

6" x 6" - 1/4 steel plate chasing tools hammer 1/2 round 6" - 2nd cut mill file

### Operations:

Select stock

2. Deburr (file) edges

3. Draw design for shape of project

4. Transfer design to metal using carbon paper.

5. File edges where necessary to get desired shape (step 3).

6. Transfer decorative design to metal using carbon paper.

### TEACHER DEMONSTRATION: Procedure for chasing a straight line.

(1) Select and cut the required size piece of metal (can be pre-cut).

- (2) Transfer the design to the metal by placing carbon paper over the metal, taping the design over the carbon paper, and tracing design. Remove carbon paper and design.
- (3) Place the metal on a hard flat surface (preferably steel plate).

(4) Select the proper tracing tool (chasing tool).

- (5) Starting from the point farthest away from you, hold the chasing tool tipped slightly rearward, tap chasing tool with a hammer. Move tool slightly along the line working toward yourself and tap with hammer.
- (6) Repeat above until all lines are completed. The metal may be moved or turned so the lines are more readily available for chasing.

  NOTE: BE SURE TO KEEP THE MARKS OF UNIFORM DEPTH.
- (7) To make the line more distinct, repeat steps 5 and 6 to achieve desired depth.



Grade 6 - Metals (continued)

TEACHER DEMONSTRATION: Procedure for chasing curved lines.

Use a tool similar to the tracer (chasing tool), but which has a curved end in place of straight. Select a tool that has a curve that will approximate the curved line in the design.

TEACHER DEMONSTRATION: Using chasing punches (chisels)

These tools will not cut through the metal. The end of the hardened steel tool has a special shape or design which will produce tool marks in the surface of the metal. (Used for the background.) Tools must be selected which will give the desired decorations. These are tapped with a hammer.

## Operations (continued)

- 7. Chase design on metal
- Smooth edges and surfaces with 220 grit abrasive cloth. Smooth edges and surfaces with 320 grit abrasive cloth.
- 9.
- Steel wool all surfaces with 4/0 steel wool. 10.

NOTE: If this is the bracelet project, complete by bending with the bracelet bending jig.

terminate en algebra

on the first of the second of

providing the configuration of the second

The transfer of the second Committee the committee of the committee

ा । १५० तम् विकासका विभावकृति । इति वासमार्थः वासमान वस्तु होताः

Check for marks left by the bending jig and spot finish where necessary.

If doing the letter opener project, the end of the blade has to be filed to a knife edge.


The state of the state of the state of



PROCED	URE SHEET		
NAME			
GRADE (	6	_	
AREA;	METALS	PROJECT:	CHASED DESIGN - BRACELET - LETTER OPENER
SPECIF	IC OBJECTIVES:		
USI	BURR AN EDGE WITH A FILE E ABRASIVE CLOTH E A BENDING JIG		`. N
OTHER	INFORMATION:		
SA	FETY FIRST		
TR/ FII CH/	E STEEL WOOL TO POLISH AND CLEAN MET ANSFER DESIGN WITH CARBON PAPER LE METAL ASE DESIGN E A CHASING HAMMER	AL.	
MATERIA	ALS AND TOOLS:	·	
1/2 220 320 470	2" x 6" pre-cut 2 gauge nickel-silve 0 grit abrasive cloth 0 grit abrasive cloth 0 steel wool	<b>R</b>	BRACELET BENDER 6" X 6" - 1/4 STEEL PLATE CHASING TOOLS HAMMER 1/2 ROUND 6" 2ND CUT MILL FILE
OPERAT	IONAL STEPS:		
	1. SELECT STOCK 2. DEBURR (FILE) EDGES 3. DRAW DESIGN FOR SHAPE OF PROJECT 4. TRANSFER DESIGN TO METAL USING 5. FILE EDGES WHERE NECESSARY TO G 6. TRANSFER DECORATIVE DESIGN TO METAL	CARBON PAR ET DESTREI	SHAPE (STEP 3)
	TEACHER DEMONSTRATION		
	7. CHASE DESIGN ON METAL. 8. SMOOTH EDGES AND SURFACES WITH 9. SMOOTH EDGES AND SURFACES WITH 0. STEEL WOOL ALL SURFACES WITH 4/0	220 GRIT A 320 GRIT A STEEL WOO	ABRASIVE CLOTH ABRASIVE CLOTH. DL
NOTE:	IF THIS IS THE BRACELET PROJECT, C CHECK FOR MARKS LEFT BY THE BENDIN	OMPLETE BY	BENDING WITH BRACELET BENDING JIG SPOT FINISH WHERE NECESSARY.
•	IF DOING THE LETTER OPENER PROJECT A KNIFE EDGE.	, THE END	OF THE BLADE HAS TO BE FILED TO

ERIC

# ELEMENTARY WORKBENCHES



Basic Tools:	Nı	umber	
Woodworking Vises	•	4	
Super Junior Clamps No. 54		2	
Super Junior Clamps No. 55		2	•
Panel Saw 16 inches long	•	2	
Coping Saws		2	,
Block Plane	•	4	
Hand Drill		1.	
Screwdriver, 2½ inch blade	4	2	
Hammer 7 oz.	•	4	
Tri Square 6 inch		2	
Wood Bench Rule 12 inch	٠	1	
Marking Gauge	• •	2	
Combination Pliers	· .	1	
Flat Nose Pliers		1	
Needle Nose Pliers		1	
Assorted Wood Files		1 dozen	
Crestoloy Wrench 6 inch		1	
Bench Duster		1	
Hacksaw		1	
Plastic Tipped Hammer (one end			•
flat, one end cone shaped)		2	
Brace	•	2	
Drill Bits		2 each of	various sizes
Tin Snip		1	
Wood Burner Set		2	•
Mallet		2	• •
Sandbag		6	
Wire Cutter		2	•
Aluminum Forms		2	
Compass	•	6	
Knife	* *	3	
Chasing Tools		6	•
Countersink		6	•
		-	

#### AREA

### MATERIALS AND SUPPLIES

Wood

1x6x6 White Pine (pre-cut) Scrap pieces for sanding 1 piece of 1 inch stock (any shape) approximately 40 to 50 square inches in size Several pieces of odd shaped scraps (any thickness in size) Sanding block 1 piece - 1x4x12 soft wood (pine preferable) 1 piece of 1x4x4 inch pine 1 piece of 1x2x2 inch pine 1 piece 1x4x7 inch pine 1 piece 1x2x3 inch pine. 1 piece dowel rod 4x4 2 pieces 1x12x10 1 piece 1x4x6 pine 2 pieces ½ plywood 5x6 1 piece 1x6 - 10½ (bottom)
2 pieces 1x6 - 6 (ends) 2 pieces 1x6 - 6 (ends) 2 pieces 1x4 - 12 (sides) 2 pieces 1x4x4 1 piece 1x4x5 1 piece  $1x3\frac{1}{4}x5$ 1 piece - 3/8 x 3 dowel rod 1 piece ½x6x15 (base)
1 piece 1x6x6 (end supports) 1 piece 1x1x6 (cleat to raise end) 1 piece 1x1xo (clear)
1 piece 1x8x12 soft maple
molding stock
2 pieces ¼ plywood 9x12

### Nails

normal de des de la composición del composición de la composición 8 6d Casing Nails Assortment of various size brads and small nails 1 4d Casing Nail 2 1 inch brads was the respect to 6 3/4 inch #16 brads 16 6d Common Nails 12 6d Casing Nails 10 3d galvanized shingle nails 2 14 inch wire brads 4 1 inch wire brads

Wood

Paper
80 grit abrasive paper
100 grit abrasive paper
80 grit abrasive paper
120 grit abrasive paper
carbon paper
150 grit abrasive paper
100 grit abrasive paper
220 grit abrasive paper

# Hardware

### Screws

- 4 14x8 F H zinc plated screws.
- 2 #914 square bent screws Hooks zinc chromate - 1 inch
- 2 #212 screw eyes:
- 2 14x6 F H wood screws
- 2 screw post binders
- 2 brass hinges 1x1 (screws included)

#### Paint

Paint thinner
Varnish
Paint and varnish thinner
Paint
Deft clear finish

Oil Oil stain Mineral oil Olive oil

Liquid floor wax White glue (Elmer's or Wilhold) Pencil 4½ inch rubber tack bumpers 1 piece approximately 5x5 cork or asbestos tile Food coloring Waterlox (transparent) 1 wood spring type clothes pin 2 thick rubber bands Boat hull template Cloth 18 inches of 4 inch manila rope 1 asbestos shingle 8x10 (cut) rags 4½ foot picture frame colored shoe polish (paste wax) Coping Saw Blades



### Plastic

Plastic
pre-cut plastic

2 pieces of 1/8 inch plastic 1½inch square
1/8 inch sheets (colors)
1 piece of 3/16 inch plastic 1x7
1/8 inch plastic 3 inch square

Paper
Sandpaper
120 grit sandpaper
220 grit sandpaper

Cement plastic cement acception solvent cement

Wood
5 pieces of wood 1x3x3
block of wood

Misc
10 ¢
shapes
pins (findings)
steel wool
tooth paste
clothespins
composite class pictures to be cut up
for individual pictures
key chains
earring findings
canvas gloves
20 - 6d casing nails

## Leather

Leather

1½ inch x 5 leather (est.5¢)

1 pre-cut 1½ D leather piece (est. 15¢)

1 pre-cut 3½ D leather

Kits
Kits for pencil case
Kits for purse
Kits for comb case

Misc
sponge
nail
paper clips
1 3 inch D block
Plastic template of design (selection)
neutral shade paste shoe wax
plastic lacing
Elmer's glue
leather stamps
wooden mallet

### **AREA**

## MATERIALS AND SUPPLIES

### Metals .

Metal

4x4 36 gauge soft copper foil

4x4 28 or 30 gauge soft copper sheet

4 inch diameter 24 gauge soft aluminum disk

2 6 inch diameter 24 gauge soft aluminum disks

½x6 inch pre-cut gauge nickel-silver

6'x6" - ½ steel plate

Paper Carbon paper Old magazines

Cloth cloth 220 grit abrasive cloth 320 grit abrasive cloth

Misc
1 4/0 steel wool
Liver of sulphur
Afixative spray
Masking tape
4x5 inch sharpened dowel rod
plastic molds
8 d common nails
brown paint
3 paper clips

### Drawing

Misc graph paper sharp pencil eraser small grid picture 3-dimensional figure



#### **GLOSSARY**

- Abrasive (paper) paper or cloth coated with a substance such as emery or sand. Used to smooth or polish a surface. 80 grit (coarse), 220 grit (fine)
- Acrylic plastic a thermoplastic such as lucite or plexiglass.
- Acrylic solvent cement acrylic acid used to dissolve and fasten acrylic plastics; may also be a thin mixture of the plastic dissolved in acid.
- Asbestos a mineral used to make incombustible or fireproof cloth or rigid sheets.
- Auger bit a carpenter's tool with a spiral groove used for boring holes in wood; usually sized for larger holes such as 3/8", 1/2",---- 1" or more.

- Bench rule usually a 12" wood with metal ends or all metal scale calibrated in eighths or sixteenths of an inch, used on the carpenter's bench to lay out work.
- Block-in to lay out the overall dimensions of height, width and depth on paper or on a three dimensional solid.
- Brace the handle used to clamp and rotate an auger bit.
- Brad a small wire nail slightly enlarged in diameter on one end (the head) and pointed on the other end.
- Casing nail thin metal cylinder pointed on one end, slight enlargement and depression on other end; used to fasten window and door casings.
- <u>Chasing</u> to groove or decorate thin metal or leather with a pointed instrument.
- Claw hammer a hammer with a two purpose head, one end flat for driving nails, the other end tapered and V shaped to slide under the head of a nail for pulling.
- Coping saw a saw with a very thin blade and fine teeth for cutting thin or soft materials. Thin blade will allow a curved or circular saw cut.
- Countersink to cause the head of a nail, screw, or bolt to be flush with a surface; also the tool used for this purpose.
- <u>Dowel</u> <u>rod</u> cylindrical hardwood material used to fasten other pieces of wood together.



File - a steel bar, in various shapes such as flat, half round, etc., and with a tooth-like surface to cause an abrasive action when drawn across various materials such as wood, metal, and plastic. Example, mill file, cabinet file.

Finding - metal clasps, loops, etc. used on jewelry.

Grain - the arrangement of fibers, layers, or particles of wood, stone, or leather. End grain would usually be at right angles to the axis of the grain.

<u>Grid</u> - the arrangement of lines or other features to form squares, rectangles, or some other geometric pattern.

Hack saw - (see saws)

Hammer - a metal, wood, or plastic head in a variety of shapes attached to a handle (hand grip) used to tap or pound. See claw hammer.

Hand drill - a device using wheels and gears turned by hand to cause rotation of a drill bit.

Laminate - to make by building up in layers. Example, plywood.

<u>Layout</u> - to draw or scribe a line, pattern, or design on paper or other material (wood). Often a preliminary step.

<u>Liver of sulphur</u> - crystals dissolved in cold water forming an aqueous solution used to tarnish metal, especially copper.

Mallet - a hammer with a short handle and a soft head of wood, leather, or plastic.

Manila rope - a strong coarse rope made from fibers of the leafstalk of a Philippine tree related to the banana tree.

Marking gauge - a tool used for scribing a straight line on a board parallel to an edge of the board. A flat surface on the gauge slides along the edge of the board to be marked while a sharp point at a preset distance scores the board.

Mitre - to cut two pieces so that they form a corner, ususally a right angle.

Mitre box - a box built to guide the saw blade at a prescribed angle.

Molding stock - a shaped strip of wood, ornamental, used in carpentry work.



screw - a metal fastening device with a spiral thread. A wood screw is pointed and tapered (conical) with a coarse thread. A machine screw or stove bolt is cylindrical with a fine thread (male) which is turned into a threaded hole (female). It is used primarily for fastening although it may be used to adjust or transmit power. Screws have a variety of heads (flat, round, etc.) for different purposes.

Screw eye - a screw with a loop instead of a head.

Shingle nail - (see nails)

Square - a tool for laying out right angles. Also the act of squaring a board, causing two edges or surfaces to be at right angles.

Stamping tools - usually used to form letters or a design on wood, leather, or metal. Like a punch with a formed end.

Steel wool - long shavings of steel matted in a pad for cleaning, smoothing and polishing.

Stock - raw material before final forming.

Straight edge - a wood or metal strip with an edge straight and true for drawing straight lines or testing surfaces for flatness.

Symbols, plan view - a series of line designations to represent, in a smiple way, doors, windows and other physical features of a building.

Template - a pattern or design cut on thin, stiff material to be traced in layout work.

Tin snips - a shears designed to cut light metal.

Three dimensional - having height, width and depth.

Tooling - to form a pattern by stamping or drawing on a surface, usually leather, soft wood or soft metal with stamping tools.

Try square (also tri) - an instrument for checking the accuracy of square work and for laying out right angles.

Twist drill bit - a cylindrical shaft of metal with a spiral groove and a sharp point used to drill holes.

<u>Vise</u> - a device consisting of two jaws, opened and closed by a screw, used for holding firmly an object being worked on.

Water lox - a paint product used to seal and stain or finish wood surfaces. Trade name for a particular brand of finishing material.



- Multi-view a series of related (orthographic) views such as top, front, right side, etc. Each view shows only one side of an object.
- Nails, common metal (mild steel), pointed and with a head; vary in size from 2d (two penny) with about 1000 to a pound to 60d with about 11 to a pound. See brad, casing nail, shingle nail.
- Nail set a tool like a punch, placed on the head of a casing nail and tapped to drive the head flush or below the surface of the wood.
- Nail, shingle a small nail with an ample head, usually coated to retard rust, used primarily to fasten shingles.
- <u>Pictorial</u> a picture view; a drawing or sketch showing more than one side of an object; three dimensional view.
- Plane a carpenter's tool for leveling, smoothing, or removing wood. Smooth plane for large surfaces, block plane for short, small areas or outside corners.
- Pliers a hand tool for gripping, cutting, twisting. Common pliers pivoted closer to one end to give a mechanical advantage; slip joint pliers allows one side to move out increasing the capacity of the jaws; flat nose pliers have square gripping tips which provide parallel surfaces when closed; needle nose pliers have long, thin tips handy when working with wire; side cutting pliers have a short nose, usually tapered, with sharp edges for cutting wire.
- Punch, center a tempered steel shaft pointed at one end used to make an initial opening in a surface, as a starting point for a drill bit.
- Raising embossed, lifted above the normal surface by a displacement of material.
- Rip saw (see saws)
- Saw a cutting tool consisting of a thin metal blade, band, or disk with sharp teeth on one edge, used to cut wood, metal, or other materials. Crosscut saw has about 14 teeth per inch spaced and set to make a smooth cut across the grain of wood. Rip saw has about 11 teeth per inch spaced and set to make a smooth cut with the grain of wood. Hack saw has very fine teeth close set and is used for cutting metal or other dense materials.
- Scale an instrument to measure weight or lineal distance. Also a ratio of units such as 1'' = 1' 0'', 1/2'' = 1'', etc.

N. S.

Whip stitch - a sewing stitch made by overcasting the edge of the material. To sew through material, pass the thread over the edge and again through the material from the same side, repeatedly.

Wire cutter - (see pliers)



FRED M. ATKINSON
Superintendent of Schools
10025 Penn Ave. So.
Bloomington, Minn. 55431

ERIC

Full text Provided by ERIC

1:2