

DOCUMENT RESUME

ED 088 928

TM 003 488

AUTHOR Dewitt, Louis J.; Weiss, David J.
TITLE A Computer Software System for Adaptive Ability Measurement.
INSTITUTION Minnesota Univ., Minneapolis. Dept. of Psychology.
SPONS AGENCY Office of Naval Research, Washington, D.C. Personnel and Training Research Programs Office.
REPORT NO RR-74-1
PUB DATE Jan 74
NOTE 76p.

EDRS PRICE MF-\$0.75 HC-\$4.20
DESCRIPTORS Aptitude Tests; Branching; *Computer Oriented Programs; Feedback; *Individualized Programs; Individual Tests; Input Output; Item Banks; *Measurement Techniques; *Predictive Ability (Testing); *Testing
IDENTIFIERS Adaptive Testing; *Computer Assisted Testing; Tailored Testing

ABSTRACT

A system of computer programs designed to control the administration of adaptive ability tests was developed and used for over 2500 hours of ability measurement. The system is capable of administering any combination of two kinds of tests to a given individual without interruption. Each test can be based on one of six different testing strategies and can administer items selected from up to nine different item pools within each strategy. The system is designed to accept either multiple-choice responses or free-response numeric responses. No feedback, feedback after each item, or item-by-item feedback upon completion of testing can be selected differentially for each test and each testee. The requirements of the research design and constraints of the computer system as well as practical considerations are detailed and their role in the design of the system are discussed. Technical requirements of the software system and problems which might arise in a transfer of the software system to another computer system are considered. Some basic concepts of computer programming are developed as an aid to the reader not technically trained in computer concepts. For a related document, see TM003316. (Author)

ED 088928

A COMPUTER SOFTWARE SYSTEM FOR ADAPTIVE
ABILITY MEASUREMENT

Louis J. DeWitt

and

David J. Weiss

Research Report 74-1

Psychometric Methods Program
Department of Psychology
University of Minnesota
Minneapolis, MN 55455

January 1974

Prepared under contract No. N00014-67-A-0113-0029
NR No. 150-343, with the Personnel and
Training Research Programs, Psychological Sciences Division
Office of Naval Research

Approved for public release; distribution unlimited.
Reproduction in whole or in part is permitted for
any purpose of the United States Government.

T 003 488

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Research Report 74-1	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A Computer Software System for Adaptive Ability Measurement		5. TYPE OF REPORT & PERIOD COVERED Technical Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Louis J. DeWitt and David J. Weiss		8. CONTRACT OR GRANT NUMBER(s) N00014-67-0113-0029
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Psychology University of Minnesota Minneapolis, Minnesota 55455		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS P.E. : 61153N PROJ.: RRO42-04 T.A. : RRO42-04-01 W.U. : NR150-343
11. CONTROLLING OFFICE NAME AND ADDRESS Personnel and Training Research Programs Office of Naval Research Arlington, VA 22217		12. REPORT DATE January 1974
		13. NUMBER OF PAGES 65
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. Reproduction in whole or in part is permitted for any purpose of the United States Government.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) testing sequential testing programmed testing ability testing branched testing response-contingent testing computerized testing individualized testing adaptive testing tailored testing automated testing		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A system of computer programs designed to control the administration of adaptive ability tests was developed and used for over 2500 hours of ability measurement. The system is capable of administering any combination of two kinds of tests to a given individual without interruption. Each test can be based on one of six different testing strategies and can administer items selected from up to nine different items (over)		

20 (continued)

pools within each strategy. The system is designed to accept either multiple-choice responses or free-response numeric responses. No feedback, feedback after each item, or item-by-item feedback upon completion of testing can be selected differentially for each test and each testee. The requirements of the research design and constraints of the computer system as well as practical considerations are detailed and their role in the design of the system are discussed. Technical requirements of the software system and problems which might arise in a transfer of the software system to another computer system are considered. Some basic concepts of computer programming are developed as an aid to the reader not technically trained in computer concepts.

Contents

Introduction	1
Requirements for a computerized ability testing system	3
Computerized Ability Testing System--File and Program Structure	8
Files for computerized ability testing	8
Updated files	8
Information files	9
Programs, subprograms and overlays	10
Overlay structure for computerized ability testing .	11
Main overlay	11
Primary and secondary overlays	13
Initializing overlay	13
Instructional overlay	13
Testing overlay	14
Secondary overlays within the primary testing overlay	16
Testing strategies	16
Feedback overlay	20
Display overlay	20
Plotting programs	22
Additional system features	22
Recovery	22
Program expansion	23
Data changes	23
Proctoring	23
Computer hardware and software requirements	23
References	24
Appendix A. Description of data stored on each testee's data file	25
Appendix B. Keyword codes	27
Appendix C. An explanation of computer program overlays	29
Appendix D. Instructional screens	36
Appendix E. Procedure file for executing testing programs	54
Appendix F. Response codes returned to testing strategy programs from subroutine ITEM	56
Appendix G. Displays of test results from all testing strategies except linear testing	57
Appendix H. Technical requirements for a computer- assisted testing system	63

BEST COPY AVAILABLE

**A COMPUTER SOFTWARE SYSTEM FOR ADAPTIVE
ABILITY MEASUREMENT**

Adaptive, computer-controlled, ability test administration has considerable promise for improving ability measurement. Research to date (Weiss and Betz, 1973) indicates that adaptive tests can yield ability estimates which are more precise than those derivable from conventional tests, in addition to providing scores with higher validity. Adaptive tests can achieve reliabilities and validities at least as high as those of conventional ability tests with considerably fewer test items, thus saving time on the part of the testee. Such time savings can be put to use in the measurement of other abilities to supplement information available on each individual.

Computerized ability measurement also has other potential advantages over paper and pencil testing procedures (Weiss and Betz, 1973, pp. 56-57). Among these are the elimination of time limits, thus reducing artifactual speed components in test scores; improved standardization of test administration conditions, thus reducing administrator effects; the possibility of measuring new content and modes of abilities not now measurable with paper and pencil tests; development of tests measuring problem-solving abilities using "within-item" branching as opposed to the more typical "between-item" branching; computerized control of confidence-weighting schemes of response, including techniques for differential weighting of response distractors; use of item response latency data as additional diagnostic (and perhaps predictive) information derivable from ability testing; the a priori control of the degree of precision attached to any ability estimate derived from ability test administration; the tailoring of test difficulty to the individual's ability level, potentially reducing test-taking anxiety and increasing test-taking motivation; and the use of knowledge of results or feedback after each item is answered (with varying ratios of positive to negative reinforcement) potentially increasing test-taking motivation.

Should computerized ability testing prove capable of providing at least some of these potential improvements in measuring individual differences in abilities, operational computerized ability testing systems will be developed in the next decade. Such systems will find their optimal use in institutions which serve populations of wide-ranging ability, and in applications where it is desired to measure a large number of abilities in a minimum amount of testing time. Thus, military placement and selection activities, industrial personnel departments, vocational-technical schools, vocational guidance departments of high schools and colleges, and public and private vocational

counseling agencies are likely users of computerized ability tests. In the majority of cases these agencies will simply purchase or lease time-shared computer terminal devices, such as cathode-ray-terminals (CRTs), or hard-copy devices such as medium-speed teletype terminals, for interfaces between the testee and the computer. Computer programs to administer ability tests will probably be maintained by centralized facilities which are accessed by conventional telephones linked to the central time-shared computer. Just as there are currently different testing agencies providing a variety of conventional paper and pencil tests for these same test users, it is likely that different computer software systems will be available for computerized ability testing. These systems will differ not only in the strategies of testing available but also in the item pools available for ability measurement (both nature and quality) and in other system characteristics which allow for user flexibility and control.

Although adaptive ability testing has generated a small amount of research to date, very little of the research has actually used computer-controlled test administration. Yet computerized ability testing raises a host of new questions waiting to be addressed by the psychometric research community. These problems include (Weiss and Betz, 1973, pp. 49-54) comparisons of the almost endless variety of adaptive testing procedures possible under computer-controlled administration; empirical investigation of the characteristics of the various scoring methods within each of the adaptive strategies; new problems and approaches to item pool development for computerized testing; the effects of chance success on the scores derived from adaptive test administration; the variety of termination rules possible in some adaptive strategies; applications of on-line differential weighting procedures; the actual effects on the testee of adaptive test administration, in terms of reducing anxiety and increasing motivation; and the effects on test scores of immediate knowledge of results.

There is likely, then, to be a demand in the near future for computerized ability testing systems for both research and applied testing purposes. The present authors have developed such a system which is operational and which has logged over 2,500 hours of actual testing. This report describes the design of that system and its rationale, so that it might serve as a starting point for others who in the future might wish to develop computerized ability testing systems for research and/or applied uses. It is hoped that future systems will improve upon the present software system so that computerized ability testing will reach its maximum potential.

Requirements for a Computerized Ability Testing System

A minimal system must 1) select a test item from an item pool following a predetermined set of instructions, 2) present the item on a CRT or other display unit, 3) accept a response, 4) check it for validity and compatibility with the instructional sequence, 5) determine whether the response is correct or incorrect, 6) calculate response latency, 7) save the obtained data, and 8) select the next item to be administered in accordance with a specified testing strategy. In addition, previous experience with computerized ability testing and plans guiding the present research dictated a number of features which would be desirable in any computerized testing system, for either research or applied use.

One primary characteristic is operational simplicity in terms of supervision and testee/system interaction. This dictates several important features of the system:

1. The system must provide for monitoring by proctors with little or no computer experience. Thus, the proctor should know simply how to dial the telephone, call the testing program, assign testing conditions to the testee, and handle common hardware (equipment) or software (program) problems as they arise.
2. The system must be self-instructional. Thus, the program must present a series of instructional screens and enforce performance to a criterion on each screen. Should the testee not master the instructions for use of the equipment after a given number of trials, the proctor should be called to assist the testee.
3. Since testees will occasionally wish to change an answer typed to a test item, because of either typing errors or actual changes in their answer to an item, the system must provide some opportunity to change responses, at least before the next item is presented.
4. In acoustically coupled time-shared systems, data are occasionally lost in transmission between the computer and the testing terminal (e.g., CRT). This results in either the computer being unable to interpret the response a testee has made to a test item, or in a displayed test item which appears as garbled information. In either case, the system must be able to present any test item over again if data should be lost in transmission. Implementation of this feature should not require elaborate instructions.

A computer-controlled ability testing system used for either research or applied testing must be flexible. Thus, the following features are important:

5. When tests are administered for research purposes, the only tangible reward for the testee may be knowledge of "how he did" on the test. Thus, a computerized ability testing system designed for research should give test scores at the end of the test, normative comparisons (if desired by the administrator) and an opportunity for the testee to examine his performance in detail--on an item-by-item basis--under some circumstances. This feature should operate following completion of testing, with no necessity for intervention by the proctor.
6. All computer systems fail occasionally. Failures can result from interruption on the telephone lines, power failures, failure of the computer's central processor, peripheral processor or disks, software failures, or failure of terminal equipment. With the large number of system components subject to failure, any computerized testing system must be capable of recovery with as little loss of data as possible. Thus, when abnormal terminations occur, the proctor should be able to re-start the testee at the item on which termination occurred once the system is again operational. This "recovery" feature would also be important where the testee or proctor interrupts testing for some reason (e.g., testee becomes ill, needs to keep an appointment elsewhere), and it is desired to continue testing at a later time.
7. On occasion it might be desirable to terminate a testee at some point prior to normal termination, not allowing for eventual re-entry at the point of termination. In this case, the proctor would wish to move directly to the post-testing de-briefing routine, including total scores and potential review of performance for the testee.
8. There are many strategies of computerized ability testing (Weiss and Betz, 1973, pp. 15-40; Weiss, 1974). These include two-stage, pyramidal, flexilevel, stradaptive and Bayesian strategies, among others, with new ones yet to be developed. For research purposes, it is desirable to be able to choose a strategy for administration to a given testee at the time he presents

himself for testing. For applied testing purposes, it might be discovered that certain kinds of strategies are appropriate for certain applied measurement situations. Thus, an operational computerized ability testing system must permit the proctor to select, at the time of testing, one of a number of adaptive testing strategies for administration to a given testee. At the same time, different testees being tested simultaneously on different terminals should be able to be administered different strategies.

9. Both applied and research adaptive measurement systems should concern themselves with different ability domains. Thus, the computer system should have several item "pools" consisting of, for example, items measuring verbal comprehension, numerical reasoning, clerical ability; and spatial ability. Any adaptive testing strategy should be able to access any of these pools, with the nature of the pool (i.e., the ability being measured) selected at the point of test administration. Needless to say, the system should also permit the use of different pools with different testing strategies simultaneously.
10. Given an item pool (e.g., vocabulary or number series) and a single testing strategy, different subsets of items should be available for presentation to different testees. For example, it might be appropriate to administer to one testee a 15-stage pyramidal vocabulary test and at the same time administer a 10-stage pyramidal vocabulary test to another testee. Further, the 15-stage test might use a fixed step size while the 10-stage test used a "shrinking" step size. In this case, one item subset would be comprised of the item numbers pre-selected to form the 15-stage fixed step size pyramid, while the other item subset would include a different set of items structured into a 10-stage pyramid. The item subset to be used for a given testee, nested within the total vocabulary item pool and administered under a specified adaptive testing strategy, would be selected at the point of test administration.
11. Some strategies of adaptive ability testing (e.g., stradaptive, Bayesian) require an initial estimate of ability to determine a starting point for the test administration branching procedure. When these strategies are to be administered, the system must request the appropriate information from the testee (e.g., his

cumulative grade point average or his subjective estimate of his standing on the trait in deciles; see Weiss, 1973, pp. 12-15) or obtain it from previously stored data on the testee.

Certain other features are dictated by the requirements of the research design of the present research:

12. Research in adaptive testing should be concerned with studies of the inter-relationships among ability estimates derived from the various testing strategies. Thus, it is desirable to administer two or more tests to a given testee using different testing strategies. At the same time, it might be undesirable for the testee to know that he is completing one testing strategy and beginning another, when the same item pool is being used. Conversely, when two different item pools are being used for the same testee in one test administration (e.g., vocabulary and numerical reasoning) it would be necessary to interpose additional instructions between the two tests. Thus, the system must allow for smooth and uninterrupted flow between two tests within the same item pool, yet permit structured movement between item pools. In addition, it should permit the administration of only one test when multiple tests are not desired.
13. When multiple tests are desired in one test administration period, the system should permit tests to be administered in any order. Such flexibility will permit the analysis of, and control for, order effects in the administration of various testing strategies.
14. Research in adaptive testing should also be concerned with the test-retest stability of the scores obtained from various testing strategies. If the testee is taking a retest, he should be given the option of reviewing the instructions. Further, if an initial ability estimate is needed for the retest, the estimate from the previous administration of that test must be retrieved from a data file. This is necessary to ensure comparability of test and retest results.

Several features of the software system are also important to the programmer:

15. It is obvious that new strategies of computerized ability testing are yet to be developed. In order to facilitate the integration of these new adaptive

strategies into an operational software system, it should be possible to develop and debug individual testing strategy programs as separate units and add them to the system with as little revision of the strategy program and system as possible.

16. Item pools, particularly those used for research, constantly change. New items are added, old ones deleted, and items are constantly re-normed. Thus, it might be appropriate to frequently change item files to be used within a given testing strategy. Likewise, termination rules or criteria within an adaptive strategy, or other internal aspects of a strategy, might require occasional changes. In addition, new item pools, measuring different kinds of abilities, might be added to a testing system. For all these reasons, data which might be frequently changed should be stored separately and be easily accessible so that changes can be easily made.
17. Most time-shared computer systems can have only a limited number of programs in central memory at one time. Programs waiting to be executed are usually entered into central memory in inverse order of the amount of memory they require. Thus, an operational computerized ability testing system must use as little central memory space as possible to speed system response time and eliminate unnecessary delays for the testee.
18. To permit easy analysis of obtained data, the program system must store all obtained data in a form readily amenable to statistical analysis. At the same time, data must be stored as compactly as possible since data storage charges can add an appreciable amount to the cost of computerized testing.

One last feature is especially important to testing systems being used for applied purposes, although it has implications for research applications also:

19. The system should permit file interpretation capabilities. Thus, at any time after the termination of testing, the psychologist should be able to recall the test record of any individual and examine his performance in detail. This would include a reporting of test scores for the strategy or strategies administered to a given testee. Further, the system should permit a graphical display of the test performance on the

adaptive strategies. This display could, for example, chart the testee's progression through a pyramidal test structure, through a flexilevel test, or graph his performance on a Bayesian strategy test. Such displays would also be of great benefit in explaining test performance to testees in a de-briefing session or for didactic purposes in explaining adaptive testing to a variety of audiences.

COMPUTERIZED ABILITY TESTING SYSTEM--FILE AND PROGRAM STRUCTURE

Computers work by manipulating stored data. Data can be stored by a computer in one of two ways: 1) in the computer's central memory, which is a basic storage mode limited in storage capacity but with very rapid accessibility, and 2) on peripheral devices such as magnetic disc or tape which have almost unlimited storage capacity but relatively slower accessibility.

Files for Computerized Ability Testing

A file represents a block of data which is stored on a magnetic disc, much as a file in the usual sense represents a block of information in a filing cabinet.

The testing system works with two types of files: program files and data files. Program files are those which contain the machine language instructions for the different programs and subprograms used. They can be copied from a disc to central memory in a specified order, and then be executed.

Data files contain information used by the testing system at various stages of testing. Some files are updated (i.e., information is added to them) as they are used. The others are information (or reference) files only and as such can be easily modified as testing requirements change from time to time.

Updated Files

1. Testing data. A file is saved for each testee, using his identification number as a key for the file name. The details of this file structure are described in Appendix A. The first 300 characters (i.e., 30 10-character words) on this file contain demographic and summary information. Space is also allowed for some information necessary for the recovery feature. The

remainder of the file contains information on each test item presented. This file is updated after a response is obtained to each item.

2. Identification number file. When a testee enters his identification number it is added to this file. Any other programs which refer to the individual testing data files can use this file to get a list of all subjects who have taken tests.

Information Files

1. CATCODE. Before a subject begins testing, a 3 to 7 character keyword is entered by the proctor. This keyword determines each subject's testing assignments. The testing assignments controlled by the keyword include type of testing strategy, specific item file, and type of feedback. File CATCODE contains a list of the valid keywords at any given time. To simplify the proctor's task, and to reduce errors in entering keywords, each keyword (i.e., combination of testing assignments and conditions) can be coded with a single letter. Thus, by entering a single letter, the proctor can designate the complete course of testing for any given testee. Appendix B explains current keyword characters.
2. ABILS. Two of the testing strategies require an initial ability estimate. For retests it may be desirable to use the initial ability estimate from the first test. ABILS contains initial ability estimates, where taken, for all who took a test the first time and is referred to upon retesting.
3. VOCAB4. A random access file containing all of the vocabulary test items. Random access simply means that any test item can be directly accessed by item number as opposed to reading all items from the first to last sequentially. Random access files thus provide more rapid access to data than do sequential files. This file contains the vocabulary word to be defined, the five response choices and the correct response for each of about 600 vocabulary test items. Each item is identified by a unique item number, the "item reference number."
4. NUM5R. A random access file containing a number series item and correct answers for each of about 200 number series items.

5. MATRIX. A file used only by the Bayesian testing strategy. MATRIX contains item difficulty and discrimination indices on the 328 selected vocabulary items used by the Bayesian strategy program.
6. Item subset files. Each testing strategy program is written to work with sequential or working item numbers 1 through N, where N is the maximum number of items which can be presented by that testing strategy. This simplifies programming by permitting the programmers writing testing strategy programs to avoid dealing with actual item reference numbers. It also permits generality of testing strategy programs so that the same testing strategy can be used simultaneously with different item subsets. Prior to presenting a specific test form, a file is built up containing all of the item reference numbers to be used in that test in the order required by the branching paradigm. The file name consists of a mnemonic for a particular strategy followed by a single digit. This allows up to 9 different item subsets for each strategy. The item subset number is entered with the keyword and can therefore be easily changed from testee to testee. At the time of item presentation, actual item reference numbers are assigned to each item in the testing strategy.

For example, two-stage testing can administer up to 40 items to any testee. The actual two-stage strategy program works only with working item numbers 1 to 40. A file TWOSTG2 contains 40 item reference numbers ranging from 1 to 600 which are entered into the file in the order required for items 1-40 in the two-stage strategy program. Thus, the program might ask for item 12. Before presenting the item, the reference item number of the 12th item would be gotten from file TWOSTG2, e.g., 283, and item number 283 would be obtained from file VOCAB4 and presented to the testee.

Programs, Subprograms, and Overlays

A computer program is a complete set of instructions for a specified task. A program has a number of functions. It must 1) initialize any values used, or get them from a disc, tape, or other input device such as a CRT, 2) perform any calculations, and 3) cause any calculations yielding data that should be saved for later reference to be output in some retrievable form. As a computer performs the instructions specified in a program it is said to be running or executing that program.

In many instances, subsets of calculations or instructions must be executed repeatedly, using different sets of data. This repeated set of instructions can be written as a subprogram (commonly called a subroutine). A subprogram consists of a set of instructions which is complete for some small task. The subroutine generally receives data from the main program and/or returns data to it. Subroutines can also input and output data. Thus, for example, instead of writing instructions to calculate a correlation coefficient at a number of different points in a program, the programmer would write one subprogram to perform those calculations. He would then refer to (or call) that subprogram whenever computation of a correlation coefficient was needed.

A program and its associated subprograms represent a unit which must be stored in the computer's central memory during execution. Since central memory storage is at a premium, problems arise if a large program (i.e., one with a large number of instructions or stored data) is to be executed. To minimize this problem, overlays are used. An overlay is a program (with associated subprograms) which is stored on a peripheral storage device (e.g., magnetic disc) but, at the direction of another program, can be moved into memory and executed. When it is moved into memory, it replaces part of the program that was previously in memory. Thus a large program can be broken into units (overlays) which are moved into memory and executed at different times. Regardless of the size of the total program, the maximum central memory requirement is determined by the size of the largest combination of overlays which will be used at one time. (The reader unfamiliar with the concept of overlays is referred to Appendix C for a more basic description of the overlay concept.)

Overlay Structure for Computerized Ability Testing

The computerized testing system is currently composed of a main overlay, 5 primary overlays, and 11 secondary overlays. A diagram of the overlay structure is shown in Figure 1.

Main Overlay

The main overlay is in memory at all times. Its primary function is to call the necessary primary overlays in the required order, more than once if necessary. The main overlay also contains a large number of general purpose subprograms used by other overlays. These are mostly machine language subprograms obtained from the system program library which handle special arithmetic processes, and data input and output.




FIGURE 1. OVERLAY STRUCTURE FOR THE SOFTWARE SYSTEM.

Primary and Secondary Overlays

Initializing Overlay. This overlay reads in a keyword or a single-character keyword code which is verified by the CATCODE file, and breaks it into its components. These are checked for validity and coded in a convenient way for access by other parts of the program system (see Appendix B). This overlay locates and then attaches the appropriate item number files. The maximum number of different items in the item subset, maximum number of items to be given (test length) and item numbers to be used are read by this overlay from the item number file for each test to be given to a specific testee.

Instructional Overlay. This overlay presents instructions and collects some demographic data. Date and time of beginning of testing are saved. A series of instructional screens on CRT usage are presented covering such topics as entering information, correcting errors, clearing transmission line errors and entering a "?". These screens, and a flow chart describing their structure, are shown in Appendix D. Most of these screens terminate with a question covering the material presented. The answer is checked, and if it is incorrect the screen is presented up to two additional times. If the testee does not answer correctly on the third attempt a bell is sounded to summon the proctor who can give the subject individualized assistance.

Next, name and identification number are requested. If no identification number (either University or special number given by the proctor) is obtained, a social security number is requested. If a social security number cannot be obtained a bell is sounded and the subject is instructed to get a number from the proctor. If an initial ability estimate is needed, it is requested. If the test is a retest, the estimate will be read from the data file ABILS. After this, several screens containing instructions for either number series or vocabulary items are presented.

When the instructional screens are completed, a data file containing all information obtained to that point is created and saved. The IDFILE containing testee identification numbers is updated and control returns to the main overlay.

A code to skip instructions (S) can be entered with the keyword. Only the identification number is then obtained. Likewise, the keyword can also contain a RETEST code (R). In this case, the subject is given an opportunity to skip the instructions if he feels sufficiently comfortable with equipment usage.

The original instructions were developed for testing University students and were slightly modified for high-school students. The form of instructions to be used is determined by a program switch which is set by the particular procedure file used to initiate the testing program (See Appendix E for an explanation of procedure files).

Testing Overlay. This overlay consists of a program PREITEM and a subprogram ITEM.

PREITEM serves essentially as a routing program, as its main function is to call the appropriate testing strategy overlay. Before it does this, however, it executes a call to subroutine ITEM which instructs that subroutine to perform certain initializing tasks in preparation for test item presentation. After this is accomplished, the appropriate testing strategy overlay is called by program ITEM. The operation of the primary testing overlay is shown diagrammatically in Figure 2.

As Figure 2 shows, program PREITEM first executes an initializing call to subroutine ITEM (A). Once the initialization operations have been completed, control returns to PREITEM (B) which then calls the appropriate testing strategy overlay (C). The testing strategy program then selects a working item number and calls the item presentation section of subroutine ITEM (D). After the item has been presented and a response received, control returns to the testing strategy program for selection of the next item (E). The D and E cycle is repeated until the strategy program specifies termination of testing at which time control returns to PREITEM (F) and then the main overlay.

ITEM is the core of the test administration system. It is responsible for presenting items, reading responses, and saving data. There are essentially two parts: initializing and item presentation. The initialization section is called from PREITEM. Data such as number of questions attempted and number correct are zeroed out. The time when actual testing starts is recorded. The appropriate item pool file (e.g., vocabulary or number series) is attached and prepared for random access read operations.

The item presentation section is called from the testing strategy overlay and is further divided into two sections. One section reads a vocabulary item from the disc, presents it, reads a response and checks it for validity and correctness. The second section performs the same operations but uses number series items. Since the two sections are functionally




FIGURE 2. STRUCTURE OF THE PRIMARY TESTING OVERLAY AND ITS INTERACTION WITH THE SECONDARY STRATEGY OVERLAYS.

similar no further distinction will be made between them. Figure 3 illustrates the formats used by ITEM in presenting vocabulary and number series items on the CRT.

As Figure 2 shows, the item presentation section of ITEM is called from the individual testing strategy programs in the secondary overlay. That section of ITEM is given (as data) the working number of the item to be presented. On receipt of this information, ITEM performs several operations. First, the testee's data file is updated to include the last item presented as well as any test scores which might have changed. The working item number is then converted to an actual item reference number and that item is read from a disc file. If, for any reason, that item is not available, an error return is given to the testing strategy program which can take appropriate steps. Otherwise, the item is presented and a response requested. The response is checked for validity. If it is invalid, the testee is informed of that fact and the item is presented again. After the third invalid response to any item, a bell is sounded to summon the proctor.

If a valid response is obtained from the testee it is checked for correctness (up to three alternative correct responses are checked for the free-answer number series items). If intermediate feedback (information on correctness/incorrectness of each item) is to be given, one of seven different appropriate feedback messages is presented in a pseudo-random order. Latency of the subject's response is calculated. The response code (right-wrong-?), actual response, item reference number, number of times the item was presented, and the response latency are all added to the subject's data file before the next question is presented. The response code is returned to the testing strategy program. (See Appendix F for an explanation of response codes.)

Secondary Overlays within the Primary Testing Overlay

Testing strategies. There are six secondary overlays associated with the primary testing overlay--one for each testing strategy. These programs are all written with general parameters to utilize any specified item subset file. The programs select a working item number to be presented, and pass that number to subroutine ITEM. Subroutine ITEM locates and presents the appropriate item, processes the testee's response and returns a response code to the strategy program. The strategy program then chooses, in conjunction with the item file it is using, the next item to be presented. A termination criterion is also checked to determine whether or not more items should be presented.

MAIL

1. KNIGHT
2. LIGHT ARMOR
3. MEDIEVAL CLUB
4. SHIELD
5. LONG STAFF

TYPE IN THE NUMBER OF THE CORRECT ANSWER AND PRESS THE RETURN KEY.

8 4 12 6 14 7

THE NEXT NUMBER IN THIS SERIES IS

FIGURE 3. PRESENTATION SCREENS FOR VOCABULARY AND NUMBER SERIES ITEMS.

Currently, any two testing strategies combined are limited to 500 unique items for potential selection and presentation. Thus, unless one of the testing strategies is the Bayesian strategy, no more than 500 items can be presented in a single testing situation, although the actual number presented to any testee is usually considerably less. The Bayesian testing strategy program draws from its own item pool of 328 items and does not enter into the above combination. Thus, if the Bayesian strategy program is one of the two tests presented to a given testee a maximum of 828 items could be presented in one testing situation.

Six testing strategy programs are currently operational on the secondary testing overlay (see Weiss, 1974 for more complete descriptions of these testing strategies):

- TWOSTG. The two-stage testing strategy presents an N_1 -item routing test followed by one of 3 or 4 N_2 -item measurement tests. The criteria for branching as well as the number of items on the routing (N_1) and measurement (N_2) tests are variable. Currently a 10-item routing test and a 30-item measurement test are being used (see Betz and Weiss, 1973 for empirical results derived from two-stage testing).
- FLEXLV. The flexilevel testing strategy uses an item pool with items arranged in order of difficulty. A testee starts with the middle item, an item of average difficulty. A correct response leads to the next more difficult item; an incorrect response leads to the next easier item not previously presented. Currently a 79-item flexilevel structure, in which every testee is presented with 40 items, is being used. The program is written to easily handle flexilevel designs of different numbers of items.
- LINEAR. Linear testing presents a fixed number of items in a fixed order (i.e., no branching). It is used for norming and for simulated paper and pencil testing. Currently 40-item linear tests are being used as the "conventional" tests, with which the various adaptive strategies can be compared (e.g., Betz and Weiss, 1973). The linear tests used for item norming consist of varying numbers of items.

- PYRAMD.** The pyramidal testing strategy is based on a tree structure. All subjects begin with an item of average difficulty. The program selects a more difficult item upon receiving a correct response and a less difficult item following an incorrect response. The program is capable of administering a 24-stage pyramid (i.e., 24 items are administered to each testee). In addition, six different stepping patterns are available. With this feature, it is possible to skip the next more difficult or easier item and select an item more difficult or easier than that one. This enables coarser adjustments or branching earlier in the test and finer branching later after the testee's approximate ability level has been reached. Additional variations in step size for pyramidal tests can be made by structuring specific pyramidal item subset files.
- STRTFD.** The stradaptive testing strategy (Weiss, 1973) uses an item pool with items divided into levels or strata based on their difficulty. Testees start at a level determined by a prior ability estimate, which may be requested from the testee. After each response, the stratum from which a testee's items are chosen is examined to determine if he should be administered items from an easier or more difficult stratum. This decision is currently made only on the basis of whether or not the last response was correct, but a number of different criteria (latency, average latency at a level, number correct at a given level, etc.) can easily be included. In addition, differential step sizes are possible which branch the testee up or down by differing numbers of strata. This step size can be unique for each item. This variable step size enables larger branches to be made at the beginning of a test and smaller branches later in the test when an approximate ability level has been established. In its current form, the program can theoretically present 50 items at each of 25 strata. In its current applications the program can present a maximum of 36 items at each of 9 strata. Because of item pool limitations not all strata have 36 items and a total of 179 items can actually be presented.

BAYES. The Bayesian testing strategy has no prestructured item pool. Rather, the Bayesian strategy uses a special data file (MATRIX) which presently includes information on the difficulty and discrimination of 328 test items selected from the larger vocabulary item pool. Items are chosen from this special pool using item difficulty and discrimination data in conjunction with estimates of the subject's prior ability based on items previously administered. An initial ability estimate is required and is used as a prior ability estimate to select the first item administered. Following administration of each item, a posterior ability estimate and its variance are computed. Testing terminates after either a specified number of items have been given or a specified posterior variance has been reached.

Feedback Overlay

The feedback overlay is a primary overlay which informs the subject of his score on the test or tests administered. If two tests are given and they use different types of items (e.g., verbal and numerical items), a separate score is given for each test. Unless post-feedback (P) for either test was specified by the proctor at the beginning of testing, program operation terminates at this point. If post-feedback was chosen for either test, the subject is given the opportunity to review those test items which he answered incorrectly. This review includes presentation of each incorrect item, the testee's chosen response, and information on the correct response alternative (see Figure 4). Upon completion of the review, or if the testee elects not to review his performance in detail, control returns to the main overlay and the testee is informed that he is free to leave.

Display Overlay

The display overlay, a primary overlay, and its five nested secondary overlays, interpret a subject's data file and provide a graphic portrayal of his movement through the items comprising a test. These overlays can function in two nearly separate modes: 1) As an integral part of the testing system, in which case it is called automatically when the testee has completed testing (both tests if two are given) or, 2) as a separately called overlay.

MAIL

1. KNIGHT
2. LIGHT ARMOR
3. MEDIEVAL CLUB
4. SHIELD
5. LONG STAFF

THE CORRECT ANSWER IS 2.

YOUR ANSWER WAS 1.

ENTER "P" AND PRESS RETURN FOR THE NEXT ITEM.

8 4 12 6 14 7

THE CORRECT ANSWER IS 15

YOUR ANSWER WAS 123

ENTER "P" AND PRESS RETURN FOR THE NEXT ITEM.

FIGURE 4. FEEDBACK SCREENS FOR VOCABULARY AND NUMBER SERIES ITEMS.

In the first mode (integral), the data file of the testee who has just completed testing is interpreted and the testee (or the proctor) is given the option of destroying or saving the data file. The second mode (independent) is called by entering "PLOT" when a keyword is first asked for. The system then asks for the identification number or file name of a subject who completed testing at some time in the past. The testee's test results can be plotted and the user is given the option of reviewing other subjects' data files. In either mode, the test or tests the testee took are listed and the user is given the option of displaying either, both, or neither.

Each testing strategy requires a different interpretation and plot so there are currently five secondary overlays, one for each strategy except linear testing.

Plotting programs. These programs provide graphic portrayals of a testee's movement through the item pool, separately for each testing strategy. They also provide scores for each strategy. Sample plots produced by each of these programs are illustrated in Appendix G.

TWOSTG--plots testee performance on the two-stage adaptive test.

FLEXLV--plots testee performance on the flexilevel adaptive test.

PYRAMD--plots testee performance on the pyramidal adaptive test.

STRTFD--plots testee performance on the stradaptive test.

BAYES--plots testee performance on the Bayesian adaptive test.

Additional System Features

Recovery. The testing program is capable of recovering from interruptions caused at any point during testing either by the proctor or computer system failure of any kind. This is accomplished by updating each testee's permanent data file after each test item is presented. This update reflects information on the last item presented as well as information on up to 24 key values which enable the exact item on which interruption occurred to be found. These key values vary between testing strategies, but in general include information such as the number of questions taken in different parts of the test. The recovery procedure identifies the last item presented, i.e., that on which termination occurred, and that item is presented again but is recorded as having been presented more than

once. To initiate recovery, the proctor enters RECOVER when the system requests a keyword. The testee's identification number is then requested. The subject's data file is then located, and searched to find the last item completed. The item on which interruption occurred is then presented again and testing continues from that point. Recovery is possible immediately after abnormal termination occurs, or can be initiated at any future time, as long as the testee's data file is available on the disc.

Program expansion. The individual testing strategies can be written and debugged as simple programs. The only interaction they have with other overlay sections is in accepting a prior ability estimate if needed, requesting an item and accepting the response code for the answer. Once the strategy program is working properly, the addition of a few statements to it and to the main overlay permit it to be added to the overlay system.

Data changes. Item subset files and keywords are the most frequently changed information. This information is stored on separate files which can be easily changed without requiring regeneration of the entire overlay system.

Proctoring. Proctors need have no knowledge of computer programming. Once they have logged onto the computer (i.e., dialed the telephone and logged in by account number and password) two 2-word commands are necessary to load the program (see Appendix E). The program then asks for a keyword. A keyword of up to seven characters or a single code letter can be entered. The test is completely self-administering after that point. The proctors must be able to aid subjects who have difficulty with the instructions or with entering their names or identification numbers. This aid requires only knowledge of the terminal hardware. Beyond that, the proctor must be able to recognize a variety of system problems that might occur (e.g., telephone line problems, computer instability, terminal failure) and initiate recovery procedures when necessary.

Computer hardware and software requirements.

Technical requirements (e.g., computer size and characteristics, transferability) of the software system are detailed in Appendix H.

References

BEST COPY AVAILABLE

- Betz, N. E. & Weiss, D. J. An empirical study of computer-administered two-stage ability testing. Research Report 73-4, Psychometric Methods Program, Department of Psychology, University of Minnesota, 1973.
- Weiss, D. J. The stratified adaptive computerized ability test. Research Report 73-3, Psychometric Methods Program, Department of Psychology, University of Minnesota, 1973
- Weiss, D. J. Strategies of computerized ability testing. Research Report 74-x, Psychometric Methods Program, Department of Psychology, University of Minnesota, 1974 (in preparation).
- Weiss, D. J. & Betz, N. E. Ability measurement: conventional or adaptive? Research Report 73-1, Psychometric Methods Program, Department of Psychology, University of Minnesota, 1973.

APPENDIX A

Description of Data Stored on each Testee's Data File

Data is stored in 10-character words

<u>Word No.</u>	<u>Data</u>
1	Identification number or Social Security number.
2	Keyword as entered by proctor.
3	Current location in program: 0-1000 instructions 1001-2000 Test 1 2001-3000 Test 2, if given 3001-4000 Post-Feedback
4	Elapsed time in seconds from time subject began instructions until testing was completed.
5	Total time in seconds spent on instructions.
6	Total time in seconds spent on test 1.
7	Number of errors on instructional screens 1-10, 1 character per screen.
8	Number of errors on instructional screens 11-20 1 character per screen.
9	Number of items correct on test 1.
10-12	Testee's name, 30 characters.
13	Characters 1-2: subject's estimated ability, if taken. Characters 3-8: blank Characters 9-10: college code (01-27)
14	Social security number, if available.
15	Date of testing.
16	Seconds since midnight when testing began.
17	Elapsed time in seconds spent on test 2.
18	Maximum number of questions which could be given on test 1.
19	Maximum number of questions which could be given on test 2.
20	Number of items attempted on test 1.
21	Number of items attempted on test 2.
22	First score on test 1.
23	First score on test 2.
24	(reserved for program for recovery information)
25	Number of items correct on test 2.
26	Second score on test 1.
27	Second score on test 2.
28-30	(reserved for program for recovery information)

Structure of the testing data file (cont'd)

Data on each vocabulary item is packed into one word as follows:

character 1: response code

	<u>code</u>	<u>meaning</u>
	0	Item answered incorrectly
	1	Item answered correctly
	2	Item answered with a ?
2:		actual response (1-5, ?=6)
3-6:		reference number of item presented
7:		number of presentations of screen
8-10:		response latency in seconds

Data on each number series item is packed into 2 words as follows:

Word 1: Character 1: response code (same as vocabulary items)

2-3: blank
4-10: actual response

Word 2: Character 1-4: item reference number

5-6: blank
7: number of presentations of screen
8-10: latency in seconds

In addition, for the Bayesian testing strategy, a prior ability estimate and prior variance estimate are calculated for each item and saved packed into one word as follows:

characters 1-5 - prior ability estimate
6-10 - prior variance estimate

The length of each file is thus dependent upon the number of items given, the type of items given, and the testing strategy used.

APPENDIX B

BEST COPY AVAILABLE

Keyword Codes

Before beginning testing, the testing program requests a keyword which must be entered by the proctor. This keyword completely describes the testing assignments for a testee. It consists of 3 to 7 characters composed of 1 or 2 three-character test keys plus an optional special instructions character.

Each three-character test key has the following format:

Character 1: Code letter for test

A - Stradaptive
B - Bayesian
F - Flexilevel
L - Linear
T - Twostage
Y - Pyramid

Character 2: Numeral 1 through 9 indicating which of nine potential item subsets associated with the particular testing strategy is to be used.

Character 3: Feedback codes

N - No feedback
I - Intermediate feedback (i.e., feedback after each item)
P - Postfeedback (i.e., feedback after completion of testing)

There are two special instruction characters:

- 1) R: Retest - gives the testee the option of skipping instructions, if the test administration is a retest.
- 2) S: Skip instructions (get the identification number only). This option is used mostly by staff in trial test situations.

These two characters can be entered after a 3-character test code (between or after if two tests are given). No character is used for more than one function; each character position has its own unique code letters.

Keyword Codes (cont'd)

Examples of keywords:

1. T3I--One test, a two-stage test (T) is to be given. The reference item numbers to be used will be read from a file TWOSTG₃. Intermediate feedback (I) will be given.
2. Y5NL4PR or Y5NRL4P--Two tests, a pyramidal (Y) and linear (L) will be given. The pyramidal test will get item reference numbers from a file PYRAMD₅ and will present no feedback. The linear test will get item reference numbers from file LINEAR₄ and will present post-feedback (P). The R designates that this is a retest situation and the testee should be given the option of reviewing instructions.

Prior to presenting a series of tests, a file (CATCODE) can be prepared containing a list of all keywords which will be valid for a period of time. Each keyword has a single associated letter which can then be entered instead of the keyword. If the proctor enters a single letter when the keyword is requested, the program refers to this file and converts the entered letter to its associated keyword. The letters used to identify keywords are chosen to minimize both memory and typing errors by the proctors.

In addition, there are three special cases where special commands other than a keyword may be entered:

- RECOVER:** If this is entered after an abnormal termination of testing, the program will ask for the testee's identification number, and will then recover available data and resume testing.
- SAMPLE:** This instructs the program to ask for a keyword again and to automatically call the display overlay upon completion of testing.
- PLOT:** This instructs the program to call the display overlay directly and to request information as to which testee's file should be displayed.

APPENDIX C

An Explanation of Computer Program Overlays

A comparison of computer programming with programmed learning texts might be useful in understanding the overlay concept. In programmed instruction texts the student usually proceeds through a series of frames. Each frame contains some substantive information, and the frames are usually followed sequentially. However, some frames may contain questions which, depending on the student's answer, may branch him/her to a review section, to an explanation, or to new material. The process followed here is analogous to a computer executing a program; instructions in the program are executed sequentially, although differential branching can occur at a number of points in the program.

For illustrative purposes assume that a programmed learning text is designed to teach statistics. At several points in this text it might be appropriate to lead the student, step by step, through the calculation of the standard deviation of different sets of numbers. Rather than repeating the instructional frames designed to lead the student through the calculational steps each time they are needed, it might be easier to have a section of the text called "Calculation of the Standard Deviation". At any point in the text where it was necessary to calculate a standard deviation, the student would be helped to organize the set of numbers he was using at that point and then referred to the "Standard Deviation" section for calculations. When the student finished the calculations he would be instructed to remember or record the value of the standard deviation and to return to the instructional frame which referred him to that section. The section on the calculation of the standard deviation could then be used any number of times with only a few extra instructions. This calculational section in a programmed instruction text is directly comparable to a subprogram or subroutine in computer programming.

Now, expand the programmed learning text concept into a series of texts for a complete course. Assume that at any given time a student is permitted to have in his possession a maximum of three texts--a main text, a primary text, and a secondary text. When the student first starts he is given the main text, as are all students. The main text might describe what primary and secondary texts are available to the student, give some examples of how to proceed through the text structure, determine where the student should start, and contain any frequently used or basic equations, calculations or tables. This main text might then refer the student to a primary text, for example a text on Bayesian statistics. The primary text would




FIGURE 5. HYPOTHETICAL TEXT STRUCTURE FOR PROGRAMMED INSTRUCTION IN STATISTICS.

have its own instructional frames, equations, tables, etc. The student would now have two texts. The primary text could refer to equations or tables that it contains itself or to the more general ones in the main text. If the student is interested, the primary text might refer him to one of a number of available secondary texts, for example one on discrete Bayesian models or one on continuous Bayesian models. The secondary text would also have instructional frames, tables, equations, etc.


Figure 5 illustrates a possible text structure for the hypothetical programmed instructional sequence in statistics. The main text would give some basic information on statistics, instruct the student on use of the texts, aid the student in selecting which other texts he might want to use and contain some of the more basic, generally-used equations, formulas or tables.

Four primary texts are available: Bayesian statistics, analysis of variance models, descriptive statistics, and correlational methods. Each primary text would contain substantive information on its own special topic and general equations related to that topic and could aid the student in deciding whether or not he wanted to use any of the more specialized secondary texts.

There are seven secondary texts, each one nested within a primary text. Discrete and continuous models are nested within Bayesian statistics. One-way, N-way and special models are nested within ANOVA models. There are no secondary texts associated with the primary text on descriptive statistics. Bivariate and multivariate correlational methods are nested within the correlational methods primary text. These secondary texts contain the most specific substantive information and most specific equations for various calculations.

Figures 6a to 6f illustrate several possible configurations within the given text "system." A minimal configuration is illustrated in Figure 6a. A student who has just begun would have this configuration. If he should decide to study the text on Bayesian statistics he would then get that text; this configuration is shown in 6b. Note that he still has the main text; this enables him to refer to any of the basic equations in that text. If this student has no interest in either discrete or continuous Bayesian statistics he would not use either of the secondary texts nested within the Bayesian statistics text.

Figure 6c illustrates the next configuration. The primary text on Bayesian statistics has been returned and the text on



BEST COPY AVAILABLE

FIGURE 6. SOME POSSIBLE CONFIGURATIONS OF TEXT USAGE IN SPECIFIC APPLICATIONS OF THE PROGRAMMED INSTRUCTIONAL MATERIALS.

ANOVA models has been taken in its place. If the student is concerned only with N-way ANOVA models, he then obtains the secondary text (nested within ANOVA models) on N-way ANOVA models; he then has three integrated texts in his possession.

In Figure 6d, both the primary text on ANOVA models and the secondary text on N-way ANOVA models have been returned and the primary text on descriptive statistics has been taken in their place. Note that this text does not have any associated secondary texts. There can be no secondary text in use with this primary text.

Figures 6e and 6f illustrate two possible configurations with the primary text covering correlational methods. In 6e, the secondary text on bivariate methods is in use. In 6f, the secondary text on multivariate correlational methods is in use. Note that there is no change in the primary text on correlation methods.

As is shown in Figure 6, the student could have one, two, or three texts in his possession at any time. He must always have a main text (Fig. 6a) and can never have a secondary text without a primary text and a main text (Figs. 6c, 6e, and 6f) or a primary text without a main text (Fig. 6b and 6d).

Since a main text does not necessarily require that a primary or secondary text be used (Fig. 6a), it should be understood that a main text cannot refer to any equations in a primary or secondary text. Likewise a primary text may not have any nested secondary texts (Figs. 6b and 6d) and cannot refer to any equations in a secondary text. A secondary text does require a primary and main text to be present (Figs. 6c, 6e, 6f) and can therefore refer to equations in either one.

The structures involved in these imaginary learning texts are directly analagous to those in an overlay system of computer programs. Figure 7 illustrates an overlay configuration where a main, primary and secondary overlay are stored in central memory at one time. The arrows indicate the direction in which overlays themselves or subprograms within an overlay can be referenced or called. There is a main overlay which consists of a program and associated subprograms. It can refer to one of a number of primary overlays, each of which is another program with related subprograms. Each primary overlay can refer to any subprograms in the main overlay or to any of its own subprograms. It can also refer to its secondary overlays but to none of the subprograms in the secondary overlay. The secondary overlay can refer to subprograms in any of the three overlays within its vertical structure.




FIGURE 7. A COMPUTER OVERLAY CONFIGURATION.

If the primary overlay calls (i.e., needs to execute) a new secondary overlay, the new one replaces the old one in central memory. Similarly, if the main overlay needs to execute a new primary overlay, the old primary overlay and any of its associated secondary overlays are moved out of central memory. The main overlay is always stored in central memory. A secondary overlay cannot be referred to by more than one primary overlay (i.e., secondary overlays are "nested" within the primary overlay) although it can be referenced any number of times by that primary overlay.

The major advantage of the use of overlays is that very large computer programs can be sub-divided into sub-units which, under control of a master sub-unit (main overlay) can be moved in and out of central memory as needed. Thus, very large programs can be executed with relatively small central memory requirements. This is quite important in time-shared computer systems which usually give higher program execution priority to those programs requiring small amounts of central memory. Another major advantage is that each overlay can be written and tested independently, greatly simplifying the programmer's task. The programmer developing a new overlay need not be concerned with the entire overlay structure but only with those sections directly related to the one he is developing.

APPENDIX D

BEST COPY AVAILABLE

Instructional Screens

There are currently 36 instructional screens. They are presented in this appendix in the order in which they are presented to a testee. Because there are a number of different testing conditions each screen is coded according to which conditions it represents. The codes follow:

- N--number series items
- V--vocabulary items
- ER--error screen, presented if a previous screen was answered incorrectly
- R--retest
- S--Instructions are to be skipped and only identification number requested
- HS--Screen for presentation to high-school students
- AB--Screens requesting ability estimate for stratadptive and Bayesian testing strategies
- F--feedback will be given
- NF--no feedback will be given

Figure 8 illustrates the various paths that a single testee might follow through the instructional overlay. Each square represents an instructional screen and is numbered in accordance with the screens illustrated on the following pages and abbreviations listed above.

There are five entry points. A is the standard entry point for a first time testee or a retest testee who chooses to review the instructions. B and C are entry points for testees who are to receive a retest (R specified on keyword). If these testees elect to review the instructions, they are routed to entry point A and exit through RETURN-H. If they elect not to review the instructions, screens 5-8 may be presented to obtain name, identification number and ability estimate, and exit through RETURN-G.

D is the entry point if S is specified on the keyword. Only identification number and ability estimate (if needed) are taken and the exit is through RETURN-G.

E and F are intermediate entry points (between tests) for the situation where tests 1 and 2 use different forms of items. The testee is informed of the change in item type and given the option of going over the instructions for the new type. If he chcses to skip the instructions, he exits through RETURN-G and begins Test 2. If he elects not to skip the instructions, he is presented those instructions relating to the item form on Test 2 and exits through RETURN-H.




FIGURE 8. DIAGRAM OF POSSIBLE ALTERNATIVE ROUTES THROUGH SCREENS IN INSTRUCTIONAL OVERLAY

BEST COPY AVAILABLE

The wavy line (w) indicates a jump to error screens n_1ER and n_2ER . These two screens summon the proctor to aid a testee who is having difficulty with the instructional screens. n_1ER is presented the first time the testee has difficulty; n_2ER is presented if the proctor is called again. After these screens are presented the screen on which the testee encountered difficulty is presented again to be certain that the testee understands those instructions.

THIS TEST IS BEING GIVEN TO YOU BY A COMPUTER.
THE INSTRUCTIONS FOR THE TEST WILL APPEAR ON THIS SCREEN.
YOU WILL BE ASKED SOME QUESTIONS AT THE END OF EACH
PART OF THE INSTRUCTIONS, TO BE SURE THAT YOU UNDERSTAND
HOW TO ANSWER THE TEST QUESTIONS.

YOU MUST REMEMBER TWO THINGS IN ORDER TO TALK TO THE COMPUTER:

1. DO NOT TYPE IN ANYTHING UNTIL A QUESTION MARK (?) APPEARS ON THE SCREEN.
2. ONCE YOU HAVE TYPED IN AN ANSWER, THE COMPUTER DOES NOT RECEIVE IT UNTIL YOU PRESS THE "RETURN" KEY.

NOW, THE FIRST THING YOU MUST DO IS FIND THE "RETURN" KEY.
THIS KEY IS AT THE RIGHT-HAND END OF THE SECOND ROW OF KEYS.

WAIT FOR THE QUESTION MARK TO APPEAR, THEN PRESS THE "RETURN"
KEY TO CONTINUE THE INSTRUCTIONS.

Screen 1. First instructional screen

YOU FOUND THE "RETURN" KEY, BUT YOU TYPED:

"

BEFORE YOU PRESSED IT.

"

IN ORDER TO DO YOUR BEST ON THIS TEST, IT IS IMPORTANT THAT
YOU FOLLOW INSTRUCTIONS CAREFULLY.

NOW, PRESS THE "RETURN" KEY TO CONTINUE.

Screen 1 ER. Screen presented if screen 1 is in error

YOU ARE ABOUT TO TAKE A TEST DEALING WITH VOCABULARY ITEMS.

SINCE YOU HAVE WORKED WITH THE COMPUTER BEFORE, YOU MAY NOT NEED TO REVIEW THE INSTRUCTIONS. IF YOU HAVEN'T WORKED WITH VOCABULARY ITEMS BEFORE, IT MIGHT BE WISE TO GO OVER THE INSTRUCTIONS FOR VOCABULARY ITEMS.

IF YOU WOULD LIKE TO GO OVER THE INSTRUCTIONS, ENTER "YES" AFTER THE QUESTION MARK APPEARS; IF NOT, ENTER "NO".

IN EITHER CASE, WAIT FOR THE QUESTION MARK, ENTER YOUR RESPONSE AND PRESS THE RETURN KEY.

Screen 1 RV. First screen presented to testee taking a retest for which the first test is vocabulary items. If testee responds YES entire instructional series is presented beginning with 1. If testee responds NO screens 5R through 9 are presented.

YOU ARE ABOUT TO TAKE A TEST DEALING WITH NUMERICAL ITEMS.

SINCE YOU HAVE WORKED WITH THE COMPUTER BEFORE, YOU MAY NOT NEED TO REVIEW THE INSTRUCTIONS. IF YOU HAVEN'T WORKED WITH NUMERICAL ITEMS BEFORE, IT MIGHT BE WISE TO GO OVER THE INSTRUCTIONS FOR NUMERICAL ITEMS.

IF YOU WOULD LIKE TO GO OVER THE INSTRUCTIONS, ENTER "YES" AFTER THE QUESTION MARK APPEARS; IF NOT, ENTER "NO".

IN EITHER CASE, WAIT FOR THE QUESTION MARK, ENTER YOUR RESPONSE AND PRESS THE RETURN KEY.

Screen 1 RN. Similar to 1RV except for number series items.

**YOU SEEM TO BE HAVING TROUBLE WITH THE INSTRUCTIONS
OR THE EQUIPMENT. PLEASE CALL THE TEST PROCTOR. HE WILL PERSONALLY
HELP YOU LEARN TO OPERATE THE KEYBOARD.**

Screen n_1 ER. Error screen summoning proctor for the first time. It can be presented after any error screen is responded to incorrectly. After this screen is presented, the proctor can have the screen on which the error occurred displayed again.

**YOU STILL SEEM TO BE HAVING TROUBLE WITH THE INSTRUCTIONS
OR THE EQUIPMENT. PLEASE CALL THE TEST PROCTOR AGAIN.
HE WILL PERSONALLY HELP YOU LEARN TO OPERATE THE KEYBOARD.**

Screen n_2 ER. A variation on screen n_1 ER. This screen is presented instead of screen n_1 ER after that screen has been presented once.

THE TEST YOU ARE ABOUT TO TAKE IS A MULTIPLE-CHOICE TEST.

AFTER EACH QUESTION , THERE IS A SERIES OF 5 ANSWER CHOICES, NUMBERED 1 THROUGH 5.

YOU MUST CHOOSE THE ANSWER THAT YOU THINK IS CORRECT, THEN TYPE IN THE NUMBER OF THAT ANSWER.

THE NUMBER KEYS ARE IN A BLOCK AT THE RIGHT SIDE OF THE KEYBOARD. THEY LOOK LIKE THIS:

7	8	9
4	5	6
1	2	3
0	.	

JUST FOR PRACTICE, TYPE IN THE NUMBER "5" WHEN THE QUESTION MARK APPEARS. REMEMBER TO PRESS THE "RETURN" KEY AFTER YOU HAVE TYPED IN THE NUMBER.

Screen 2V. Second instructional screen for vocabulary items.

YOU DIDN'T TYPE IN THE NUMBER "5".

HAVE ANOTHER PRACTICE TRY.

TYPE IN THE NUMBER "1", THIS TIME, THEN PRESS THE "RETURN" KEY.

Screen 2V ER. Error screen if screen 2V responded to incorrectly.

IN THE TEST YOU ARE ABOUT TO TAKE, YOU MUST TYPE YOUR ANSWER USING THE KEYBOARD. TO TYPE NUMBERS AND FRACTIONS, YOU WILL NEED TO USE THE NUMBER KEYS, THE DECIMAL POINT, THE SLASH (/), AND THE MINUS SIGN (-).

THE NUMBER KEYS AND THE DECIMAL POINT ARE IN A BLOCK OF KEYS AT THE RIGHT SIDE OF THE KEYBOARD. THEY LOOK LIKE THIS:

7	8	9
4	5	6
1	2	3
0	.	

THE SLASH (/) IS USED FOR FRACTIONS, SUCH AS 5/8. THE SLASH KEY (/) IS ON THE BOTTOM ROW OF THE KEYBOARD, THE SECOND KEY FROM THE RIGHT. THE MINUS SIGN (-) IS THE THIRD KEY FROM THE RIGHT IN THE TOP ROW OF KEYS.

JUST FOR PRACTICE, TYPE IN THE FRACTION 3/10 (THREE TENTHS) WHEN THE QUESTION MARK APPEARS. REMEMBER TO PRESS THE "RETURN" KEY AFTER YOU TYPE IN THE NUMBER.

Screen 2N. Second instructional screen for number series items.

THAT'S NOT QUITE RIGHT, FOR MORE PRACTICE, TYPE IN FRACTION 7/10 (SEVEN TENTHS).

Screen 2N ER. Error screen if screen 2N responded to incorrectly.

YOU'RE DOING FINE SO FAR. YOU KNOW HOW TO TYPE IN YOUR ANSWER, AND YOU KNOW THAT YOU MUST PRESS THE "RETURN" KEY TO SEND YOUR ANSWER TO THE COMPUTER.

SUPPOSE YOU MAKE A MISTAKE TYPING IN YOUR ANSWER. YOU CAN CORRECT IT AT ANY TIME BEFORE YOU PRESS THE "RETURN" KEY.

TO MAKE CORRECTIONS, USE THE "BACK SPACE" KEY, WHICH IS ON THE TOP ROW OF THE KEYBOARD, THE SECOND KEY FROM THE RIGHT.

SUPPOSE YOU TYPED IN

WHERE YOU MEANT 5
 4

AS LONG AS YOU HAVE NOT PRESSED THE "RETURN" KEY YOU CAN "BACKSPACE" THE BLINKING LIGHT TO THE ERROR, THEN TYPE IN THE REST OF THE ANSWER CORRECTLY.

TO CORRECT THE MISTAKE ABOVE, "BACK SPACE" THE BLINKING LIGHT OVER THE "5", THEN TYPE IN "4" TO COMPLETE THE ANSWER.

TRY IT WHEN THE QUESTION MARK APPEARS.

Screen 3. Third instructional screen.

YOU APPARENTLY DIDN'T BACKSPACE QUITE RIGHT. HERE IS ANOTHER CHANCE TO PRACTICE:

 4
CORRECT THIS TO READ 5. THE SECRET IS TO BACKSPACE THE BLINKING LIGHT UNTIL IT COVERS THE CHARACTER YOU WANT TO CORRECT. THEN YOU MUST TYPE IN THE CORRECTION --- AND RE-TYPE THE REST OF THE ANSWER.

GO AHEAD AND MAKE THE CORRECTION, WHEN THE QUESTION MARK APPEARS.

Screen 3 ER. Screen presented if screen 3 is answered incorrectly.

NOW YOU KNOW WHAT TO DO IN CASE YOU MAKE A MISTAKE.

SOMETIMES THE COMPUTER MAKES A MISTAKE, TOO (ALTHOUGH IT HATES TO ADMIT IT), AND YOU CAN'T READ THE QUESTION ON THE SCREEN. IF THIS HAPPENS YOU CAN REPEAT THE QUESTION BY PRESSING THE "RETURN" KEY (AFTER THE QUESTION MARK APPEARS), WITHOUT TYPING ANYTHING. THAT SHOULD SOLVE THE PROBLEM. FROM NOW ON IF YOU PRESS THE "RETURN" KEY WITHOUT TYPING ANYTHING ELSE FIRST, THE COMPUTER WILL REPEAT THE SAME QUESTION.

SOMETIMES YOU MAY NOT KNOW THE ANSWER TO A QUESTION, AND WANT TO SKIP IT. TO DO THIS, HOLD DOWN THE "SHIFT" KEY AND TYPE IN A QUESTION MARK (?). SINCE THE QUESTION MARK IS THE SAME KEY AS THE SLASH (/), YOU MUST HOLD THE "SHIFT" KEY DOWN WHILE YOU PRESS THE ?.

**GO AHEAD AND TYPE IN A QUESTION MARK.
DON'T FORGET TO PRESS THE "RETURN" KEY AFTERWARD.**

Screen 4. Fourth instructional screen.

YOU DIDN'T TYPE IN A QUESTION MARK.

REMEMBER, YOU MUST:

- 1. HOLD DOWN THE SHIFT KEY, AND**
- 2. PRESS THE ? KEY.**

IF YOU DON'T HOLD THE SHIFT KEY DOWN WHILE YOU TYPE THE QUESTION MARK, THE COMPUTER READS A SLASH (/) AND WILL TELL YOU TO TRY THE SAME QUESTION AGAIN.

NOW ONCE AGAIN TYPE IN A QUESTION MARK.

Screen 4 ER. Screen presented if screen 4 is answered incorrectly.

YOU ARE NOW ALMOST READY TO TAKE THE TEST.

BY NOW YOU HAVE NOTICED THE QUESTION MARK THAT APPEARS AT THE END OF EACH SCREEN. THE QUESTION MARK SIGNALS THAT IT'S YOUR TURN- BEFORE THE QUESTION MARK APPEARS NOTHING YOU TYPE GOES TO THE COMPUTER. SO BE SURE TO WAIT UNTIL YOU SEE THE QUESTION MARK BEFORE YOU TRY TO TYPE YOUR ANSWER.

NOW WE NEED SOME INFORMATION ABOUT YOU.

THE RESULTS OF THIS TEST WILL BE STRICTLY CONFIDENTIAL. WE ARE INTERESTED IN YOU AS PART OF A LARGE GROUP, AND AT NO TIME WILL YOUR TEST SCORES BE CONNECTED WITH YOUR NAME.

BUT, WE NEED IDENTIFICATION SO THAT WE CAN KEEP YOUR TEST SEPARATE FROM OTHER PEOPLE'S, AND SO THAT WE CAN COMPARE THE RESULTS OF THIS TEST WITH OTHERS THAT YOU HAVE TAKEN.

PLEASE TYPE IN YOUR FIRST NAME.

Screen 5. Fifth instructional screen.

SINCE THIS IS A RETEST, WE NEED TO HAVE SOME INFORMATION SO THAT WE CAN COMBINE THE RESULTS OF THIS TEST WITH THOSE OF THE ONE YOU TOOK EARLIER.

PLEASE TYPE IN YOUR FIRST NAME.

Screen 5R. Screen presented if retest is being taken, and testee did not request instructions.

PLEASE TYPE IN YOUR MIDDLE INITIAL.

?

Screen 6. Sixth instructional screen.

PLEASE TYPE IN YOUR LAST NAME.

?

Screen 7. Seventh instructional screen.

**NOW TYPE IN YOUR SIX DIGIT UNIVERSITY ID NUMBER.
IF YOU DON'T KNOW IT, JUST TYPE IN A QUESTION MARK.**

Screen 8. Eighth instructional screen.

TYPE IN THE ID NUMBER GIVEN TO YOU BY THE PROCTOR.

Screen 8 HS. Version of instructional screen 8, presented to high school students.

**SINCE YOU DON'T KNOW YOUR I.D. NUMBER, PLEASE TYPE IN
YOUR SOCIAL SECURITY NUMBER. DO NOT USE THE HYPHENS, JUST
TYPE IN THE NINE DIGITS.
IF YOU DO NOT KNOW THIS NUMBER, TYPE IN A QUESTION MARK.
REMEMBER TO PRESS THE "RETURN" KEY.**

Screen 8.1 ER. Screen presented if subject does not know I.D. number in screen 8.

PLEASE SEE THE PROCTOR FOR A SPECIAL ID NUMBER.

Screen 8.2 ER. Screen presented if testee knows neither I.D. nor Social Security number.

THANK YOU.

LISTED BELOW ARE SEVERAL OF THE COLLEGES WITHIN THE UNIVERSITY.

1. COLLEGE OF LIBERAL ARTS (CLA)
2. COLLEGE OF AGRICULTURE
3. COLLEGE OF BIOLOGICAL SCIENCES
4. SCHOOL OF BUSINESS ADMINISTRATION
5. COLLEGE OF EDUCATION
6. GENERAL COLLEGE
7. COLLEGE OF HOME ECONOMICS
8. INSTITUTE OF TECHNOLOGY
9. SCHOOL OF FORESTRY
10. UNIVERSITY COLLEGE
11. COLLEGE OF VETERINARY MEDICINE
12. GRADUATE SCHOOL
13. LAW SCHOOL
14. -- OTHER --

TYPE IN THE NUMBER OF THE COLLEGE IN WHICH YOU ARE ENROLLED, AND PRESS THE "RETURN" KEY.

Screen 8.3 ER. Screen requesting student's college after social security number or proctor assigned number is obtained following unsuccessful request for I.D. number.

IN WHICH CATEGORY IS YOUR CUMULATIVE GPA TO DATE?

1. 3.76 TO 4.00
2. 3.51 TO 3.75
3. 3.26 TO 3.50
4. 3.01 TO 3.25
5. 2.76 TO 3.00
6. 2.51 TO 2.75
7. 2.26 TO 2.50
8. 2.01 TO 2.25
9. 2.00 OR LESS

ENTER THE CATEGORY (1 THROUGH 9) AND PRESS THE RETURN KEY.

Screen 8AB. Screen presented to university students requesting an ability estimate if a stradaptive or Bayesian test is to be given.

EVERYBODY IS BETTER AT SOME THINGS THAN OTHERS.....

COMPARED TO OTHER PEOPLE, HOW GOOD DO YOU THINK YOUR VOCABULARY IS?

- BETTER THAN:
- 1 OUT OF 10
 - 2 OUT OF 10
 - 3 OUT OF 10
 - 4 OUT OF 10
 - 5 OUT OF 10
 - 6 OUT OF 10
 - 7 OUT OF 10
 - 8 OUT OF 10
 - 9 OUT OF 10

TYPE IN THE NUMBER FROM 1 TO 9 THAT GIVES THE NUMBER OF PEOPLE YOU ARE BETTER THAN (IN VOCABULARY).

Screen 8AB HS. Screen presented to high school students requesting an ability estimate if a stradaptive or Bayesian test is to be given.

-50-

THIS IS A MULTIPLE-CHOICE TEST OF WORD KNOWLEDGE.

YOU WILL BE GIVEN A WORD, FOLLOWED BY FIVE OTHER WORDS OR PHRASES. CHOOSE FROM AMONG THOSE FIVE, THE WORD OR PHRASE WHOSE MEANING IS CLOSEST TO THAT OF THE FIRST WORD.

TYPE IN THE NUMBER CORRESPONDING TO THE ANSWER YOU THINK IS CORRECT.

TYPE IN A QUESTION MARK IF YOU DON'T KNOW THE ANSWER.

HERE IS AN EXAMPLE:

DIFFICULT

1. EASY
2. HARD
3. SOFT
4. BIG
5. SMALL

TYPE IN THE NUMBER OF THE CORRECT ANSWER, THEN PRESS THE "RETURN" KEY.

Screen 9V. Ninth instructional screen for vocabulary items.

THE CORRECT ANSWER TO THE EXAMPLE QUESTION WAS NUMBER 2 (TWO). "HARD" IS CLOSEST IN MEANING TO "DIFFICULT".

NOW TRY THIS ONE:

CAR

1. BOAT
2. CAT
3. TREE
4. AUTOMOBILE
5. SNOWMOBILE

Screen 9a VER. Screen presented if screen 9V was answered incorrectly.

NOW, LET'S TRY THE SAMPLE QUESTION AGAIN.

Screen 9b VER. Screen presented following 9a VER. This screen continues with screen 9V.

-51-

THE ITEMS YOU ARE ABOUT TO RECEIVE TEST NUMERICAL ABILITY.
 YOU WILL BE ASKED TO RESPOND TO SOME NUMBER SERIES ITEMS.
 EACH ITEM WILL CONSIST OF A SERIES OF NUMBERS. YOU ARE
 TO PROVIDE THE NEXT NUMBER IN THE SERIES.
 TO CONTINUE, TYPE IN "NEXT" AND PRESS THE RETURN KEY.

Screen 9N. Ninth instructional screen for numeric items.

FOR EXAMPLE, YOU MIGHT GET THE FOLLOWING PROBLEM:

15 16 17 18 19 20 21

THE NEXT NUMBER IN THIS SERIES IS, OF COURSE, 22.

TO INDICATE YOUR RESPONSE, TYPE IN THE NUMBER WHEN
 THE QUESTION MARK APPEARS.

YOUR RESPONSE MAY HAVE UP TO 7 CHARACTERS AND CAN
 CONSIST OF NUMERALS (0-9) AND THE FOLLOWING CHARACTERS:

/ . AND -

(NOTE THAT THE - IS TO THE LEFT OF THE BACKSPACE KEY.)

EXAMPLES OF CORRECT RESPONSES ARE BELOW:

10 -311 11/90 .75 -1.32

TO CONTINUE, TYPE IN "NEXT" AND PRESS THE RETURN KEY.

Screen 10N. Tenth instructional screen for numeric items.

WHEN YOU HAVE DECIDED ON AN ANSWER, YOU MUST

1. TYPE IN THE ANSWER, AND
2. PRESS THE RETURN KEY.

BEFORE YOU PRESS THE RETURN KEY, YOU MAY CHANGE YOUR
 ANSWER BY BACKSPACING AND TYPING OVER IT.

IF YOU CANNOT COME UP WITH AN ANSWER TO A PROBLEM,
 TYPE IN A ? AND PRESS THE RETURN KEY.

USE THE SCRATCH PAPER AND PENCIL PROVIDED FOR ANY
 COMPUTATIONS YOU NEED TO MAKE.

TO BEGIN TESTING, TYPE IN "START" AND PRESS THE RETURN KEY.

Screen 11N. Eleventh instructional screen for numeric items.

NOW WE WOULD LIKE TO GIVE YOU SOME VOCABULARY ITEMS.

IF YOU ARE ALREADY FAMILIAR WITH HOW TO WORK WITH VOCABULARY ITEMS, YOU MAY NOT NEED TO GO THROUGH THE INSTRUCTIONS.

IF YOU ARE NOT FAMILIAR WITH VOCABULARY ITEMS OR YOU SIMPLY WISH TO REVIEW THE DIRECTIONS, ENTER "YES" TO REVIEW THEM. IF NOT, ENTER "NO" TO SKIP THE DIRECTIONS.

IN EITHER CASE, WAIT FOR THE QUESTION MARK, ENTER YOUR RESPONSE, AND PRESS THE RETURN KEY.

Screen 12V. Screen presented between tests where test 1 is number series and test 2 is vocabulary. If testee responds NO, testing resumes. If testee responds YES, screen 9 is presented before testing resumes.

NOW WE WOULD LIKE TO GIVE YOU SOME NUMERICAL ITEMS.

IF YOU ARE ALREADY FAMILIAR WITH HOW TO WORK WITH NUMERICAL ITEMS, YOU MAY NOT NEED TO GO THROUGH THE INSTRUCTIONS.

IF YOU ARE NOT FAMILIAR WITH NUMERICAL ITEMS OR YOU SIMPLY WISH TO REVIEW THE DIRECTIONS, ENTER "YES" TO REVIEW THEM. IF NOT, ENTER "NO" TO SKIP THE DIRECTIONS.

IN EITHER CASE, WAIT FOR THE QUESTION MARK, ENTER YOUR RESPONSE, AND PRESS THE RETURN KEY.

Screen 12N. Screen presented between tests where test 1 is vocabulary and test 2 is number series. If testee responds NO, testing continues. If testee responds YES, screens 10N and 11N are presented before testing resumes.

THAT'S RIGHT.

YOU MAY TAKE AS MUCH TIME AS YOU NEED FOR EACH QUESTION.

**AFTER THE TEST, YOU WILL BE TOLD YOUR SCORE,
AND YOU WILL HAVE A CHANCE TO LOOK AT THOSE YOU GOT WRONG.**

**WHEN YOU ARE READY TO BEGIN, TYPE IN THE WORD "START" AND
AND PRESS THE "RETURN" KEY.**

Screen 10 F. Tenth instructional screen if post-feedback is to be presented.

THAT'S RIGHT.

NOW YOU ARE READY TO BEGIN THE TEST.

YOU MAY TAKE AS MUCH TIME AS YOU NEED FOR EACH QUESTION.

AFTER THE TEST, YOU WILL BE TOLD YOUR SCORE.

**WHEN YOU ARE READY TO BEGIN, TYPE IN THE WORD "START" AND
PRESS THE "RETURN" KEY.**

Screen 10 NF. Tenth instructional screen if no feedback is to be given.

APPENDIX E

Procedure File for Executing Testing Program

Large computers are controlled by a software supervisory system (also referred to as a monitor, executive system or operating system). This "system" is essentially a program which controls the flow of programs through the computer as efficiently as possible. The functions of this operating system include the allocation of memory space, the allocation and manipulation of files, the loading and execution of programs and the monitoring of time limits.

There are two methods for giving commands to the Kronos operating system on Control Data Corporation's 6400 computer: 1) In an interactive mode where each command is entered on a terminal (CRT or teletype) and executed before the next command can be sent or 2) In a "batch" mode where a file (called a procedure file) containing an entire sequence of commands is prepared by the user and called at some later time: the user can issue no new commands until all of the commands on this procedure file have been executed.

A combination of both of these types of commands is used to execute the testing program. After connecting the phone and logging on, the proctor must enter:

OLD,CAT This attaches a procedure file.

The system responds with a / (slash). The proctor then enters:

CALL,CAT This command gives control to the procedure file CAT.

The procedure file CAT consists of the 7 commands listed and explained below.

RFL,32500. This requests a field length or central memory storage space of 32500 words.

GET,SUPTEST/UN=xxxxxxx
This attaches a file called SUPTEST from account number xxxxxx. The testing system currently operates on several different account numbers and program files are kept under one account number since duplicate copies are not needed. This procedure also protects the testing programs since they cannot be destroyed or altered by testees logged onto the system on different account numbers.

Procedure file for executing testing program (cont'd)

OFFSW,2. Switch 2 is an electronic switch which can be set on or off by commands and read by a program. Switch 2 is read by the testing program. If it is off, instructions developed for University students are presented. If it is on, instructions for high-school students are presented. This command turns switch 2 off.

SUPTEST. The file SUPTEST contains the main overlay for the testing system. This command causes the file to be loaded and executed, hence beginning the program.

RETURN,SUPTEST,INPUT,OUTPUT,INSTR. This command is not executed until testing is finished. It serves the function of returning several of the files to the system; in essence, giving up the disc space they occupied.

RETURN,TAPE7,TESTS,TAPE8. This command is similar to that above.

EXIT. This returns control to the CRT or proctor who can determine if the testing program should be executed again.

A second procedure file, CHS, is usable by entering OLD,CHS and CALL,CHS.

This file is identical to the procedure file CAT except for the third command, which is ONSW,2. instead of OFFSW,2. This serves to turn on switch 2 which, when read by the testing program, causes instructions for high-school students to be presented.

APPENDIX F

Response Codes Returned to Testing Strategy

Programs by Subroutine ITEM

- 3 - testing strategy program has requested a valid but
unavailable item number
- 2 - testing strategy program has requested an invalid
item number
- 1 - testing is terminated by proctor
- 0 - item answered incorrectly
- 1 - item answered correctly
- 2 - item answered with a ?

APPENDIX G

Displays of Test Results from all Testing
Strategies except Linear Testing

The display programs for Two-stage, Flexilevel, Stradaptive and Bayesian strategies were written by David Vale; the display program for Pyramidal testing was written by Robert Swisher.

BEST COPY AVAILABLE

REPORT ON BAYESIAN TEST

ID NUMBER: 2067

DATE TESTED: 73/05/03

**X=CORRECT O=INCORRECT ?=NO RESPONSE
ERROR BAND PLOTTED IS + AND - STANDARD DEVIATION**

ABILITY LEVEL													ABILITY	
-2.5	-2.0	-1.5	-1.0	-0.5	0.0	0.5	1.0	1.5	2.0	2.5			EST	SD
I-----I-----I-----I-----I-----I-----I-----I-----I-----I-----I														
													.17	1.41
													-.93	.98
													-.42	.78
													-.16	.68
													-.42	.61
													-.12	.55
													-.29	.51
													-.45	.48
													-.60	.46
													-.50	.44
													-.61	.42
													-.72	.41
													-.88	.39
													-1.01	.37
													-1.16	.35
													-1.33	.32
													-1.33	.32
													-1.25	.32
													-1.19	.30
													-1.13	.30
													-1.07	.28

20 ITEMS WERE ADMINISTERED

REPORT ON FLEXILEVEL TEST


BEST COPY AVAILABLE

ID NUMBER: 690134

DATE TESTED: 73/07/12

♦ = CORRECT ANSWER - = INCORRECT ANSWER ? = NO ANSWER
XXX = ITEM NOT ADMINISTERED

MEDIAN
DIFFICULTY
ITEM



TOTAL NUMBER OF ITEMS IN TEST= 79
NUMBER OF ITEMS ADMINISTERED= 40
NUMBER OF ITEMS CORRECT= 25
SCOPE= 36.50

BEST COPY AVAILABLE

REPORT ON PYRAMIDAL TEST

ID NUMBER: 554911

DATE TESTED: 73/04/09

STAGE


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1+	2+	3+	4-	5+	6+	7+	8+	9-	10+	11+	12-	13+	14-	15+
..
..
..
..
..
..
..
..
..
..
..
..
..
..
..
..

THERE WERE 11 CORRECT ANSWERS.
 THESE HAD A MEAN DIFFICULTY OF .63
 THERE WERE 15 ANSWERS IN TOTAL.
 THESE HAD A MEAN DIFFICULTY OF .75
 THE FINAL ITEM HAD A DIFFICULTY OF 1.01
 THE DIFFICULTY OF THE (N+1)TH ITEM IS 1.33

REPORT ON STRADAPTIVE TEST

ID NUMBER: 469625594

DATE TESTED: 73/07/12



SCORES ON STRADAPTIVE TEST

1. DIFFICULTY OF MOST DIFFICULT ITEM CORRECT= 1.49
2. DIFFICULTY OF THE N+1 TH ITEM= 1.44
3. DIFFICULTY OF HIGHEST NON-CHANCE ITEM CORRECT= 1.49
4. DIFFICULTY OF HIGHEST STRATUM WITH A CORRECT ANSWER= 1.33
5. DIFFICULTY OF THE N+1 TH STRATUM= 1.33
6. DIFFICULTY OF HIGHEST NON-CHANCE STRATUM= 1.33
7. INTERPOLATED STRATUM DIFFICULTY= 1.37
8. MEAN DIFFICULTY OF ALL CORRECT ITEMS= .88
9. MEAN DIFFICULTY OF CORRECT ITEMS BETWEEN CEILING AND BASAL STRATA= 1.28
10. MEAN DIFFICULTY OF ITEMS CORRECT AT HIGHEST NON-CHANCE STRATUM= 1.28
11. SD OF ITEM DIFFICULTIES ENCOUNTERED= .59
12. SD OF DIFFICULTIES OF ITEMS ANSWERED CORRECTLY= .46
13. SD OF DIFFICULTIES OF ITEMS ANSWERED CORRECTLY BETWEEN CEILING AND BASAL STRATA= .18
14. DIFFERENCE IN DIFFICULTIES BETWEEN CEILING AND BASAL STRATA= 1.36
15. NUMBER OF STRATA BETWEEN CEILING AND BASAL STRATA= 1

REPORT ON TWO-STAGE TEST

ID NUMBER: 2100


DATE TESTED: 73/05/09

MOST DIFFICULT MEASUREMENT TEST

```

.....
.
.
.
.....

```



LEAST DIFFICULT MEASUREMENT TEST

ABILITY ESTIMATE IN STANDARD SCORE IS: -2.145

ABILITY ESTIMATE IN PERCENTILE IS: 1.599

APPENDIX H

Technical Requirements for a Computer- Assisted Testing System

The current testing system was developed and is currently operational on MERITSS (Minnesota Educational Regional Interactive Time-Sharing System). MERITSS is based on a Control Data 6400 computer system which can handle more than 70 ports simultaneously. Approximately 75 million characters of disc storage are available as well as approximately 65,000 words (10 characters or 60 bits per word) of central memory, making this a large-scale computer system.

Disc or Central Memory Requirements

The present testing system requires approximately 13,000 words (130,000 characters) of central memory storage for execution. Slightly more is required for compilation of the programs involved--approximately 18,000 words (180,000 characters).

Storage, on disc, of the different overlays used takes up approximately 264,000 characters. The random access file for vocabulary items uses 119,000 characters of storage; that for number series items uses 64,000 characters. In addition to these minimal requirements, each subject's data file takes up from 640 to 6000 characters of storage. Transferring the testees' data files to magnetic tape at frequent intervals will cut down total disc storage requirements but often over 200 testee data files are on the system representing as much as a million characters of disc space. The addition of other small auxiliary files such as CATCODE (for valid keywords) and ABILS (for ability estimates on retest) brings total disc capacity needed to approximately two million characters.

Software Requirements

The entire testing system was written in Fortran and compiled using the Control Data 6000 series Fortran IV compiler. This is a very powerful compiler containing almost all Fortran IV conventions. There are no system subroutines used in the testing system which are not supplied by Control Data (i.e., there are no local installation routines used).

Control Data 6000 series computers are based on a 60-bit (10-character) fixed word length. This fixed word length was an important consideration in writing several of the routines and will seriously affect any transfer of the testing system to other computer installations.

Transportability

The present testing system connects with user ports over standard voice grade telephone lines--one line per port. Thus, transferring the terminals to any location where phone lines are available is possible.

Transferability

Two aspects must be considered with respect to the transferability of the testing system: 1) use of CRT's from different manufacturers as terminals and 2) transfer of the program to another computer.

CRT's. The current testing system was written for Computer Terminal Corporation (CTC) Datapoint 3000 CRT terminals. The testing program uses special codes, which are not standardized, to cause the CRT to move the cursor to the top of the screen, erase the screen and backspace the cursor. Use of other manufacturers' CRT's might require changing these special codes within the testing program.

The Datapoint CRT's have a screen which contains 24 72-character lines. Other CRT's might have substantially smaller screens--usually fewer lines. Many of the instructional screens use the full 24 lines and would have to be rewritten for a smaller CRT.

Programs. Transferring the testing system to another computer presents four levels of increasing difficulty of modification. All but the last assume that a Fortran IV compiler is available and all assume sufficient disc storage space.

1. The easiest transfer would be to a similar Control Data 6000 series computer. Some very minor modifications might be necessary to conform to local installation parameters but no major changes should be necessary.
2. A more difficult transfer assumes that the new system has sufficient central memory capacity but is not a Control Data 6000 series machine. The Control Data Fortran IV Series compiler permits the use of star fields (*) in format statements for displaying strings of alphanumeric characters. This feature is not available with most other compilers so almost every displayed screen in the program would require re-writing in Hollerith fields. This would affect the instructional and display overlays significantly.

The second, and more severe, problem hinges on the fact that the CDC 6000 series computers use a 10-character (60-bit) word of fixed length. Some sections of the program are nearly independent of word length considerations. Subroutine ITEM, however, is very dependent on this fact. Program sections dealing with item retrieval from disc, item presentation and storage of data in the subject's data file would have to be rewritten. The instructional overlay saves some collected data which is dependent on word length. The instructional screens themselves are nearly independent of word length. The feedback overlay's presentation section would require rewriting. The display overlay is somewhat dependent on word length but would probably not require major revision. In addition to these two major problems there are probably a number of Fortran statements unique to the CDC 6000 series Fortran IV Compiler. These would have to be found and changed to a form acceptable to the compiler at the new installation.

3. The still more difficult transfer would be to a system lacking sufficient central memory storage to store the program in its present operating configuration. Assuming all necessary modifications described in (2) above have been completed, the difficulty of rewriting for less storage varies inversely with the amount of central memory space available. Rewriting in this situation would require breaking the program into smaller and smaller overlays, segments, or chains until the largest configuration in use at one time would fit within the given central memory constraints. This is entirely feasible, although it must be noted that as the size of each overlay, segment, or chain decreases the number required increases and a significant amount of time would be used locating each one on disc and loading it into memory as needed.
4. The most difficult transfer would be to a system where no Fortran IV compiler was available. In this situation only the logic or structure of the system could be used and would serve as a structure around which a new system could be rewritten.

DISTRIBUTION LIST

BEST COPY AVAILABLE

Navy

- 4 Dr. Marshall J. Farr, Director
Personnel & Training Research Programs
Office of Naval Research
Arlington, VA 22217
- 1 Director
ONR Branch Office
495 Summer Street
Boston, MA 02210
ATTN: C. M. Harsh
- 1 Director
ONR Branch Office
1030 East Green Street
Pasadena, CA 91101
ATTN: E. E. Gloye
- 1 Director
ONR Branch Office
536 South Clark Street
Chicago, IL 60605
ATTN: M. A. Bertin
- 1 Office of Naval Research
Area Office
207 West 24th Street
New York, NY 10011
- 6 Director
Naval Research Laboratory
Code 2627
Washington, DC 20390
- 12 Defense Documentation Center
Cameron Station, Building 5
5010 Duke Street
Alexandria, VA 22314
- 1 Chairman
Behavioral Science Department
Naval Command and Management Division
U.S. Naval Academy
Luce Hall
Annapolis, MD 21402
- 1 Chief of Naval Technical Training
Naval Air Station Memphis (75)
Millington, TN 38054
ATTN: Dr. G. D. Mayo
- 1 Chief of Naval Training
Naval Air Station
Pensacola, FL 32508
ATTN: CAPT Bruce Stone, USN
- 1 LCDR Charles J. Theisen, Jr., MSC, USN
4024
Naval Air Development Center
Warminster, PA 18974
- 1 Commander
Naval Air Reserve
Naval Air Station
Glenview, IL 60026
- 1 Commander
Naval Air Systems Command
Department of the Navy
AIR-413C
Washington, DC 20360
- 1 Mr. Lee Miller (AIR 413E)
Naval Air Systems Command
5600 Columbia Pike
Falls Church, VA 22042
- 1 Dr. Harold Booher
NAVAIR 415C
Naval Air Systems Command
5600 Columbia Pike
Falls Church, VA 22042
- 1 CAPT John F. Riley, USN
Commanding Officer
U.S. Naval Amphibious School
Coronado, CA 92155
- 1 Special Assistant for Manpower
OASN (M&RA)
The Pentagon, Room 4E794
Washington, DC 20350

BEST COPY AVAILABLE

- 1 Dr. Richard J. Niehaus
Office of Civilian Manpower Management
Code 06A
Department of the Navy
Washington, DC 20390
- 1 CDR Richard L. Martin, USN
COMFAIRMIRAMAR F-14
NAS Miramar, CA 92145
- 1 Research Director, Code O6
Research and Evaluation Department
U.S. Naval Examining Center
Great Lakes, IL 60088
ATTN: C. S. Winiewicz
- 1 Chief
Bureau of Medicine and Surgery
Code 413
Washington, DC 20372
- 1 Program Coordinator
Bureau of Medicine and Surgery (Code 71G)
Department of the Navy
Washington, DC 20372
- 1 Commanding Officer
Naval Medical Neuropsychiatric
Research Unit
San Diego, CA 92152
- 1 Technical Reference Library
Naval Medical Research Institute
National Naval Medical Center
Bethesda, MD 20014
- 1 Chief
Bureau of Medicine and Surgery
Research Division (Code 713)
Department of the Navy
Washington, DC 20372
- 1 Dr. John J. Collins
Chief of Naval Operations (OP-987F)
Department of the Navy
Washington, DC 20350
- 1 Technical Library (Pers-11B)
Bureau of Naval Personnel
Department of the Navy
Washington, DC 20360
- 1 Head, Personnel Measurement Staff
Capital Area Personnel Office
Ballston Tower #2, Room 1204
801 N. Randolph Street
Arlington, VA 22203
- 1 Dr. James J. Regan, Technical Director
Navy Personnel Research
and Development Center
San Diego, CA 92152
- 1 Mr. E. P. Somer
Navy Personnel Research
and Development Center
San Diego, CA 92152
- 1 Dr. Norman Abrahams
Navy Personnel Research
and Development Center
San Diego, CA 92152
- 1 Dr. Bernard Rimland
Navy Personnel Research
and Development Center
San Diego, CA 92152
- 1 Commanding Officer
Navy Personnel Research
and Development Center
San Diego, CA 92152
- 1 Superintendent
Naval Postgraduate School
Monterey, CA 92940
ATTN: Library (Code 2124)
- 1 Mr. George N. Graine
Naval Ship Systems Command
(SHIPS O3H)
Department of the Navy
Washington, DC 20360
- 1 Technical Library
Naval Ship Systems Command
National Center, Building 3
Room 3S08
Washington, DC 20360
- 1 Commanding Officer
Service School Command
U.S. Naval Training Center
San Diego, CA 92133
ATTN: Code 303

BEST COPY AVAILABLE

- 1 Chief of Naval Training Support
Code N-21
Building 45
Naval Air Station
Pensacola, FL 32508
- 1 Dr. William L. Maloy
Principal Civilian Advisor
for Education and Training
Naval Training Command, Code OLA
Pensacola, FL 32508
- 1 CDR Fred Richardson
Navy Recruiting Command
BCT #5, Room 215
Washington, DC 20370
- 1 Mr. Arnold Rubinstein
Naval Material Command (NMAT-03424)
Room 820, Crystal Plaza #6
Washington, DC 20360
- 1 Dr. H. Wallace Sinaiko
o/o Office of Naval Research (Code 450)
Psychological Sciences Division
Arlington, VA 22217
- 1 Dr. Martin F. Wiskoff
Navy Personnel Research
and Development Center
San Diego, CA 92152
- ARMY
- 1 Commandant
U.S. Army Institute of Administration
ATTN: EA
Fort Benjamin Harrison, IN 46216
- 1 Armed Forces Staff College
Norfolk, VA 23511
ATTN: Library
- 1 Director of Research
U.S. Army Armor Human Research Unit
ATTN: Library
Building 2422 Morade Street
Fort Knox, KY 40121
- 1 U.S. Army Research Institute for the
Behavioral and Social Sciences
1300 Wilson Boulevard
Arlington, VA 22209
- 1 Commanding Officer
ATTN: LTC Montgomery
USACDC - PASA
Ft. Benjamin Harrison, IN 46249
- 1 Commandant
United States Army Infantry School
ATTN: ATSIN-H
Fort Benning, GA 31905
- 1 U.S. Army Research Institute
Commonwealth Building, Room 239
1300 Wilson Boulevard
Arlington, VA 22209
ATTN: Dr. R. Dusek
- 1 Mr. Edmund F. Fuchs
U.S. Army Research Institute
1300 Wilson Boulevard
Arlington, VA 22209
- 1 Commander
U.S. Theater Army Support Command,
Europe
ATTN: Asst. DCSPER (Education)
APO New York 09058
- 1 Dr. Stanley L. Cohen
Work Unit Area Leader
Organizational Development Work Unit
Army Research Institute for Behavioral
and Social Science
1300 Wilson Boulevard
Arlington, VA 22209
- Air Force
- 1 Headquarters, U.S. Air Force
Chief, Personnel Research and Analysis
Division (AF/DPSY)
Washington, DC 20330
- 1 Research and Analysis Division
AF/DPXIR Room 4C200
Washington, DC 20330

BEST COPY AVAILABLE

1 AFHRL/AS (Dr. G. A. Eckstrand)
Wright-Patterson AFB
Ohio 45433

1 AFHRL/MD /
701 Prince Street
Room 200
Alexandria, VA 22314

1 Dr. Robert A. Bottenberg
AFHRL/PES
Lackland AFB, TX 78236

1 Personnel Research Division
AFHRL
Lackland Air Force Base
Texas 78236

1 AFOSR(NL)
1400 Wilson Boulevard
Arlington, VA 22209

1 Commandant
USAF School of Aerospace Medicine
Aeromedical Library (SUL-4)
Brooks AFB, TX 78235

1 CAPT Jack Thorpe, USAF
Department of Psychology
Bowling Green State University
Bowling Green, OH 43403

Marine Corps

1 Commandant, Marine Corps
Code AOIM-2
Washington, DC 20380

1 COL George Caridakis
Director, Office of Manpower Utilization
Headquarters, Marine Corps (AOIH)
MCB
Quantico, VA 22134

1 Dr. A. L. Slafkosky
Scientific Advisor (Code Ax)
Commandant of the Marine Corps
Washington, DC 20380

1 Mr. E. A. Dover
Manpower Measurement Unit (Code AOIM-2)
Arlington Annex, Room 2413
Arlington, VA 20370

Coast Guard

1 Mr. Joseph J. Cowan, Chief
Psychological Research Branch (P-1)
U.S. Coast Guard Headquarters
400 Seventh Street, SW
Washington, DC 20590

Other DOD

1 Lt. Col. Austin W. Kibler, Director
Human Resources Research Office
Advanced Research Projects Agency
1400 Wilson Boulevard
Arlington, VA 22209

1 Mr. Helga Yeich, Director
Program Management, Defense Advanced
Research Projects Agency
1400 Wilson Boulevard
Arlington, VA 22209

1 Dr. Ralph R. Center
Director for Manpower Research
Office of Secretary of Defense
The Pentagon, Room 3C980
Washington, DC 20301

Other Government

1 Dr. Lorraine D. Eyde
Personnel Research and Development Center
U.S. Civil Service Commission, Room 3458
1900 E. Street, N.W.
Washington, DC 20415

1 Dr. Vern Urry
Personnel Research and Development
Center
U.S. Civil Service Commission
Washington, DC 20415

Miscellaneous

- 1 Dr. Scarvia Anderson
Executive Director for Special
Development
Educational Testing Service
Princeton, NJ 08540
- 1 Dr. Richard C. Atkinson
Stanford University
Department of Psychology
Stanford, CA 94305
- 1 Dr. Bernard M. Bass
University of Rochester
Management Research Center
Rochester, NY 14627
- 1 Mr. H. Dean Brown
Stanford Research Institute
333 Ravenswood Avenue
Menlo Park, CA 94025
- 1 Mr. Michael W. Brown
Operations Research, Inc.
1400 Spring Street
Silver Spring, MD 20910
- 1 Dr. Ronald P. Carver
American Institutes for Research
8555 Sixteenth Street
Silver Spring, MD 20910
- 1 Century Research Corporation
4113 Lee Highway
Arlington, VA 22207
- 1 Dr. Kenneth E. Clark
University of Rochester
College of Arts and Sciences
River Campus Station
Rochester, NY 14627
- 1 Dr. Rene' V. Dawis
University of Minnesota
Department of Psychology
Minneapolis, MN 55455
- 1 Dr. Norman R. Dixon
Associate Professor of Higher
Education
University of Pittsburgh
617 Cathedral of Learning
Pittsburgh, PA 15213
- 1 Dr. Robert Dubin
University of California
Graduate School of Administration
Irvine, CA 92664
- 1 Dr. Marvin D. Dunnette
University of Minnesota
Department of Psychology
N492 Elliott Hall
Minneapolis, MN 55455
- 1 Dr. Victor Fields
Department of Psychology
Montgomery College
Rockville, MD 20850
- 1 Dr. Edwin A. Fleishman
American Institutes for Research
8555 Sixteenth Street
Silver Spring, MD 20910
- 1 Dr. Robert Glaser, Director
University of Pittsburgh
Learning Research and Development Center
Pittsburgh, PA 15213
- 1 Dr. Albert S. Glickman
American Institutes for Research
8555 Sixteenth Street
Silver Spring, MD 20910
- 1 Dr. Duncan N. Hansen
Florida State University
Center for Computer-Assisted Instruction
Tallahassee, FL 32306
- 1 Dr. Harry H. Harman
Educational Testing Service
Division of Analytical Studies
and Services
Princeton, NJ 08540
- 1 Dr. Richard S. Hatch
Decision Systems Associates, Inc.
11428 Rockville Pike
Rockville, MD 20852

BEST COPY AVAILABLE

- 1 Dr. M. D. Havron
Human Sciences Research, Inc.
Westgate Industrial Park
7710 Old Springhouse Road
McLean, VA 22101
- 1 Human Resources Research Organization
Division #3
P.O. Box 5787
Presidio of Monterey, CA 93940
- 1 Human Resources Research Organization
Division #4, Infantry
P.O. Box 2086
Fort Benning, GA 31905
- 1 Human Resources Research Organization
Division #5, Air Defense
P.O. Box 6057
Fort Bliss, TX 79916
- 1 Human Resources Research Organization
Division #6, Library
P.O. Box 428
Fort Rucker, AL 36360
- 1 Dr. Lawrence B. Johnson
Lawrence Johnson and Associates, Inc.
200 S Street, N.W., Suite 502
Washington, DC 20009
- 1 Dr. Norman J. Johnson
Carnegie-Mellon University
School of Urban and Public Affairs
Pittsburgh, PA 15213
- 1 Dr. Frederick M. Lord
Educational Testing Service
Princeton, NJ 08540
- 1 Dr. E. J. McCormick
Purdue University
Department of Psychological Sciences
Lafayette, IN 47907
- 1 Dr. Robert R. Mackie
Human Factors Research, Inc.
6780 Cortona Drive
Santa Barbara Research Park
Goleta, CA 93017
- 1 Mr. Edmond Marks
109 Grange Building
Pennsylvania State University
University Park, PA 16802
- 1 Dr. Leo Munday
Vice President
American College Testing Program
P.O. Box 168
Iowa City, IA 52240
- 1 Mr. Luigi Petrullo
2431 North Edgewood Street
Arlington, VA 22207
- 1 Dr. Robert D. Pritchard
Assistant Professor of Psychology
Purdue University
Lafayette, IN 47907
- 1 Dr. Diane M. Ramsey-Klee
R-K Research & System Design
3947 Ridgemoor Drive
Malibu, CA 90265
- 1 Dr. Joseph W. Rigney
Behavioral Technology Laboratories
University of Southern California
3717 South Grand
Los Angeles, CA 90007
- 1 Dr. George E. Rowland
Rowland and Company, Inc.
P.O. Box 61
Haddonfield, NJ 08033
- 1 Dr. Benjamin Schneider
University of Maryland
Department of Psychology
College Park, MD 20742
- 1 Dr. Arthur I. Siegel
Applied Psychological Services
Science Center
404 East Lancaster Avenue
Wayne, PA 19087

BEST COPY AVAILABLE

1 Mr. Dennis J. Sullivan
725 Benson Way
Thousand Oaks, CA 91360

1 Dr. Anita West
Denver Research Institute
University of Denver
Denver, CO 80210

1 Dr. John Annett
The Open University
Milton Keynes
Buckinghamshire
ENGLAND

1 Dr. Charles A. Ullmann
Director, Behavioral Sciences Studies
Information Concepts Incorporated
1701 No. Ft. Myer Drive
Arlington, VA 22209

1 Dr. H. Peter Dachler
University of Maryland
Department of Psychology
College Park, MD 20742