

DOCUMENT RESUME

ED 090 015

SE 017 568

AUTHOR Thompson, Russ; Fuller, Albert
TITLE Algebra I, Package 03-04, Solving Equations and Problems.
INSTITUTION Arnold Public Schools, Nebr.
SPONS AGENCY Bureau of Elementary and Secondary Education (DHEW/OE), Washington, D.C.
PUB DATE 72
NOTE 42p.; For related documents; see SE 017 553 through 567 and SE 017 569 through 575 .
EDRS PRICE MF-\$0.75 HC-\$1.85 PLUS POSTAGE
DESCRIPTORS *Algebra; Grade 9; Individualized Instruction; *Instructional Materials; Objectives; Problem Solving; *Secondary School Mathematics; *Teaching Guides; *Tests
IDENTIFIERS Elementary Secondary Education Act Title III; ESEA Title III

ABSTRACT

This teacher guide is part of the materials prepared for an individualized program for ninth-grade algebra and basic mathematics students. Materials written for the program are to be used with audiovisual lessons recorded on tape cassettes. For an evaluation of the program, see ED 086 545. In this guide, the teacher is provided with objectives for each topic area and guided to materials written for a given topic. Three short criterion tests are included for each topic covered. Techniques for solving algebraic equations are presented in this package. This work prepared under an ESEA Title III contract. (JP)

ED 090 015

U S DEPARTMENT OF HEALTH,
EDUCATION & WELFARE
NATIONAL INSTITUTE OF
EDUCATION

THIS DOCUMENT HAS BEEN REPRODU-
CED EXACTLY AS RECEIVED FROM
THE PERSON OR ORGANIZATION ORIGIN-
ATING IT. POINTS OF VIEW OR OPINIONS
STATED DO NOT NECESSARILY REPRESENT
OFFICIAL NATIONAL INSTITUTE OF
EDUCATION POSITION OR POLICY.

ALGEBRA I

Package # 03-04

SOLVING EQUATIONS AND PROBLEMS

Prepared By

Russ Thompson and Albert Fuller

**Under a Grant From
ESEA, Title III, Nebraska Department of Education
Jack Baillie, Administrator
to
Arnold Public Schools, Arnold, Nebraska**

© ARNOLD PUBLIC SCHOOLS 1972

"PERMISSION TO REPRODUCE THIS COPY-
RIGHTED MATERIAL HAS BEEN GRANTED BY
Russell Thompson
Albert Fuller

TO ERIC AND ORGANIZATIONS OPERATING
UNDER AGREEMENTS WITH THE NATIONAL IN-
STITUTE OF EDUCATION. FURTHER REPRO-
DUCTION OUTSIDE THE ERIC SYSTEM RE-
QUIRES PERMISSION OF THE COPYRIGHT
OWNER."

5
57 568
ERIC
Full Text Provided by ERIC

SOLVING EQUATIONS AND PROBLEMS

You have had some experience in solving simple open sentences. However, the methods you will learn in this package are more sophisticated than the methods you have been using and are based upon some of the properties of real numbers. It is very important that you understand and use the methods presented in this package. Do not make the mistake of ignoring the new methods and continuing to use the old. Eventually, the problems you are asked to solve will become so difficult that the old methods will not suffice. If you have not learned the new methods, you will not be able to solve the problem.

PACKAGE GOAL: to understand and be able to use the new methods of solving equations and problems.

PACKAGE OBJECTIVES:

1. Given an equation such as $x + 31 = 8$ or $x - 5 = 13$, show how to solve by using transformation by addition.
2. Given an equation such as $x + 31 = 8$, show how to solve by using transformation by subtraction.
3. Given an equation such as $\frac{1}{8}x = 132$ or $3x = 96$, show how to solve by using transformation by multiplication.
4. Given an equation such as $3x = 96$, show how to solve by using transformation by division.
5. Given an equation, show how to solve by using as many transformations as necessary.
6. Given an equation having the variable in both members, show how to solve it.
7. Given a word problem, write an equation which is the translation of the word problem, then write the solution.
8. Given a function, write the value of the function for any given member of the domain.

I. II. # 03-04-01

Transforming Equations by Addition

OBJECTIVES:

1. When asked to state the addition property of equality, you will write, "If $a, b,$ and c are any real numbers such that $a = b,$ then $a + c = b + c$ and $c + a = c + b$ ".
2. Given an equation such as $x + 31 = 8$ or $x - 5 = 13,$ show how to solve by using transformation by addition.

ACTIVITIES:**Study:**

S & M: pages 111 - 114 (objectives 1 and 2).

Suggested exercises:

S & M: pages 115 - 116; ex. 1 - 25, odd (objective 2).

Criterion Test 03-04-01-01

1. State the additive property of equality.
2. Solve by using transformation by addition.
(Show all steps.)
 - (a) $x + 19 = 25$
 - (b) $-7 + x = 13$
 - (c) $-x + 15 = 12$

Criterion Test 03-04-01-02

1. State the additive property of equality.
2. Solve by using transformation by addition.
(Show all steps.)
 - (a) $x + 8 = -13$
 - (b) $-7 + x = -3$
 - (c) $-x + 5 = 17$

Criterion Test 03-04-01-03

1. State the additive property of equality.
2. Solve by using transformation by addition.
(Show all steps.)
 - (a) $x + 14 = 3$
 - (b) $-11 + x = 14$
 - (c) $-x + 3 = 11$

Answers to Criterion Tests

Criterion Test 03-04-01-01

1. If a , b , and c are any real numbers such that $a = b$, then $a + c = b + c$ and $c + a = c + b$.
2. (a) $x + 19 = 25$
 $x + 19 + (-19) = 25 + (-19)$
 $x = 6$
- (b) $-7 + x = 13$
 $7 + (-7) + x = 7 + 13$
 $x = 20$
- (c) $-x + 15 = 12$
 $-x + 15 + (-15) = 12 + (-15)$
 $-x = -3$
 $x = 3$

Criterion Test 03-04-01-02

1. If a , b , and c are any real numbers such that $a = b$, then $a + c = b + c$ and $c + a = c + b$.
2. (a) $x + 8 = -13$
 $x + 8 + (-8) = -13 + (-8)$
 $x = -21$
- (b) $-7 + x = -3$
 $7 + (-7) + x = 7 + (-3)$
 $x = 4$
- (c) $-x + 5 = 17$
 $-x + 5 + (-5) = 17 + (-5)$
 $-x = 12$
 $x = -12$

ANSWERS TO CRITERION TESTS:

Criterion Test 03-04-01-03

1. If a , b , and c are any real numbers such that $a = b$, then $a + c = b + c$ and $c + a = c + b$.

2. (a) $x + 14 = 3$
 $x + 14 + (-14) = 3 + (-14)$
 $x = -11$

(b) $-11 + x = 14$
 $11 + (-11) + x = 11 + 14$
 $x = 25$

(c) $-x + 3 = 11$
 $-x + 3 + (-3) = 11 + (-3)$
 $-x = 8$
 $x = -8$

I. U. # 03-04-02

Transforming Equations By Subtraction

OBJECTIVES:

1. When asked to state the rule for subtraction, you will write, "For all real numbers a and b , $a - b = a + (-b)$."
2. Given two real numbers, find their difference.
3. Given an equation such as $x + 31 = 8$, show how to solve by using transformation by subtraction.

ACTIVITIES:**Study:**

S & M: pages 116 - 118 (pay special attention to example 4, part b, on page 118. (objectives 1, 2, and 3)).

Suggested exercises:

S & M: page 121; ex. 1 - 17, odd (objective 2).
page 121; ex. 19 - 26, (objective 3).

Criterion Test 03-04-02-01

1. State the rule for subtraction.
2. Rewrite each of the following differences as a sum and simplify.
 - (a)
$$\begin{array}{r} -32 \\ -17 \\ \hline \end{array}$$
 - (b)
$$\begin{array}{r} 48 \\ -13 \\ \hline \end{array}$$
 - (c)
$$\begin{array}{r} -10 \\ -5 \\ \hline \end{array}$$
 - (d) $(x + 7) - (x - 3)$
3. Solve by using transformation by subtraction. (Show all steps)
 - (a) $x + 38 = 14$
 - (b) $-17 = y + 6$

Criterion Test 03-04-02-02

1. State the rule for subtraction.
2. Rewrite each of the following differences as a sum and simplify.
 - (a)
$$\begin{array}{r} -17 \\ -11 \\ \hline \end{array}$$
 - (b)
$$\begin{array}{r} -4 \\ -3 \\ \hline \end{array}$$
 - (c)
$$\begin{array}{r} 14 \\ -17 \\ \hline \end{array}$$
 - (d) $(x + 1) - (-2 + x)$
3. Solve by using transformation by subtraction. (Show all steps)
 - (a) $x + 17 = 31$
 - (b) $-5 = y + 9$

Criterion Test 03-04-02-03

1. State the rule for subtraction.
2. Rewrite each of the following differences as a sum and simplify.
 - (a)
$$\begin{array}{r} -14 \\ -8 \\ \hline \end{array}$$
 - (b)
$$\begin{array}{r} -8 \\ -11 \\ \hline \end{array}$$
 - (c)
$$\begin{array}{r} 32 \\ -19 \\ \hline \end{array}$$
 - (d) $(x + 5) - (-4 + x)$
3. Solve by using transformation by subtraction. (Show all steps)
 - (a) $x + 10 = 20$
 - (b) $-15 = y + 15$

Answers (continued)

Criterion Test 03-04-02-03

1. For all real numbers a and b , $a - b = a + (-b)$.

2. (a) $\frac{-14}{-8}$ (b) $\frac{-8}{11}$ (c) $\frac{32}{19}$
 $\frac{-8}{-22}$ $\frac{11}{3}$ $\frac{19}{51}$

(d) $(x + 5) + (4 - x) = 9$

3. (a) $x + 10 = 20$
 $x + 10 - 10 = 20 - 10$
 $x = 10$

(b) $-15 = y + 15$
 $-15 - 15 = y + 15 - 15$
 $-30 = y$

I. U. # 03-04-03

Transforming Equations By Multiplication

OBJECTIVES:

1. When asked to state the multiplication property of equality, you will write, "If a, b , and c are any real numbers such that $a = b$, then $ac = bc$ and $ca = cb$."
2. Given an equation such as $\frac{1}{5}x = -32$ or $3x = 96$, show how to solve by using transformation by multiplication.

ACTIVITIES:**Study:**

S & M: pages 123 - 123 (objectives 1 and 2).

Suggested exercises:

S & M: page 125; ex. 1 - 17, odd (objective 2).

CRITERION TESTS

Criterion Test 03-04-03-01

1. State the multiplication property of equality.
2. Solve each equation by using transformation by multiplication. (Show all work.)

(a) $\frac{1}{9}y = 15$

(b) $5x = 125$

(c) $-\frac{1}{7}x = -49$

Criterion Test 03-04-03-02

1. State the multiplication property of equality.
2. Solve each equation by using transformation by multiplication. (Show all work)

(a) $\frac{1}{8}y = 25$

(b) $4x = 24$

(c) $-\frac{1}{3}x = 39$

Criterion Test 03-04-03-03

1. State the multiplication property of equality.
2. Solve each equation by using transformation by multiplication.

(a) $\frac{1}{7}x = 32$

(b) $6x = 54$

(c) $-\frac{1}{8}x = 72$

ANSWERS TO CRITERION TESTS

Criterion Test 03-04-03-01

1. If a , b , and c are any real numbers such that $a = b$, then $ac = bc$ and $ca = cb$.

2. (a) $\frac{1}{9} \cdot y = 15$ (b) $5x = 125$ (c) $\frac{-1}{7}x = -49$
 $9 \cdot \frac{1}{9}y = 9 \cdot 15$ $\frac{1}{5} \cdot 5x = \frac{1}{5} \cdot 125$ $-7 \cdot \left(\frac{-1}{7}x\right) = -7(-49)$
 $y = 135$ $x = 25$ $x = 298$
 $x = 343$

Criterion Test 03-04-03-02

1. If a , b , and c are any real numbers such that $a = b$, then $ac = bc$ and $ca = cb$.

2. (a) $\frac{1}{8}y = 25$ (b) $4x = 24$
 $8 \cdot \frac{1}{8}y = 8 \cdot 25$ $\frac{1}{4} \cdot 4x = \frac{1}{4} \cdot 24$
 $y = 200$ $x = 6$
(c) $\frac{-1}{3}x = 39$
 $-3 \cdot \left(\frac{-1}{3}x\right) = -3 \cdot 39$
 $x = -117$

Criterion Test 03-04-03-03

1. If a , b , and c are any real numbers such that $a = b$, then $ac = bc$ and $ca = cb$.

2. (a) $\frac{1}{7}x = 32$ (b) $6x = 54$
 $7 \cdot \frac{1}{7}x = 7 \cdot 32$ $\frac{1}{6} \cdot 6x = \frac{1}{6} \cdot 54$
 $x = 224$ $x = 9$
(c) $\frac{-1}{8}x = 72$
 $-8 \left(\frac{-1}{8}x\right) = -8(72)$
 $x = -576$

I. U. # 03-04-04

Transforming Equations By Division

OBJECTIVES:

1. When asked to state the rule for division, you will write, "For all real numbers a and all non-zero numbers b , $a \div b = a \cdot 1/b$."
2. Given two real numbers, find their quotient
3. Given an equation such as $3x = 96$, show how to solve by using transformation by division.

ACTIVITIES:**Study:**

S & M: pages 125 - 127 (pay special attention to part a of the example on page 127) (objectives 1, 2, and 3).

HBW: pages 82 - 83 (objective 2).

Suggested exercises:

S & M: page 129; ex. 7 - 17, odd (objective 2).
page 129; ex. 19 - 25, odd (objective 3).

HBW: page 83; ex. 1 - 12 (objective 2).

Criterion Test 03-04-04-01

1. State the rule for division.
2. State the value of each quotient.
 - (a) $39 \div (-3)$
 - (b) $0/6$
 - (c) $6/-2$
 - (d) $\frac{-8}{-1/2}$
3. Solve by using transformation by division. (Show all steps.)
 - (a) $33x = 231$
 - (b) $-7x = 35$

Criterion Test 03-04-04-02

1. State the rule for division.
2. State the value of each quotient.
 - (a) $72 \div (-8)$
 - (b) $8/-4$
 - (c) $0/7$
 - (d) $\frac{-6}{-1/3}$
3. Solve by using transformation by division. (Show all steps.)
 - (a) $15x = 225$
 - (b) $-5x = 35$

Criterion Test 03-04-04-03

- 1. State the rule for division.**
- 2. State the value of each quotient.**
 - (a) $45 \div (-9)$**
 - (b) $10 \div -2$**
 - (c) $0 \div -5$**
 - (d) $-14 \div -7$**
- 3. Solve by using transformation by division. (Show all steps.)**
 - (a) $12x = 144$**
 - (b) $-3x = -54$**

Answers:

Criterion Test 03-04-04-01

1. For all real numbers a and all non zero numbers b , $a + b = a \cdot 1/b$.
2. (a) -13 (b) 0 (c) -3 (d) 16
3. (a) $33x = 231$
 $\frac{33x}{33} = \frac{231}{33}$
 $x = 7$
- (b) $-7x = 35$
 $\frac{-7x}{-7} = \frac{35}{-7}$
 $x = -5$

Criterion Test 03-04-04-02

1. For all real numbers a and all non zero real numbers b , $a + b = a + 1/b$.
2. (a) -9 (b) -2 (c) 0 (d) 18
3. (a) $15x = 225$
 $\frac{15x}{15} = \frac{225}{15}$
 $x = 15$
- (b) $-5x = 35$
 $\frac{-5x}{-5} = \frac{35}{-5}$
 $x = -7$

Criterion Test 03-04-04-03

1. For all real numbers a and all non zero numbers b , $a + b = a \cdot 1/b$.
2. (a) -5 (b) -5 (c) 0 (d) 2
3. (a) $12x = 144$
 $\frac{12x}{12} = \frac{144}{12}$
 $x = 12$
- (b) $-3x = -54$
 $\frac{-3x}{-3} = \frac{-54}{-3}$
 $x = 18$

I. U. # 03-04-05

**Using Several Transformations
To Solve Equations**

You will need to recall:

An expression like $3x + 5x$ can be simplified by using the distributive property: $3x + 5x = (3 + 5)x = 8x$. Also,

$$\frac{x}{5} = \frac{1}{5} \cdot x$$

OBJECTIVE:

1. Given an equation, show how to solve it by using as many transformations as necessary.

ACTIVITIES:

Study:

S & M: pages 130 - 131 (objective 1).

Suggested exercises:

S & M: page 132; ex. 1 - 29, odd (objective 1).

Criterion Test 03-04-05-01

1. Solve: (Show all steps)

(a) $4x + 5 = 17$

(b) $x/5 - 7 = -13$

(c) $5x + 3x - 4x = -16$

(d) $-7 + 4x - x + 12 = -4$

Criterion Test 03-04-05-02

1. Solve: (Show all steps)

(a) $3x - 5 = 16$

(b) $x/2 + 8 = -12$

(c) $5x + 14x - 9x = 100$

(d) $4x - 2 + 8 - 2x = -14$

Criterion Test 03-04-05-03

1. Solve: (Show all steps)

(a) $8x + 5 = -11$

(b) $-6 + x/3 = 12$

(c) $11x - 7x + 2x = 48$

(d) $12 - 3x + 8x - 12 = -30$

Answers:

Criterion Test 03-04-05-01

1. (a) $4x + 5 = 17$
 $4x + 5 - 5 = 17 - 5$
 $4x = 12$
 $4x/4 = 12/4$
 $x = 3$

(b) $x/5 - 7 = -13$
 $x/5 - 7 + 7 = -13 + 7$
 $x/5 = -6$
 $5 \cdot x/5 = 5 \cdot (-6)$
 $x = -30$

(c) $5x + 3x - 4x = -16$
 $4x = -16$
 $4x/4 = -16/4$
 $x = -4$

(d) $-7 + 4x - x + 12 = -4$
 $5 + 3x = -4$
 $-5 + 5 + 3x = -5 + (-4)$
 $3x = -9$
 $3x/3 = -9/3$
 $x = -3$

Criterion Test 03-04-05-02

1. (a) $3x - 5 = 16$
 $3x - 5 + 5 = 16 + 5$
 $3x = 21$
 $3x/3 = 21/3$
 $x = 7$

(b) $x/2 + 8 = -12$
 $x/2 + 8 - 8 = -12 - 8$
 $x/2 = -20$
 $2 \cdot x/2 = 2 \cdot (-20)$
 $x = -40$

(c) $5x + 14x - 9x = 100$
 $10x = 100$
 $10x/10 = 100/10$
 $x = 10$

(d) $4x - 2 + 8 - 2x = -14$
 $2x + 6 = -14$
 $2x + 6 - 6 = -14 - 6$
 $2x = -20$
 $2x/2 = -20/2$
 $x = -10$

Answers (continued)

Criterion Test 03-04-05-03

1. (a) $8x + 5 = -11$
 $8x + 5 - 5 = -11 - 5$
 $8x = -16$
 $8x/8 = -16/8$
 $x = -2$

(c) $11x - 7x + 2x = 48$
 $6x = 48$
 $6x/6 = 48/6$
 $x = 8$

(b) $-6 + x/3 = 12$
 $6 - 6 + x/3 = 12 + 6$
 $x/3 = 18$
 $3 \cdot x/3 = 3 \cdot 18$
 $x = 54$

(d) $12 - 3x + 8x - 12 = -30$
 $5x = -30$
 $5x/5 = -30/5$
 $x = -6$

I. U. # 03-04-06

**Solving Equations With the
Variable in Both Members**

OBJECTIVE:

1. Given an equation having the variable in both members, show how to solve it.

ACTIVITIES:**Study:**

S & M: pages 138 - 141 (objective 1).

Suggested exercises:

S & M: pages 141 - 142; ex. 1 - 35, odd (red answer book shows some of the steps) (objective 1).

Criterion Test 03-04-06-01

1. Solve each equation for x. (Show steps)

(a) $2x - 3 + 5x = x + 15$

(b) $11x = 8x + 42$

(c) $2x - 42 = -x$

(d) $12w - 8t = 2x$

Criterion Test 03-04-06-02

1. Solve each equation for x. (Show steps)

(a) $-2x + 7 = 5x - 21$

(b) $9x = 84 - 5x$

(c) $4x + 6 = 2x$

(d) $24a - 3x = 5x$

Criterion Test 03-04-06-03

1. Solve each equation for x. (Show steps)

(a) $-14 + x = 4x + 16$

(b) $9x - 70 = 2x$

(c) $54 - 2x = 7x$

(d) $5x - 2y = 1$

Answers:

Criterion Test 03-04-06-01

1. (a) $2x - 3 + 5x = x + 15$
 $7x - 3 = x + 15$
 $7x - x = 15 + 3$
 $6x = 18$
 $6x/6 = 18/6$
 $x = 3$

(b) $11x = 8x + 42$
 $11x - 8x = 42$
 $3x = 42$
 $3x/3 = 42/3$
 $x = 14$

(c) $2x - 42 = -x$
 $2x + x = 42$
 $3x = 42$
 $\frac{3x}{3} = \frac{42}{3}$
 $x = 14$

(d) $12w - 8t = 2x$
 $\frac{12w - 8t}{2} = \frac{2x}{2}$
 $6w - 4t = x$

Criterion Test 03-04-06-02

1. (a) $-2x + 7 = 5x - 21$
 $-2x - 5x = -21 - 7$
 $-7x = -28$
 $\frac{-7x}{-7} = \frac{-28}{-7}$
 $x = 4$

(b) $9x = 84 - 5x$
 $9x + 5x = 84$
 $14x = 84$
 $\frac{14x}{14} = \frac{84}{14}$
 $x = 6$

(c) $4x + 6 = 2x$
 $4x - 2x = 6$
 $2x = 6$
 $\frac{2x}{2} = \frac{6}{2}$
 $x = 3$

(d) $24a - 3x = 5x$
 $24a = 5x + 3x$
 $24a = 8x$
 $\frac{24a}{8} = \frac{8x}{8}$
 $3a = x$

Criterion Test 03-04-06-03

1. (a) $-14 + x = 4x + 16$
 $x - 4x = 16 + 14$
 $-3x = 30$
 $\frac{-3x}{-3} = \frac{30}{-3}$
 $x = -10$

(b) $9x - 70 = 2x$
 $9x - 2x = 70$
 $7x = 70$
 $\frac{7x}{7} = \frac{70}{7}$
 $x = 10$

(c) $54 - 2x = 7x$
 $-2x - 7x = -54$
 $-9x = -54$
 $\frac{-9x}{-9} = \frac{-54}{-9}$
 $x = 6$

(d) $5x - 2y = 1$
 $5x = 2y + 1$
 $\frac{5x}{5} = \frac{2y + 1}{5}$
 $x = \frac{2y + 1}{5}$

I. U. # 03-04-07

Using Equations to Solve Problems

OBJECTIVE:

1. Given a word problem, write an equation which is the translation of the word problem, then write the solution.

ACTIVITIES:**Study:**

S & M: pages 133 - 134 (objective 1).
pages 142 - 143, sample problem (objective 1).

H B W: pages 130 - 131, 132 - 133, and example on pages 135.

Be sure you read each problem carefully. Do not set out to solve a problem until you thoroughly understand it. Do not try to memorize a pattern for solving a certain type of problem, but instead, learn how to translate from a word description to a numerical sentence. If you will do this you can solve any word problem that leads to a number sentence you can solve. This is a very important instructional unit because solving problems is what mathematics is all about.

Suggested exercises:

S & M: pages 135 - 137; ex. 1 - 27, odd (objective 1)
pages ~~134~~ - 165; ex. 1 - 33, odd (objective 1)

143

Criterion Test 03-04-07-01

1. Write an equation that is the translation of each problem and find the solution.
 - (a) Mrs. Uglymug is five times as old as her daughter, Ikk. Twenty-one years from now, she will be twice as old as Ikk. How old is Ikk?
 - (b) The perimeter of a rectangle is 28 feet. The length is 2 less than 3 times the width. Find the dimensions of the rectangle.
 - (c) The difference of two numbers is 10. Seven times the smaller number is 2 more than the larger. What are the numbers?

Criterion Test 03-04-07-02

1. Write an equation that is the translation of each problem and find the solution.
 - (a) Two years from now, Sylvester will be twice as old as Ferdinand. Now he is 5 years older than Ferdinand. How old is Ferdinand?
 - (b) Homer Brewer bought a bottle and a fancy cork for 75¢. If the cork cost 5¢ more than the bottle, find the cost of each.
 - (c) The length of a rectangle is twice the width. The perimeter is 60 yards. Find the dimensions.

Criterion Test 03-04-07-03

1. Write an equation that is the translation of each problem and find the solution.
 - (a) If 5 is subtracted from three times a number, the result is 10. What is the number?
 - (b) A six foot board is cut into two pieces, one twice as long as the other. How long are the pieces?
 - (c) Dilbert Dingbat weighs 12 pounds more than twice the weight of his sister, Della. What is the weight of each if their combined weight totals 180 pounds?

Answers:

Criterion Test 03-04-07-01

1. (a) let x = Ikk's age now
 $5x$ = Mrs. Uglymug's age now
 $x + 21$ = Ikk's age in 21 years
 $5x + 21$ = Mrs. Uglymug's age in 21 years

$$5x + 21 = 2(x + 21)$$

$$5x + 21 = 2x + 42$$

$$5x - 2x = 42 - 21$$

$$3x = 21$$

$$x = 7$$

Ikk is 7 years old

- (b) let x = width
 $3x - 2$ = length

$$2x + 2(3x - 2) = 28$$

$$2x + 6x - 4 = 28$$

$$8x = 28 + 4$$

$$8x = 32$$

$$x = 4$$

The rectangle is 4 ft. by 10 ft.

- (c) let x = smaller number
 $x + 10$ = larger number

$$7x = 2 + x + 10$$

$$7x - x = 12$$

$$6x = 12$$

$$x = 2$$

$$x + 10 = 12$$

the smaller number is 2

the larger number is 12

Answers:

Criterion Test 03-04-07-02

1. (a) let x = Ferdinand's age now
 $x + 5$ = Sylvester's age now
 $x + 2$ = Ferdinand's age two years from now
 $x + 7$ = Sylvester's age two years from now

$$\begin{aligned}x + 7 &= 2(x + 2) \\x + 7 &= 2x + 4 \\x - 2x &= 4 - 7 \\-x &= -3 \\x &= 3\end{aligned}$$

Ferdinand is 3 years old

- (b) let x = cost of bottle
 $x + 5$ = cost of cork

$$\begin{aligned}x + (x + 5) &= 75 \\2x + 5 &= 75 \\2x &= 70 \\x &= 35\end{aligned}$$

The bottle cost 35¢, and the cork cost 40¢

- (c) let x = width
 $2x$ = length

$$\begin{aligned}2(x) + 2(2x) &= 60 \\2x + 4x &= 60 \\6x &= 60 \\x &= 10\end{aligned}$$

The rectangle is 10 yards by 20 yards

Answers:

Criterion Test 03-04-07-03

1. (a) let x = the number

$$3x - 5 = 10$$

$$3x = 15$$

$$x = 5$$

The number is 5

- (b) let x = shorter piece
 $2x$ = longer piece

$$x + 2x = 6$$

$$3x = 6$$

$$x = 2$$

The pieces are 2 ft. and 4 ft.

- (c) let x = weight of Della
 $2x + 12$ = weight of Dilbert

$$x + (2x + 12) = 180$$

$$3x = 180 - 12$$

$$3x = 168$$

$$x = 56$$

Della weighs 56 pounds and Dilbert weighs 124 pounds

I. U. # 03-04-08

Functions

OBJECTIVES:

1. Given a notation such as $f: x \rightarrow x^2 + 1$, write the meaning of the notation.
2. Given a function and its domain, specify the range of the function.
3. Given a function, write the value of the function for any given member of the domain.

ACTIVITIES:

Study:

S & M: pages 146 - 148 (objectives 1,2, and 3).

Suggested exercises:

S & M: page 148; ex. 1 - 6 (objective 1).
page 149; ex. 7 - 15, odd (objective 2).
page 149 - 150; ex. 17 - 35, odd (objective 3).

Criterion Test 03-04-08-01

1. Give the meaning of $k: n \rightarrow 3n^2 + 1$
2. Specify in roster form the range of the given function.
 - (a) $g: x \rightarrow x(x + 3), D = \{0, 3, -7\}$
 - (b) $h: y \rightarrow y^2 - 1, D = \{1, 3, 5\}$
3. Given $f: f(x) = (x + 2)^2$, find:
 - (a) $f(3)$
 - (b) $f(-2)$

Criterion Test 03-04-08-02

1. Give the meaning of $g: x \rightarrow x^2 - 5$
2. Specify in roster form the range of the given function.
 - (a) $f: x \rightarrow 2x^2 + 1, D = \{2, 4, -6\}$
 - (b) $h: y \rightarrow y - 2, D = \{47, 48, 50\}$
3. Given $f: f(x) = x(2x-1)$, find:
 - (a) $f(-3)$
 - (b) $f(4)$

Criterion Test 03-04-08-03

1. Give the meaning of $h: x \rightarrow x - 7$
2. Specify in roster form the range of the given function.
 - (a) $f: x \rightarrow 2x + 2, D = \{-5, -3, 0\}$
 - (b) $g: y \rightarrow y^2 - y, D = \{-3, 4, 5\}$
3. Given $f: f(x) = 2x^2 + 1$, find:
 - (a) $f(-2)$
 - (b) $f(2)$

Answers:

Criterion Test 03-04-08-01

1. The function k that pairs n with $3n^2 + 1$.
2. (a) $R = \{0, 18, 28\}$
(b) $R = \{0, 8, 24\}$
3. (a) 25
(b) 0

Criterion Test 03-04-08-02

1. The function g that pairs x with $x^2 - 5$.
2. (a) $R = \{9, 33, 73\}$
(b) $R = \{45, 46, 48\}$
3. (a) 21
(b) 28

Criterion Test 03-04-08-03

1. The function h that pairs x with $x - 7$.
2. (a) $R = \{-10, -4, 2\}$
(b) $R = \{12, 12, 20\}$
3. (a) 9
(b) 9

03-04

END OF PACKAGE