### DOCUMENT RESURE

ED 096 516 CE 002 146

TITLE Hational Ambulatory Medical Care Survey: Background

and Methodology. United States-1967-72. Vital and Health Statistics. Data Evaluation and Methods

Research. Series 2, No. 61.

INSTITUTION National Center for Health Statistics (DHEW).

Rockville, Md.

REPORT NO DHEW-HRA-74-1335

PUB DATE Apr 74
NOTE 85p.

AVAILABLE FROM Superintendent of Documents, U. S. Government

Printing Office, Washington, D. C. 20402 (\$1.25)

EDRS PRICE MF-\$0.75 HC-\$4.20 PLUS POSTAGE

DESCRIPTORS Data Collection; Feasibility Studies; Medical

Research; \*Medical Services; \*National Surveys;

\*Research Design; \*Research Methodology; Statistical

**.** 

Data; \*Tables (Data)

IDENTIFIERS \*Ambulatory Health Care

#### ABSTRACT

The report describes the initial design and the preliminary background exploration, subsequent development, and feasibility testing of methods for conducting a continuing National Ambulatory Medical Care Survey (NAMCS). Selected feasibility study findings are presented to illustrate collected data and suggest kinds of information that may be expected when substantive survey results become available on a continuing national basis. NAMCS was authorized to gather and disseminate statistical information about ambulatory health care provided by office-based physicians to the population of the United States. Ambulatory health care is defined as health services rendered individuals under their own cognizance, at a time when they are not in a hospital or other health care institution. Thirteen pages of detailed tables present the survey results regarding annual volume (1967-1972) and rates of patient visits for population groups, medical specialty groups, and geographic areas. Quantitative descriptions of visit characteristics include tabulations of patient's problems, reasons for visit, diagnoses, services, treatment, and subsequent disposition. The 40-page appendix presents the data collection forms for the survey and field tests. (AG)



NČHS

# National Ambulatory Medical Care Survey:

**Background and Methodology** 

US DEPARTMENT OF HEALTH EDUCATION & WELFARE NATIONAL INSTITUTE OF

The second secon

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
Public Health Service



# BEST COPY AVAILABLE



# Library of Congress Cataloging in Publication Data

National ambulatory medical care statistics.

(Data evaluation and methods research, series 2, no. 61) (DHEW publication no. (HRA) 74-1335)

"Prepared for the Division of Health Resources Statistics, National Center for Health Statistics."

Supt. Docs. no.: HE 20.6209: 2/61

Includes bibliographical references.

1. Medical statistics. 2. Medical care-United States-Statistics. I. White, Kerr L., joint author. II. Williamson, John W., joint author. III. United States. National Center for Health Statistics. Division of Health Resources Statistics. IV. Title. V. Series: United States. National Center for Health Statistics. Vital and health statistics. Series 2: Data evaluation and methods research, no. 61. VI. Series: United States. Dept. of Realth, Education, and Welfare. DHEW publication no. (HRA) 74-1335. [DNLM: 1. Ambulatory care-Statistics. 2. Health surveys-U.S. WB16 T298n 1967-72]

RA409.U45 no. 61 312'.01'82s [362.1'0973] 73-20225



ED 096516

# National Ambulatory Medical Care Survey:

**Background and Methodology** 

**United States-1967-72** 

A report on feasibility studies of methods developed for collecting national ambulatory medical care data from practicing office-based physicians in the United States, 1967-72, prepared for the Division of Health Resources Statistics, National Center for Health Statistics, Health Resources Administration, U.S. Department of Health, Education, and Welfare.

DHEW Publication No. (HRA) 74-1335

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE Public Health Service

Health Resources Administration National Center for Health Statistics

Rockville, Md.

**April 1974** 



# NATIONAL CENTER FOR HEALTH STATISTICS

EDWARD B. PERRIN, Ph.D., Director

PHILIP S. LAWRENCE, Sc.D., Deputy Director
DEAN E. KRUEGER. Acting Associate Director for Analysis
GAIL F. FISHER, Associate Director for the Cooperative Health Statistics System
ELIJAH L. WHITE, Associate Director for Data Systems
IWAO M. MORIYAMA, Ph.D., Associate Director for International Statistical Programs
EDWARD E. MINTY, Associate Director for Management
ROBERT A. ISRAEL, Associate Director for Operations
QUENTIN R. REMEIN, Associate Director for Program Development
PHILIP S. LAWRENCE, Sc.D., Acting Associate Director for Research
ALICE HAYWOOD, Information Officer

# DIVISION OF HEALTH RESOURCES UTILIZATION STATISTICS

SIEGFRIED A. HOERMANN, Acting Director
PETER L. HURLEY, Acting Deputy Director

JAMES F. DELOZIER, Acting Chief, Ambulatory Care Statistics Branch
WILLIAM F. STEWART, Chief, Family Planning Statistics Branch
ABRAHAM L. RANOFSKY, Cnief, Hospital Discharge Survey Branch

Vital and Health Statistics-Series 2-No. 61

DHEW Publication No. (HRA) 74-1335

Library of Congress Catalog Card Number 73-20225



# **PREFACE**

This report describes the initial design and the preliminary background exploration, subsequent development, and feasibility testing of methods for conducting a continuing National Ambulatory Medical Care Survey (NAMCS). The purpose of NAMCS is to gather and disseminate statistical information on the provision and use of ambulatory health care services in the United States. The work reported here was accomplished from 1967 through 1972, but germinal planning for these methodologic studies stemmed from the report of the Subcommittee on National Morbidity Survey of the U.S. National Committee on Vital and Health Statistics published in 1953. In the 20-year interim, social and technologic changes as well as the efforts of interested organizations, involved individuals, and farsighted leaders contributed to the inauguration of the 1973 NAMCS. Principal contributors during the period of this report were representatives from endorsing medical organizations; the NAMCS Technical Advisory Panel; the contracting organizations—Lea, Inc., and the National Opinion Research Center; the Department of Medical Care and Hospitals of The Johns Hopkins University; and both the National Center for Health Services Research and Development and the National Center for Health Statistics, of the Health Services and Mental Health Administration, U.S. Department of Health, Education, and Welfare.

The principal national sources of statistical information about ambulatory medical care are the practicing, office-based physicians. Without their cooperation this research would not have been possible. Major medical organizations that endorsed the NAMCS project early were as follows: American Medical Association; National Medical Association; American Academy of Dermatology; American Academy of Family Physicians; American Academy of Neurology; American Academy of Orthopaedic Surgeons; American Academy of Pediatrics; American Association of Neurologic Surgeons; American College of Obstetricians and Gynecologists; American College of Physicians; American College of Preventive Medicine; American College of Surgeons; American Osteopathic Association; American Proctologic Society; American Psychiatric Association; American Society of Internal Medicine; American Society of Plastic and Reconstructive Surgeons; American Urologic Association; and Association of American Medical Colleges.

The NAMCS Technical Advisory Panel of individuals with ambulatory health care interests and expertise served as a committee of consultants to the feasibility study from its beginning. Committee members were the following: Theodore R. Ervin; Todd M. Frazier;



and Drs. Barbara Bates, Robert J. Haggerty, Jean L. Harris, Howard H. Hiatt, Robert R. Huntley, Hugh H. Hussey, R. Robert Flalinowski, Chester F. Keefer (deceased), Charles E. Lewis, Kenneth D. Rogers, Paul J. Sanazaro, Patrick B. Storey, and Kerr L. White. Consultants from the Department of Medical Care and Hospitals of the Johns Hopkins University School of Hygiene and Public Health in Baltimore were Drs. James B. Tenney, Kerr L. White, and John W. Williamson.

The National Center for Health Statistics provided sponsorship, supervision, and technical staff support for the entire NAMCS methodologic development project. Siegfried A. Hoermann, Director of the Division of Health Resources Statistics, was Project Administrator and Supervisor; James E. DeLozier has been the Project Officer for the study since 1969; and E. Earl Bryant, of the Office of Statistical Methods, gave consultation and expert assistance for aspects of sampling and survey design.

# **CONTENTS**

rag
Preface
Introduction
Ambulatory Medical Care
Definition and Orientation
Needs and Uses for Information
National Center for Health Statistics Program
Authority and Purpose
Current Survey Operations
National Ambulatory Medical Care Survey
Purpose and Scope
Sample Design
Survey Methods
Field Procedures
Data Collection
Data Processing and Results
Background and Methodology
Exploratory Studies
Literature Summary
Office Records Survey
Initial Forms Design
Feasibility Studies: Field Test: Phase I, 1968-69
Purpose and Design
Survey Results
Conclusions
Feasibility Studies: Field Test: Phase II, 1970-71
Purpose and Design
Survey Results
Conclusions
Illustrative Feasibility Study Findings
Introduction and Methods
Data Source and Volume
Age and Sex of Patients
Problems and Diagnoses
Selected Characteristics of Visits
Summary and Conclusion
References
List of Detailed Tables



# CONTENTS -Con.

	Page
Appendix I. Data Collection Forms, 1973 National Ambulatory	
Medical Care Survey	35
Patient Log and Patient Record, Sampling Every Patient	35
Patient Log and Patient Record, Sampling Every Second Patient	36
Patient Log and Patient Record, Sampling Every Third Patient	36
Patient Log and Patient Record, Sampling Every Fifth Patient	37
Induction Interview Schedule	38
Appendix II. Introductory Letters, 1973 National Ambulatory	
Medical Care Survey	46
Appendix III. Data Collection Forms, Field Test: Phase I	48
Long Form Patient Data	48
Short Form-Patient Data	49
Induction Interview Schedule	50
Patient Form Evaluation Interview Schedule	54
Appendix IV. Data Collection Forms, Field Test: Phase II	60
Short Form and Patient Log for Nonsampling Procedure	60
Short Form With Patient Log for Sampling Procedure	61
Miniform and Patient Log for Nonsampling Procedure	62
Miniform With Patient Log for Sampling Procedure	63
Miniform Without Patient Log for Nonsampling Procedure	64
Enlistment Interview Schedule	. 65
Evaluation Interview Schedule	. 69

# **SYMBOLS**

Data not available	• • •
Category not applicable	• • •
Quantity zero	•
Quantity more than 0 but less than 0.05	0,0
Figure does not meet standards of reliability or precision	*



# NATIONAL AMBULATORY MEDICAL CARE SURVEY: BACKGROUND AND METHODOLOGY

James B. Tenney, M.D., Dr. P.H.; Kerr L. White, M.D.; and John W. Williamson, M.D.

# INTRODUCTION

In April 1973 the National Center for Health Statistics inaugurated the National Ambulatory Medical Care Survey to gather and disseminate statistical information about ambulatory health care provided by office-based physicians to the population of the United States. It is the purpose of the present report to relate the current survey design characteristics and to describe the background and methodology for developing the National Ambulatory Medical Care Survey. Selected feasibility study findings are presented to illustrate collected data and suggest kinds of information that may be expected when substantive survey results become available on a continuing national basis.

#### AMBULATORY MEDICAL CARE

## **Definition and Orientation**

Ambulatory medical care is the predominant pathway for the provision and use of profes-

<sup>d</sup>Dr. Tenney is Assistant Professor and Drs. White and Williamson are Professors at the Johns Hopkins University School of Hygiene and Public Health, Department of Medical Care and Hospitals, Baltimore, Maryland.

sional medical services in the United States. It is defined as health services rendered individuals under their own cognizance, at a time when they are not in a hospital or other health care institution. These services, for the largest part, fall under the category of primary care. Primary care is characterized by direct personal contact between patients seeking help for their health problems, and physicians or other health professionals who try to provide it. Secondary or tertiary care applies to services provided ambulatory patients who are referred to specialists or consultant physicians.<sup>2</sup> By definition ambulatory medical care does not include secondaryand tertiary-level care provided hospital inpatients, or lay services given outside formal health care systems.

Ambulatory care takes place in many settings, from patients' homes, neighborhood health centers, and public clinics to hospital outpatient departments and emergency rooms. However, the largest volume of ambulatory care in this country is provided at the doctor's office.<sup>3</sup> It is there that people go when sick, in distress, or out of sorts, and it is there physicians attend them. Approximately 7 of every 10 Americans consult a physician 1 time or more annually, and 7 of every 10 physicians engaged in patient-care



activities do so principally in office-based practice. According to unpublished data from the 1972 National Health Interview Survey, excluding elephone calls, 80 percent of all physician visits take place in the doctor's office; 13 percent at hospital clinics and emergency rooms; and 7 percent at homes, on jobs, or elsewhere.

# NEEDS AND USES FOR INFORMATION

Important needs for and uses of statistical data on the volume and characteristics of health care provided in physicians' offices are manifest. Yet the apparent importance of population use and professional practice of ambulatory medical care is not reflected in currently available knowledge. Five broad areas for application are particularly prominent:

- 1. National statistics—The summary accounting of events affecting the Nation's governmental as well as public interest—should have continuing data input for surveillance to reflect the ambulatory care component of the Nation's health services systems. Specifically, the information given should be useful in comparing the use of ambulatory services among different groups of the population over time and in assessing the kind and magnitude of effects associated with changes that occur in health care systems.
- 2. Professional education—The systematic preparation of physicians and other health personnel to meet the health care requirements of the public—needs regular reliable data on the health problems of ambulatory and institutionalized patients and on the professional care they receive. The information would be useful in developing educational priorities and in planning desirable curriculum changes in medical and other health care schools. This would insure that graduates are prepared for the tasks they are called to perform or the medical problems they will be encountering.
- 3. Health policy formulation—The selection, at all levels of care, of alternative directions for administration, management, and implementation in personal health services systems—needs relevant data about ambulatory and institutional

- services to evaluate sound choices and rational decisions. The information would be useful in assessing alternative plans for modifying health services organizations and delivery systems.
- 4, Medical practice management—The administration and implementation of decisions affecting the planning and conduct of ordinary office practice and patient care—needs regional and national data reflecting contemporary trends in use of services and treatment of patients. The information would be useful in assuring the maintenance of standards and in comparing the effects of alternative procedural patterns—and—manpower—organizational distributions.
- 5. Quality assurance—The systematic effort to assess and improve the effectivene—and efficiency of medical care—needs ambulatory care data to develop baselines for implementing programs of professional standards review. The information would be particularly useful in establishing priorities for research and development of quality assessment standards, instruments, guidelines, and methods.

# THE NATIONAL CENTER FOR HEALTH STATISTICS PROGRAM

# **Authority and Purpose**

The National Center for Health Statistics (NCHS) is the principal Federal agency with com chensive responsibility for compilation, analysis, and dissemination of health statistics; and it serves as a recognized focal point for national leadership in developing coordinated data collection systems to meet public and private needs. Established in 1960 by authorization under both the Public Health Service and National Health Survey Acts, the Center is a separate rganizational part of the Health Resources Administration in the U.S. Department of Health, Education, and Welfare. Its major mission is "... to develop and maintain systems capable of providing reliable general purpose, national, descriptive health statistics on a continuing basis, and to publish these statistics for the use of the health and related professions and

industries, both public and private."<sup>5</sup> Accordingly, NCHS is fundamentally concerned with the need for, and has a clear mandate to develop and provide national statistics regarding, ambulatory medical care in the United States.

# **Current Survey Operations**

The Center operates a number of national statistical data collection systems: the national vital statistics of births, deaths, fetal deaths, marriages, and divorces; surveys based on samples of the birth and death records; a continuing nationwide survey of households by interviews;

a series of national surveys based on physical examinations of population samples; periodic surveys of nursing homes, hospitals, and other health care facilities and their patients or residents; a continuous national sampling of short-stay hospital records; and surveys of various categories of health manpower based on license renewals, reports from establishments, or other sources. Results are published in several series of statistical reports and are also provided in reference to specific special requests for statistical data or technical assistance. A constant program is maintained to improve these systems and to develop new ones in response to changing needs and demands.

# NATIONAL AMBULATORY MEDICAL CARE SURVEY

The National Ambulatory Medical Care Survey (NAMCS) is the contemporary data collection system constituting the outcome of NCHS' concern with developing objective and reliable quantitative information to measure and describe ambulatory health care services for the U.S. population. The initial (1973) NAMCS design is presented here. The features are endorsed by major organizations within the medical profession listed in the preface and are the result of decisions based on experience from the background investigation and methodologic development described in subsequent sections of the report.

### **PURPOSE AND SCOPE**

The purpose of the NAMCS is to meet needs and demands for statistical information about the provision and use of ambulatory medical care services in the United States. Initially, the target population consists of all office visits within the coterminous United States made by ambulatory patients to physicians who are principally engaged in office-based practice but not in the specialties of anesthesiology, pathology, and radiology or in Government service. Telephone contacts and nonoffice visits are excluded. When resources permit feasible survey methods to be developed, the target population will also include visits to other locations and professionals, thus encompassing the remaining

fraction of ambulatory medical care initially not within its scope. Complex sampling and reporting problems must be resolved to produce reliable statistical information from hospital outpatient departments and emergency rooms, a most important component of this remainder.

#### SAMPLE DESIGN

The only objective and reliable sources of data about physicians' services rendered to ambulatory patients during office visits are the physicians themselves and members of their office staffs. The survey population for the NAMCS' multistage probability sample, therefore, includes all physicians in office-based practice responsible for ambulatory patient care, excluding those in anesthesiology, pathology, and radiology or in Government service. The sampling frame is a list of licensed physician, in office-based practice compiled from files that are classified and maintained by the American Medical Association (AMA) and the American Osteopathic Association (AOA). These files are continuously updated by the AMA and AOA, making them as current and correct as possible at the time of sample selection.

The first-stage sample was designed and selected by the National Opinion Research Center (NORC), a nonprofit research organization affiliated with the University of Chicago, which contracted to carry out all phases of NAMCS



field work. A modified probability-proportional-to-size procedure using separate sampling frames for standard metropolitan statistical areas (SMSA's) and for nonmetropolitan counties was employed. After sorting and stratifying by size, region, and demographic characteristics, each frame was divided into sequential zones of 1 million residents, and a random number w s drawn to determine which primary sampling unit (PSU) came into the sample from each zone. The final first-stage sample contained 87 PSU's, corresponding to individual counties or small groups of contiguous counties across the country.

The second-stage sample was selected from the list of physicians located in sample PSU's ordered by major specialty categories, so that the overall probability for including any individual was the reciprocal of the number of physicians in the frame at the time of selection. A final sample of 1,705 office-based physicians was thus drawn and assigned by random methods to one of the 52 one-week periods in the year for data collection. Samples for subsequent years will exclude with certainty physicians included within the previous 2 years. In subsequent years larger samples may be employed for more precise estimates or more detailed representation of ambulatory medical care information. Reliability will continue to require preservsampling procedures, ing strict statistical unsubstituted collection period assignments, and levels among sample participation high physicians.

## **SURVEY METHODS**

#### **Field Procedures**

To maximize participation levels and minimize data collection requirements, assuring objective and reliable information as a result, NAMCS field procedures uniformly emphasize and accommodate the individual circumstances of sample physicians. After receiving introductory letters from NCHS and AMA or AOA, sample physicians are telephoned by informed and trained NORC interviewers who explain the survey briefly and arrange personal appointments to relate more detailed instructions. When

interviewers visit, they determine sample physicians' eligibility, ascertain their cooperation, deliver survey materials with printed instructions, and assign predetermined Mondaythrough-Sunday data collection periods. A short interview concerning basic practice characteristics, such as estimated numbers of patients to be expected, is administered. Office staff who will assist with data collection are invited to attend or are offered separate instruction sessions. Sample physicians are informed of support for the NAMCS by their respective specialty societies. State and local medical societies are made aware of the survey through communications from the AMA as well as from interviewers and field staff supervisors.

Before the beginning and again during the week assigned for data collection, interviewers telephone sample physicians to answer possible questions and to insure that procedures are going smoothly. At the end of the survey week, participating physicians mail finished survey materials to interviewers who edit the forms for completeness before transmitting them for central data processing. Problems at this stage are resolved by interviewer telephone calls to sample physicians; if there are no problems, field procedures are complete with respect to the sample physicians' participation in the NAMCS. Missing information is generally obtained from the patient's medical record by the physician's staff or provided from memory by the physician.

## **Data Collection**

The actual data collection for the NAMCS is carried out by participating physicians, aided by their office assistants when possible. They are requested to complete data collection forms concerning ambulatory patient visits taking place during assigned 1-week periods in their office practices. Based on their own estimates of the numbers of patients expected to visit during the survey period, physicians are assigned to use an "every-patient" or a "patient-sampling" procedure. All procedures are designed so that encounter forms for approximately 10 patient visits be completed each day. Physicians expecting 10 or fewer visits daily record data for all of them, while those expecting more than 10 visits



record data after every second, or third, or fifth visit, observing the same predetermined sampling interval continuously. These procedures minimize the workload of data collection and maintain equal reporting levels among sample physicians regardless of the size of their practices. Each form requires 1-2 minutes to complete, so that approximately 15 minutes are required on days when ambulatory patients are attended in their offices.

Two data collection forms are employed by the participating physicians: the Patient Log and the Patient Record. The Patient Log is a sequential list of patients visiting throughout the survey week that serves to indicate at which visits data should be recorded. The Patient Record is an encounter form which requires 12 items of data about a visit: date and duration of the visit; patient's birthdate, sex, color, and principal problem; physician's estimate of the seriousness of the problem, and whether the patient has been seen for it before; major categorical reasons for the visit; diagnoses; treatment or services; and disposition. Together these items constitute a brief but informative general account of an ambulatory patient visit. The Patient Log and the Patient Record are separate, or attached only by perforation so that sample physicians can keep the Log and mail the Patient Record back to the interviewer after completion, without any indication of patient names to protect confidentiality. Copies of the various Patient Logs and Patient Records are shown in appendix I.

## DATA PROCESSING AND RESULTS

Edited NAMCS Patient Records and physician interview information are mailed by the interviewers to NORC for further editing, subsequent coding, and entry on magnetic tapes. Any remaining information identifying individual ambulatory patients is positively deleted. All information that would permit identification of a physician, a practice, or an establishment is held in strict confidence for use only by persons engaged in and for the purposes of the survey, secure from disclosure or release to other persons or use for other purposes.

Initial NAMCS results in the form of summary statistical tabulations of national and regional estimates for numbers of visits, percent distribution, and population rates of use are published as soon as each annual cycle of the continuing NAMCS is complete. More detailed tabulations of visit characteristics by major physician specialties, patient groups, diagnostic categories, treatment provided, and disposition arranged will follow. Cross-tabulations of less common visit characteristics will be published when sufficient data about them are available to meet practical standards of precision. In addition, research findings on the reliability and validity of NAMCS methods, the means to improve and extend them, and on statistics related to specific questions from States or professional specialty groups are development.

# **BACKGROUND AND METHODOLOGY**

In 1967 the National Center for Health Statistics began planning the project from which the current NAMCS design and methods ultimately developed. NCHS staff members entered into discussions with consultants, practicing physicians, statisticians, and potential contractors to identify ambulatory care data collection problems and prospective approaches to solutions. Contract proposals were solicited for a "pilot study on a survey of physician's records" to develop methods for expanding "... the health records program to include samples from

records of private physicians." The request was intended to elicit as many proposals and ideas as possible since the prospect appeared more difficult than any the Center had attempted previously, and a heuristic problem-solving approach seemed indicated. After numerous inquiries, half a dozen proposals were finally submitted; the one by Lea, Inc., of Ambler, Pennsylvania, was selected as most likely to succeed on the basis of that company's prior experience and existing resources for surveys involving collection of data from ambulatory medical practice. A technical



advisory group of individuals with nationally recognized interest or experience was named. Initial discussions established a tentative protocol that called for periodic meetings of a working group comprised of the Director of the NCHS Division of Health Resources Statistics, the Project Officer and staff, the contractor's representatives, and a consultant group from The Johns Hopkins University in Baltimore. After several working group meetings and preliminary exploratory investigations, the purpose of the project became clear: a methodologic study was needed to determine the feasibility of collecting ambulatory care data from officebased physicians on an ongoing national survey basis. It would require developing alternative instruments and procedures for data collection, testing them by application among samples of physicians, and evaluating the results according to criteria for feasibility. The NAMCS methodologic study design subsequently evolved in three stages: first, a stage of exploratory studies followed by two stages of feasibility studies. Field Test: Phase I and Field Test: Phase II, each with specific objectives related to the project's pur posc.

# **EXPLORATORY STUDIES**

Objectives of the exploratory stage were to define operationally the boundaries and components of the ambulatory care data problem for research and to formulate alternative methods and procedures for subsequent testing and evaluation. The international literature was reviewed, a sample of practicing physicians was interviewed, and individuals with identified interests or experience in the subject were consulted.

# **Literature Summary**

Published accounts of ambulatory care studies, particularly those involving data collection from office-based physicians, documented the relative lack of existing information or broad experience with methods of population-based medical practice surveys outside hospitals or institutions. Since the earliest account in 1842, occasional individuals or small groups of physicians have reported studies of morbidity encountered and services rendered in home and

office settings, based principally on analysis of existing records.8 Reports were reviewed from many countries, including Great Britain, Canada, Australia, Denmark, Germany, Holland, Norway, and the United States.9 The Royal College of General Practitioners and the General Register Office of the United Kingdom carried out an important survey of 171 physicians from 106 general practices in England and Wales over a 1-year period in 1955-56. It was undertaken after lengthy preliminary explorations of recordkeeping techniques following the advent of the National Health Service there. 10 In the United States, relatively extensive studies were restricted to selected groups of practices; notable ones included the surveys reported by Standish et al., by Peterson et al., by the Chronic Illness Project, Inc., and by Kroeger et al. 11-14 Ambulatory care services and utilization among prepaid insurance plan populations had been studied by Weissman and by Densen et al., and from insurance claim form data by Avnet. 15-17 The sole existing source for continuing, professionally defined ambulatory care statistics identified in this country was National Disease and Therapeutic Index by Lea, Inc., a commercial survey conducted principally for pharmaceutical marketing research purposes among a quota-sample panel of private physicians. 18 The literature revealed the need for developing uniform terminology, common units of measurement, widely accepted definitions, and for agreeing on practical classifications of patients' problems and diagnostic conditions encountered in ambulatory practice. Information from all the available accounts was sought to help in formulating initial NAMCS methods and feasibility study design.

# Office Records Survey

A direct personal interview survey was conducted by Lea, Inc., among a random sample of physicians in private practice, in accordance with contract provisions to explore possible applications of existing office records as a source of national ambulatory care information. A commercial list of physicians was stratified by medical specialty group and geographic region of the country to provide the sampling frame; 358 interviews were successfully completed among

the 400 physicians who were selected as the sample. Results revealed that whereas nearly all respondents kept records, variations in their form, style, content, completeness, and accessibility were extensive. The use of illegible terms, abbreviations, and symbols precluded their use by anyone but the recording physician in 20 percent of cases, and alphabetic filing systems precluded ready relation to defined time periods in 80 percent. Examination of specimen records, which were obtained from two-thirds of the respondents, substantiated the interview findings. It was concluded that practicing physicians alone could provide a range of information concerning ambulatory patient visits in their offices, provided that confidentiality and anonymity were preserved. Since existing records were not a feasible source for data collection, ad hoc encounter forms of some sort, designed for the purpose, became necessary.

# **Initial Forms Design**

Different styles and versions of modified encounter forms were drafted to facilitate the collection of ambulatory patient visit data by physicians. Basic precepts were to minimize workload or practice interference due to recordkeeping and to maximize usefulness of the data to be gathered. Form designs were revised repeatedly after consultation with survey research specialists and again after pretesting them among 22 selected physicians practicing in a large metropolitan area. Interviews following their pretest experience suggested that physicians preferred shorter (i.e., 2 days quarterly) instead of longer (i.e., I week or I month) data collection periods, as well as shorter instead of longer data collection forms as an initial approach to field testing. Most of these exploratory study results were incorporated in the design of subsequent stages of feasibility studies for the NAMCS project.

# FEASIBILITY STUDIES: FIELD TEST: PHASE I, 1968-69

# Purpose and Design

The purpose of the first phase of feasibility study field testing was to evaluate ambulatory

patient visit data collection by a national sample of physicians, using two different data collection forms and three different methods to enlist their participation. The objective was to determine whether any combination of the forms and methods was more feasible as to the proportions of sample physicians agreeing to participate in a national ambulatory medical care survey and later satisfactorily completing data collection forms as requested.

The two forms employed to determine the quantity of data that was feasible for physicians to collect are shown in appendix III. The longer form required about 3 minutes per patient visit to complete, and the shorter one about 1 minute. Both forms requested entries for the patients' purpose or problem, diagnosis, age, race, sex, marital status, and prior visit status, as well as the location and duration of contact, diagnostic procedure, treatment, and disposition. In addition, the longer form requested entries for the patient's socioeconomic, health, and referral status; the physician's estimate of the seriousness of the problem; and more specific diagnostic test details. If physicians wished to retain completed records, the forms were designed so that contact-sensitive code sheets beneath each one could be detached and returned alone.

The three methods of enlisting sample physicians to participate in the survey which were evaluated for feasibility in the Phase I field test were (1) telephone contact by a physician in residency training, (2) telephone contact by a lay interviewer, and (3) personal visit contact by a lay interviewer. Since each approach was employed to enlist physicians for data collection using the long form and the short form, there were six different form-approach combinations for comparison.

The sampling frame was constructed from a commercially maintained list to represent the survey population of all non-Federal, patient care-oriented physicians in office-based practice in the continental United States, excluding specialists in anesthesiology, pathology, and radiology. It was stratified by physician's age group, medical specialty group, and geographic region; and a systematic sample was selected containing 899 doctors of medicine or osteopathy. Each physician was randomly assigned to



one of the six form-approach combinations for the data collection field test.

First, introductory letters were sent to all sample physicians from the Director of the NCHS, which briefly explained the purpose of the study and advised them of the forthcoming call by a representative of the Center. Then efforts were made to contact each physician according to the assigned procedures and to enlist participation of those who were ascertained to be within the predefined scope of the study. Eligible physicians were defined as those who provided care for any ambulatory patients in their practice. Home, office, hospital clinic, or emergency room visits and telephone contacts were included to establish feasibility. They were asked to participate for an assigned 2-day period of data collection, which would recur quarterly for a year. An enlistment interview to elicit practice characteristics, provide instructions, and answer questions was held beforehand, and survey materials with printed instructions were supplied. Finally, after completing data collection forms concerning ambulatory patient visits, participating sample physicians returned them by mail to a central location for tabulation and described their experience at a postsurvey evaluation interview conducted by telephone.

# **Survey Results**

Results of the feasibility study's first phase of field testing are shown in table 1. Of 899 physicians in the total sample at the time it was drawn, 679 (76 percent) were still eligible and available at the time the field test was conducted; they constituted the effective or target sample that was actually approached and asked to participate. Others could not be located, had left practice by death or retirement, did not provide services for ambulatory patients, were unavailable during the survey period, or they were not requested to participate. The relatively large number of ineligible or unavailable physicians was attributed in part to the 6-month period clapsing between drawing the sample and conducting the field test. Of the effective sample approached, nearly three-fourths (74 percent) were enlisted or agreed to participate, and more than one-half (55 percent) did so by completing and returning data collection forms. Differences

between sample proportions using and completing the long form and the proportions using and completing the short form were negligible. The expected difference in response for the two forms was not realized, perhaps because both forms seemed long to respondents using only one of them. The different approaches also appeared to have slight overall effect, although telephone contact by resident physicians was slightly more successful than other methods of enlistment, and personal contact by lay interviewers was marginally more successful for completion.

Item completion, the proportion of returned data collection forms on which data were supplied as requested for each specific item, ranged from 90 to 99 percent for items on the short form, and from 85 to 99 percent for items on the long form. Nonresponse to some items was attributed to their relatively inconspicuous position on the forms; for others it seemed more related to the increased time required to make necessary judgments for reply. Hospital emergency room or clinic visit and telephone contact data were relatively underrecorded.

Interviewing at the time of enlistment provided data about practice characteristics that facilitated interpretation of the field test results. Postsurvey interviewing gathered impressions of the physicians' experience and their suggestions for improving survey methods. Reducing the workload for participating physicians and increasing their awareness of the purposes of the methodologic study were the most frequently mentioned practical suggestions to improve future participation.

### Conclusions

Conclusions from Field Test: Phase I of feasibility studies for the NAMCS methodologic project were tentative. Ambulatory medical care data collection instruments and procedures had been designed and tested among a national sample of office-based physicians. The results in terms of sample proportions enlisting for participation in the study and actually completing data collection assignments suggested that a national ambulatory medical care survey using such instruments and procedures was potentially feasible. Revisions and improvements appeared

necessary to assure that continuing national statistical information based on methods for data collection by practicing physicians would also meet required NCHS standards of quality and completeness of response.

# FEASIBILITY STUDIES: FIELD TEST: PHASE II, 1970-71

# Purpose and Design

The purpose of the second phase of feasibility: study field testing was to develop and evaluate ambulatory patient visit data collection methods further. Improvements suggested by Phase I field test experience were incorporated in the design, which was aimed specifically at reducing data collection workload and practice interference, increasing the participants' awareness of the purposes of the survey, and strengthening previously established levels of professional interest and support. A subcontract was arranged for the National Opinion Research Center (NORC) to assist with the design and to conduct all survey field work. The scope of the survey was limited to ambulatory patient visits to physicians in their offices, since other methods would be required for outpatient clinics and telephone contacts. Objectives were to increase the proportions of sample physicians agreeing to participate in the survey and satisfactorily completing assigned data collection procedures.

Two data collection forms again were tested: a "short" one required about ! minute per visit to complete, and a "mini" one required only seconds per visit. The short form corresponded to the shorter form used in Field Test: Phase I; and the miniform embraced an irreducible minimum of useful data, requesting only the patient's age and sex and the physician's diagnosis and type of treatment. The miniform was used primarily to test whether the size of the form would have any effect on physicians' willingness to participate in the survey. The detachable record and code shert feature of Phase I forms had not proved useful and was discontinued.

A patient sampling procedure was devised to test this method for reducing the data collection workload of participating physicians. Instead of completing a form for every patient visit, those

using the sampling procedure were to record data for only every third patient visit. A complete list of every patient visit was needed to insure that the sequence was observed; it would provide a patient sampling frame and afford the added benefit of relative assurance that the data collection process was complete. The number of missed patient visits would be minimized and become measurable in part by this method. Accordingly, a "log" was devised for use in addition to data collection forms, for listing patients visits in the sequence of their arrival in the office, or in any systematic order that fitted usual office procedures and assured completeness. The additional procedure made it necessary to design the field test so as to assess the effect of the log as well as that of the different forms.

One uniform approach to enlisting sample physicians to participate in the survey was adopted as a result of the Phase I experience. A combined telephone-personal-contact method using lay interviewers was employed. The telephone contact served to determine a sample physician's eligibility and availability and to make an appointment for an interviewer's subsequent personal contact. At that time participation was enlisted, data collection requirements and survey procedures were explained, and an interview concerning practice characteristics was held. Sample physicians were encouraged to assign office assistants, secretaries, receptionists, or nurses to help with data collection as much as possible and to maintain the log of patients visiting.

Five data collection form/procedure combinations were tested in Field Test: Phase II of the feasibility study:

- 1. Short form, log, no sampling
- 2. Short form, log, sampling
- 3. Miniform, log, no sampling
- 4. Miniform, log, sampling
- 5. Miniform, no log, no sampling

Appendix IV shows copies of these forms and logs.

Survey participation was again enlisted for a 2-day period that would recur quarterly within a year. Six pairs of consecutive days were identified so that sample physicians could be assigned randomly to one of them; for feasibility study



purposes, however, a preselected second pair could be assigned if a physician were unavailable on the first. The same sample of physicians was contacted within 6 months after the initial data collection assignment period to repeat the process in a second quarter in order to estimate expectable attrition if the same methods became feasible to employ for a continuing national survey.

Perhaps the single most important aspect of Phase II field testing was to develop methods of making the medical profession at large and particularly the sample physicians requested to participate more aware of the purpose and significance of an ambulatory medical care survey. Endorsement was first provided by the AMA, and a letter from its Executive Secretary was sent to all sample physicians before an interviewer's telephone call indicating full organizational and professional support for the request to participate. Nineteen medical and prosocieties - subsequently specialty fessional endorsed the survey in principle. Their support was indicated in the introductory letter sent to all sample physicians from the Director of NCHS to introduce the survey and describe needs and uses for the information expected to result. (Copies of the AMA and the NCHS introductory letters are given in appendix II.) An informative NCHS press release was used by a number of mass-circulation and medical specialty journals, increasing the possibility that physicians would know of the survey. Just before initial telephone contact, supervisory interviewers also called local medical society executives to inform them about the nature and purpose of the survey and to tell them sample physicians in their vicinity would be asked to participate. All these methods were applied to achieve the increased awareness of the survey considered necessary to attain high enlistment and completion rates among a national sample of office-based physicians.

A multistage, stratified national probability sample was selected from a survey population containing all office-based doctors of medicine practicing in the coterminous United States, excluding anesthesiologists, pathologists, and radiologists. Physicians were defined and classified for survey purposes as they are represented on the AMA master list, from which the final sampling frame was constructed. First the preselected sample of PSU's maintained and staffed

by NORC was stratified by geographic region and physician population size, and a subsample of PSU's was selected with probability proportional to the number of physicians practicing in each one. Next the AMA list of physicians in the sample PSU's was stratified by age and specialty group, and individuals were systematically selected with a probability inversely proportional to the number practicing in their PSU to form the total sample of 831 physicians. Finally, each sample physician was randomly allocated to one of the five survey form and procedure combinations, to one of the six pairs of consecutive days for data collection, and to one of the interviewers assigned to work in his PSU.

Contacts with physicians began about 3 weeks before the survey period. Letters from both the NCHS Director and the AMA Executive Director were sent to all sample physicians. Efforts were made to telephone physicians by trained lay interviewers who ascertained their eligibility, i.e., whether they provided services for ambulatory patients from offices where they were primarily responsible for the care of such patients over time. The interviewers tried to arrange personal visits with eligible physicians, to explain survey procedures to them and to any designated office assistant whose help could be expected. Data collection forms and printed survey materials were delivered at that time, and a structured enlistment interview was administered to obtain information about anticipated numbers of ambulatory patient visits and other practice characteristics. Later, just before the first data collection days, interviewers telephoned physicians again to remind them of the survey and answer any questions arising in the meantime. When the data collection period was finished, participating physicians mailed survey materials to interviewers, who edited them for completeness and telephoned the participant for a brief postsurvey evaluation interview to obtain information about his experience. All completed data collection forms and interview returns were mailed to a central location for editing, coding, and data processing for analysis. Appendix IV contains copies of the two interview schedules.

At the second-quarter data collection period 6 months later, the same physicians were reminded by letters, contacted by telephone, and sent survey materials by mail, except in instances wher additional instructions or answers

to questions required personal visits. Interviews conducted with participants after the data collection period were abbreviated at this stage.

Data processing was oriented toward analysis of survey enlistment and data collection form completion for feasibility study test purposes. Since analysis of the substantive content of patient visit record forms was secondary, survey participation factors were emphasized in coding and tabulation. Information was amalgamated from the interviewers' control folders regarding contacts with physicians, from the enlistment interviews regarding practice characteristics, from the data collection forms regarding patien. visits, and from the postsurvey evaluation interviews regarding the data collection process itself. All was coded, entered, and stored on magnetic tape for subsequent computer tabulation and analysis. Weighting factors corresponding to the reciprocal of their probability of selection in the sample were calculated for each physician and employed for interpreting enlistment and completion rates, which constituted the principal feasibility study results.

# Survey Results

Results of the second phase of feasibility study field testing are shown in table 2. Of 831 physicians in the total sample at the time it was selected, 746 (90 percent) were both eligible and available to participate at the time of the survey and constituted the effective or target sample for study. The remainder could not be located after persistent attempts, had died or retired, did not have primary responsibility for ambulatory patient care in their offices, or would not be available during the survey period. Eighty-three percent (621) of the effective sample of physicians enlisted or agreed to participate, and 80 percent (595) actually completed forms and returned them following the first-quarter data collection period. If the same proportions are calculated using the weighting factors to adjust for the probability of selection into the sample, 86 percent enlisted and 83 percent completed assigned data collection procedures. The proportion of sample physicians participating in the Phase II survey calculated with or without weighting factors is substantially greater than the 55-percent completion achieved in the Phase I field test. Higher proportions of miniform users than of short form users participated in the survey. Little difference was observed between proportions enlisting in the survey and proportions actually completing data collection for either form. Similarly, negligible differences were noted between proportions of sample physicians using the work-reducing, patientsampling procedures and those listing every patient and completing forms for each one. There was also little noticeable effect on response by use of the Patient Log; completion rates were 86 and 85 percent, respectively, for physicians using the miniform with the log and those using the miniform without the log. Differences between completion rates by geographic region, specialty, or age group were not significant.

Results after the second quarter of the Phase Il field test show that 79 percent of the effective or target sample of 721 physicians agreed to participate, and 73 percent of them actually did so. The difference between the effective sample numbers in the two quarters reflects changes among the sample physicians over the interval that affected their eligibility or availability. Additional members left practice, could not be located, or were no longer directly responsible for ambulatory patient care; a few not available the first quarter were eligible to participate in the second, however. Eighty-six percent of those physicians who actually completed data collection forms in the first quarter also completed forms in the second quarter. An overall attrition of 7 percent between quarters was therefore observed. The decrement was slightly greater among physicians listing and recording data for all patients than for those using work-saving sampling procedures.

The quality of data collection represented by the enlistment and completion rates reached in Field Test: Phase II of the feasibility studies is indicated by the record form item completion, and by the proportion of their ambulatory office patients the sample physicians included during their assigned data collection periods. Item completion on Field Test: Phase II first-quarter record forms ranged from 95 to 98 percent for the four miniform items, and from 83 to 99 percent for the 17 variably applicable short form items; the rates were higher than had been achieved in Field Test: Phase I. Sample physicians completing forms were asked whether



they recalled not recording data concerning any ambulatory patients attended in their offices during their assigned periods; 93 percent were confident all were included, and only 2 percent thought more than two patients might have been missed. The number of patients represented by returned data collection forms was consistently about 85 percent of the number of patients these physicians previously had expected would visit, regardless of the data collection form or procedure used. This difference may be due to ambulatory patient visits in nonoffice locations, such as hospital emergency rooms, outpatient clinics, or patient's homes, which did occur as the physicians recalled at the postsurvey evaluation interview but were excluded from the scope

The majority (73 percent) of the 595 sample physicians participating in the first quarter of the feasibility study's Field Test: Phase II survey collected data concerning ambulatory patient visits during the randomly preselected 2-day period first assigned to them. Alternative periods were assigned to another 15 percent who were initially interviewed after the first preselected period had passed, and to 9 percent more who expected to see no ambulatory patients in the first preselected period. These reasons were sufficient for alternative data collection period assignments for feasibility study purposes; alternative periods would be unnecessary for purposes of a continuing survey using similar methods because physicians could be interviewed early and could record zero visits on nonpractice days.

Postsurvey evaluation interviews after the first quarter of Field Test: Phase II showed that methods designed to increase awareness of the survey and its potential benefits had been effective and warranted. More than half the responding sample physicians indicated that the introductory letters they received beforehand favorably influenced their decision to participate. The proportions were 63 percent for the AMA letter and 56 percent for the NCHS letter; the remainder indicated they were uninfluenced

by or did not recall receiving either letter. Half the NCHS letters were sent by certified mail, with no discernible effects on recall or participation. Only a few respondent physicians consulted local medical society officials or discussed survey participation with colleagues. Other favorable factors cited were the worthwhile purpose of the survey and the persuasiveness of the interviewers. Forms, procedures, and survey materials presented no consistent problems for these participants, although a number of miniform users questioned the usefulness of the small amount of data they collected for potential ambulatory care statistics.

#### **Conclusions**

Based on the foregoing results and accrued experience after Field Test: Phase II of the feasibility studies, the maturing methods and procedures developed and tested to date were considered feasible for application when the continuing NAMCS was inaugurated. Extensive and improved levels of participation by practicing office-based physicians, in terms of sample proportions collecting patient visit data under field trial conditions, supported this conclusion. Nevertheless, the critical importance of maintaining high levels of participation also warranted variation and testing of methods and procedures to refine them further under actual continuing survey conditions. Short data collection forms and simple patient sampling procedures were found to be practicable. Advance information about the survey's nature, purpose, and significance appeared to be a prerequisite for success; and support from organized medicine, professional societies, and publications at national and local levels proved to be a practical means of increasing physician response. The completeness and quality of patient visit data collection as estimated in the field trial seemed sufficient to support feasibility study results, but procedural reliability and content validity remain to be established after the NAMCS has commenced.



# ILLUSTRATIVE FEASIBILITY STUDY FINDINGS

## INTRODUCTION AND METHODS

The purposes of both field phases of the NAMCS feasibility studies described in this report were methodologic, by design. These surveys were conducted to develop and test, and subsequently improve and test, instruments and procedures for ambulatory care data collection by practicing office-based physicians on a continuing national basis. The instruments and procedures that were developed and the results of their feasibility testing have been related in foregoing sections. It is through the application, continuing evaluation, and refinement of such methods that the goal of statistical information reflecting the important but relatively underrepresented ambulatory component of health care services for the population may be realized.

As a byproduct of Field Test: Phase II of the feasibility studies, a volume of data collected from actual ambulatory patient visits to practicing office-based physicians regarding the patients' visits and the services they were provided became available. These data are subject to important limitations by virtue of their byproduct nature and cannot be presented either as a quantitatively precise or statistically accurate representation of the subjects contained within them. Participation by physicians was less than complete and it varied within and between quarters. Five different form-procedure combinations were employed for data collection, and substitution for preassigned recordkeeping periods was permitted for feasibility study purposes. The amount of data collected at ambulatory patient visits concerning different characteristics varied because of the different form lengths and patient sampling procedures that were required. For these reasons as well as the costs that would be incurred, the feasibility study data were not adjusted for nonresponse or weighted to reflect the national population basis for the probability samples of PSU's as well as physicians. The small sample size and volume of data and the lack of uniform content or collection methods also precluded calculating useful estimates of national utilization rates or other office-based ambulatory medical care parameters. Statistical information of the necessary kind and quality still depends on results of the continuing NAMCS.

At the same time, these data have inherent interest for potential users of NAMCS information. Selected summary findings may indicate kinds of information to be expected or suggest useful analyses or tabulations for practical application when continuing survey results may be obtained. The authors therefore undertook a limited exploration of the Field Test: Phase II byproduct data, with permission, cooperation, collaboration, and support from NCHS. Under their direction a group of summer apprenticeship-traineeship medical and dental students, supervised by preceptors, applied standardized computer programs to tabulate and analyze the magnetic-tape-stored data. Additional coding and key punching for patient problem and diagnosis data were accomplished by experienced staff from the Center. The proportional distributions, ranked frequencies, and crosstabulations that follow are the findings from this analysis. Wherever bias may appear due to aggregation or subdivision of entries, it is a consequence of described data limitations and the authors' judgment and does not necessarily reflect the style or format of subsequent NAMCS results or tabulations.

The data are presented here with only minimal discussion, which represents comments that could accompany similar data from the NAMCS. The reader is CAUTIONED, however, that these data are not to be considered representative of national statistics and should be regarded only as illustrative of tabulations expected in the future from the NAMCS.

#### DATA SOURCE AND VOLUME

Office-based physicians participating in Field Test: Phase II of the feasibility study and the patient visits from which they collected data for analysis and presentation here are shown in table 3 by number and percent according to specialty groups.

The numbers of physicians shown in the first column of table 3 used short form procedures in the first and/or second quarters of the survey to record patient visit data. Although the short



form procedures provided over four times as many items of data per visit as miniforms and produced the only survey data that were collected about a number of visit characteristics. they constituted only two of the five survey procedures. The number of physicians assigned short form procedures was correspondingly small compared to the overall number of participating physicians. For these reasons, subsequent analyses of data provided by short forms alone did not include characterization by the specialty groups listed in table 3, but were limited to the physicians' type of practice, either specialty or general and family practice. The numbers of physicians in each type of practice may be ascertained by reference to this table.

The percent distribution of participating physicians using all survey procedures, shown in the third column of table 3, was compared with the corresponding distribution calculated from the numbers of all office-based physicians (excluding anesthesiologists, pathologists, and radiologists) in the United States and possessions at the end of December 1971.<sup>19</sup> Differences exceeding approximately 2 percent were found for two specialty groups; 4.4 percent more participating than all office-based physicians were in general surgery, and 8.2 percent fewer were in the "remaining other specialties" category.

The percent distribution of participating physicians is less similar to the percent distribution of patient visits, also shown in table 3, in several respects. Physicians in primary care specialties reported relatively more patient visits and those in secondary/tertiary care specialties reported relatively fewer patient visits than might be expected on the basis of their proportions among the participants. Physicians in general and family practice comprised a quarter of those participating and reported a third of the visits; pediatricians comprised 4.7 percent and reported 8 percent. Psychiatrists and neurologists, who made up 6.8% percent of all participants, reported 3.1 percent of all visits.

### AGE AND SEX OF PATIENTS

Tables 4 and 5 show the ambulatory visits to each specialty group of office-based physicians according to the age group and sex of patients visiting, respectively. Table 6 shows the distribu-

tion of all visits by both sex and age group of patients visiting. Together these tables provide a quantitative description of two major demographic variables for the entire group of ambulatory care visits, as well as for visits to physicians in major specialty groups providing ambulatory medical care services.

The first row of table 4 displays the percent distribution of all ambulatory patient visits reported during Field Test: Phase II among broad age groups of patients. By comparison, proportionately more visits to physicians in primary care specialties were made by younger patients. A small percentage of visits to pediatricians was made by patients over the age of 14, and a still smaller percentage of visits to general internists was made by patients of 14 years or less. The age distribution of patients visiting physicians in general and family practice resembles that of all patient visits. By contrast, relatively fewer patient visits to secondary/ tertiary care physicians were made by the vounger patients. The bulk of visits to obstetrician-gynecologists were, of course, by patients in their childbearing years; this is also true for patient visits to psychiatrists-neurologists, for reasons that are less obvious.

The sex of patients visiting physicians in different specialty groups is shown in table 5. The majority of ambulatory patient visits are made by females, but not in pediatric or orthopedic surgery practices. The distributions by sex of visits to physicians in primary and in secondary/tertiary care specialties are similar, although, as expected, females made nearly all visits to obstetrician-gynecologists.

Table 6 shows the overall number and percent distribution of all Field Test: Phase II office visits by patient sex and age group. The majority are made by females, but males predominate slightly at ages 65 years and over. By comparison with a similar distribution constructed for the estimated total U.S. population in 1971, the proportion of office visits by females is 5 percent greater than the proportion of females in the U.S. population.<sup>20</sup> For the youngest age group, the proportions of visits and of the population are similar: but for the age group 5-14 years, the proportion of visits is approximately half their proportion of the total. Visits by women aged 25-44 years make up more than

16 percent of all visits, though women of this age group constitute 12 percent of the entire population. Additional data will afford a closer examination of such characteristics when NAMCS results are available.

#### PROBLEMS AND DIAGNOSES

The most common patient problems encountered by the office-based physicians using short form procedures are shown in table 7, and the most common diagnoses and the major classes of diagnoses recorded at all ambulatory patient visits during both quarters of Field Test: Phase II are shown in tables 8 and 9.

These three tables represent results of coding using the Eighth Revision International Classification of Diseases. Adapted for Use in the United States (ICDA), with its supplementary classification for "Special Conditions and Examination Without Sickness."21 Individuals experienced in using the classification for coding hospital discharge abstracts and death certificate diagnoses were employed to apply its rules and procedures for entries recorded after the ambulatory patient visits. Entries for the patients' purpose, problem, or chief complaint could not be coded for 2.6 percent of the short form procedure visits, and entries for the most important diagnosis accounting for the visit could not be coded for 8.5 percent of all the visits. In part this was because these items were not completed by the data-collecting physicians and in part because entries that were made could not be assigned to any categories of the classification. The ICDA, which was designed to code and classify well-defined diseases and causes of death, was difficult and unwieldy to apply for many of the relatively ill-defined symptoms, problems, complaints, and clinical impressions that label conditions which ambulatory patients present in office-based medical practice. Following recommendations of the Chicago Conference on Ambulatory Medical Care Records, NCHS has subsequently been participating actively in the development of improved classifications for patients' problems and conditions encountered in ambulatory medical care.<sup>22</sup>

Common patient problems within the diagnostic categories listed in table 7 were reasons for the majority of these ambulatory patient

visits. Examinations of essentially well persons and followup care for others were most prominent. Lower on the list but still within the first 15 categories were such nonspecific and well-known conditions as sore throat, nervousness, backache, common cold, and obesity, which bring numbers of patients to visit doctors and require a proportion of the ambulatory health care services they provide. Essential benign hypertension, elsewhere a specific diagnosis, here reflects visits for the purpose of having bood pressure checked. The common reasons patients present for ambulatory care visits are principally classified in broadly defined, non-specific, and residual ICDA categories.

The diagnostic categories listed in table 8 contain the common diagnoses or disease labels participating office-based physicians assigned to the patients' conditions that they thought accounted for each ambulatory care visit during the survey. Relatively few of the 872 ICDA three-digit categories include a good many of the diagnoses they assigned; none of the remainder contained diagnoses made at more than I percent of the visits. Although nonspecific, residual, and combined categories appear on the list, many contain well-defined disease entities such as hypertension, chronic ischemic heart disease, diabetes, obesity, otitis media, acute pharyngitis, bronchitis, hay fever, and acute tonsillitis. Visits for diagnoses under followup care, examination, and prenatal care categories are as prominent in order of frequency as these categories were found to be among the patient problems in table 7. In part, this finding may reflect agreement between physicians' views of patients' purposes or reasons for visiting and of their own professionally defined diagnostic labels for their patients' conditions. The first listed category of unassigned diagnoses in part reflects the measure of uncertainty with which specific diagnoses are often made in office-based practice. Provisional treatment for expected disease and early management of undiagnosed and still-undifferentiated symptoms or sympcomplexes in ambulatory patients is commonplace.

Table 9 lists the major ICDA classes of diagnostic categories in the rank order of their frequency as reasons for the ambulatory patient visits included in Field Test: Phase II. Compari-



son of this ranked list with similar ones for hospital discharge diagnoses and for causes of death in the United States facilitates interpretation.23,24 The supplementary class, "Special conditions and examinations without sickness," leads the ambulatory visit list, followed by "Diseases of the respiratory system" and the class of conditions for which no diagnostic category was assigned. The class containing conditions responsible for the largest number of deaths in this country, "Diseases of the circulatory system," appears fourth on the list for visits, "Neoplasms," second in order as a cause of death and seventh as a cause of hospitalization, is 15th as a cause for ambulatory patient visits here, followed by classes of conditions for which fewer than 1 percent of the visits were made. "Diseases of the digestive system," the second most common cause of hospitalization and fifth of deaths, is 14th in table 9. "Accidents, poisonings, and violence" and "Diseases of the respiratory system" are classes accounting for relatively large proportions of ambulatory visits as well as of hospitalizations and deaths. The differences and similarities observed between ranked classes diagnostic categories accounting for ambulatory visits, for hospital-treated morbidity, and for mortality suggest the potential utility of such statistical information to provide perspective for establishing priorities and policy for health care services.

# SELECTED CHARACTERISTICS OF VISITS

Tables 10-18 show distributions of Field Test: Phase II ambulatory patient visits to office-based physicians in two broad types of practice, according to selected characteristics related to patients visiting, services and treatment provided, dispositions arranged, and durations of visits. Data concerning these characteristics were collected by physicians using the two short form survey procedures, and thus the majority of these analyses and tabulated findings are based on the subsample of visits they reported. Data on treatment provided at visits were also collected by physicians using miniform procedures, and table 16 is consequently based on all visits during the survey.

The color and current marital status of patients visiting are presented in tables 10 and 11. Over 90 percent were white, about 3 percent more than the proportion of white persons in the resident United States population.<sup>25</sup> In part, this is because larger proportions of persons other than white than of white persons may visit less frequently, or attend hospital clinics and emergency rooms instead of physicians' offices, for ambulatory health care services. More than half the patients were married, and about one-third were single.

The findings presented in table 12 show that less than one in five visits were made by patients new to the physician. About 63 percent of patients visiting physicians in specialty practice had previously been seen for the same problem, and about 16 percent for other problems. By contrast, 49 percent of patients visiting physicians in general and family practice had been seen before for the same problem, and about 30 percent for other problems.

The extent to which histories were taken and physical examinations performed at ambulatory patient visits is shown in table 13. Histories were obtained in about 87 percent of visits; these were limited in extent about twice as frequently as they were general. The proportion of visits to physicians in specialty practice at which no history was taken exceeds the comparable proportion in general and family practice.

Examinations followed the same pattern as histories. An examination was performed at 9 of 10 visits, and more than twice as many were limited as were general in nature. Proportions of visits including general examinations were lower, and limited examinations higher, in general and family practice than in specialty practice. Visits at which examinations were not performed at all were more frequent among physicians in specialty than in general and family practice.

Table 14 shows the distribution of ambulatory patient visits according to whether diagnostic tests were ordered, and for what purpose they were intended. Laboratory procedures, X-ray examinations, and other diagnostic procedures were not ordered for any reason at a large majority of visits, and at others physicians did not know or did not record whether tests were ordered or their intent. Visits to physicians in specialty practice included laboratory proce-

dures for screening more commonly than visits to physicians in general and family practice. The proportion of visits at which diagnostic test data were incomplete or unknown may reflect the middle position this item occupied on the data collection form, or uncertainty by physicians as to how to classify the purpose of tests that were ordered or performed.

Diagnostic specimens such as blood, urine, and other samples needed for diagnostic tests were not taken at approximately two-thirds of these ambulatory patient visits, as shown in table 15. At the remainder, specimens were taken less commonly by physicians themselves than by office staff or others, particularly in specialty practice, where they were obtained at 31 percent of visits. The proportions of visits at which specimens were taken are similar to those at which laboratory procedures were ordered, on comparison with percentages shown in table 14.

Table 16 presents findings from all Field Test: Phase II ambulatory patient visits and shows their distribution according to broad types of treatment provided by the office-based physicians. At more than half of the visits drugs of some type were prescribed, administered, dispensed, or advised; drug therapy was provided more commonly in general and family practice than in specialty practice. No treatment was considered needed at 17 percent of the visits, and advice concerning diet, exercise, or habit changes was given at 12 percent Therapeutic listening or psychotherapy was recorded as a type of treatment employed at almost 8 percent of the visits. This 8 percent may be an underestimate, since it included visits at which the modality was purposefully pursued, but not others at which it may have gone unrecognized as part of the therapeutic exchange between the patient and the physician. Other treatment was provided at one-fourth of the visits; it was proportionally more prominent among visits to physicians in specialty types of practice, as might be expected. In contrast to the findings concerning diagnostic tests and specimens in tables 14 and 15, treatment was unknown or unrecorded at less than 1 percent of visits.

Disposition and followup plans after visits to physicians using short form survey procedures are presented in table 17. Appointments for return visits were specifically arranged following the majority, and less specific directions to return if necessary were given at one-fourth of the visits. Relatively fewer specific appointments and more general arrangements were made after visits to physicians in general and family practice than in specialty practice. No further followup or telephone followup was planned after 9 and 7 percent of these visits, respectively. Patients were referred for admission to hospital after approximately 4 percent of visits, predominantly to remain under the same physician's care there. Patients were referred to another physician after 2 percent of visits, and directed to return to another referring physician or agency after 1 percent. The different proportional distributions observed between visits to physicians in specialty and in general and family practice are expected, as these broad types of practice differ with respect to the patients served, conditions treated, and services provided.

Table 18 shows the volume and distribution of ambulatory patient visits by their duration in minutes spent in face-to-face or other direct contact between patients and physicians. Nearly half the visits were completed within 10 minutes or less, and only a small minority lasted more than 30 minutes. Shorter visits predominated in general and family practice, longer ones in specialty practice.

From the illustrative findings contained in this section of the report, an impression may be gained concerning the ambulatory care data gathered by office-based physicians during Field Test: Phase II of the NAMCS Feasibility Study. The same kinds of data, modified, refined, and multiplied, are expected to be collected during the ongoing NAMCS. Results will make varied and detailed analyses possible, and quantitative statistical information concerning office-based ambulatory health care services provided for the U.S. population will become available.

# SUMMARY AND CONCLUSION

In 1973 the National Ambulatory Medical Care Survey was inaugurated by the National Center for Health Statistics to gather data and promulgate statistical information concerning



the provision and use of ambulatory health care services for the population of the United States. A national probability sample of office-based physicians now collects data from ambulatory patient visits during 1-week periods in their practices. Processing and analysis of the results provide national and regional estimates of the annual volume and rates of ambulatory patient visits for population groups, medical specialty groups, and geographic areas. Quantitative descriptions of visit characteristics include tabulations of patient's problems, reasons for visiting, medical diagnoses, services, treatment, and subsequent disposition.

The background and development of methods employed for the NAMCS required exploratory and feasibility studies conducted over a period of 6 years. Literature review and consultation documented needs and potential uses for national ambulatory medical care statistics. Information regarding accepted definitions, uniform terminology, procedural experience, or practical classifications for the problems and conditions encountered in ambulatory care settings was found to be limited. First, data collection forms and procedures were developed and tested by sample physicians in a national field survey, which demonstrated the difficulty of achieving high levels of participation. Refined data collec-

tion forms and improved procedures were further tested by a second sample of physicians in an extensive national survey lasting over 2 quarters in 1 year. Results demonstrated the usefulness of professional endorsement, procedural efficiency, and minimal work requirements in achieving physician-participation levels exceeding 80 percent.

As a byproduct of the latter phase of feasibility studies, a volume of ambulatory visit data became available. It was analyzed and presented to illustrate kinds of information NAMCS results will provide. Subject to described limitations of the data, percent distributions of 23,407 ambulatory patient visits to a national probability sample of office-based physicians are shown by categories of patients, specialty groups of physicians, and characteristics of visits. Common patient problems and physician diagnoses are ranked in order of their frequency. These findings may suggest potential applications for NAMCS results, which will supplement existing NCHS programs with information from ambulatory patient visits in office-based practice. The added NAMCS results will assure that a more comprehensive range of statistical information is available concerning the entire spectrum of health care services for the population of the United States.

# REFERENCES

<sup>1</sup> National Health Center for Health Statistics: Origin, program and operation of the United States National Health Survey. Vital and Health Statistics. PHS Pub. No. 1000-Series 1-No. 1. Public Health Service. Washington. U.S. Government Printing Office, Aug. 1963.

<sup>2</sup>White, K.: Patterns of medical practice. In Clark, D., and MacMahon, B. (eds.), *Preventive Medicine*. Boston, Little, Brown, and Co., 1967.

<sup>3</sup>National Center for Health Statistic. Physician visits, volume and interval since last visit, United States, 1969. Vital and Health Statistics. Series 10. No. 75. DHEW Pub. No. (HSM)72-1064. Health Services and Mental Health Administration. Washington, U.S. Government Printing Office, July 1972.

<sup>4</sup>National Center for Health Statistics: Current estimates from the Health Interview Survey, United States, 1971. Vital and Health Statistics. Series 10, No. 79. DHEW Pub. No. (HSM)73-1505. Health Services and Mental Health Administration. Washington. U.S. Government Printing Office, Feb. 1973.

<sup>5</sup>National Center for Health Statistics: Health Resources Statistics. Health Manpower and Health Facilities, 1971. DHEW Pub. No. (HSM)72-1509. Health Services and Mental Health Administration. Washington. U.S. Government Printing Office, Feb. 1972.

6National Center for Health Statistics: The Mission and Policies of the National Center for Health Statistics. DHEW Pub. No. (HSM)73-1201. Health Services and Mental Health Administration, Rockville, Md.

7Hoermann, S.: The national ambulatory medical care survey. Med. Care 11: (Suppl.) 196-205 (Mar.-Apr.), 1973.

<sup>8</sup>Cowan, C.: Report of private medical practice for 1840. J.R.Stat.Soc. 5: 81-86 (Apr.), 1842.

<sup>9</sup>Tenney, J.: The Content of Medical Practice: A Research Bibliography. Baltimore, The Johns Hopkins University School of Hygiene and Public Health, Department of Medical Care and Hospitals, 1968.

10 Logan W., and Cushion, A.: Morbidity Statistics From General Practice. Vol. Illustrated (Great Britain). General Register Office. Studies on medical and population subjects No. 14. London, Her Majesty's Stationery Office, 1958.

11Standish, S., Bennett, B., White, K., et al: Why Patients See Doctors, Seattle. University of Washington Press, 1955.

12peterson, O., Andrews, LL., Spain, R., et al.: An analytical study of North Carolina general practice 1953-1954. *J.Med. Educ.* 31 (Part 2):1-265, (Dec.) 1965.

13Chronic Illness Project, Inc.: Physician reporting morbidity survey report. Miami, Fla., Chronic Illness Project in Dade County, 1963.

14Kroeger, H., Altman, I., Clark, D., et al.: The office practice of internists. *JAMA* 193:371-376, 667-672, 916-922; and 194:177-181, 533-538, 1965.

15 Weissman, A.: Morbidity study of Permanente health plan population; a preliminary report. Permanente Found. Med. Bull. 9:1-17. (Jan.) 1951.

16 Densen, P., Balamuth, E., and Deardorff, N.: Medical care plans as a source of morbidity data. The prevalence of illness and associated volume of service. *Milbank Mem. Fund Quart.* 38:48-101, (Jan.) 1960.

<sup>17</sup>Avnet, H.: Physician service patterns and illness rates: a research report on medical data retrieved from insurance records. New York, Group Health Insurance, 1967.

<sup>18</sup>Lea, Inc.: Annual report. A continuing study of morbidity in private medical practice in the United States: *National disease and therapeutic index*. Ambler, Pa., Lea (undated).

<sup>19</sup>American Medical Association, Center for Health Services Research and Development: 1972 Reference data on the profile of medical practice. Chicago, American Medical Association, 1972.

<sup>20</sup>U.S. Bureau of the Census: Estimates of the population of the United States by age and sex: July 1, 1971 (Preliminary Report). Current Population Reports: Populations Estimates and Projections. Series P-25, No. 466. Washington. U.S. Government Printing Office, Sept. 1971.

<sup>21</sup>National Center for Health Statistics: Eighth Revision International Classification of Diseases, Adapted for Use in the United States. PHS Pub. No. 1693. Public Health Service. Washington. U.S. Government Printing Office, 1967.

<sup>22</sup>Conference on ambulatory medical care records: In J.H. Murnaghan (ed.), Ambulatory Medical Care Data: Report of the Conference on Ambulatory Medical Care Records, held at Chicago, Ill. Apr. 18-22, 1972. Philadelphia, J.B. Lippincott, 1973, pp. 10-12.

<sup>23</sup>National Center for Health Statistics: Inpatient utilization of short-stay hospitals by diagnosis. United States, 1968. *Vital and Health Statistics*. Series 13, No. 12. DHEW Pub. No. (HSM)73-01763. Health Services and Mental Health Administration. Washington. U.S. Government Printing Office, Mar. 1973.

<sup>24</sup>National Health Center for Health Statistics: Provisional statistics. Annual summary for the United States, 1971: Births, deaths, marriages, and divorces. Vital and Health Statistics. Monthly Vital Statistics Report Series, Vol. 20, No. 13. DHEW Pub. No. (HSM)73-1121. Health Services and Mental Health Administration. Washington. U.S. Government Printing Office, Aug. 1972.

25U.S. Bureau of the Census: Statistical Abstract of the United States: 1971. (92d edition). Washington. U.S. Government Printing Office, 1971.



# LIST OF DETAILED TABLES

			Page
<b>s</b> ble	1.	Number of physicians in sample and percent enlisting in and completing forms for Field Test: Phase I, NAMCS Feasibility Study, by enlistment method and length of form: United States, 1969	Ž2
	2.	Number of physicians in sample and percent enlisting in and completing forms for Field Test: Phase II, NAMCS Feasibility Study, by data collection form and procedure. United States, 1971	23
	3.	Number and percent distribution of 645 office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study and of 23,407 embulatory patient visits, by specialty of physicians: United States, 1971	24
	<b>4</b> .	Number and percent distribution of 23,407 ambulatory patient visits to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by age of patients and specialty of physicians: United States, 1971	26
	5.	Number and percent distribution of 23,407 ambulatory patient visits to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by sex of patients and specialty of physicians: United States, 1971	26
	6.	Number and percent distribution of 23,407 ambulatory patient visits to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by sex and age of patients: United States, 1971	26
	7.	Number, percent, and cumulative percent of 7,514 ambulatory patient visits (ranked in decreasing frequency) to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by the 20 most common three-digit ICDS categories assigned for patient's purpose, problem, or chief complaint: United States, 1971	27
	8.	Number, percent, and cumulative percent of 23,407 ambulatory patient visits (ranked in decreasing frequency) to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by the 20 most common three-digit ICDA categories assigned for their most important diagnosis: United States, 1971	28
	9.	Number and percent distribution of 23,407 ambulatory patient visits (ranked in decreasing frequency) to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by the 19 major ICDA classes containing their most important diagnosis: United States, 1971	29
1	10.	Number and percent distribution of 7,514 ambulatory patient visits to office-based physicians participating in Field Test: Phase II, FJAMCS Feasibility Study, by type of physician practice and color of patients: United States, 1971	29
1	11.	Number and percent distribution of 7,514 ambulatory patient visits to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by type of physician practice and marital status of patients: United States, 1971	30
1	12.	Number and percent distribution of 7,514 ambulatory patient visits to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by type of physician practice and by whether patient had been seen before by same physician: United States, 1971	30
1	3.	Number and percent of 7,514 ambulatory patient visits to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by type of physician practice and extent of history taken and examination made at	



# LIST OF DETAILED TABLES-Con.

		rage
able 14	Number and percent distribution of 7,514 ambulatory patient visits to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by type of physician practice and laboratory procedure, X-ray examinations, and other diagnostic procedures ordered: United States, 1971	32
15	Number and percent distribution of 7,514 ambulatory patient visits to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by type of physician practice and diagnostic specimen taken: United States, 1971	33
16	Number and percent distribution of 23,407 ambulatory patient visits to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by type of physician practice and treatment provided for patients: United States, 1971	33
17.	Number and percent distribution of 7,514 ambulatory patient visits to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by type of physician practice and disposition following patient visit: United States, 1971	34
18.	Number and percent distribution of 7,514 ambulatory patient visits to office-based physicians participating in Field  Test: Phase II, NAMCS Fessibility Study, by type of physician practice and duration of visits ** United States 1971	24



Table 1. Number of physicians in sample and percent enlisting in and completing forms for Field Test: Phase 1, NAMCS Feasibility Study, by enlistment method and length of form: United States, 1969

Enlistment method and form length	Number of physicians !	Percent enlisting	Percent completing
Total, all methods and forms	679	74	55
Total, long forms	351 328	73 75	54 56
Telephone contact by resident physician			
Total	224	80	54
Long forms	118 106	78 82	50 58
Telephone contact by lay interviewer			
Total	241	73	47
Long forms	122 119	73 74	50 54
Personal contact by lay interviewer			
Total	214	70	61
Long forms	111 103	75 64	65 57

<sup>&</sup>lt;sup>1</sup> Effective or target sample number is given; it excludes 220 (24 percent) of 899 total sample physicians, who were unavailable or ineligible according to prior survey definitions, and hence were not requested to participate or complete forms.

Table 2. Number of physicians in sample and percent enlisting in and completing forms for Field Test: Phase II, NAMCS Feasibility

Study, by data collection form and procedure: United States, 1971

		irst quarter		Second quarter			
Data collection form and procedure	Number of physicians <sup>3</sup>	Percent enlisting	Percent completing	Number of physicians <sup>a</sup>	Percent enlisting	Percent completing	
Total, all forms and procedures	746	83	80	721	79	73	
Total, short form	301 445	78 87	74 84	291 430	74 82	67 78	
Log and sampling procedures		,					
Total	285	84	78	278	81	73	
Short forms	143 142	82 86	76 80	141 137	79 83	72 74	
Log, no sampling procedures							
Total	310	81	78	298	74	69	
Short forms	158 152	74 88	72 86	150 148	68 80	62 77	
No log, no sampling procedure				•			
Miniforms	151	87	85	145	83	82	

<sup>&</sup>lt;sup>1</sup> Effective or target sample numbers are given; they exclude 85 (10 percent) of 831 total sample physicians the first quarter, and 56 (7 percent) of 777 the second quarter, who were unavailable or ineligible according to prior survey definitions, and hence were not requested to participate or complete forms.



Table 3. Number and percent distribution of 645 office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study and of 23,407 ambulatory patient visits, by specialty of physicians: United States, 1971

	Pa	rticipating phy	Patie	nt visits	
Specialty of physicians	Number of short-form procedures	Number of all study procedures	Percent distribution of all study procedures	Number of all study procedures	Percent distribution of all study procedures
Total, all specialties	246	645	100.0	23,407	100.0
Primary care specialties					
Total	101	283	43.9	12,538	53.6
General and family practice	62	166	25.7	7,932	33.9
General internal medicine	27	87	13.5	2,723	11.6
General pediatrics	12	30	4.7	1,883	8.0
Secondary/tertiary care specialties					1
Total	145	362	56.1	10,869	46.4
General surgery	39	92	14.3	2,512	10.7
Obstetrics-gynecology	23	52	8.1	1,873	8.0
Orthopedic surgery	16	38	5.9	1,507	6.4
Other surgical specialties	32	84	13.0	2,421	10.3
Psychiatry-neurology	11	44	6.8	718	3.1
Other medical specialties	19	40	6.2	1,461	6.2
Remaining other specialties	5	12	1.9	377	1.6

Table 4. Number and percent distribution of 23,407 ambulatory patient visits to office-based physicians participating in Field Test:

Phase II, NAMCS Feasibility Study, by age of patients and specialty of physicians: United States, 1971

Specialty of physicians	Number of patients	All ages	0-14 years	15-44 years	45-64 years	65 years and over	Not stated
		Parcent distribution					
Total, all specialties	23,407	100.0	19.1	43.0	25.7	12.7	1.5
Primary care specialties							
Total	12,538	100.0	26.9	36.6	22.1	12.9	1.5
General and family practice	7,932 2,723 1,883	100.0 100.0 100.0	19.2 2.8 94.0	43.7 38.1 4.9	22.7 35.0 0.5	12.7 22.7	1.8 1.3 0.6
Secondary/tertiary care specialties							
Total	10,869	100.0	10.1	50.4	25.5	12.4	1.5
General surgery  Obstetrics-gynecology  Orthopedic surgery  Other surgical specialties  Psychiatry-neurology  Other madical specialties  Remaining other specialties	1,873 1,507 2,421 718 1,461	100.0 100.0 100.0 100.0 100.0 100.0	10.3 0.9 20.4 15.2 5.3 7.1 1.9	45.6 84.7 42.7 35.1 73.4 37.4 48.5	29.9 11.0 27.3 30.8 17.1 27.4 35.5	12.4 1.9 8.8 17.9 1.9 26.7 9.8	1.6 0.9 1.0 2.2 1.3

Table 5. Number and percent distribution of 23,407 ambulatory patient visits to office-based physicians participating in Field Test:

Phase II, NAMCS Fessibility Study, by sex of patients and specialty of physicians: United States, 1971

Specialty of physicians	Number of patients	Both sixes	Male	Female	Not stated
		Perc	ent dist	ribution	
Total, all specialties	23,407	100.0	41.6	56.6	1.8
Primary care specialties					
Total	12,538	100.0	43.1	55.1	1.8
General and family practice	7,932 2,723 1,883	100.0 100.0 100.0	41.3 40.4 54.8	56.7 58.0 44.2	2.0 1.7 1.0
Secondary/tertiary care specialties	İ				
Total	10,869	100.0	39.9	58.3	1.8
General surgery	2,512	100.0	47.6	50.8	1.6
Cbstetrics-gynecology	1,873	100.0	1.7	96.1	2.2
Orthopedic surgery	1,507	100.0	51.6	47.4	1.0
Other surgical specialties	2,421	100.0	47.9	50.7	1.4
Psychiatry-neurology		100.0	40.5	57.1	2.4
Other medical specialties	1,461	100.0	43.8	54.5	1.7
Remaining other specialties	377	100.0	65.3	30.0	4.8

Table 6. Number and percent distribution of 23,407 ambulatory patient visits to office-based physicians participating in Field Test:

Phase II, NAMCS Feasibility Study, by sex and age of patients: United States, 1971

	Bot	th sexes	Male		F	emale	Not stated		
Age of patients	Number	Percent distribution	Number	Percent distribution	Number	Percent distribution	Number	Percent distribution	
Total, all ages .	23,407	100.0	9,749	41.6	13,243	56.6	415	1.8	
0-4 years	1,993	8.5	1,044	4.5	930	4.0	19	0.1	
5-14 years	2,477	10.6	1,310	5.6	1,148	4.9	19	0.1	
15-24 years	3,908	16.7	1,505	6.4	2,376	10.2	27	0.1	
25-44 years	6,166	26.3	2,280	9.7	3,839	16.4	47	0.2	
45-64 years	5,537	23.7	2,398	10.2	3,094	13.2	45	0.2	
65 years and over	2,973	12.7	1,158	9.9	1,798	7.7	17	0.1	
Not stated	353	1.5	54	6.2	58	0.2	241	1.0	

26

Table 7. Number, percent, and cumulative percent of 7,514 ambulatory patient visits (ranked in decreasing frequency) to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by the 20 most common three-digit ICDA categories assigned for patient's purpose, problem, or chief complaint: United States, 1971

[Diagnostic groupings and code number inclusions are based on the Eighth Revision International Classification of Diseases, Adapted for Use in the United States, 1965]

Rank	1CDA categories	Number of visits	Percent of visits	Cumulative percent
$\Box$	Medical or special examination	966	12.9	12.9
2	Medical and surgical aftercare	898	12.0	24.8
3	Prenatal care	412	5.5	30.3
4	Symptoms referable to respiratory system	336	4.5	34.8
5	Other general symptoms	283	3.8	38.5
6	Symptoms referable to limbs and joints	281	3.7	42.3
7	Diagnostic category (and 3-digit ICDA code) not assigned	198	2.6	44.9
8	Acute pharyngitis	178	2.4	47.3
9	Symptoms referable to abdomen and lower gastrointestinal tract	174	2.3	49.6
10	Nervousness and debility	155	2.1	51.7
11	Vertebrogenic pain syndrome	149	2.0	53.6
12	Acute nasopharyngitis (common cold)	141	1.9	55.5
13	Persons receiving prophylactic incoulation and vaccination	135	1.8	57.3
14	Other ill-defined and unknown causes of morbidity and mortality	133	1.8	59.1
15	Obesity not specified as of endocrine origin	122	1.6	60.7
16	Essential benign hypertension	121	1.6	62.3
17	Injury, other, and unspecified	120	1.6	63.9
18	Other eczema and dermatitis	118	1.6	65.5
19	Follow-up examination with no need for further care or need for only			ŀ
'5	limited care	89	1.2	66.7
20	Symptoms referable to genitourinary system	81	1.1	67.7
	Other specified diagnostic categories (with 3-digit ICDA codes assigned)	2,424	32.3	100.0



Table 8. Number, percent, and cumulative percent of 23,407 ambulatory patient visits (ranked in decreasing frequency) to office-based physicians participating in Field Test: Phase II, NAMCS Fessibility Study, by the 20 most common three-digit ICDA categories assigned for their most important diagnosis: United States, 1971

[Diagnostic groupings and code number inclusions are based on the Eighth Revision International Classification of Diseases, Adapted for Use in the United States, 1965]

Rank	1CDA categories	Number of visits	Percent of visits	Cumulative percent
1	Diagnostic category (and 3-digit ICDA code) not assigned	1,982	8.5	8.5
2	Medical and surgical aftercare	1,878	0.8	16.5
3	Medical or special examination	1,423	6.1	22.6
4	Prenatal care	751	3.2	25.8
5	Essential benign hypertension	699	3.0	28.8
6	Acute upper respiratory infection of multiple or unspecified sites	662	2.8	31.6
7	Neuroses	558	2.4	34.0
a l	Chronic ischemic heart disease	445	1.9	35.9
ğ	Diabetes mellitus	362	1.6	37.4
10	Obesity not specified as of endocrine origin	346	1.5	38.9
11	Otitis media without mention of mastoiditis	324	1.4	40.3
12	Other eczema and dermatitis	314	1.3	41.6
13	Acute pharyngitis	313	1.3	43.0
14	Follows: a examination with no need for further care or need for only	1		
'7	limited care	285	1.2	44.2
15	Bronchitis, unqualified	283	1.2	45.4
16	Hay fever	276	1.2	46.6
17	Sprains and strains of other and unspecified parts of back	270	1.2	47.7
18	Acute tonsillitis	249	1.1	48,8
19	Other viral diseases	223	0.9	49.7
20	Diseases of sebaceous glands	212	0.9	50.7
20	Synovitis, bursitis, and tenosynovitis	212	0.9	51.6
	Other specified diagnostic categories (with 3-digit ICDA codes assigned)	11,340	48.4	100.0

Table 9. Number and percent distribution of 23,407 ambulatory patient visits (ranked in decreasing frequency) to office-based physicians participating in Field Test: Phase 11, NAMCS Feasibility Study, by the 19 major ICDA classes containing their most important diagnosis: United States, 1971

{Diagnostic groupings and code number inclusions are based on the Eighth Revision International Classification of Diseases, Adapted for Use in the United States, 1965}

Rank	Major ICDA classes	Number of visits	Percent of visits
	Total, all visits	23,407	100.0
1	Supplementary classification: Special conditions and pagininations without sickness Y00-Y13	4,779	?0.1
2	VIII, Diseases of the respiratory system	3,056	13.1
3	Unknown diagnoses (with no code assigned)	1,982	8.5
4	VII. Diseases of the circulatory system	1,927	8.2
5	XVII. Accidents, poisonings, and violence	1,879	0,8
6	VI. Diseases of the nervous system and sense organs	1,195	5.1
7	X. Diseases of the genitourinary system	1,191	5.1
8	XIII. Diseases of the musculoskeletal system and connective tissue	1,144	4.9
9	XII. Diseases of the skin and subcutaneous tissue	1,053	4.5
10	V. Mental disorders	988	4.2
11	III, Endocrine, nutritional, and metabolic diseases	980	4.2
12	XVI. Symptoms and ill-defined conditions	878	3.8
13	I. Infective and parasitic diseases	801	3.4
14	IX. Diseases of the digestive system	777	3.3
15	II. Neoplasms	397	1.7
16	IV. Diseases of blood and blood-forming organs	183	3.0
17	XIV. Congenital anomalies	136	0.6
18	XI. Complications of pregnancy, childbirth, and the puerperium	56	0.2
19	XV. Certain causes of perinatal morbidity and mortality	5	0.0

Table 10. Number and percent distribution of 7,514 ambulatory patient visits to office-based physicians participating in Field Test:

Phase II, NAMCS Fessibility Study, by type of physician practice and color of patients: United States, 1971

		Total, all types of practice		eral and / practice	Specialty practice		
Color of patients	Number	Percent distribution	Number	Percent distribution	Number	Percent distribution	
Total, all visits	7,514	100.0	2,592	100.0	4,922	100.0	
White All other Not stated	6,827 643 44	<b>2.08</b> 3.8 3.0	2,343 233 16	90.4 9.0 0.6	4,484 410 28	91.1 8.3 0.6	

Table 11. Number and percent distribution of 7,514 ambulatory patient visits to office-based physicians participating in Field Test:
Phase II. NAMCS Fessibility Study, by type of physician practice and marital status of patients: United States, 1971

	Total, all types of practice			eral and / practic <del>s</del>	Specialty practice		
Marital status of patients	Number	Percent distribution	Number	Percent distribution	Number	Percent distribution	
Total, all visits	7,514	100.0	2,592	100.0	4,922	100.0	
Single  Married  Widowed  Separated/divorced  Unknown	2,558 3,892 442 237 345	34.6 51.8 5.9 3.2 4.6	823 1,376 157 113 124	31.8 53.0 6.1 4.4 4.8	1,775 2,517 285 124 221	36.1 51.1 5.8 2.5 4.8	

Table 12. Number and percent distribution of 7,514 ambulatory patient visits to office-based physicians participating in Field Test: Phase II, NAMCS Fessibility Study, by type of physician practice and by whether patient had been seen before by same physician: United States, 1971

		Total, all types of practice		eral and practice	Specialty practice	
Patient seen before by same physician	Number	Percent distribution	Number	Percent distribution	Number	Percent distribution
Total, all visits	7,514	100.0	2,592	100.0	4,922	100.0
Seen before	6,172	82.1	2,106	81.3	4,066	82.6
For present problem	4,377 1,571 224	58.3 20.9 3.0	1,261 769 76	48.6 29.7 2.9	3,116 802 148	63.3 16.3 3.0
Not seen before	1,308	17 <i>A</i>	469	18.1	839	17.0
Unknown whether seen before	34	0.5	17	0.7	17	0.3

Table 13. Number and percent of 7,514 ambulatory patient visits to office-based physicians participating in Field Test: Phase II, NAMCS Feasibility Study, by type of physician practice and extent of history taken and examination made at visit: United States, 1971

History taken and examination made at visit	Total, a of pra		General and family practice		Specialty practice	
	Number	Percent	Number	Percent	Number	Percent
Total, all visits	7,514	100.0	2,592	100.0	4,922	100.0
Total, history taken	6,510	86.6	2,338	90.2	4,172	84.8
General history	2,121 4,389	28.2 58.4	722 1,616	27.9 62.3	1,399 2,773	28.4 56.3
Total, history not taken	964	12.8	245	9.5	719	14.6
Total, unknown history	40	0.5	9	0.3	31	0.6
Total, examination made ,	6,783	90.3	2,399	92.6	4,384	89.1
General examination	2,109 4,674	28.1 62.2	678 1,721	26.2 66.4	1,431 2,953	29.1 60.0
Total, examination not made	641	8.5	174	6.7	467	9.5
Total, unknown examination	90	1.2	19	0.7	71	1.4



Table 14, Number and percent distribution of 7,514 ambulatory patient visits to office-based physicians participating in Field Test: Phase II. NAMCS Feasibility Study, by type of physician practice and laboratory procedure, X-ray examinations, and other diagnostic procedures ordered: United States, 1971

Diagnostic tests ordered at visit		, all types practice		eral and y practice	Specialty practice		
Dieducent feste Orderen St Areit	Number	Percent distribution	Number	Percent distribution	Number	Percent distribution	
Total, all visits	7,514	100.0	2,592	100.0	4,922	100.0	
Lab procedures							
Total	1,991	26.5	523	20.2	1,468	29.8	
For screening For diagnosis For followup None ordered Unknown	1,000 574 417 5,095 428	13.3 7.6 5.5 67.8 5.7	222 217 84 1,821 248	8.6 8.4 3.2 70.3 9.6	778 357 333 3,274 180	15.8 7.3 6.8 66.5 3.7	
X-ray ( xams					ı		
Total	710	9.4	220	8.5	490	10.0	
For screening For diagnosis For followup None ordered Unknown	176 402 132 6,040 764	2.3 5.4 1.8 80.4 10.2	52 147 21 2,072 300	2.0 5.7 0.8 79.9 11.6	124 255 111 3,968 464	2.5 5.2 2.3 80.6 9.4	
Other diagnostic procedures							
Total	565	7.5	112	4.3	453	9.2	
For screening	192 170 203 6,104 845	2.6 2.3 2.7 81.2 11.2	42 47 23 2,159 321	1.6 1.8 0.9 83.3 12.4	150 123 180 3,945 524	3.0 2.5 3.7 80.2 10.6	

Table 15. Number and percent distribution of 7,514 ambulatory patient visits to office-based physicians participating in Field Test:

Phase II, NAMCS Feasibility Study, by type of physician practice and diagnostic specimen taken: United States, 1971

		, all types practice		eral and practice	Specialty practice		
Diagnostic specimen taken at visits	Number	Percent distribution	Number	Percent discribution	Number	Percent distribution	
Total, all visits	7,514	100.0	2,592	100.0	4,922	100.0	
Total, specimen taken	2,128	28.3	594	22.9	1,534	31.2	
By physician	910 1,077 141	12.1 14.3 1.9	283 271 40	10.9 10.5 1.5	627 806 101	12.7 16.4 2.1	
No specimen taken	4,991	66.4	1,784	68.8	3.207	65.2	
Unknown whather specimen taken	395	5.3	214	8.3	181	3.:	

Table 16. Number and percent distribution of 23,407 ambulatory patient visits to office-based physicians participating in Field Test:

Phase II, NAMCS Fessibility Study, by type of physician practice and treatment provided for patients: United States, 1971

	Total, all types of practice			eral and practice	Specialty practice	
Treatment provided for patients	Number	Percent distribution	Number	Percent distribution	Number	Percent distribution
Total, all visits	23,407	100.0	7,932	100.0	15,475	100.0
None required	3,986 12,065 1,908 1,754 2,825 293	17.0 51.5 8.2 7.5 12.1 1.3	1,015 5,399 486 400 999	12.8 68.1 6.1 5.0 12.6 1.1	2,971 6,666 1,422 1,354 1,826 203	19.2 43.1 9.3 8.7 11.8 1.3
Other treatment	5,872 194	25.1 0.8	1,394 63	17.6 0.8	4,478 131	<b>28</b> .9

<sup>1</sup> The sum of column entries exceeds column totals since more than 1 type of treatment may have been provided per visit.



Table 17. Number and percent distribution of 7,514 ambulatory patient visits to office-based physicians participating in Field Test:

Phase II, NAMCS Feasibility Study, by type of physician practice and disposition following patient visit: United States, 1971

•	Total, all types of practice		1	eral and y practice	Specialty practice		
Disposition following patient visit	Number	Percent distribution	Number	Percent distribution	Number	Percent distribution	
Total, all visits 1	7,514	100.0	2,592	100.0	4.922	100.0	
No further followup planned	670	8.9	293	11.3	377	7.7	
Telephone followup planned	510	6.8	174	6.7	336	6.8	
Return to same physician anytime, pro re nata	1,884	25.1	779	30.1	1,105	22.5	
Return to same physician at specified time or		•					
interval	4,423	58.9	1,274	49.2	3,149	64.0	
Referred for diagnostic tests only	72	1.0	21	8.0	51	1.0	
Referred to another physician for consultation,	1		I		ł	]	
diagnosis or treatment	181	2.4	71	2.7	110	2.2	
Referred for hospital admission under same	į	ŀ	1		]		
physician's care	236	3.1	45	1.7	191	3.9	
Referred for hospital admission, under another		1				1	
physician's care	69	0.9	19	0.7	50	0.1	
Returned to referring physician/sgency	67	0.9	3	0.1	64	1.3	
Other disposition	65	0.9	12	0.5	53	0.1	

<sup>1</sup> The sum of column entries exceeds column totals since more than 1 kind of disposition may have been arranged per visit.

Table 18. Number and percent distribution of 7,514 ambulatory patient visits to "ice-based physicians participating in Field Test:

Phase II, NAMCS Feasibility Study, by type of physician practice and duration of visit: United States, 1971

Diversity of visit in minutes	Total, all types of practice			eral and y practice	Specialty practice		
Duration of visit in minutes	Number	Percent distribution	Number	Percent distribution	Number	Percent distribution	
Total, all visits	7,514	100.0	2,592	100.0	4,922	100.0	
0-5 minutes	1,294	17.2	521	20.1	773	15.7	
6-10 minutes	2,229	29.7	898	34.6	1,331	27.0	
11-15 minutes	2,033	27.1	785	30.3	1,248	25.4	
16-30 minutes	1,529	20.3	330	12.7	1,859	37.8	
31-60 minutes	321	4.3	28	1.1	293	6.0	
61 minutes and over	28	0.4	5	0.2	23	0.5	
Unknown duration	80	1.1	25	1.0	55	1.1	
Median, minutes ,		11.0		9.8	1	I 1.9	

## APPENDIX I

# DATA COLLECTION FORMS 1973 NATIONAL AMBULATORY MEDICAL CARE SURVEY

PATIENT LOG AND PATIENT RECORD, SAMPLING EVERY PATIENT

DATE	PATIENT LOG	AS N	EURANCE OF CONFIDENTIA HERIOS, OF AN ANABESTMENT W PURPOSE OF THE SURVEY AND IN	NLTY — Alt indepression which would partet describertion of be had combinated, will be used only by partets and all and be destead or integed to other persons or used	of an undbit aged in and by any other	end. lar purposs.	A 1	.21601	
	partiest arrives, respect his name on the t, and complete the correspondingly num-	1. BATE OF WISHT  PATIENT RECORD  NATIONAL AMBULATORY MEDICAL CARE SURVEY							
fored par	pant regard to the right.	2. SATE OF SHITE	4. couse on	B. PATICET'S PRINCIPAL PROBLEMICS COMPLAINT(S), OR SYMPTOM(S) THE WELL		6. semourace or PROOLEM IN ITEM to (Chest one)		TARRET BOFORE?	
PATIENT	PATIENT'S NAME	Me / Dev /Yr	· () WHITE	(to <u>partical a</u> ruse <b>acords</b> )		VERY SERIOUS	٠ 🗆 ۲	HO	
11		3. SEX	NEGRO/ BLACK DOTHER	a MOST IMPORTANT		*   STICHTEN SELIONS	inglicate	for the problem of in 17EM En 1	
12		. [] MALE	• □ UNKNOWN	b OTHER		• 🗆 NOT SERIOUS	, O V		
<del>-'</del> -		- S. MAJOR MAJORITA	100 THE <u>1007</u> (Clark of a	raine (manage)		HCIAN'S PRINCIPAL BIAGNOOM LAGNOSIS ASSOCIATED WITH			
13		m   ACUTE PROBLE	mi .	WELL ADULT/CHILD EXAM					
		H C ACUTE PROBLE		# D FAMILY PLANNING					
14		- CHRONIC PROS		"   MMUNIZATION					
15		D PREMATAL CAR		REFERRED BY OTHER PHYS/AGENCY ADMINISTRATIVE PURPOSE		THER SIGNIFICANT CURRENT OPEN OF IMPORTANCE)	DIAGRU	H6	
<del></del> -		POSTOPERATIV		· □ OTHER (Specify)					
16		.			] -				
17		10. THATHEIT/GERO		S THIS VIGIT (Cook off that apply)		POORTION TIME VIOLE put and disc apply)	1	2. evention of The Visit (7)	
18		- O NONE ORDERED		"   PRESCRIPTION DRUG		FOLLOW-UP PLANNED	1	physicism)	
-		- GENERAL HISTO		M D NON-PRESCRIPTION DRUG  M D PSYCHOTHERAPY/I HERAPETUIC		TURN AT SPECIFIED TIME TURN IF NEEDED, P.R.N			
19		- X-RAYS		LIBTENING	+ G 18	LEPHONE POLLOW-UP PLAN	NED	MANUTES	
20		OFFICE SURGIC	AL TREATMENT	MEDICAL COUNSELING/ADVICE DAMER (Speedy)	• 🗆 🗛	FERRED TO OT YER PHYSICIAN/AQENCY TURNED TO REFERRING PHYSICIAN	-		
	PHYSICIAN'S COPY				· U AG	PHYSICIAN HMIT TO HOSPITAL IHER (Speedy)	_		
		HSM 660-3 66V 4 73		DEPARTMENT OF HEALTH, SDUCATION PUBLIC HEALTH SERVICE MEALTH SERVICES AND MENTAL HEALTH	ı			B. 666-872166 MATION BATE 6/86/7	



# BEST COPY AVAILABLE

## PATIENT LOG AND PATIENT RECORD, SAMPLING EVERY SECOND PATIENT

B 343202		A44	CURANCE UP CONFIDENTIAL Series, or on stratistication in purposes of the bursey and in	LLITY—All information which would partnit identification ill be held confidential, will be used only by persone one ill not the disclosed or relacted to atter persons or used	n of an individual, paged in and for for any other purpose.	B343202			
PATIENT LOG		1. BATE OF WAIT	NATIONAL AMBULATORY MEDICAL CARE SURVEY						
As each potent service, record norms and time of this on the tag lattice. For the partient on- timed on the fig. this exampless the patient on- timed on the fig. this completes the patient record to the right.  PATIENT'S NAME	TIME OF	Mo Day Yr WHITE (In patient a		S. PATIENT'S PRINCIPAL PROBLEM(S) COMPLAINT(S), OR SYMPTOM(S) TIME VISI (In patient's oure words) a MOSTANT	S. SERIOUSHEER OF PROBLEM IN ITEM So (Check and)  D. VERY SERIOUS  SERIOUS  LIGHTLY SERIOUS	7. MAYE YOU EVEN SEEN THIS PATIENT BAFORE?  • [] YES   [] NO If YES, for the problem indicated in 17EM Se?			
2 Record items 1-12 for this petient	9,0 846 846	B. MAJOR MARON(S) F	M. FOLLOW-UP LEM. ROUTINE LEM. FLARE-UP RE		D. PHYSICIAN'S PRINCIPAL SAGMOSIS DIAGNOSIS ASSOCIATED WITH  D. OTHER SIGNIFICANT CURRENT (In order of importance)	TEM S. ENTRY			
CONTINUE LISTING PATIENTS ON NEXT PAGE			E DROLLES OR PROVIDED PROVIDED RY/EXAM L/TEST UNIZATION	B THIR WRIT (Check of Mor apply)	11. DISPOSITION TIME VIGIT (Clock off that appl)  NO FOLLOW-UP PLANNED RETURN AT SPECIFIED TIME RETURN IF NEEDED, PR N. RETURN OF POLLOW-UP PLANS REFERRED TO OTHER PHYSICIAN/AGENCY RETURNED TO REFERRING PHYSICIAN ADMIT TO HOSPITAL OTHER (Speedy)	12. SURATION OF THIS WEST (Fine activally appar mits absolute)  MINUTES			
		HSM-868-3		DEPARTMENT OF HEALTH EDUCATION (	and welfare	O M B 448-872108			

#### PATIENT LOG AND PATIENT RECORD, SAMPLING EVERY THIRD PATIENT

BACE   COMMANDERING TOWN PROCESSION TOWN PROCESSION TOWN PROCESSION TO COMMINISTRATIVE PURPOSE    COMMANDERING TOWN PROCESSION TO COMMINISTRATIVE PURPOSE   COMMANDERING TOWN PROCESSION TO COMMINISTRATIVE PURPOSE   COMMANDERING TOWN PROCESSION TOWN PROCES	C 487202		A&I 0 P We	EURANCE OF CONFIDENTU nation, or an assistativeness of purposes of the survey and w	LITY—All information which would parmit identification ill be held confidential, will be used only by persons on all not be designed or released to other persons or used	n of an indi- payed in and for any other	Adeal, I for Ir Durbeek	C 4	87202	
TIME OF VISIT PARKET RAME  TIME OF PARKET RAME  TIME OF VISIT PARKET RAME  TIME PARKET RAME	PATIENT LOG			NA			RE SURVEY			
PATIENT'S NAME  TIME OF    SEX	of vot on the log below for the potent on tend on line \$3, asso complete the potent		/		COMPLAINT(S). OR SYMPTOM(S) THIS YEAR	MT PROGLEM IN ITEM So				
8. BAJOR MARGES FOR TIME WEST (Clock off only recessed)  9. PRINCIPLY PROBLEM	PATIENT'S NAME		3. SEX	I D NEGRO/ BLACK I D OTHER	IMPÖRTANT	_	.   SERIOUS	N YES.	for the problem and in 175M Go?	
10. TREATBELIT/SERVICE SPREADS THE VIOLE (Clock of the apply)  11. SHAPPERTIES THE VIETT (Clock of the apply)  12. DEPARTMENT (Clock of the apply)  13. DEPARTMENT (Clock of the apply)  14. DEPARTMENT THE VIETT (Clock of the apply)  15. DEPARTMENT (Clock of the apply)  16. DEPARTMENT THE VIETT (Clock of the apply)  17. DEPARTMENT THE VIETT (Clock of the apply)  18. DEPARTMENT THE VIETT (Clock of the apply)  19. DEPARTMENT THE VIETT (Clock of the apply)  19. DEPARTMENT THE VIETT THE VIETT (Clock of the apply)  19. DEPARTMENT THE VIETT THE VIE	3	3 A	ACUTE PROBLEM ACUTE PROBLEM CHRONIC PROBLEM CHRONIC PROBLEM PRENATAL CARL POSTNATAL CARL POSTOPERATIVE	A POLLOW-UP LEM ROUTINE LEM FLARE-UP RE CARE	WELL ADULT/CHILD EXAM FAMILY PLANNING COUNSELING/ADVICE MMUNIZATION REFERRED BY OTHER PHYE/AGENCY ADMINISTRATIVE PURPOSE		DIAGNOSIS ASSOCIATED WITH ITEM So ENTRY     OTHER SIGNIFICANT CURRENT DIAGNOSES			
ON NEXT PAGE			10. TRATERITISERNO	E PROVIDED (PROVIDED RY/EXAM (J/TEST	PRESCRIPTION DRUG  ON ON-PRESCRIPTION DRUG  PSYCHOTHERAPY/THERAPETUIC LISTENING  OMEDICAL COUNSELING/ADVICE	- 0 AI	one of the oppy)  D POLLOW-UP PLANNED  ITURN AT SPECIFIED TIME  ITURN IF NEEDED, P.C.N. LEPHONE POLLOW-UP PLANI  IFERRED TO OTHER  PHYSICIAN/AUENCY  ITURNED TO REPERRING  PHYSICIAN OBPITAL		2. SUBLATION OF THE WORT (The county quant mile paper m	



# PATIENT LOG AND PATIENT RECORD, SAMPLING EVERY FIFTH PATIENT

# BEST COPY AVAILABLE

D 591705		ASI 8 30 9 00	D691705									
PATIENT LOG	•	1. BATE OF VIBIT	NATIONAL AMBULATORY MEDICAL CARE SURVEY									
As each parent in tree, retard name and time of time on the log better for the parent on test on time fit, also complete the parent record to the right.		2. BATE OF BURTH	4. COLOR OR RACE	S. PATIENT'S PRINCIPAL PROBLEM(8) COMPLAINT(8), SE SYMPTOM(8) THIS VISI (In patient's one words)	S. BERIQUINESS OF PROBLEM IN ITEM So (Check one)	7. HAVE YOU EVER BEEN THIS PATIENT BEFORE?						
PATIENT'S NAME	TIME OF VISIT	Mo / Day / Vr 3. SEX - FEMALE	-   WHITE -   NEGRO/ BLACK -   OTHER -   UNKNOWN	a MOST IMPORTANT	· □ VERY SERIOUS  · □ SERIOUS  · □ SERIOUS  · □ SLIGHTLY SERIOUS  · □ NOT SERIOUS	If YES 10 NO Indicated in ITEM Se?						
		☐ PRENATAL CARE ☐ POSTNATAL CARE ☐ POSTOPERATIVE CARE ☐			D. PHYSICIAN'S PRINCIPAL BIARROSS  DIAGNOSIS ASSOCIATED WIT  DOTHER SIGNIFICANT CURREN (In order of importance)	H ITEM SO ENTRY						
Record Home 1-12 for this pelient  CONTINUE LISTING PATIENTS ON NEXT PAGE	64m	NONE ORDERED IN GENERAL MISTO IN LAB PROCEDUR IN X-RAYS IN INJECTION/IMM IN OFFICE SURGICAL (Specify)	CE DROERED DE PROVIDE /PROVIDED RYJEXAM E/TEST UNIZATION	D THES VISIT (Cooch all sour apply)  - : PRESCRIPTION ORUG  - : NON-PRESCRIPTION ORUG  - : PSYCHOTHERAPY/THERAPETUIC LISTENING  - : MEDICAL COUNSELING, ADVICE  - : OTHER (Specify)  DEPARTMENT OF HEALTH, EDUCATION	11. DISPOSITION THIS VISIT (CARCE AL INME ARRY)  DING FOLLOW-UP PLANNED DING RETURN AT SPECIFIED TIME TETURN IF NEEGED PRIN DISTRIBUTION FOLLOW-UP PLAN DISPOSITION AGENCY PHYSICIAN/AGENCY PHYSICIAN AGMIT TO MESERRING PHYSICIAN DISTRIBUTION (Specify)	12. BURATION OF THIS VISIT (Time activally appeal ands) alreation)  MINUTES  OMB 498 572109						
		HSM 486 6 REV 4-73		DEPARTMENT OF HEALTH, EDUCATION PUBLIC HEALTH SERVICE HEALTH SERVICES AND MENTAL HEALTH S NATIONAL CENTER FOR HEALTH S	I ADMINISTRATION	OM B MS 572108 EXPIRATION DATE 6/30/75						



#### INDUCTION INTERVIEW SCHEDULE

CONFIDENTIAL NORC-4155
Feb., 1973

Form	App	roved	•
OMB 1	No.	068-S	72106
Expi	res:	June	30, 1974

. Is that right?

#### NATIONAL AMBULATORY MEDICAL CARE SURVEY

TIME	AM
BEGAN:	PM

1. First, you are a

#### INDUCTION INTERVIEW

(Phys.	ID	Number)

#### BEFORE STARTING INTERVIEW

- 1. ENTER PHYSICIAN I.D. NUMBER IN BOX TO RIGHT, ABOVE
- Enter dates of assigned reporting week in Q. 3, P.2

Doctor, before I begin, let me take a minute to give you a little background about this survey.

Although ambulatory medical care accounts for nearly 90 per cent of all medical care received in the United States, there is no systematic information about the characteristics and problems of people who consult physicians in their offices. This kind of information has been badly needed by medical educators and others concerned with the medical manpower situation.

In response to increasing demands for this kind of information, the National Center for Health Statistics has conducted a series of feasibility studies to determine whether a workable data collection method could be developed. In close consultation with representatives of the medical profession, this National Ambulatory Medical Care Survey was designed and tested.

Your own task in the survey is simple, carefully designed, and should not take much of your time. Essentially, it consists of your participation during a specified 7-day period. During this period, you simply check off a minimal amount of information concerning the patients you see.

Now, before we get into the actual procedures, I have a few questions to ask about your practice. The answers you give me will be used only for classification and analysis, and of course all information you provide is held in strict confidence.

				(ENTER	SPECIALTY	FROM	CODE	ON	FACE	SHE	ET	LABEL.	5		
												(ASK A)			
A	۱.	IF NO:	What	is your	specialty	, (in	cludi	ng (	gener	al p	rac	ctice)?			
									(Nat	ne o	£ S	Special	ty	)	



<sup>\*</sup>All information which would permit identification of an individual, a practice, or an establishment will be held confidential, will be used only by persons engaged in and for the purpose of the survey, and will not be disclosed or released to other persons or used for any other purpose.

2. Do you have a solo practice, or are in a partnership, in a group practic	
	Solo 1
	Partnership (ASK A) 2
	Group (ASK A) 3
	Other . (SPECIFY AND ASK A) 4
A. IF PARTNERSHIP, GROUP, OR OTHER:	How many other physicians are associated with you?  (# of Physicians)
3. Now, doctor, this study will be con- you will see in your office during ( BELOW.)	cerned with the <u>ambulatory</u> patients the week of (READ REPORTING DATES ENTERED
(that's a/ Monday) the month date	rough / (that's a Sunday)
Are you likely to see any ambulatory	y patients in your office during that week?
	Yes (GO TO Q. 4) 1
	No (ASK A) 2
A. IF NO: Why is that? RECORD VERBA	ATIM, THEN READ PARAGRAPH BELOW

Since it's very important, doctor, that we include any ambulatory patients that you do happen to see in your office during that week, I'd like to leave these forms with you anyway--just in case your plans change. I'll plan to check back with your office just before (STARTING DATE) to make sure, and I can explain them in detail then, if necessary.

GIVE DOCTOR THE A PATIENT RECORD FORMS AND GO TO Q. 10, P. 6.



- 4. A. At what office location will you be seeing ambulatory patients during that 7-day period? RECORD UNDER A BELOW AND ASK B WHEN INDICATED.
  - B. IF HOSPITAL EMERGENCY ROOM, OUT-PATIENT CLINIC, OR OTHER INSTITUTIONAL LOCATION IN A: Thinking about the ambulatory patients you see in (PLACE IN A), do you, yourself, have primary responsibility for their care over time, or does (INSTITUTION IN A) have primary responsibility for their care over time? CODE UNDER B BELOW.

Α.	В,						
Office Location	Dr. has prime responsibility (in scope)	Inst. has prime responsibility (out-of-scope)					
(1)	1	0					
(2)	1	0					
(3)	1	0					
(4)	1	0					

C. Is that <u>all</u> of the office locations at which you expect to see ambulatory patients during that week?

Yes. . . . . 1

No . . . . 2

IF NO: OBTAIN OFFICE LOCATION(S), ENTER IN "A" ABOVE, AND REPEAT.

IF ALL LOCATIONS ARE OUT-OF-SCOPE (CODE "O" IN Q. 4B), THANK THE DOCTOR AND LEAVE.



5. A. During that week (REPEAT DATES), how many ambulatory patients do you expect to see in your office practice? (DO NOT COUNT PATIENTS SEEN AT [OUT-OF-SCOPE LOCATIONS] CODED IN 4-B.)

ENTER TOTAL UNDER "A" BELOW AND CIRCLE ON APPROPRIATE LINE.

B. And during those seven days (REPEAT DATES IF NECESSARY), on how many days do you expect to see any ambulatory patients? COUNT EACH DAY IN WHICH DOCTOR EXPECTS TO SEE ANY PATIENTS AT AN IN-SCOPE OFFICE LOCATION.

#### ENTER TOTAL UNDER "B" BELOW AND CIRCLE NUMBER IN APPROPRIATE COLUMN.

DETERMINE PROPER PATIENT LOG FORM FROM CHART BELOW. READ ACROSS ON "TOTAL PATIENTS" LINE UNDER "A" AND CIRCLE LETTER IN APPROPRIATE "DAYS" COLUMN UNDER "B."


THIS LETTER TELLS YOU WHICH OF THE FOUR PATIENT LOG FORMS (A, B, C, D) SHOULD BE USED BY THIS DOCTOR.

LOG FORM DESCRIPTION		Expected total patients during			B. otal <u>days</u> in practice uring week.				
APatient Record is to be	ENTER TOTAL Q. 5-A.		ENTER TOTAL FROM Q. 5-B. DAYS						
completed for <u>ALL</u> patients listed on Log.			1	2	3	4	5	6	7
	1- 10 PAT	I ENTS	A	A	A	A	A	A	A
BPatient Record is to be	11- 20		В	A	A	A	A	A	A
completed for every	21- 30		С	В	A	A	A	A	A
SECOND patient listed	31- 40		С	В	В	Á	A	A	A
on Log.	41- 50		D	С	В	В	A	A	A
	51- 60		D	С	В	В	В	A	A
CPatient Record is to be	61- 70		D	D	С	В	В	В	A
completed for every	71- 80		D	D	С	В	В	В	В
THIRD patient listed on Log.	81- 90		D	ע	С	В	В	В	В
0.0 2081	91-100		D	D	С	С	В	В	В
do Distant Divide to to	101-110		D	D	С	С	В	В	В
*DPatient Record is to be completed for every	111-120		D	D	D	С	В	<b>B</b> _	В
FIFTH patient listed	121-130		D	D	D	С	С	В	В
on Log.	131-140		D	D	D	С	С	С	В
	141-150		D	D	D	D	С	С	С
	151-160		D	D	D	D	С	С	С
	161-170		D	D	D	D	D	С	С
	171-180		D	D	D	D	D	С	С
	181-190		D	D	D	D	D	С	С
	191-200		D	D	D	D	D	D	С
	200- +	V	D	D	D	D	D	D	D

<sup>\*</sup>In the rare instance the physician will see more than 500 patients during his assigned reporting week, give him two D Patient Log Folios and instruct him to complete a patient record form for only every tenth patient. Then you are to draw an X or line on line 5 on every other page of the two folio pads, starting with page 1 of the pad.



				(Folio Number	:)
,	,		HOW FORMS ARE TO BE O TO WHICH HE CAN RI		
	RECORD VERBATIN	M BELOW ANY CONCERN	, problems or quest	IONS THE DOCTO	R RAISES.
	DURING ASSIGNED	WEEK, TELL HIM YOU	Y PATIENTS AT MORE ' WILL DELIVER THE FO ) FOR THOSE LOCATION	ORMS TO THE OT	HER LOCATION
	Local	tion	Patient Re	cord Form Lett	ter & Number
•	During the surveyou in filling o	ey week (REPEAT EXA	CT DATES), will anyone at each IN-SCOPE loc	cation)?	
•	During the surveyou in filling o	ey week (REPEAT EXA out these records (	at each IN-SCOPE loo Yes .	one be availab cation)?	. 1
	you in filling o	ey week (REPEAT EXAMOUT these records (	at each IN-SCOPE loo Yes . No .	(ASK A) .  B.*INTERVI	. 1
	you in filling o	out these records (	at each IN-SCOPE loo Yes . No .	B. *INTERVI	. 1 . 2
	you in filling of the second name,	would that be? POSITION AND LOCAT	et each IN-SCOPE loc Yes . No .	B. *INTERVI PERSON YOU?	. 1 . 2 EWER: WAS BRIEFED BY
	you in filling of the second name,	would that be? POSITION AND LOCAT	et each IN-SCOPE loc Yes . No .	B. *INTERVI PERSON YOU?	. 1 . 2 EWER: WAS BRIEFED BY
	you in filling of the second name,	would that be? POSITION AND LOCAT	et each IN-SCOPE loc Yes . No .	B. *INTERVI PERSON YOU?	. 1 . 2 EWER: WAS BRIEFED BY No





- 10. Now I have just one more question about your practice. (NOTE: IF DOCTOR PRACTICES IN LARGE GROUP, THE FOLLOWING INFORMATION CAN BE OBTAINED FROM SOMEONE ELSE.)
  - A. What is the total number of full-time (35 hours or more per week) employees of your (partnership/group) practice? Include persons regularly employed who are now on vacation, temporarily ill, etc. Do not include other physicians. RECORD ON TOP LINE OF COLUMN A BELOW.
    - 1) How many of these full-time employees are . . . (READ CATEGORIES BELOW AS NECESSARY AND RECORD NUMBER OF EACH IN COLUMN A.)
  - B. And what is the total number of part-time (less than 35 hours per week) employees of your (partnership/group) practice? Again, include persons regularly employed who are now on vacation, ill, etc. Do not include other physicians. RECORD ON TOP LINE OF COLUMN B BELOW.
    - 1) How many of these part-time employees are . . . (READ CATEGORIES AS NECESSARY AND RECORD NUMBER OF EACH IN COLUMN B.)

Employees	A. Full-time (35 or more hours/week)	B. <u>Part-time</u> (Less than 35 hours/week)
	TOTAL:	TOTAL:
(1) Registered Nurs		
(2) Licensed Practical Nurse		
(3) Nursing Aide		
(4) Physician Assistant		
(5) Technician		
(6) Secretary or Receptionist		
(7) Other (Specify)		



BEFORE YOU LEAVE, STRESS THAT EACH AMBULATORY PATIENT SEEN BY THE DOCTOR DURING THE 7-DAY PERIOD AT ALL IN-SCOPE OFFICE LOCATIONS (REPEAT THEM) IS TO BE IN-CLUDED IN THE SURVEY, THAT EACH PATIENT IS TO BE RECORDED ON THE LOG, AND ONLY THE APPROPRIATE NUMBER OF PATIENT RECORDS COMPLETED.

plead	e feel free to	call me. My phone norning of your surv	number is writte	e any (more) questions, n in the folio. I'll remind you.
11.	TIME INTERVIEW	ENDED	· ·	AM PM
12.	DATE OF INTERVI	LEW		Day) (Year)

COMPLETE ITEMS ON LAST PAGE

IMMEDIATELY AFTER THE INTERVIEW



I.	How much interest do you think the doctor has in the survey?	II. How confident are you that the doctor will complete the forms?
	Great interest 1	Definitely will 1
	Some interest 2	Probably will 2
	Little interest 3	Doubtful 3
	No interest 4	•
	Can't tell 5	
	INTERVIEWER NUMBER	INTERVIEWER'S SIGNATURE



## APPENDIX II INTRODUCTORY LETTERS

#### 1973 NATIONAL AMBULATORY MEDICAL CARE SURVEY



DEPARTMENT OF HEALTH. EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE HEALTH SERVICES AND MENTAL HEALTH ADMINISTRATION POCKVILLE MARYLAND 20052

NATIONAL CENTER FOR HEALTH STATISTICS

•

**Endorsing Organizations** 

American Medical Association E B Howard, M D E 1'cutive Vice President No ional Medical Association H. art Wathing Executive Vice President

American Academy of Dermitolory Frederick & J. Kingery, M.D. Secretary Treasurer

American Academy of Famili- Physicians Floor Tusten Executive Director

American Academy of Neurology Stanley A. Neichi Executive Serretary

American Academy of Growneedic Surgeons Charles V Herk M.D. **Executive Director** 

American Academy of Pediatrics Executive Director

American Association of Neurological Surgeon Gordon van den Noort, M.D. Secretary

American College of Obstetricians and Gynecologists Michael Newton, M.D. Director

American College of Physicians Edward C. Rosenow, Jr., M.D. Executive Vice President

American College of Prevantive Medicine

Ward Bernley Executive Cirector ಸು:arican College of Surgeons C. Rottins Hanton, M.D. Executive Director

American Otteopethic Association Edward P Crowell D O Executive Director

American Protologic Society John E. Ray M.D. President

American Psychiatric Association Walter E. Barton M.D. Medical Director

American Society of Internal Medicine William R Ramsey Executive Director

American Society of Plastic and Reconstructive Surgeons, Inc. Dattas F. Whatev **Executive Vice President** 

American Urnlogic Association Wyland F Leadbetter M.D. Prevident

Association of American Medical Colleges John A. D. Conter M.D. Pti C. President

Dear Dr.

The National Center for Health Statistics, as part of its continuing program to provide information on the health status of the American people, is conducting a National Ambulatory Medical Care Survey (NAMCS).

The purpose of this survey is to collect information about ambulatory patients, their problems, and the resources used for their care. The resulting published statistics will help your profession plan for more effective health services, determine health manpower requirements, and improve medical education.

Since practicing physicians are the only reliable source of this information, we need your assistance in the NAMCS. As one of the physicians selected in our national sample, your participation is essential to the success of the survey. Of course, all information that you provide is held in strict confidence.

Many organizations and leaders in the medical profession have expressed their support for this survey, including those shown to the left. In particular, your own specialty society has reviewed the NAMCS program and supports this effort (see enclosure). They join me in urging your cooperation in this important research.

Within a few days, a survey representative will telephone you for an appointment to discuss the details of your participation. We greatly appreciate your cooperation.

Sincerely yours,

1 32. 1 . . . . . Edward B. Perrin, Ph.D.

Acting Director

Enclosure





#### AMERICAN MEDICAL ASSOCIATION

535 NORTH DEARBORN STREET . CHICAGO, ILLINOIS 60610 . PHONE (312) 527-1500 . TWX 910-221-0300

ERNEST B. HOWARD, M.D. Executive Vice President

Dear Doctor

The National Center for Health Statistics is conducting a survey to coilect data on office-based ambulatory medical care. We urge you to cooperate in this survey from which we expect to obtain data of value to the medical profession in planning and organizing health services, in planning for the efficient utilization of health facilities and manpower, and in determining desirable medifications in medical education programs.

The American Medical Association is keenly interested in having accurate information about medical care services provided by physicians in private practice and was represented on the Technical Advisory Panel which was consulted about the type and amount of patient information to be collected and the survey procedures to be used. The survey has been designed to require a minimal amount of recordkeeping and to ensure confidentiality of information on patients from physicians. Data from the survey will be presented in summary form.

If you wish more details about the survey or the amount of time it will involve, please contact Mr. Theodore Woolsey, Director, National Center for Health Statistics, 5600 Fishers Lane, Rockville, Maryland 20852.

I believe the data to be collected will be of value to the medical profession and urge you to support the study by providing the information requested.

Sincerely,

Ernest B. Howard, M. D.

Emots . Kenred



## **APPENDIX III**

# DATA COLLECTION FORMS FIELD TEST: PHASE I

## LONG FORM-PATIENT DATA

PATHENT'S NAME (OFFI	OHAL)		S	CRVEY OF AMBULATORY MEDICAL CARE	PHYSICIAN'S COPY .	36426
MAJONE FOR THE				100	CARON OF THIS CONTACT  My effice or clinic	
Paliant's purpos	o' baspisa da	chief eprophists			Telephone (other than for appointment)	
Med important	dagram (def	iado ar provisional\			Emergency reest. Outpetient clinic (hespitel)	ä
Other diagrams					Home of patient Other (specify)	8
PAT	IENT CH	ARACTERISTICS		DIAGNOSTIC PROCEDURES	MANAGEMENT	
A00		SOCIO-SCONOMIC STAT	VIII	General D Tab	EATMENT (advised, prescribed, departed	<del></del>
Yeen		Upper	0	MESTORY Limited   SYAMBLATION Limited	administered or erronger	
Manths	(infant)	Middle		None   None	Nane required	
		Lawer		BLASHOSTIC TEXTS CROSSICS THAS VISITY YOU NO NO	Drug therapy	
Nex Male		Unknown		of Yeal, Publicate of Theta	Immunications	
				_Screening Diagnosis Fulls mas	Surgical procedures or treatments (specify)	0
famale	U	PATENT SEN SY YOU &	WC621	CARGEATORY PROCESSARS None	andre becomes a commentation of	
COLOR OR RACE		Yes		Urine sugar		
White		No.	0	Unite microscopy	Advised dist, energies or behavior changes	
•		IP YES, POR THE PRESEN			Advised had at lause*	0
Neg.		PROBLEM GE COMPI		WRC asset	Other health advention or counsillan	
Other	_	Yes	_	WRC count	Theresevic listening	
Uninoum		No		Bacteriologic culture	• • • •	
CURRENT MARKAL	STATUS			1	Psychatherapy	_
Never married		NEALTH STATUS		Carvical cytology	Physical therapy	_
Merred		Essentially healthy		Nun/Nh	Administrative precedures	0
Widowed		Slightly ill	0		Other (specify)	
	J	Moderately ill	0	y Aty Mandannes None 🗆		
Separated or diverced		Seciously all			POSITION	
Unkasum		Inknown	ō	Chest	No further follow-up planned	
		- Andrew		Cellification per	* *	0
<b>AMERICAL STATUS</b>			_	Other (specify)	Telephone follow-up planned	_
Referred by ano					Between to may at any time, p.c.s.	_
Referred by othe Not referred for		leves.	ä	STEAM PROCESSES Note	fature to me at specified these or interval	
Linksons	The same and		ŏ	ECG Interpretation	Bufe red for diagnostic tests only	
				Cother (specify)	Referred to another physicism for executables dispensis or treatment	• 🛮
MINOUSPAINS OF PA	MINETS PRO	MEM OR COMPLAINT			Referred for hospital admission	
In your opinion, how Based on your clinical			GROUP MANAGEME PROCESSES	Under my were		
to time did the consider his pro-		judgment, new serious the problem in ectuals	year Ye		Under another physician's auto	
	_		_	SPECIMEN TAKEN THE VENT? YOU NO	Returned to referring physicism or agency	
Very Minut	_	Very serious	0	Musician Staff Other	Other (specify)	
Moderately serv	<b>∞</b> □	Moderately serious	_	Snear from pheryna: C C C C C C C C C C C C C C C C C C C	ONPOENTIAL All information which would indicate or an establishmen	d permit <sup>e</sup> et will be
Sightly serious	0	Sightly serious		ECG tracing.	aid confidential, will be used only by params	annead .
Net sensus	C	Not serious		Smear from cervin.	and for the purseess of the survey and will extend ar released to other persons or used	W 44
Unknown	0				ther purpose.	n Approved - Bedget



#### SHORT FORM-PATIENT DATA

SOME FOR THIS CO	ONTACT							MANAGEMENT	
Pakant s purpose, p	r <del>ablem</del> er di	ist complant		LOCATION OF THE CONTACT  My office or choic  My office or choic		TREATMENT (estrice), prescribed, depresed, edmuntered or excepting			
Meet important die		de ou sur muneall	<del></del>	Telephone fother then for Emergency ream	appeintment]			None required	0
	Augus (ca			Outpatient chinc (hospitel	)	ğ		Drug therepy	0
Other disgnoses	<u>-</u>		<del></del>	Home of patient Other (specify)				Surgical precedures or treatments (specify)	0
	ENT CH	ARACTERISTICS		DIAGNOS	IC PROC	EDURES		Theregashs listening or advising	
		COLOR OF EACE	_	General 🔲		Gener		Administrative procedures	_
		White	<u> </u>	HISTORY Limited	EKAMMAI	NON Limitel	' 뭐	Other (specify)	
Months (inlant) Nagra		DIAGNOSTIC TESTS ORDERED	-		<u></u>	DESPOSITION	==-		
		Other	0	GLAGROSTIC TESTS ORDERED	HER VINITY	Y44 LJ	<b>№</b> U		_
Male		Unknown	0	İ	P YEL	PURPOSE OF		No further fellow-up planned	_
Female				1	Screening	Diagnasia	follow-up	Talaphana fallow-up plannad	<u>.</u>
		PATENT SEN BY	YOU BEFORE?	LARGELPORT PROCEDURES		0		figure to me of any time, p.r.s.	C
TO LATMAN THEM	ATIA	<sub>Va</sub>		N. SAY SYAMBURDOM				Return to me of specified time or interval	C
		No	ō		_	_	_	Referred for diagnostic tests only	C
Never married	٥	"	_	BACK LOCKWAR				Referred to unother physician for consul-	_
Memed	. 🗖	W YES, FOR THE P	RSONT	SPECIMEN TAKEN THE VISIT	BC 148084	704Y 880C	CHARLEY	taken, diagnosis or incolment	C
Widewed		PEOBLEM OR					- CALLED 61	Beformed for hampital admission Under my care	C
Separated or	ם	Yes	0	None - Mysicial	· 🗆 🕒	# D 0	<b></b> 0	Under my care Under enother physician's core	Č
طبحمد		No	0		<del></del>	<del></del>	<del></del>	Returned to referring physician or agency	
Unbecare		CONFIDENTIAL — All informs on individual or an establishmi					_		

for Assurant - Badgari



## INDUCTION INTERVIEW SCHEDULE

^	•	•	^	^
11	•	٠,	U	

# INDUCTION INTERVIEW SURVEY OF AMBULATORY MEDICAL CARE

ED	_
1 - 4	_
5	_
6-7	
8	_
9	_
FOR CODERS	

DATE OF INTE	RVIEW:_		INTERVIE	WER'S NO:
CITY WHERE I	NTERVIE	WED:		
INTERVIEWER	'S COMME	NTS - RECO	RD ALL SIGNIFICANT	
•				
				•
RESPONDENT:	(Print	Last Name	First Name	Ini ti al )
-	(Print	<u> </u>	Street Address)	
-	(Print	City	State	Zip)
	TNI	`ERVIEWFR`S	NAME.	

Form Approved - Budget Bureau No. 68-568099



## SAMC INDUCTION QUESTIONNAIRE

	ntified you properly.	you a rew questions to	make sure we have
1.	First, you are a(	SPECIALTY) ,	is that right?
	( ) Yes ( ) No	- What is your special	ty, doctor?
2a.	No you practice ( ) s (Check one)	olo or ( ) in a group	or partnership?
ъ.	(IF GROUP OR PARTNERSHI		are associated with you?  physicians
3.	Do you treat any ambula	tory patients in your pr	ractice?
	( ) Yes (CONTINUE	INTERVIEW)	
	( ) No - I treat	no ambulatory patients	(TERMINATE INTERVIEW)
	( ) No - I am no	longer in practice (TER	MINATE INTERVIEW)
4a.	Would you tell me about direct patient care and		nd in a typical week in hours
ъ.	How many hours each wee teaching, research, adm	k in other professional inistration and continu	
			hours
c.	How many weeks per year	do you usually practice	e? wéeks



## 5. (REFER TO QUESTION 4a)

You indicated you spend a total of \_\_\_\_\_ hours per week in direct patient care and counseling. I would like to find out the different ways in which you spend your patient care time. I am particularly interested in how you divide it among five areas. Let me read them all first and then go over them one at a time. They are:

Face to face contact with patients in your own office or clinic.

On the telephone.

In a hospital emergency room, in its outpatient clinic or with its bed patients.

Now, to start again, how much time per week do you usually spend in

(a)	Face to face contact with patients in your own office or clinic?	Hours or	Percent	
	(PROBE) About how many minutes do you spend with each patient?			min
(b)	How much time per week on the telephone with patients?			
	(PROBE) About how many minutes with each patient?			min
(c)	How much time per week in the hospital emergency room?	********	· Company	
	(PROBE) About how many minutes with each patient?			min,
(ů)	How much time per week in a hospital outpatient department?		*	
	(PROBE) About how many minutes with each patient?			min.
(e)	How much time per week with your hospitalized patients?			
	(PROBE) About how many minutes with each patient?			min.



	(f)	Are there any other places where you carry out or pursue patient care in a typical week?
		( ) Yes ( ) No
		(IF YES, ASK) What are they? (ASK, FOR EACH) How much time is spent?
		Place Hours or Percent
6.	_	people work for you in your practice, including persons with other doctors?
	Ful1	time (35 hours or more per week)people
	Part	-time (less than 35 hours per week)people
7.		Y OF SOLO PRACTITIONERS. DO NOT READ CHOICES, BUT RECORD IN'S ANSWER.)
	What off	ice facilities do you share with other doctors?
	( )	None
	( )	Reception room
	( )	Examining rooms
	( )	Consultation rooms
	( )	Laboratory
	( )	X-Ray
	( )	Other, (please specify)
8.	• •	pical week, how many ambulatory patient contacts do you have, een in person and those contacted by telephone?  patients per week



## PATIENT FORM EVALUATION INTERVIEW SCHEDULE

			-	pproved - Budget No. 68-S68099
	INTER	VIEWER'S NAME:_		<del></del>
-	(Print	City	State	Zip)
_	(Print	9	Street Address)	
	(Print	Last Name	First Name	Initial)
RESPONDENT:				
	<del></del>			<del></del>
		ACT WITH THIS DO	SIGNIFICANT OBSEF OCTOR:	CVA I IUNS
			CICNIFICAN'S OPER	
			INTERVIEWER'S	
				9 FOR CODERS
				8
	SURVEY	OF AMBULATORY	MEDICAL CARE	6 - 7
		DRM EVALUATION		5
<b>03</b> 500				1 - 4_

ERIC Full Text Provided by ERIC

54

#### SAMC FORM EVALUATION INTERVIEW

(To be administered to participating physicians after they have completed one quarterly assignment)

1,	When wer	e the patient record forms usually filled out? (Check one only)
	( )	After each patient visit
	( )	From time to time during the day, as time allowed
	( )	All at once at end of each reporting day
	( )	All at once at end of the reporting period
	( )	Other
2.	About ho	w many minutes did it take to fill out each form? min./form.
3.	Who usua	1ly filled out the forms?
		nyone else involved? ( ) Yes ( ) No TES) Who?
	What	part did she (he, you) play in filling out the forms?
	<del></del>	
4.		t sources did you draw the information requested on the form? READ CHOICES, BUT RECORD PHYSICIAN'S ANSWER)
	( )	Doctor's memory
	( )	Nurse's or aide's memory
	( )	Patient's medical record
	( )	Bills/statements
	( )	Other



(TI	YES) What were they?
	·
	s there any information <u>not</u> requested in the patient record for ich you think should be added for the sake of completeness?
	( ) Yes ( ) No
/ T·	
( I.	YES) What information?
Wh.	at design on format changes can you succeent which you feel way
	at design of format changes can vou suggest which you leel wou
	at design or format changes can you suggest which you feel wou see the form more useful or easier to fill out?
nia i	the form more useful or easier to fill out?  F NONE) Then, you are generally satisfied with its layout as
nia i	ce the form more useful or easier to fill out?
(I	the form more useful or easier to fill out?  F NONE) Then, you are generally satisfied with its layout as

(	)	No
		did you do with your copies of the form? (DO NOT READ CHOICES, D PHYSICIAN'S ANSWER)
(	)	Filed them in patient's record jackets
(	)	Kept them all together in a file
(	)	Sent them back
(	)	Threw them away
Was wit	s yo	Other  our patient load during your reporting days unusual in any way respect to number of patients, location of contacts, or time f the office?  Yes - In what way?
Was wit	s yo	our patient load during your reporting days unusual in any way respect to number of patients, location of contacts, or time f the office?
Was wit	s yo	our patient load during your reporting days unusual in any way respect to number of patients, location of contacts, or time f the office?
Was with out	) )	our patient load during your reporting days unusual in any way respect to number of patients, location of contacts, or time f the office?  Yes - In what way?
Wasswitt out	om om of	our patient load during your reporting days unusual in any way respect to number of patients, location of contacts, or time f the office?  Yes - In what way?  No  what you know of this study, do you think that other physicians
Wasswitt out	) ) ) )	our patient load during your reporting days unusual in any way respect to number of patients, location of contacts, or time f the office?  Yes - In what way?  No  what you know of this study, do you think that other physicians participate in it?



(IF	MONEY OR COMPENSATION IS MENTIONED, ASK) How much?
(IF	MONEY OR COMPENSATION IS NOT MENTIONED, ASK)
Wou	ald monetary compensation help?
	( ) No
	( ) Yes
(IF	YES, ASK) How much?
abo whi amb	ere are some situations that a few physicians have been uncertain out including in this survey. Thinking back over the days during ich you participated, do you recall seeing any patients who were oulatory, perhaps at home or in an emergency room prior to spitalization, that you did not report on?
	( ) No
	( ) Yes - Where did these contacts take place?

How many contacts were involved



15.	Do you keep any kind of daily list of	patients	contacted?	( ) Yes ( ) No
	(IF YES) Does it include:	Yes	No	If no, proportion included
	a. All office patients?	( )	( )	
	b. All telephone calls?	( )	( )	-
	c. All hospital patients?	( )	( )	
	d. All emergency room patients?	( )	( )	
	e. All home visit patients?	( )	( )	
	Does it exclude any patients?			
	( ) No			
	( ) Yes, specify			

## **APPENDIX IV**

## **DATA COLLECTION FORMS**

FIELD TEST: PHASE II

## SHORT FORM AND PATIENT LOG FOR NONSAMPLING PROCEDURE

DATE _	PATIENT LOG	NATIONAL AMBULATORY MEDICAL CARE SURVEY  PATIENT RECORD						19150	
As each parient arrives, record his name on the log below and complete the correspondingly num- bored parient record to the right.		BEASONS POR THIS VISIT     Petient's purpose, problem or chief complement		.,	② AGE ③ COLOR OR		Other	PATIENT SEEN BY YOU     BEFORE?	
PATIENT	PATIENT'S NAME	- Most important diagnosis (defini	to or previsional	:	① SEX	3 CURRENT MARIT		+ © Yes art, He	
11		Other diagnoses			15 Mole	· CNover Married (inc	lude children) eparated r diversed	IP YES, FOR THE PRESENT PROBLEM?	
12		<u> </u>	<b>①</b>		<u> </u>	<u> </u>	1 6		
13		C General   HISTORY	LABORATO	R+ PROCEDURE :			ł	DIAGNOSTIC SPECIMEN TAKEM THIS VISIT BY	
14		General	or i Cisco i Cisco		* 🗀 Screening * 🗔 Diagnosis		1	* C Physician 2 C Saeff	
15		EXAMINATION 2 Limited	* C Fel * C Na		4 □ Follawug • □ Hans	F⊡ Fellem-up F⊡ Nane		* C Otto: • C Nore	
16		TREATMENT THIS VISIT (check o	ii shan apply)	() DISPOSIT	ION THIS VISIT (	shock oil that apply)			
17		* Name required * C Drug Heresy			ir follamıya planna 10 follamıya planna	-	→ 🖸 undo	od for hospital odmission ir my coro ir gnother physicion's agre	
18		2 Therepower listening and are	po y sho thoropy		me of enytime, p.		• 🗆 Between	ad to referring physician or agancy	
19		8 Advised diet, exercise & heb-		. □ Referred	red for dispersative story with		S C Ottor (	FIGH OF THIS VISIT	
20		• Fearly planning 7 (1) Other (specify)		• 🖵 consul	mitran, diagnosis	or tractment		Mingley	
	PHYSICIAN S. COPY	CONFIDENTIAL - All information who sons ongaged in and for the purpose of				to other persons or use	d for any other		
į	P88w 8 gPPbuvës - 8ws ss -86-87102* 88P -8186/71								



## SHORT FORM WITH PATIENT LOG FOR SAMPLING PROCEDURE

NATIONAL AMBULATORY MEDICAL CARE SURVEY

26859	•			•	PATIENT RECOR	ע		26859
PATIENT LOG DATE				REASONS FOR THIS VISIT Potion's purpose, problem or ch Most important diagnosis (6) no	COLON OR WASE	T CURRENT MARITAL There meried Triclude to life A Meried  1 - Widewed	YOU REFORE'	
PATIENT'S NAME	TIME OF	AGE Y.o. Mos	SEX	Other diagnoses		3 Dinas Unansen	- Inge-stad si dispreed Unlangum	IF YES, FOR THE PRESENT PROBLEMS
1		٧.,	- w	General HISTORY J Linited	DIAGNOSTIC TESTS ORDERED		et applyl stads-ic Moctojats	DIAGNOSTIC SPECIMEN TAKEN THIS VIS.T BY
2		٧.,	* M	S None  General  EXAMINATION a Limited	a 🖰 D egrasis — a "	Diegnasie 3	Screening Diagnae e Fellowiup	Prve gle V Slatt a Umar
3		7.0	1	None  REATMENT THIS VISIT (whock of	ାଉ	Nore e	Mone	• hcra
Record Jone () . () for this polices CONTINUE LISTING POTIENTS	Record . Teme (1) . (1) I tem this polition   P.M. Mass F.  CONTINUE LISTING POTIENTS ON THE MEXT. PAGE				Nana required 1 Ne further for d Drug makey 2 Tateghane fil 5 Citics surgice" treatment 5 Citics Return to me			espiediatries or 19 er phys i so s cals
CONFICENTIAL - All information which insure paint identification of an individual or on strabilishment will be haid confidential, will be used only by gareene enjuged in and for the unposes of the surious and including the surious and including the surious and including the surious and including the properties are used for only unposes.				Therepoint listening end/or psymemoreay     Advised dier, easic selen habit changes     Advised dier, easic selen habit changes     Referred to e		e at apacified 1 ma	DURATION C	
						TII III	1004 ( 4004-10-0	



## MINIFORM AND PATIENT LOG FOR NONSAMPLING PROCEDURE

## PATIENT LOG

NATIONAL AMBULATORY MEDICAL CARE SURVEY

## PATIENT RECORD

DATE	19	PATIENT RECORD					
As each patient arrives, record his name on the log below, and complete the correspondingly numbered patient record to the right,		AGEYrs. orMos.	SEX  1  Mois 2  Female	DATE 19	- 598 <u>01</u>		
PATIENT MUMBER	PATIENT'S NAME	DIAGNOSIS THIS VIS	ilT ragnosis (definite or p	rovisional)			
31		Other diagnoses					
32		<del></del>					
33		TREATMENT THIS V	'ISIT (check all that o	pply)			
34		1 🖸 None required		□ Advised di	et, exercise ar habit changes		
35		2 Drug therapy 3 Doffice surgical	treatment	Family pla	•		
36		4  Therapoutic lis	tening and/or psychot	herepy			
37		lishment will be held	confidential, will be u		tion of an individual or an estab- god in and for the purposes of the for any other purpose.		
38							
39		-					
40		-					
	PHYSICIAN'S COPY	-					

FORM & APPROVED - QMB NO. 88-871088 ENP. 9/20/7:



## MINIFORM WITH PATIENT LOG FOR SAMPLING PROCEDURE

85154		•	- 1		MEDICAL CARE SURVEY RECORD	85154		
PATIENT LC  DATE	ime of visit, a	ge and s	ex ere	DIAGNOSIS THIS VISIT  Most important diagnosis (definite or provisional)  Other diagnoses				
PATIENT'S NAME	TIME OF VISIT	AGE Yre. ar Moe.	SEX					
1	o.m.	Yra.	□ <b>M</b>	TREATMENT THIS VISIT (che		exercise or habit change		
2	a.m.	Mos. Yrs.	<u></u>	2 Drug therapy  Diffice surgical treatment	s 🗍 Family plomit	•		
3	P.m. Mos. F  a.m. Yre. M  Record diagnosis and treatment for P.m. Mos. F			tablishment will be held confi	ation which would permit identification of dential, will be used only by persons	engaged in and for the		
				and the common and will are he disclosed at released to other persons of use				

CONTINUE LISTING PATIENTS ON THE NEXT PAGE



### NATIONAL AMBULATORY MEDICAL CARE SURVEY

# PATIENT RECORD

AGEYrs. orMos.	SEX  1  Male 2  Female	DATE _	19	597 <u>98</u>								
DIAGNOSIS THIS VISI	т											
Most impartant diagnosis (definite or provisional)												
Other diagnoses												
TREATMENT THIS VI	SIT (check all that app	oly)										
1 None required		s 🗆	Advised diet, exe	orcise or habit changes								
2 Drug therapy		6 🗌	Family planning									
3 Office surgical to	re o tme nt	<b>ا</b> ر	Other (specify)									
4 🗆 Therapeutic liste	ning and/ar psychothe	огару										

CONFIDENTIAL — All information which would permit identification of an individual or an establishment will be held confidential, will be used anly by persons engaged in and for the purposes of the survey and will not be disclosed or released to other persons or used for any other purpose.

FORM D APPROVED - BUDGET BUREAU NO. 88-\$70065 EXP. 9/31/71



# ENLISTMENT INTERVIEW SCHEDULE

CONFIDENTIAL*	Form approved.
	Budget Bureau No. 68-\$70065
	February 1971
	NATIONAL OPINION RESEARCH CENTER
	University of Chicago
Time AM NA Began: PM	TIONAL AMBULATORY MEDICAL CARE SURVEY Survey No. 4118  (Phys. ID Number)
	INDUCTION INTERVIEW
As I said on the phone the ask before we discuss the	e other day, Dr, I have a few questions to reporting procedures.
First, about your practice	
1. You are a (ENTER SPEC)	. Is that right?
	Yes1
	No (ASK A) 2
A. IF NO: What is yo	our specialty, (including general practice)?
	(Name of Specialty)
2. No you practice solo, partnership, in a gro	or are you associated with other physicians in a up practice, or in some other way?
	Solo
	Partnership (ASK A) 2
	Group (ASK A) 3
	Other (SPECIFY AND ASK A) 4
A. <u>IF PARTNERSHIP, C</u>	ROUP, OR OTHER: How many other physicians are associ- ated with you?
	(# of Physicians)



All information which would permit identification of an individual or an establishment will be held confidential, will be used only by persons engaged in and for the purposes of the survey, and will not be disclosed or released to other persons or used for any other purpose.

Now I'll take a few minutes to discuss with you the physician's role in the National Ambulatory Medical Care Survey. To understand this better, I should give you a little background about the origin of this survey.

There is a general lack of any systematic information about the characteristics and complaints of people who consult physicians in their offices. Such information is badly needed by medical educators and persons concerned with medical manpower needs.

In response to this need, NCHS (National Center for Health Statistics), in cooperation with representative of the medical profession has developed this survey of Ambulatory Medical Care. The information for this survey can be provided only by office-based physicians who provide care for ambulatory patients.

The task is simple, carefully designed, and should not take much of your time. Essentially it consists of your participation on two randomly selected consecutive days in each of four quarters. Your participation consists of filling out a minimal amount of information for each patient seen by you during that two-day period. Let me show you the form(s) involved now. TAKE OUT FOLIO AND SHOW FORM(S) TO THE DOCTOR.

EXPLAIN HOW FORMS ARE TO BE FILLED OUT. SHOW DOCTOR THE INSTRUCTIONS ON POCKET OF FOLIO TO WHICH HE CAN REFER AFTER YOU LEAVE.

RECORD VERBATIM ANY CONCERNS, PROBLEMS, OR QUESTIONS THE DOCTOR RAISES IN CONNECTION WITH THE EXPLANATION OF THE SURVEY OR THE COMMITMENT FOR FOUR QUARTERS.

Doctor, now that you know what the task is, let me tell you that your reporting days for this quarter are: READ DAYS OF WEEK AND DATES WHICH YOU CIRCLED FROM PAGE 3 OF CONTROL FOLDER.

M T W Th F Sa and M T W Th F Sa, March and

3. Are you likely to see any ambulatory patients on those days?

Yes . . . . . . . . . . . . 1
No . . . (ASK A & B) . . . 2

IF NO:

A. Why is that?



3.	Con	t i :	nued

IF NO TO 3
------------

В.	Your alternate days would be (READ NEXT PAIR OF DAYS). Are you	at	all
	likely to see any ambulatory patients on those two days?		

Yes	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	1
No				ſ.	\SK		<b>(1</b> )	1							2

(1) IF NO TOB: Would you please select any two consecutive days between March 8 and March 20 on which you would be likely to see any ambulatory patients?

		SEL	ECT	ED R	EPO	RTI N	G DAYS ARE:	DATES IN BOX)
	М	T	•-	Th	F	Sa		BETWEEN MARCH 22 AND APRIL 2
	М	T		nd Th	F	Sa,	March/Apriland	AND RECORD SELECTED DAYS AND DATES IN BOX) 2
-	_		_					1

RECORD VERBATIM ANY COMMENTS DOCTOR MAKES WITH REFERENCE TO THE SELECTION OF RE-PORTING DAYS. IF REPORTING DAYS ARE UNACCEPTABLE FOR OTHER REASONS THAN ABOVE, RECORD VERBATIM HERE.

B. IF HOSPITAL EMERGENCY ROOM, OUT-PATIENT CLINIC, OR OTHER INSTITUTIONAL LOCATION IN A: Thinking about the ambulatory patients you see in (PLACE IN A), do you, yourself, have primary responsibility for their care over time, or does (INSTITUTION IN A) have primary responsibility for their care over time?

Α.		В.
Office Location	responsibility	Inst. has prime responsibility (out-of-scope)
(1)	1	0
(2)	1	0
(3)	1	0



<sup>4.</sup> A. At which office location will you be seeing ambulatory patients during the 2-day reporting period? RECORD UNDER A BELOW AND ASK B WHEN INDICATED.

		-4-	•			
	r 2-day reporting the survey report					e available
				Yes	(ASK A) .	. 1
A. IF YES	: Who would that	be?		1	B. INTERV	IEWER: WAS
-	NAME, POSITION, A				PERSON	BRIEFED BY
KECOKD	1		<del></del>		YOU?	
Name	Pos	ition	Loc	ation	es	No
					1	2
				i	1	2
					•	4
					1	2
					1	2
for am	a typical week, a bulatory patients? out how many ambul 1 week? RECORD IN	RECORD IN Co	OLUMN A.			
	<del></del>	1 ^	<del></del>		В.	
	Day of the week	Estimated	hours	Estimated N	lo. of patie	nts
	Monday					
	Tuesday					
	Wednesday					
	Thursday					
	Friday					
	Saturday					
	Sunday		<del></del>		<del></del> -	
		<del></del>		<del></del>		
DAY PERIOD AT	AVE, STRESS THAT EALL IN-SCOPE LOCAT	TIONS (REPEAT	THEM) 1	S TO BE IN	CTODED IN II	HE SURVEI.
Thank you for	your time, Dr ne. My phone numbe	II you er is written	in on t	y (more) qu he folio.	I'll call y	ou the day
before your re	porting days just	to remind you	l.		lime .	
		Month	Date	1	Ended:	AM PM
	I & II ARE TO BE			DUT FUED AF	rep THE INT	FRVT FW.
	interest co you th			How confid	dent are you ll complete	ı th <b>a</b> t the
		erest 1			initely wil	
	Some inte	rest 2		Pro	bably will	2
		terest 3		Dou	btful	3
	No intere					
Interviewe	r # Can't tel	1 5				

Interviewer's Signature:



Interviewer #

E,	VALUATI	ON INTERVIE	M 2CHEDOS	.'=			
CONFIDENTI	[AL*	NATIONAL O Unive	PINION RESEAR	RCH CENTER	Fo: Budget		No.:
		NATIONAL AMBU	LATORY MEDICA	AL CARE SURV	EY	Feb.	1971
	<del></del>	Sur	vey No. 4118		Г		[ ]
Time Began:	AM PM	SURVEY I	EVALUATION IN	TERVIEW	Ĺ (Ph	ys. ID	Number)
for your plete you us evalua	nter ( f t cooperatio r particip te the sur	. This he University on in the Nation ation, I hope yvey.	nal Ambulator you will answ	y Medical Ca er a few que	are Surve	ey. To o	com- elp
Recor	·d.	that two form					
A. F	First, tell the Patient	me about the Log (for the	Patient Log most part)?	who, in you	r office	, comple	ted
			I	Octor himse	lf	1	
			Į.	Assistant wh briefed by		ewer. 2	!
			:	Someone else	(SPECIF	Y) 3	3
		nt were the pa CATEGORIES.	tients' names	(usually)	entered o	on the l	og?
				its checked			
			•	its saw doct			
			Other (SPEC	CIFY)		3	i
			<del></del>				
2. Now,	tell me ab	oout the Patien	t Record. You	ou may recal ient Record-	l that t	here wer l and cl	e two linical
A. V	√ho usually	y completed the	e items asking	g for clinic	al infor	mation?	
				Doctor hiwse Assistant wh	o was		
			;	briefed by Someone else			

B. Who usually completed the items asking for personal information?

Doctor himself . . . . . . 1

briefed by interviewer . 2 Someone else (SPECIFY) . . 3

Assistant who was



<sup>\*</sup>All information which would permit identification of an individual or an establishment will be held confidential, will be used only by persons engaged in and for the purposes of the survey, and will not be disclosed or released to other persons or used for any other purpose.

2.	Continued	
	C. Was anyone else involved Records?	in completing any part of the Patient
		Yes . [ASK (1) & (2)] 1
	1F YES TO C:	No . (GO TO 3) 2
	(1) Who was that?	
	(Name)	(Position)
	(2) What part of the forms	did (you/he/she/they) complete?
		Clinical items l
		Personal items2
		Other (SPECIFY) 3
3.	At what point in the process Kecord filled out? DO NOT R	was the <u>clinical</u> information on the Patient EAD CATEGORIES At the time patient saw doctor 1
		At the end of each day (ASK A)2
		At the end of reporting period (ASK A) . 3
		Other (SPECIFY AND ASK A) 4
	men	the <u>clinical</u> information entered mostly from mory, mostly from the patient's medica: record, mostly from something else?
		Mostly memory 1
		Mostly patient's medical record 2
		Mostly something else (SPECIFY) 3
٠.	How long did it usually take	to complete a Patient Record?
		minutes orseconds
5.	When filling out the Patient that you had trouble with?	Records, were there any items or instructions
		Yes . (ASK A) 1
		No 2



A. IF YES: What were they?

ACV	015	6	AND	7	ONLY	OF	DOCTORS	ASSIGNED	PROCEDURES	II	OR	IV;	FOR	<u>OTHERS</u>	<u>SKIP</u>
	$\frac{\sqrt{3}}{2}, \frac{3}{8}$		******	Ť	CITAL										
10	<u> </u>	•													

A. IF YES: What was the trouble?

7. Did you (or the person filling out the forms) have any difficulty following the survey procedures because a Patient Record was completed for only every third patient?

Yes. (ASK A)...

A. IF YES: What difficulties?

#### ASK EVERYONE:

8. We are trying to get some notion of how complete the information is which we have collected. We know t'at many things could have occurred to prevent you from keeping records on the two reporting days. How confident are you that the records you sent to us include every ambulatory patient seen by you during the 2-day reporting period--would you say you are confident that every patient was included, or that you got all except one or two, or that more than that were missed, for one reason or another?

Every patient was included . . . 1
Got all except one or two . . . 2
Missed more than that (ASK A) . 3
Can't recall . . . . . . . . . . 4

No . . . . . . 2

A. IF MISSED MORE THAN TWO: Why was that?



9.	What changes do you suggest in order to make any of the forms more useful or easier to complete? RECORD IN APPROPRIATE COLUMN.				
	Patient Records	Patient Log			
		· · ·			
ASK	Q. 10 ONLY IF "NO CHANGES" SUGGESTER				
10.	Are you generally satisfied with the	ne forms as they are?			
		Yes			
		No . (ASK A) 2			
	A. IF NO: Why not?				
11.	With regard to the overall survey of that the procedures we asked you to adaptable to your office routine?	operation in your office, did you find office follow were reasonable and easily			
		Yes 1			
		No . (ASK A) 2			
	A. IF NO: What changes in procedu	res do you suggest that would make			



Now, about your practice.

12.	Was your practice d	during	the 2-da	y reporting	period	(CIVE	DATES)	unusual
	in any way?					4.00		,

Yes . . (ASK A-C) . 1 No . . . . . . . . 2

#### 1F YES:

- A. Was your patient load lighter than usual, heavier than usual, or about the same?
- Lighter than usual . 1 Heavier than usual . 2 About the same . . . 3
- B. How about the amount of time spent in caring for ambulatory patients--was that less than usual, more than usual, or about the same?
- Less than usual . . 1

  More than usual . . 2

  About the same . . . 3
- C. In what (other) ways was your practice unusual during your reporting period?
- 13. Doctor, we would like to get an idea of your total ambulatory patient load during the two-day reporting period, including telephone calls and patient contacts made outside of your office.
  - A. First, how many ambulatory patient contacts would you estimate took place by <u>telephone</u> during the two-day period--nor including calls for appointments?

Number of patient contacts by telephone:

B. How many ambulatory patient contacts were not included in the survey because they took place outside of your office during the two-day period, such as in a hospital emergency room, in a patient's home, in an out-patient clinic, at the scene of an accident, or elsewhere?

Number of outside patient contacts: \_\_\_\_\_



<sup>14.</sup> What suggestions do you have for us to encourage participation in this survey by other physicians? (IF MONEY IS MENTIONED, PROBE FOR AMOUNT.)


15.	A letter was sent to you by Mr. Theodore Woolsey of the National Center for Health Statistics (NCHS) urging you to participate. Did you receive that letter?
	Yes . (ASK A) 1
	No 2
	A. IF YES: Did it influence your decision to participate?
	Yes 1
_	No
16.	There was also a letter from Dr. Howard, Executive Director of AMA urging you to take part in the study. Did you receive that letter?
	Yes . (ASK A) 1
	Ne 2
	A. IF YES: Did it influence your decision to participate?
	Yes 1
	No 2
17.	Did you happen to discuss the survey with anyone from your (local or) state medical society or one of your colleagues before you participated?
	Yes, local or state medical society (ASK A) ì
	Yes, colleague (ASK A) 2
	No, neither
	A. IF YES: Did (that/those) discussion(s) influence your decision to participate?
	Yes 1
	No 2
18.	Were there any (other) specific factors which influenced your decision to participate?
	Yes . (ASK A) 1
	No 2

A. IF YES: What were they?

19.	ly 2-day periods. After having pa	cipation in this survey during four quarter articipated for the first period, how doing the other 2-day periodswe ld you deficipate, probably not participate, or defi-
		Definitely would1
		Probably would 2
		Don't care one way or the other . 3
		Probably would not (ASK A-D) 4
		Definitely would not (ASK A-D) . 5
		Don't know 6
	IF PROBABLY NOT OR DEFINITELY NOT	
	A. Why would you (probably) not	
	Patient Record was different?	Yes 2
	C. (PROCEDURES T, III, AND V): you were asked to complete on the two days?	Would you be willing to participate if all about ten Patient Records for each of
		Yes 1
		No 2
	D. Are there any (other) conditions again?	ions under which you would participate
		Yes [ASK (1)] 1
		No
	(1) <u>IF YES TO D</u> : Under what	conditions?

That's all the questions I have, Doctor. The information you have given us today will be most useful in evaluating our survey procedures. Thank you very much for all your help and cooperation.

FILL OUT ITEMS ON BACK COVER AFTER INTERVIEW.





# ITEMS BELOW ARE TO BE COMPLETED BY THE INTERVIEWER AFTER THE INTERVIEW

	three quarters?	
		Definitely would 1
		Probably would 2
		Probably would not 3
		Definitely would not 4
		Can't tell5
11.	Was doctor coop	erative during this evaluation interview?
		Yes 1
		No (ANSWER A) 2
	A. <u>IF NO</u> : Why	do you think he wasn't cooperative?
III.	Was this interv	iew conducted on the telephone? Yes 1
		No (ANSWER A) 2
_		
		ny other comments or insights of your own which might ation of this survey.



## VITAL AND HEALTH STATISTICS PUBLICATION SERIES

#### Formerly Public Health Services Publication No. 1000

Programs and collection procedures.—Reports which describe the general programs of the National Center for Health Statistics and its offices and divisions, data collection methods used, definitions, and other material necessary for understanding the data.

Data evaluation and methods research.—Studies of new statistical methodology including: experimental tests of new survey methods, studies of vital statistics collection methods, new analytical echniques, objective evaluations of reliability of collected data, contributions to statistical theory.

inalytical studies —Reports presenting analytical or interpretive studies based on vital and health statistics, carrying the analysis further than the expository types of reports in the other series.

Documents and committee reports.—Final reports of major committees concerned with vital and health statistics, and documents such as recommended model vital registration laws and revised with and death certificates.

Data from the Health Interview Survey.—Statistics on illness, accidental injuries, disability, use of hospital, medical, dental, and other services, and other health-related topics, based on data collected in a continuing national household interview survey.

Data from the Health Examination Survey.—Data from direct examination, testing, and measurement of national samples of the civilian, noninstitutional population provide the basis for two types of reports: (1) estimates of the medically defined prevalence of specific diseases in the United States and the distributions of the population with respect to physical, physiological, and psychological characteristics; and (2) analysis of relationships among the various measurements without reference to an explicit finite universe of persons.

Data from the Institutional Population Surveys —Statistics relating to the health characteristics of persons in institutions, and their medical, nursing, and personal care received, based on national samples of establishments providing these services and samples of the residents or patients.

Data from the Hospital Discharge Survey.—Statistics relating to discharged patients in short-stay hospitals, based on a sample of patient records in a national sample of hospitals.

Data on health resources: manpower and facilities.—Statistics on the numbers, geographic distribution, and characteristics of health resources including physicians, dentists, nurses, other health occupations, hospitals, nursing homes, and outpatient facilities.

Data on mortality.—Various statistics on mortality other than as included in regular annual or monthly reports—special analyses by cause of death, age, and other demographic variables, also geographic and time series analyses.

Data on natality, marriage, and divorce.—Various statistics on natality, marriage, and divorce other than as included in regular annual or monthly reports—special analyses by demographic variables, also geographic and time series analyses, studies of fertility.

Data from the National Natality and Mortality Surveys.—Statistics on characteristics of births and deaths not available from the vital records, based on sample surveys stemming from these records, including such topics as mortality by socioeconomic class, hospital experience in the last year of life, medical care during pregnancy, health insurance coverage, etc.

of titles of reports published in these series, write to:

Office of Information
National Center for Health Statistics
Public Health Service, HRA
Rockville, Md. 20852

