& DOCUMENT RESUME

BD 118 599

TH 005 083

AUTHOR TITLE Waaq, Wayne L.; And Others

ASUPT Automated Objective Performance Measurement

Sýstem.

INSTITUTION

Air Force Human Resources Lab., Williams AFB, Ariz.

Flying Training Div.

REPORT NO PUB DATE

AFHRL-TR-75-3 Mar 75

PUB DATE

Mar 75 17p.

EDRS PRICE DESCRIPTORS HF-\$0.83 HC-\$1.67 Plus Postage

Aircraft Pilots; Criterion Referenced Tests; *Flight

Training: *Measurement Techniques: *Performance Tests: Simulators: *Test Construction: Test

Validity

IDENTIFIERS

*Air Force .

ABSTRACT

To realize its full research potential, a need exists for the development of an automated objective pilot performance evaluation system for use in the Advanced Simulation in Undergraduate Pilot Training (ASUPT) facility. The present report documents the approach taken for the development of performance measures and also presents data collected from two preliminary evaluation studies. The results indicated that the objectively derived measures: (1) correlate highly with instructor ratings, and (2) discriminate between pilots of different experience levels. These, findings are encouraging and demonstrate the potential of the present approach for generating the needed automated objective pilot performance measurement system. (Author)

0

U S₄DEPARTMENT OF HEALTH, EDUCATION & WELFARE NATIONAL INSTITUTE OF EDUCATION
THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM

DUCEO EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGIN ATING IT POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRE SENT OFFICIAL NATIONAL UNSTITUTE OF EDUCATION POSITION OR POLICY

200 W

is also of interest to the clearing-houses noted to the right, Indexing should reflect their special points of view.

AIR FORCE



ASUPT AUTOMATED OBJECTIVE PERFORMANCE MEASUREMENT SYSTEM.

By

Wayne L. Waag Edward E. Eddowes John H. Fuller, Jr., Capt, USAF Robert R. Fuller, Major, USAF

*FLYING TRAINING DIVISION Williams Air Force Base, Arizona 85224

March 1975 Interim Report for Period July 1973 - June 1974

Approved for public release; distribution unlimited.

LABORATORY

AIR FORCE SYSTEMS COMMAND **BROOKS AIR FORCE BASE, TEXAS 78235**

NOTICE

When US Government drawings, specifications, or other data are used for any purpose other than a definitely related Government procurement operation, the Government thereby incurs no responsibility nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This interim report was submitted by Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, under project 1123, with Hq Air Force Human Resources Laboratory (AFSC), Brooks Air Force Base, Texas 78235.

This report has been reviewed and cleared for open publication and/or public release by the appropriate Office of Information (OI) in accordance with AFR 190-17 and DoDD 5230.9. There is no objection to unlimited distribution of this report to the public at large, or by DDC to the National Technical Information Service (NTIS).

This technical report has been reviewed and is approved.

WILLIAM V. MAGIN, Technical Director Flying Training Division

Approved for publication.

HAROLD E. FISCHER, Colonel, USAF Commander

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 2. GOVT ACCESSION NO.	
AFHRL-TR-75-3	
4. TITLE (and Subtitie)	5. TYPE OF REPORT & PERIOD COVERED
ASUPT AUTOMATED OBJECTIVE PERFORMANCE	Interim July 1973 – June 1974
MEASUREMENT SYSTEM	5. PERFORMING ORG. REPORT NUMBER
• •	· · · · · · · · · · · · · · · · · · ·
7. AUTHOR(e)	8. CONTRACT OR GRANT NUMBER(a)
Wayne L. Waag John H. Fuller, Jr.	
Edward E. Eddowes Robert R. Fuller	• • • • • • • • • • • • • • • • • • • •
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT PROJECT, TASK AREA & WORK UNIT NUMBERS
Flying Training Division	62703F
Air Force Human Resources Laboratory	. 11230108
Williams Air Forœ Base, Arizona 85224	
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
Hq Air Force Human Resources Laboratory (AFSC)	March 1975
Brooks Air Force Base, Texas 78235	13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)	15. SECURITY CLASS. (of this report)
WONTONING AGENCY HAME & ADDRESS!! MITTER HOLD COMMONING COMMONING	
	Unclassified .
) ,	15a. DECLASSIFICATION/DOWNGRADING
	SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)	•
<u>'</u>	
6	•
Approved for public release; distribution unlimited.	,
	F.
	, Departs
17. DISTRIBUTION STATEMENT (of the ebetract entered in Block 20, if different from	m Report)
	· · · · · · · · · · · · · · · · · · ·
` ,	,
	4
18. SUPPLEMENTARY HOTES	
	•
19. KEY WOROS (Continue on reverse side if necessary and identify by block number,	, , , , , , ,
pilot performance measurement	•
· proficiency measurement	•
pilot evaluation	
objective measurement	
an a name of the state of the s	• • • • • • • • • • • • • • • • • • • •

20. ABSTRACT (Continue on reverse side it necessary and reentity by block number

To realize its full research potential a need exists for the development of an automated objective pilot performance evaluation system for use in the Advanced Simulation in Undergraduate Pilot Training (ASUPT) facility. The present report documents the approach taken for the development of performance measures and also presents data collected from two preliminary evaluation studies. The results indicated that the objectively derived measures. (1) correlate highly with instructor ratings, and (2) discriminate between pilots of different experience levels. These findings are encouraging and demonstrate the potential of the present approach for generating the needed automated objective pilot performance measurement system.

DD 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLET

Problem

The Advanced Simulation in Undergraduate Pilot Training (ASUPT) facility is designed to be a research device capable of providing answers regarding the hardware design and effective use of flight simulators. Using state-of-the-art motion and visual systems, the relationship between simulator fidelity and training effectiveness, as well as the applicability of advanced training concepts are to be investigated. Since ASUPT was designed to be a research simulator, the development of an adequate performance measurement system becomes the foundation of the proposed program of research.

Approach

One of the salient characteristics of flying is that it is criterion-directed. The execution of any maneuver requires that a certain definable objective be met. The degree to which these objectives are met would appear to represent an adequate description of performance. In other words, a criterion-referenced approach to objective performance measurement is proposed. Consequently, for each maneuver, the criterion objectives must be defined in terms of parameters available within the simulator. Using this approach, a set of performance measures can be generated for each of the maneuvers to be flown in ASUPT.

Results

To evaluate the potential of the proposed approach, two preliminary studies were conducted. Measures were generated for seven basic instrument maneuvers of varying levels of difficulty. Phots of different experience levels flew these maneuvers and were evaluated by experienced instructor pilots. The results indicated that. (1) instructor pilots were consistent in their subjective evaluations. (2) the objective measures correlated highly with the subjective evaluations, and (3) the objective measures discriminated between pilots of different experience levels.

Implications

The data suggest the approach taken to be a viable one. The basic assumptions of the measurement scheme were corroborated by the data. The results. (1) suggest instructor evaluations represent a useful criterion for developing objective measures, (2) indicate the objectively derived measures possess a high degree of validity, and (3) provide some insight into the manner in which instructors assign grades. Potentially fruitful areas of further research are discussed.



PREFACE

This document represents a portion of the research program on Project 1123, Flying Training Development, Dr William V. Hagin, Project Scientist; Task 112301, Development of Performance Measurement Techniques for Air Force Flying Training, Dr Wayne L. Waag, Task Scientist, being carried out by the Air Force Human Resources Laboratory, Flying Training Division, Williams Air Force Base, Arizona.

TABLE OF CONTENTS

I.		Page 5
Re	Measurement System Requirements Measurement Development for ASUPT Preliminary Evaluation — Study I Preliminary Evaluation — Study II Implications	5 5 6 9 10
•		`
	· LIST OF TABLES	•
Tal	ble Comparison of Instructor Judgments at Cockpit and Console For Straight and Level	Page 7
2	Correlations of Objective Performance Measures With Instructor Evaluations for Straight and Level	·7
3	Prediction of Overall Instructor Pilot Ratings For Straight and Level	· 8
4	Prediction of Smoothness Ratings For Straight and Level	8
4	5 Inter-Rater Correlations for Study II	9
. (6 Correlations of Objective Measures with Instructor Ratings for Study II	11
7	7 Descriptive Statistics of Objective Measures for Each Rating Category	12
78	8 Comparison of Objective Measures for Experienced and Inexperienced Pilots	13

ASUPT AUTOMATED OBJECTIVE PERFORMANCE MEASUREMENT SYSTEM

I. INTRODUCTION

The Advanced Simulation in Undergraduate Pilot Training (ASUPT) facility is designed to be a research device capable of providing answers regarding both the hardware design and effective use of flight simulators. Using state-of-the-art motion and visual systems, the relationship between simulator fidelity and the training effectiveness of these systems, as well as the applicability of advanced training concepts are to be investigated. Since ASUPT is designed to be a research simulator, the development of an adequate performance measurement system becomes an essential component of the research program. This report documents the approach to performance measurement system development which has been taken and presents the results of two brief validation studies.

Measurement System Requirements

The criterion for evaluating a flight simulation device is its training effectiveness. From past evidence indicating positive transfer effects, it is assumed that performance in the simulator will be positively related to performance in the aircraft. As a result, the thrust of the present effort is to develop measures which reflect performance in the simulator. In addition, it is possible to use pilot performance in the simulator as a criterion against which to investigate alternative simulator hardware configurations and training strategies.

One of the salient characteristics of flying is that it is criterion-directed. For the execution of any maneuver or sequence of maneuvers there are definable objectives which must be accomplished. The degree to which these objectives are met represents an adequate description of performance. In other words, a criterion-referenced approach to pilot performance forms the basis for the present effort. Following such an approach, it is apparent that the definition of criterion objectives is of foremost importance. Within the context of measurement development for ASUPT, the critical question is whether these criterion objectives can be stated in terms of parameters available within the simulator. In other words, can behavioral objectives be defined in terms of the state of the simulated aircraft and control inputs of the pilot?

Aside from the requirement to define performance in terms of observable behavioral objectives, there are other constraints which are applicable. The first is parsimony in the selection of simulator parameters to be sampled. Criterion objectives are to be defined using as few parameters as possible. Furthermore, they are to be sampled and analyzed on a real-time basis so that the resulting measurement and feedback are immediate. Since measurement will be an integral part of training students in ASUPT, it is also necessary that the resulting output be meaningful and easily interpreted by both instructors and students.

In summary, a criterion-referenced approach to measurement system development is to be pursued within the constraints of the following requirements:

- 1. Measures will assess the degree to which the criterion-objectives are met.
- 2. Measures will reflect only the most salient characteristics of performance.
- Measures will be meaningful and interpretable to the user—the student and instructor pilot.
- Measures will be generated on a real-time basis so that feedback is immediate.

Measurement Development for ASUPT

Although the criterion-referenced approach represents the rationale for present developmental efforts, a further set of assumptions have guided implementation on ASUPT.

- 1. Measurement system development parallels skill acquisition in the student pilot. Since student pilots acquire flying skills in a hierarchical fashion, measurement development should proceed in a similar manner. Simply stated, a building block approach is assumed in which measurements for basic flying skills are the first to be implemented.
- 2. The focus of the measurement system is the individual flight maneuvers. This level of measurement seems to be most consistent with present flying training syllabuses.



78

- 3. Maneuvers can be conceptualized as integrated sequences of steady states and transitions. The fundamental flight attitudes plus transitions from one attitude to another form the conceptual segments for most maneuvers (Meyer, Laveson, Weissman, & Eddowes, 1974). It is necessary to define behavioral objectives for each segment since they are likely to differ from one to another.
- 4. Maneuver performance can be evaluated by two sets of parameters—those reflecting the state of the aircraft and those reflecting the control inputs of the pilot. Superior performance is assumed to manifest three characteristics: (a) accomplishing the criterion objectives as defined by the aircraft state parameters, (b) avoiding excessive rates and acceleration forces so that the maneuver is executed smoothly, and (c) accomplishing these objectives with the least amount of effort, that is, by minimizing control inputs.
- 5. The evaluation of performance for a given parameter involves a comparison of the obtained value with some ideal value. For parameters reflecting aircraft state, the deviation from the ideal provides an index of error. Since the ideal is seldom attained, it is more realistic to define acceptable performance in terms of an empirically determined tolerance band about the ideal value. For parameters reflecting smoothness and control inputs, the adapted ideal represents a performance level characteristic of the highly experienced pilot.
- 6. The implementation of the measurement system requires four phases of development: (a) definition of criterion objective in terms of a candidate set of simulator parameters, (b) evaluation of the proposed set of measures for the purpose of validation and simplification, (c) specification of criterion performance by requiring experience instructor pilots to fly the maneuver in question, and (d) the collection of normative data using students as they progress through the training program.

Preliminary Evaluation - Study I

In keeping with the approach outlined previously, the first maneuver for which measures were developed was straight-and-level flight. Since the criterion objectives for this maneuver are well-defined-maintain constant altitude, airspeed and heading-it was felt that an evaluation of its measurement scheme would provide a good starting place to determine whether the approach held promise. Any performance assessment system, if it is valid, should have at least two characteristics. First, it should bear a positive relationship to expert opinion regarding the quality of performance. Second, it should reliably discriminate between subjects having differing levels of experience. The demonstration of such construct validity seemed necessary for the evaluation of the present measurement scheme.

Using the pre-programming capability in ASUPT, a simple test scenario was developed. (1) initialize the simulator to 15,000 feet, 160 knots, heading 090 degrees, (2) unfreeze the simulator and allow 10 seconds for the pilot to "settle down," (3) sample selected parameters for one minute, and (4) freeze the simulator. The parameters sampled were altitude, airspeed, heading, stick movement, throttle movement, elevator stick force, pitch rate, pitch acceleration, roll rate, roll accelerations, vertical velocity, and vertical acceleration. Mean deviation and root-mean-square (RMS) deviations were computed for altitude, airspeed, heading, and stick force. RMS scores were computed for the remaining parameters.

A seven-point rating form was developed for use by instructor pilots who were to provide qualitative evaluations. Five items were to be rated: (1) altitude control, (2) airspeed control, (3) heading control, (4) over-all level of performance, and (5) smoothness. For each evaluation, two raters were used—one inside the cockpit and another at the console who only observed the repeater instruments. In this manner, an estimate of inter-rater reliability could be computed.

Subjects for the initial evaluation were 12 Air Force employees (Flying Training Division, Air Force Human Resources Laboratory) and one student pilot. Piloting experience ranged from zero to 8,000+hours. Each subject was given a two-minute practice/instruction period followed by five one-minute runs. Three instructor pilots were used as raters and were randomly alternated between the cockpit and console. All missions were flown using full motion and G-seat. Of the total 65 runs, one was lost due to system failure.

The means of the cockpit and console ratings, along with their correlations, are presented in Table 1. The high intercorrelations suggest the instructors to be highly consistent in their ratings. It is interesting to note that the lowest correlation is for smoothness. This is most likely due to availability of motion coes for the rater inside the cockpit. In any case, the high intercorrelations suggest the ratings to be a reliable criterion against which to validate the objective measures.

Table 1. Comparison of Instructor Judgments at Cockpit and Console.

For Straight and Level

		Mean		Mean	• ,		Inter-Rater
Measure		CockPit		Cansale			Correlation
Altitude Control Heading Control Airspeed Control Overall Rating Smoothness	, ·.	4.7458 4.7627 4.5424 4.6271 4.4574	· .	4.7031 4.6562 4.7344 4.6719 4.6250			.8722 · .9257 .8535 • .9109 .6297

The next step was to determine whether the objectively derived measures would reliably predict the instructor ratings. The adopted criteria were the overall rating and smoothness rating. Table 2 presents the correlations between the objectively derived measures of performance and these instructor evaluations for both the cockpit and console raters. A glance at these results suggest several things. First, the correlations between the measures and instructor evaluations are fairly consistent for both the cockpit and console ratings. Second, and most importantly, substantial relationships exist between a number of the objectively derived measures and the instructor pilot (IP) subjective evaluations. Third, the measure RMS vertical velocity predicted both criteria quite well. These findings were highly encouraging—suggesting that these objectively derived measures do relate to the instructor's evaluation of performance.

Table 2. Correlations of Objective Performance Measures
With Instructor Evaluations for Straight and Level

•	Over	all Rating f .	Smooth	ness Rating
Measure	Cockpit	Console	Cockpit	Console
		•		
Mean Altitude Error	6492	7238	4645	· . –.4834
Mean Airspeed Error	.5826	6515	.4365	4331
Mean Heading Error	5075	5134	4729	5253
RMS Altitude	- .7803 ``	8348	 5750 .	6071
RMS Aimpeed	7690	7739	 5678	<i>−.</i> 6193
RMS Heading	6393	6498	5931	6941
Mean Stick Force	.2740	. 3859	.3717 . `	.3560
RMS Stick Force	· –.4434	['] –.3101	3249	2639
RMS Stick Movement	0098*	0237*	· <i>-</i> .2789	–.3369
RMS Throttle Movement	1643 *	1855*	3320	3028
RMS Pitch Rate ·	3168	~2625	5019	5036
RMS Pitch Acceleration	.0781*	.1277*	2006*	-'.1586*
RMS Roll Rate	0371*	0500*	0365*	. 0931*
RMS Roll Acceleration	1527*	0976 *	.0145*	.0009*
RMS Vertical Velocity	– .7737	·7560	7004	<i>–.</i> 7277.
RMS Vertical Acceleration	4172	3770	4663	5194

^{*} Nonsignificant.

Using a forward selection multiple regression procedure, subsets of variables were selected which were predictive of the criterion. An iterative procedure was used wherein variables were added to the prediction equation until the increment in explained variance became statistically nonsignificant. At this point, the variables in the prediction equation were eliminated from the predictor set and the procedure repeated. In this manner multiple sets of predictors were defined. The criteria adopted were the overall rating and smoothness rating obtained from within the cockpit. Using the equations developed against the cockpit ratings, an attempt was made to predict the ratings obtained at the console. The results of these analyses are presented in Tables 3 and 4.

Table 3. Prediction of Overall Instructor Pilot Ratings
For Straight and Level

Measure		Cockpit	Console
•	Set 1	•	
RMS Altitude		.0066	0044
Mean Altitude Error		.9066	.9044
Mean Stick Force	•		
RMS Throttle Movement	•	•	
1992 LIHOTTIE MOVEMENT	0-4-2	*	
DMC Vertical Velocity	Set 2	àoao'	
RMS Vertical Velocity	•	.88391	.8867
RMS Airspeed		•	•
RMS Stick Movement RMS Pitch Rate			
RWS FIICH Rate	0.0	•	
DMO II. de .	Set 3	•	
RMS Heading		. 8303 .	.8178
Mean Airspeed Error		•	
RMS Stick Force			_
RMS Pitch Acceleration		• •	-
RMS Vertical Acceleration			,
	Set 4	•	
Mean Heading Error		.5075	.5134

Table 4. Prediction of Smoothness Ratings
For Straight and Level

Measure		Cockpit	Console
· · · · · · · · · · · · · · · · · · ·	Set 1		
RMS Vertical Velocity RMS Throttle Movement	•	.7926 •	. ,8005
RMS Altitude RMS Pitch Rate	•	. 0	:
,	Set 2	·	
RMS Heading Mean Altitude Error		.7155	.7086
RMS Pitch Acceleration		•	
	Set 3		i
RMS Airspeed RMS Vertical Velocity		.6718	.7053
•	Set 4		,
Mean Heading Error Mean Airspeed Error RMS Stick Movement	. • •	.6248	.6496
	Set 5	•	_
Mean Stick Force RMS Stick Force		.5585	:5277

Four subsets of variables were selected which were predictive of the overall ratings. The first subset consisting of RMS altitude, mean altitude error, mean stick force, and RMS throttle movement yielded a multiple R of .9066. The correlation between the predicted score (using the equation developed for the cockpit rating) and the console rating was .9044. Similar degrees of correspondence were obtained for remaining subsets of predictions. For smoothness, five subsets of predictors were identified. Again, high degrees of correspondence were obtained between the multiple Rs developed for the cockpit ratings and the subsequent correlation between predicted scores and the console ratings.

The results of the first study were highly encouraging and seemed to warrant the following conclusions. First, instructor pilots are highly consistent in their evaluations of performance. Consequently, it is possible to use such evaluations as one criterion against which to validate objective measures of performance. Second, the objective measures of performance developed for straight and level will reliably predict instructor evaluations. The demonstration of such predictive validity suggested the approach taken to be a reasonable one. To further evaluate the proposed system, a second study was undertaken.

Preliminary Evaluation - Study II

Scenarios were developed and the performance measurement software written for the following maneuvers: change of airspeed, constant airspeed climbs/descents, rate climbs/descents, and the steep turn. Similar rating forms were developed for each maneuver and the simultaneous cockpit/console evaluation procedures followed. Four T-37 instructors were the raters—two alternating at the console and the other two alternating in the cockpit. Ten subjects were used in the second study, again representing a wide range of skills. Four student pilots in T-37 training, three T-37 IPs, and three civilians were included. Each subject flew the following set of maneuvers: three airspeed changes; one constant airspeed climb; one constant airspeed descent, one rate climb; one rate descent; and three steep turns. For each climb/descent a level-off to altitude was required.

Inter-rater correlations were computed for each maneuver and are presented in Table 5. As indicated, the data for climbs and descents were pooled. Overall inter-rater correlations were computed for categories which were rated for all maneuvers. The data indicates substantial agreement among the raters, especially for the overall and smoothness ratings, even though the values were somewhat less than obtained for straight-and-level. Several possible reasons for the lowered inter-rater correlations should be mentioned. First, the maneuvers in the second study were of increased complexity. Since these maneuvers require several transitions in addition to a steady state condition, the instructor's job of monitoring all the relevant parameters is increased. Likewise, the performance of transitions from one steady state to another increases the number of cues available to the rater within the cockpit. A second possibility concerns rater bias. It is possible that different subjective criteria were used in ratings of the T-37 IPs as opposed to students. An examination of the ratings of one of the IP's performance records yielded large discrepancies between the cockpit and console ratings. The objective measures appeared to agree with the cockpit ratings in that the performance was quite good. However, according to the console rater, the performance was considered to be unsatisfactory. Such data strongly suggest the possibility of rater bias.

Table 5. Inter-Rater Correlations for Study II

, Measure	Change of Airspeed'	CAŞ - Climb/Descent	Rate Climb/Descent	Steep Turn	Overall
• ,		,			
Altitude Control	.7714	.6334	` .7740	.6935 *	.7279
Airspeed Control	.7763	.4818	.8078	.4238	.6758
Heading Control	.6121	.8987	.7534	, +	*
Rate Control	+	+ · .	· '.6272 `	<i>≸</i>	*
Bank Control	+	+ ′	+	.7743	*
Overall	.7741	.6822	.8045	* .7721 ·	.7716
Smoothness	° .7311 -	.7055	.9661	.8592	.8368 [/]

⁺ Not computed for maneuver.

^{*} Not computed since item not rated in all maneuvers.

Correlations between each of the objective measures and the overall and smoothness ratings for each maneuver were computed and presented in Table 6. In this case, the ratings from the IP in the cockpit were used as the criteria. A perusal of the data warrants several conclusions. As expected, parameters reflecting performance of the criterion objectives were most related to the ratings. Likewise, the RMS values about the ideal were correlated more highly than mean deviations. The only exception was RMS bank error. In this case, an error in the computing software was discovered, thereby invalidating the resulting measure.

A forward selection regression analysis was computed in an attempt to develop prediction equations for the overall steep turn rating. The steep turn was selected since it represented the most difficult of the maneuvers tested. The initial subset of seven variables selected by the procedure yielded a multiple R of .8820 This equation was then used to predict the console ratings. The obtained correlation between predicted and observed console ratings was .9137. Again, multiple subsets were isolated which were predictive of the criterion. Although not verified, it seems likely that similar sets of prediction equations could have been developed for the other maneuvers. In any case, it is certainly clear that the objective measures developed are highly predictive of instructor ratings, thereby demonstrating the validity of the present approach to measurement.

A further set of analyses were computed in order to relate the objective measures to the instructor evaluations. Performance records for all maneuvers were pooled and placed into groups according to the evaluation of the cockpit instructor. Four groups were defined according to the grade assigned of U, F, G, or E. Descriptive statistics were then computed for each of the four groups. The results are presented in Table 7. Measures for rate of climb and bank were deleted due to the small number of cases within each of the groups. An examination of the data warrants several conclusions. First, it is apparent that there are clearly defined trends for a number of the objective measures across the four groups. There are clear cut decreases in root mean square for airspeed, heading, and altitude as a function of the subjective ratings. Likewise, there are decreases in the variability across subjects. Consequently, lowered ratings are characterized by increasing within subject error as well as increasing between subject variability. Such data reflect the fact that there is one way to execute the maneuver correctly, but many ways to commit errors and therefore receive a lower evaluation.

The results also verified the assumption that superior maneuver performance involves the minimization of control inputs. Performances rated excellent were those which minimized the amount of stick movements and also minimized stick deviation from the null position. Furthermore, superior performance was also characterized by minimum amount of control force, or, in other words, the efficient use of trim. While stick inputs were found to be related to rated performance, throttle movements were not. Of the proposed measures of smoothness only pitch rate, vertical velocity and vertical acceleration were related to rated performance. Again, the pattern of decreasing means and variances was found.

As discussed previously, a requirement of the measurement system is that it reliably discriminates between pilots of different experience levels. In this case, depending on their previous flying experience, subjects were placed into one of two categories—high versus low experience—and descriptive statistics computed. The results are presented in Table 8. It should be pointed out that the statistics computed for each objective measure were based on data resulting from all the maneuvers in which that measure was computed. For example, the statistics for heading measures were based on all maneuvers except the steep turn. The results indicate that a substantial number of the objective measures will differentiate between the two groups. Generally, the inexperienced group was characterized by higher error scores and much greater variability. For the steady state parameters, the RMS error scores were more discriminative than the mean error scores.

Implications

The results of these two evaluation studies warrant a number of conclusions. First, the data suggest the approach taken to be a viable one. The assumptions concerning superior maneuver performance have been corroborated by the data. Experienced pilots, and likewise those performances rated excellent, were characterized by (1) meeting the criterion objectives in terms of minimizing aircraft state errors, (2) minimizing rates and accelerations—at least in the pitch and Z axes, and (3) minimizing control inputs. In other words, superior performance involves getting the job done, doing it smoothly, and with a least amount of effort.



Table 6. Correlations of Objective Measures with Instructor Ratings for Study II

			*					
							•	•
•	Change of A	ge of Alrypeed,	CAS CIIm	b/Descent	Rate Cil:	Rate Cilmb/Descent	51641	Steep Turn
Measure	Overall	Smoothness	Overall Smooth	Smoothness	Overall	Smoothness	Overall	Smoothness
	. ^							
Mean Airspeed Error	-1658	0636	0164	0470	0681	.0545	2322	1776
RMS Airspeed	5854	6856	-,4104	0702	- 4776	4951	. 6077	6112
Mean Heading Error	2804	.1377	.0527	.0594	0.6670	7620	¥.	+
RMS Heading	5463	4144	5090	-,3614	6649	7899	+	+
Mean Altitude Error	6747	6386	.2130	.3374	0946	.0108	. 5580	.5400
RMS Altitude	7085	6512	5690	4755	6868	7193	. .5435	5320
Mean Bank Error	+	+	+	+	+	+	5375	6121
RMS Bank	+	+	+	+	+	+	0384*	~.2136*
Mean Rate Error	+	+	+	+	3194	-,3530	+	+
RMS Rate	+	+	+	+	8029	≥,8312	+	+
Mean Stick Force	1542	,0959	.1021	.0799	<u></u>	.0013	.1282	.1761
RMS Stick Force	3898	- 1401	2475	1343	4920	6303	3475	4145
RMS Stick Movement	0047	~.2823	2416	2901	6836	7036	4787	6483
RMS Throttle Movement	.0463	0274	, 3325	.1081	1729	√,3332	.1395	-:1279
RMS Fore-Mft Stick Position	2664	2394	1641	2295	2851	4081	3122	3969
RMS Lateral Stick Position	2467	4875	6364	6090	-,6630	4763	6380	7771
RMS Pitch Rate	1145	3372	1161	1134	6315	8145	5375	6,121
RMS Pitch Accelèration	8861.	.0411	.0753	6836	5514	7437	0385	2137
RMS Roll Rate	0203	., -,1202	0490	9100	.0406	.0709	.0506	.0723
RMS Roll Acceleration	2311	\2214	3484	.3378	-,1827	0618	.0953	.0857
RMS Vertical Velocity	6909	.6120	2559	4762	5170	5205	-,4225	4521
RMS Vertical Acceleration	3130	→.5645	3286	2582	7136	6975	4528	5116

^{*} Measure incorrectly computed due to software error.

+ Not computed for maneuver.

ERIC Fruit Text Provided by ERIC

Table 7. Descriptive Statistics of Objective Measures for Each Rating Category

	ŭ	Me	Means			Standard	Standard Deviations	
Measure,	Э	3 L	g	¥	D	E	C	·W
Mean Airspeed	6.2029		.8516	9805	8.0183	5.3732	3.4874	1.5545
RMS Airspeed	12,3590		3.9006	2.2694	7,3095	. 3.6592	2.0820	1.3643
Mean Heading	-1.8377		9720	0938	7.2208	5.2646	3.0924	1.4064
RMS Heading	8.0273		3,2715	1,4535	4.5197	. 3.9316	1.7367	.7454
Mean Altitude	-291.4250	,	-21.2107	4.9002	718.3638	125.3819	59.7469	19.9138
RMS Altitude	686.9624		63.1433	27.5617	577.0505	82.5278	40.6938	14.7862
Mean Stick Force	-2.2373		6847	7125	3.4299	1.7442	1.9502	1.2228
RMS Stick Force	5.2705		2.4151	. 1.6180	3.6954	1.8237	1.6616	1.2253
RMS Stick Movement	.3910		. 1955	.1833	.1835	.1507	0260.	.0841
RMS Throttle Movement	.6958			. 7899	.2190	.2884	.4653	.6258
RMS Fore-Aft Stick Position	3.2308		1.9672	1.7736	1.8311	.8447	.6526	.5203
RMS Lateral Stick Position	.6336		.2848	.1903	.2870	.1940	.1372	.0964
RMS Pitch Rate	4,9255		1.1146	1.1477	4.3768	1.6320	.8628	1.0557
RMS Pitch Acceleration	29.7499		17.7711	20.1213	19.5700	.19.8789	23.4170	19,4427
RMS Roll Rate	.4012		.5801	.5197	.3163	.2967.	.3373	.3062
RMS Roll Acceleration	. 9885.		6199	.4462	.2333	. 3462	.3637	.3160
RMS Vertical Velocity	1205.0500	.,	123.8052	168.8898	1789.3610	222.8050	184,1357	214.3813
RMS Vertical Acceleration	3.2379	1.5558	1.4965 0	1.2012	2,0841	.8067	.7379	.\$517

Table 8. Comparison of Objective Measures for Experienced And Inexperienced Pilots

	Experie	ince	lnexperi	enced .
Méasure	Mean	\$.D.	, Mean	s.D.
10	•	_		•
Mean Airspeed	1.4730 *	2.5232	2,3486	6.1876
RMS Airspeed	3.4929	2.0878	6.7856	5.0718
Mean Heading	1843	2.2824	.6084	5.4465
RMS Heading	2.1827	1.4071	5.1275	3.6841
Mean Altitude	-21.6591	77.8214	<i>-</i> 71 <i>.</i> 5790	316.2510
RMS Altitude	_ 67.5192	67.3319	193.8939	322.1645
Mean Climb Rate	.1610	1.4210	.9480	2.7849
RMS Climb Rate	2.3482	.8100	4.4623	1.5058
Mean Bank	1.4191	.8855	4.1372	3.5044
Mean Stick Force	9480	1.9727	-1.0806	2.0091
RMS Stick Force	2.4354	1.7274	2.8486	2.3823
RMS Stick Movement	.1847	.1009	.2778	.1514
RMS Throttle Movement	.6668	.4829	.7679	.3872
RMS Fore-Aft Stick Position	2.0347	.6661	2:1971	1.12 <i>5</i> 9
RMS Lateral Stick Position	.2517	.1356	.3968	.2294
Pitch Rate .	1.0769	.9846	2.3859	2.4821
Pitch Acceleration	18.2833	23.9736	22,1778	18.4969
Roll Rate	.5146	·3078	.5749	.3257
Roll Acceleration .	.5670	·.3494.	.5420	.3432
Vertical Velocity .	172.3421	208.9697	409.9243	825.0552
Vertical Acceleration	1,5010	.7557	1.7047	1.2598

Second, the data indicate that instructor evaluations are a usable criterion for future measurement system development. The relatively high levels of agreement between the cockpit and console ratings are particularly encouraging since the availability of cues was radically different for each rater. The console rater only had access to the repeater instruments while the instructor in the cockpit could observe the students behavior in addition to the flight instruments. Furthermore, kinesthetic cues were also available to the cockpit rater. The importance of these different cue sources in instructor evaluations is an area which should be addressed in future research studies.

Third, the objectively derived measures were shown to possess a certain degree of validity. Significant correlations between these measures and instructor evaluations were obtained. Furthermore, the measures were shown to discriminate between pilots of different experience levels. These results are most encouraging and convincingly demonstrate the fruitfulness of the present approach.

Fourth, the results provide some insight into the manner in which instructors assign grades. A hierarchical model seems most consistent with the data. To receive an excellent (E) rating, errors on the critical parameters must all be low. As the quality of the rating decreases, the potential for different errors increase. In fact, it is possible to commit error involving one parameter, control the others quite well, and still receive a low evaluation. This suggests that both the number and degree of error are important. The investigation of instructors grading strategies is another prime area for future research.

Fifth, the results provide preliminary data concerning the simplification of the present set of parameters. As expected, parameters reflecting performance of the criterion objectives yielded the highest validity coefficients. However, measures of mean error were not as effective as root mean-square error Furthermore, a number of the proposed measures of smoothness did not produce any significant relationships. Roll rate, roll acceleration, and pitch acceleration were not related to either instructor ratings or experience level. Likewise, throttle movements were not found to be important.



Taken as a whole, the results of these preliminary investigations are encouraging. The demonstrated validity of measures, developed for these basic instrument maneuvers, indicate the fruitfulness of the present approach. Efforts are currently underway for the development of performance measures for more complex maneuvers. It is expected that the resulting measurement system will meet both the research and training needs for future studies to be accomplished in ASUPT.

REFERENCES

Meyer, R.P., Laveson, J.I., Weissman, N.S., & Eddowés, E.E. Behavioral taxonomy of undergraduate pilot training tasks and skills: Executive summary. AFHRL-TR-74-33(I). Williams AFB, Ariz. Flying Training Division, Air Force Human Resources Laboratory, December 1974.