ED 125 631

IB 003 719

AUTHOR TITLE

Nagle, Lamar C.
Highland High School Vocational Television; a Salt
Lake Schools Exemplary Vocational Program.

INSTITUTION PUB DATE

Salt Lake City School District, Utah. 76 66p.

EDRS PRICE DESCRIPTORS

MF-\$0.83 HC-\$3.50 Plus Postage.

Audio Equipment; Broadcast Television; Color
Television; High School Students; Photography;
*Production Techniques; Secondary Education;
*Television; Television Lighting; Video Equipment;
*Vocational Education

ABSTRACT

The Highland High School (Salt Lake City, Utah) vocational television production program was designed to provide students with marketable skills in color television studio operation. Among the skills covered in the program were camera set-up and operation, video engineering, production switching, directing, television lighting, audio engineering, set design, multiplexer projection, graphics design, and photography basics. Both theory and hands-on experience were stressed, with emphasis placed on production techniques through production for both in-house and commercial programs. (Author/HAB)

Date:, Began 1972

Title: Highland High School Vocational Television

A Salt Lake Schools Exemplary Vocational Program

Author: LaMar C. Nagle, Media Coordinator

Highland High School 2166 South 17th East Salt Lake City, Utah

Summary ·

οf

Program: A vocational television production program designed to educate

both boys and girls with marketable skills in color television

studio operation:

The following skills are covered:

1. Camera set-up and operation

2. Video engineering

3. Production switching

4. Directing

5. Television lighting

. 6. Audio engineering

7. Set design

* 8. Multiplexer (film chain) projection

9. Graphics design and vidifont operation

10. Photography basics

Both theory and hands-on experience are stressed with emphasis placed on production techniques through production for both "in house" and commercial programs. The studio - with a paid student crew - is rented for commercial purposes and an onthe-job training aspect is infused into the program in this manner.

U S DEPARTMENT OF HEALTH, EDUCATION & WELFARE NATIONAL INSTITUTE OF EDUCATION

THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL MATIONAL INSTITUTE DEPOY OF THE POINT OF POINT OF THE POINT OF THE

R 003 719

HIGHLAND HIGH SCHOOL TELEVISION TRAINING COURSE
A SALT LAKE CITY SCHOOLS EXEMPLARY VOCATIONAL PROGRAM

This course is a three year training program designed to give the student a complete understanding of television production theory and practice. The student will gain a working knowledge of techniques employed in both commercial and closed-circuit operations. He will, as a result of this training, be readied with a marketable skill and with the knowledge needed for basic FCC licensing. He will be readied for employment in commercial or public broadcasting, in closed circuit operation for industrial and educational systems, or in cable station operation.

FACILITIES

PURPOSE:

FOR

TRAINING: Highland High School has a full-color production studio patterned after commercial studios, a separate control booth, a sound stage and a taping and dubbing room. The studio has curved and coved cyc walls, a curtain system, a light grid with 16 feet of head room and a dimmer panel that controls the all quartz lighting instruments.

The television production board equipment includes three color floor cameras and one color film-chain camera all with remote camera control units. There are two one inch video tape recorders with complete editing capabilities; an engineering section; an audio mixing panel with a 4 microphone input, a turntable and cassette deck; a character generator; and remote busses to a time-base corrector and additional editing equipment as well as a 5 channel closed-circuit distribution system that serves every classroomein the school. This is controlled through the production

FACILITIES .

FOR

TRAINING

(continued) switcher that has a chroma-key unit, a very sophisticated special effects generator and 9 monitors.

PERSONNEL: The heart of the vocational television program is centered in the staff that includes: LaMar Nagle, the originator of the program and the coordinator of the Highland High Media Center; a television teacher, hired from the industry; a photography teacher; an engineering consultant, the retired chief engineer at KSL-TV.

COURSE TEXTS:

Williams, Richard, Television Production, 1974

Zettl, Herbert, Television Production Workbook

Millerson, G., The Techniques of Television Production

OBJECTIVES
FOR
S TUDENTS:

- an occupation and of its possibilities for his employment.
- 2. The student will be able to demonstrate a basic knowledge of theory of operation of the various component parts of television equipment, i.e., the camera, the tape recorder, the film chain and multiplexer, the electronic editor, the special effects generator, the sound mixer, and microphones, the chroma-key unit, and the character generator.
- achievements in various production techniques and skills, i.e., camera operation, set lighting, sound recording, show directing, graphics production and use, set designing and construction, manipulation of various kinds of special effects equipment, set construction, and tape editing.

OBJECTIVES FOR STUDENTS continued:

- The student will be able to demonstrate a "hands on" proficiency in television program productions including all phases from script writing to completed program. These programs will vary from 30 second spot advertisements to 30 minute feature programs.
- 5. The student will be able to relate his television studies in relationship with his other academic pursuits in high school, and to see the necessity of a broad background of preparation in order to predict success in the television field.
- 6. The student will be able to produce multi media instructional programs that incorporate S-8 or 16mm film, slides, sound, and special effects, using the television as the final format of presentation.
- 7. The student will be able to participate in a work-study program during his senior year. There will be an on-the-job training phase of participation in conjunction with the local commercial television stations and/or other commercial applications of television.

INSTRUCTION METHOD:

Teaching Organization Plan: The general instruction approach is to proceed from a closely structured lecture-demonstration method in the first year to an equally un-structured, individualized method in the second year; and finally to a work study program. correlated with the local commercial and public television stations in the third year program.

INSTRUCTION

METHOD:

Class Size: Each class has 16 members - male and female.

The numbers are dictated by the number of work stations (8)

and an instruction plan that calls for concurrent instruction
in photography and in off-the-air taping, dubbing and editing
techniques. On a rotating 2 week schedule, half the class is
instructed in the TV studio and the other half - in two groups
are instructed in photography and/or taping and dubbing.

Instruction Period: A two period block of time (90 minutes)
is utilized during the regular school day. Presently (1974-75)

Class times: 8:00 - 9:50 A.M. 9:55 -11:30 A.M. 1:00 - 2:35 P.M.

there are three classes being instructed.

EVALUATION

METHODS:

Evaluation Methods: (1) Written test based on text materials as well as on lectures by the teachers and guest consultants -- specialists from commercial and public television.

(2) Proficiency demonstrations by students as they work with the various pieces of equipment. This will be further explained under the unit plans and the five competency levels of advance.

ment.

OPEN ENROLLMENT

The Salt Lake School District has an open enrollment policy in regards to the four exemplary vocational programs — one in each high school. A student from any of the four high schools can enroll in the vocational program of any other high school. Highland's vocational television currently (1974-75) has students enrolled from all four high schools.

YEARLY TEACHING OBJECTIVES

A Three Year Comprehensive Teaching Program and Work Experience

First Year Program

Note: The introductory year in vocational television is concerned with a primary technical training, with a rudimentary knowledge of production techniques and with a working trade vocabulary.

Training objectives:

A working hands-on use of black and white production equipment including:

- A. Camera
- B. Switcher-special effects generator
- C. Audio mixer, microphones, tape deck, record player
- D. Picture composition
- E. Basic TV graphics
- F. 35 min. photography for television*
- G. Television lighting
- H. Basic video tape recording
- I. Use of \$-8 and 16mm motion* pictures

*It is recommended that first-year television students enroll in the basic photography class at Highland High.

Second Year Program

Note: The second-year program is concerned with an advanced technical training, with the introduction of program design and with program production.

Training Objectives:

- 1. A working hands-on knowledge of:
 - Al Color cameras-lens operation
 - By Color monitors
 - ⟨C≠ Color encoders
 - D. Lighting for color
 - E. Advancing effects generators
 - F. Advanced switchers
 - G. Multiplexers film chain units
 - H. Character generators
 - I. Advanced TV graphics,
 - J. Chroma-key unit
 - K. Video tape electronic exiting and dubbing
 - L. Closed circuit television distribution
 - M. TV equipment patching and switching
 - N. Audio tape production-record, edit, sound, on sound, sound with sound, and dubbing
 - O. Advanced use of 35 min. slides and 16 min. movie cameras*

Second Year Program - continued:

- 2.. Introduction of program design concepts
 - *Advanced photography courses are recommended for second-year vocational television students
- Note: A successful completion of first year vocational television in a pre-requisite for this second year program. Continual evaluation of attitude and television ability is an adjunct of each succeeding semester of work in this field.

Third Year Program:

Note: The third year of study in the vocational television program is oriented to inter-related phases:

- 1. The continuing sophistication of technical skills;
- 2. The understanding of the psychology of production concepts and design;
- 3. The practical application of learned skills in a work-study program.

Training Objectives:

- 1. Television production job deliniation and practice including:
 - A. Prop man
 - B. Camerman
 - C. Floor Director
 - D. Audio Engineer
 - E. Video Engineer
 - F. Film Editor
 - G. Director
 - H. Producer
 - I. Program Director
 - J. Air Operations Manager
 - K. Production Manager

2. Techincal Skills:

- A. Multi-media applications
- B. Advanced audio
- C. Programmer use
- D. Studio equipment lay-out design
- E. Advanced lighting

3. Production Skills

- A. Design and production of commercials
- B. Production of dramatic events
- C. Sports productions
- D. Documentary productions

te: It is recommended that the third year studies be limited to those students most oriented to television as a vocation. They should be highly motivated and skilled in both technique and attitude as indicated by the previous two years of study.

The third year program, and to a lesser extent the second year program, is directly aimed at facilitating the transition from vocational television to employment in an industry which needs this kind of background - this can be in a commercial TV station, a cable TV station, or in schools, hospitals, public institutions or businesses using closed circuit television systems.

HIGHLAND HIGH SCHOOL TELEVISION TRAINING COURSE A.SALT LAKE CITY SCHOOLS EXEMPLARY VOCATIONAL PROGRAM

PURPOSE:

This course is a three year training program designed to give the student a complete understanding of television production theory and practice. The student will gain a working knowledge of techniques employed in both commercial and closed-circuit operations. He will, as a result of this training, be readied with a marketable skill and with the knowledge needed for basic FCC licensing. He will be leadied for employment in commercial or public broadcasting, in closed circuit operation for industrial and educational systems, or in cable station operation.

FACILITIES FOR TRAINING; Highland High School has a full-color production studio patterned after commercial studios, a separate control booth, a sound stage and a taping and dubbing room. The studio has curved and coved cyc walls, a curtain system, a light grid with 16 feet of head room and a dimmer panel that controls the all quartz lighting instruments.

The television production board equipment includes three color floor cameras and one color film-chain camera all with remote camera control units. There are two one inch video tape recorders with-complete editing capabilities; an engineering section; an audio mixing panel with a 4 microphone input, a turntable and cassette deck; a character generator; and remote busses to a time-base corrector and additional editing equipment as well as a 5 channel closed-circuit distribution system that serves every classroom in the school. This is controlled through the production switcher that has a chroma-key unit, a very sophisticated special effects generator and 9 monitors.

PERSONNEL:

The heart of the vocational television program is centered in the staff that includes: the television teacher, a former director and producer, a photography technician, an engineering consultant, a retired chief

A SALT LAKE CITY SCHOOLS EXEMPLARY VOCATION PROGRAM continued

PERSONNEL:

engineer at KSL-TV, and the coordinator of the Highland High Media

COURSE

Williams, Richard, Television Production, 1974

Zettl, Herbet, Television Production Workbook

Millerson, G, The Techniques of Television Production

OBJECTIVES FOR STUDENTS:

- 1. The student will be able to make a judgment of television as an occupation and of its possibilities for his employment.
- 2. The student will be able to demonstrate a basic knowledge of theory of operation of the various component parts of television equipment, i.e., the camera, the tape recorder, the film chain and multiplexer, the electronic editor, the special effects generator, the sound mixer, and microphones, the chroma-key unit, and the character generator.
- 3. The student will be able to demonstrate competency level achievements in various production techniques and skills, i.e. camera operation, set lighting, sound recording, show directing, graphics production and use, set designing and construction, manipulation of various kinds of special effects equipment, set construction, and tape editing.
- 4. The student will be able to demonstrate a "hands on" proficiency in television program productions including all phases from script writing to completed program. These programs will vary from 30" second spot advertisements to 30 minute feature programs.
- 5. The student will be able to relate his television studies in relationship with his other academic pursuits in high schools, and to see the necessity of a broad background of preparation in order to predict success in the television field.
- 6. The student will be able to produce multi media instructional programs that incorporate S-8 or 16mm film, slides, sound and

A SALT LAKE CITY SCHOOLS EXEMPLARY VOCATION PROGRAM'- continued .

OBJECTIVES FOR STUDENTS

- special effects, using the television as the final format of presentation.
- 7. The student will be able to participate in a work-study program during his senior year. There will be an on-the-job training phase of participation in conjunction with the local commercial television stations and/or other-commercial applications of television.

INSTRUCTION METHOD

Teaching Organization Plan: The general instruction approach is proceed from a closely structured lecture demonstration method in the first year to an equally un-structured, individualized method in the second year with a work-study program correlated with the local commercial and public television stations.

Class Size: Each class has 16 members - male and female. The numbers are dictated by the number of work stations (8) and an instruction plan that calls for concurrent instruction in photography and in off-the-air taping, dubbing and editing techniques. On a rotating 2 week schedule, half the class is instructed in the TV studio and the other half - in two groups are instructed in photography and/or taping and dubbing.

Instruction Period: A two period block of time (90 minutes) is utilized during the regular school day. Presently (1975-76) there are three classes being instructed.

Class times:

8:00-9.50 A.M.

9:55-11:30 A.M.

1:00- 2:35 M

EVALUATION METHODS:

Evaluation Methods: (1) Written test based on text materials as well as on lectures by the teachers and guest consultants — specialists from commercial and public television.

(2) Proficiency demonstrations by students as they work with the


A SALT LAKE CITY SCHOOLS EXEMPLARY VOCATION PROGRAM - continued

various pieces of equipment. This will be further explained under the unit plans and the five competency levels of advancement.

OPEN : ENROLLMENT:

The Salt Lake School District has an open enrollment policy in regards to the four exemplary vocational programs - one in each high school. A student from any of the four high schools can enroll in the vocational program of any other high school.
























ERIC ENUISM DY ERIC

YEARLY TEACHING OBJECTIVES

A Three Year Comprehensive Teaching Program and Work Experience

First Year Program

Note: The introductory year in vocational television is concerned with a primary technical training, with a rudimentary knowledge of production techniques and with a working trade vocabulary.

Training Objectives:

A working hands-on use of black and white production equipment including:

- A. Camera
- B. Switcher-special effects generator
- C. Audio Mixer, microphones, tape deck, record player
- D. Picture composition
- E. Basic TV graphics
- F. 35 min. photography_for television*
- G. Televison lighting
- H. Basic video tape recording
- I. Use of S-8 and 16 mm motion* pictures

*It is recommended that first-year television students enroll in the basic photography class at Highland High.

Second Year Program

Note: The second-year program is concerned with an advanced technical training, with the introduction of program design and with program production.

Training Objectives:

- A working hands-on knowledge of:
 - A. Color cameras-lens operation
 - B. Color monitors
 - C. Color encoders
 - D. Lighting for color
 - E. Advancing effects generators
 - F. Advanced switchers
 - G. Multiplexers film chain units
 - H. Character generators
 - I. Advanced TV graphics
 - J. Chroma-key unit
 - K: iVideo tape electronic editing and dubbing
 - L. Closed circuit television distribution
 - M. TV equipment patching and switching
 - N. Audio tape production-record, edit, sound, on sound, sound with sound, and dubbing.
 - O. Advanced use of 35 min. slides and 16 min. movie cameras*



Second Year Program - continued:

- 2. Introduction of program design concepts
- *Advanced photography courses are recommended for second-year vocational television students. .

Note. A successful completion of first year vocational television in a pre-requisite for 'this second year program. Continual evaluation of attitude and television ability is an adjunct of each succeeding semester of work in this field.

Third Year Program:

Note: The third year of study in vocational television program is oriented to inter-related phases:

- 1. The continuing sophistication of technical skills;
- 2. The understanding of the psychology of production concepts and design;
- 3. The practical application of learned skills in a work-study program.

Training Objectives:

- Television production job deliniation and practice including:
- 4
- A., Prop man
- B. Cameraman
- C: Floor Director
- D. Audio Engineer
- E. Video Engineer
- F. Film Editor
- G. Director
- H. Producer
- I. Program Director
- J. . Air Operations Manager
- K. 'Production Manager
- 2. ... Technical Skills:
 - A. Multi-media applications
 - B. Advanced audio
 - C. Programmer use
 - D. Studio equipment lay-out design
 - E. Advanced lighting
- 3. Production Skills:
 - A. Design and production of commercials
 - B. Production of dramatic events
 - C. Sports productions
 - D. Documentary productions




YEARLY TEACHING OBJECTIVES - continued

Note:

It is recommended that the second year studies be limited to those students most oriented to television as a vocation. They should be highly motivated and skilled in both technique and attitude as indicated by the previous two years of study.

The second year program, and to a lesser extent the first year program, is directly aimed at facilitating the transition from vocational television to employment in an industry which needs this kind of background this can be in a commercial TV station, a cable TV station, or in schools, hospitals, public institutions or businesses using closed circuit television systems.

/ocational Television Instructional Organization Highland High School



BASIC B/W CAMERA OPERATION

Time 2-3 days-Competency Level I

Objectives:

General Statement:

Introduction to "Basic" Camera Principles and operation techniques, along with proper use of T.V. Language and name parts that are relative to cameras and their operation.

Skills Expectations:

Upon completion of Unit I, the student will be able to perform rudimentary camera skills, to achieve a level I competency rating in preparation for Level II, consisting of panning, tilting, dollying, trucking, focusing, and zooming, using proper language.

Instruction Method:

Read Chapter I - Emphasis on pages 33-37

Reinforced with classroom lectures and cemonstration - plus Video tape about proper camera operation. Available Video Tape of actual programs will be incorporated to demonstrate use of those basics discussed.

Students will then be given a hands-on learning experience, utilizing the black & white production units.

Evaluation Methods:

- 1. A written test will be administered on text material, as well as classroom lectures and demonstration.
- 2. Proficiency demonstrations will be required to determine familiarity with equipment, and use of proper terms. Students will pass a level I Performance Evaluation with 100% accuracy, preparing for a Level II Rating.

- 1. Camera head
- View finder
- 3. Tripod (collapsible)
- 4. Tripod Dolly (collapsible)
- 5. Friction head
- 6. Cradle head
- 7. Cam head
- 8. Zoom lense
- 9. Zoom handle
- 10. Focus control
- 11. Tally light
- 12. Camera pedistal
- 13. Pan



BASIC B/W CAMERA OPERATION (continued) - UNIT I

- 14. Tilt 15. Zoom
- 16. Dolly
- 17. Truck
- 18. Focus
- 19. Monochrome
- 20. Color
- 21. Lens/lenses
- 22. Camera Characteristics:
 - . 1. operating light level
 - 2. burn in
 - 3. contrast
- 23. Head room
- · 24. Nose room



UNIT II LIGHTING, BASIC FOR T.V.

Time 8-10 days

Competency - Level I

Student will be expected to achieve a Level I rating, at the endo of this unit.

Objectives:

General Statement:

Introduction to lighting principles, the instruments used: their parts, and proper language necessary while executing basic lighting effects.

Skills Expectation:

Upon completion of this unit II, the student will be able to operate the lighting panel, effect '4 point' lighting (for people,) and selecte the proper instruments for the most minimal Light Requirements, using proper language to achieve Level I Competency.

Instruction Methods:

Chapter 4, Zettle, Reinforced by lectures and lighting article by Rick Williams and demonstrations from the teacher. Video tapes of network, and public T.V. will again be used to provide actual examples of ligting techniques, in common use. Student will then be given a hands-on learning opportunity utilizing the studio equipment.

Evaluation Methods:

- 1. Written test on text material and lecture/demonstration notes.
- 2. Proficiency demonstrations will be required to determine familiarity with theory, equipment, and proper use of terms. Students will be able to pass a Level I performance evaluation with 100% accuracy, preparing for Level II rate of proficiency.

- 1. Technical lighting
- 2. Non technical lighting (aesthetic)
- 3. Directional light
- '4. Diffused light
- 5. Spot lights (hard)
- 6. Flood lights (soft)
- 7. Incandescent
- 8. Quartz-lödine
- 9. Fluorscent
- 10. Fresnel spot light
- 11. Ellipsoidal spot light
- 12. Scoop (floodlight)
- 13. Strip light
- 14. Grid system



UNIT II ' LIGHTING, BASIC FOR T.V. (continued)

- 15. Dimmer
- 16. Circuit 17 / 'c' clamp
- 18. Spread beam (de-focused)
- 19. Pinned beam (focused)
- 20. Reflector (reflector-unit)
- 21. 'Fresnel lens
- 22. Focusing apparatus
- 23. Barn doors
 - 2 way
 - 4 way
- 24. Contrast ratio25. Light meter

UNIT III BASIC PRODUCTION SWITCHER OPERATION

Time_ 5-10 days · Competency Level I

Student has the option of taking the Level I competency tests prior to this runit - if passed can then move to level II

Objectives:

Introduction of switching principles and operation techniques along with the principles and operation techniques of a special effects generator. Cameras, their relationship to the switcher and their operation with the switcher will be understood.

Skill Expectations:

Upon completion of this course the student will be able to connect cameras to B/W switcher unit, balance the cameras against each other, switch successfully between cameras and VTR unit or film chain. The student will also memorize switcher panel and use monitors and audio commands to cameramen and film chain or VTR operator.

Instruction Method:

Chapters on switchers and special effects generators by Zittl and by Williams will be used as na introduction. Lectures and demonstrations will also be given by the teacher. Video tapes of commercial or public television will also be used to show what switcher can accomplish. Students will then be give a hands-on learning experience utilizing the black and white switcher units.

Evaluation Methods:

- 1. Written test on texts material as well as on lectures and on demonstrations.
- 2. Proficiency demonstrations at least three separate ones by each student-designed for testing familiarity with the equipment, with its hook-up, with its operation and with the ability to work with other students.

14. 'black'

15. 'test bars

Television Switcher Vocabulary:

- 1. Wipe
- 2. Dissolve
- 2. Super imposition
- 4. insert
- 5. fade
- 6. cut
- 7. bus
- 8. fader handles
- 9. input
- 10. outout
- 11: (soft take)
- 12. preview bus
- 13. program bus

 $2\tilde{\mathrm{u}}$

BASIC AUDIO PANEL OPERATION **UNIT IV**

Time 5 days

Competency Level I

Student has the option of taking the test for the Level I competency in audio control prior, to this unit and if successful, moving into Level II work in audio.

Objective.

Introduction of microphone hook up and placement and of operation of an audio mixing control panel Basic knowledge of Vu meter pperation in gain level control and of treble and bass control will also be taught. Use of auxiliary sound equipment such as, a turn table and tape recorder will be taught.

Skill Expectations

Upon completion of this unit the student will be able to hook up and place microphones for best sound pick up. The student will be able to operate the audio mixing panel, the audio tape recorder, and the record turn table,

Instruction Methods:

Texts by Williams and Zittl will be used for general background reading. Teacher lecture and demonstrations will follow. Students will work directly with equipment of small production boards and with migrophones and auxiliary sound gear.

Evaluation Methods:

- 1. Written tests on texts and lectures
- 2. Proficiency demonstrations at least three by each student with mixing pahels and other equipment.

Television Audio Vocabulary

- 1. ¡ gain'
- 2. treble
- 3.1 bass
- 4.. decible
- 5. cannon
- 6. phone jack
- 7. phono plug
- mine jack
- 9: male plug
- 10. female plug
- input '
- 12% output
- ⊿3. \una-directional
- 14. omni directional
- 15. boom'
- 16., hand held
- 17. stand (desk)

18. stand (floor)

19. lavalier

20. 'boom shadow

21. level

22. 1000 cycle tone

UNIT V

VIDEO TAPE RECORDER OPERATION

Time 2-4 days Competency Level I

Objectives:

Introduction of basic principals of operation of the video tape recorder. This includes control of video and audio signal, tension control, and tracking signal in playback mode. This includes operation of reel to reel recorders as well as the cassette UC format recorders and playback units. At this point it does not include editing and dubbing techniques nor does it include color recording.

Skill Expectations:

Upon completion of this unit the student will be able to thread reel-to-reel tape machines, to perform fast forward and fast re-wind operations, to adjust tape tension and tracking controls, to connect cameras and monitors as well as microphores to VTR units through a production console.

Instruction Method:

This unit will depend largely on lecture and demonstration. It will utilize a great deal of hands-on work with the student and the equipment.

Evaluation Method:

The evaluation on this unit must of necessity be more on performance - a proficiency evaluation bears more weight than in previous units. There will be at least three evaluations per student.

T.V. Vocabulary

- 1. Audio head
- 2. Video head
- 3. Control track
- 4. Tension
- 5. Tracking
- 6. Levels
- √. Reel-to-rèel
- 8. Cassette
- 9. Rewind
- 10. Fast two
- 11. Play/Record N
- 12. Supply/Take up Reels

BASIC FILM CHAIN USE

Time 3-5 days Competency Level I

Objectives:

General\Statement:

Introduction to basic principles of operation of film chain. This includes operation of 16 mm projector, 8mm projector, and the slide projector.

Skill Expectations:

Upon completion of this unit the student will be able to thread 16mm and 8mm projectors, foad 35mm slide projector. He will be able to change lamps in all projectors in the chain, and turn the machines on, and off - properly, and use as a video source through production console.

Instruction Methods:

This unit will rely heavily on lecture and demonstration. There will be a great deal of hands-on work for the student with the equipment.

Evaluation Method:

The evaluation will be more on performance. There will be a written quiz having to do with proper vocabulary. There will be at least 3 evaluations per student.

- 1. Magnetic Stripe (Mag. Stripe)
- 2. Optical Sound
- 3. 16mm
- 4. 8mm (super)
- 5. 35. mm
- 6. Film Chain'(Island)
- 7. Sprocket Holes
- · 8. Capstan .
- 9. Gate
- 10. Supply Reed/Take-up Reel
- 11. Focus
- 12. Framing Adjust
- 13. On Loff
- 14. L'eader
- 15. Silent Film
- 16. (SOF)
- 17. "Mirror
- 18. Mutiplexer (multiplex)
- 19. Forward \ 16.8.35s
- 20. Reverse · 116-8-35s



UNIT VII GETTING STARTED

Time 1-2 days -Proficiency Level I

Objectives:

General Statement:

Introduction to the rneed for proper language in the control room/production area. Many of the words and phrases learned to his point will become valuable to the student at this time.

Skills Expectations:

Upon completion the student will be able to properly begin a taping session, using the following set of MEMORIZED steps:

- a. to VTR Roll and record the tape (VTR)
- b. to entire crew color bars (test) tone, (1000 KC) being recorded 60 seconds
- c. to dntire crew recording black
- d. to entire crew stand by audio
 cam (source)
 talent (if any)

Instruction Methods:

In class lectures, and demonstration - effort primarily one of memorization.

Evaluation Methods:

Simply a matter of 100% memorization of the steps necessary for starting a recording.

Vocabulary: (phrases, mostly)

- 1. Stand By
- 2. Floor person (Manager
- 3. Card pullers
- 4. Cue!
- 5. "Roll'& Record ---"
- 6: Up from Black

Time 5-10 days Competency Level:

The student will have the opportunity to achieve the position of Step 1, or Step 11 Director. (He will have the knowledge behind him to do so - it's simply using it.)

Objectives:

General Statement:

This unit will be totally a hands-on unit - providing the student with a way to visually express his understanding of the previous seven units. Proper language, and use will be an important part of this unit.

Skills Expectation:

Upon completion, the student will have completed a tape. The sequence will be as described below:

Mtls 10 cards - numbered one to ten

2 easles

full crew (choice of Dir. candidate)

A. -- Cams 2

B. C.P's 2

C.; Floor Manager

D. VTR operator,

E. Audio technician

F. Director

G. Technical Director

H. Lighting person

1 microphone for director

I VTR

1 complete produciton facility (B/W or color) (card will be split - odd-even for odd-even cams)

The director, wearing the 'mic' will then tell the entire crew what he wants done - (the crew will do nothing until the director says it's to be done.) on ("up on card Cam I ---'") Stand by to take/disolve to Pull Card I ---Stand by to take/dissolve to card 3 on Cam I --- Take/Dissolve to Cam I -- Etc. Etc.

Stand by to "Fade to black-fade to black"

Finish -

The student will have a production time limit - 20 minutes - and may attempt, as many times as necessary, to qualify.

Instruction Methods:

The instruction will be accomplished primarily through lectures, and hands-on rehearsal in the studio environment. The téacher will first perform thydrill and then supervise the rest of the class as they practice/rehearse.

Evaluation Methods:

The students will be able to see, and hear all of the tape that is recorded. Evaluation will be based on the proper use of commands, proper starting procedure - and accuracy of the sequented nature of the directors Upon completion - student will be Step I Dir.

Vocabulary (Phrases)

Stand by to

- a. pull
- b. take
- c. dissolve
- d. R & record

pull

take

dissolve

R & Record

Note- At this point, there will be a series of crews ready to do programs for the school, and the district.

Dir. II

Mtls. - Same cards 1-10 4 easles full crew

1 microphone

Procedure:

1 3 2 4 5 7 6 8 9 10

2

Cards are set up alternately

Cam I has 1-3-5-7-9 . Cam II has 2-4-6-8-10

With one change - there are 3 cards on one easle for Cam I and II on another -

A, similar arrangement for Cam'II

UNIT VIII DIRECTING - STEP I - II (continued)

Thus, the director candidate has been given more to think about, and more to say.

He must now tell his crew:

Stand by to pan to eard 3 on Cam I-Pan to card 3.

Freeze, or Hold on Card 3.

Standby to take/dissolve to Cam I-Take/dissolve to Cam I - Etc. Etc. -until completion -

*Student will have a time limit of 20 minutes (prefer after school) to complete. Student may try as many times as he/she wants.

UNIT IX THE COLOR TELEVISION CAMERA

Time 5-10 days

Proficiency Level:

The student will be able to operate the Color Studio Camera at the Step II level.

Objectives:

General Statement:

Amplification of the basic principles of Camera operation, with the addition of optics theory, (Depth of field, focal length, 'f' stop) The many varieties of camera, and hardware available. Also given indoctrination in camera balancing, both on tripod, as well as in terms of picture.

Skills Objectives:

Upon completion of this unit the student will be able to make the basic camera moves with confidence, on the air, added to the ability to define any given part of a color or B/W camera.

Instruction Method:

Read Chapter I and II in Zettl. Material read will be discussed with illustrations and actual available hardward. Student will then be given a hands-on learning experience with the equipment.

Evaluation Method:

A written test, on material read plus lecture mtls.

For extra consideration papers - Topics to be the student's choice, approved by the teacher - will be accepted. Proficiency demonstrations, will be given, designed for detailed camera work on the floor, working with teacher and other students. The student has the opportunity to achieve Level II Cam operator.

- 1. Live Truck
- 2. Live Dolly
- 3. Live Pan
- 4. Live Tilt
- 5. Live Zoom
- 6. Depth of Field
- 7. Focal Length
- 8. Lens Turret
- .9. 'Image Orthicon
- 10.
- 11.
- 12. Primary colors

THE COLOR TELEVISION CAMERA (continued)

- 'channels' 13.
- pick-up tubes 14.
- 15. Internal Opticla system
 - a. prism
 - b. mírrors
 - c. dichroic mirrors
 d. relay lenses

 - es filters
- 16. Operating Light Level
- 17. _ Burn 1D
- Contrast Range 18.
- Panoram Dolly 19.
- Studio Crane 20.
- 21. Arc
- 22. Lens
- "C" mount 23.
- "TV-88" 24.
- Focal Length 25.
- 26. Focus.
- 'F' Stop 27.
- 28. Depth of Field

UNIT X LIGHTING FOR TELEVISION

Time: 5-10 days

General Statement

Proficiency Level:

The student will be able to properly light a variety of in-studio situations, using the proper instruments in the proper way.

Objectives:

Amplification of the basic principles of lighting with the inclusion of color theory, lighting effects (silhouette, scrim use, dramatic, etc.). The many varieties of lighting instruments available.

Skills Objective:

Upon completion - the student will-be able to select confidently, and use the proper instruments for lighting assignments with an intermediate degree of difficulty (Step II).

Instruction Method:

Read Chapter 4 in Zettl. Material read will be accompanied with discussion, and demonstration. Students will then be given hands on learning experience with available equipment.

Evaluation Method:

A written test on reading, and lectures. Proficiency demonstrations will be given, designed for consistently high quality of lighting design. The student has the opportunity to achieve Level II lighting technique.

- 1. Spot
- 2. Lens (Fresnel)
- 3. Reflector
- 4. Scoop (flood)
- 5. Scrim
- 6. · "Cookie"
- 7. Key light
- 8. Fill light
- 9. Back light
- 10. Directional
- 11. Elipsoidal
- 12. Grid
- 13. Dimmer
- 14. Quartz
- 15. Incandescent



Time 10-15 days

Proficiency Level:

The student will be able to physically construct sets and properties for use in the Television studio.

Objectives:

General Statement:

Introduction of the techniques of sets for television, their use and care. Explanation of construction techniques, storage methods, use methods (suspension, jacks, bracing, joining, etc.)

Skills Objectives:

Upon completion of this unit the student will be able to consturct, properly handle, assemble, and store set pieces and properties used for T.V. The student will further be able to properly identify proper set pieces and props for television.

Instruction Method:

Read Chapter 5 in Zettl. Material read will be discussed and illustrated with graphics, and actual hands on experience.

Evaluation Method:

A written test on the material read, plus the lecture material. Proficiency tests will be given to determine the students abilities in the techniques of set instruction.

<u>Vocabulary</u>

			and the second s
1.	Sets (scenery)	20.	Hard wall flats
2.	Props (properties) 🔏	21.	Bracing .
3.	Standard Set Units	.22.	Twofolds/three folds
4.	Special Sets Units	23. *	Pole Cat
5.	Hanging Units	.24.	Flat Face -
`б.	Set pieces	25.	Cyclorama
7	Flats	26.	Masking tape
8.	Stiles	27.	Drop
9.	Top Rail	28.	Drape
10.	Bottom Rail	2 9.	Pillar '.
.11.	Toggle Rail	30.	~ Pylon-
12.	Corner Braces	31.	Periaktos
13.	Corner Block	33.	Sweep (inside/outside)
14.	Lashline	33 .	Ground Rows
15.	kash Cleats *	3 4. `	Screens
16.	Tie off Cleats	3 5.	Scene Dock
17.	Brace cleat or pin hinge	3 6	Open set
18.	Blocks or stop cleats	37.	Floor Plan
19.	Soft wall flat		



UNIT XII GRAPHICS/T.V. ART

Time 5 - 10 days

Proficiency Level:

The student will be able to identify, and produce graphics suitable for T.V.

Objectives:

General Statement:

The student will receive the 'A B C's' of Graphic production:

- A- Aspect ratio
- B- Bleed area
- C- Contrast³
- D- Detail
- E- Essential Area
- F- Feeling .*
- G- Glare

As well as proper display methods.

Skills Objectives:

Upon completion of this unit the student will be able to identify and produce Graphics for television, using the proper tools and display techniques.

Instruction Method:

* Read 'material in Chapter 6 in Zettl. Reading will be supplimented withdiscussion and demonstration. The student will then be given a hands-on learning experience.

Evaluation Method:

A written test on the material read, as well as lectures. Proficiency demonstrations will be given by the students, designed to show an understanding of the theories and design concepts involved in T.V. Graphics and art.

Vocabulary:

ì.	Aspect Ratio	/ 9. /·	Flip titles
í 2.	Essential Area	10,	Slides
3. /	Layout	1'1.	Telop/Balop
- 4	contrast	12.	Crawl
5 . j	Title Card	⁻ 13.	Special Grpahics
6.	Illustration Title Card	14.	Animations-
7.	Super Card	15.	Copyright "
8.	Pull titles		

UNIT XIII SPECIAL EFFECTS

Time 10-15 days

Proficiency Level:

The student will be able to identify, design, and perform several studio, lighting, and electronic special effects.

Objectives:

General Statement:

Amplification of switching techniques, lighting effects, and staging problems and their solutions. Further discussion concerning effective use of the camera to achieve special effects.

Skills Objectives:

Upon completion of this unit, the student will be able to create and properly use any of a large series of special effects.

Instruction Method:

Read Chapter 7 in Zettl. Material read will be reinforded with discussion and demonstration. (An effort to explain the unlimited nature of special effects will be made. That is, special effects are limited only by imagination and thorough understanding of the previous units.) The student will then receive hands on experience with special effects. A discussion to emphasize proper use of special effects will take place.)

Evaluation Method:

A written test will be given on material read plus lectures. Proficiency tests will be given to determine if the student understands the principles, and staging needs for aesthetically correct special effects.

Vocábulary:

- 1. Superimpositions ('Super')
- 2. Sweep Reversals
- 3. Polarity Reversals
- 4. Beam Control
- 5. Electronic Stretching
- 6. Electronic Compressing
- 7. The Wipe
- 8. Electronic Key
- 9. Flexitorn effects

- 10. Ostical effects-
- 11. Réar projection (R.P.)
- 12. Front projection (F.P.)
- 13. Dissolves
- 14. Mirrors.
- 15. Gobos
- 12. ... 20,003
- 16\ Mat Box
- 17. Mechanical effects

Time 3-5 days

Proficiency Level:

The student will be able to operate the studio audio equipment with confidence, and accuracy.

Objectives:

General Statement:

Amplification of the basic principles of T.V. Sound, with the addition of some audio, physics (wave characteristics, dopler effect, frequency responses, etc.) Microphone characteristics will be further amplified and understood. Further expertise will be gained with the several other sources of audio available to the student technician. (Audio tape, film, VTR. etc. Also sound effects, and 'mixing' techniques.

Skills Objectives:

Upon completion of this unit the student will be able to make the proper choice of audio-sources, will understand audio patching systems. The student will be able to edit audio tape, dub, perform mixing functions and gain confidence in the knowledge to properly select audio sources.

Instruction Method:

Read Chapter 3 in Zettl. Material will be discussed with illustrations. Student will then be given-a-hands-on learning experience.

Evaluation Method:

.12.

Hanging microphones

A written test on material read, and lecture/demo material. Proficiency demonstrations will be performed designed to determine effective and proper understanding of the theories thus far advanced.

$-(\cdot \cdot $, 44
Vocabulary:	13. °	Hidden microphones
1. Audio	-14.	Contact microphones
2. Mobile Microphones	· 15.	Sound perspective
3. Boom Migrophone	16.	Sound effects
4. Hand microphones	17.	Recorded sound
15. Lavaliere .	18	Cardioid -
6 Wireless Microphones	19.	Stationary Microphones
7. Unidirectional	20.	'Level'
8. Omnidirectional	21.	'V U' Meter
9. Desk microphones	22.	Moniter
10. Camera microphone	23.	Output
11. Stand microphones	24.	Input
	~~	4.44

25.

Mix

Time 5-10 days

Proficiency Level:

The student will be able to basically analyze the color video signal.

Objectives:

General Statement:

Introduction to the electronic characteristics of the video signal. (White level, black level, compression, sync, burst, etc.) and per methods to evaluate and mildly control. Brief introduction to the waveform monitor and uses. The student will further understand the need for T.V. lightings.

Skills Objectives:

Upon completion of this unit the student will be able to use the waveform monitor to evaluate a proper (1 volt) video signal, and readily identify its party, their functions, and reasons for their existence to provide the optismism picture from the Television Video source.

Instruction Method:

Read Telemation Introduction to the Video Signal by Rick Williams.

As well as discussion and lectures with demonstration, using set up, and evaluation equipment in the studio environment. The student will then participate in hands-on experience with the equipment.

Evaluation Method:

Test en reading materials and lecture information. The student will be given proficiency tests designed for qualitative presentation of the video signal both graphic and electronic.

Vocabulary:

	White level	

12. \Black level

. 3. . \Frequency

4, Carrier

5. Color, Burst

6. Sync

7. Scan

8. Blanking

9. Lines

10. / Pidelity

11. / 'Level

€12. Phase

\13. 'Vector'

№. Set up

Balance

13 Balance

16.\ Red, Blue, Green (RBG)

17. \ Noise

18. Dichroic mirrors

19. Convergence

20 IEE

21. Flat Response

22. Gamma /

UNIT XVI EDITING/VTR

Fime 5 days

Proficiency Level:

The student will be able to perform clean video tape edits, with proper timing.

Òbjectives:

General Statement:

Break own of the Video Tape machine, and the characteristics of the varieties (Helical scan, Transverse scan, tracks, etc.)

Skills Objectives:

Upon completion of this unit the student will be able to edit video take electronically using one or more video sources. The student will also understand the reasons why the function can be performed.

- Instruction Method:

Read Chapter 8 in Zettl. Material read will be discussed and illustrated with available hardware. Students will then be given hands-on learning experience with equipment.

Evaluation Method:

A written test on material read, plus lecture material. A proficiency demonstration will be completed by the student, designed for 'clean' editing ability.

Vocabulary

- 1. Transverse scanning
- 2. Helica Scanning
- 3. Träck
- 4. Audio Track
- 5. Video Track
- 6. Control Track
- 7. Frame pulses
- 8. Mechanical editing
 - 9. Tracking
- 10. Cue Track
- 11. Head
 - video
 - audio
- 12. Insert
- 13. Assemble
- 14. \ Capstan

Time 5 days

Proficiency Level:

The student will be able to shot and edit Super 8mm or 16mm film to meet standards of the film chain needs.

Objectives:

General Statement:

Introduction to the various characteristics of film. (frames per second, color needs, film chain particulars, cropping problems, etc.) Introduction to editing (cold, hot, tape,) Timing problems - (24 fps for T.V.), Audio problems, and general characteristics of motion picture photography.

Skills Objectives:

Upon completion of this Unit the student will be conversant with the needs of television photography (still and motion) The characteristics of the most common film types available. (black & white, and color), proper editing techniques, sound on film (S.O.F.) and timing.

Instruction Method:

Read Chapter 8 in Zettl. With lectures and discussions both from the teacher, and professional guests in the field of Cinematography. These methods will be suplimented with demonstrations, by the students, of their facility with film

Evaluation Method:

A written test on the material read, as well as the lecture material, Judgment will be made on individual films made on inflividual, films made considering technical requirements, (Exposure-, editing, tilming, etc.) that are important to television film.

Vocabulary:

- S.O.F.
- Optical Track/Sound
- Magnetic Track/Sound
- Frame
- 'A' 'B' Roll .
- Splice
- Edit 7.
- Cue
- Leader (opaque)

- **4.10.** Academy leader
 - Sprocket 11.
 - 12. Film Chain
 - 13. Super 8mm 1
 - 14. 16mm
 - 15.
 - Slide 16. . Film Speed
 - Cement splice 17.
 - 18. Tape_{splice},

GLOSSARY OF BLACK AND WHITE TELEVISION TECHNICAL TERMS

Aspect Ratio: The numberical ratio of picture width to height.

Back Porch: That portion of the composite picture signal which lies between the trailing edge of the horizontal sync pulse and the trailing edge of the corresponding blanking pulse.

Back Porch Tilt: The slope of the back porch from its normal horizontal position Positive or negative refer respectively to upward or downward tilt to the right.

Band-width: The number of cycles per second expressing the difference between the limiting frequencies of a frequency band. For example, the 2.5-3.5 mc band has a width of 1 mc.

Black Compression Amplitude compression of the signals corresponding to the black regions of the picture, thus modifying the tonal gradient.

Black Peak: The maximum excursion of the picture signal in the black direction at the time of observation.

Blacker-than Black: The amplitude region of the composite video signal below reference flack level. in the direction of the synchronizing pulses.

Blanking (Picture): The portion of the composite video signal whose instantaneous amplitude makes the vertical and horizontal retrace invisible.

Blanking Level: The level of the front and back porches of the composite video signal.

Bleeding Whites: An overloading condition in which white areas appear to flow irregulary into black areas.

Blooming: The defocusing of regions of the picture where the brightness is at an excessive level, due to enlargement of spot size and halation of the fluorescent screen of the cathode-ray picture tube.

Bounce: An unnatural sudden variation in the brightness of the picture.

Breathing: Amplitude variations similar to "bounce" but at a slow regular rate.

Burned in Image: An image which persists in a fixed position in the output signal of a camera tube after the camera has been turned to a different scene.

Camera Tube: See pickup tube.

Cathode-ray Tube: An electron tube assembly containing an electron gun arranged to direct a beam upon a fluorescent screen. Scanning by the beam can produce light at all points in the scanned raster.

Clamper: A device which functions during the horizontal blanking or sync interval to fix the level of the picture signal at some predetermined reference level at the beginning of each scanning line.

<u>Clamping</u> The process that establishes a fixed level for the picture signal at the beginning of each scanning line.

Clipping: The shearing off of the peaks of a signal. For a picture signal this may affect either the positive (white) or negative (black) peaks. For a composite video signal, the sync signal may be affected.

<u>Compression</u>. An undesired decrease in amplitude of a portion of the composite videsignal relative to that of another portion. Also, a less than proportional change in output of a circuit for a change in input level. For example, compression of the sync pulse means a decrease in the precentage of sync during transmission.

Contrast: The range of light and dark values in a picture, or the ratio between the maximum and minmum brightness values. For example, in a high contrast picture there would be intense blacks and whites whereas a low contrast picture would contain only various shades of grey.

Crosstalk: An undesired signal interfering with the desired signal.

Cut-off Frequency That frequency beyond which no appreciable energy is transmitted. It may refer to either an upper or lower limit of a frequency band.

Damped Oscillation. Oscillation which, because the driving force has been removed, gradually dies out, each swing being smaller than the preceding in smooth regular decay.

Definition: See Resolution - (horizontal) and (Vertical).

Delay Distortion: Distortion resulting from non-uniform speed of transmission of the various frequency components of a signal; i.e., the various frequency components of the signal have different times of travel (delay) between the input and the output of a circuit.

Detail: Refers to the most minute elements in a picture which are distinct and recognizable. Similar to definition or resolution.

Differential Gain: The amplitude charge, usually of the 3.6 mc color subcarrier, introduced by the overall circuit, measured in db or per cent, as the subcarrier is varied from blanking to white level.

Differential Phase: The phase change of the 36. mc color subcarrier introduced by the overall circuit, measured in degrees, as the subcarrier is varied from blanking to white level.

Displacement of Porches. Refers to any difference between the level of the front porch and the level of the back porch.

Distortion. The departure, during transmission or amplification, of the received signal wave form that of the original transmitted wave form.

Driving Signals: Signals that time the scanning at the pickup device.

Echo (or Reflection): A wave which has been reflected at one or more points in the transmission medium, with sufficient magnitude and time difference to be perceived in some manner as a wave distinct from that of the main or primary transmission. Echoes may be either leading or lagging the primary wave and appear in the picture monitor as reflections or "ghpsts".

Edge Effect: See Following or Leading White and Following or Leading Black.

Equalizing Pulses: Pulses of one-half the width of the horizontal sync pulses which are transmitted at twice the rate of the horizontal sync pulses during the blanking intervals immediately preceding and following the vertical sync pulses. The action of these pulses causes the vertical deflection to start at the same time in each interval, and also serves to keep the horizontal sweep circuits in step during the vertical blanking intervals simmediately preceding and following the vertical sync pulse.

Expansion An undesired increase in amplitude of a portion of the composite video signal relative to that of another portion. Also, a greater than proportional change in the output of a circuit for a change in input level. For example, expansion of the sync pulse means an increase in the percentage of sync during transmission.

Field. One-half of a complete picture (or frame) interval, containing all of the odd or even scanning lines of the picture.

Field Frequency The rate at which a complete field is scanned, nominally 60 times a second.

Flish: Momentary interference to the picture of a duration of approximately one field or less, and of sufficient magnitude to totally distort the picture information. In general, this term is used alone when the impairment is of such short duration that the basic simpairment cannot be recognized. Sometimes called "Hit".

Fly-back: See Horizontal retrace.

Following (or Trailing) Blacks: A term used to describe a picture condition in the edge following a white object is overshaded toward black. The object appears to have a trailing black border. Also called "trailing reversal".

Following (or Trailing) Whites: A term used to describe a picture condition in which the edge following a black or dark gray object is shaded toward white. The object appears to have a trialing white border. Also called "trailing reversal".

Frame: One complete picture consisting of two fields of interfaced scanning lines.

Frame Frequency The rate at which a complete frame is scanned nominally 30 frames per second.

From Porch. That portion of the composite picture signal which lies between the leading edge of the horizontal blanking pulse, and the leading edge of the corresponding sync pulse.

Frame Roll: A momentary roll.

Gain-frequency Distortion: Distortion which results when all of the frequency components of a signal and not transmitted with the same gain or loss. A departure from "flatness" in the gain-frequency characteristic of a circuit.

Ghost. A shadow or weak image in the received picture, offset either to the left or tight of the primary image, the result of transmission conditions which create secondary signals that are received earlier or later than the main or primary signal. A shost displaced to the left of the primary image is designated as "leading" and one displaced to the right is designated as "following" (lagging). When the tonal variations of the ghost are the same as the primary image, it is designated as "positive" and when it is the reverse, it is designated as "legative".

Glitch. A form of low frequency interference, appearing as a narrow horizontal bar moving vertically through the picture. This is also observed on an oscilloscope at field or traine rate as an extraneous voltage pip moving along the signal at approximately reference black level.

Halo Most commonly, a dark area surrounding an unusually bright object, caused by overlaoding of the camera tube. Reflection of studio lights from a piece of jewelry, for example, might cause this effect. With certain camera tube operating adjustments, a white area may surround dark objects.

Height: The size of the picture in a vertical direction.

High-Frequency Distortion. Distortion effects which occur at high frequency. Generally considered as any frequency above the 15.75 kc line frequency.

High-Frequency Interference effects which occur at high frequency. Generally considered as any frequency above the 15.75 kc line frequency.

High-lights. The maximum brightness of the picture, which occurs in regions of highest illumination.

Hit: See Flash.

Horizontal Blanking: The blanking signal at the and of each scanning line.

Horizontal Displacements. Describes a picture condition in which the scanning lines start at relatively different points during the horizontal scan. See serrations and jitter.

Horizontal Retrace: The return of the electorn beam from the right to the left side of the raster after the scanning of one line.

Horizontal (Hum) Bars: Relatively broad horizontal bars, alternately black and white, which extend over the entire picture! They may be stationary, or my move up or down. Sometimes referred to as a "venetian blind" effect. Caused by approximate 60 cycle interfering frequency, or one of its harmonic frequencies.

Iconoscope. A campra tube in which a high velocity electron beam scans a photoemissive mosaic which has electrical storage capability.

Interference: In a signal tramission path, extraneous energy which tends to interfere with the reception of the desired signals.

Interlaced Scanning (Interlace). A scanning process in which each adjacent line belongs to the alternate field.

Jon; A charged atom, ususually an atom of residual gas in an electron tube

lon Spot. A spot on the fluorescent surface of a cathoderay tube, which is somewhat darker than the surrounding area because of bombardment by negative ions which reduce the sensitivity.

lon Itap: An arrangement of magnetic fields and apertures which will allow an electron beam to pass through but will obstruct the passage of ions.

IRE: The institute of Radio Engineers

IRE Roll-off: The IRE standard oscilloscope frequency response characteristic for measurement of level. This characteristic is such that a 2 megacycles the response is approximately 3.5 db below that in the flat (low frequency) portion of the spectrum, and cuts offslowly.

IRE Scale: An oscilloscope scale in keeping with IRE Standard 50, IRE 23.S1 and the recommendations of the Joing Committee of TV Broadcasters and Manufacturers for Coordination of Video Levels.

litter: A tendency toward lack of synchronization of the picture. It may refer to individual lines in the picture or to the entire field of view.

kinescope: Frequently used to mean picture tubes in general. However, this name has been copyrighted.

Kinescope Recording: A motion picture film recording of the presentation shown by a picture monitor. Also known as Television Recording (TVR), Vitapix, etc.

Leading Blacks: A term used to describe a picture condition in which the edge preceding a white object is overshaded toward black. The object appears to have a preceding or leading black border.

Leading Whites. A term used to describe a picture condition in which the edge preceding a black object is shaded toward white. The object appears to have a preceding or leading white border.

Line Frequency. The number of horizontal scans per second, nominally 15,750 times per second.

Low-frequency Distortion: Distortion effects which occur at low frequency. Generally considered as many frequency below the 15.75 kc line frequency.

Meshbeat: See Moire.

Microphonics. In video transmission, refers to the mechanical vibration of the elements of an electron tube resulting in a spurious modulation of the normal signal. This usually results in erratically spaced horizontal bars in the picture.

Microsecond: One millionth of a second.

Myre: A wavy or satiny effect produced by convergence of lines. Usually appears as a curring of the lines in the horizontal wedges of the lest pattern and is most pronounced near the center where the lines forming the wedges donverge. A Moire pattern is a natural optical effect when converging lines in the picture are nearly parallel to the scanning lines. This effect to a degree is sometimes due to the characteristics of color picture tubes and of mage orthicon pick up tubes (in the latter termed "meshbeat").

Monochrome Transmission (Black and White) The transmission of a signal wave which represents the brightness values in the picture, but not the color (chrominance) values in the picture:

Multiple Blanking Lines. Evidence by a thickening of the blanking line trace or by several distinct blanking lines as viewed on an oscilloscope. May be caused by hum

Negative Image Refers to a picture signal having a polarity which is opposite to normal polarity and which results in a picture in which the white areas appear as black and vice versa.

NISC: National Television System Committee

Noise: The word "noise" is a carryover from audio practice. Refers to random spurts of electrical energy or interference. May produce a "salt-and-pepper" pattern over the picture. Heavy noise sometimes is called "snow".

Orthicon (Comentional). A camera tube in which a low-velocity electron beam scans a photoemissive mosaic on which the image is focussed optically and which has electrical storage capability.

Orthicon (Image): A camera tube in which the optical image falls on a photoemissive cathode which emits electrons that are focussed on a target at high velocity. The target is scanned from the real by a low-velocity electron beam. Return beam modulation is amplified by an electron multipler to form an overall light sensitive device.

Orthicon Effect: One or more of several image orthicon impairments that have been referred to as "Orthicon Effect" as follows:

- 1. Edge effect
- 2. Meshbeat or moire
- 3. Ghost
- 4. Halo
- 5. Burned in image

It is obviously necessary to indicate specifically the effect or effects experienced and, therefore, it is recommended that use of this term be discontinued.

Overshoot. An excessive response to an undirectional signal change. Sharp overshoots are sometimes referred to as "spikes".

Pairing. A partial or complete failure of interlace in which/the scanning lines of alternate fields do not fall exactly between one another but tend to fall (in pairs) one on top of the other.

Peak-to-Peak. To amplitude (voltage) difference between the most positive and the most negative excursions (peaks) of an electrical signal.

Pedestal: This term is obsolete.

<u>Pedest I Level</u>: This term is obsolete; "blanking level" is preferred

Rercentage Sync The ratio, expressed as a percentage, of the amplitude of the synchronizing signal to the peak-to-peak amplitude of the picture signal between blanking and reference white level.

Photoemissive. Emitting or capable of emitting electrons upon exposure to radiation in and near the visible region of the spectrum.

Pickup! Tube. An electron-beam tube used in a television camera where an electron current or a charge-density image is formed from an optical image and scanned in a predetermined sequence to provide an electrical signal.

Picture Monitor. This refers to a cathode-ray tube and its associated circuits, arranged to view a television picture.

Picture Signal. That portion of the composite video signal which lies above the blanking level and contains the picture information.

Picture Tibe. A cathode ray tube used to produce an image by variation of the intensity of a scanning beam.

Pigeons. Noise observed on picture monitors as pulses or bursts of short duration, at a slow rate of occurrence \(a \) type of impulse\(noise \).



Highland High Vocational TV Training Rating

Social security no _ 'Date _ Address. -SET DESIGN CAMERA OPERATION VISUALS-GRAPHIC STEP. 1__STER 2__STEP 3_ STEP 1__STEP 2__STEP 3_ STEP 1___STEP 2___STEP 3_ STEP 1__STEP 2__STEP 3_ STEP 1_STEP 2_STEP 3_ STEP I STEP 2 STEP 3. STEP 1___STEP 2__STEP 3_ STEP 1__STEP 2__STEP 3. STEP 1 STEP 2 STEP 3. STEP 1__STEP 2__STEP 3_ STEP 1 STEP 2 STEP 3 STEP 1- STEP 2-STEP 3-**PHOTOGRAPHY** LIGHTING VTR-DUBBING-EDITING STEP 1 __STEP 2__STEP 3 STEP1__STEP2 __STEP 3 STEP/ 1 ___ STEP 2 __ STEP 3_ STEP 1 __STEP 2 __STEP 3 STEP1__STEP2 __STEP 3 STEP 1 ___ STEP 2 ___ STEP 3. STEP1__STEP2__STEP 3. STEP 1 __STEP 2 __STEP 3 . STEP 1___STEP 2__STEP 3 STEP1__STEP2__STEP 3_ STEP 1 __STEP 2 __STEP 3-STEP 1___STEP .2 __STEP 3 FILM CHAIN ROOR MANAGEMENT **AUDIO** STEP 1 STEP 2 STEP 3 STEP1__STEP2__STEP 3_ STEP 1._ STEP 2_STEP 3 STEP 1/ STEP 2_STEP 13_ STEP 1 STEP 2 STEP 3: STEP' 3-STEP1--SICP2 -__STEP 2_STEP 3 STEP 1__STEP 2__STEP 3_ STEP1 ___STEP 2 _ STEP 3_ STER 3 STEP 1_STEP 2_STEP 3_ STEPI__STEP2_ STEP 1___STEP 2 DIRECTING STEP 1 STEP 2 STEP 3 STEP 1-STEP 2-STEP 3 STEP 1__STEP 2__STEP 3 STEP 1_STEP 2_STEP 3_ GENERAL RATING STATEMENT

ON-THE-JOB TRAINING

EMPLOYMENT

50

45,


HIGHLAND HIGH SCHOOL VOCATIONAL TELEVISION LOCATION WORK PERMISSION

61	- You	, :		,~ ,
f *		has_my permiss	ion to go of	f the school
grounds- when assignment he/she is registered for the out-of-school work is necess	S require for tele Vocational Televi	exision production isson Production C	work during lass. Lunderst	the periods and that this
I understand that muc from the school to the jet self-responsibility on the p	site will be uns	superfused and will it. As such, I will	t require a the	gh degree of
teacher, or the administrative result of these excursion	`	any accident or m	ijur Mthat mlig	ht occur as a
result of these excursions:				
Daile	Phon	(Parent or C	Guardian) ⁷	
Highland Televisi	5	ation W	ork P	ass
Date:			\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1:1:
Purpose:		- \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
	· · · · ·			
	1	Auth	norized b	y .

-4343 Ext. 53 or 57

School Phone 484

			· /
- 47 -			
WEEK		ND HIGH VOCATIONAL TELE	
·	LESSON OBJECTIVE	LESSON OUTLINE	ACTIVITIES
M O N D A Y	Unit		
T U E S D A Y	Unit		
NESDAY	Unit		
HURSOAY	Unit Crew		
FRYDAY	Unit Crew	5 2	
ERIC Arullant Provided by E	IGHTS OF THE WEEK	FILMS AND FILMSTRIFS	FIELD TRIPS AND RESOURCE PERSONS



AREA - MATERIAL	TIME PER OBJECTIVE	EVALUATION
		3
	3.	
ERIC	5ა	
SPECIAL TY AND ROOM ASSIGNMENTS	SPECIAL INTEREST	VISITORS

1.2.	//		. `				{								,			•/	1		\	ĺ,	• •
	• \ .	GENDE "MEEKIL		7	٤	•	٠				,										+	1	
ON	,	TOTAL HOURS			-	,	\		•	~			ļ										
S		ر د	FRI						•								Ŀ					7	
5		u D	UHT				ı		ļ.,		<u> </u>	L	_			Ŀ		L	_	1	_	1	
Ħ,		u p v e .	MED			•			L		_		-			-	-	1	┞		-	+	ŀ
Ξ		≠	MON			•	·	٥	H	-		<u> </u>	-	-	ŀ		H	 	\vdash	╁	H	╁	t
D HIGH VOCATIONAL TELEVISION	ASSIGNMENT SHEET	NOITOUG YH4AAĐOTO	PHC	•	,			,			·								·			•	-
ON	INI	INTENANCE					.•	,	·		3									,	ı		
ATI	NMI	NAGER OR	PLO MA		•	١.		1		1						,	•						
700 700	SiG	ЭИІТЧІ							İ	·						;; ;			,				1
H.V	AS	V CHVIN	FILA	`				٠				1								1 - 1 - 1 - 1			,
	X	SOLHAN	еву		· ·	• • •			*		1	<i>(</i>		-		`		,	·		e e		ľ
	WEEKL	VEKA	CAN	* ·				·	,		1									·			İ
HIGHLAN	W	1 . 010	NA		\$.		·	,	!			١٠.				1							,
CHI	:	ĘCIOR	DIR		•					-			١.							;	. •		
	, ,	SINEERING	ENC			.,	,				1	Ĺ	.\	,	,	. !			<u>.</u>	1.	7 .		ĺ
• ,		BING			ż						."		ر ر	1.4	٠			,					
		YH9A8POT C TRUCTION	PHC	: /							4.				·	,				Y			
ERIC Para translation - 51	WEEK MONTH	CHING UNIT	้ง					, ,							٠	ſ			•				

HHTVS

SCRIPT FORM

AUDIO

VIDEO

57

NAME DATE CREW POSITION_ CREW DESIGNATION APPROVAL PRODUCTION SCHEBULE TIME LOCATION MONDAÝ TUESDAY WEDNESDAY THURSDAY FRIDAY SATURDAY DIRECTOR EVALUATION

SIGNED

PRODUCTION NR

1.53 ·

HIGHLAND HIGH TV STUDIO

.7

	-	t	3
	2	è	į
•	2	ì	Š
	€		J
	f	Ē	١
	3	=	•
	Ę		
	ť	-	•
	•		1
	_		
	4	,	i
	ŧ		J
ند	٠	2	,
	•	ĸ	•
	(1	ì
	4	-	٠
	•	٠	
	:		
	-		
	•	1	8
	1		2
	4	ī	
	(
	1	٠	
	i	H	ŀ
	•		•
		٠	

.\	_			-	·. ·	ı •			•		:		1	_	,
•	PROD. NO.	•	†	UNIT NO.	,	UNIT NO. PROD: NO.		•	UNIT NO			PROD. NO.		•	PRODUCTI
			\.	, † , * · ·	٠.٠.٠	. ·	· É			. [0 2
	PROD. NO.	,		HNIT NO.		UNIT NO.* PROD. NO.		, N.	PROD. NO.		•	UNIT NO.			PRODUCTION SCHEDULE
	1		,	\		•					-	`.			١,
	PROD. NO.		•	PROD NO.	,	UNIT NO PROD! NO.	,		UNIT NO.	~; •	*	UNIT NO. PROD. NO.	,	, and the second	•
			•									·	-7		
	PROD. NO	\	·	UNIT NO. PROD. NO.		UNIT NO. PROD. NO.	,	•	PROD. NO.	•	,	UNIT NO.			٧
				1/ .			• [÷	i		•			
	PROD. NO.			UNIT NO. PROD. NO.		UNIT NO. PROD _N NO.	,		UNIT NO.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		UNIT NO. PROD. NO.			,
\ <u>.</u>			<u>'.</u>	· ·			1	- 1	\ \ .					\dashv	•
	PROD. NO.			PROD. NO.		PROD. NO.	· 4		PROD. NO.			UNIF-NO. PROD. NO.	,		HINOW
					4		_		\ . #st		·	,/ /		-	HIN
•	PROD. NO.			UNIT NO.	, 1	PROD.NO.			PROD: NO.	` \		UNIT NO. PROD. NO.		•	
4		,		, ,			· 		ı		<u> </u>	u l	Ï		YEAR
E	RIC Text Provided by ERIC			\ ,	1:		5	9 1		\ \			,	٠,	, ,

T.V. TECHNICIAN COURSE

Lecture 1. Color Fundamentals
Compatability
Scanning Principles
Resolution and band width
Monochrome
Three variables in Color
Primary colors
Displaying R.G.B. Colors

Lecture 2. Electronic aspects of compatible Color T.V.

Matrixing
Band shaping
Two phase modulation
Frequency interlace
Color Frequency Standards
The Color T.V. System

Color Fidelity
Color characteristics of the eye
Ref. White
System Transfer characteristics
Distortions in encoding & decoding processes
Distortions in Transmission System
Gain & phase characterisitics
Envelope delay

Lecture 4. Colorplex or (Encoder)

Basic functions

Design Features

Matrixings band shaping

Aperature compensation

Modulators & carrier balance

Adders & output amplifiers

Color plexor operation

Wave forms

ecture 5. Live Cameras

1. Set up

2. Block diagram
Optical system
Controls
Processing anys..
Test Chart lighting
3. V - Camera

Lecture 6. Color Film Equipment

Methods of Producing Color film

Multiplex operation

Setting up film chain with test slides

Lecture 7. Synecronizing generators

Color test equipment

Color Bar Generator

Cross Hatch

Stair Steps

Frequency checking with wedge

Test pattern

Interpreting test charts

Lecture 8.

Associated Equipment
Color tape recorders
Quad-type
Helical Scan
Care of heads & tape (Denny)
Tape Slicing (Denny)

Lecture 9.

Transmitters
Television station field trips
filled in during the course

Lecture 10.

F.C.C. Examination
Questions & answers
to end of course

THE HIGHLAND HIGH LEARNING CENTER

By LaMar Nagle Salt, Lake City School District

On June 6, 1968, a proposal entitled "An Instructional Materials and Distribution Center for Highland High School" was submitted in order to begin work on the development of an integrated media center at Highland High School in Salt Lake. This September, almost six years later, the new center was completed and opened for full operation. The center has 32,000 feet of space on two floors, and features storage and retrieval of all formats of information including print, non-print and video tapes.

The original proposal was evaluated and revised by several area specialists in the district. After tentative approval from Edward Parker, the school principal, and Arthur Wiscombe, District SuperIntendent, the idea was accepted as feasible and returned to the school staff. At this point, departments, committees and individuals contributed more ideas and suggestions on media needs. These suggestions were evaluated by the school media staff, LaMar Nagle and Dorothy Peterson, and the district media specialist, Harold Bell, Both Utah media standards and national library standards were used to formulate many of the space requirements, however, some areas were innovative enough to require more research and original thinking in their design.

It was decided, for example, that the learning materials would be shelved as far as possible by department and by groups, i.e., 300 and 900 materials for social studies and then the social studies, English, art, music, configuously as the humanities group. It was also decided to provide shelving for future acquisitions. Thus the 16,000 volumes of print materials currently held was seen as being doubled for the growth factor and this shelfing was therefore planned into the internal design.

Under the capital budget, an additional 8,000 titles of print materials, as well as several thousand non-print titles, were selected by departmental representatives in a workshop, and most of these selections will be shelved by this fall. It was also planned that many of the non-print materials will be shelved with the print materials and that the translating media equipment (projectors and tape recorders) will be housed in carrels in the various subject areas.

Under the basic concept of "media center," teachers are regarded as learning resources, therefore, they are housed on the main floor among the study tables adjacent to shelving areas. These "office" areas are small(6'x8'), open, moveable conference areas designed to allow a modicum of privacy for consultation with either one or two students, while maintaining a feeling of complete accessibility to the students. As mentioned, these areas are moveable, thus an area that is heavily used can have more than one "office" located near it.

Another unique feature of the information retrieval system is the television carrels. To begin with, six carrels were equipped with JVC video cassette playback units and 12" Sony monitors. Cassettes nd earphones are checked out from an adjacent control desk and operated on an individual basis by students. It is also possible for these TV sets to be switched into the school's five-channel closed circuit central TV distribution system. At present, 200 of the district's 1,000 television titles are available on the cassette format in the center, eventually, all pertinent files will be transcribed onto the cassette format from the reel-to-reel format. The limiting factor here is the construction of time necessary in the dubbing process. Parenthetically, it might be well to note that the Salt Lake district television services are located at Highland High and the master tape library of the district is there.

The main floor of the center will seat just under 400. It has three small, glassed conference areas, a glassed typing area, and a large glassed seminar area. In addition, there is a separate classroom, an inner stack room, a processing room, three media offices and a professional library area. There are also two check-out desks, one exiting into the main interior half and one exiting into a main outside entrance, making it possible to keep the center open for night use if staffing monies become available. In fact, the center even has rest rooms and a drinking fountain so it can be a self-contained entity, keeping the security of the other parts of the building in the event of seperate use.

The second floor of the center is a three-in-one area. It is a materials production area with graphics and photography labs, it is a learning area with a 193-seat multi-media lecture hall, and it is a vocational area with a full-color television studio. Each of these sub-areas work to produce an integrated whole. For example, the graphics lab produces teaching materials such as charts, posters, overhead transparencies and printed materials, and also serves to teach vocational television students that part of the TV art. This integration is also true of the television studio complex, of the multi-media lecture hall, and of the photographic lab. Each is an interlocking complement to the other. Photographic skills and techniques are absolutely essential to TV production and to multi-media presentations. And, in like manner, the programming skills used in any multimedia presentation must be mastered in the complex process of television production, whether taped or live. The theatre also serves as a second TV studio and as a sound stage in television production.

Perhaps the television program of the center deserves more than a cursory plance since it has features not to be found in any other school in Utah or maybe not even in most schools in the nation. As mentioned above, it has a full color studio, with a complete complement of sophisticated production equipment, three color cameras, a complete special effects generator, a chroma key unit, a character generator, a multiplexer for 16mm, Super 8 and 35mm slide input, an engineering section, electronic editing, and dubbing equipment to allow off-the-air taping and multiple copying. In addition, the studio itself is in every sense a legitimate studio. It is a 40° × 32° double-walled, air-conditioned from that is curved and coved to afford infinity shots. It is painted blue for total keying possibilities and in addition, it has a double track curtian system allowing fro draping with either black or white curtains, and for dividing areas within the studio for pre-setting. In short, it is a professional studio, capable of professional work and intended to produce students vocationally attined to the realities of this field.

62

While the basic sketches of the center were produced by the media coordinator, tribute must be given to Bill Nelson and Abe Gilles of Environmental Associates, Architects, Salt Lake City. It was they who put together all the details and combined them into an aesthetically pleasing learning environment. They did this within the confines of their task while giving credence to the work and planning of the educators involved.


Highland High has a new principal, Dr. David Handley, who along with the rest of the staff and school, feels that this center is a distinguishing feature of the school. He is of the opinion that the former administrator of the school, the district personnel, and the school board are to be commended for their efforts and that the students of the school are fortunate to have this facility to aid them in the learning process.

- 60 -

e,nfrance 00 night conf. loff! table area office torage classroom HIGHLAND HIGH MEDIA CENTER reference area prof.area faculty resource Main Floor - 146' -0 0 E table area dept. stacks office periodical seminar room 64

ERIC

HIGHLAND HIGH MEDIA CENTER



- 62 -ERIC

