### DOCUMENT RESUME

ED 128 586 CE 007 650

TITLE Health and Safety: Suggested Personnel Policy

Guidelines for School Districts.

INSTITUTION Oregon State Dept. of Education, Salem. Div. of

Administrative Support.

PUB DATE May 76 NOTE 30p.

EDRS PRICE MF-\$0.83 HC-\$2.06 Plus Postage.

DESCRIPTORS Accident Prevention; Accidents; Administrative Policy; Administrator Guides; Administrator

Responsibility; Guidelines; \*Health; Injuries;

\*Personnel Policy; \*Policy Formation; Public Schools;

School Administration; School Districts; \*School

Safety: State Legislation


IDENTIFIERS Oregon

### ABSTRACT

To assist school administrators in meeting state and federal requirements for safety and health programs and procedures related to school district personnel (particularly those requirements resulting from the enactment by the 1973 Oregon Legislative Assembly of laws found in the ORS 654.000 to 654.295, and 654.991), these quidelines were drawn from a variety of Oregon documents and federal sources dealing with health and safety programs. Contents include definitions, sources of help (government departments, officials, and documents), employee and administrator responsibilities, safety rules, inspection procedures, accident and injury assistance and reporting procedures, investigation procedures, emergency procedures, and vehicle safety. The appendix contains several safety inspection and injury report forms, which may be duplicated; others must be ordered directly from the agency. (HD)

Documents acquired by ERIC include many informal unpublished \* materials not available from other sources. ERIC makes every effort \* \* to obtain the best copy available. Nevertheless, items of marginal \* reproducibility are often encountered and this affects the quality \* of the microfiche and hardcopy reproductions ERIC makes available \* via the ERIC Document Reproduction Service (EDRS). EDRS is not \* responsible for the quality of the original document. Reproductions \*

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*





SUGGESTED PERSONNEL

POLICY GUIDELINES

FOR SCHOOL DISTRICTS

HEALTH

A N D

SAFETY

U S DEPARTMENT OF HEALTH.

EDUCATION & WELFARE
NATIONAL INSTITUTE OF
EDUCATION

THIS DOCUMENT HAS BEEN REPRODUCEO FXACTLY AS RECEIVED FROM
THE PERSON OR ORGANIZATION ORIGINATING IT POINTS OF VIEW OR OPINIONS
STATED DO NOT NECESSARILY REPRESENT OFFICIAL NATIONAL INSTITUTE OF
EDUCATION POSITION OR POLICY

Division of

Administrative Support

STATE BOARD OF EDUCATION

942 Lancaster Drive NE

Salem, Oregon 97310

VERNE A. DUNCAN, State Superintendent
Of Public Instruction

ERIC Full Text Provided by ERIC

### FOREWORD

This document was developed at the request of school administrators to help them meet current state and federal requirements for safety and health programs and procedures related to school district personnel.

The need for assistance resulted from the enactment by the 1973 Oregon Legislative Assembly of laws found in ORS 654.001 to 654.295 and 654.991. The laws, and the regulations developed to carry out the intent of the legislation, are extensive.

The State Board of Education's Personnel Management Advisory Committee has received valuable assistance in the development of this document from George Wolnez, State Safety Director, and Larry Mylnechuk of Clackamas Intermediate Education District. It was prepared by a subcommittee of the Advisory Committee which included Marshall Watkins, Clackamas IED, Chairman; Al Bigler; George Martin; and Lucille Dickey.

Please contact us if we can be of further assistance on these or other personnel matters.

Mile Baum

Associate Superintendent

School Management Services

Division

Accreditation, Legal and Personnel Services

May 1976



### PERSONNEL MANAGEMENT ADVISORY COMMITTEE MEMBERS 1975-76

Ray Speulda (Chairman) - Dallas School District Office, Dallas Mary Henderson (Vice Chairman) - Portland School District Office, Portland Ray Osburn (Executive Secretary) - Oregon State Department of Education, Salem Clell Conrad - Oregon Association of School Personnel Officers, Corvallis John Heilbronner - Oregon Association of Classroom Teachers, Eugene Al Bigler - Oregon School Employees Association, Salem Chris Dudley - Oregon School Boards Association, Salem Phyllis Hutchinson (deceased) - Oregon Federation of Teachers, Portland Curt Huey - Springfield School District Office, Springfield Francis Dummer - Dayton School District Office, Dayton Glenn Frizzell - The Dalles School District, The Dalles Tony Palermini - David Douglas School District Office, Portland Alan Rousseau - Beaverton School District, Beaverton Lucille Dickey - Marcola School District Office, Marcola Marshall Watkins - Clackamas IED, Marylhurst Dick Jones (Liaison) - Teacher Standards and Practices Commission, Salem Don Kipp - Oregon State Department of Education, Salem Lee Wells - Oregon State Department of Education, Salem George Martin - Oregon State Department of Education, Salem



### TABLE OF CONTENTS

Pa	age
Foreword	i
Members of PMAC	i
Introduction	1
Authority	3
Goal	3
Definitions	3
Sources of Help	4
Responsibilities	5
Safety Rules	6
Inspection Procedures	7
Accident-Injury Assistance and Reporting Procedures	9
Accident Investigation Procedures	0
Fire Drills and Emergency Procedures	1
Vehicle Safety	1
Appendix - Forms	5
Safety Inspection and Accident Prevention Reminder List 1	7
Office Safety Inspection List	9
Occupational Injury Report	1
Accident Trend Control and Statistical Report 23	3
Unsafe Condition Report 25	5
State Accident Insurance Fund (SAIF) 27	7
Recordkeeping Requirements Under the Occupational Safety and Health Act of 1970	9



### INTRODUCTION

The contents of this publication have been drawn from a variety of Oregon documents and federal sources dealing with health and safety programs. The substance of these source has been considerably rejuced for purposes of this publication. Most school districts have the original documents and they may be obtained from the sources cited on page 4. Agency staff members will prove helpful, particularly those mentioned in this document.

It is important that district administrators be familiar with and carefully follow state and federal regulations and procedures. It is the purpose of this publication to assist local personnel in meeting these requirements in a useful and direct fashion. Several forms are provided in the Appendix, pages 17-44, and may be duplicated locally if desired. The other forms must be ordered directly from the agency.



### OCCUPATIONAL SAFETY AND HEALTH PROGRAM

### I. Authority

ORS 654.001 to 654.295 and 654.991 establish authority for the Oregon Safe Employment Act, to provide as far as possible safe and healthful working conditions for every working man and woman in Oregon. ORS 656.262 now requires all carrier-insured employees and those contributing to SAIF to report all accidents which may result in a compensable injury claim within five days after the employer has notice of the accident. The report is to be made to the carrier or SAIF.

### II. Goal

It will be the goal of every school district in Oregon to create and maintain a more safe and healthful working environment for all school employees within its boundaries. This will be accomplished by (1) promoting and improving safety oriented behavior; (2) providing for preventive and emergency procedures in handling safety and health problems and reducing occupational hazards and accidents; (3) encouraging employers and employees to reduce the number of occupational safety and health hazards.

### III. Definitions

District Safety Officer - A staff member recommended by the district administrator and authorized by the school board to administer and monitor all phases of the school district's Occupational Safety and Health Program.

Building Monitor - An employee selected by a district ad nistrator or safety officer to assist the District Safety Officer will safety inspections, safety orientation of new employees and in general acts as a representative of the work unit regarding safety matters.

Building Safety Officer - An employee designated by the district administrator or school principal who assists the District Safety Officer with safety inspections and safety orientation of new employees, and acts as a representative of the building or work unit regarding safety matters.

Work Unit - A group of employees unich works as a unit such as: building staff, kitchen crew, bus drivers, etc.

Accident Control Groups - Accident Control Groups should be established at various management levels within the school district. As an example:

A. Accident Control Group I - A group composed of employees, the District Safety Officer and Building Safety Officer(s), if any. Purpose: To supervise and monitor implementation of the Occupational Safety and Health Program at the work unit level.



- B. Accident Control Group II A group composed of an assistant administrator, department director, building monitor and the District Safety Officer. Purpose: To supervise and evaluate implementation of the Occupational Safety and Health Program at the divisional level.
- C. Accident Control Group III A group composed of the district administrator, the District Safety Officer and the Deputy, Assistant or Associate Administrator. Purpose: To facilitate implementation and improvement of the district Occupational Safety and Health Program at all levels of the organization.

Accident - An unexpected, unplanned and unscheduled event which may result in personal injury and/or property damage.

Occupational injury - An injury sustained by an employee while on the job. An injury may vary from minor cuts and scratches to the serious disabling type such as broken bones involving loss of time from work.

Occupational illness - A job related illness sustained by an employee while on the job. These illnesses may be caused by such things as accidental inhalation or ingestion of toxic substances.

<u>Hazard classification</u> - A method of categorizing the hazard potential of various types of buildings and facilities according to activities and occupancy level.

Unsafe condition - An unsafe condition is one that, if left uncorrected, could cause an accident or injury to an employee.

Accident investigation - An investigation of an accident aimed at analyzing the causes and effects in terms of unsafe conditions, unsafe work practices, the types of injury and the type and cost of corrective action required.

Job hazard - Any condition or work process that could result in an occupational injury affecting the health and safety program.

Safety inspection - A careful examination of all machinery, equipment, storage methods and general operation procedures. Such inspections are conducted to detect unsafe working conditions or practices, and to assure that necessary corrective action is taken to develop a safer working environment.

### IV. Sources of Help

- A. State of Oregon: Zip Code 97310
  - 1. Department of Commerce, Building Codes Division, Labor and Industries Building, telephone 378-4133
  - 2. Office of the State Fire Marshall, Labor and Industries Building, telepone 378-4917



- 3. Accident Prevention Division, Workmen's Compensation Board, Labor and Industries Building, telephone 378-3272
- 4. State Accident and Insurance Fund, SAIF Building, telephone 378-3400
- 5. George Wolnez, State Safety Director, Executive Department, Public Service Building, telephone 378-3677
- B. National Safety Council, Chicago, Illinois
- C. Local Fire Marshall, Fire Department, Local Building Codes Division
- D. Your Workmen's Compensation insurer (required by Oregon law to assist you, Chapter 585, Oregon Legislature 1975)
- E. Department of Education Pupil Transportation Services, 942 Lancaster Drive NE, Salem, telephone 378-3578 (will assist with bus safety programs)
- F. Department of Education Emergency Services and Civil Defense Education Section, has recently prepared a document, "School District Emergency Care." District administrators will find this a useful supplement to this publication on health and safety. (Contact Wendell Curry, Coordinator)

### V. Responsibilities

### A. Employee

- 1. Becomes familiar with all equipment and vehicles and observes all safety regulations for each work area.
- 2. Knows the location of fire extinguishers, fire alarm signalling devices, first aid kits or supplies, telephones and telephone numbers for securing assistance.
- 3. Is cognizant of unsafe working conditions and cautions fellow employees when unsafe practices are observed.
- 4. Reports unsafe conditions to supervisor. Takes immediate corrective action when situation requires.
- 5. Makes full use of safeguards provided for his protection. Refrains from operating equipment when safeguards are not in good working condition.
- 6. Makes full use of personnel protective equipment (headgear, eyewear, cloghing, etc.) when required by the school district or appropriate State of Oregon safety codes.
- 7. Does not remove, deface or destroy any warning or danger sign or interfere with any form of accident prevention device or practice.



- 8. Warns employees observed working in a manner which might cause immediate injury to themselves or others.
- 9. Observes, at all times, good housekeeping methods in all operations. (Materials shall be stored and handled so as to minimize falling, tripping or collistor hazards.)
- 10. Keeps work areas free of scrap, waste material and debris.
- 11. Refrains from horseplay, scuffling, practical jokes or any other activity which has the possibility of causing injury.
- 12. Assists students and others to implement safety objectives as outlined in this program.
- 13. Acquires and maintains the proper license or certificate for operation of equipment (contact the Pupil Trasportation Services Section, Department of Education, for school bus driver license requirements).
- B District Administrator Shall be responsible for the duties listed below. (In many districts these responsibilities shall be delegated to other appropriate staff members.)
  - 1. Monitors all aspects of Safety and Health Program within the district. Establishes policies and objectives, interprets regulations, provides leadership and counseling.
  - 2. Prepares and oversees the maintenance of accurate records of accidents, injuries, fires, cost of repairs, corrective action taken, etc.
  - 3. Establishes and implements an appropriate district discipline procedure to be used whenever an employee violates established safety rules and regulations, making this procedure known to all employees.
  - Organizes and promotes fire safety. Schedules periodic fire drills, inspections of fire equipment and prepares status reports.
  - Attends local and regional safety meetings.
  - 6. Conducts periodic safety inspections of all buildings and facilities under the control of the district.

### VI. Safety Rules

The district shall develop appropriate safety rules in keeping with individual duties and inspection procedures. These rules may vary to meet local conditions, but shall meet the requirements of law. The Accident Prevention Division of the Workmen's Compensation Board will assist in providing suggested safety codes for various jobs and facilities.



The Workmen's Compensation Board, Accident Prevention Division Poster, Form APd 727, should be posted in each building where employees work. This form can be obtained from the nearest Workmen's compensation Board, Accident and Prevention Division Office. Offices are in Portland, Hillsboro, Salem, Eugene, Medford, Coos Bay, Bend and Pendleton.

### VII. Inspection Procedures

- A. All facilities in all buildings under the control of the school district shall be subjected to periodic safety inspections using state forms 8-9 Revised "Safety Inspection and Accident Prevention Reminder List" and Form IPA 102, "Office Safety Inspection List" (See pages 17 and 19). These inspections will be conducted by the District Safety Officer with the assistance of the Building Safety Officer. In the event the District Safety Officer cannot be present to conduct the inspection, the Building Safety Officer or representative will be responsible for performing the inspection and forwarding reports to the District Safety Officer.
- B. The following items must be inspected as needed. Other items may be added to meet individual district needs.
  - 1. Fire prevention Extinguishing equipment available, exists marked and clear, panic hardware conditions, alarms tested and functioning, stairways clear and properly lighted, fire drills conducted as required, electrical wiring in good condition, emergency lighting functioning, flammable liquids properly stored, new employees properly oriented, fire notification system functioning properly.
  - 2. <u>Chemicals</u> Properly stored, identified, safe handling procedures reviewed with employees, appropriate protective equipment available.
  - 3. Atmospheric conditions Check for potential hazards involving fumes, tox'c dust or other dangerous atmospheres.
  - 4. <u>Containers</u> Safe storage of material, storage racks, shelving, file cabinets, tool racks.
  - 5. Electrical conductors and apparatus Switches, wires, cables, controls, plugs, connectors and electrical grounding are in good condition.
  - 6. <u>All man-lifting devices</u> Elevators, scaffolds, etc., are in safe operating condition.
  - 7. <u>Machine guards and safety devices</u> All removable and fixed guards and safety devices or attachments must be functioning properly.
  - 8. Handtools Each tool must be in safe operating condition.



- 9. <u>Hoisting equipment</u> Check condition of all electric, hydraulic or mechanical equipment including jacks, cables, safety hooks and support devices.
- Machinery and parts thereof The point of operation, guards for shafts, couplings, gears, pulleys, drams, cables, belts, sprocket; ropes and chains when used to transmit power, etc., are operating properly.
- 11. Overhead structures and equipment Objects that may fall from above are secured firmly.
- 12. Personnel protective clothing and equipment Eye protection, head protection, respirators, gloves, hoods, aprons, chemical suits, foot guards, leggings, safety belts, lifelines, life nets, etc., are in good condition and used when appropriate.
- 13. Flammable liquids, gases, sprays Check for proper storage according to fire codes, proper grounding, cylinder tie down, handling devices, fire protection, including fire suppression blankets.
- 14. Pressure vessels, boilers and pipes All equipment containing gas or liquids under pressure are operating properly and have pressure relief devices.
- 15. Pumps, compressors, blowers and fans Check moving parts for appropriate guarding and condition of wires and connectors.
- 16. Shaftways, pits and floor openings Check for safe marking of all types of openings into which persons may fall or trip; check for use of guardrails, etc.
- 17. Walking and standing surfaces Floors, aisles, stairs, platforms, ramps, roads, scaffolds, ladders are clear and in good condition.
- 18. <u>Warning devices</u> Alarms, vapor detectors, smoke detectors, emergency radio systems, emergency telephones, safety limit switches are operating properly.
- 19. Vehicles All trucks, cars, motorized carts, lift trucks, buses, vans, boats, etc., are in good operating condition. (Check with the Department of Education regarding school bus inspections.)
- 20. <u>First aid equipment and supplies</u> Check to be sure these are readily available.
- 21. Office area inspection Floors, desks, power cords, file and storage areas, etc., are in safe condition.
- 22. <u>Miscellaneous</u> Be alert to other potentially hazardous objects or conditions that do not fall into above categories.



### VIII. Accident - Injury Assistance and Reporting Procedures

- A. In the event of an accident or injury, the District Safety Officer and Building Monitor will be notified as soon as possible by the
- injured employee or the employee who observed or discovered the accident. If the Building Monitor and Safety Officer are not available, the building principal will be notified of the accident.
- B. If first aid is required for injured employee, it may be applied by any employee who is qualified and possesses a valid first aid certificate. The superintendent or representative shall maintain an up-to-date list of employees qualified in first aid and shall institute first aid training as needed.
- C. If medical treatment beyond first aid is required by the injured employee, the District Safety Officer or Building Monitor shall contact the appropriate emergency treatment agency of the school district. If neither is present, the district administrator will be notified so that appropriate action may be taken. A list of emergency phone numbers shall be maintained next to every telephone.
- D. All accidents, not merely those requiring medical attention beyond first aid, shall be reported by affected employees within 24 hours of occurrence to the Building Monitor and/or District Safety Officer. Form 8149-105, "Occupational Injury Report," will be used for this purpose, page
- E. A State Accident Insurance (SAIF) Form 801 Revised "Worker's and Employer's Report of Occupational Injury or Disease," page 27, shall be completed by the affected employee for all cases of occupational injury or illness involving loss of time and/or medical care beyond that of first aid. In cases of serious injuries that may incapacitate the affected employee, this report shall be completed by the District Safety Officer, Building Monitor or district administrator. These forms will be available in each Building Monitor's office or district





9



administration office and returned by the affected employee within three days after injury or illness is discovered or reported. In addition, the District Safety Officer must notify the Workmen's Compensation Board by telephone within 48 hours of any fatality, or of any accident causing hospitalization of five or more workers. (Telephone number of WCB is 229-5944.)

F. The District Safety Officer shall maintain an accident report log, using OSHA Form 100, "Recordkeeping Requirements Under the Occupational Safety and Health Act of 1970," page 29. A monthly summary shall be prepared of all reported accidents, using State of Oregon Form 101, "Accident Trend Control and Statistical Report." These reports should be distributed to Building Monitors, principals and district administrators as a means of identifying the departments and buildings or specific areas with a high accident frequency rate and to initiate corrective action.

### IX. Accident Investigation Procedures

- A. All accidents shall be investigated by the District Safety Officer, using State of Oregon Form 81489-105 SAIF SS120, "Occupational Injury Report," page 21. If the District Safety Officer is absent at the time the accident investigation is required, the Building Monitor, or designated person where the accident occurred, will be responsible for conducting the investigation.
- B. All accident investigation reports should be completed by the person conducting the investigation within 24 hours of the time the accident, injury or illness was discovered or reported.
- C. The District Safety Officer shall review all investigation reports (if investigated by someone else) and verify that required investigative procedures have been followed and that all facts have been accurately reported. The original copy will be retained for the files and copies distributed to Building Safety Officer and district administrator's office.
- D. The following investigation procedures shall be utilized by the District Safety Officer for all accidents except those of very minor nature:
  - 1. Go to accident scene as soon as possible.
  - 2. See that injured employee receives required first aid or emergency medical treatment as soon as possible.
  - 3. Talk with injured employee if feasible, or talk with nearby employees. Get the facts.
  - 4. Write reports using Form 81489-105, page 21, or write narrative describing entire accident sequence. In filling out such reports, it is of critical importance that all details of the accident are fully described and explained. This can affect the district's liability and the employee's chances for recovery.



5. Study possible causes, unsafe conditions or practices.

### X. Fire Drills and Emergency Procedures

- A. Building Safety Officers, as appointed by the district administrator, will assist the District Safety Officer in all fire drills by verify—that all students, employees and others have been cleared from their building or work site.
- B. The district administrator, in accordance with the applicable ordinances of local fire departments, shall be responsible for scheduling, conducting and recording periodic fire drills in all buildings and facilities under control of the local school district, as required by state law.
- C. The District Safety Officer shall determine fire emergency information, shall cause it to be published in prominent locations and shall familiarize all staff with the following:
  - Location and operation of nearest alarm stations.
  - 2. Proper procedures for summoning fire assistance.
  - 3. Location and operation of nearest fire extinguishers or other fire-fighting equipment.
  - 4. Proper emergency exit routes.
  - 5. Procedure for summoning emergency medical aid.
- D. The District Safety Officer shall verify that Bullding Safety Officers are familiar with the fire emergency procedures.
- E. Whenever the District Safety Officer cannot be present to supervice a fire drill, a Building Safety Officer will act in his place and be responsible for conducting and recording the fire drill.
- F. In the event of an on-site inspection of any district buildings or facilities by personnel of any fire department, the District Safety Officer or Building Monitor or designee will accompany the fire inspector on the tour.

### XI. Vehicle Safety

- A. The district administrator shall require regular safety inspections to be made of <u>all</u> district vehicles. These inspections shall be made and reports completed not less than annually, as provided in district rules, by those personnel responsible for all district vehicles.
- B. Any employee using a district vehicle shall be responsible for reporting all operating irregularities to the person responsible for vehicle maintenance and/or to the District Safety Officer. All vehicle safety deficiencies are to be corrected immediately.



- C. Personnel responsible for district vehicles will verify by personal observation that any employee using a district vehicle is properly licensed and possesses the necessary skills for operating the type of vehicle used. Certain positions may require a chauffer's or school bus driver's license. The district should provide in-service instruction to all operators of district vehicles.
- D. Any employee involved in an accident while using private or districtowned vehicles on district business shall comply with the following procedure:
  - 1. Complete the on-the-spot accident report form, which will be supplied to each employee using their own or a district vehicle and forwarded to the District Safety Officer within 48 hours following the accident.
  - 2. Notify the District Safety Officer as soon as possible after the accident.
  - 3. Complete a Department of Motor Vehicles report, Form OD 32, "Oregon's Traffic Accident and Financial Responsibility Report," for any accident involving \$200 (or more) damage to any vehicle; or personal injury; or property damage. These forms may be obtained from any police department or Department of Motor Vehicles office, and must be completed and returned within 72 hours to either police department or Department of Motor Vehicles office. A copy of this State Accident Form shall be forwarded to the District Safety Officer.
  - 4. The District Safety Officer I maintain files on all State Accident Forms and en-the-sp. ccident forms involving district vehicles and district employees using their own vehicles on district business.
  - 5. The District Safety Officer shall be sure that a "School Bus Accident Report," Form 2250, is completed within 72 hours of a school bus accident and forwarded at once to the Department of Education, Pupil Transportation Services, 942 Lancaster Drive NE, Salem, 97,010.

### XII. Forms

- A. The following state-adopted forms shall be utilized by school districts in implementing their health and safety programs. These forms are included in the Appendix and may be reproduced locally:
  - 1. Form 81489-105 "Occupational Injury Report," page 21.
  - 2. Form 8-9 (Rev.) "Safety Inspection and Accident Prevention Reminder List," page 17.
  - 3. Form IPA 102 "Office Safety Inspection List," page 19.



- 4. Form IPA 101 "Accident Trend Control and Statistical Report," page 23.
- "Unsafe Condition Leport," page 25.
- B. The following state-adopted forms shall be utilized, are included in the Appendix and must be ordered as indicated:
  - 1. Form 801 "Worker's and Employer's Report of Occupational Injury or Disease," page 27, may be ordered from the State Accident Insurance Fund, SAIF Building, Salem, 97310.
  - 2. OSHA Form 100 "Record Keeping Requirements Under the Occupational Safety and Health Act of 1970," page 29, may be ordered from the Workmen's Compensation Board, Accident Prefention Division, Labor and Industries Building, Salem, 97310, or from the office nearest your school district.
- C. Form APd-7274 Occupational Safety and Health <u>Poster</u> may be ordered from the Workmen's Compensation Board, Accident Prevention Division, Labor and Industries Building, Salem, 97310.



APPENDIX - FORMS

....



STATE OF OREGON

SAFETY INSPECTION & ACCIDENT PREVENTION REMINDER LIST

Page 17 CHECK ITEMS TO BE INSPECTED IN YOUR AREA. DISREGARD OTHERS.
TAKE ACTION TO CORRECT OR WARN EMPLOYEES OF HAZARDS.
CONTACT SAFETY CONSULTANTS TO DETERMINE ITEMS TO BE INSPECTED.
SAFETY INSPECTION IS A MANAGEMENT RESPONSIBILITY. 9 Notes Date FIRE PREVENTION AND LIFE SAFETY ELECTRICAL SAFETY Not INSTRUCTIONS Approved Fugurist Storage Area Approved Flammable Liquid Storage Area Approved Approved Paint Storage Area Approved Approved Flammable Liquid Faucets
Solvent Tank Safety Devices
Solvent Tank Safety Devices
Paint Spraying-Ventilation-Approved
Gasoline Storage & Use
Sprinkler Systems Tested
Steam-Air-Safety Valves Tested
Steam Boiler-Flame Out Controls
Fleam Boiler-Flame Out Controls
Steam Boiler-Flame Out Controls
Flame Flame Flame Out Controls
Steam Boiler-Flame Out Controls
Flame Flame Flame Out Controls
Steam Boiler-Flame Out Controls
Steam Boiler-Flame Out Controls
Steam Boiler-Flame Out Controls
Steam Boiler-Flame Out Controls Location High Voltage Warning Signs Explosion Proof Motors & Equipment All Electrical Equipment-U.L. Listed Condition of Power Cords
Condition of Switches
Conc. tion of Plugs
2 Men Assigned to High Voltage Work
Confined Space Safety Procedures Explosives-Storage Emergency Shut Oown Procedures Oily Rag Storage Electric Heaters Grounded-Inspected Exits Clear-Fire Escapes Clear Door Escape Hardware Functioning Fire Extinguishers Ready for Use Fire Doors Not Blockert Open Flammable Liquids in Safety Cans Stairway & Landings-Clear Fire Drills Conducted as Required No Flammables in Refrigerators Fire Hoses-Condition All Electric Tools Grounded
All Machines Grounded
Lock Out Devices in Use
Electrical Controls Not Blocked Wall Outlets Tested for Ground Flarnmable Gas Storage Propane Tank Safety Controls Smoke Operated Door Closers Gas Cylinders Secure-Capped Fire Blankets as Needed Circuit Overloading Name of Inspecting Supervisor ş Notes CONSTRUCTION SAFETY ADDITIONAL COMMENTS MISCELLANEOUS ITEMS Not OK Adequate Oxygen in Contined Spaces
Back Up Alarms in Use
Lifting Devices Tested
Gas Bottles Secured
Gas Lines Leak Tested
Gas Lines Leak Tested
Contined Space Checked for Toxic Gas
Lockout Devices Used
Training for Explosive Tools Underwater Safety Equipment Tested Warning Lights-Signs Condition of Hot Tar Pot Equipment Warning Signs-Barriers Safe Handling-Degreasing Chemicals Personal Protective Gear Used
Life Belts & Lines in Use
Barriers Provided for Excavations
Explosive-Safe Storage
Detonators-Property Stored
Fire Extinguishers in Use
Safe Stacking-Materials New Employees Warned of Hazards Safety Meetings Regularly Held **Established** Bae Sting Treatment Available Condition of Hand Tools & Bracing Sidewalks-Condition
Stairways Condition
Ramps-Condition
Hand Rails-Guard Rails
Dust-Vapor Control
Ammunition Storage
Prison Lock Systems
Tanks-Pit Entry Equipment
Freezer Box-Alarms rist Aid Supplies Available Storage-Poisons-Insecticides Condition of Traffic Cone Snake Bite Kit Available Fire Drills-Current Plans Parking Lot Surfaces Vehicle Driver Training Pipe Line Identification Emergency Procedures raffic Control Signs Fire Hydrants Tested š \* 

Form 8-9 Rev.

on Coordinator - Salem, Oregon To collect the Carlotte St. Piles Pr. Dan Hant made

(Rev)

Signature Drums Grounted as keeded  America Drum Annu Nee  America Drum Annu Nee  Chemica D	No ★ OK Item  Safe Chemical Storage And Compatibility  S2	LABORATORIES-CHEMI
	Notes	
Power results of the property	No ★ OK Item  1111 Hand Power Saws Guarded	
bes des des des des des des des des des d	OK	MACHINE GUARDING (continued)
TECTION 20	Notes	tinued)

NOTES AND FOLLOW-UF	
ONT	G.
ONT	=
ONT	ٻ.
ONT	>
ONT	->
ONT	റ
ONT	<u>ٽ</u>
ONT	_
ONT	$\mathbf{C}$
ONT	ĭ
	$\Box$
	<del>-,</del>
	5
	1
OTES	
OTE	S
$\overline{\circ}$	ш
o	-
⋍	റ
_	ゔ

SIGNATURE PESPONSIBIL SUPERVISOR  INSTRUCTIONS  INSTRUCTIO	DATE OF INSPECTION
SNATURE  SAFET  OK  OK  OK  OK  OK  OK  OK  OK  OK  O	
CHECON CONTRACTOR OF A	
A CONTROL ON A SAFET	INSPECTION REQUIRED
A CONTINUE SAFET	☐ Weekiv ☐ Monthly ☐ Quarterly
FIRE  Fire extinguisher property located  Fire extinguisher property located  Fire extinguisher not blocked  Fire hose condition  Fire doors not blocked open  Fire doors not blocked open  Approved ash trays in use  No smoking areas established as in  Exit lights working  Flammable glues and liquids stored cabinets  Sprinkler heads not blocked  Excess paper and trash removed  Excess paper and trash removed  Extension cords — maximum 10 fee  Extension cords — maximum 10 fee  Extension of power cords  Condition of power cords  Condition of plugs and wall outlet  Electrical switch panels clear  Circuits not overloaded	INSTRUCTIONS  CTED IN YOUR AREA — DISREGARD OTHERS.  OR WARN EMPLOYEES OF HAZARDS  TANTS TO DETERMINE ITEMS TO BE INSPECTED.  MANAGEMENT RESPONSIBILITY.
Fire extinguisher property located Fire extinguisher property located Fire extinguisher not blocked Fire hose condition Fire hose condition Fire door, not blocked open Approved ash trays in use No smoking areas established as in Exit lights working Flammable glues and liquids stored cabinets not overheated Sprinkler heads not blocked Excess paper and trash removed Excess paper and trash removed Extension cords — maximum 10 fee Extension cords — maximum 10 fee Condition of power cords Condition of plugs and wall outlet Electrical switch panels clear Gircuits not overloaded	PREVENTION
Fire extinguisher properly located Fire extinguisher has current insperies by the fire escapes clear Fire hose condition Fire escapes clear Fire doors not blocked open Approved ash trays in use No smoking areas established as in Exit lights working Flammable glues and liquids stored cabinets Approved ash trays in use No smoking areas established as in Exit lights working Flammable glues and liquids stored cabinets Approved ash trays in use No smoking areas established as in Exit lights working Flammable glues and liquids stored cabinets Approved ash trays in use Cabinets  Sprinkler heads not blocked  Extension cords—3-wire type Extension cords—3-wire type Extension cords—maximum 10 fee Condition of plugs and wall outlet Electrical switch panels clear Circuits not overloaded	Not OX
Fire extinguisher has current for extinguisher not blocked for hose condition  Fire ascapes clear for adoors not blocked open Approved ash trays in use No smoking areas established Exit lights working Flammable glues and liquids a cabinets  Anothines not overheated Sprinkler heads not blocked Excess paper and trash remov Extension cords — maximum Machines and equipment ground Extension cords — maximum Condition of plugs and wall of Electrical switch panels clear Gircuits not overloaded	and matalled
ŏ	inspection tag
ă X	
ŏ	
ŏ	
ă ă	
ŏ .	
×	pap
*	
Annuard Condition of plugs and welfasted  Extension cords — maxim  Condition of plugs and welfasted  Entertical switch panels of Circuits not overloaded	n metai
Excess paper and trash re     Excess paper and trash re     Machines and equipment     Extension cords — 3-wire     Extension cords — maxim.     Condition of plugs and w     Electrical switch panels of     Circuits not overloaded	
A OK  Machines and equipment  Extension cords — 3-wire  Extension cords — maxim  Condition of power cords  Condition of plugs and w  Electrical switch panels of  Circuits not overloaded	
Machines and equipment Extension cords 3-wire Extension cords maxim Condition of power cords Condition of plugs and w Electrical switch panels of Circuits not overloaded	
Machines and eque Extension cords	ICAL HAZARDS
Machines and eque Extension cords Extension ords Condition of plug Electrical switch p	ider OK
Extension cords –  Extension cords –  Condition of plug  Electrical switch p	
Condition of powron Condition of plug Condition of plug Electrical switch p	
	guol
	]
	Pag
	ge RM
-	19 IP
	A
Coffee pots not used in grounded	102
23 No wires under carpets	
24 Electric heaters grounded	



State   Control of the control of	ER						Book cases secure from tiphting	50 Book case
SARPWAYS—HALLS -RAMPS  The control of the control o	o IC		,				age on top of shalves	
SIARWAYS—HALLS—RAMPS  STARWAYS—HALLS—RAMPS	~~						ners removed	+
STARWAYS HALLS-RAMPS			,				ended in our months	
STARWAYS—HALLS—RAMPS    A							rage files secure from troping	
STARWAY—HALS—RAMPS  A company harmon emporal of the company of the							rage shelves secure to wall	1
STARWAYS—HALLS—RAMPS  A filtre—start of filtre—  B filtre—start of filtre—  Company and contained somewhat  For extract start of filtre—  Company and contained somewhat  For extract start of filtre—  Company and contained somewhat  For extract start of filtre—  Company and contained somewhat  For extract start leads  OFFICE EQUIPMENT—DUPLICATING MACHINES  For guarded somewhat  For extract start leads  For guarded somewhat  For guarded s						•	of overloaded	
STARWAYS—HALLS—RAMPS    A content of the proof from sales   State of the proof from sales   St					NOITS	ÇZ X	W311	*
STARWAYS—HALLS—RAMPS   STARWAYS—HALLS—RAMPS   STARWAYS—HALLS—RAMPS		OLLOW-UP	AND		ETS	IELVES-CABINI	BOOK CASES—SH	-
STAIRWAYS—HALLS—RAMPS    Address of the character of the service of the servi				70			a material safely stacked	-
STAIRWAYS—HALLS—RAMPS    Active—Value there and dept.   St.   Volts   Volts   St.   Vo				69				
STARWAYS—HALLS—RAMPS    Author—packet indicate   Holm—packet indicat				68		hines	iking" near spirit duplicating mad	
STAIRWAYS—HALLS—RAMPS    Action contest and day   Section   Sectio		;		0/		i	plicating liquid properly stored	
STARWAYS—HALLS—RAMPS    A color of the color		,		00			tanks secure and vented	
STAIRWAYS—HALLS—RAMPS    Action = Audition   Action   Act							on where required	
STARWAYS—HALLS—RAMPS  STARWAYS—HALLS—RAMPS  STARWAYS—HALLS—RAMPS  10013  115M No. 11		tra des co		45			stools in use	
STARWAYS—HALLS—RAMPS  ***********************************	-					<u>.</u>	redders guarded	:
STAIRWAYS—HALLS—RAMPS  STAIRWAYS—HALLS—RAMPS  Action states their and riety  Higher—states infloor.  1 reports instands removed  2	2.			63		· · · · · · · · · · · · · · · · · · ·	tter blade spring functioning	
STAIRWAYS—HALLS—RAMPS  STAIRWAYS—HALLS—RAMPS  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1016  1016  1017  1018  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  1015  10	2			67		- <del> -</del>	rded, secure from falling	Fans
STAIRWAYS—HALLS—RAMPS  11EM Not 11EM Not 110013  11 And the review sheet and steam of the remarks from under the remarks from				2		# As man	73	caste
STAIRWAYS—HALLS—RAMPS    115.0     100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.00   100.				60			wers kept closed mechanical condition, springs, and	
STAIR WAYS—HALLS—RAMPS    Figure 1   Figure				59			nets secure	
STAIRWAYS—HALLS—RAMPS    1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2		• • • •	:	58	NOES	Ç		
STAIRWAYS—HALLS—RAMPS  ***Condition**  ***Cond		MA MAN A A		57			W311	*
STAIRWAYS—HALLS—RAMPS   Not	1		MA11	*	VACHINES			0
Figure not support  Figure Page 2 A Stairways not clustered with majorial supplies  Figure Page 3 A Stairways not clustered with majorial supplies  Figure not support  STAIRWAYS—HALLS—RAMPS  In the supplies of the supplies		1	ADDITIONA				and russ secure	
Tripping hazards removed  Tripping hazards for we weather  Entrance mats for we weather  STAIRWAYS—HALLS—RAMPS  Holes - state shed and clear  Holes - state shed and clear  Holes - state shed and clear  No. + lox   Hangraits available - condition:    Hangraits available - condition:   State shed condition:   State she			- condition				of suppery	
* J. STAIRWAYS—HALLS—RAMPS  ** J. No. * IOK  ** J. No. * J. No. * J. No. * IOK  ** J. No. * J. No			of equipment and supplies				mais for wet weather	- <del>-</del>
* UK NICES 1 NO * OK NICES 1 N		**************************************	of cluttered with majorial					-
* JK No. 115. NO. 115		- •	Superior Source			1	moved from aides	
* UK NIEW NOTES 1 No. + OK NIEW NOTES 1 No. + OK NIEW NOTES 1 Handralls available — condition S2 Stair read condition		-	position states			• • •	1 hazards removed	† —
* JA No. * OK NOTES 1 No. * OK NOTES 1 Hangrais available—condition:			ondition				gracks in floors	Holes
* OK NIEW STAIRWAYS—HALLS—RAMPS  * OK NOTES 1 No * OK NIEW OK			railable - condition	- - -			stap ished and clear	+
	HOTES	O Z	ITEM	*		0 X C	W 31.0	*
		ALLS-RAMPS	STAIRWAYS-H,			LE CONS	- 1	

### OCCUPATIONAL INJURY REPORT



TO DISCOVER CAUSE AND PREVENT RECURRENCE

### **IMPORTANT**

- Must be completed by supervision within 24 hours.
- Complete for all injuries regardless of extent.
- Complete Workmen's Compensation Claim Form 801 only if injury involved doctors treatment or lost time.
- To provide data for the Oregon Safe Employment Act (O.S.H.A.) and your agency management.

Page 21 FORM 81489-105 ACTION

[7]	FIRST AID CASE ONLY
. :	REQUIRED DOCTOR LOAKE
: 1	HOSPITALIZED
. 1	TIME LOSS DA++
. : (	Ó SIHIA I REPORTABLE
. ; :	NOT O SHIA REPORTABLE
. : 1	NO MUURY -NEAR MISS COULT
11.	A N.S.L. REPORTABLE
1	INJURY REQUIRED TRANSEER
	ANOTHER JOB

iname			Job Litle
Date of Injury			
	A.M.	_	A M.
Data First Danguard to Sun	Hour P.M.		P M
Date First Reported to Sup	pervisor	Name of Supervisor	
Exact Location of Accident		1	IAME OF AGENCY OR ORGANI, ALIGH
Name of Witnesses (Lost T			
Describe Accident (What	was injured doing; what objects,	machines or material were invo	olved)
		**************************************	
		Charles & B. 141 - APP AND Man of Charles Have an expension of the Charles Cha	
		AMERICANS AND	
5			
Regular Days Off	Worki	J -	N.M. A.M. P.M. to P.M.
Employe's Signature		Ω	Date
BODY PART I	NJURED	NATURE OF	INJURY
	INGER		POISON OAK
TO FACE		• • • • • • • • • • • • • • • • • • • •	OTHER DERMATITIS
LEYE K		***	HEAT INJURY
	NKLE		COLD INJURY
[] BACK [] FO			CCCUPATIONAL ILLNESS LOSS OF CONSCIOUSNESS
	OTHER		OTHER
[] HAND		[] BURN	OTHER
	SUPERVISOR'S INVES	STIGATION OF CAUSE	
UNSAFE ACTS			CONDITIONS
OPERATING WITHOUT AUTHORITY		[] IMPROPERLY GUARDED	HAZARDOUS WORK PROCEDURE
FAILURE TO WARN OTHERS	DANGEROUS EQUIPMENT	EQUIPMENT OR MACHINE  [] DEFECTIVE TOOL OR EQUIPMENT	TO ARRESTING OFFICER CORPEC
OPERATING OR WORKING AT UNSAFE SPEED	( ) DISTRACTING, TEASING OR STARTLING	[ ] POOR HOUSEKEEPING [ ] IMPROPER LIGHTING	TION OFFICER, ETC  [ ] HAZARDOUS WEATHER OR
MAKING SAFETY DEVICES	FAILURE TO USE PERSONAL PROTECTIVE DEVICES	[] IMPROPER VENTILATION	ENVIRONMENT
NOPERATIVE	FAILURE TO OBSERVE SAFETY	(Dust, Fumes, Etc.)  [] UNSAFE DESIGN OR	[] CONTACT WITH POISONOUS PLANTS, INSECTS, TOXIC
FAILURE TO SECURE OBJECTS USING UNSAFE EQUIPMENT OR	REGULATIONS	CONSTRUCTION  SLIPPERY OR OTHER UNSAFE	CHEMICALS, SKIN IRRITATITIS. BITES, ETC.
EQUIPMENT UNSAFELY	LACK OF TRAINING OR KNOWLEDGE	SURFACE	ACCIDENT WAS BEYOND CON
UNSAFE LOADING, MIXING, CARRYING	PREVENTATIVE VEHICLE ACCIDENT	[] INADEQUATE WARNING SYSTEMS	(Struck by uncontrolled vehicle
TAKING UNSAFE POSITION OR	SLIPS AND FALLS	ARRANGEMENT	trapped by fire, trapped by land slide, etc.)
POSTURE	[T] OTHER	[ ] HAZARDOUS DRESS OR APPAREL	OTHER
	C	0	OVER



REASONS FOR UNSAFE ACT (Lack of knowledge-disregard for ru	ies, etc.)
• REASONS FOR UNSAFE CONDITION (No funds—not aware of condit	
WHAT PRACTICAL CORRECTIVE ACTION WILL BE TAKEN BY SUPER	
SUPERVISOR'S SIGNATURE	
MANAGEMENT REVIEW SIGNATURE	DATE
NOTICE	

### ERIC

# ANNUAL ACCIDENT SUMMARY

FROM		. 0		AGITICY MONTH IG. A MAN 1- 1. ACP. ED THIS MONT	SCRY ED THIS MONT
	W Da, Year	Monte	Du, fear		
	7420	THIS YEAP	LASI YEAR		
-	Man Hours Worked			ICCATION MANALAMINI PEVIEW SIGNATURE	
2	Lumber of Lost Workday Injuries	:			The state of the s
က	Number of Working Days Lost			BODY PART AND INJURY ANALYSIS	
4	Number of Fataintes			3	
ż	NATIONAL STATISTICAL RATES			OCCUPATIONAL RATE THOUGH THOUG	01HEI 01HEI 01HEI
		a 231 S.H.	(AST YEAR	7:05.05.11	
5	OSHA Incidence Rate			LALENATION FOR THE FULL TURE	
9	Fre spency Rate			51048	
7	Sales Sales A.			14 ACTURE	
a				C PEIG'S BOOK	.
)			:	11800	
				AWO Facility	
		THIS TEAR	LAST YEAR	14fp (4Pp.411115	
				+841 (4) 10R1	-
6	The Medical & Compensation Costs			r ., to 14,308 r	
				०० च्याच्यात्रासम्बद्ध	
				200 of Consol Justice	-

## FORMULAS FOR NATIONAL RATES

ajH.

 TOTALS

\* FREQUETCO RATE = No of tox Love legans + 150 000

\* SEVERITY RATE & N. PROMETON + 1600 000

**2**5

OSHA INGIDENCE RATE TO IT Reported and the second of SCHOOL

### NOTE

ONLY THISE TUBBLES DETERMINED TO BE OCCUPATIONAL SHOULD BE ENTERED IN COLUMNS 2.

THROUGH BIRE OF THE FACT THE SAIT AND THE WORKMEN'S COMPENSATION BOARD ACCEPTS.

A CLAME BIBLE OF THEM, THEFT NATIONAL RECORDING VATERIA.

COLUMN, 9 FELETS TOTAL COSTS AND INCLUDES ALL CASS RECARDLESS OF MALCHAL BADGEY RECORDING CLANDARGS IN SICKLAFFORS HIM TO CAIN URLACENCY MALCHAR FOR CLAMEN SATION INSURANCE ALTHE ACT OF

ACCIDENT TREND CONTROL & STATISTICAL REPORT

	SUMMARY		
	:	H. W. W	FLAR TO DATE
10 to			
			Pa FO
1 · · · · · · · · · · · · · · · · · · ·			ge RM
3. 13.3 ° 43.3 51° 43.1 °.			3 PA
			10
TOTAL NO OF VEHICLE ACCIDENTS:			1
TOTAL NO OF PREVENTABLE VEHICLE ACCIDENTS			

LOST WORK DAY CASES INVOLVING UNSAFF ACTIONS OF	NG UNSAFE ACTIONS OF	EMBIOVEEC				
	THIS MONTH LAST MONTH		LOSI WORK DAY CASES INVOLVING	UNSAFE	CONDITIONS/ENVIRONMENT	NVIRONMEN:
OPERATING WITHOUT AU HORITY— Using Tools or Equipment Without Permission Using Danger Tagged Equipment, Etc.	TOWN TO THE PARTY OF THE PARTY	TERR TO DATE		THIS MONTH	LAST MONTH	FEAR TO DATE
FAILURE TO WARN OTHERS— Failure to Use Warning Signs, to Rope Off an Area, to Signal, Etc.			OR MACHINE			
OPERATING OR WORKING AT UNSAFE SPEED— Driving Vehicle Too Fast, Running Down Stairs, Throwing Material, Operating Equipment Too Fast, Etc.			DE THYE TOOL OR EQUIPMENT		. !	! :
MAKING SAFETY DEVICES INOPERATIVE— Removing a Machine Guard, Removing a Safety Device or Disconnecting Same, Etc.			PCOR HOUSEKEEPING			
FAILURE TO SECURE OBJECTS— Failure to Tie Down Objects Against Unexpected Movement, Etc.	· · · · · •		IMPROPER LIGHTING			
USING UNSAFE EQUIPMENT OR EQUIPMENT UNSAFELY— Using Defective Tools, Driving with Bad Brakes, Using the Wrong Tool for a Job, Etc.			IMPROPER VENTILATION (Dust. Fumes, Etc.)		1	!
UNSAFE LOADING, MIXING, CARRYING— Overloading a Hoist, Mixing Wrong Chic ricals, Carrying Objects That Are Too Heavy, Etc			UNSAFE DESIGN OR CONSTRUCTION			
TAKING UNSAFE POSITION OR POSTURE— Lifting In-properly, Standing Near Floor Opening, Standing on Unstable Load, Ex			SLIPPER + OR OTHER UNSAFE SURFACE			
WORKING ON MOVING OR DANGEROUS  EQUIPMENT—  Repairing Machinery with Exposed Running Gears. Repairing Vessels under Pressure.  Jumping Off Moving Vehicle	· · · <del>· -</del> · · · · · · · · · · · · · · · · · ·		INADEGUATE WARNING SYSTEMS HAZARDOUS STORAGE OR ARRANGEMENT	············	·	
DISTRACTING, TEASING OR STARTLING— Engaging: Horseplay or Involved in Dangerous Practical Jokes, Etc.			HAZARDOUS DRESS OR APPAREL	·- ··· •		
FAILURE 10 USE PERSONAL  PROTECTIVE DEVICES  Failure to Wear Eye Protection, Hard Hats, Gloves, Seat Belts or Other Safety Equipment, Etc.			HAZARDOUS WORK PROCEDURES			26
FAILURE TO OBSERVE SAFETY REGULATIONS— Disregard of Rules, Disregard for Authorit, Failure to Ol. erve Instructions, Etc.	-		ING OFFICER CORRECTION OFFICER ETC			
Injured Did Not Know of Danger, finited to Receive Safety Instructions or Training, Etc.	-		HAZAREOUS WEATHER OR ENVIRONMENT	:		
PREVENTATIVE VEHICLE ACCIDENT.  Speeding Peckless Driving, Distegarding Flagmen, Tailgating, Backing into Objects, Failure to Signal, Moving Violation, Etc.			CONTACT WITH POSSONOUS PLANTS INSECTS TOXIC CHEMICALS, SKIN TRRITANTS, BUTECE ETC.		~.,	
SLIPS AND FALLS			REVESTIGATION REVEALS THAT ACCIDENT WAS			
OTHER OTHER		i	PED BY FIRE TRAPPED BY LAND SLIDE ETC.			,
OTHER						<b>(3</b>



### UNSAFE CONDITION REPORT

Page 25 JTEM NO. 1 2 3 4 5 6 7 8 9 AGENCY Assigned Condition Description and Date Exact Date Itei Responsibility Complete Location Reported Estimated Cost No. 1 2 3 27 10

[tem	Notes Follow-up Dates and Progress Report	· · · · · · · · · · · · · · · · · · ·	
No.			
1			
2			
r			
3			
4			
			· · · · · · · · · · · · · · · · · · ·
5			
t e			
,			
	28		

### STATE OF OREGON WORKER'S AND EMPLOYER'S REPORT OF OCCUPATIONAL **INJURY OR DISEASE**



CLAIM No.	Page 27
SUBJECT DATE	FORM 801
EMP. OCC.	
CLASS	
DEFAULT DATE	
EMPLOYER'S	
S. SOCIAL SECUR	ITY NUMBER DO NOT

			State Accident Insurance Fund				CLASS				
WCB EMPLOYER NO.			SAIF Building Salem Oregon 97312				DEFAULT DATE EMPLOYER'S ACCOUNT NO.				
		Salem Oreg		UII							
	1. PINST NAME, MIDOLE INITIAL, LAST NAME		٤.	TELUPHONE	), AGE	4, SEX	S. SOCIAL SEC	IRITY NUMBER	DO NO WRIT		
	S. STREET AND NUMBER			7. PLACE OF INJURY OR EXPOSURE TO DISEASE (STREET, CITY)					COLUM		
	8. CITY STATE ZIP CODE		00K 9.	2. FULL NAME AND ADDRESS OF ATTENDING PHYSICIAN							
	10. COUNTY IN WHICH INJURY 11. ON EMPLOYER'S 12. HOSPITALIZED AS			13. NAME AND ADDRESS OF HOSPITAL							
2	OCCURRED PREMISES	. 1							į		
۲٥	14. NATURE OF INJURY OR DISEASE AND PA			OR EXPOSED TO	D. F. F. 7				-		
ž	BODY APPECTED	ar or inches	00 INJO D .	OA EXPOSED 15					İ		
D I	LC#T L RIGHT								_		
ž u									ĺ		
110											
ž	16. NAMES OF WITNESSES										
ž											
χ Σ	17. LATE AND NOUR OF INJURY OR EXPOSUR	E 18. WORK! 2'S SIG!	NATURE					IV. DATE SIGNED			
3	IV DISEASE	AM PM									
	20. EMPLOYER	Z1. ADDRESS	<u> </u>			ZIP COC	· a	Z. TELEPHONE	+		
CKNOW.	21. DATE EMPLOYER 34. NATURE OF	BUSINESS (MFG. SHOES.	THE CHARGE		Doofee	05 EMB	07 # # # 5 6 11 17 17	WHERE IN HIER OR SV.	-		
x 0x	FIRST KNEW OF INJURY HAULING, RE	ETAIL GROCERY, LTC.)	, INDERING F	OF HIRE. LOG	POSURE D	CCURRE	D IF DIFFEREN	FROM EMPLOYER'S			
, ŏ											
2 2	26. WONKER'S OCCUPATION	27. D4	PARTMENT (	SEE 05HA-P-100)		28. HC	OM FONG WITH H	RESENT EMPLOYER?	1		
C M t						į					
Σij	29. NAMES OF OTHER WORKERS INJURED IN ACCIDENT. (IF NONE, WRITE NONE)	THIS 30. SIGNATURE DE	AUTHORIZE	D EMPLOYER REP	RESEN- 1	1. TITLE		32. DATE SIGNED			
					-				ļ		
2 >	AL. (A) ACCUPTED	(D) DISABLING	) (EID oc	CUPATIONAL DIS				7	Ç -		
INSURENUSE ONE Y	CLAIM ( / ITT - manuar	(E) NONDISABLING	1 —			DATE			INSURER		
2 4	(c) Described	, ,—	, ,						- 2 m		
	14. IF THE ACCIDENT WAS CAUSED BY ANYO	NE BESIDES WORKER, G	IVE NAME AN	O ADDRESS	[]5	WAS ACC	OI, NT CAUSEO	R'S REPRI SENTATIVE BY FAILURE OF A MACH			
						INE OR P	RODUCT?	_			
								YES   NO	-		
	36, WHAT WAS THE WORKER DDING WHEN INJ HOW DID THE ACCIDENT DCCUR? (GIVE O	ETAILS)				[ ]	IF THE NONP	LPPROPRIATE BOX(S) ATAL INJURY OR DIAG- PATIONAL ILLNESS			
							RESULTED IN				
							(A)   LOSS 0	F CONSCIOUSNESS			
							(D) AESTRI	CTION OF WORK OR			
MOTION  (C) TRANSPER TO ANOTHER											
ž							(D) TERMIN				
ž											
5	16. NAMES AND ADDRESSES OF WITNESSES										
i									[		
<b>∢</b> 2		IS, WHAT MACHINE, SUBSTANCE, OR DEJECT WAS MOST CLOSELY CONNECTED WITH 40. IF MECHANICAL APPARATUS - WHAT PART OF IT?									
3	INJURY OR EXPOSURE?										
ž «	41, WERE MECHANICAL GUARDS 42. DID W	DRKER RETURN TO HIS/H	1ER 43.	PATALITY?	44. TIME WO	PKER LE	PT WORK	S. DATE RETURNED TO	4		
a A	OR OTHER SAFEGUARDS PRO- NEXT-	SCHEDULED SHIFT AFTE	THE				AM PM	WDRK			
L .	UYES UND)	0 ves 0		1	DATE /	/_	HOUR	1 1	4		
i.	46. HOW MANY DAYS PER WEEK DOES WORKE	P WORK!	WDRKING SH	AM		AM 44.	NAME SCHEDU	LED DAYS OFP			
2	FROM PM 4D PM							1			
6	49. ODES WORKER RECEIVE TIPS?  YES AMOUNT REPORTED TO	50. IF FARM WORK WAS	. LT	151. WAGE (INCLE	JOING BOAR	O AND F	оому		-		
X	NO EMPLOYER PER WEEK \$	SEASONAL PE	SEASONAL PERMANENT \$		☐ HR. ☐ DAY ☐ WK. ☐ MO.			□ мо.			
•		WHAT CLASS COOR OF Y			IN WHICH STATE WAS WORKER 55. IN WHICH STATE(5) WAS HIRED?			CEN STATE(S) WAS			
	\$										
	54. DID INJURY HAPPEN DURING COURSE DP	ST. IS INJURED WORKER	A CORPORA	TION . 58. 15 E	APLOYER AP	·	L		1		
	EMPLOYMENT?	OFFICER, PARTNER	, SDLE PROPR	иктоя?	DIVIOUAL	_	Eusuis	PPORATION - OTHER			
İ	SP. IF YOU DOUBT VALIDITY OF CLAIM STATE				MPLOYER'S			SI. DATE SIGNED	1		
		•		1							
								0 / / /	-		
1	WORKER. COMPLETE	LINES 1 THRU 19	).				2	$\vartheta$			

COMPLETE BALANCE OF THIS REPORT EXCEPT LINE 33.

RECORDKEEPING REQUIREMENTS Under the Occupational Safety and Health Act of 1970.

This booklet contains new recordkeeping forms which must be used to record work related injuries and illnesses which occur on or after January 1, 1975. It also contains current information about recordkeeping responsibilities under the Occupational Safety and Health Act of 1970. It replaces a booklet which was issued in 1971.

U.S. Department of Pabor coupational Safety and Health Administration Washington, D.C. 20212

LAB-441

Order from the U.S.Department of Labor, Bureau of Labor Statistics, Washington, D.C. 20212



DEPT.OF HEW

INSTITUTE OF EDUCATION

DATEFILMED

