

## DOCUMENT RESUME

ED 133 175

88

SE 021 731

AUTHOR Elkins, Gail  
 TITLE Life on Guam: Geology.  
 INSTITUTION Guam Dept. of Education, Agana.  
 SPONS AGENCY Bureau of Elementary and Secondary Education  
 (DHEW/OE), Washington, D.C.  
 PUB DATE 76  
 NOTE 63p.; For related documents, see SE 021 730-733;  
 Contains occasional light type

EDRS PRICE MF-\$0.83 HC-\$3.50 Plus Postage.  
 DESCRIPTORS \*Earth Science; \*Geology; \*Instructional Materials;  
 Natural Resources; \*Secondary Education; \*Secondary  
 School Science; \*Units of Study (Subject Fields)  
 IDENTIFIERS Elementary Secondary Education Act Title III; ESEA  
 Title III; Guam

## ABSTRACT

This unit is part of a series of materials produced by a project to develop locally applicable class, lab, and field materials in ecology and social studies for Guam junior and senior high schools. While the materials were designed for Guam, they can be adapted to other localities. This unit is designed to acquaint the students with the geology of Guam. Sections in the book include: (1) rocks, (2) how Guam was formed, (3) weathering and erosion, (4) earthquakes, (5) soil, and (6) water. Both background materials and activities are included. (RH)

\*\*\*\*\*  
 \* Documents acquired by ERIC include many informal unpublished \*  
 \* materials not available from other sources. ERIC makes every effort \*  
 \* to obtain the best copy available. Nevertheless, items of marginal \*  
 \* reproducibility are often encountered and this affects the quality \*  
 \* of the microfiche and hardcopy reproductions ERIC makes available \*  
 \* via the ERIC Document Reproduction Service (EDRS). EDRS is not \*  
 \* responsible for the quality of the original document. Reproductions \*  
 \* supplied by EDRS are the best that can be made from the original. \*  
 \*\*\*\*\*

ED13331.75

# Life On Guam Geology

U. S. DEPARTMENT OF HEALTH,  
EDUCATION & WELFARE  
NATIONAL INSTITUTE OF  
EDUCATION


THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL NATIONAL INSTITUTE OF EDUCATION POSITION OR POLICY.

by Gail Elkins

art Lita Payne

SF 021 731

2



Geologic Map of Guam  
 (After C. J. Huxel, U. S. Geological Survey Office, Guam)

# Life On Guam

...a project to produce locally applicable class, lab, and field materials in ecology and social studies for Guam junior and senior high schools. This project is funded by a grant under ESEA Title III, U. S. Office of Education - Department of Health, Education and Welfare—whose position, policy, or endorsement is not necessarily reflected by the content herein.

"...to ultimately graduate citizens who are knowledgeable and conscientious about environmental concerns of Guam and the rest of the World."

The other units of this project and their authors:

Beach Strand	Margie Cushing Falanruw
Coral Reef	Lu Eldredge Richard Randall Hal Strom, Jr.
Farm and Garden	Philip H. Moore
Freshwater	Lynn Raulerson
Human Impact	M. C. Falanruw
Limestone Forest	Larry Behrens
Mangrove Swamp	Gaylord Diaz
Savanna-Old Fields- Roadsides	M. C. Falanruw
Schoolyards	Maggie Flores Jeff Shafer

Prepared with the assistance of Jane Grobins (design),  
C. J. Huxel and Richard Randall (geology),  
and the Learning Resources Center.

Junior/Senior Pilot Edition - 1976

Project Director: Dave Hotaling  
Secretary: Bertha Tanaka  
Consultants' Office - Department of Education - Guam

# Table of Contents

<b>I. Introduction</b>	<b>1</b>
<b>II. Rocks</b>	<b>3</b>
<b>III. How Guam Was Formed</b>	<b>9</b>
Volcano---Igneous---South Coral---Limestone---North Nips and Other Features Faulting Bays	
<b>IV. Weathering and Erosion</b>	<b>18</b>
<b>V. Earthquakes</b>	<b>23</b>
Causes Richter Scale	
<b>Earth Time Chart</b>	<b>26</b>
<b>VI. Soil</b>	<b>28</b>
How it Forms and Analysis	
<b>VII. Water, Water, Everywhere....     Everywhere?</b>	<b>33</b>
Where Water Comes From Reservoirs- Types	
<b>Appendix</b>	<b>47</b>
Going Around Guam Schoolyard Geology References Suggested Materials Epilogue	

# I. Introduction

If you're interested in things like volcanoes and earthquakes, this unit is for you. But that's just part of it. We're also going to look at some of our nonrenewable resources—those that can't reproduce themselves. Can you name some of these? Did you ever hear of a "baby" rock? No? Neither did anybody else. Rocks, then, are nonrenewable resources, at least over a short period of time, like several million years! So are minerals, soil, and water. Once you get into it you'll find out that there's a lot of interesting stuff to geology!

For example, did you know that Guam sits next to two submarine volcanoes, and has several earthquakes every day? That can be shocking news! There's a big push now to increase farming here, so we'll check out the soil situation.

Enough of the giveaways; read on and find out what else is in store for you!

One helpful thing you could do is to go on a rock-examining field trip, with the class, your parents, or other friends (See Field Trip description in the Appendix at end of book).

Remember, Life On Guam is a new program. Do all you can to make it work; if you've got complaints or suggestions, give them to your manager (the teacher). This is your program; your opinions are valuable!

## What's Going to Happen


Most of the time, completing the activities and contributing in the class discussion of the topic are all you will be asked to do. These activities are listed below:

1. Rock identification
2. Mineral and rock definition and analysis
3. Soil analysis
4. Plants' use of water—experiment

Obviously each one of the activities involves several parts. But if you know what you're doing, and you do it carefully, this should be very simple for you.

In addition, there are several other things you will know when you have finished this unit. These are:

1. How to use a hand lens.
2. How to use acid in rock analysis.
3. The two major types of rock found on Guam.
4. The Principle of Uniformitarianism.
5. Why there's so much limestone in northern Guam and so much igneous rock in the south.
6. How Cocos Island probably formed.
7. How weathering affects rocks, the Earth's surface, and buildings.
8. Some ways to combat weathering.
9. The causes of earthquakes and why earthquakes occur in certain areas.
10. What the Richter scale is.
11. What can be done to minimize earthquake destruction.
12. How soil forms and why different soils have different qualities.
13. About the different types of reservoirs (aquifers) on Guam.
14. The path a drop of water takes through the water cycle.
15. Why over-pumping and water pollution are important environmental concerns.



## II. Rocks

Rocks are the first nonrenewable resource we'll investigate. But first let's introduce some vocabulary so we can intelligently discuss this area. What is rock; what is a mineral? What do the words igneous, sedimentary, and metamorphic mean?

For your first exercise, you will have samples of minerals and rocks. Right now it's not important to know their names, but rather just be able to tell the differences between them.

### EXERCISE 1 - Rock or Mineral?

Materials: 1 tray of several different minerals.  
1 tray of several different types of rock.  
1 hand lens or magnifying glass for each person or group.

Hold the hand lens up to your eye and bring the sample up to it.



hand lens



Figure 1. The right way to use a hand lens.



Make sure each member of your group examines each one of the samples. Use your hand lens so you can see the samples in greater detail.

In groups of three or four examine each one of the minerals and rocks. In your notebook make a chart like the one below and record the general characteristics of each specimen.

Table 1-1

<i>Characteristics</i>	
<i>Mineral.</i>	<i>Rock</i>
<i>(for example: Seems to be made of one kind of material only.)</i>	

Now, as a group, write down the characteristics that you see are common to minerals, and those common to rocks. After all the groups have finished, discuss your findings in class. Come up with definitions for minerals and rocks. Check your definitions with a dictionary or encyclopedia. How was your definition the same as the book one; how was it different? If you were careful and observant, they should have been very close!

Now, what about igneous, sedimentary, and metamorphic? Probably most of you are familiar with the terms but may need a refresher course. If possible, a movie or filmstrip should be enough to stimulate those brain cells. If your teacher hasn't already made plans to show a film or filmstrip, ask him/her to try to get one for you. (Please - no popcorn!!)

If you got your way, the next exercise—identifying igneous, sedimentary, and metamorphic rocks—should be easy. For those of you who didn't get to see the film a quick trip to the library should refresh your memory. Otherwise, see page 8.

## EXERCISE 2. The Three Kinds of Rock

Materials: 1 tray of igneous rocks (including basalt).  
 1 tray of sedimentary rocks (including limestone).  
 1 tray of metamorphic rocks (including marble).  
 1 hand lens/student or group.  
 1 nail/group. (no rusty ones)  
 Dilute (10%) hydrochloric acid (HCl) with eye dropper.  
 (Water with eye dropper.)

Read carefully before beginning the lab!

Again, for this exercise, get into groups of three or four. Carefully examine each of the rocks in your trays. Use your hand lens and discuss your observations with the group.

This time we're going to look for 5 different characteristics:

1) Texture: The size, shape, and arrangement of the rock's particles. For our purposes, we will describe the texture as either interlocking or non-interlocking. Obviously these are general terms, but will help us in determining the origin of the rock. Interlocking means that the particles seem to be regularly arranged and fit together like a jigsaw puzzle as in most igneous and metamorphic rocks. Non-interlocking means randomly arranged particles that seem to be separated by a "cement" as in most sedimentary rocks.




Figure 2. Rock textures (highly magnified).

2) Fossils: the remains or imprints of plants or animals. Fossils occur primarily in sedimentary rocks but can be found, although usually distorted, in metamorphic rocks. They are rarely found in igneous rocks (except for some on Guam!).

3) Bubbling reaction: IMPORTANT: Your teacher will demonstrate how to do this test! He/she will caution you on the use of acids. Also, do this test only once for each sample. You can take turns doing the test, but each rock should be tested only once. This is because once the sample is exposed to acid, that sample is contaminated and may not produce the same results when tested again.

NOTE: Before using any acid be sure you have running water and paper towels immediately available. If you get acid on yourself or clothes rinse well with running water immediately and tell your teacher.

To get a fresh surface, scrape the rock with the point of the nail a couple of times. (This should remove any weathered surface. (Be careful, nails are very hard and sharp!) With a dropper, place 2 or 3 drops of acid on the freshly scraped surface. If the acid bubbles, the sample contains carbonate material. In most cases that means that the rock is sedimentary (limestone), or metamorphic (marble). Rinse the acid off the sample when you have completed the test.

4) Porosity: the amount of space between the particles of rock. This can be tested by putting several drops of water on each sample (make sure the sample is dry). If the rock soaks up a lot of the water, it has high porosity. This is usually the case with sedimentary rocks. If the water does not soak in, the sample has a low porosity as do metamorphic and most igneous rocks.

5) Hardness: the breaking strength of a rock. This will tell us how strong the rock is and thus how easy (or difficult) it is to break down. Geologists refer to sedimentary rocks as soft, while igneous and metamorphic are hard rocks. To do this test scratch the nail on each rock. If the sample flakes or wears away easily it is soft. If it is difficult to scratch particles away then the rock is hard.

Now you can begin the exercise. Follow each procedure carefully. If any of the samples does not "follow the rules", put it aside and record on a sheet of paper what is unusual about it. At the end of the exercise, discuss these exceptions with the class and see if they agree with you! What conditions might cause these exceptions? Are there any questions on the procedure you just read?

Okay, that was a "dry run", working with rocks already known to exhibit specific characteristics. Now we're going to do a little research. Let's see what types of rocks are found on Guam. We already know that we can tell a lot about the origin of a rock just by knowing if it's igneous, sedimentary or metamorphic. So it seems likely that we should be able to tell a lot about how the island formed by examining characteristics of the rocks. Now let's get out the samples of Guam rocks (along with the map showing where they were picked up) and analyze them.

EXERCISE 3. Guam Rocks

For this exercise also, get into groups of three or four. Follow the same procedure you used in identifying igneous, sedimentary, and metamorphic rocks. That is, determine texture, fossil content, bubbling reaction, porosity and hardness of rocks found on Guam. (You should have already numbered each rock and its corresponding location on the map.) Make a chart in your notebook like the one below and record characteristics of your samples. The last column labeled "Rock Type" is your conclusion as to what type of rock it is: igneous, sedimentary, or metamorphic. Questions? Okay, go to it.

Table 3-1

Characteristics of Rock Types						
Sample	Texture	Fossils	Chemical Reaction	Porosity	Hardness	Rock Type
1.	non-interlocking	+	+	high	soft	sedimentary
2.	interlocking	-	-	low	hard	Igneous
3.	interlocking	-	+	low	hard	metamorphic (marble)


Once you've completed the chart, record on your map the type of rock you found at each location. Now compare your maps with others in the class. Are they the same? Should they be? Now, as a class, make up one map that shows the sampling sites and types of rocks you found. What do you notice generally about the types of rocks and where they are found? From these data, what can you conclude about the origin of the Island?

Very briefly, here are the three kinds of rock:

Igneous (like ignite - ignition - fire)  
- formed by heat.

Sedimentary (=settled) - carried downslope by flowing water, and dropped where the current leveled out and slowed down.

Metamorphic (meta=after, morph=shape)  
- formed by either of the above two ways then changed by further pressure or heat or both.



### III. How Guam Was Formed

Can you figure out what happened here on Guam before there was some one around to record the details of its origin? (The Island was formed maybe 70 million years ago. See the Geologic Time Scale. People first arrived here about 2,000 B.C.) Geologists are often faced with this problem and use one basic idea, called the Principle of Uniformitarianism, to solve it. That principle, simply stated, is "The present is the key to the past"—James Hutton, an early geologist, developed the theory. He reasoned that the processes that are occurring now in both the formation and evolution of the Earth are the ones that operated on Earth during past time. So simply by observing how the Earth is changing today, we can assume it changed in the same way since its formation. Since this is a logical assumption, geologists have depended on it and supported their theories by it.

#### Volcano—Igneous—South

Can we use this Principle of Uniformitarianism for 'discovering' Guam? Since we've already found that some igneous rocks were formed by volcanoes, we might learn about Guam's volcanoes by studying ones that are presently erupting elsewhere, such as those in Hawaii. It will be helpful for you to read about volcanoes in general.

From your own knowledge and outside research, discuss some general characteristics you would look for and find out exactly where an early Guam volcano was located.




Figure 3. Generalized diagram of a volcano.

The U.S. Geological Survey was curious about the origin of the Island and sent a team of experts here to find out the facts.

Briefly, this is what they found: Guam is indeed partly volcanic. But the volcano we were looking for on the Island is out at sea. As a matter of fact, there were two volcanoes. The first one to erupt was northwest of Guam. The other, which erupted millions of years later, was southwest. As each one collapsed, minor cones developed nearby. Today Guam is the only part of the whole mass still above water. The two sets of diagrams below show the geologic development of the area.

## THE FORMATION AND COLLAPSE OF THE TWO VOLCANOES




Figure 4. Development of Guam (After Tracey).

The map below shows the Island today, the two huge collapsed volcanoes, the two small submerged cones, and some faults and fault zones.




Figure 3. Map of Guam and vicinity.



### Coral—Limestone—North

Now that we know the origin and sources of Guam's igneous rocks, what about the sedimentary rocks we discovered? This sedimentary rock is limestone. If 'the present is the key to the past', knowing how limestone forms today will help us know how it formed ages ago. Simply put, certain animals—especially corals—and some "seaweeds"—stony algae—build skeletons of limestone under water. The skeletons all become attached together. Spaces in between them get plugged up with more skeletons. A nearly solid mass of long-lasting limestone is thus formed.

Take a walk on the reef and give a good look at the stationary animals and plants growing there. Read the section on reef-building in the Coral Reef unit in this series, Life On Guam. Try your library for other materials.

From information you gather, you should come to much the same conclusion as geologists from the geological survey. But there is one perplexing question. Since coral limestone is always formed under water, how can we have limestone as much as 200 m above sea level (as at Ritidian Point)? Discuss this question in your class.

### Nips and Other Features

Where water meets a cliff over a period of time, waves wear away the rock. Certain organisms, for instance boring algae, limpets and chitons also wear away the rock in this splash zone. You can see this happening today on both sides of the Island at sea level. If you look up at the face of some of our cliffs you can see several "nips" where the rock has been worn away. These nips indicate former higher sea levels. If you are a scuba diver you can find at least three more nips in the submarine cliffs surrounding Guam. At some places more prominent features such as sea level benches and terraces are cut into the rocky shorelines.




Figure 6. Nips at Puntan Dos Amantes

## Faulting

Our geologists found many faults (no pun intended!) running through the Island as well as near it. These geologic faults are caused by crack stress, that is rocks forced against each other by subterranean (underground) pressures. When the rock can no longer stand the strain, it usually breaks. This causes shock waves which we call earthquakes. Sometimes the stress is not very great and the rocks will return to their normal position when the pressure is reduced. This is called elastic rebound. Sometimes, however, the stress is so great the rock is violently moved some distance. This is how the limestone was raised above water. (Faults can also be horizontal.)

Look again at Figure 5 to see some of Guam's faults. Notice particularly the Adelup fault that almost cuts the Island in half and indeed separates north from south. South of this fault zone there is primarily igneous rock, and to the north, mostly limestone. (Maybe the location of the fault explains this, or this explains the location of the fault?)

Ever wonder how the small islands off Guam were formed? Let's take a quick look at two of them. The second largest off-shore island (after Cabras) is Cocos. Any of you who have been there know how flat it is—being partly a true coral cay, a 'low island'. Cocos is about 1800 m long and 250 m wide. It is the remains of millions of reef animals and plants. These died in the water and were broken down by storm waves into finer and finer particles. Water currents collected the tiny pieces together in an eddy (a place where currents curl around and slow down). Here they eventually were piled high enough to break the surface and finally, deep enough to support land plants. (How could these plants get to Cocos Island?) The seaward side of Cocos has a low band of solution and sculptured limestone along its length.



Figure 7. Cocos Island.

Guam has two barrier reefs—Cocos; and Luminao (near Glass Breakwater). Most of the rest are fringing reefs. (Again refer to the Coral Reef unit in this Life On Guam series.)

Another island, Fakpe (or Facpi), not as well known, has a different story. It is one of several limestone islets (little islands) along the west coast. Fakpe Point is steep-sloped volcanic mountain land. The islet above sea level is the solid remains of former reef, but its base and the flat platform between it and the Point are mostly basalt (volcanic).




Figure 8. Fakpe Point and Island.

A volcanic dike sticks up through the present platform. It forced its way upward millions of years back, where it cooled and solidified. It has resisted erosion more than the basaltic platform around it. At some places Recent reef deposits have formed thin patches on the basaltic platform.

## Bays

The shoreline around the southern half of Guam is dented in at major river mouths, forming bays of various sizes and shapes. Along this coast most bays were formed by ridge-and-valley patterns of erosion along the steep volcanic slopes. The sea has simply flooded the river valleys which extend farther inland than the ridges as shown in Figure 9.




Figure 9. Southern ridges, valleys, and bays.

There are no rivers on the northern half of the Island but there are a few large bays, for instance at Tumon and at the mouth of the Pago River. These bays contain very wide reef flats and are much shallower than those in southern Guam. The origin of the northern bays is much more complex and harder to figure out. Geologic evidence suggests that Tumon and Pago Bays formed when large pieces of the shoreline slumped downward in the past (Figure 10). These lowered sections of shoreline could provide the shallow sea platforms necessary for fringing reef development (See the unit, The Coral Reef.)

Slumping has occurred elsewhere on Guam, on a large scale (Figure 11) and on a much smaller scale—ever notice those many bare spots on the southern hills? Many of those are slumps.





Figure 10. Slumping (showing how Pago and Tumon Bays could have formed).

Now that we know generally about the formation of different parts of the Island, how does this affect us? Why are these inanimate (not living) rocks considered a resource? To answer this question take a look around your schoolyard, and your home. Make a list of all the things you see that are made from rocks, either in the natural state, or as part of another product. Rocks can be broken down and mixed with other ingredients to make products like bricks and concrete. Try to indicate all these in your list. You should find quite a few things.

We already know that rocks are a limited resource. They don't reproduce themselves, except over long periods of time by reef formation, and through even longer periods of time by rock cycling. For this reason it's important that we use this resource wisely. To do this we have to know how rocks are affected by different elements, we must work at making them last, and we must recycle the products when they finally do break down or wear out.

Mom, Where did I come from?

Why, son, you're a chip off the old block!



## IV. Weathering and Erosion

Without the "help" of man, rocks, minerals and other natural materials are exposed to the attack of waves, rain, wind and other forces of nature. The breaking down of materials is called weathering. Carrying them away is called erosion.

Let's see how Guam's surface is being weathered and eroded.



Figure 11. Diagrammatic long section through Guam.

Notice that the rock in the north—the limestone—is flat (called a plateau) and dips gently toward central Guam. In contrast to this, the igneous areas of the south are much hillier. (Watch out! This is a generalization—limestone can be hilly, too!) It seems likely that the difference is a result of the different rock types, but why? Do you have any ideas?

Remember when you did the porosity and hardness tests on those Guam rocks? Recall your results? You probably found that the limestone soaked up more water, while the igneous rocks were harder than the limestone. These two factors combine to produce the two distinct land forms: the flat plateau in the north and the hills in the south. This is what happens: Rain water soaks into the limestone. That's why there aren't any major streams in the north. In the south the water soaks in; but slowly, and most has to run off, forming the many, many streams in that end of the Island. At the same time, the igneous rocks resist weathering and erosion. But eventually nature has her way and the continuous flow of water in the streams begins to break down even these strong rocks.

These diagrams show a sequence of how southern Guam may have looked in the past and what it may look like in the future.




Figure 12. Erosion of the Earth's surface.



### The Two Basic Processes

There are two basic types of weathering and erosion: physical and chemical.

Physical (mechanical) weathering and erosion is the breaking down of materials by cracking, chipping, and abrasion. Ice, wind, water and gravity are the primary agents responsible. Since natural ice isn't found in the tropics, we'll pass it by. The other agents, however, are actively at work on the Island. Wind blows particles of rock against each other causing chipping and abrasion. Water carries bits of sand and other rock materials as it makes its way downhill to sea level. The particles rub against each other causing abrasion. And gravity is that invisible force always acting on us here at the surface. When rock particles are loosened, gravity will naturally carry them downhill causing them to hit and rub other rocks on the way down.





Figure 13. Three tropical erosional processes.

Chemical activity, on the other hand, refers to the breaking down of materials by chemical reaction, thereby forming a new substance. Rusting, tarnishing, and dissolving by weak acids are the most common types of chemical weathering. Rusting (oxidation) is very common on Guam and attacks many materials, particularly those containing iron. To show how the rusting process works, leave an iron nail outside for a week. What happens to it?

In another chemical process called carbonation, carbon dioxide ( $\text{CO}_2$ ) in the atmosphere combines with water ( $\text{H}_2\text{O}$ ) to form a weak carbonic acid ( $\text{H}_2\text{CO}_3$ ). This acid continually works at breaking down the rock materials of the Earth.



Now that you've got an idea how weathering and erosion work, let's see what they've done around your schoolyard.

*Weathering and/or Erosion:*

<i>Material Being Affected</i>	<i>Process</i>	<i>Weathering or Erosion</i>	<i>Physical or Chemical</i>
<i>Metal railing</i>	<i>Rusting (oxidation)</i>	<i>Weathering</i>	<i>Chemical</i>

Spend about an hour going around the schoolyard observing weathering and erosional processes. Record your observations on a chart like the one above.

When you have finished answer these questions in your notebook:

- 1) What were the most common weathering/erosion processes you found evidence of?
- 2) What is man doing to prevent this decay?
- 3) What else could he do to "control" these processes?

## V. Earthquakes

Seismology: The study of earthquakes

Guam is about 100 km from the seismically active Mariana Trench, where, further along, the deepest spot in the ocean occurs. Earthquake zones are not yet fully understood, and it's a little hard for seismologists to say why earthquakes occur more often in some places than in others. But just as the science of geology is new and constantly changing, so is this one of its branches. We increasingly learn that this great planet of ours is not as settled as we sometimes think. There is a new theory, closely related to continental drift, that says the Earth is divided into structural "plates" that float around on a soft layer beneath.




Figure 14. Plates of the Earth's crust.


Modern day geologists accept this theory of plate tectonics as being the best explanation of Earth's structure. Read more about it in National Geographic, Scientific American or an up-to-date encyclopedia.

### Causes of Earthquakes

According to this theory Guam is on the edge of a very small plate which includes all of the Philippine Sea. Because we're floating freely, we keep bumping into the gigantic Pacific Ocean plate, or it keeps bumping into us. This bumping and pushing causes lots of stress. Eventually the rocks can't take the pressure anymore and they snap, and that causes the earthquakes.

### Richter Scale

Probably since the very early days of man earthquakes perplexed and frightened him. Here the guy settles himself in a nice cozy cave with his family. He even has furnished it in Early Caveman. Everything goes okay until that earthquake comes and destroys the "house". His home is ruined, and he has to find another place to settle. Even that early man undoubtedly wished he knew how to stop earthquakes from happening, or at least to predict them. Well, don't tell a seismologist this, but we still haven't been able to do either of these—stop or predict earthquakes to any great extent—although research is working in both areas. Instead, we've had to be satisfied with recording earthquakes and placing a "degree of destruction value" on them. There are lots of scales used to measure earthquakes. The best known and one of the most widely accepted was devised in 1935 by American seismologist Charles F. Richter. It's based on how strong the shock waves are at the source.



The scale goes from 0 to 10. Each number on the scale represents about ten times more energy than the number below it. To give you an idea of magnitude in terms you can relate to, let's give you some examples. Quakes with a magnitude of 2 or below are not felt by people but are recorded on a seismograph. Quakes of 3 or 4 can be felt, but generally don't do more than shake the dishes a little. Those that register 5 on the scale seem to shake everything, but generally don't do any damage. Those of 6 and greater, however, cause structural damage to buildings.

Records from the Guam (seismological) Observatory at Potts Junction will give you an idea of the earthquakes we have. There are several shocks recorded here every day, about two a month strong enough to be felt, and about three per year that are between 5 and 6 on the scale. Occasionally we have ones that register greater than 6.

The Guam earthquake of November 1, 1975, measured 6.3 on the Richter scale. The center of this earthquake was less than 30 km northwest of the Island and 110 km deep. This was our first "6 or better" shock since the 6.0 one of September 16, 1970. The San Francisco earthquake of 1906 measured 7.8. 10 is only theoretically possible; 8.9 is the highest number ever recorded.

There are several ways we can minimize the effect of quakes. List some in your notebooks. By learning from other people's mistakes, we can be ready if a large earthquake does occur.

As an extra project, you and your class as a whole may want to set up a seismograph and record earthquakes on your own. Seismographs are relatively easy to make. (The first one came about by accident—a group of German scientists measuring tidal effects noticed that their instrument was acting erratically...recording something other than tides. After a while they realized they'd been recording earthquakes!) If you don't have one at your school, just look in a science project book to learn how to build one!





Figure 14. A seismogram ("shake-picture") of an earthquake. The trace moves from left to right.

# Earth Time


## EARTH'S 5 BILLION YEARS

This planet was born in the first second of the year and


### A R C H E O Z O I C



ONE BILLION YEARS = 2.5 MONTHS



100,000,000 YEARS = 7.5 DAYS



1,000,000 YEARS = 1.8 HOURS

### Final Minute of the (RECENT)



1,000 YEARS = 6 SECONDS  
100 YEARS = 0.6 SECOND

Egypt flourishes  
M


Since the start of the Industrial Revolution we have used up ab

Supervised by D. H. H. with assistance from W. K. K. and G. G. Simpson, among others

# Chart

## ON A SCALE OF ONE YEAR

It is now the stroke of midnight on December 31st.



half of Earth's fossil fuels and many other resources.



## VI. Soil

### How It Forms

Some call it dirt, others call it soil. Whatever it's called, it's made up of some things that might surprise you. And it's a very important part of ecology!

In this section we will investigate the different types of soils found on Guam, and relate them to plant growth and land use.

Using your own words, describe soil. Give as complete a description as possible, but limit your writing time to five minutes (unless otherwise instructed by your teacher).

Now divide yourselves into groups of 3 or 4. Predict what things you would expect to find in the first few inches of soil. List your predictions on a sheet of paper and report them to the class. (Expected time: 20 minutes.) The next paragraphs will give you a basic introduction to soil. See how close your predictions were.

Soil is vital to all plants, and plants are vital to all animals, including man. Plants supply us animals with food and oxygen and are a basic part of the all-important food web. Have you thanked a green plant today? Without soil, plants could not flourish. So let's look at it a little closer. Where does soil come from?




Figure 16. Stages in the formation of soil.

### Origin of Soil

Those same processes of weathering and erosion which attack buildings also cause mountains to become molehills. Chemical and physical weathering and erosion gradually (it takes a very long time) break down rock into the fine particles we call soil. It makes sense then that soil is made up of the same ingredients as the "parent rock" it came from.

### Soil Analysis

Loam is soil made of sand, silt, and clay. It's good for growing plants but to be ideal it should also contain humus (decaying organic matter). Organic matter provides food for plants. It also holds more water than plain mineral soil can, another benefit to plants. The more water the earth can absorb, the less chance of puddling or flooding.

Soil gets its color from the materials making it up. For instance, humus makes soil dark. Humus is generally less abundant the nearer you get to the Equator, so tropic soils generally are higher in minerals and lighter colored than other soils. (Local exceptions can always be found.) Red to yellowish soil indicates iron oxide. Name some areas on Guam with different color soils. What color is the earth at your home or ranch? What's in your soil?

Another important aspect of soil is its pH—acidity or alkalinity. The pH scale runs from 1 to 14. A substance with a pH of 7 is exactly neutral. Anything below 7 is acidic, above 7—alkaline (also called basic). Most plants grow best when the pH is between 5.5 & 6.9.

Here are some terms to be used next:

Litter - identifiable dead things on surface.

Duff - partially decomposed organic matter - compacted (pressed together).

Humus - almost completely decomposed non-identifiable organic matter.

Subsoil - the material immediately beneath the humus.

Let's put this information to good use by analyzing some soils on Guam.

### Exercise 5. Schoolyard Soil

Materials: Hand lens - for identifying small objects.  
 Hammer - for pounding stakes.  
 Trowel - for digging.  
 Notebook and pencil.  
 Meter stick (or other ruler).  
 Stakes.  
 Crayon or marker to label stakes.

Procedure: In the area you and your group have selected or been assigned, stake out a plot 1 m square. Label the stakes—you'll return here later. Dig up the top 8 cm or so at one spot and examine it carefully. Use the hand lens. Make a table like the one below in your notebook. Record your observations. Repeat the digging, examining, and recording at several places within the plot.

Table 5-1

<i>Schoolyard Soil</i>				
	<i>Vertical Part</i>	<i>Feel</i>	<i>Odor</i>	<i>Plant &amp; Animal Parts, Other observations</i>
<i>First Dig</i>	<i>Litter</i>			
	<i>Duff</i>			
	<i>Humus</i>			
	<i>Subsoil</i>			
<i>Second, etc.</i>				

Later: Questions for discussion:

1. What did you find?
2. How do you think these things affect the soil?
3. What are reasons for odors in the soil?

Here are some more soil characteristics which we can look into: Profile, color, texture, structure and pH.

Soil Profile - Soil layers are horizontal and are called horizons. They occur where the soil changes in color, appearance, and content. Generally there are 3 major horizons, A—Topsoil, B—Subsoil, and C—Parent Materials.

Increase the depth of one of your sample holes to at least 15 cm. Measure and record the depth of each major layer. Draw your group's soil profile in your notebook and alongside it a soil profile from your home or ranch. Make sure you measure the depths accurately and make a scale—for example, 1 cm = 3 cm (1 cm of your drawing equals 3 cm of the soil) so your drawing will be in proportion.

Color - Describe and record the color of each major layer.

Texture - How does the soil feel to you? Since this is sometimes rather difficult at first, your teacher may have samples of sand, silt, and clay for you to examine. You determine the texture by feel. You'll have to push and rub the moistened sample between your thumb and fingers. If your sample needs moistening, spit on it. Use the following terms as a guideline:

<u>COMPOSITION</u>		<u>TEXTURE</u>
Sand	—	Gritty
Silt	—	Smooth & slick, not sticky
Clay	—	Smooth, plastic, very sticky

Structure - How is the soil put together? Take a trowel full of soil from each layer and examine its structure carefully. Is it in columns, or blocks, or plates or grains?

pH (acidity/alkalinity) - The degree of acidity or alkalinity greatly affects how plants will grow. Lime is often added to soils that are too "acid". Why? Predict what you think the soil will be - acidic or basic. To measure pH of soil you need to use a specially prepared pH kit. Your teacher will show you how to use the kit and you should practice with it before analyzing your sample. Be careful not to compact the sample. It must be loose...also apply just enough pH reagent to saturate the soil sample - not drown it.

In temperate climates soil temperature varies with the seasons and is a limiting factor in the growth of crops. Discuss soil temperature and its effect here on Guam

Table 6-1 Some Characteristics of Guam Soils

Parent Material	Volcanic	Mixed volcanic and limestone (In valleys streams and swamps)	Limestone
pH	Acid		Alkaline
Consistency	Thick	Heavy clay	Thin clay
Color	Red, gray, purple with streaks of blue or green	Black	Reddish
Drainage	Poor		Good

## VII. Water, Water, Everywhere.. ...Everywhere?

What do you think is the Earth's most valuable resource—gold, silver, diamonds? No, it's water! Surprised or don't you agree? How can water, which covers about 70% of the Earth's surface, be so valuable? Discuss this in your class.

Unbound water has not combined with elements or compounds, and so is usable as ordinary everyday water. Bound water has combined with something else, such as minerals: the water molecules bind together with other elements to produce a particular compound. For example, the mineral, calcium sulfate, is made of one part calcium, one part sulfur and 4 parts oxygen ( $\text{CaSO}_4$ ). But this mineral "likes" water ( $\text{H}_2\text{O}$ ) and attaches not one, but two water molecules to itself. The formula is  $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$ , and the mineral is now called gypsum. Gypsum doesn't give away its water molecules, so in effect that water is bound to the minerals in the crust and cannot be used as water. (Even though gypsum is partly water, it's not wet!)

Thank goodness we don't have too many minerals that crave water!

### Where Water Comes From.

We all know that we need water and get it from the faucet at home. Except for pondering on a few reports of polluted drinking water, we don't tend to think much about where our water comes from or where it goes. However, we use water for more than just drinking, and get it from other sources besides the tap. Fruit, for instance, is an excellent storehouse of water. But for the time being we'll talk just about tap water. We all wash everyday, and wash our clothes at least once a week. What if there were no water for washing dishes! Can you think of other ways we use water? What about other animals and plants? Are their needs the same as ours? If not, how do theirs differ? Let the class as a whole make a list of the ways water is used by both plants and animals, and divide the list into two categories, 1) absolutely necessary, and 2) not so vital, like the examples below. Make the list as long as you can.

Table 7-1.

<i>Water Use</i>	<i>Essential</i>	<i>Non-essential</i>
1. Car radiator	✓	
2. water pistol		✓
3.		

Which column has more checkmarks? Did you have any trouble deciding between 'essential' and 'non-essential'? Most likely you've produced a short list of essentials, only a few of them relating to plants. Right? Since you are not a plant, it may be hard for you to know just what a plant needs. Let's do a little experimenting on a plant's water needs and then maybe we'll better be able to tell just how important water is to plants. We hope you already know how important it is to us!

#### Exercise 7-1. Plants' Use of Water

Materials: 3 cardboard milk containers, any size  
 gravel (small amount for each container.)  
 soil  
 3 potted plants, as nearly identical  
 as possible.  
 1 nail

Total time: approximately 2 weeks.

- 1) Cut the milk containers to 5 cm high.
- 2) With nail, punch holes in bottom for drainage.
- 3) Label one container #1.
- 4) Cover the bottom of each container with gravel.
- 5) Fill the rest of the container to 1 cm from top of soil.
- 6) Place plants in containers and water well. Put at or near a sunny window. Continue to water when it's needed.

After two-three days, begin the main experiment:

Continue to water container #1 regularly  
 Do not water the others.

Observe the plants at least once a day. Keep accurate records of the dates and the observations you make. Use a table like the one below.

Table 7-1-1.

<i>Observations</i>			
<i>Date</i>	<i>Plant #1</i>	<i># 2</i>	<i># 3</i>

When the 2nd or 3rd plant shows the first signs of wilting, label it #2. Now water it too, daily, and record how long it takes to recover.


When plant #3 really sags, begin to water it. Record the day you begin watering it, and its progress. Continue your records for several more days. Discuss the findings in class.

How did plant #1 do?  
 What happened to plant #2?  
 Did plant #3 survive? If so, how long did it take to recover after you started watering it? Let's look at some other aspects of our resource, water, while the experiment is in progress.

Where does our water come from? Where does it go? How is it "tapped" as a resource? Where is our water now? Is all of it usable? If not, how much of it (what percent) is usable?

On this "water planet", where do we find water and in what percentages? Got any guesses? You might be surprised at the answers! The following table shows exactly how all the water in the world is distributed.





Location

Percentage  
of total  
water

Freshwater  
lakes

.009




Salt lakes  
and inland  
seas

.008



Streams and  
rivers

.0001




Icecaps and  
glaciers

2.15




Atmosphere

.001




Oceans

97.2




Soil water

.005



Ground water  
down to 1 km

.31



Deep-lying  
ground water

.31

Table 7-2. Where the World's water is.  
(After U.S. Geological Survey)

From Table 7-2, answer the following questions:

1. a) Which location has the highest percentage of water?  
b) How much is this percent?
2. a) Where is the second most abundant water source?  
b) How much is this percent?
3. What is the combined percentage of the two (1b and 2b)?

The next question will be a toughy: How much of the combined water source (#3) is immediately available for man's use? Talk it out until you're satisfied you've discussed all possibilities. What did you come up with?

Let's start with the largest bodies of water—the oceans, which make up 97.2% of all the unbound water in the world. Except for its use in transportation and in supporting sea life, this water is of little direct use for humans, simply because it's too salty. You usually don't wash either your clothes or your body in it, and you certainly can't use it for drinking. (Marine engines do use it in their cooling systems.)

Icecaps and glaciers, the next largest storehouses of water, make up 2.15% of the total water supply. But they again are not a valuable source of water for human use. Although they are made up of freshwater, they are too far away from population centers to be of immediate value to anyone but Eskimos.

That leaves only 0.65% for us to share with land plants and animals. With such a small amount of water remaining for us organisms, how come we didn't run out long ago?

### Reservoirs—Types

This brings us to another very important question: Where do we get our water from—the water that we use every day and which comes out of our faucets?—(except during really dry spells when some people don't have any water coming out of their faucets!).




Figure 17.  
Tracing a water

To find out where water comes from let's follow the path of a drop of water back through the faucet to the place where it came from.

As you've probably already guessed, we get most of our water from "trapping" the rain that falls on the ground.

Various methods of trapping exist and we use several, even on this small Pacific Island. After the water is trapped, it must be pumped up and treated before it reaches your faucet.

Let's take a closer look at each of the steps in the process.

Remember when you talked about porosity in rocks and soils?

Now we're going to talk about it again. Just to refresh your memory let's do a little experiment.


Exercise 7-2.

Select a piece of limestone (sedimentary rock)

and a piece of basalt (igneous rock). Make sure they are dry to begin with.

Place drops of water on each of the samples in the amounts indicated in the table on the next page. Make such a table in your notebook and record your results.

(Remember, we're checking porosity.)



drop back to its "source".

Table 7-3

<i>Trial</i>	<i>Drops of water</i>	<i>Porosity</i> <i>Igneous</i>	<i>Sedimentary</i>
1	2		
2	4		
3	6		
4	8		

From this experiment write a conclusion about what happens to the rainfall we receive on Guam. (Don't forget that the north end is mostly limestone, and the south end is mostly volcanic with some limestone). Can you tell why this has led to the absence of streams in the north and an abundance of streams in the south? Look at the map below showing drainage patterns on Guam.




Figure 18. Drainage pattern map.

Discuss your conclusions with the class. Many different explanations may come up; through your discussions, you can modify them to arrive at some possible answers.

You may be able to visit some of the various water resource facilities on the Island. The U. S. Geological Survey office near Naval Station gate, the University Marine Lab, and the Environmental Protection Agency would be good places to contact for further information and field activities.

On Guam we have two types of reservoirs, both serving extremely important functions. Before discussing these two different kinds of reservoirs let's backtrack a little. Basically, rain falling on land either soaks into the ground and is called ground water as in northern Guam, or it does not soak into the earth but stays on the surface. Some evaporates or is given off by plants in the process called transpiration. Some flows in streams. This second type of water is called surface water or runoff. Because of the low porosity of the volcanic rock in southern Guam much of the rainfall there runs off to form the extensive stream system shown on the drainage pattern map.

Since most rainwater on the southern end of the Island would ordinarily run off in streams to the sea, we must trap it in order to make it useful here. Fena Lake, the largest reservoir on the land surface, traps water from stream runoff and ground water which forms natural springs. These natural springs are classified as "high level" water because they are found above sea level. Simple enough. "But" you ask, "how can there be ground water on the volcanic end of the Island?" Well, water does penetrate some into volcanic rock, but not nearly so much as it does into limestone. Look at the map inside front cover. Notice that in several southern areas, particularly the east and central sections, considerable limestone is present. Do you get the picture? Any ideas now on where this ground water comes from?

Much water runs off volcanic rock, but most soaks into limestone. The limestone sits on top of the volcanic rock. See the next illustration.

Rainwater seeps through the limestone until it reaches the less porous volcanic rock, thus forming the natural springs. Here's what it looks like in cross section, the arrows marking the flow of water:




Figure 19. Surface reservoir.

That's where the southern end gets most of its water, but what about the north? Where does the water in the limestone go, and how do we get it out? The answer to the first part of the question: Into the water supply referred to as basal water because it is at sea level. This freshwater reservoir or aquifer (=water-bearer) is called a lens and floats on the seawater which is also contained in the rocks. Look at the diagram below:




Figure 20. Cross section through lens.  
(After Guam Environmental Protection Agency)

Freshwater can float on seawater because it is less dense than the salt water. The area where the two meet and mix is called the transition zone. To retrieve the freshwater, a well is drilled into the lens, and the freshwater is pumped out.

In a nutshell, that's how we get our water. All the water we use comes from these resources. If we want plenty of water for now and for the future there are several things we must consider. One of the most important "natural laws" about water supply is this:

Availability of water determines the ultimate population capacity of a region.

Isn't this the reason deserts are sparsely populated? On the basis of its available water, what would Guam's population capacity be?





Figure 21. Where water is and isn't.




This is a question which planners are very seriously considering right now.


Let's investigate the following problem about water capabilities: At the present time, we know, we continually draw water from wells and reservoirs. What factor limits the amount of water that is available? The amount of freshwater we can get back, right? Right. Let's look at the only three possibilities here:



- 1) Water comes into the aquifer at the same rate it is pumped out.



- 2) Water is pumped out faster than it comes in.



- 3) Water comes in faster than it is pumped out.

Figure 22. The three recharge possibilities.  
(After Visher and Mink)

Under continuous recharge conditions (Figure 22-1) the transition zone is very clear, with very little mixing of freshwater and saltwater. In Figure 22-2 (no recharge), the transition zone moves upward as the saltwater takes the place of the freshwater which has been removed. Notice that there is quite a lot of mixing of the freshwater and saltwater. In Figure 22-3 (increasing recharge) the lens gets thicker as more freshwater pushes on the salt water, again causing mixing. Discuss our population capacity as it might relate to each of these causes.

So far we've concerned ourselves with conditions which might allow seawater to be pumped into the domestic water supply. That would be a disaster, and wouldn't you be surprised to get a drink of salt water out of your faucet? It could happen!

There are other factors besides salty water which concern hydrologists (people who study water supplies). Here on Guam and on the Mainland a growing concern is pollution. Uncontrolled urbanization (housing development) here would probably add the danger of pollution from improperly treated and mismanaged sewage.

We've already met some water problems, and as the population increases we're going to have to face others.

From what you know, what do you think some of the major problems are going to be? How are we going to avoid overtaking our reservoirs? If you have answers to these questions, you just might become our next governor!

Now, getting back to where our water comes from, let's review for a minute. Some rain soaks into the ground and becomes part of the aquifer. The rest evaporates, or transpires, ending up either at sea or at our high level reservoir, Fena Lake.

The water that is trapped for our use is pumped through a water purification plant and eventually to our homes or other buildings.

From there, what happens to the water going down the drain? It has to go somewhere, "Into the ground, I suppose"? That's partly right, it goes

into the ground or into the ocean. So our earlier question comes back to us: "Why don't we run out of water?" Have you figured out the answer yet? Actually, it's pretty simple, but it's something we really depend on. We've seen that rainwater seeps into the ground, or evaporates, or transpires, or runs off into lakes and seas. This runoff water in turn is evaporated into the atmosphere, where it condenses to form rain-producing clouds. This common, necessary, and all-important process is called the water cycle, and is illustrated below.




Figure 23. The water cycle.

# Appendix

# 47

## Going Around Guam

We're going to take a theoretical and/or actual geology fieldtrip around the south end of the Island, starting at the Paseo. You should have at least some of these materials:

- Road map of Guam
- Hammer
- 10-12 small plastic bags (for rock samples)
- Labels
- Notebook and pencil
- Magnetic compass (optional)
- Test tube and stopper, 2-3 per team, for silt.



Observe and collect samples of rock at different stops. Use the hammer to chip off small pieces from large exposed rocks in such places as quarries, road cuts, shorelines, cliffs, etc. Place each sample in a plastic bag. Number the bag and number the location accurately on your map and/or describe it briefly in your notebook.

Distances between stops will be given in kilometers and miles. For instance, from the Paseo to the first stop it's 2.4 km, 1.5 mi; from there to the Piti sign it's 4.0 km, 2.5 mi.; okay? Your odometer may not agree exactly with ours, but it'll be close enough. (You can start anywhere and go either way!)

0.0 km  
0.0 mi

About 75% of the Paseo is "fill", land that's been built up in shallow water. This was made by dumping tons of boulders, gravel, and metal objects (e.g. old cars and refrigerators) onto the reef. Rocks were placed all around the edge to check erosion by the waves.

2.4 km  
1.5 mi

Parking lot on right (NAPA).

Adelup fault zone "visible" straight south across the road; note flat terrain to left, hilly to the right. It's all limestone or it wouldn't be covered with tangantangan.

How many rivers (streams) have we crossed so far? Keep count. This is an area of volcanic and limestone all mixed up. The openings the road goes through are natural (Adelup, Asan).

4.0 km  
2.5 mi

Sign: Entering/Leaving Piti.

Turn around and look at the huge chunk of rock which has slumped away from the cliff. What kind of rock is that?

Maybe somebody can fill a test tube with silt from the bay. How do you suppose that silt collected there, smothering the reef?

1.6 km  
1.0 mi

If you turn right at Piti power plant you can drive out along Glass breakwater. (It's not glass, it was named for the U. S. Navy captain who captured Guam from the Spanish in 1898.) Inner Apra Harbor is nearly surrounded by fill.

2.4 km  
1.5 mi

Volcanic rocks with scattered deposits of limestone near the warehouse.

4.0 km

2.5 mi

1.1 km

0.7 mi

Along here is the oldest volcanic formation on Guam.

Agat turnoff.

The little ridge across from Camp Roxas is limestone.

5.1 km

3.2 mi

Agat Junior High turnoff.

At the school, climb on the rock formation at the outside corner of the fence. The dark rock is volcanic—how did those light chunks of limestone get embedded in it?

Inside the fence walk around behind the school. A lot of different kinds of volcanic rocks here have limestone fragments embedded in them.

1.0 km

0.6 mi

3.4 km

2.1 mi

Back onto Marine Drive.

Nimitz Beach.

Look at the offshore limestone islets:

Anae is to the west, slightly left.

Fakpe is southwest, far left.

Left is the mouth of Taleyfac River and its natural channel through the reef between you and Anae. To the right, another channel. Landward is the Alifan-Lamlam ridge with its limestone cap. (Some of the trees visible from the pavilion—monkeypod (Samanea saman), dokdok (wild breadfruit, Artocarpus mariannensis), gagu (ironwood, Casuarina equisetifolia), niyok (coconut, Cocos spp.) kamachile (Pithecellobium dulce), and on the road side of the parking lot is seagrape (Coccoloba uvifera)).

0.5 km

0.3 mi

River and old Spanish bridge.

0.3 km

0.2 mi

Start climbing.

That's Mt. Lamlam directly ahead. A little farther on you can see a place where water falls over the cliff when it's rainy. (It's easier to see when driving north on this road.)

5.1 km

3.2 mi

Cetti Bay overlook.

This is a fine viewpoint for bays, Cocos Island and Lagoon, and Fakpe Point. The black hunk of rock you see just to the right of the bay is pillow lava. This is a kind of lava believed to have erupted or flowed under water and which hardened to resemble a mass of pillows.

0.3 km  
0.2 mi

Cracks in the road show where mass movement has occurred. This stretch is a road builder's nightmare—volcanic rock weathers into several kinds of clay which expand when wet and shrink when dry.

0.6 km  
0.4 mi

A beautiful place to study mass slumping. Do you notice any evidence of fires?

3.2 km  
2.0 mi

I Lalahita Park.

Go out to the edge. Almost all you can see is volcanic. The three mountains, left to right, are Bolanos (east), Sasalaguan (far), and Schroeder (southeast). The Umatac river, and its tributary right below you, are in a little flood plain they've made themselves. South, in the way of Cocos Island, is a mesita (little table) of soil very different from what you're standing on—it's much more acid than its surroundings. Note the chunks of pink limestone in the park wall. Do you know where pink limestone occurs naturally on Guam?

2.4 km  
1.5 mi  
0.5 km  
0.3 mi

Umatac River.

Overlook turnoff - Fort Soledad.

Umatac Bay is fringed by narrow reef platforms. At places slightly deeper terraces are visible. The black volcanic boulders probably rolled down from the slope below you. Go out to the point. From here you can see surge channels cutting into the reef.

(Limestone grew around volcanic rock.) To the left are two black volcanic points that have been cut down nearly to sea level.

1.3 km  
0.8 mi

"Cocos Overlook" - Cocos Island (see p. 13) is built on the outer part of a barrier reef.

0.5 km  
0.3 mi

Toguan River - You'll cross about 20 streams in the next 16 kilometers (10 miles).

4.5 km  
2.8 mi

Geus River.

Alluvium is material which is first carried downstream by water and then dropped as the slope flattens out and the water slows down and fans out. For 3 km after crossing the Geus River the road lies on alluvial terraces except for one small limestone patch just before the river at Achang Bay.

For 2 km after that there is beach sand on the sea side and alluvium on the land side of the road.

1.6 km  
1.0 mi

Achang Bay (opposite Quinene Road)

Here begins the widest fringing reef on Guam and it's another good place to see what fill looks like up close. (Note the jetties built out into the bay.) The road leaves the water for a km or so, then goes right along the shore parallel for another km with Guam's widest fringing reef.

6.8 km  
4.2 mi  
2.4 km  
1.5 mi  
1.3 km  
0.8 mi

Guijen Rock

Bear Rock - limestone.

Inarajan Pool.

It's volcanic with limestone on top. Stand at the edge of the pool facing the sea. The smoothly rounded rocks on the shore to the immediate right are volcanic. Turn west (right) and walk along the water's edge 50 m to the first tiny "bay" interrupting your way. The small massive shrub which seems to grow right out of the rock is nigas (Pemphis acidula). It's growing on limestone which is on top of volcanic.

1.0 km  
0.6 mi  
0.3 km  
0.2 mi

Inarajan River.

Inarajan Junior High turnoff.

At the school you get a magnificent view of the southern savanna. This is the actual flank of the massive southwest volcano which collapsed long ago (see pp 9-11). This is rock formed by being ejected and deposited under water. That's Mt. Sasalaguan to the west. Look across the valley north at the different colors of exposed rock. You can see the results of much weathering and erosion.

0.0 km  
0.0 mi

Back to the bottom of the hill. From here to Pago Bay the road runs through limestone almost all the way. See if you can notice the exceptions— (they are volcanic and alluvium).

1.1 km  
0.7 mi  
3.9 km  
2.4 mi  
3.2 km  
2.0 mi

Pauliluc River.

Limestone borrow pit on right—it's fossil reef.

Talofofu Park.

Stop at the first turnoff. Solid limestone—no soil. Look at the shoreline to the right. Wave action alone does not wear away the rock like that (see p.12). The overhang on the right is the result of a lot of erosion by dissolving. Walls of Talofofu Bay are limestone.



0.5 km  
0.3 mi  
4.2 km  
2.6 mi  
0.6 km  
0.4 mi  
3.7 km  
2.3 mi  
4.8 km  
3.0 mi

The Talofofu River is cutting away on one side and depositing on the other.

Ypan Beach.

Togcha River.

Ylig River.

Pago Bay overlook.

We conclude with a stop at Pago Bay overlook. Note the natural channel and the wide reef on both sides of it. The river mouth is to the extreme left of the bay. Across the bay the reef flat disappears about in front of the Marine Lab.

Although you may not be aware of it you're standing on one end of the Adelup fault zone. (We looked at the other end of it earlier.)

Note Barrigada Hill, a very prominent feature to the northeast. It's probably a former reef bank which stood out as an Island during much of the formation of the Marianas.

### Schoolyard Geology

Here's a brief look, north to south, at several sites some of you may be interested in:

Simon Sanchez Jr. High - This school is sitting on the limestone plateau. As in most of the Guam school areas, man has bulldozed, graded, taken out trees, put in gravel, and planted grass. This disturbs the natural geology of the area.


So to get valid soil samples, go out just into the boonies.

If you look carefully, east of Marine Drive, you can see one of the fault zones that run through the Island—it connects with the fault zones that created the cliffs along Marine Drive in East Agana and Tamuning.

Simon Sanchez is the only high school that gets a close view of Mount Santa Rosa—a chunk of igneous surrounded by limestone:

Mount Santa Rosa - North Guam is primarily limestone with some igneous rock exposed.

Mount Santa Rosa is one example of such igneous rock. It is a horst. A horst forms when faults occur on at least two sides of a rock formation and the block in between is thrown up. The diagram below will help to explain this relationship better. Limestone has been deposited around the horst since its upheaval.



Dededo Jr. High - Mt. Barrigada is to the south. From the top of the bleachers and from the second floor you can just see Mount Santa Rosa to the east. West, across the highway (where the road has been built up) are some excellent limestone outcrops (exposed rock). Take a hand lens with you on your trip around the area. Look at the limestone to see if it has any fossils (altered remains of dead plants and animals). Notice the different colors of the soils in the area.

South, along the fence, notice how the rain has eroded the soil. By the bleachers you'll notice that the soil is red, but on top of it in places are darker grains. Pick up some of these and look at them with your hand lens. How do these particles differ from the red soil? Where do you think these particles came from?

Go around the rest of the schoolyard observing the rocks and soil. Discuss the differences that you see. What evidence is there that man has changed the natural geology of the area?

John F. Kennedy High School - Here you can see quite a bit of geology in just a small area. In many places, the soil is thin or non-existent with bare limestone showing. Across the street you should be able to see the Tamuning fault zone (the cliff line behind the Rehab Center). It's connected to the fault zones forming the cliffs along Marine Drive in East Agana and Tamuning.


Barrigada Jr. High - Walk behind the fence in back of the school. This area has been upset by man, but we can still see some natural things. What type of rock are the boulders? Is it the type of rock that's common in northern Guam or southern Guam?

George Washington and Vocational-Technical High Schools - Going on the limestone forest field trip is a must! As you enter the trail, look at the vegetation on the side of the hill. It is almost entirely tangantangan. And at the top of the slope, very conspicuous, is a nunu (fig tree). Do you think it's part of the natural forest? Not far from

the start of the trail is a giant fossil clam, embedded in the ground. The trail winds along on jagged limestone out to the edge of the cliff.

In the front yard of GW is a large sunken area with several things in it, including plants. The rock underneath the plants is limestone. As rain water, which is slightly acidic, soaks into the ground, it dissolves-and-erodes the limestone, faster in some places than others. This creates caves and holes like GW's, the three in the Andersen antenna field a mile from Price School, and the narrow one at Two Lovers' Point. This erosion produces karst topography, named for a famous limestone plateau in Yugoslavia. It's sometimes deceiving, like icebergs—on the surface there may be what looks like a small hole, but beneath a large cave system may have developed. Can you see what problems might develop if this karst topography spreads? Will it spread?

## KARST TOPOGRAPHY



Agueda Johnston Jr. High - Compare the land the school is on with the mountains to the west. Go around the school and check out the soils. Don't pick just one or two spots, look the whole area over. Even go out in the boonies behind the

school (but don't forget to come back!).

Sometime when the weather is dry, examine a patch of ground that's barren (no plants). If the ground has cracks in it, notice that they almost always come together in threes, at  $120^\circ$  angles. Why do you think this is? Now compare this barren area with one that has lush vegetation—is the latter ground cracked?

If you get a chance when it rains, notice the drainage pattern (the way water flows) on the hills in back of the school.

Much of the grading here is artificial. Man has filled in here and taken soil away there in order to level the school ground.

As a short field trip, go down to the Chaot quarry near the school. That area in the valley is very interesting—on both sides of the road. True, quarrying is changing the topography, but it exposes some things that are worth looking at. Compare the earth on both sides of the road. Is dark reddish soil visible on top of the light limestone? Note the contact (the place where the different colors meet). What happens to the soil after it's removed? What happens to the removed limestone?

Agat Jr. High - Along the fence in the back of the school notice how rain has started to cut valleys in the hills. It really floods during a rain. Where do the sediments carried by those newly formed streams go?

The slope of the land greatly increases in this area. What causes this area (like Santa Rita) to be hillier than some of the places where other schools are located? What type of rock do you find here?

Also see the preceding section, Going Around Guam.

Inarajan Jr. High - See the preceding section, Going Around Guam.

References

Betros, H. 1972. Understanding schoolyard ecology. Exposition Press, Inc., Jericho.

Huxel, C. J. 1973. Water resources on a limestone island. Address before South Pacific Commission seminar: Conservation Education.

Intermediate Science Curriculum Study. 1972. Crusty problems. Silver Burdett Co., Morristown.

Minnesota Environmental Sciences Foundation, Inc. 1972. A teacher's preparation for soil. National Wildlife Federation, Washington, D. C.

Skinner, B. J. 1969. Earth resources, Foundations of Earth Science Series. Prentice Hall, Inc., Englewood Cliffs.

Spencer, E. 1972. Basic concepts of physical geology. Thomas Y. Crowell Co., New York.

Stoker, H. S., and S. L. Seager. 1972 Environmental chemistry: air and water pollution. Scott, Foresman and Company.

Tracey, J. I., Jr., S. O. Schlanger, J. T. Stark, D. B. Doan, and H. G. May. 1964. General geology of Guam. U. S. Geological Survey Professional Paper 403-A. Washington, D. C.

U. S. Forest Service. 1973. Teaching materials for environmental education. U. S. Government Printing Office, #0101-0234. Washington, D. C.

Visher, F. N. and J. F. Mink. 1964. Ground water resources in southern Oahu, Hawaii. U. S. Geological Survey Water-Supply Paper 1778. Washington, D. C.

Suggested Materials

Notebook and pencil	Nails
Hand lens or magnifying glass	Eye dropper
Dilute hydrochloric acid (HCl)	Map of Guam
Meter stick (or other ruler)	Hammer
Crayon or marker to label stakes	Trowel
Cardboard milk containers	Stakes
Samples of rocks and minerals	String
Magnetic compass	Gravel
Test tube with stopper for silt	Plastic bags
3 potted plants	

## E P I L O G U E

We've looked at many facets of geology and especially how they apply to Guam. We've seen the importance of minerals, rocks soil and water to life on this planet.

Going through this unit you could have sampled Guam by seeing, hearing, tasting, feeling, digging, smelling, snorkeling, wading, climbing, scratching, breaking ---in short, really getting acquainted with the natural Island. And there's a lot more to it---good luck!