

DOCUMENT RESUME

ED 134 597

TB 005 985

AUTHOR Carpenter, David W.
TITLE An Evaluation of the California Driver Knowledge Test and the University of Michigan Item Pool. Final Report 52.
INSTITUTION California State Dept. of Motor Vehicles, Sacramento.
SPONS AGENCY California State Div. of Highways, Sacramento.; Federal Highway Administration (DOT), Washington, D.C.
REPORT NO CAL-DHV-RSS-75-52
PUB DATE Apr 76
CONTRACT HPR-PR-1 (11) B0156
NOTE 443p.; Not available in hard copy due to marginal legibility of original document


EDRS PRICE MF-\$0.83 Plus Postage. HC Not Available from EDRS.
DESCRIPTORS Certification; *Evaluation; *Item Banks; Predictor Variables; Scores; Statistical Analysis; *Tests; Traffic Accidents; Traffic Control; *Traffic Regulations; *Traffic Safety
IDENTIFIERS California; *Driver Licensing

ABSTRACT

The purpose of this study was to evaluate both the written Department of Motor Vehicles (DMV) driver licensing test, and a large sample of driver knowledge test items selected from the University of Michigan's Highway Safety Research Institute (HSRI) item pool. Test forms were administered to 48,000 California drivers license applicants. The variables analyzed were subject's sex, age, education, annual mileage, and prior six year driving record in relationship to test form and item scores. New test forms were created and were compared to DMV forms. For each test form, the highest test score correlation obtained was with applicant's education, although education had no relationship to accidents or convictions. For all DMV test forms combined, correlations of total scores with driving record variables were all significant, indicating renewal applicants with better prior driving records obtained higher test scores. Original drivers license applicants scored lower than renewal applicants. HSRI items and test forms were more related to applicant's biographical variables than were DMV items and test forms. Forms created with HSRI items from the initial HSRI item pool screening were less related to driving record than DMV forms. Final forms, created with items that were the most accident related, were no more or less related to driving record than DMV forms. A summary is appended. (Author/RC)

Documents acquired by ERIC include many informal unpublished materials not available from other sources. ERIC makes every effort to obtain the best copy available. Nevertheless, items of marginal reproducibility are often encountered and this affects the quality of the microfiche and hardcopy reproductions ERIC makes available via the ERIC Document Reproduction Service (EDRS). ERIC is not responsible for the quality of the original document. Reproductions supplied by EDRS are the best that can be made from

ED134597



U.S. DEPARTMENT OF HEALTH,
EDUCATION & WELFARE
NATIONAL INSTITUTE OF
EDUCATION

THIS DOCUMENT HAS BEEN REPRO-
DUCED EXACTLY AS RECEIVED FROM
THE PERSON OR ORGANIZATION ORIGI-
NATING IT. POINTS OF VIEW OR OPINIONS
STATED DO NOT NECESSARILY REPRESENT OFFICIAL NATIONAL INSTITUTE OF
EDUCATION POSITION OR POLICY

SCOPE OF INTEREST NOTICE

The ERIC Facility has assigned
this document for processing
to:

TJM CE

In our judgement, this document
is also of interest to the clearing-
houses noted to the right. Index-
ing should reflect their special
points of view.

AN EVALUATION OF THE CALIFORNIA DRIVER KNOWLEDGE TEST AND THE UNIVERSITY OF MICHIGAN ITEM POOL

David W. Carpenter
California Department of Motor Vehicles

APRIL 1978

Final Report 52

BEST COPY AVAILABLE

71005 985

Research and Statistics Section
Ronald S. Copley, Chief
Highway Research Report - BD156
NTIS - CAL-DMV-RSS-75-52

State of California
Department of Transportation Agency
Department of Motor Vehicles
Ramon Sitas, Director

In cooperation with the U. S. Department of Transportation, Federal
Highway Administration

1. Report No.	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle An Evaluation of the California Driver Knowledge Test and the University of Michigan Item Pool		5. Report Date October, 1975	6. Performing Organization Code
7. Author(s) Carpenter, D. W.		8. Performing Organization Report No. CAL-DMV-RSS-75-52	
9. Performing Organization Name and Address Department of Motor Vehicles Research and Statistics Section P. O. Box 1828 Sacramento, CA 95809		10. Work Unit No.	11. Contract or Grant No. B0156
12. Sponsoring Agency Name and Address California Division of Highways Sacramento, CA 95807		13. Type of Report and Period Covered Final Report	
15. Supplementary Notes In cooperation with the U. S. Department of Transportation, Federal Highway Administration		14. Sponsoring Agency Code Interagency agreement 13970	
16. Abstract <p>The purpose of this study was to evaluate both the written DMV driver licensing test, and a large sample of driver knowledge test items selected from the University of Michigan's HSRI item pool. Test forms were administered to 48,000 California drivers license applicants. The variables analyzed were subject's sex, age, education, annual mileage, and prior six year driving record in relationship to test form and item scores. New test forms were created and were compared to DMV forms.</p> <p>For each test form, the highest test score correlation obtained was with applicant's education, although education had no relationship to accidents or convictions. For all DMV test forms combined, correlations of total scores with driving record variables were all significant, indicating renewal applicants with better prior driving records obtained higher test scores. Original drivers license applicants scored lower than renewal applicants.</p> <p>HSRI items and test forms were more related to applicant's biographical variables than were DMV items and test forms. Forms created with HSRI items from the initial HSRI item pool screening were less related to driving record than DMV forms. Final forms, created with items that were the most accident related, were no more or less related to driving record than DMV forms.</p>			
17. Key Words Motor vehicle accidents, vehicular traffic control, driver licensing, driver license examination, driver license reexamination.		18. Distribution Statement No restrictions, available to public	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages	22. Price

ACKNOWLEDGMENTS

The major support for this study was provided by the Federal Highway Administration, Contract HPR-PR-1(11) B0156, through Interagency Agreement No. 13970 with the California Department of Transportation, Division of Highways. The study was conducted by the Research & Planning Section under the general direction of Ronald S. Coppin, Chief of Research. Specific project direction and technical supervision were provided by Raymond C. Peck, Senior Research Analyst/Manager, Program Evaluation and Research Unit, and David M. Harrington, Staff Research Analyst.

Acknowledgment and appreciation are extended to the many individuals throughout the Department of Motor Vehicles who supplied assistance in each phase of the project. Thanks are given to Research Analysts, Anthony DeMaio, Dell Dreyer, Edward McConnell, and Michael Ratz for their part in selecting items and for assisting in the data collection and data processing.

Thanks is extended to Harold Hammonds, Chief of the Division of Field Office Operations, and to the members of his staff who assisted in this study. It is often difficult to alter normal operating procedures to accommodate a study of this type. Also appreciated are the contributions of Woodrow Wilson, former Chief of the Division of Drivers Licenses and his staff, and Marjorie Lucy, Chief of the Division of EDP Services and her staff.

The author wishes to thank Carole Jordan, clerical supervisor and her staff for their assistance. Special thanks are due Bonnie Cooley for completing the arduous task of typing the lengthy appendices, report drafts, and final manuscript.

The opinions, findings, and conclusions expressed in this publication are those of the author and not necessarily those of the Federal Highway Administration or the State of California. This report does not constitute a standard, specification or regulation.

TABLE OF CONTENTS

	Page
ABSTRACT.	i
ACKNOWLEDGEMENTS.	ii
LIST OF TABLES.	iv
LIST OF FIGURES	v
LIST OF EXHIBITS.	v
INTRODUCTION.	1
Purpose.	1
Literature Review.	2
METHOD.	19
Pilots 1-5	20
Data Processing.	28
Statistical Techniques	31
RESULTS	31
Subjects	31
DMV Test Form Results.	32
HSRI Test Form Results	39
Item Results	49
DISCUSSION.	52
REFERENCES.	58
APPENDICES.	60
Appendix A - University of Michigan HSRI Item Results.	60
Appendix B - California DMV Item Results	204
Appendix C - Test Form Item Composition for Pilots 1-5	242
Appendix D - An Abstract of an Evaluation of the California Driver Knowledge Test and the University of Michigan Item Pool.....	427

LIST OF TABLES

<u>NUMBER</u>		<u>PAGE</u>
1	Percentage Distribution by Sex, Age, Education, Annual Mileage, Accidents, and Convictions by Pilot.	33
2	Test Characteristics for DMV Forms 1-5 (Renewal applicants)	34
3	Matrix of Correlations Between Biographical Data, Driving Record, and Test Data of DMV Forms 1-5 Combined (Renewal applicants)	35
4	Mean Number Wrong by Accidents and Education (Renewal applicants, DMV Forms 1-5).	36
5	Mean Number Wrong by Age and Sex (Renewal applicants, DMV Forms 1-5).	37
6	Cumulative Percentage of Subjects, Number Wrong by Form (Renewal applicants, DMV Forms 1-5)	39
7	Test Characteristics of HSRI Forms 1-24 (Renewal applicants)	41
8	Mean Test Characteristics of Test Forms with Random or Rater Selected Items (Renewal applicants)	42
9	Mean Driver Record and Biographical Data Correlations with Number Wrong of HSRI Forms 1-24 and DMV Forms 1-5 (Renewal applicants).	43
10	Test Characteristics of HSRI Forms 25-30 (Renewal applicants)	43
11	Mean Driver Record and Biographical Data Correlations with Number Wrong of HSRI Forms 25-27 and 28-30	45
12	Matrix of Correlations Between Biographical Data, Driving Record, and Test Data of Form 26 (Renewal applicants)	45
13	Mean Driver Record and Biographical Data Correlations with Number Wrong of HSRI Forms 25-27 and DMV Forms 1-5 (Renewal applicants).	46
14	Mean Driver Record and Biographical Data Correlations with Number Wrong of HSRI Forms 28-30 and DMV Forms 1-5 (Renewal applicants).	47
15	Test Characteristics of Forms 31-35 (Original applicants)	47

LIST OF TABLES (Continued)

<u>NUMBER</u>		<u>PAGE</u>
16	Test Characteristics of DMV Forms 1-5 (Original applicants)	48
17	Mean Number Wrong of Original and Renewal Applicants (DMV Forms 1-5)	48
18	HSRI Item and Response Distribution by Original Versus Renewal Status (Only those items with difficulty level differences greater than 10 percent).	50

LIST OF FIGURES

<u>NUMBER</u>		<u>PAGE</u>
1	Mean number wrong by education and accidents (Renewal applicants, DMV Forms 1-5).	37
2	Mean number wrong by age and sex (Renewal applicants, DMV Forms 1-5).	38

LIST OF EXHIBITS

<u>NUMBER</u>		<u>PAGE</u>
1	Biographical Data Collection Instrument Used for Pilots 1-5	21
2	Drivers Examination on California Vehicle Code and Safe Driving Practices	25

INTRODUCTION

This section is divided into two parts; first a statement of the purpose of this study, and second a literature review of articles pertaining to driver knowledge testing.

Since 1927 the California Department of Motor Vehicles (DMV) has required that all drivers license applicants pass a written knowledge test of the rules governing motor vehicle operation. This is done to ensure that all licensed California drivers have an acceptable level of knowledge of the laws and regulations in the California Vehicle Code. At present, all California drivers licenses must be periodically renewed, and written testing of driver knowledge is also one part of this license renewal process. All licensed California drivers are thereby kept current in their knowledge of traffic laws and safe driving practices, and are given an opportunity to increase their knowledge of laws and safe driving facts. A summary of the California Vehicle Code, titled "The California Driver's Handbook," is available for all drivers license applicants.

California's current written test of driver knowledge appears to measure knowledge that drivers need to operate a motor vehicle safely. It is a test with face validity. The long range intent of drivers licensing is to grant permission to operate a motor vehicle to those who have the ability to do so safely and in a manner consistent with the state of California's legal codes. This suggests several more purposes a written drivers test might have beyond testing drivers' knowledge of traffic laws and current safe driving practices.

A written test of driver knowledge can serve as an educational experience and constitute a traffic safety treatment. Another possible function of a written test of driver knowledge is for it to be a predictor of future safe driving performance. A written drivers test might also be used to diagnose specific weaknesses and problem areas in driving.

Purpose

This study was conducted to analyze a large sample of the 1,300 test

items in the passenger car item pool created at the University of Michigan's Highway Safety Research Institute (HSRI), as described by Pollock & McDole (1973). A more detailed description of this item pool is presented in the literature review. Unlike DMV items, this HSRI item pool was based on a task analysis and appeared to be a promising source of new accident related content for DMV tests. Data was gathered for DMV tests, both to determine the adequacy of DMV test forms and to provide for comparisons between HSRI and DMV items. It was considered of value to analyze whether test or item scores, and driving record variables were related to several background characteristics of applicants. Sex, age, education, and annual mileage data was collected from all applicants tested.

Following the initial item screening, a smaller set of the "best" items were selected to create final test forms that will be used in a future testing experiment. Complete validation data is presented for all HSRI and DMV items used in this study.

Literature Review

This literature review presents studies that have analyzed procedures and purposes of driver knowledge testing. The first studies presented are those that analyzed the feasibility of waiving written tests for certain California drivers. Next, studies are presented that varied the methods or means of testing to obtain educational benefits. Test validation studies are presented next, and are followed by earlier literature reviews and discussions concerned with written tests of driver knowledge. The last studies presented are those that dealt with the subject matter of driver knowledge tests, and sought to create a more complete body of test items.

Waiving Written Tests

While many states are currently implementing more extensive law testing programs for renewal applicants, California has sought to analyze the need for extensive driver knowledge testing for the general driving public. The following studies analyzed the feasibility of waiving the written knowledge tests, or of waiving the complete renewal process.

The feasibility of waiving the written test for drivers license renewal

applicants was examined in two experiments (California DMV, 1971). The first experiment was limited to 15,000 renewal applicants whose DMV driving record was free of both accidents and convictions during the three preceding years. Records of all traffic accidents involving over \$200 damage, and legal convictions for non-parking California Vehicle Code violations were on file at DMV. Two months prior to the expiration of their current drivers licenses, one of the experimental groups was sent letters congratulating them on their good driving records. It informed them that their written test would be waived upon presentation of this letter. A control group was not contacted at all, and renewed their licenses normally. No statistically significant differences were noted between the six months subsequent driving records of the experimental and control groups. Because the waiver program was more costly, no change was recommended in the testing procedures.

The second experiment was conducted with 5,700 renewal applicants not selected by prior driving record. Renewal applicants were randomly assigned to either an experimental group who had their written tests waived, or to a control group that took written tests as usual. The random assignment was made when the applicants appeared at a DMV field office, with assignment made to the experimental or control group on the basis of the last digit of the drivers license number. There were no statistically significant differences between the groups in accident record in the six months following the experiment. One limitation of the study was that applicants came prepared to take a written knowledge test. The recommendation made was to keep the written test, because it motivates periodic study of the California Driver's Handbook and, therefore, might have some benefit that was not measured by the experiment.

Another study has more fully analyzed the reward value of waiving the complete renewal process under certain conditions for certain driver classifications (California DMV, 1974). The experiment was conducted in two parts; the Reward Program and the Incentive Program. The Reward Program was conducted with 25,000 drivers who had no convictions or accidents during the previous year. A letter was sent to drivers selected for participation in the Reward Program, notifying them that a 12 month license extension would be issued as a reward for their clean record accomplishment. They were also told that a

second one year extension would be granted for another one year clean record. The results indicated no reliable influence on subsequent traffic convictions, and various detrimental effects on subsequent accidents compared to uncontacted controls.

The Incentive Program was conducted with 25,000 drivers having one or more prior driving record entries during the prior year. These drivers were sent a letter describing their eligibility for a 12 month license extension which would be granted provided their records remained free of accidents and convictions over the subsequent year. The results of this Incentive Program indicated no significant effects on subsequent convictions, but various beneficial effects on subsequent accidents compared to controls. Incentive Program effects were further influenced by the drivers' age and sex. Both Incentive and Reward Program effects were influenced by subjects' prior driving record. The good driver population was not deemed to be a viable candidate for the Reward Program, but positive Incentive Program effects found on accidents were thought to have important implications for the design of future driver improvement programs.

In short, no definitive statements can be made about benefits to safe driving from testing the driving knowledge of licensed drivers. The evidence from the preceding studies suggests that drivers with clean driving records may have their written licensing tests waived with no negative consequences. But, waiving the entire renewal process as a safe driving reward did have negative consequences on subsequent accidents.

Open Book or Home Completion Written Tests

The driver knowledge testing process can have as a goal, both testing of driver knowledge and providing for an educational experience. The following studies compared different testing methods, including open versus closed book and home versus DMV field office completion of driver knowledge tests, to determine if there were educational benefits.

In 1968 the California DMV conducted an Open-Book Testing Program. The idea behind the program was that the written knowledge examination could be used as a means of teaching drivers, as well as testing them. The method

used was to permit all drivers license applicants to refer to their copy of the California Driver's Handbook when they did not know the answer to a question. Fifty questions were asked, and all had to be answered correctly for a passing credit on the examination. Applicants missing five or fewer questions were permitted one opportunity to correct these during that test trial. A total of 24,000 drivers were tested, but there was no subsequent evaluation of any educational benefits derived from the program. Several operational problems were encountered because of the fact that to receive passing credit, all questions had to be answered correctly. Applicants required an extremely long time to complete the test, and more applicants failed. Field office congestion thereby resulted and the program was discontinued. But much valuable feedback was gained about ambiguities and vagueness in the vehicle code summary and in the test questions themselves.

Fruchter (1970) analyzed the feasibility of open-book testing, and of providing for home completion of written knowledge tests on a sample of 7,000 Texas DMV drivers license renewal applicants. The Texas DMV did not, at that time, require a written knowledge test for renewal applicants. Scores on the home completion tests averaged slightly higher than an open-book office test, which in turn, averaged slightly higher than scores on a closed-book office test. It was found that an effective means of improving scores was to warn applicants of further testing. It was concluded that a feasible method would be to mail the vehicle code summary with an 80-item test for home completion to the subjects, followed by a short office test covering the same material. Further operational findings were that a closed-book office renewal test would more than double, and an open-book office renewal test would at least triple the time each applicant would spend in the drivers license office when no renewal test was given.

The experience from these studies was that open-book testing substantially increased the amount of time license applicants spent in a DMV field office compared to closed-book office testing. Such a testing approach might have educational benefits, but no systematic evaluation has been made to date in the field of drivers licensing. The license renewal process used by the California DMV includes updating all drivers licenses with a new driver photograph and current address. This is necessary to keep the drivers license a valid identification card. Providing for home completion of the written knowledge

tests may serve to reduce the amount of field office time spent, but can not eliminate the need for periodic license renewal if the drivers license is to remain a primary identification card. No systematic evaluation has yet been made of educational benefits from home versus field office test completion. Home completion of written tests may result in money savings due to lesser demands placed on field office personnel.

Automated Testing

Modern technology has made it possible to test applicants' knowledge of laws and safe driving procedures using photographs of actual driving scenes, and provide for immediate feedback of the appropriate response. Such approaches are usually automated, and they have several advantages over traditional written paper and pencil testing. With a written test, a disadvantage is that the correct answer can sometimes be recognized by its form rather than by its content. Written tests can probably be passed with nothing more than rote memory of the vehicle code summary. But an automated approach presents an applicant with a driving scene, and tests his ability to examine the scene, discover those elements necessary to make a proper decision, and further tests his ability to understand the rules as they apply to that situation. But applicants must often still respond in some verbal mode.

Many wrong answers lack plausibility when they follow a written stem. They do not "look" like appropriate sentence completions. With a photograph or motion picture of a driving scene, much of the written information is not needed, so an automated test may be less dependent on the verbal skills of the applicant.

Automated testing can be designed to provide immediate feedback. The applicant is immediately told whether his answer is correct, why or why not, and why the correct answer is the best answer. With a conventional written test, applicants do not have to review and analyze their corrected and scored test. If an applicant does review his test after it has been scored by an examiner, enough time may have elapsed so that he may not remember why a particular answer was chosen. With immediate feedback, an applicant can consider the correct answer while his reasoning and decision making schemes are still fresh in his memory. An additional advantage of immediate feedback

is that positive reinforcement is given for the correct answers. The following studies have analyzed the benefits of presenting tests of laws and safe driving principles with automated testing equipment.

Purswell (1970) analyzed the Oklahoma DMV written test and a new audio-visual test that was machine administered to 1,000 license applicants in Oklahoma. The equipment used in the machine administered test was the Automated Driver Improvement and Testing system (ADIT). This system had two slide projectors which projected photographs of a driving scene together with a corresponding multiple choice question. The test was given in a group setting, and all subjects in the group saw a driving scene and a related question at the same time. Each subject had his own responder with four response buttons to indicate his answer choice. Each question had to be answered in a set period of time for credit to be given. Group starts and finishes were not necessary, because a subject could enter the test at any point, and when he completed a pre-set number of questions, his responder illuminated to indicate the end of the test. The final score was machine calculated at an examiner's console.

Subjects were given either the written test or the new machine test, and a group of volunteering subjects returned a month later for retesting. Those volunteers who initially took the ADIT machine test were retested with the same test on the ADIT equipment and showed no significant difference in test scores. Those who took the written test were retested with the written test and also showed no positive or negative test score differences. Written and machine test groups had no significant differences in subsequent six month driving records. Because the written test and the new machine test were different tests and contained different test items, no conclusions can be drawn about whether an audio-visual or written test more produces superior learning.

Paulsrude (1970) analyzed a new 25-item test that was administered on the ADIT equipment to 262 Washington State license applicants. An internal consistency approach was used to select the 25 items from the Washington State written tests. Younger applicants were found to score higher than older applicants, and the new test administered on ADIT equipment was found to be more difficult than the old written test.

A large scale study of the feasibility of using a programmed learning audio-visual testing approach for the driving knowledge test was conducted by the Washington DMV in 1971. Operational problems were encountered, but the demonstration project provided much valuable data for the design of an automated licensing system. A test was constructed with 25 driving scenes and specific related questions. Two types of equipment were used for presenting this test: one designed for group testing and one for individual testing. The individual testing equipment was a unit with a small viewing screen and answer selection buttons. Each applicant was assigned to his own unit, and started the test by depressing a start test button. A driving situation was presented with a question or statement, and four answer choices offered. Applicants had an opportunity to change answers before entering a final answer, and immediately were presented with the correct answer after they indicated their final choice. Final scores were calculated at an examiner's console. The group testing equipment required group starts and finishes which created operational problems. After all applicants were seated, a slide of a driving scene was presented on one screen and a question on another. When all applicants selected an answer, a taped narration stated the correct answer and explained why that choice was correct. Final scores were made available at an examiner's counter.

The individual knowledge test was administered to a sample of poor drivers, involved in a driver improvement program, and a sample of good drivers renewing their drivers licenses. The results indicated 21 out of the 25 items were significant discriminators between good and poor record drivers, but 11 were negatively related to driver performance class. Poor record drivers had higher average scores than good record drivers.

The University of Iowa (Sabers & Berry, 1971) conducted a more extensive validation study of the state of Iowa's automated testing project (DRIVO-TEST) to determine if it was superior to Iowa's written knowledge test. The DRIVO-TEST was intended to be a more valid representation of important concepts involved in the driving tasks presented via electro-mechanical means. When an applicant was to be tested by the automated DRIVO-TEST, he was assigned to an individual station with a closed circuit TV monitor and a responder. When he was ready to begin the test, he pressed a button to activate the set and

then watched as driving situations were presented on the TV screen. When a test exercise was presented, the action on the screen stopped and the question was printed for viewing by the applicant, and read by the narrator. The applicant was told when to respond, and was given ten seconds to push a button on the responder which indicated his answer. He was then told the correct answer and the rationale for the choice. An applicant answered a pre-set number of questions, and was then given the final score.

To experimentally analyze the educational effectiveness of the written versus the automated test, two 23-item test forms were created that were composed of items testing concepts considered to be important to safe driving. An eight group experimental design was used, where test form, written or automated pre-test, and written or automated post-test, was varied. The results indicated that the automated pre-test produced greater increments in learning than did the written pre-tests, with either a written or automated post-test. Because the questions in the written tests were the same as those in the automated tests, the learning is attributed to visual perception and/or the advantage of immediate feedback. Further studies were planned to determine the validity of the automated approach using an external, driver performance criterion. Public response to the DRIVO-TEST was favorable.

The Louisiana Department of Public Safety (1974) has developed a new format for its drivers handbook and written test that provides visual perception of driving scenes. The handbook consists of color photographs of 54 traffic situations, with descriptions of the situations and questions based upon the situations. The answers to the questions are printed in the back of the booklet. The reader is forewarned that 20 of the identical scenes and questions will comprise his written examination. Other states have also developed handbooks and tests utilizing photographs of traffic situations.

The Columbia Broadcasting System (1969) prepared a national drivers test showing motion pictures of driving scenes which was seen by tens of millions of drivers on TV. The types of questions used in this test could be used in drivers licensing. Sequential photos of a driving scene were used in the printed version of the test.

In summary, it appears that an automated testing program, that provides

quick feedback and "real" driving scenes, is a more educational testing approach. But no study has demonstrated that this approach results in significant accident reductions or is capable of presenting a test that is more highly related to driving record.

Written Test Validation Studies

The process of test validation has a goal determining if a test measures what it purports to measure. A test is not valid in and of itself, but is valid only with respect to its particular use. The following studies analyzed the validity of the written tests used for drivers licensing in several states. Initially, studies are presented that sought to determine whether written tests are valid for distinguishing between safe or unsafe drivers, with driving record a validation criteria. These are followed by studies that used a criterion of driving safety other than driving record. Finally studies are presented that analyzed test validity for purposes other than distinguishing between safe or unsafe drivers.

The Eno Foundation for Highway Traffic Control (1948) studied the relationship between driving record and driver knowledge with 386 drivers, half accident-free and half accident-repeaters. Drivers were gathered from Michigan and Connecticut, and the accident-repeater and accident-free groups were matched on a number of variables. The subjects were administered a specially constructed written test of safe driving practices, as well as the DMV written knowledge test for their respective states. The accident-free drivers were significantly superior to the repeaters in their knowledge of traffic laws and safe driving practices.

Kaestner (1964) analyzed the relationship between driver examination records and subsequent five year driving records for 13,000 drivers who held valid Oregon State drivers licenses at the beginning of 1962. Drivers were classified by sex, and further by whether they failed the written and drive tests before they finally were issued a license. The following are the written knowledge test results obtained from that study. Male licensees who failed law tests one or more times were significantly less likely to drive five years without accidents or convictions than those who never failed the law tests. But prior failure experience on the law tests was not significantly related to accidents and convictions for female licensees. Passing

scores of male licensees on the law tests were not significantly related to subsequent accidents or convictions. Females with high passing scores were significantly more likely to drive five years without accidents than those females with low passing scores. The author concluded that there were some consistent sex differences, and that the relationship between performance on drivers licensing exams and subsequent driving record is complex.

McRae (1968) analyzed written and drive test scores with respect to driving record. Subjects were 1,300 North Carolina drivers who were licensed between June 1964 and May 1965, and were 16 to 20 years old. Subjects were classified into three groups based on their driving record for the two years subsequent to licensing. The clean record group had neither accidents nor convictions. The minor violation group had only one or two minor violations on record and the accident group had either two responsible accidents or one responsible accident and one major violation. The accident group did significantly worse than the other two groups on the signs and rules written tests. There were no significant differences in written test scores between the clean record and minor violation groups. An analysis by form of the written rules test indicated form differences, and a post hoc comparison indicated significant differences in form difficulty.

Wallace & Crancer (1969) conducted two studies with licensed Washington State drivers. The first study correlated the written knowledge test scores of 235 drivers with their subsequent four year driving record. Two measures of driving record were used. The first was an assignment to five categories based on differing degrees of chargeable and non-chargeable accidents and citations, and the second measure was total state of Washington violation points. The tests demonstrated no predictive validity. All correlations were in the wrong direction, meaning those applicants with high written test scores had worse driving records. In the second study, a 40-item written test was constructed and administered to 246 problem drivers as part of their driver improvement interview and to 533 drivers who had no citations in the past six years. No significant differences were observed in total score means for the two groups. Item correlations with driving record varied randomly around the zero point. It was concluded that use of the total test scores for screening applicants was not defensible.

Freeberg (1970) developed a systematic five phase plan of study for the development of an improved DMV written test for North Carolina. Results of the first phase were presented in Freeberg & Creech (1971). The purpose of that phase was to evaluate the written licensing exams that were then in use in North Carolina. Twenty-one thousand original applicants took the initial licensing rules tests and 8,000 renewal applicants took the renewal rules tests. Results indicated internal consistency reliability of about .75 for the 30-item initial licensing test forms and about .65 for the 25-item renewal forms. Factor analysis failed to reveal any interpretable subtest structures in any forms, and all forms were fairly comparable in difficulty. A comparison of the prior four year accident records with test scores, by sex, demonstrated only one correlation out of ten that was significant beyond the .05 level, although nine correlations were negative, indicating applicants with fewer accidents had higher total scores. It was concluded that all correlations were too low for practical utility, because less than a 3% improvement in predictive accuracy was achieved compared to a test with no correlation with driving record. Supplementary personal information was collected from each applicant, and several background variables were better predictors of prior driving record than rules test scores. One conclusion was that there must be a clear definition of the purposes of the written drivers licensing tests before any item and test form improvements can be made. Trying to incorporate several purposes in a single test, such as prediction of future record as well as testing law knowledge and knowledge of good driving procedures, would require several extensive research projects.

In the second study phase (Creech & Grandy, 1974), five new 25-item written tests were analyzed that were administered to about 12,000 renewal applicants. The analysis was conducted to determine if the new tests were capable of predicting applicants' prior four year accident and violation records. Separate analyses were made for males and females.

Very small correlations were found between total test scores and accidents, with eight out of ten correlations negative and three of these significant ($p < .05$), indicating applicants with fewer accidents had higher total scores. A unifactor structure was found on all tests, and it was hypothesized that this reflected a general "test wiseness" or verbal ability on the part

of the applicants. Internal consistency reliability was between .72 and .80 for the new 25-item tests.

Dreyer (1975) gathered drivers licensing test scores for 2,228 previously unlicensed original California drivers license applicants and 2,756 original drivers license applicants who held valid drivers licenses from other states. One year subsequent accident and conviction records were analyzed. Test scores for all written knowledge forms were combined. Total test score accident correlations were significant only for original applicants not previously licensed in another state, and this correlation was negative, indicating subjects with higher test scores had fewer accidents. For both subject groups, correlations of total scores with conviction were negative and significant.

Uhlener & Drucker (1969) reported on written selection tests developed in the U.S. Army and on the application of selection tests to drivers licensing. The authors felt that an accident criterion could not be used in Army research, because Army vehicle accidents do not occur with the regularity and consistency needed for research. They used a criterion based on the observations and judgments of drivers, supervisors, and associate drivers. There were 22 tests administered, and six were selected as being most predictive of the criterion. These six tests were arranged into two batteries. Validity coefficients ranged from about .35 to .40 for the batteries.

Conley & Huffman (1969) analyzed the Illinois DMV written knowledge tests, and attempted to make several improvements. The objective was to create a test capable of validly testing applicants' knowledge of material in a new drivers handbook. About 14,000 new and renewal applicants were tested. There was no external validation criterion used, although several were considered and rejected. For the five 50-item initial forms, item difficulties were analyzed and item total score correlations were obtained. The initial tests were found to have items with answers that were not chosen, and revisions were made. The readability of the five 30-item final test forms was analyzed, and one was found at the seventh grade level while the other four forms were at the tenth to twelfth grade level. Final forms were also not equivalent in difficulty. Further studies were recommended to improve the written test.

In summary, the preceding studies demonstrated that for some test forms and subject groups there were weak but significant relationships between knowledge test scores and driving record, but no relationship or a negative relationship was also reported. Most drivers licensing tests are not used to predict driving record but are, in effect, achievement tests in that any applicant is granted a license when he achieves a certain passing grade that demonstrates a level of driver knowledge acceptable to licensing authorities. In California, very few license applicants are "permanently" screened out by the written licensing test.

Only when a clear statement of test purpose is made can validity be established for written licensing tests. If written licensing tests are to have several purposes, the validity of the test must be established for each purpose.

Previous Literature Reviews and Theoretical Discussions

Several literature reviews have been conducted dealing with written drivers licensing tests, and researchers have discussed the improvement of the psychometric properties of written knowledge tests.

Uhlauer & Danziger (1965) discussed the differences between driver selection, where a small number of drivers are chosen from a large pool of potential drivers, and driver screening, where only a small number of drivers are denied a drivers license. They demonstrated that if applicants with test scores in the lowest 10% are denied licenses and a predictive test with a validity coefficient less than .60 is utilized, the majority of rejected applicants would be good drivers in the next time period. The differences between selecting and screening are apparent for a test with a validity coefficient of .35. If such a test is used for selection and the top 25% of test scores are selected, 24 out of 25 drivers so selected will be accident-free, good drivers. But if the test is used for screening, and the bottom 25% of test scores are rejected, only 7 out of 25 would have been bad drivers. The authors felt that a selection ratio which denies licenses to so few potentially bad drivers would not be tolerated.

Miller & Dimling (1969) reviewed the literature on drivers licensing and

driver performance and surveyed the drivers licensing, driver improvement, and driver record keeping practices of the 50 states. Their review of the literature led them to suggest a revised approach to the drivers licensing function. A salient fact noted was that the vast majority of the population drives cars, and it would not be feasible to deny the driving "privilege" to a large proportion of the population. A related fact noted was that most of those whose licenses are suspended or revoked continue to drive, so denying the driving "privilege" does not serve to remove many drivers from the road. Many studies were conducted that sought to identify characteristics of "accident prone" drivers, but they account for only a small percentage of all accidents. The authors concluded that if drivers licensing is to make a significant contribution to raising the average level of driving performance on our highways, it must accomplish this by improving the performance of all drivers, rather than by attempting to remove poor drivers from the road.

Due to the unreliability and rarity of recorded accidents and convictions, there are rather severe limitations on any measure or combination of measures used for their prediction. But even with low correlations, the authors concluded they could be useful in a diagnostic-remedial approach to drivers licensing. With this approach, the probability of accident-involvement for individual drivers would be estimated and this probability would be reduced without outright denial or revocation of licenses.

The purpose of reexamination procedures would be to raise the quality of performance of all drivers who are reexamined, not simply to screen out potential accident prone drivers. Suggested minimum standards for state drivers licensing programs were presented.

Another literature review was conducted by Algea (1961) who presented an annotated bibliography of 424 articles related to the licensing of motor vehicle operators. He also summarized and compared various states' licensing practices. Jones & Stouffer (1970) also presented a bibliography on drivers licensing research. Stewart (1970) evaluated the existing organization and functions of the drivers licensing and related programs of the District of Columbia's DMV. An evaluation was made of the vision test, reaction time test, attitude test, rules (knowledge) examination, road test, and classified licensing system. Literature was reviewed and recommendations were made for

improvements in, and further research for, all the preceding District of Columbia tests.

Campbell (1959) discussed means of improving written knowledge tests through the application of modern statistical principles of test construction. Included were discussions of reliability, validity, item and form difficulty and form equivalence.

Test Content Studies

The following studies have analyzed the content of written knowledge tests. All tests currently in use have face validity, which means they appear to measure important information needed for safe driving. The purpose of most written licensing tests is to test applicants' knowledge of laws and safe driving principles presented in a vehicle code summary. But what information is really needed by a driver for him to be safe and law abiding? In the absence of a systematic, scientifically sound analysis of the drivers tests, what is considered to be important, safe driving information must be based on traffic laws and intuitively created safe driving principles. The question of test content is critical whether a test is written or machine administered. The following study analyzed the task of driving a motor vehicle and rated the criticality of behaviors identified. These behaviors were used to create a large body of licensing test items.

McKnight & Hundt (1972) described a system to analyze the driver's task used by the Human Resources Research Organization (HumRRO). The method used was to analyze an inventory of drivers' behaviors and then utilize expert judgment to evaluate the criticality to safe driving of each driver's behavior. To assure a comprehensive inventory of driving behaviors, an analysis was made of the total highway transportation system, including the driver, vehicle, roadway, traffic and natural environment. Each aspect of the system was examined to identify specific situations that drivers encounter, and determine the appropriate responses. The behaviors arising out of the systems analysis were organized into 49 groups of intuitively related behaviors or "tasks." The analysis was continued to assure the identification of specific driving responses and associated cues. A group of 100 traffic safety experts, selected from among driver educators, enforcement officers, license officials, and fleet safety personnel were asked to evaluate the criticality of 1,700 identified

behaviors to the safety and efficiency of the highway transportation system. The driving behaviors were entered into a set of driving task descriptions, along with their associated criticality indices and supporting information gained through a survey of the driving literature.

This comprehensive list of driving behaviors formed the framework on which the University of Michigan's HSRI (Pollock & McDole, 1973) built an extensive set of licensing knowledge test items. Initially, all states were contacted and all test items currently used were gathered. Available literature on driving principles was reviewed and items were catalogued in a vehicle type by item content matrix. It was deemed necessary to generate new items, because available items did not adequately cover many of the cognitive aspects of driving that were judged "critical" by the HumRRO task description review experts. Law items were made to conform to the Uniform Vehicle Code. A pool of nearly 2,400 items was created, and item indexing and cross indexing schemes were developed. Item writing guides and a test construction primer were created.

The second phase generally involved an evaluation of the passenger car items. Test and one week subsequent retest scores were obtained from 1,797 Iowa driver education students for passenger car items. It was an effort to generate psychometric indicators of each item including item difficulty, reliability, relationship with other items and correlation with verbal ability. Standards were set and rejected items were revised. The result was a set of 1,313 "polished" passenger car items, with the great majority having associated data on difficulty, item response distribution, correlation with verbal ability and test-retest reliability (Berger, Damkot, McDole, & Pollock, 1972). The third, concluding phase involved generation of normative statistics on a sample of passenger car items, and attempts to derive expressions of item validity, using drivers with various personal and driving-related characteristics. Results indicated that clean record renewal applicants out-performed problem drivers on tests composed of a sample of the finished passenger car items.

The HumRRO approach is the most thorough analysis made to date of the driver's task. The item bank created by the University of Michigan's HSRI is

the most extensive selection of items available to date, and is the first item bank based on a task analysis.

In summary, this literature review has presented studies that were concerned with driver knowledge tests for license applicants. Written driver knowledge tests can have several purposes. They are commonly used to measure drivers license applicants' knowledge of material presented in a brief vehicle code summary. A written test can be used as an educational treatment, or can be used to predict accident involvement. Written licensing tests have been validated in several states, and results have indicated only slight relationships between test scores and driving records. Strong relationships are needed for accurate individual predictions, or to categorize drivers into groups that will have substantially different future accident involvement.

This is interesting in light of a study by Peck, McBride, & Coppin (1971), who analyzed the distribution of driver accident frequencies, and the ability of measures to predict accidents. They concluded that traffic accident frequencies are not largely predictable, and that no measure or set of measures can be expected to correlate beyond about .30 with a given year's accident records. In short, the absolute size of any validity coefficient is severely limited by the instability of the accident criteria. It appears unlikely that driver knowledge tests will be able to identify a small group of "accident prone" drivers. These, and other considerations have led some researchers to propose a new approach to drivers licensing, where traffic safety treatments, possibly in the form of tests, are given to all drivers in an effort to increase the safe driving abilities of the driving public in general. Even tests that are very weak driving record predictors could be used to separate groups of drivers that will have slightly different future accident involvement. Treatments, rather than license denial, could then be used to make drivers less accident involved. But it is not clear what type of treatment could be effectively used to reduce the probability of accident involvement for drivers so identified.

Another license renewal approach could be to have a minimum license renewal process for drivers who have demonstrated good driving ability by maintaining a clean driving record, and a more complete renewal process for drivers with worse driving records.

DMV field office time and space is a traffic safety resource that should be used for programs with demonstrated effectiveness. Several studies have analyzed new means and approaches to presenting the content of licensing tests in the most educational manner possible. An audio-visual, mechanized approach appears promising. But educational benefits may not be directly related to traffic safety benefits as measured by reduced accidents and convictions.

METHOD

This Method section is divided into several parts. A short summary of the current DMV licensing procedures is presented first. General details for the five separate pilots conducted in this study are presented, and then the specific details for each pilot are presented separately. Data processing and statistical techniques are presented last.

The current California DMV drivers licensing process is as follows. When a person wishes to obtain a drivers license, or renew a California drivers license, he enters one of the 147 DMV field offices located throughout the State. Persons with drivers licenses from other states, those with California licenses that expired more than five years ago, and those who have never had a California drivers license are considered original applicants. Renewal applicants are drivers who appear in a DMV field office to renew their current California drivers license. Licenses are generally issued for three or four years, but have been issued for three to five years in the past.

A class 3 license is needed to operate any two-axle vehicle except a bus or farm labor truck. This includes all passenger cars, pickups and other small trucks. Class 1 and 2 licenses permit a driver to operate large trucks and busses, and class 4 is a motorcycle license. Most original class 3 applicants must pass first a written test of driver knowledge, and then a vision test, and finally a road test. Most renewal applicants must pass first the same written test of driver knowledge, and then the vision test.

A vehicle code summary is available free of charge at all DMV field offices. This summary, titled the California Driver's Handbook, is a summary of all sections of the California Vehicle Code that pertain to the operation

of a motor vehicle on California highways, and includes discussions of many safe driving principles. The written test of driver knowledge that is currently used by the DMV tests the information presented in the California Driver's Handbook. Many original and renewal applicants read this handbook before they take the written test. There are five forms of the class 3 written test of driver knowledge, designated DMV Forms 1-5. Each form contains 36 multiple choice test items, but there is considerable item overlap between the five forms because there is only a total of 74 unique test items. A passing grade on these untimed tests is five or fewer items wrong out of 36. All applicants complete their written test in a specially designated testing area in the field office. No seating is provided and, at times, crowding and distractions occur in larger field offices.

Pilots 1-5

The following applies to all five pilots. Subjects were English reading, class 3 drivers license applicants who were appearing for the first time to either renew their current California drivers license (Pilots 1-4), or to obtain a California drivers license for the first time (Pilot 5).

The various test forms used in each pilot were interleaved, and each applicant received only one test form. In Pilots 1, 3, and 4, the January, 1974 version of DMV Forms 1-5 was administered along with several new test forms. These DMV forms were interleaved with the new forms to guard against test administration biases. DMV Forms 1-5 were printed on 5"x19" paper and, therefore, appeared different than the new forms used in Pilots 1-5, which were printed on 8 1/2"x11" paper. Applicants were not told that they were taking part in a testing study when they received their written test form. All tests were untimed, and items were given equal weight in the total scores. Exhibit 1 is an example of the data collection instrument that was part of each applicant's DMV or new test form.

All DMV field office drivers licensing personnel were given instructions, both in a training session and in writing, on how to administer and score the test forms.

Due to practical considerations, field offices were not randomly selected

EXHIBIT 1

BIOGRAPHICAL DATA COLLECTION INSTRUMENT
USED FOR PILOTS 1-5

We are going to use this test for research purposes in order to improve our testing procedures. Please answer the following questions. Thank you for your assistance.

<p>1. Sex</p> <p>Male _____ <input type="checkbox"/> 1</p> <p>Female _____ <input type="checkbox"/> 2</p> <p>2. Age</p> <p>Under 20 _____ <input type="checkbox"/> 0</p> <p>20 - 29 _____ <input type="checkbox"/> 1</p> <p>30 - 39 _____ <input type="checkbox"/> 2</p> <p>40 - 49 _____ <input type="checkbox"/> 3</p> <p>50 - 59 _____ <input type="checkbox"/> 4</p> <p>60 and over _____ <input type="checkbox"/> 5</p>	<p>3. Amount of education</p> <p>Grammar school _____ <input type="checkbox"/> 1</p> <p>Some high school _____ <input type="checkbox"/> 2</p> <p>High school graduate _____ <input type="checkbox"/> 3</p> <p>Some college _____ <input type="checkbox"/> 4</p> <p>College graduate _____ <input type="checkbox"/> 5</p>	<p>4. Number of miles driven in the past year:</p> <p>None _____ <input type="checkbox"/> 1</p> <p>Under 1,000 _____ <input type="checkbox"/> 2</p> <p>1,000 - 4,999 _____ <input type="checkbox"/> 3</p> <p>5,000 - 9,999 _____ <input type="checkbox"/> 4</p> <p>10,000 - 14,999 _____ <input type="checkbox"/> 5</p> <p>15,000 - 19,999 _____ <input type="checkbox"/> 6</p> <p>20,000 - 29,999 _____ <input type="checkbox"/> 7</p> <p>30,000 - 49,999 _____ <input type="checkbox"/> 8</p> <p>50,000 + _____ <input type="checkbox"/> 9</p>
--	--	--

for any of the five pilots and field offices with very low volumes of drivers license applicants were not used.

For Pilots 1 and 2, field offices were selected in either Southern California or the San Francisco area. This was done for practical considerations, to minimize the amount of travel time between offices for the research analyst conducting training sessions. Field offices selected for Pilots 3, 4, and 5 were randomly selected from a set of field offices that met certain operational criteria, and also were grouped according to geographical area. Field offices so selected were not a representative sample, but were located in various geographical areas of California.

Every field office was given a specific start and finish date, and the number of test forms supplied to each office was determined by previous volumes of applicants.

As it was stated in the introduction, one purpose of this study was to gather data on a large sample of the items created by HSRI (Berger et al, 1972). Many of those items tested facts and safe driving principles that did not appear in the California Driver's Handbook. No new handbook was created for any of the five pilots. Therefore, applicants that received a test form containing HSRI items had no opportunity to study those facts and safe

driving principles that were not covered in the DMV handbook. Many applicants reviewed the DMV handbook, and all anticipated taking a class 3 DMV law test.

Pilots 1 and 2 were conducted to gather data on a large sample of HSRI items. Initial test forms were created from this large sample of HSRI items, and no attention was given to form equivalence or form difficulty. DMV test forms were also administered in Pilot 1. The HSRI and DMV items that were administered in Pilots 1 and 2 were analyzed, and a subset of these items was selected. Several finalized test forms were created from this subset of items, and were administered in Pilots 3, 4, and 5.

Appendix C contains an item listing for each test form analyzed. The HSRI or DMV number is presented for each item appearing on every test form, and are listed in the order they appeared on each test form. Items are presented in Appendices A and B for HSRI and DMV items, respectively.

Pilot 1

Subjects were 18,202 renewal applicants who applied to renew their California drivers license during a two week period at the Hollywood, Van Nuys, Compton, Hayward, Oakland, San Mateo, Daly City, San Jose, Santa Ana, Culver City, or Inglewood field office in early June, 1974. A sample of 300 items was selected from the "finished" pool of 1,313 test items created for passenger car drivers at HSRI (Barger et al, 1972). Items were selected, and test forms were created from the following task categories used by HSRI: steering and turning, passing and following, lane usage and lane changing, stopping, speed control, and surveillance. From each of the preceding six grouped categories, 50 items were selected. Two research analysts selected half of the items for each category that tested California laws, appeared to be most related to typical California driving situations, and tested accident related information. Response distributions were presented by HSRI for each item in the HSRI item pool, and special attention was given to moderately difficult items by research analysts making item selections from the pool. The items selected for each category were assigned to one test form. The remaining half (25 items) were randomly selected from the remaining items, and were assigned to another test form. Twelve test forms containing 25 items each were thereby

created, and were designated HSRI Forms 1-12. The four choice items were reduced to three choice items, usually by eliminating the distractor chosen least often by the Iowa student sample used by HSRI. DMV Forms 1-5 were interleaved and administered with the preceding 12 forms to provide data on DMV items and test forms.

Pilot 2

Subjects were 11,966 renewal applicants who applied to renew their California drivers license during a two week period at the Bellflower, Pasadena, Glendale, Santa Monica, Long Beach, San Diego, or Whittier field office in late June and early July, 1974.

A sample of HSRI items that, with few exceptions, were not selected for Pilot 1 were selected from the pool of HSRI passenger car items.

Items were chosen that appeared to be related to typical California driving conditions, were consistent with California laws, and tested accident related information. The four choice HSRI items were reduced to three choice items by always eliminating the distractor chosen least often by the Iowa student sample used by HSRI. Items were assigned to forms such that item difficulties and subject area tested were mixed on all forms. Twelve test forms containing 25 items each were created with 29 selected HSRI items, 22 of which were also used in Pilot 1, and seven new DMV sign items. These 23 forms created for Pilot 2 were designated HSRI Forms 13-24. DMV Forms 1-5 were not administered in Pilot 2.

Pilot 3

Subjects were 6,408 renewal applicants who applied to renew their California drivers license during a two week period at the Stockton, San Jose, San Diego, Pasadena, or Bakersfield field office in early October, 1974.

Following the data analysis for items in Pilot 1 and Pilot 2, 101 HSRI items and 19 DMV items were selected. The test construction approach used was to select items that demonstrated the highest possible positive relationship with the accident criteria. The set of all items with correlations above .01 provided a sufficient number of items for further consideration.

All items selected had difficulty indices below .95, because items above that level tested information known by most applicants. It was determined that few items with difficulty indices below .60 were free from ambiguities and vagueness, so only one item below that level was selected. Items selected also had to appear to be the most related to accidents.

Three 40-item forms were then created as follows. Items were categorized according to the subject area tested, and 40 sets of items with three items per set were created. Each of the three items in a set tested roughly equivalent information. These three items were assigned, one each, randomly to three test forms. The process was continued until all 40 sets of items were exhausted. The test forms so created appeared to be equivalent in difficulty, so no item reassignment was necessary. Test form difficulty was estimated by summing individual item difficulties. Five additional DMV items, that tested knowledge of new laws, were created and placed on each of the three forms, making a total of 45 items on each form.

On each of these three 45-item forms, HSRI and DMV items meeting the item selection criteria were arranged in ascending order of difficulty. This was done so that applicants were not unduly discouraged or frightened by not knowing the answers to the first few questions on the test, which might have affected their performance on the rest of the test. These forms were designated Forms 25-27. Test Form 26 is presented in Exhibit 2. DMV Forms 1-5 were interleaved and administered with the three new test forms. There was an attempt to secure about 600 tests for each of the five DMV forms. These DMV tests were administered to provide data for establishing the pass-fail distribution on Forms 25-27 and DMV Forms 1-5. This was done because these three new tests and the DMV tests were to be used in an upcoming experiment that would control the percent failing as an experimental condition.

Pilot 4

Subjects were 7,023 renewal applicants who applied to renew their California drivers license during a three week period at the Daly City, Fremont, Porterville, Santa Ana, or Comanside field office in early November, 1974. Out of the 120 HSRI and DMV items selected for Pilot 3, 15 groups of three

DRIVERS EXAMINATION ON CALIFORNIA
VEHICLE CODE AND SAFE DRIVING PRACTICES

HOW TO COMPLETE THE TEST:

Each incomplete statement shows three possible endings. CHOOSE THE ENDING YOU FEEL IS BEST FROM THOSE GIVEN. Mark an X in the box following the ending you believe is best. Please read each statement and its possible endings carefully before marking your choice.

TRAFFIC AND SAFE DRIVING RULES FOR RENEWAL APPLICANTS
(Passing Grade—12 Errors or Less)

1. After deciding to change lanes you should check behind you for vehicles:

- Turning off the road _____
- About to enter your new lane _____
- Entering the road _____

2. This sign means:




- Fewer lanes ahead _____
- Divided highway ahead _____
- Side road ahead _____

3. If you notice flashing red or yellow lights on a vehicle ahead you should:

- Continue at the same speed until you are past the vehicle _____
- Look for objects or people on the road _____
- Turn your bright lights on to warn that you are approaching _____

4. This sign means you should:



- Slow down to 30 MPH on this exit _____
- Go no faster than 30 MPH before leaving the main road _____
- Expect to go 30 MPH after exiting _____

5. When you reach a corner at the same time as another car coming from a cross street, you should yield the right of way to:

- The car on your left _____
- The car on your right _____
- Neither car _____

6. When behind a vehicle coming to a fork in the road you should expect it to:

- Slow down _____
- Stop on the road _____
- Continue at the same speed _____

7. After you come to a stop and are waiting to continue, you should:

- Keep in slight motion by gently pressing gas _____
- Maintain firm pressure on the brake _____
- Shift to neutral and gently press gas _____

8. When driving behind another vehicle on an entrance to a highway you should:

- Not go faster than 20 MPH _____
- Be prepared for the other vehicle to slow down _____
- Use the left shoulder to pass if the other vehicle is going too slow _____

9. If the vehicle behind you is following too close you should:

- Allow the other vehicle to pass _____
- Hit your brakes hard several times _____
- Drive off the road if possible _____

10. It is generally safe to drive after taking:

- Aspirin _____
- Tranquilizers _____
- Antibiotics _____

11. All pickup trucks must have commercial license plates unless:

- You only drive it to and from work _____
- You permanently attach a camper to it _____
- You never carry a load in the cargo area _____

12. Before you decide whether to pass on a 2 lane highway you should:

- Judge how much distance there is for passing _____
- Shift to a lower gear _____
- Turn on your turn signal _____

13. When you decide to pass on a 2 lane road you should:

- Judge the distance to the first oncoming vehicle _____
- Keep blinking your lights until you finish passing _____
- Check your speed often as you are passing _____

14. When following vehicles which often stop (busses, post office vans):

- Allow more following distance than usual _____
- Do not pass; wait until they turn off the road _____
- Blow your horn to warn them that you are following _____

15. When passing a car that is driving behind a slower moving vehicle, you should:

- Pass on the right, if possible _____
- Be careful because the other car may cut in front of you _____
- Go 5 to 10 MPH above the posted speed limit _____

PLEASE CONTINUE THE EXAMINATION

EXHIBIT 2
(Continued)

FORM 26

16. If you see a vehicle stopped on the shoulder with its hood up, you should:

- Blow your horn to warn its driver _____
- Turn on emergency flashers to warn others and continue at same speed _____
- Slow down and move to the left part of the lane _____

17. Stopping within an intersection is permitted only:

- Where traffic requires _____
- To obtain information from a policeman _____
- When the light turns red _____

18. In order to avoid eye strain during long trips it is best to:

- Keep the vehicle comfortably heated _____
- Move your eyes across the road regularly _____
- Shift your eyes from the road to the dashboard often _____

19. If your vehicle pulls to one side when the brakes are applied you should:

- Have your brakes checked _____
- Balance your wheels _____
- Put more air in the tires on that side _____

20. When passing a parked vehicle you should:

- Leave room in case a door opens or a person steps out _____
- Continue driving at the speed limit since you have the right-of-way _____
- Slow down to 15 MPH until you are past all parked vehicles _____

21. At a signal controlled intersection a "U" turn is prohibited:

- At all times _____
- Unless there is a left turn lane _____
- When a sign says "No U Turn" _____

22. When possible, persons walking along the road should walk:

- On the left side facing traffic _____
- On the right side with traffic _____
- On the side with the least traffic _____

23. Passing maneuvers result in:

- Many fatal accidents per year _____
- Many accidents but few deaths per year _____
- Relatively few serious accidents per year _____

24. Before making a turn you should:

- Look to see if other vehicles will be in your way _____
- Use hand signals first and then mechanical signals _____
- Move slightly to the left when turning right and slightly to the right when turning left _____

25. The safest time to pass vehicles ahead of you on a 2 lane highway is when:

- You are coming to an intersection _____
- A sign indicates there is a hill ahead _____
- A sign indicates the end of a "No Passing" zone _____

26. If you must leave the road to avoid an accident, you should look for a:

- Ditch _____
- Sign or pole _____
- Lawn or field _____

27. If a vehicle is coming from the right at an intersection where you have the right-of-way:

- Be prepared to stop by placing your foot over the brake pedal _____
- Speed up so that you can get through the intersection first _____
- Continue at the same speed since you have the right-of-way _____

28. Except where special bicycle lanes are provided, bicycles must be ridden near the edge of the roadway:

- In the opposite direction to auto travel _____
- In the same direction as auto travel _____
- In either direction, regardless of auto travel _____

29. Generally you should drive:

- Just to the left of the center line _____
- As near as possible to the center line _____
- Well to the right of the center line _____

30. All vehicles designed for off highway use must be registered with the Department. A driver's license is not required to operate these vehicles:

- At any time _____
- If driven on private property _____
- If driven in a State Park _____

31. For best control on a steep downgrade you should begin to slow down:

- Just after starting downhill _____
- Before starting downhill _____
- About halfway down the hill _____

32. If you cannot see around a curve, you should:

- Slow down more than you normally would _____
- Continue as you would through any curve _____
- Drive around the curve at 5 to 10 MPH _____

33. If you get water in all four brakes:

- Your brakes may grab and stop you suddenly _____
- It will take twice as far to stop _____
- Your brakes may not hold at all _____

PLEASE CONTINUE THE EXAMINATION

34. You should generally select a speed which:
- Is at least 5 MPH below the posted speed limit
 - Is not more than 5 MPH above the posted speed limit
 - Is about the average speed of traffic
35. When coming out of a skid on a slippery road you should apply your brakes:
- In a series of firm gentle pumping motions
 - By using increasing pressure until you stop
 - By using constant pressure until you stop
36. Unmarked intersections, curves, sharp turns, poor road conditions and slow-moving farm vehicles should:
- All be expected on country highways
 - Serve to warn you that you are near a small town
 - Cause you to drive in the passing lane
37. Before turning at an intersection, you should:
- Check cross traffic
 - Come to a complete stop
 - Tap your brakes 3 or 4 times
38. When you enter a freeway from an acceleration lane you should be driving at:
- The legal speed limit on the freeway
 - About the same speed as the vehicle you want to enter behind
 - About 10 MPH below the legal speed limit on the freeway
39. When renewing your driver's license, the Department of Motor Vehicles may require a driving test:
- After considering your driving record
 - When there is evidence that your driving ability may be impaired
 - Both of the above
40. A good safety rule, when you are sure you have the legal right-of-way, is to:
- Always demand it
 - Never insist on it
 - Always let the other driver have it
41. At night you should drive slow enough to be able to stop within:
- The distance lighted by your headlights
 - Five car lengths
 - Ten seconds from the time you hit the brake
42. If the rear of your vehicle is skidding to the left you should:
- Turn the top of your steering wheel to the left
 - Hold your steering wheel from moving until out of the skid
 - Turn the top of your steering wheel to the right
43. Driving through a pedestrian safety zone marked by raised buttons or markers is:
- Permitted if zone is not occupied
 - Permitted if there is a traffic light control
 - Prohibited at all times
44. If you are entering a freeway and there is no break in the traffic:
- Slow down at the beginning of the acceleration lane but avoid stopping
 - Stop at the beginning of the acceleration lane
 - Continue as you would if there were a break and hope that one appears
45. On a first conviction of driving under the influence of drugs and causing bodily injury to any person other than yourself, your license will be suspended:
- For one year
 - Unless you have liability insurance
 - Unless the court orders no suspension

We are going to use this test for research purposes in order to improve our testing procedures. Please answer the following questions. Thank you for your assistance.

- | | | |
|---|--|--|
| <p>1. Sex</p> <p>Male <input type="checkbox"/> 1</p> <p>Female <input type="checkbox"/> 2</p> | <p>3. Amount of education</p> <p>Grammar school <input type="checkbox"/> 1</p> <p>Some high school <input type="checkbox"/> 2</p> <p>High school graduate <input type="checkbox"/> 3</p> <p>Some college <input type="checkbox"/> 4</p> <p>College graduate <input type="checkbox"/> 5</p> | <p>4. Number of miles driven in the past year:</p> <p>None <input type="checkbox"/> 1</p> <p>Under 1,000 <input type="checkbox"/> 2</p> <p>1,000 - 4,999 <input type="checkbox"/> 3</p> <p>5,000 - 9,999 <input type="checkbox"/> 4</p> <p>10,000 - 14,999 <input type="checkbox"/> 5</p> <p>15,000 - 19,999 <input type="checkbox"/> 6</p> <p>20,000 - 29,999 <input type="checkbox"/> 7</p> <p>30,000 - 49,999 <input type="checkbox"/> 8</p> <p>50,000 + <input type="checkbox"/> 9</p> |
|---|--|--|

DO NOT WRITE IN THIS SPACE			
D.L. No. _____	D.L. No. is <u>NOT</u> known	Name _____	
No. wrong _____		FIRST	MIDDLE
Form <u>26</u>		LAST	
		Birthdate _____	
		MONTH	DAY
		YEAR	
		Address _____	

items were selected. Each of the three items in a group tested a similar concept or fact. These three items were then randomly assigned, one each, to three test forms that thereby tested roughly equivalent information. Several items had to be reassigned, in blocks of three, to make the three test forms equivalent in difficulty. Test form difficulty was estimated by summing individual item difficulties. Like the test forms created for Pilot 3, items were arranged in ascending order of difficulty on each form. The five DMV law change items created for Pilot 3 were added to each test form, making three 20-item tests. These test forms were designated Forms 28-30. DMV Forms 1-5 were interleaved and administered with the three new test forms. There was an attempt to secure about 600 tests for each of the five DMV forms. These DMV tests were administered to provide data for establishing the pass-fail distribution on Forms 28-30 and DMV Forms 1-5. This was done because these three new tests, and the DMV tests were to be used in an upcoming experiment that would control the percent failing.

Pilot 5

Subjects were 4,698 original applicants who, for the first time, attempted to obtain a California drivers license during a five week period at the Oakland, Turlock, Livermore, Redwood City, Winnetka, Santa Cruz, or Long Beach field office in late October, November and early December, 1974. Fourteen groups of five items were selected from the 101 HSRI items that were selected for Pilot 3. Items were selected that appeared to test accident related information and were appropriate for original applicants. Each of the five items in a group tested a similar concept or fact and were randomly assigned, one each, to five test forms. Several items had to be reassigned to make the five test forms equivalent in difficulty. Test form difficulty was estimated by summing individual item difficulties. Five 14-item test forms that tested roughly equivalent information were created.

Items were arranged in ascending order of difficulty on each 14-item form. These five 14-item test forms were attached to DMV Forms 1-5, creating five 50-item tests. These test forms were designated Forms 31-35. The first 36 items on Forms 31-35 were DMV Forms 1-5, respectively.

Data Processing

For each pilot, all completed test forms with attached biographical

data collection instruments, giving drivers license number, number wrong, and sex, age, education, and annual mileage categories were keypunched and verified (double checked). Numbers corresponding to categories were printed on the data collection instrument, and keypunched directly with no recoding. For each multiple choice test item, the applicant's actual choice was keypunched rather than just correct or incorrect response. This was done to allow a thorough item analysis and further to provide for a computer correction of each test form. Any missing data, or test items left blank, were coded as blanks by keypunchers. Programs were written which transferred these cards to tape and checked each punch card for the range of permissible values. Rejected records were reviewed and corrections were made when possible.

Driving record appeared to be the most relevant criteria with which to validate test items and test forms. Prior driving record was used because it was not practicable to wait the amount of time needed to collect reliable subsequent driving records.

The driving record of each California licensed driver is computer stored, and records of individual accidents and convictions are kept for at least five years. A driving record selection program was developed that summed the number of accidents, and also the number of convictions on record at the DMV and added this to the data tape. The accident and conviction data available were as follows. All non-parking traffic convictions were required to be reported to DMV by the courts. All fatal and injury accidents were required to be reported to the DMV by the California Highway Patrol. The Financial Responsibility law required drivers to report to DMV any accident involving over \$200 in property damage. If an accident was reported by any one driver, it was entered on the driver record of all drivers involved in the accident. Accident culpability was not analyzed. One limitation of this driver record data is that many minor property damage accidents were not recorded on DMV files.

Approximately a six year prior driving record was selected, although this varied for different applicants. Some applicants had not been driving long enough to have a six year record. The records of some applicants who had been convicted for major violations are kept longer than six years.

Original applicants had no usable prior California driving record. Only slightly over 1% of all applicants for all five pilots did not have a driving record selected by this program.

The computer corrected all test items on all forms, and entered the calculated number wrong on each record. Driving records were corrected for exposure by dividing the number of accidents and number of convictions by the annual mileage category, giving an accident rate and conviction rate in addition to the number of accidents and convictions. Accident and conviction rates were not calculated for subjects in the "none" mileage category.

Reliability indices were calculated for all test forms. This statistic is an index of a test's ability to yield a consistent measure of a particular ability or trait for a certain population under certain conditions. There are three methods that may be used to estimate the consistency of measures from a test. They are, first, a correlation of test and subsequent retest scores, second, a correlation of scores on alternate forms, and third, internal consistency measures which correlate one half of a test with another half. Test-retest reliability, alternate forms reliability, and internal consistency reliability may be considered coefficients of stability, equivalence, and consistency, respectively. The appropriate reliability measure to use depends on the specific test, subjects, testing situation, and meaning to be attached to the reliability measure.

Alternate forms and test-retest reliability measures could not feasibly be obtained for this study. The only measure of test form reliability attempted was therefore an even-odd item split, with reliability of the full length test estimated from the correlation of halves by the appropriate Spearman-Brown Formula. An internal consistency approach, such as an even-odd item split, is best suited to a test that measures the same ability in all its parts. If two different parts of the test yield similar measurements, it is estimated that the whole test yields consistent, and therefore reliable, measurements. Longer test forms typically yield higher reliability measures. But a test composed of questions that measure knowledge of traffic laws and regulations, sign and road markings and defensive driving techniques may not be measuring a single ability, so an internal consistency reliability measure

may not be the best reliability estimate. More than one type of reliability estimate is desirable.

Statistical Techniques

All correlations were product moment correlation coefficients, and were calculated by a Biomedical Computer Program, created by the University of California. Program BMD03D was used, which allows records with incomplete information to be deleted only for the correlations involving the missing data. Refer to Table 1 in the Results Section for the percent of applicants with missing data for each variable. All tests of statistical significance were two-tailed, and statistics at or greater than the .05 level of probability were considered significant. Although there were violations of the assumptions underlying the use of "t" and "F" tests, there is evidence that both tests are sufficiently robust so that obtained significant results were due to differences between means and not due to the violations of the assumptions that occurred (Boneau, 1960).

RESULTS

The results are divided into the following parts. First, distributions of biographical variables and driving record data for all subjects are presented by pilot. Test characteristics are then presented for DMV test forms. Characteristics of HSRI Forms 1-24 from Pilots 1 and 2 are presented next, with comparisons made between these forms and DMV forms. Characteristics of final Forms 25-27 (45 items) and 28-30 (20 items) are presented with comparisons made between these forms and DMV forms. Characteristics of Forms 31-35 (50 items) that were administered to original applicants are presented next, with comparisons made between original and renewal applicants. Items that differed markedly in difficulty for original, as compared to renewal, applicants are presented. Item results are presented last, and the reader is referred to Appendices A and B for complete item statistics for HSRI and DMV items, respectively.

Subjects

Subject samples were compared in respect to their distributions of sex, age, education, annual mileage, accidents and convictions. This was done to

verify the comparability of the renewal applicants selected for Pilots 1-4. Table 1 presents the percentage distribution of subjects by biographical data and driving record for Pilots 1-5.

For sex, age, education and annual mileage variables, the unknown category consists of applicants who chose not to give that information. Unknown categories under accidents and convictions consist of applicants for whom no driving record was available.

In Pilots 1 and 2, applicants who had no driving record available were eliminated from the sample. Because prior driving record was used, no usable California driving record was available for subjects from Pilot 5, who were original applicants and had not been previously licensed in California. Subjects from Pilots 1-4 had similar distributions, indicating that the renewal applicant groups were comparable. Subjects from Pilot 5, who were original applicants, tended to be younger and therefore less educated, and reporting driving fewer miles.

DMV Test Form Results

Results are presented here for DMV Forms 1-5 that were administered to renewal applicants. Results for DMV Forms 1-5 that were administered to original applicants are presented later.

Tables in this section, presenting characteristics of test forms, are in the same general format, but are broken down into groups of test forms and discussed separately. The following statements are, therefore, true for tables in this section that present test characteristics for any forms and, for the sake of brevity, are stated only once. The first column is labelled "Form," and in this column the test form number is presented. Column 2 is labelled "Number of subjects" and indicates the number of subjects that were tested with the corresponding test form. Column 3 is labelled "Mean number wrong" and indicates the mean number of equally weighted items that were answered incorrectly by applicants who were administered the corresponding test form. Column 4 is labelled "Split half reliability." An even-odd item split was made, and halves were correlated to obtain an internal consistency measure of test form reliability. A discussion of reliability will be

TABLE 1
 PERCENTAGE DISTRIBUTION BY SEX, AGE, EDUCATION, ANNUAL MILEAGE, ACCIDENTS, AND CONVICTIONS BY PILOT

Variable	Pilot				
	1	2	3	4	5
Number of subjects.....	18,202	11,966	6,408	7,023	4,698
Sex					
Male.....	52.80	53.14	50.89	50.68	52.30
Female.....	46.74	46.41	47.41	48.72	46.86
Unknown.....	.46	.45	1.70	.60	.81
Age					
Under 20.....	N/A	N/A	6.51	6.45	47.45
20 - 29.....	28.03*	27.47*	24.17	22.54	32.46
30 - 39.....	19.73	18.18	18.82	21.22	10.13
40 - 49.....	16.72	16.30	15.11	16.16	4.30
50 - 59.....	18.00	20.37	16.23	15.92	2.55
60+.....	17.02	17.23	17.34	17.09	2.13
Unknown.....	.49	.45	1.83	.61	.98
Education					
Grammar school.....	4.76	3.76	5.57	4.98	1.30
Some high school.....	13.18	12.32	14.20	14.44	45.25
High school graduate.....	28.03	28.07	26.08	28.72	18.16
Some college.....	32.07	32.56	23.49	34.14	19.99
College graduate.....	21.28	22.73	18.66	16.96	15.16
Unknown.....	.68	.56	2.00	.75	1.15
Annual Mileage					
None.....	1.12	.79	.92	.71	37.80
Under 1,000.....	6.71	5.78	6.80	6.48	21.80
1,000 - 4,999.....	20.59	19.46	21.77	22.26	9.64
5,000 - 9,999.....	22.06	21.97	22.21	21.85	8.68
10,000 - 14,999.....	23.15	25.20	23.28	22.39	8.75
15,000 - 19,999.....	10.25	11.13	9.16	10.03	4.24
20,000 - 29,999.....	8.01	8.54	7.80	9.21	3.77
30,000 - 49,999.....	3.90	3.57	3.39	3.73	1.49
50,000+.....	2.83	2.47	1.58	1.87	1.21
Unknown.....	1.39	1.07	3.09	1.48	2.62
Accidents					
0.....	69.76	74.42	73.74	72.93	N/A
1.....	23.13	20.69	20.22	20.29	N/A
2.....	5.47	3.98	3.09	4.23	N/A
3.....	1.25	.73	.86	.83	N/A
4+.....	.40	.19	.22	.26	N/A
Unknown.....	.00	.00	.87	1.47	N/A
Convictions					
0.....	39.67	41.99	43.95	47.56	N/A
1.....	25.45	25.38	25.25	24.86	N/A
2.....	13.95	13.91	12.87	11.38	N/A
3.....	7.28	7.31	6.91	5.55	N/A
4.....	4.92	4.18	3.79	3.30	N/A
5.....	2.88	2.65	2.37	1.95	N/A
6.....	1.84	1.38	1.31	1.37	N/A
7.....	1.19	.99	.78	.75	N/A
8+.....	2.57	2.05	1.86	1.75	N/A
Unknown.....	.25	.18	.87	1.47	N/A

*Under 20 age group included.

made later. The remaining columns contain correlations of driving record and biographical data with number wrong on the corresponding test form. A positive correlation in the "Accidents" column indicates that subjects with more accidents tended to get a greater number of test items wrong than subjects with fewer accidents. A positive "Accident rate" correlation indicates that subjects with a higher accident rate, corrected for mileage, tended to get more items wrong than those with lower accident rates. Similarly for "Convictions," and "Conviction rate," positive correlations indicate that subjects with more convictions, or a higher conviction rate tended to get more items wrong. A positive "Sex" correlation indicates that females tended to get more items wrong than males. A positive "Age" correlation indicates that older applicants tended to get more items wrong than younger applicants. "Education" correlations were negative for all test forms, which means that less educated subjects tended to get more items wrong than subjects who were more educated. "Annual mileage" correlations also were negative, which means that subjects who drove fewer miles tended to get more items wrong than subjects who drove more miles. The magnitude of all preceding correlations with number wrong was a function of the particular test form analyzed. Each table giving test form results contains a note indicating the magnitude a correlation in that table must have to reach statistical significance. Because all correlations were rounded to two digits, the magnitude a correlation needed to reach statistical significance was also rounded to two digits.

Renewal applicants were administered DMV Forms 1-5 in Pilots 1, 3, and 4. Test characteristics of DMV Forms 1-5 from these pilots combined are presented in Table 2. The following results were obtained for DMV Forms 1-5.

TABLE 2
TEST CHARACTERISTICS FOR DMV FORMS 1-5
(annual applicants)

Form	Number of subjects	Mean number wrong	Split half reliability	Correlations with number wrong							
				Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Annual mileage
1.....	2,394	3.45	.65	.04	.03	.12	.14	-.03	.06	-.27	-.10
2.....	2,426	2.52	.78	.09	.13	.15	.13	-.05	.10	-.28	-.03
3.....	2,414	2.99	.70	.01	.04	.04	.08	.03	.13	-.27	-.07
4.....	2,410	3.22	.71	.03	.06	.13	.15	.01	.10	-.24	-.06
5.....	2,403	2.51	.72	.02	.05	.02	.07	.07	.10	-.28	-.12

NOTE: Any correlation .04 or greater in absolute magnitude is significant at the .05 level.

All DMV test form correlations with driving record variables were positive. Two forms were significantly correlated with accidents and four were significantly correlated with convictions. Four forms were significantly correlated with accident rate, and all five forms were significantly correlated with conviction rate. So a total of 15 out of 20 test form correlations with driving record variables were significant, and indicated that subjects with more accidents or convictions on record got more items wrong than subjects with fewer accidents or convictions on record. All forms were significantly correlated with education, indicating more highly educated subjects scored higher than subjects with less education. All forms were significantly correlated with age, and four were significantly correlated with annual mileage indicating younger drivers and those that drove more miles scored higher than their counterparts. There were significant differences in mean number wrong on DMV Forms 1-5 ($F = 61.05$, $df = 4,12042$, $p < .01$).

Table 3 is a matrix of correlations between biographical data, driving record, and test data of DMV Forms 1-5 combined that were administered to about 12,000 renewal applicants. The following are DMV test form results from that table.

Education was the highest correlation obtained with number wrong. Significant correlations were also obtained between age and number wrong, and annual mileage and number wrong. These results indicate that younger, more highly

TABLE 3
MATRIX OF CORRELATIONS BETWEEN BIOGRAPHICAL DATA, DRIVING RECORD, AND TEST DATA OF DMV FORMS 1-5 COMBINED
(Renewal applicants)

Variable	Variable							
	Sex	Age	Education	Annual mileage	Accidents	Accident rate	Convictions	Conviction rate
Sex.....	1.00							
Age.....	.01	1.00						
Education.....	-.02	-.24	1.00					
Annual mileage.....	-.35	-.10	.18	1.00				
Accidents.....	-.13	-.09	.00	.11	1.00			
Accident rate.....	-.08	-.07	-.04	-.11	.86	1.00		
Convictions.....	-.29	-.19	.01	.19	.28	.25	1.00	
Conviction rate....	-.19	-.14	-.04	-.11	.20	.35	.76	1.00
Number wrong.....	.00	.10	-.26	-.08	.04	.06	.10	.12

NOTE: A correlation .02 or greater in absolute magnitude is significant at the .05 level.

educated subjects and those that reported higher annual mileage obtain higher test scores than their counterparts. All correlations of number wrong on DMV forms combined, with driving record variables, were positive and significant. But it should be noted that specific DMV test forms differ from one another in their correlations with driving record variables and biographical variables. The correlation between accidents and education, rounded to 3 digits, was .004. The magnitude needed for a correlation to reach statistical significance was .018. A first order, partial correlation between accidents and education, with the effects of mileage held constant, was .015, still not significant.

The mean number wrong on DMV Forms 1-5 combined is presented in Table 4 and Figure 1 for accident-free and accident-involved renewal applicants by education level. Accident-involved subjects were those with one or more accidents on their six year driving record. Accident-free subjects had a lower mean number wrong in every education category. Accident-free subjects in the grammar school education group had a mean number wrong of 4.99 whereas accident-free college graduates had a mean number wrong of 2.03. A passing grade was five or less wrong. The correlation between number wrong and education was .26 and between number wrong and accidents was .04, both significant. Education was unrelated to accidents ($r = .00$). The relationship between education and number wrong appears to be linear, with every education group achieving a lower mean number wrong than the next lower education group, for both accident-free and accident-involved drivers. Mean number wrong by age and sex is presented in Table 5 and Figure 2. The correlation between number wrong

TABLE 4
 MEAN NUMBER WRONG BY ACCIDENTS AND EDUCATION
 (Renewal applicants, DMV Forms 1-5)

Variable	Education					Total
	Grammar school	Some high school	High school graduate	Some college	College graduate	
Accident free.....	4.99	3.71	2.86	2.60	2.03	2.86
Accident involved..	5.19	4.10	3.15	2.74	2.27	3.08




Fig. 1 -Mean number wrong by education and accidents
(Renewal applicants, DMV Forms 1-5)

TABLE 5

MEAN NUMBER WRONG BY AGE AND SEX
(Renewal applicants, DMV Forms 1-5)

Sex	Age					Total
	Under 30	30-39	40-49	50-59	60+	
Male.....	2.78	2.39	2.73	2.98	3.71	2.91
Female.....	2.87	2.76	2.81	2.93	3.43	2.95




Fig. 2.-Mean number wrong by age and sex. (Renewal applicants, DMV Forms 1-5)

and age was .10 which was significant. Older drivers tended to get more items wrong than younger drivers. The 30-39 age group had the lowest mean number wrong for both males and females. There was no significant correlation between number wrong and sex ($r = .00$).

A relevant consideration is what effects differences in form difficulty of DMV forms have on the failure rates of different DMV test forms. Table 6 presents a cumulative percentage of subject scores by form.

The following percentages of subjects obtained failing scores on DMV Forms 1-5 respectively: 19.25, 9.67, 13.13, 15.44, and 9.60. More than twice as many renewal applicants were failed with Form 1 as with Form 5.

In summary, scores on DMV test forms were significantly correlated with subjects' education, age, and annual mileage. For each test form, the highest test score correlation obtained was with subjects' educational level. Test form correlations with driving record variables were low in magnitude, but were all positive. A total of 15 out of 20 test form correlations with driving record variables were significant, indicating that subjects with more accidents or convictions on record got more items wrong than subjects with fewer accidents and convictions on record. Test form correlations with

TABLE 6
 CUMULATIVE PERCENTAGE OF SUBJECTS, NUMBER WRONG BY FORM
 (Renewal applicants, DMV Forms 1-5)

Number wrong	Form					
	1	2	3	4	5	1-5 combined
0.....	100.00	99.98	100.00	100.00	99.98	100.00
1.....	88.76	78.75	86.45	87.88	80.67	84.50
2.....	72.22	58.02	67.77	69.71	59.11	65.36
3.....	55.51	40.42	48.55	51.62	39.97	47.21
4.....	41.18	26.53	32.97	36.52	26.78	32.79
5.....	29.61	16.72	22.49	24.90	17.13	22.16
6.....	19.25	9.67	13.12	15.44	9.60	13.41
7.....	13.53	6.87	9.40	11.37	6.23	9.48
8.....	9.39	4.19	6.25	7.80	3.86	6.30
9.....	5.92	2.62	4.34	5.68	2.20	4.16
10.....	3.50	1.92	2.68	3.77	1.58	2.70
11.....	2.25	1.43	1.72	2.40	1.21	1.81
12.....	1.29	1.14	1.06	1.69	.75	1.20
13.....	.75	.81	.73	1.03	.54	.78
14.....	.46	.55	.44	.57	.46	.51
15.....	.29	.44	.36	.36	.29	.36
16.....	.12	.36	.32	.28	.17	.26
17.....	.08	.24	.24	.16	.00	.15
18.....	.04	.16	.12	.16	.00	.10
19.....	.04	.12	.04	.12	.00	.07
20+.....	.04	.12	.04	.08	.00	.06
Number of subjects.....	2,394	2,426	2,414	2,410	2,403	12,047

NOTE: Failing grade is six or more wrong.

convictions tended to be greater in magnitude than test form correlations with accidents. DMV forms were not equivalent in difficulty.

HSRI Test Form Results

Test characteristics for HSRI Forms 1-24 are presented in this section. Comparisons are made between forms that had HSRI items selected at random with forms that had items selected by raters from the HSRI item pool. Comparisons are made between HSRI forms and DMV forms.

Test characteristics of HSRI Forms 1-24 are presented in Table 7. Forms 1-12 were 25-item forms from Pilot 1, and 13-24 were 25-item forms from Pilot 2. In the first column of Table 7, form number and HSRI subject category is presented. Forms with items that were selected at random have the word "random" after the HSRI category name. Forms 13-24 contained items from various HSRI categories, and are termed "intermixed," meaning each form had items from several HSRI categories.

All test form correlations with biographical variables were significant. Males scored higher than females, younger drivers scored higher than older drivers, more highly educated drivers scored higher than those with less education, and drivers who reported driving more miles scored higher than those who reported driving less miles.

Driving record correlations with number wrong were low in magnitude and were both positive and negative. A positive test form correlation indicated that subjects with better driving records, that is fewer accidents or convictions, scored fewer items wrong than subjects with worse driving records. One HSRI category form had a significant positive correlation with accidents. Three intermixed forms had significant negative correlations with accidents. Two HSRI category forms were significantly correlated with convictions, but only one was positively correlated. Four intermixed forms had significant negative correlations with convictions.

No category test form was significantly correlated with all driving record variables, and no category was consistently more related to driving record variables than other categories.

Table 8 presents a comparison of those HSRI forms with items that were selected at random with HSRI forms that had items selected by two research analysts. Means were calculated for each test characteristic for both groups of test forms, and a "t" statistic computed for each pair of means. The only significant difference obtained was in mean test form difficulty. Forms with items selected by research analysts were significantly more difficult, and had similar correlations with driver record and biographical variables as forms with randomly selected items.

TABLE 7

TEST CHARACTERISTICS OF HESI FORMS 1-24
(Renewal applicants)

Form and content	Number of subjects	Mean number wrong	Split half reliability	Correlations with number wrong						
				Accidents	Accident rate	Convictions	Sex	Age	Education	Annual mileage
1. Surveillance.....	1,068	9.35	.62	-.00	.04	.02	.16	.18	-.39	-.15
2. Surveillance-random.....	1,077	3.18	.59	.01	.07	.02	.14	.12	-.31	-.19
3. Stopping.....	1,068	7.31	.48	-.01	.06	-.06	.19	.12	-.32	-.17
4. Stopping-random.....	1,077	7.02	.51	-.05	-.03	-.03	.20	.20	-.25	-.15
5. Passing and following.....	1,075	7.31	.73	-.00	.07	.02	.19	.16	-.42	-.20
6. Passing and following-random...	1,075	4.49	.72	.03	.05	.03	.12	.14	-.43	-.14
7. Turning and steering.....	1,076	8.58	.52	.05	.08	.05	.20	.11	-.34	-.13
8. Turning and steering-random....	1,064	5.81	.60	.06	.09	-.03	.21	.11	-.30	-.16
9. Speed control.....	1,075	10.24	.57	-.03	-.01	.01	.14	.22	-.39	-.09
10. Speed control-random.....	1,072	5.07	.73	.00	.03	.06	.13	.12	-.38	-.12
11. Lane usage and changing.....	1,072	6.39	.51	.01	.07	.04	.15	.11	-.33	-.21
12. Lane usage and changing-random	1,070	3.25	.57	.00	.03	-.02	.08	.11	-.40	-.13
13. Intermixed.....	991	4.33	.45	-.02	.03	-.01	.21	.08	-.26	-.17
14. Intermixed.....	978	5.47	.57	-.07	.01	-.06	.21	.20	-.26	-.23
15. Intermixed.....	998	3.67	.61	-.06	-.02	-.06	.15	.23	-.34	-.13
16. Intermixed.....	985	3.30	.60	-.01	.06	-.01	.21	.17	-.35	-.17
17. Intermixed.....	997	5.04	.48	-.02	.04	-.04	.22	.21	-.28	-.25
18. Intermixed.....	1,002	6.11	.46	-.04	.01	-.03	.17	.16	-.31	-.17
19. Intermixed.....	1,005	4.77	.60	-.03	.01	.00	.17	.11	-.30	-.18
20. Intermixed.....	1,013	4.55	.55	-.02	.03	-.03	.23	.14	-.38	-.21
21. Intermixed.....	998	5.20	.69	-.06	-.02	-.12	.10	.30	-.41	-.17
22. Intermixed.....	993	3.97	.51	.02	.05	-.07	.07	.18	-.26	-.13
23. Intermixed.....	998	5.69	.50	.03	.05	.02	.14	.18	-.27	-.13
24. Intermixed.....	1,008	3.32	.58	-.05	.00	-.05	.06	.30	-.34	-.13

-41-

NOTE: Any correlation .06 or greater in absolute magnitude is significant at the .05 level.

TABLE 8
MEAN TEST CHARACTERISTICS OF TEST FORMS WITH
RANDOM OR RATER SELECTED ITEMS
(Renewal applicants)

Test characteristics	Item selection		
	Rater ^(a)	Random ^(b)	t
Split half reliability...	.572	.630	-1.12
Difficulty.....	8.200	4.800	4.00**
Correlations:			
Accidents.....	.003	.008	-0.27
Accident rate.....	.052	.041	0.54
Convictions.....	.013	.003	0.38
Sex.....	.172	.147	1.10
Age.....	.150	.133	0.72
Education.....	-.365	-.345	-0.61
Annual mileage.....	-.158	-.148	-0.48

** p < .01.

(a) Forms 1, 3, 5, 7, 9, and 11 contained 25 HSRI items each that were selected by research analysts.

(b) Forms 2, 4, 6, 8, 10, and 12 contained 25 HSRI items each that were selected at random.

Table 9 presents a comparison of HSRI Forms 1-24 with DMV test forms. Because DMV forms contain 36 items each and HSRI contain only 25 items each, no comparisons of split-half reliability or form difficulty were made. Means were calculated for correlation between biographical data or driving record and number wrong for both groups, and a "t" statistic computed for each pair of means. DMV forms were significantly more correlated with accidents and convictions, but were significantly less related to applicants' sex, age, education and annual mileage than HSRI item forms.

Final Test Form Results

Test characteristics of the 45-item and 20-item final test forms are presented, and comparisons are made between these forms and DMV forms. Test characteristics of Forms 31-35 that were administered to original applicants

TABLE 9
 MEAN DRIVER RECORD AND BIOGRAPHICAL DATA CORRELATIONS
 WITH NUMBER WRONG OF HSRI FORMS 1-24 AND DMV FORMS 1-5
 (Renewal applicants)

Variable	Form		t
	HSRI	DMV	
Accidents.....	-.011	.038	-2.91**
Accident rate.....	.033	.062	-1.68
Convictions.....	-.015	.092	-4.72**
Sex.....	.160	.006	6.41**
Age.....	.162	.098	2.31*
Education.....	-.334	-.268	-2.59*
Annual mileage.....	-.163	-.080	-4.48**

* p < .05.

** p < .01.

are presented last and comparisons are made between original and renewal applicants.

Test characteristics of Forms 25-30 are presented in Table 10. Forms 25-27 were 45-item forms used in Pilot 3, and were created with 101 HSRI items and 24 DMV items that met certain selection criteria following Pilots 1 and 2. These were items from HSRI Forms 1-24 and DMV Forms 1-5 that had positive correlations of at least .01 with accidents. Forms 28-30 were 20-item forms used in Pilot 4, and were created with a subset of the items

TABLE 10
 TEST CHARACTERISTICS OF HSRI FORMS 25-30
 (Renewal applicants)

Form	Number of subjects	Mean number wrong	Split half reliability	Correlations with number wrong							
				Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Annual mileage
25.....	1,058	7.48	.73	.04	.06	.14	.16	.02	.13	-.41	-.74
26.....	1,061	8.16	.75	.10	.14	.10	.15	.21	.00	-.44	-.25
27.....	1,078	7.88	.73	.07	.12	.09	.11	.07	.06	-.45	-.17
28.....	1,168	7.90	.61	.06	.09	.02	.09	-.03	.15	-.34	-.12
29.....	1,171	4.19	.52	.03	.03	.02	-.01	.17	.01	-.33	-.19
30.....	1,170	4.00	.52	-.01	.02	-.01	.02	.12	.06	-.29	-.16

NOTE: Any correlation .06 or greater in absolute magnitude is significant at the .05 level.

from Forms 25-27, respectively. Test construction details were presented in the Method section.

The 45-item forms (Forms 25-27) all had positive test score (number wrong) correlations with driving record variables, indicating subjects with fewer accidents and convictions got fewer items wrong. Two were significantly correlated with accidents, and all three were significantly correlated with accident rate, convictions, and conviction rate. All three 45-item forms were significantly correlated with education and annual mileage, indicating more highly educated subjects and those who reported higher annual mileage got fewer items wrong than their counterparts. For each 45-item test form, the highest test score correlation obtained was with education. The 20-item test forms (Forms 28-30) had both positive and negative correlations with driving record variables. Only Form 28 had a significant correlation with accidents or accident rate or conviction rate, and they were positive correlations. None of the 20-item forms were significantly correlated with convictions. Like the 45-item forms, the 20-item forms were significantly correlated with education and annual mileage. For each 20-item form, the highest test score correlation obtained was with education.

Table 11 presents a comparison of the 45-item forms (Forms 25-27) with the 20-item forms (Forms 28-30). Means were calculated for correlations between biographical data or driving record and number wrong for Forms 25-27 and Forms 28-30, and a "t" statistic was computed for each pair of means. The 20-item forms were significantly less related to convictions and conviction rate, and were also less related to education than the 45-item forms.

Table 12 presents a correlation matrix of driver record, biographical data, and number wrong for one 45-item form (Form 26). All correlations except those with number wrong, are typical of the results obtained on all forms administered to renewal applicants, and are similar to those reported in Table 3 for DMV Forms 1-5.

TABLE 11
 MEAN DRIVER RECORD AND BIOGRAPHICAL DATA CORRELATIONS
 WITH NUMBER WRONG OF HSRI FORMS 25-27 AND 28-30

Variable	Form		t
	25-27	28-30	
Accidents.....	.070	.027	1.62
Accident rate.....	.107	.047	1.84
Convictions.....	.110	.010	5.48**
Conviction rate....	.140	.033	3.20*
Sex.....	.100	.087	.16
Age.....	.063	.073	-.18
Education.....	-.433	-.320	-5.83**
Annual mileage.....	-.187	-.150	-.94

* p < .05.

** p < .01.

TABLE 12
 MATRIX OF CORRELATIONS BETWEEN BIOGRAPHICAL DATA, DRIVING RECORD, AND TEST DATA OF FORM 26
 (Renewal applicants)

Variable	Variable							
	Sex	Age	Education	Annual mileage	Accidents	Accident rate	Convictions	Conviction rate
Sex.....	1.00							
Age.....	.02	1.00						
Education.....	-.08	-.16	1.00					
Annual mileage.....	-.44	-.03	.21	1.00				
Accidents.....	-.13	-.07	-.05	.09	1.00			
Accident rate.....	-.07	-.06	-.07	-.09	.88	1.00		
Convictions.....	-.24	-.19	-.04	.16	.33	.29	1.00	
Conviction rate....	-.16	-.15	-.03	-.08	.28	.46	.78	1.00
Number wrong.....	.21	.00	-.44	-.25	.10	.14	.10	.15

NOTE: A correlation .06 or greater in absolute magnitude is significant at the .05 level.

In Table 13, a comparison is made between Forms 25-27 and DMV Forms 1-5. Because DMV forms contained 36 items each and Forms 25-27 contained 45 items

each, no comparisons of split-half reliability or form difficulty were made. Means were calculated for correlations between biographical data or driving

TABLE 13
 MEAN DRIVER RECORD AND BIOGRAPHICAL DATA CORRELATIONS
 WITH NUMBER WRONG OF HSRI FORMS 25-27 AND DMV FORMS 1-5
 (Renewal applicants)

Variable	Form		t
	HSRI	DMV	
Accidents.....	.070	.038	1.42
Accident rate.....	.106	.062	1.52
Convictions.....	.110	.092	.49
Conviction rate....	.140	.114	1.06
Sex.....	.100	.006	1.87
Age.....	.063	.098	- 1.11
Education.....	-.433	-.268	-11.17**
Annual mileage.....	-.187	-.080	- 3.40*

* p < .05.

** p < .01.

record and number wrong for both groups, and a "t" statistic computed for each pair of means. The new 45-item forms were significantly more related to education level and annual mileage than DMV forms. There were no significant differences between the 45-item forms and DMV forms in their correlations with driving record, age, or sex. Overall, both DMV forms and the 45-item forms were significantly correlated with driving record variables, age, education, and annual mileage.

Table 14 presents a similar comparison for Forms 28-30 with DMV Forms 1-5. DMV forms were more related to conviction rate, but less related to education and annual mileage than the 20-item forms (Forms 28-30). All other comparisons were not significant.

Test form results for original applicants are presented in Table 15. Forms 31-35 were used in Pilot 5, which was conducted with original drivers

license applicants. Forms 31-35 were 50-item forms that consisted of 14 HSRI items that were attached to DMV Forms 1-5. These original applicants were applying for their first California drivers license, so they had no usable prior California driving record.

TABLE 14
 MEAN DRIVER RECORD AND BIOGRAPHICAL DATA CORRELATIONS
 WITH NUMBER WRONG OF HSRI FORMS 28-30 AND DMV FORMS 1-5
 (Renewal applicants)

Variable	CORRELATION		t
	HSRI	DMV	
Accidents.....	.027	.038	-.09
Accident rate.....	.047	.062	-.54
Convictions.....	.010	.092	-2.32
Conviction rate....	.033	.114	-2.63*
Sex.....	.087	.006	1.54
Age.....	.073	.098	-.74
Education.....	-.320	-.268	-3.00*
Annual mileage.....	-.150	-.080	-2.77*

* p < .05.

TABLE 15
 TEST CHARACTERISTICS OF FORMS 31-35
 (Original applicants)

Form	Number of subjects	Mean number wrong	Split half reliability	Correlations with number wrong			
				Sex	Age	Education	Annual mileage
31.....	940	7.19	.80	.02	.03	-.06	-.04
32.....	926	5.77	.82	-.00	-.03	-.18	-.12
33.....	938	5.95	.80	.11	.01	-.14	-.10
34.....	954	6.62	.73	.05	-.04	-.24	-.15
35.....	960	6.25	.73	.10	-.09	-.20	-.15

NOTE: Any correlation .06 or greater in absolute magnitude is significant at the .05 level.

Age, education, and annual mileage distributions are highly skewed for original applicants, resulting in correlations of lower magnitude than for

renewal applicants. Overall, the results indicate that original applicants who are more educated, and those that reported higher annual mileage got fewer items wrong on Forms 31-35 than their counterparts.

Table 16 contains results for the DMV Forms 1-5 which were part of Forms 31-35, respectively. Only one form was significantly related to sex, and one to age. Four forms were significantly correlated with education,

TABLE 16
TEST CHARACTERISTICS OF DMV FORMS 1-5
(Original applicants)

Form	Number of subjects	Mean number wrong	Split half reliability	Correlations with number wrong			
				Sex	Age	Education	Annual mileage
1.....	940	3.87	.75	-.00	.04	-.04	-.01
2.....	926	2.90	.80	-.04	.02	-.10	-.01
3.....	938	3.46	.75	.07	.05	-.11	-.05
4.....	954	3.62	.71	.01	.04	-.13	.01
5.....	940	3.04	.70	.03	-.06	-.11	-.02

NOTE: Any correlation .06 or greater in absolute magnitude is significant at the .05 level.

All were negative, indicating more highly educated subjects got fewer items wrong than less educated subjects.

In Table 17, a comparison is made between total score on DMV Forms 1-5

TABLE 17
MEAN NUMBER WRONG OF ORIGINAL AND RENEWAL APPLICANTS
(DMV FORMS 1-5)

DMV form	Original applicants	Renewal applicants	t
1.....	3.87	3.45	3.57**
2.....	2.90	2.52	3.44**
3.....	3.46	2.99	4.09**
4.....	3.62	3.22	3.54**
5.....	3.04	2.51	5.14**

** p < .01.

for original versus renewal applicants. Each form was significantly more difficult for original applicants, who tended to be younger and less well

educated than renewal applicants. Overall, 19% of the original applicants obtained failing grades on DMV test forms compared to 13% for renewal applicants.

A comparison was made between item difficulties for original and renewal applicants. Item difficulties are presented as percents, so a difficulty of 90 indicates 90% of the subjects selected the correct response.

For renewal applicants, the mean difficulty of those HSRI items selected for final renewal applicant forms (Forms 25-30) was 83 and the mean difficulty of DMV items was 91. For original applicants, the mean difficulty of those HSRI items selected for final original applicant forms (Forms 31-35) was 78 and the mean difficulty of DMV items was 89. These results indicate that DMV items were easier than selected HSRI items for original and renewal applicants. Further, renewal applicants tended to select the correct answer more often than original applicants on both DMV and HSRI items.

The set of items with the largest mean difficulty differences for original compared to renewal applicants are presented in Table 18. A large number of items had statistically significant difficulty differences. So only items with difficulty differences 10% or greater are listed in Table 18. Response distributions were averaged for items administered more than once to renewal applicants. Only one DMV item had a difficulty difference of 10% or greater for original compared to renewal applicants, whereas 11 HSRI items had difficulty differences of 10% or greater. Only one item in Table 18, number 500, was more difficult for renewal applicants than original applicants. Original applicants appeared to be less defensive and demonstrated poorer knowledge of brakes and braking.

Item Results

In Appendix A, complete item statistics are presented for each HSRI item selected. In Appendix B, complete item statistics are presented for all California DMV items. The statistics presented include the following: the pilot number from which the item statistics were gathered, the number of subjects on which the statistics are based, the subject response distribution which indicates item difficulty, and correlations of item response with total score and all driving record and biographical data variables.

The following general item results are presented here. An analysis was

TABLE 18

MMRI ITEM AND RESPONSE DISTRIBUTION BY ORIGINAL VERSUS REEXAM STATUS
(Only those items with difficulty level differences greater than 10 percent)

Item	Response distribution	
	Original applicants *	Reexam applicants
44.* A yellow painted curb means that stopping or parking is permitted only for:		
a. Buses as a loading zone..... <input type="checkbox"/>	16	10
b. Loading or unloading freight or passengers... <input type="checkbox"/>	76	87
c. Emergency and police vehicles..... <input type="checkbox"/>	07	02
185. If at an intersection you see a vehicle coming from the left you should:		
a. Prepare to stop and yield the right-of-way if necessary..... <input type="checkbox"/>	78	88
b. Continue at the same speed, since you have the right-of-way..... <input type="checkbox"/>	12	07
c. Move as far to the right as possible and maintain your speed..... <input type="checkbox"/>	09	04
209. When making a right turn you should always:		
a. Check the road that you are turning onto for vehicles..... <input type="checkbox"/>	47	64
b. Signal several blocks before the turn..... <input type="checkbox"/>	08	10
c. Stop and check traffic before turning..... <input type="checkbox"/>	45	26
244. For best control on a steep downgrade you should begin to slow down:		
a. Just after starting downhill..... <input type="checkbox"/>	28	18
b. Before starting downhill..... <input type="checkbox"/>	67	81
c. About halfway down the hill..... <input type="checkbox"/>	04	01
303. If you can see far ahead you may:		
a. Drive above the speed limit..... <input type="checkbox"/>	09	06
b. Drive on the shoulder of the road..... <input type="checkbox"/>	09	01
c. Pass several vehicles at once..... <input type="checkbox"/>	80	91
354. When driving on a slippery road you should:		
a. Hit your brakes harder to stop..... <input type="checkbox"/>	01	00
b. Not make quick turns..... <input type="checkbox"/>	63	79
c. Slow down and stop at every intersection..... <input type="checkbox"/>	35	21
358. You should be most careful when turning or stopping:		
a. After it has been raining all day..... <input type="checkbox"/>	34	28
b. A half hour after it stops raining..... <input type="checkbox"/>	06	04
c. During the first half hour of rain..... <input type="checkbox"/>	59	69
500.M If you are entering a freeway and there is no break in the traffic:		
a. Slow down at the beginning of the acceleration lane but avoid stopping..... <input type="checkbox"/>	73	61
b. Stop at the beginning of the acceleration lane..... <input type="checkbox"/>	23	20
c. Continue as you would if there were a break and hope that one appears..... <input type="checkbox"/>	03	01
502.M When you enter a freeway from an acceleration lane you should be driving at:		
a. The legal speed limit on the freeway..... <input type="checkbox"/>	26	15
b. About the same speed as the vehicle you want to enter behind..... <input type="checkbox"/>	56	66
c. About 10 mph below the legal speed limit on the freeway..... <input type="checkbox"/>	16	19
512. When passing a car that is driving behind a slower moving vehicle, you should:		
a. Pass on the right, if possible..... <input type="checkbox"/>	16	08
b. Be careful because the other car may cut in front of you..... <input type="checkbox"/>	78	90
c. Go 5 to 10 mph above the posted speed limit.. <input type="checkbox"/>	06	02
565. Generally you should drive:		
a. Just to the left of the center line..... <input type="checkbox"/>	10	06
b. As near as possible to the center line..... <input type="checkbox"/>	24	15
c. Well to the right of the center line..... <input type="checkbox"/>	65	79
713. If your vehicle pulls to one side when the brakes are applied you should:		
a. Have your brakes checked..... <input type="checkbox"/>	00	64
b. Balance your wheels..... <input type="checkbox"/>	20	15
c. Put more air in the tires on that side..... <input type="checkbox"/>	07	02

* DOW item.

made of the distribution of accident and conviction correlations for DMV items, and for HSRI items from Pilots 1 and 2, which included all HSRI items analyzed in this study. Cross-validation was made of accident and conviction correlations for those HSRI items selected for final test forms.

An examination was made of the distribution of item-accident and item-conviction correlations for all 74 DMV items, using data from Pilots 1, 3, and 4. DMV items had a mean item-accident correlation of .013 and a standard deviation of .028. There were 19 significant item-accident correlations; 17 were positive and 2 negative. DMV items had a mean item-conviction correlation of .026 and a standard deviation of .039. There were 30 significant item-conviction correlations; 27 were positive and 3 negative.

An examination was made of the distribution of item-accident correlations and item-conviction correlations for all 563 HSRI items selected from the HSRI item pool, using data from Pilots 1 and 2. The distribution of item-accident correlations appeared normal, with a mean correlation of .00 and a standard deviation of .03. There were 50 significant item-accident correlations; 27 were positive and 23 negative. Item-conviction correlations also appeared normally distributed, with a mean correlation of .00 and a standard deviation of .04. There were 89 significant item-conviction correlations; 41 were positive and 48 negative.

One hundred and one of the HSRI items used in Pilots 1 and 2 were selected for use on the final test forms, and each item had a correlation with accidents of at least .01. The mean item-accident correlation of this set of items was .035, and 17 items had positive item-accident correlations that were significant. After cross-validation from Pilot 3, only one item had a negative item-accident correlation that was significant, whereas 13 items had positive item-accident correlations that were significant. The mean item-accident correlation, upon cross-validation, for this set of 101 HSRI items was .019.

Earlier research has demonstrated that previous convictions are a better predictor of subsequent accidents than previous accidents (Peck, McBride, & Coppin, 1971). It might be that to create a test to predict future accidents,

the better criterion to use in selecting items would be item correlations with previous convictions rather than with previous accidents. The correlation between accidents and convictions, from Table 3, was .28. A matrix of item-accident by item-conviction correlations was created to examine the number of items that would be selected using either an accident or a conviction criterion. All items that were selected for the final test forms and a correlation of .01 or greater with accidents. Item statistics for all 563 HSRI items, with data from Pilots 1 and 2, were analyzed. A total of 233 HSRI items had a correlation with accidents of .01 or greater, and 234 HSRI items had a correlation with convictions of .01 or greater. One hundred thirty-seven items had a correlation of .01 or greater with both accidents and convictions. So 58% of the items that would have been selected using correlations with accidents as the criterion would have also been selected with convictions as the criterion.

Many of the same items would be selected using either a prior accident or conviction criterion. Because only prior driving record was obtained, no analysis was possible to evaluate which item selection criterion results in a more predictive test.

DISCUSSION

This study was conducted to evaluate a large sample of test items created at HSRI. There was an analysis made of the current California DMV written test, and an attempt was made to create several improved test forms.

The primary purpose of this study was to evaluate a large sample of HSRI items, because many of these items covered subject areas not tested by California DMV items. Unlike the DMV items, these HSRI items were based on a task analysis and appeared to be a promising source of new accident related content for the DMV written tests. An evaluation of the DMV written test had not been previously attempted, and was needed both to determine the adequacy of DMV test forms and to provide for comparisons between HSRI and DMV items.

The use of driving record variables as test evaluation criteria places severe limitations on the magnitude of test and item validity coefficients. This is true because accidents and convictions on record represent relatively few occurrences and are highly dependent on the behavior of other people

and various random contingencies. As such, they are not a direct measure of an individual's driving behavior. Further, a driver's knowledge of laws and safe driving practices is but one factor in his driving performance. So it is likely that very weak relationships are all that can be expected between driving knowledge and accidents and convictions on record. For all correlations with driving record, the maximum value attainable for r is not one, but is a much lower figure due to the highly skewed distribution and restricted range of the criterion (Peck, McBride, & Coppin, 1971).

Drivers licensing tests that have been validated from other states have shown low magnitude correlations with driving record variables. But most driver licensing tests were created to be achievement tests, not to predict driving record. They are used to test knowledge of vehicle registration laws, financial responsibility, and other topics not directly related to the driver's task. Written drivers licensing tests are also used to keep drivers current in the knowledge of laws related to driving. Some tests that have been validated from other states had poor internal characteristics, such as virtually one choice "multiple choice" test items, and non-equivalent test forms.

DMV Test Forms

DMV forms demonstrated many of the same internal characteristics as were found for written knowledge tests from other states. DMV forms were widely different in difficulty, and had many extremely easy items. Test form reliability measures were moderate. DMV forms, like all forms analyzed, were most highly related to applicants' education, although education was not significantly related to accidents or convictions. DMV test form correlations with driving record variables were all positive, and 15 out of 20 driving record correlations were significant, indicating that applicants with better driving records obtained higher test scores than applicants with worse records.

Dreyer (1975) presented data for original applicants who were administered DMV Forms 1-5, and the results indicated a significant correlation between one year subsequent accidents and test scores on DMV forms combined. Original applicants who obtained higher test scores had better subsequent driving records.

Initial HSRI Test Forms

Initial forms were created from items that were selected during the first screening of the HSRI item pool. They were primarily created to gather data on a large sample of HSRI items, so that the "best" HSRI items could be selected for final test forms. Scores on these forms were more highly related to renewal applicants' sex, age, education, and annual mileage than DMV forms. These initial HSRI forms also tended to be less related to driving record variables than DMV forms. There were no apparent content commonalities among those items significantly correlated with accidents versus uncorrelated items.

There was a comparison made between random and rater item selection. Forms with items selected from the HSRI item pool by research analysts were not more highly correlated with biographical or driving record variables than forms with HSRI items selected at random from the remaining items in the pool. So it appears that the process of screening the lengthy item pool for accident related items, with no validation data to assist such a search, may not be an effective item selection procedure.

Final Test Forms

The final new test forms used in this study were created for use as treatments in a future DMV testing experiment. The rationale for the item selection and test form construction procedures was the following. If drivers with accidents or convictions on record demonstrate poorer knowledge of particular driving facts and situations, then an effective traffic safety treatment might be to administer test forms covering this information. Items with the maximum possible correlations with accidents were therefore selected for these new test forms. The final 45-item and 20-item forms, that were largely composed of HSRI items, did not significantly differ from DMV forms in correlation with driver record variables, although they were more related to education and annual mileage.

HSRI and DMV Form Differences

The results indicated that forms with HSRI items were more related to applicants' biographical variables than were DMV forms, but were no more related to driving record variables. Several explanations are presented here to account for these results.

There were several differences between HSRI and DMV items that may account for their differences in correlations. The first is the difficulty of DMV items compared to HSRI items. DMV items tended to be fairly easy, and many DMV items therefore had very small variance and reduced ability to discriminate between groups. HSRI items were substantially more difficult and therefore had greater variance and would have been more able to detect any true differences between groups with different biographical characteristics and driving records.

The answers to all DMV items and several practice questions are presented in the California Driver's Handbook. DMV tests and test items have been in use for a number of years. Items that are particularly confusing create operational problems and are revised. Most renewal applicants were familiar with DMV tests and the vehicle code summary, but were not familiar with many of the HSRI items, both because these items were new and because no new handbook was created to present the new information. This may partially explain why HSRI items were more difficult than DMV items for all license applicants.

The preceding reasons are also offered as an explanation for the differences in education correlations. The fact that a vehicle code summary was available may have reduced the education correlation for renewal applicants that were administered a DMV test, by allowing less educated subjects to study and memorize correct item responses.

It is possible that HSRI items were written in more difficult language or tested conceptually more difficult material that subjects with less education had difficulty comprehending. No readability study was attempted on any items or tests. HSRI items may have been somewhat perplexing to all applicants, but those with greater education were possibly more "test wise" and could more easily select the correct answers and eliminate incorrect answers.

Possibly drivers who have better driving records are more conscientious about reviewing the vehicle code summary than drivers with worse records, and would demonstrate better knowledge of any type of information that was required knowledge for a drivers license.

DMV test forms had a different appearance than new test forms. DMV forms

were printed on long, narrow paper. New forms were printed on standard size paper. Subjects could immediately recognize that they were receiving a new type of test, and this may have raised anxieties among certain subjects that could have affected test performance.

The author made an attempt to improve three sets of DMV and HSRI items by trying to rewrite them in simpler, more concise language, and by making them conform to commonly suggested item writing guidelines. Improvements anticipated were reduced biographical variable correlations. There was no significant effect on test form correlations with driving record variables. Rewritten forms were not less related to education or any other biographical variable. There was no consistent effect on test form difficulty, as two forms were made more difficult and one less difficult as a result of the rewriting effort. But this is not conclusive evidence that items cannot be improved by rewriting.

Original and Renewal Applicant Differences

Original applicants scored significantly lower on DMV forms than renewal applicants, and also found HSRI items on the whole more difficult. Some mention should be made about the purpose of testing for original compared to renewal applicants. It is possible that tests of driver knowledge should be different in nature for original applicants than for renewal applicants. The results from this study indicate that renewal applicants had a better knowledge of both DMV and HSRI items, even though neither original nor renewal applicants had an opportunity to study the HSRI items beforehand. It may be that the best use of both applicant and field office personnel time would be to reduce the amount of time spent testing renewal applicants, or at least those renewal applicants who have demonstrated accident-free driving ability. For renewal applicants, a brief educational experience may be a more effective traffic safety treatment than a pass-fail test. These possibilities will be explored by the California DMV in an upcoming experiment.

Data Collection

Biographical data for each subject was self-reported. Certain errors and reporting biases can occur in data that is self-reported. It is possible, in reporting education level, that subjects tended to overestimate the amount of education they had completed. In Pilots 1-4, over half of the renewal applicants reported "some college" or "college graduate."

Mileage driven in only the past year, even if reported accurately, might

not have been an accurate estimate of annual mileage over the past six years. It should be recalled that a six year driving record was analyzed. Further, the mileage estimate for the past year may not have been an accurate estimate even for that year. Certain subject groups might have been inclined to over or under estimate mileage driven.

Conclusion

The final test forms, created primarily with HSRI items, differed from DMV forms only in their correlations with certain biographical variables. They were equivalent in their relationship to prior driving record variables. Whether these final tests are superior traffic safety treatments or driving record predictors remains to be experimentally evaluated. The evaluation must consist of a random assignment of subjects to different testing processes, and a comparison made of subsequent driving records.

Because of moderate test form correlations with education, a special burden is placed on renewal applicants who have little education completed and yet are accident-free drivers. Many of these applicants fail and must return to a field office to be retested. It is likely that applicants with little education have difficulty with the language and verbal concepts presented in a written test. This, together with lack of knowledge, is perhaps the reason for their high failure rate. It might prove to be a formidable task to create written test items that are moderately difficult, and thereby have acceptable measuring characteristics, but are more related to driving record and less related to education. Possibly a testing process where nearly all applicants could receive their drivers license in one field office visit, with a traffic safety treatment given after the initial test failure, would be a more efficient use of field office and applicant time. Possibly audio-visual tests would prove to be a better approach to driver knowledge testing. The California Department of Motor Vehicles is currently examining this approach.

This study has succeeded in indicating several improvements that should be made in the current DMV tests, and has provided data to assist in carrying out these improvements. A large number of HSRI items have been validated and are available for future DMV test form revisions. The appendices contain a large pool of items and a large number of item statistics for each item, including cross-validation data for many items. This should prove to be a valuable source of information for individuals involved in driver knowledge test construction.

REFERENCES

- Algea, C. *Licensing of motor vehicle operators*. Columbus: Transportation Engineering Center, The Ohio State University, 1961.
- Berger, W. G., Damkot, D. K., McDole, T. L., & Pollock, W. T. *A handbook for test of driving knowledge: Part II - Test item pool*. Ann Arbor: Highway Safety Research Institute (HSRI), University of Michigan, 1972.
- Boneau, C. A. The effects of violations of assumptions underlying the test. *Psychological Bulletin*, 1960, 57, 49-64.
- California Department of Motor Vehicles. *Report to the California State Legislature in Accord with Assembly Concurrent Resolution 67, 1969 Legislative Session*. Sacramento: Author, 1971.
- California Department of Motor Vehicles. *Report to the California State Legislature in Accord with Senate Concurrent Resolution 104, 1971 Legislative Session*. Sacramento: Author, 1974.
- Campbell, B. J. *The improvement of written driver license examinations through test analysis*. Chapel Hill: Institute of Government, University of North Carolina, 1959.
- Columbia Broadcasting System. *The complete national drivers test*. New York: Random House, 1969.
- Conley, J., & Huffman, W. *The written driver license examination as a technique in driver selection*. Champaign: University of Illinois, 1969.
- Creech, F., & Grandy, J. *An analysis of the relationships between the renewal rules tests and the accident and violation histories*. Princeton, N. J.: Educational Testing Service, 1974.
- Dreyer, D. R. *An evaluation of California driver licensing examination*. Sacramento: California Department of Motor vehicles, 1976.
- Eno Foundation for Highway Traffic Control. *Personal characteristics of traffic-accident motorists*. Saugatuck, Conn.: Author, 1948.
- Freeberg, N. *Development of driver performance measures for use in the North Carolina licensing program: A study plan*. Princeton, N. J.: Educational Testing Service, 1970.
- Freeberg, N., & Creech, F. *Development of measures for a driver licensing program in the state of North Carolina. Phase I: Analyses of current licensing tests*. Princeton, N. J.: Educational Testing Service, 1971.
- Fruchter, D. *Home completion of renewal tests for drivers*. Austin, Texas: Educational Development Corporation, 1970.
- Guilford, J. P., & Fruchter, B. *Fundamental statistics in psychology and education*, (5th ed.). New York: McGraw-Hill, 1973.
- Jones, D. C., & Stouffer, S. K. *Bibliography on driver licensing*. Research Triangle Park, North Carolina: Research Triangle Institute, 1970.
- Kaestner, N. *A study of licensed drivers in Oregon: Part II - Analysis of traffic involvement records*. Salem: Oregon Department of Motor Vehicles, 1964.
- Louisiana Department of Public Safety. *Safe driving in Louisiana*. Baton Rouge: Author, 1974.

- McKnight, A. J., & Hundt, A. G. *Driver education task analysis: The development of instructional objectives*. Alexandria, Virginia: Human Resources Research Organization (HumRRO), 1972.
- McRae, D. *The relation of licensing test scores to subsequent driver performance*. Chapel Hill: The L. L. Thurstone Psychometric Laboratory, University of North Carolina, 1968.
- Miller, L., & Dimling, J. A. Jr. *Driver licensing and performance. Vol. 1, Research review and recommendations*. Lexington, Kentucky: Spindletop Research Incorporated, 1969.
- Paulsrude, S. *An evaluation of Washington's automated driver knowledge examination*. Olympia: Washington Department of Motor Vehicles, 1970.
- Peck, R. C., McBride, R. S., & Coppin, R. S. The distribution and prediction of driver accident frequencies. *Accident Analysis and Prevention*, 1971, 2, 243-299.
- Pollock, W. T., & McDole, T. L. *Development of a national item bank for tests of driving knowledge*. Ann Arbor: Highway Safety Research Institute (HSRI), University of Michigan, 1973.
- Purswell, J. *Project driver*. Oklahoma City: Oklahoma Department of Public Safety, 1970.
- Sabers, D., & Berry, J. *Evaluation report: The Iowa drive test project*. Iowa City: Transportation Safety Research Center, University of Iowa, 1971.
- Stewart, W. *Analysis of drivers license operations*. Washington, D. C.: Safety Management Institute, 1970.
- Uhlener, J., & Drucker, A. Selection tests -- Dubious aid in driver licensing. *Highway Research Record No. 84*. Washington, D. C.: Highway Research Board, 1965.
- Wallace, J., & Crancer, A. *Licensing examinations and their relation to subsequent driving record*. Olympia: Washington Department of Motor Vehicles, 1969.
- Washington Department of Motor Vehicles. *Project machine examination teaching, evaluation, and re-education (METER): An evaluation*. Olympia: Author, 1971.

APPENDICES

APPENDIX A

UNIVERSITY OF MICHIGAN HSRI ITEM STATISTICS

This appendix contains the results of an item analysis made on each item selected for use in this study from the University of Michigan HSRI item pool. The table presenting HSRI item statistics is divided into 13 columns, and the data presented is as follows:

1. Number and Item - Each item in the HSRI passenger car item pool was designated a number by HSRI, from 1 to 313, (Berger et al, 1972). All HSRI items that were selected for use in this study appear in Appendix A, and retain their HSRI designated numbers. An M following any HSRI number indicates that the item was modified; that is, rewritten or substantially altered. No M indicates that the item was unaltered from the way it appeared in the HSRI passenger car item pool, except that the four multiple choice answers were reduced to three by usually eliminating the answer chosen least often by the HSRI subject sample.
2. Pilot Number - Five test form pilots were conducted, and each used a different set of test forms that were administered at a different set of field offices. The following is a brief summary of relevant details for each pilot.

Applicants who were renewing their California drivers license were tested in Pilots 1-4. Original applicants, those who were applying for their first California drivers license, were tested in Pilot 5.

HSRI items were selected from the HSRI item pool to create test forms for Pilots 1 and 2. There were 12 forms, each containing 25 items, created for Pilot 1. A different set of items was selected from the item pool for Pilot 2, and 12 additional 25-item forms were created. The set of items with the highest possible relationship to accidents was selected from the set of all items used in Pilots 1 and 2, and 11 additional test forms were created with these selected items for Pilots 3-5. Cross-validation

of item statistics was thereby available for a set of 101 HSRI items.

3. Number of Subjects - The number of subjects that were administered a test form containing each item is presented. Due to missing data for some subjects, item correlations with driving record and biographical variables may be based on a slightly smaller number of subjects than the subject number presented. Refer to Table 1 in the Results Section for the number of subjects for whom data was not available for each driving record or biographical variable.
4. Response Distribution - The percentage distribution of subjects responding to each multiple choice answer for each item is presented. The percentage corresponding to the correct answer is underlined. On the average, less than 1% of applicants indicated no answer choice on each item. This, together with rounding error, accounts for some response distributions adding to less than 100.

Item-Correlation Coefficients

All item-correlation coefficients were rounded to two digits, and decimal points were omitted. The number of subjects per HSRI item ranged from 938 to 1,171. A correlation that was significantly different than zero, therefore, ranged from .057 for a subject number of 1,171, to .064 for a subject number of 938. Because all correlations were rounded to two digits, a correlation of .06 or above in absolute magnitude may be considered significant. Due to rounding, some correlations that failed to reach significance by a small margin may be considered significant.

Approximately a prior six year driving record was analyzed, although driving record was shorter or longer than six years for some applicants. If N/A appears in place of a correlation, that correlation was not available. For original applicants (Pilot 5), all item correlations with accidents, accident rate, convictions and conviction rate were not available because no usable California driving record was available. Conviction rate was not calculated for Pilots 1 and 2.

5. Total Test Score - This is the correlation between correct or incorrect item response and the total number wrong. A positive correlation indicates that subjects who selected the correct answer tended to have higher total test scores than subjects who selected an incorrect answer. These correlations might be slightly inflated on the shorter test forms, because each item was not removed from the total score for its item-total test score correlation. Lengths of the new test forms were the following. For Pilots 1 and 2, 25-item tests were created. For Pilot 3, 45-item tests were created, and for Pilot 4, 20-item tests were created. All the preceding tests were primarily composed of HSPT items. Pilot 5 used 50-item tests with only the final 14 items being HSRI items.

6. Accidents - This is the correlation coefficient between correct or incorrect item response and subject's accident record. A positive correlation indicates that subjects who selected the correct answer tended to have fewer accidents on record than subjects who selected an incorrect answer.

7. Accident Rate - This is the correlation coefficient between correct or incorrect item response and subject's accident record corrected for exposure with the following formula:
$$\text{(Accident rate} = \frac{\text{Accidents}}{\text{Mileage category}})$$

Subjects in the "none" mileage category were deleted. A positive correlation indicates that subjects who selected the correct answer tended to have a lower accident rate than subjects who selected an incorrect answer.

8. Convictions - This is the correlation coefficient between correct or incorrect item response and subject's conviction record. A positive correlation indicates that subjects who selected the correct answer tended to have fewer convictions on record than subjects who selected an incorrect answer.

9. Conviction Rate - This is the correlation coefficient between correct or incorrect item response and subject's conviction record corrected for exposure with the following formula:

$$(\text{Conviction rate} = \frac{\text{Convictions}}{\text{Mileage category}})$$

Subjects in the "none" mileage category were deleted. A positive correlation indicates that subjects who selected the correct answer tended to have a lower conviction rate than subjects who selected an incorrect answer.

10. Sex - This is the correlation coefficient between correct or incorrect item response and subject's sex category. A positive correlation indicates that males tended to select the correct answer more often than females.
11. Age - This is the correlation coefficient between correct or incorrect item response and subject's age category. Age categories were: 0 = under 20, 1 = 20-29, 2 = 30-39, 3 = 40-49, 4 = 50-59, and 5 = 60+ years. A positive correlation indicates that younger subjects tended to select the correct answer more often than older subjects.
12. Education - This is the correlation coefficient between correct or incorrect item response and subject's education category. Education categories were: 1 = grammar school, 2 = some high school, 3 = high school graduate, 4 = some college, and 5 = college graduate. A negative correlation indicates that more educated subjects tended to select the correct answer more often than less educated subjects.
13. Mileage - This is the correlation coefficient between correct or incorrect item response and subject's reported annual mileage category. Mileage categories were: 1 = none, 2 = under 1,000 miles, 3 = 1,000-4,999, 4 = 5,000-9,999, 5 = 10,000-14,999, 6 = 15,000-19,999, 7 = 20,000-29,999, 8 = 30,000-49,999, and 9 = 50,000+ miles driven in the past year. A negative correlation indicates that higher mileage subjects tended to select the correct answer more often than lower mileage subjects.

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of Subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
6. Before starting the engine do all of the following <u>except</u> : a. Make sure all doors are closed and locked b. Make top of headrest level with your neck c. Fasten seat belts and shoulder harnesses	2	1008	13 73 14	41	-02	00	-02	NA	-01	24	-23	-05
7. The inside rearview mirror should be adjusted to reflect the: a. Left side of the road behind the vehicle b. Right side of the road behind the vehicle c. Center of the road behind the vehicle	1	1077	06 06 88	29	02	03	-01	NA	05	06	-03	-08
7. Duplicate of above	3	1078	05 05 90	21	-03	-02	01	-01	06	08	-06	-02
7. Duplicate of above	4	1170	05 06 89	20	01	01	01	01	02	07	-04	00
7. Duplicate of above	5	940	08 09 83	25	NA	NA	NA	NA	03	02	00	-07
8. Before driving you should adjust your left outside mirror so that you: a. Do not see any part of your vehicle when you are sitting in your normal driving position b. See the rear window of your vehicle when you are sitting in your normal driving position c. Just see the left edge of your vehicle when you are sitting in your normal driving position	2	997	16 05 79	39	-01	03	-08	NA	25	15	-16	-15

-64-

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
10. The <u>most</u> important reason for keeping loose objects off of the dashboard, floor, and sun visor is that:	2	1008		38	-04	-03	-05	NA	02	31	-20	-06
a. They may blow out of an open window			01									
b. They may interfere with your driving of the vehicle			82									
c. It is illegal to keep loose objects in any of these places			16									
17. If you flood your engine when starting it is best to:	2	978		34	-05	-02	-04	NA	23	-02	05	-09
a. Release the gas pedal entirely while using the starter			38									
b. Hold the gas pedal all the way down while using the starter			56									
c. Pump the gas pedal up and down while using the starter			06									
19. When driving at night rather than during the day it is more important to:	2	978		28	-02	00	-01	NA	-03	07	-12	-07
a. Have the right amount of air in your tires			00									
b. Check your lights and signals			97									
c. Keep an eye on the rearview mirror(s)			03									
20. To prepare for a long trip you should:	2	1008		26	-05	-03	00	NA	13	05	-03	-02
a. Check your route on an up-to-date map			79									
b. Drink several cups of coffee			01									
c. Put your best tires on the rear wheels			20									
21. When taking a long trip you should limit your driving to:	2	1008		22	03	04	02	NA	-02	-05	-10	-05
a. 8 hours a day with several rest stops			86									
b. 12 hours a day with several rest stops			08									
c. 4 hours a day with several rest stops			05									

-65-

76

75


UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distributor	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Miles
21. Duplicate of above	3	1078	82 12 06	21	03	05	09	07	-03	-10	-09	-04
21. Duplicate of above	4	1170	83 10 07	35	02	02	00	03	06	-03	-11	-05
21. Duplicate of above	5	940	77 13 10	20	NA	NA	NA	NA	05	-10	-12	-10
23. When going on a long trip it is most important to: a. Get plenty of rest before starting out b. Have someone else with you in the vehicle c. Keep the radio on	2	985	88 09 03	23	-01	02	-02	NA	06	00	-07	-09
25. Before coming to a point where you have to make a decision you should: a. Look for signs telling you what to do b. Move over to the right lane c. Increase your speed to move away from other vehicles	1	1 77	71 28 01	39	03	04	02	NA	-05	06	-14	-03
25. Duplicate of above	3	1078	64 35 00	32	06	05	-03	-03	01	13	-23	-05
25. Duplicate of above	4	1171	66 32 01	39	-03	-03	-05	-04	01	06	-17	-05
25. Duplicate of above	5	938	72 26 02	22	NA	NA	NA	NA	06	06	04	02

Number and item	Pilot number	Number of subjects	Response distributor	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
28. You should downshift: a. on steep hills or poor road conditions b. whenever possible, to control your speed c. when making emergency stops	2	985	79 19 02	29	03	04	06	NA	02	-07	-09	-02
29. When driving on a road having several lanes in each direction you should generally: a. drive in the far left lane b. use the right lane(s) to pass c. stay in the center of your lane	1	1072	03 03 94	24	04	06	01	NA	04	01	-10	-06
29. Duplicate of above	3	1078	05 06 88	38	-03	01	03	07	07	00	-18	-09
29. Duplicate of above	5	938	08 08 84	31	NA	NA	NA	NA	04	-06	-14	-05
30. If there are no painted lines on the road you: a. may drive anywhere on your side of the road b. should drive wherever traffic is moving the fastest c. should drive as if there were lines	1	1080	06 01 93	22	04	04	03	NA	-07	05	-03	-03
30. Duplicate of above	3	1058	03 01 96	19	00	-03	03	02	-05	05	-09	01
30. Duplicate of above	4	1168	03 01 96	20	04	02	07	07	-08	05	-04	-01

9

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
31. You should drive in the right lane of a 6-lane highway when: a. Driving slower than the traffic in the other lanes b. When you see traffic entering the highway from the right c. You want to pass other vehicle on highway	1	1072	19 98 00 02	19	-02	-02	00	NA	02	01	-11	05
32. On this 6-lane road these 2 lanes should be used by:  a. Through traffic b. Trucks and bus traffic c. Slow moving traffic	2	1080	35 87 04 09	35	-05	-03	-04	NA	00	10	-19	-10
33.M When driving you should stay at least: a. 1 second behind the vehicle in front of you b. 3 seconds behind the vehicle in front of you c. 2 seconds behind the vehicle in front of you	1	1075	06 04 88 08	06		-01	01	NA	00	00	-07	-04
34. When following a vehicle that blocks your view of the road ahead: a. Stay as far to the right as possible b. Follow at a greater distance than usual c. Drive so that you are in the far left side of the lane	2	993	37 03 92 05	37	-03	00	-01	NA	04	07	-15	-06
35. The most important reason for passing a truck traveling at 45 MPH in a 55 MPH zone is: a. To improve your ability to see b. To advance your position in traffic c. To reduce your travel time	2	998	35 85 13 02	35	01	02	00	NA	04	10	-17	-11

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
36. You need <u>not</u> leave more room than usual between you and the vehicle ahead when: a. In heavy fog b. Following large trucks or busses c. In slow-moving city traffic	1	1075	04 06 89	36	01	-01	07	NA	08	00	-15	-02
37. When following vehicles which often stop (busses, post office vans): a. Allow more following distance than usual b. Do not pass; wait until they turn off the road c. Blow your horn to warn them that you are following	1	1075	88 11 01	39	00	02	-01	NA	06	01	-13	-08
37. Duplicate of above	3	1061	89 10 00	42	07	04	01	05	11	02	-15	-12
37. Duplicate of above	5	938	88 11 01	42	NA	NA	NA	NA	05	04	-08	-07
38. When driving behind a motorcycle you should: a. Increase your following distance b. Drive in the left part of the lane c. Wait for a hand signal before you pass	1	1075	58 20 21	52	-01	04	-01	NA	19	18	-31	-16
39. When driving at night or when visibility is poor: a. Drive slightly faster than during the day b. Do not follow as closely as you do during the day c. Do not look as far ahead as you do during the day	1	1075	00 55 04	22	-01	01	06	NA	02	-07	-10	02

-69-

84

83

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total Test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
40. Where traffic enters or crosses the road: a. Speed up to pass that area quickly b. Change lanes and pass the vehicle in front of you c. Increase the distance between you and the vehicle ahead	1	1075	38 04 04 <u>91</u>	38	-01	00	05	NA	05	08	-17	00
41. At hills and valleys in a freeway, most rear end accidents are caused by: a. Poor brakes b. Vehicle, trying to pass c. Following too closely	1	1075	36 02 06 <u>92</u>	36	06	05	09	NA	02	-03	-14	-05
41. Duplicate of above	3	1078	23 01 06 <u>92</u>	23	01	02	00	00	-02	00	-11	00
41. Duplicate of above	4	1070	30 02 06 <u>91</u>	30	00	00	05	07	02	-04	-03	-02
41. Duplicate of above	5	954	26 05 08 <u>87</u>	26	NA	NA	NA	NA	06	-05	-06	-06
42. In order to make smooth, safe stops you should: a. Drive slower than other traffic b. Keep foot on the brake c. Watch the vehicle ahead for signs that it is slowing down	1	1072	24 03 02 <u>95</u>	24	-03	-02	01	NA	04	07	-10	-06

Number and Item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Age	Sex	Mileage	
43. If the vehicle just ahead of you slows down, you should: a. Slow down b. Quickly change lanes and pass c. Pull alongside and see what the double is	2	991	17 99 93 96	17	.03	.03	-.02	NA	.02	.30	-.03	-.03
44. The first thing to do if the vehicle in front signals or puts on its brakes is: a. Slow down b. Change lanes c. Pass him	1	1072	15 100 00 00	15	-.03	-.02	.01	NA	.02	-.02	-.04	-.02
45. If the vehicle in front of you slows down you should <u>not</u> : a. Tap the brake lightly to warn drivers behind you b. Take your foot off the gas pedal c. Signal other drivers to pass	2	1002	43 11 04 85	43	-.06	-.05	-.04	NA	.02	.22	-.19	-.07
46. If the vehicle in front of you stops you should: a. Speed up and pass the stopped vehicle b. Put your car in neutral to slow down c. Apply your brakes and be prepared to stop	1	1077	09 00 00 99	09	-.03	-.02	-.04	NA	.02	.06	-.15	-.05
46. If the vehicle in front of you stops you should: a. Speed up and pass the stopped vehicle b. Apply your brakes and be prepared to stop c. Put your car in neutral and slow down	1	1080	17 00 99 00	17	.00	.01	-.06	NA	-.02	.10	-.12	-.07
47.M When the vehicle in front of you is turning, you should: a. Change lanes and pass the turning vehicle b. See if the turn can be safely made c. Increase your speed slightly	1	1072	09 35 63 01	09	-.03	-.02	.00	NA	.04	-.21	.04	-.03



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
48. If the vehicle in front of you stops and you have to stop behind it, you should generally:	1	1072	17	01	02	00	NA	-09	07	01	00	
a. Put on your emergency flashers if you come to a stop on the road		19										
b. Stop a safe distance away and then move as close to the vehicle in front as possible		05										
c. Stop far enough in back of him so that you can change lanes if necessary		76										
48. Duplicate of above	3	1058	15	01	-02	05	00	-11	19	-02	09	
		07										
		78										
48. Duplicate of above	5	940	13	NA	NA	NA	NA	-08	07	11	11	
		11										
		10										
		79										
49. At intersections with no traffic controls you should expect the vehicle in front of you to:	2	996	28	-01	03	02	NA	00	-11	-12	-03	
a. Slow down		74										
b. Speed up		00										
c. Stop		26										
50. When driving behind another vehicle on an entrance to a highway you should:	1	1061	37	02	05	02	NA	11	00	-08	07	
a. Not go faster than 20 MPH		08										
b. Be prepared for the other vehicle to slow down		90										
c. Use the left shoulder to pass if the other vehicle is going too slow		02										
50. Duplicate of above	3	1061	37	00	01	00	03	11	05	-21	-10	
		04										
		93										
		03										

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
51. If a freeway entrance is not long enough to permit you to reach freeway speeds: a. Stop before entering the freeway b. Sound your horn before entering the freeway c. Expect other vehicles on the entrance in front to slow down	1	1075	54 04 42	37	-06	-05	-04	NA	10	16	-15	-06
51. Duplicate of above	2	998	45 05 50	41	-02	00	-06	NA	10	21	-19	-17
52. When entering a freeway you should expect the vehicle in front of you to: a. Slow down before entering the freeway b. Speed up before entering the freeway c. Continue at the same speed onto the freeway	1	1075	58 25 17	01	-03	-02	00	NA	00	-20	12	-01
53. When coming to a rural intersection where you want to continue straight ahead, you should: a. Speed up so you will not hold up traffic b. Move into the far right part of your lane c. Expect the vehicle ahead of you to slow down	1	1075	03 24 72	51	00	04	03	NA	12	16	-27	-11
54. When you are following a vehicle which is turning from the freeway, you should expect it to: a. Maintain its speed b. Speed up slightly c. Slow down quickly	1	1075	13 02 85	38	-02	01	03	NA	1	10	-17	-13
55. When a freeway exit is on the left side of the road you should expect: a. Traffic in the right lane to continue as usual b. Vehicles to change lanes just before the exit c. Traffic in the left lane to continue as usual	1	1075	4 41 15	26	-05	-04	-04	NA	05	13	-08	-05


UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Language
55. Duplicate of above	2	985	37 49 14	37	-01	02	00	NA	07	16	-01	-08
56. When behind a vehicle coming to a fork in the road you should expect it to: a. Slow down b. Stop on the road c. Continue at the same speed	2	1005	90 04 06	10	02	03	-02	NA	03	-03	-01	03
56. Duplicate of above	3	1000	20 04 06	18	-01	-01	06	03	02	-03	-02	-04
56. Duplicate of above	4	1171	87 03)	24	03	-02	-03	-03	05	01	-04	-04
56. Duplicate of above	5	938	88 05 07	14	NA	NA	NA	NA	06	-06	-06	-07
57. When hauling a heavy load you should: a. Allow more distance to stop b. Turn more sharply and at higher speeds than usual c. Drive with your high beams on	1	1077	99 00 01	15	-03	-03	05	NA	01	-01	-05	-03
61. A trailer will sway if its tires are: a. Unevenly inflated b. Radial c. Smaller than those on the towing vehicle	2	991	87 01 12	32	-03	01	-03	NA	17	-05	-00	-07

-74-

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
62. If you are carrying packages or other materials:	2	998		16	-	-02	02	NA	-06	05	-04	00
a. Make sure nothing is in the front seat			02									
b. Place padding on everything carried in the passenger area			00									
c. Be sure you can see out of all of the windows			18									
64. When you are pulling a trailer it is most important to:	1	1075		58	02	04	-01	NA	20	06	-29	-15
a. Drive at least 15 MPH below the speed limit			35									
b. Increase your following distance			61									
c. Use your headlights during the day			05									
65. If you are towing a trailer and want to pass another vehicle you should not:	2	1002		45	-01	01	00	NA	-01	22	-21	-09
a. Check to see if there is room to pass			13									
b. Make a wider swing around the vehicle than usual			11									
c. Turn sharply when you are changing lanes			76									
66. Passing another vehicle is different when you are towing a trailer because you:	1	1077		38	-02	02	-02	NA	06	20	-20	-07
a. Cannot pass on a hill			13									
b. Need more room to pull back into line			06									
c. Do not have to worry about wind gusts			00									
66. Passing another vehicle is different when towing a trailer because you:	1	1075		44	-01	-02	01	NA	05	20	-14	-02
a. Cannot pass on a hill			11									
b. Do not have to worry about wind gusts			00									
c. Need more room to pull back into line			89									





Model No. PRT-1000, N. 10-1-10000
Mitsubishi Electric Co., Ltd.

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
67. If you are towing a trailer and a vehicle is passing you: a. Move over partly onto the shoulder b. Leave enough space in front of you for him to pull into c. Signal the passing vehicle when it is safe to pass	1	1075	10 61 29	43	03	03	03	NA	09	-06	-16	-05
67. Duplicate of above	3	1078	07 63 29	31	04	05	04	06	12	-10	-17	-12
68. When you go up a hill while towing a trailer, you should: a. Drive in the center lane b. Travel in the lane with the least traffic c. Keep in the right lane	1	1080	00 02 98	26	-03	00	-03	NA	04	06	-12	-05
70. When pulling a trailer around a sharp left curve: a. Stay well to the right side of the road b. Speed up slightly c. Drive on the inside of the curve	2	998	74 00 26	29	00	01	03	NA	10	01	00	-03
71. When you slow down or stop with a trailer: a. Allow less room to stop because of the extra weight b. Turn on your 4-way flashers c. Apply the brake off and on, gradually	1	1077	06 15 80	44	-02	00	-01	NA	12	06	-03	-10
74. If there are children under 2 years old in your vehicle they should: a. Wear one of the regular seat belts and shoulder harness b. Lie down in the back seat of the vehicle c. Be put in a car seat or a car bed	2	998	19 01 81	36	01	02	-04	NA	05	00	-11	-10

Number and item	Pilot number	Number of subjects	Response distribution	Kendall correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
75. If there are children in your vehicle it is unsafe to:	2	993		38	04	06	-02	NA	-11	19	-16	-05
a. Lock all the doors before driving			04									
b. Place small children in a car seat or car bed			12									
c. Put one seat belt around several small children			84									
76. In general the best way to hold the steering wheel is:	2	1008		32	01	03	-02	NA	01	07	-10	-04
a. Both hands on the spokes			04									
b. One hand on the rim; the other free to operate the controls			03									
c. Both hands separated and facing inward on the rim			92									
76. When steering your vehicle at high speeds:	1	1064		46	03	06	-04	NA	21	10	-15	-12
a. Pump the brakes when making any steering corrections			13									
b. Hold the steering wheel loosely or let it slip through your hands			09									
c. Small movements of steering wheel cause larger changes in direction			78									
78. Duplicate of above	3	1058		33	-04	-02	01	01	17	01	-14	-11
				07								
				08								
				83								
79.M To stay in the correct position in a lane:	1	1072		36	-04	-01	03	NA	15	01	-19	-15
a. Watch the road 20 to 30 feet in front of your vehicle			22									
b. Keep looking at the right side of the road			03									
c. Look well ahead to the middle of your lane			75									

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
80. When driving on an undivided road, you should: a. Cross the solid double yellow lines to pass slow-moving vehicles b. Drive 5 to 10 MPH below the speed limit c. Keep to the right in the presence of oncoming vehicles	1	1080	26 01 03 96	03	03	02	NA	-02	-06	-09	-01	
81. If you know that you will soon be making a turn you should: a. Flash your bright lights to warn other traffic b. Look well ahead to locate the turning point c. Speed up so as to avoid making other vehicles wait	2	991	39 08 92 00	01	02	-02	NA	09	12	-06	-11	
81. Duplicate of above	3	1078	27 08 92 00	07	08	-03	-03	05	16	-10	-02	
81. Duplicate of above	5	940	32 12 86 02	NA	NA	NA	NA	07	04	-01	-08	
82. Before making a turn you should: a. Look to see if other vehicles will be in your way b. Use hand signals first and then mechanical signals c. Move slightly to the left when turning right and slightly to the right when turning left	1	1064	34 84 15 01	06	09	06	NA	03	-06	-14	-05	
82. Duplicate of above	3	1061	35 85 13 02	04	05	05	07	07	02	-16	-10	

Number and item	Pilot number	number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
82. Duplicate of above	4	1171	81 18 02	34	02	00	06	03	04	-01	-16	-01
82. Duplicate of above	5	954	76 10 03	26	NA	NA	NA	NA	06	-18	-18	-19
82. Duplicate of above	1	1068	80 19 02	39	02	03	14	NA	-07	05	-20	-01
83. When moving into the left lane you should first: a. Check on your blind spot b. Put on your turn signal c. Move to the left of your lane	2	998	22 75 02	20	-01	-02	05	NA	01	-03	-03	05
83. When moving into the left lane you should first: a. Put on your turn signal b. Check your blind spot c. Move to the left of your lane	1	1072	74 26 01	24	02	04	02	NA	03	-01	-04	-01
84. You should slow down for a right or left turn: a. A couple of blocks before you have to turn b. Before you signal for the turn c. Before you begin turning the steering wheel	1	1076	03 48 43	46	01	03	01	NA	09	20	-21	-02
85. If you have to shift gears when making a turn in a manual shift vehicle: a. Shift to lower gear during turn b. Shift to lower gear before turn c. Shift to lower gear after turn	1	1080	04 92 03	17	02	02	-03	NA	09	-04	-04	-04

-79-

104

103

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	SEX	Age	Education	Mileage
87. When turning the steering wheel, turn with: a. 2 hands on the rim b. 1 hand on the rim c. 2 hands on the spokes	2	1005	11 99 01 00	.11	-.01	.00	.06	NA	-.02	-.01	-.10	-.06
88. When making a sharp turn you should: a. Keep both hands near the bottom of the steering wheel and turn the wheel by moving it from hand to hand b. Turn the wheel with one hand and then grasp it near the top with the other hand and turn it c. Keep both hands on the inside of the steering wheel rim with your palms facing out	1	1064	33 20 68 12	.33	-.01	-.02	-.01	NA	.04	.14	-.13	-.01
89. For a smooth turn you should start straightening the wheels: a. Just as you are heading in the direction you want to go b. Gradually throughout the entire turn c. Before you are heading in the direction you want to go	1	1064	18 28 57 15	.18	.04	.05	.02	NA	.09	.02	-.05	-.06
90. If your vehicle has power steering, you should: a. Let the steering wheel slip through your hands when braking b. Turn the steering wheel more sharply when making steering adjustments at higher speeds c. Not let the steering wheel slip through your hands when turning	1	1064	29 06 03 91	.29	.03	.04	.00	NA	.07	.00	-.04	-.04

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
91. When letting the steering wheel slip back through your hands after turning: a. Be ready to grab it to control the rate of turning b. Let it completely unwind before grasping it c. Stop it several times to keep it under control	1	1076	23 56 11 35	23	05	03	08	NA	01	01	-11	-04
92. After making a turn you should: a. Slow down to get your bearing b. Get back up to your normal speed c. Speed up quickly and move into the left lane	1	1072	32 16 82 01	32	01	03	05	NA	00	11	-14	-03
92. Duplicate of above	3	1058	19 16 83 01	19	00	06	09	13	-02	05	-06	-04
92. Duplicate of above	5	940	32 12 85 02	32	NA	NA	NA	NA	-05	13	07	08
95. When starting to drive on snow or any slippery surface: a. Pump the gas pedal b. Spin the tires to see how slippery it is c. Test brakes lightly to get a feel for the road	2	998	70 01 00 98	70	00	02	-01	NA	05	01	00	00
96. To avoid spinning the tires on a slippery surface you should: a. Alternately use the brake and gas b. Shift from drive to neutral c. Increase speed slowly	1	1072	38 11 04 84	38	-06	-07	-05	NA	16	06	-11	-08

-18-

107



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Age	Education	Mileage	
93. You should drive: a. At the posted speed limit b. About 5 mph below the speed limit c. According to the road and weather conditions	1	1072	22 02 76	52	05	08	10	NA	02	-11	-19	-05
98. Duplicate of above	3	1078	17 01 82	43	02	01	11	13	-02	-07	-20	-06
98. Duplicate of above	4	1170	18 01 80	43	-01	00	05	0	03	-01	-10	-04
98. Duplicate of above	5	938	24 02 73	46	NA	NA	NA	NA	10	-01	-10	-06
99. You should generally select a speed which: a. Is at least 5 mph below the posted speed limit b. Is not more than 5 mph above the posted speed limit c. Is about the average speed of traffic	7	1075	13 09 78	35	04	04	02	NA	08	06	-18	-06
99. Duplicate of above	3	1061	15 13 72	32	-04	01	00	06	09	09	-15	-09
99. Duplicate of above	5	340	14 12 73	31	NA	NA	NA	NA	-01	-01	-04	00

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
99. You should generally select a speed which: a. Is at least 5 MPH below the posted speed limit b. Is about the average speed of traffic c. Is not more than 5 MPH above the posted speed limit	2	1013	29 11 82 07	01	02	00	NA	04	10	-11	-03	
100. When driving it is most important to frequently check your: a. Speedometer b. Oil pressure c. Engine temperature	2	993	20 96 01 02	-05	-06	-04	NA	-01	06	-06	-04	
101. If there is a change in the legal speed limit, you should <u>first</u> : a. Slow down and proceed cautiously b. Look in your rearview mirror c. Check your speedometer	1	1075	38 40 04 55	-08		01	NA	06	08	-15	-03	
101. If there is a change in the legal speed limit, you should <u>first</u> : a. Check your speedometer b. Slow down and proceed cautiously c. Look in your rearview mirror	2	1002	29 56 39 05	03	04	01	NA	0	01	-14	-05	
102.M When you leave a highway you should check your speed frequently because you may be: a. Suffering from highway hypnosis b. Driving too fast c. Driving under the speed limit	2	997	14 14 83 02	-02	-03	-05	NA	03	06	-09	-02	
103. When slowing down you should <u>not</u> : a. Shift into a lower gear b. Coast with the gearshift in the neutral position c. Remove your hand from the wheel to signal following vehicles	1	1075	51 09 74 17	02	02	02	NA	02	17	-27	-06	

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Average
103. Duplicate of above	3	1058	04 83 17	42	03	07	15	17	-02	09	-18	-07
103. Duplicate of above	5	926	07 74 19	39	NA	NA	NA	NA	00	-03	-11	-12
103. When slowing down, you should <u>not</u> : a. Shift to a lower gear b. Remove your hand from the wheel to signal following vehicles c. Coast with the gearshift in the neutral position	1	1077	06 15 79	38	-01	01	07	NA	-02	06	-23	-06
104. It is unsafe to coast in neutral because: a. You lose power from your power steering and brakes b. The engine cannot act as a brake to slow you down c. The engine may stall and you will lose control of the vehicle	2	985	10 68 22	42	-01	02	02	NA	19	04	-12	-07
105. Before you step on the brake to stop, you should: a. Look to the right and left b. Keep pressure on the gas pedal c. Check the rearview mirror	1	1077	08 01 90	36	-03	00	-02	NA	05	08	-12	-06
106. To react, think, and apply brakes under good conditions, it takes the average driver: a. 1/10 of 1 second b. 1/4 of 1 second c. 2 seconds	1	1077	24 40 36	31	-01	-01	-01	NA	10	08	-09	-09

Number and item	Pilot number	Number of subjects	Response distributor	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
107. When preparing to stop you should:	2	978		33	-04	-03	02	NA	05	05	-09	-03
a. Take your foot off the gas pedal and put it on the floor until you are ready to apply the brakes			14									
b. Take your foot off the gas pedal and rest it near the middle of the brake pedal			81									
c. Keep one foot on the parking brake in case your regular brakes fail			04									
108. Power brakes:	1	1077		24	00	-01	01	NA	03	-03	-05	-05
a. Give the driver a better "feel" for the road			02									
b. Should be applied very carefully			95									
c. Are particularly helpful on wet or icy pavement			03									
110. In stopping you should use the clutch when:	1	1077		34	00	01	-05	NA	08	16	-14	-06
a. The vehicle is completely stopped			30									
b. Slow speed places a strain on the engine			58									
c. In neutral and stopped on a hill			11									
112. If you are driving at a slow speed in first or second gear and want to stop, use the:	1	1077		06	07	02	05	NA	-09	-01	05	09
a. Clutch first and later the brake			24									
b. Brake first and later the clutch			46									
c. Brake and clutch at the same time			29									
114. When you stop in traffic going uphill you should:	1	1068		29	-01	00	-07	NA	07	18	-14	-11
a. Put your parking brake on			24									
b. Put the vehicle in neutral and put on your brakes			12									
c. Allow more room between you and the vehicle in front of you			63									

-58-

116

115

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
115. To avoid being pushed into the vehicle in front of you when stopped: a. Leave room between you and the vehicle in front b. Turn your wheels toward the curb c. Keep flashing your brake lights so that the other vehicle will see you	1	1068	27 83 08 08	27	-03	-02	-06	NA	01	12	-09	-06
116. After you come to a stop and are waiting to continue, you should: a. Keep in slight motion by gently pressing gas b. Maintain firm pressure on the brake c. Shift to neutral and gently press gas	1	1068	27 07 91 02	27	01	01	-01	NA	09	05	-16	-04
116. Duplicate of above	3	1061	36 06 90 04	36	02	03	-03	-01	12	03	-18	-08
116. Duplicate of above	5	926	33 18 78 04	33	NA	NA	NA	NA	12	-12	-15	-16
119. If you must make a quick stop you should: a. Apply constant pressure on the brakes b. Shift into a lower gear c. Turn around and look behind you	2	998	25 87 06 07	25	00	02	04	NA	06	-02	-03	-01
120. If the wheels lock when you brake, you should: a. Take your foot off the brake and keep it off b. Keep your foot on the brake c. Release the brake, then brake more lightly	1	1068	36 06 04 90	36	03	04	03	NA	05	03	-13	-03

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
120. Duplicate of above	3	1078	08 02 90	27	04	05	-03	-03	09	00	-06	-03
121. If you double your speed it will take you about: a. 4 times the distance to stop b. 3 times the distance to stop c. 2 times the distance to stop	2	1013	67 17 21	29	04	06	01	NA	02	-07	-17	-06
121. Duplicate of above	3	1078	66 13 20	23	02	05	06	06	02	-16	-11	-05
121. Duplicate of above	4	1170	66 12 21	37	04	06	-03	-02	06	-07	-11	-07
121. Duplicate of above	5	940	59 13 27	26	NA	NA	NA	NA	06	-18	-18	-19
122.M As your speed increases the distance traveled after applying your brakes: a. Becomes less than the distance covered before you apply your brakes b. Becomes greater than the distance covered before you apply your brakes c. Depends on the skill of the driver	1	1072	26 64 08	43	-03	02	-04	NA	05	10	-17	-05
123. In an emergency stop you should <u>not</u> : a. Grasp the steering wheel firmly b. Apply brakes as soon as possible c. Turn off the engine	1	1068	09 18 72	44	-01	04	-01	NA	14	12	-19	-12

-87-

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
124. In an emergency stop: a. Turn off the engine and apply both the foot and parking brakes b. Apply brakes with a series of short jabs on dry pavement c. Turn the steering wheel sharply to the left and apply the foot brake	2	991	35 39 <u>57</u> 04	35	-03	01	-04	NA	16	11	-10	-11
125. If you are driving on a slippery road and have to stop quickly you should: a. Keep foot off brake and let the engine stop you b. Apply brakes in normal manner c. Pump the brake pedal	2	998	11 26 <u>63</u>	39	-02	-02	01	NA	-03	11	-21	-06
127. When driving you should be alert to things: a. To the front of you b. To the sides of you c. All around you	2	998	03 00 <u>97</u>	29	-01	-01	11	NA	-05	04	-13	03
128. As your speed increases it is most important to: a. Put on your headlights b. Look farther ahead on the road c. Drive with one foot on the brake	1	1077	01 <u>97</u> 01	27	06	06	06	NA	-02	02	-12	-05
129. While driving in the city you should generally focus your attention: a. On the vehicle just in front of you b. Toward the right side of the street just in front of you c. One block ahead of you	1	1068	59 12 <u>29</u>	30	04	03	01	NA	-04	17	-12	-01
130. When driving in the country you should: a. Focus 2 or 3 vehicle lengths in front of you b. Look 1/2 mile or more ahead for problems c. Look as far as 1 block ahead for problems	1	1068	34 <u>30</u> 35	32	-05	-03	-03	NA	09	04	-10	-07

-88-

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
131. It is unsafe to: a. Look along the left and right side of the road b. Focus on the road just in front of the hood c. Check your controls	2	998	45 14 77 09	03	04	03	NA	01	16	-21	-04	
131. Duplicate of above	3	1058	39 20 68 12	00	01	00	-01	03	12	-20	-06	
131. Duplicate of above	4	1168	36 18 71 11	00	03	-04	00	-05	10	-18	-03	
131. Duplicate of above	5	926	31 19 72 08	NA	NA	NA	NA	08	12	-03	-01	
132. In order to be alert to sounds around your vehicle you should: a. Watch for signals from other drivers b. Keep the radio volume down c. Keep a window rolled all the way down	2	1002	3 15 71 14	-03	-01	-06	NA	-02	23	-21	-12	
133. When driving you should: a. Look straight ahead to the center of the road and avoid looking to the side b. Spend as much time looking at your mirrors as you do looking in front of you c. Avoid looking at any one thing for more than a few seconds	2	998	42 07 27 67	-05	-02	-03	NA	12	13	-13	-10	

-68-



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients							
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education
134. When driving in a city you should: a. Leave 1 vehicle length or less between you and the vehicle ahead b. Glance only briefly at attention getting events c. Change lanes as often as necessary in order to keep up your speed	2	1005	48 57 39 04	-03	-02	-04	NA	13	07	-24	-11
135. In order to avoid being hit in the rear by another vehicle, you should: a. Keep parking lights on at all times b. Signal several blocks before turning c. Check your rearview mirrors often	1	1077	42 01 24 74	02	07	01	NA	12	03	-15	-05
135. Duplicate of above	3	1058	32 01 20 79	00	00	06	04	-02	-04	-12	-02
135. Duplicate of above	4	1168	37 02 17 81	01	05	-02	03	05	02	-11	-07
135. Duplicate of above	5	926	22 01 21 77	NA	NA	NA	NA	02	-03	05	01
136. When driving on a multi-lane road you should: a. Signal after you start moving into a new lane b. Watch vehicles in the lanes next to you c. Use hand signals to show that you are changing lanes	2	1005	38 05 60 34	02	03	-01	NA	03	20	-20	-09

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
137. When driving on a city street you should: a. Look for crowds on the sidewalks b. Check the traffic behind you by quickly turning around c. Watch for vehicles coming from cross streets	1	1077	02 00 98	16	00	02	-02	NA	03	-02	-07	-01
138. When driving in heavy traffic you should be careful of drivers who: a. Change lanes often b. Maintain a constant, moderate speed c. Use hand signals	2	997	96 02 02	28	08	12	01	NA	-05	04	-14	-08
139. When driving in traffic you should: a. Change lanes instead of slowing down b. Avoid using hand signals c. Watch for drivers that make quick stops	2	985	02 01 97	30	-04	-02	-02	NA	03	06	-16	-06
141. In order to drive at a legal speed you should: a. Stay no closer than 4 to 5 vehicle lengths to the vehicle in front of you b. Make sure you are going within the posted speed limits c. Keep a steady, even pressure on the gas pedal	2	998	17 81 01	32	02	01	-01	NA	06	14	-14	-05
142. If you are in a passing zone, you should: a. Anticipate passing or being passed b. Signal other vehicles to pass if you are going below the speed limit c. Continue at same speed and move into the left lane	1	1075	75 16 09	49	02	02	02	NA	-02	11	-27	-04
142. Duplicate of above	3	1078	79 09 11	41	02	05	01	04	03	08	-22	-13

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
143. The first time you need to check the traffic lights ahead of you is when you:	2	978		40	-01	00	-01	NA	12	05	-13	-11
a. Are within 50 feet of the lights			23									
b. See the vehicle in front of you begin to slow down			20									
c. Are a block or more away from the lights			56									
144. When driving at night in a city you should:	2	998		39	-01	-01	-05	NA	06	09	-14	-02
a. Use your parking lights since headlights may "blind" pedestrians			04									
b. Watch the traffic lights for several blocks ahead of you			90									
c. Follow closer in order to see better			05									
146. When driving in traffic you should <u>not</u> :	2	998		40	-04	-02	-09	NA	02	16	-22	-02
a. Adjust the radio or any other controls			13									
b. Check your rear and side view mirrors			03									
c. Be distracted by passengers			84									
147. While driving you should:	2	1013		20	02	02	02	NA	09	11	-06	-04
a. Place maps on the seat so you can read them			01									
b. Look at the road when talking			97									
c. Not check your dashboard instruments			02									
149. You should signal for a turn:	2	998		27	02	02	08	NA	-08	02	-12	00
a. After slowing down for the turn			02									
b. Only if there is oncoming traffic			00									
c. Well in advance of the turn			97									
150. Turn signals are:	1	1064		17	-03	-02	-03	NA	00	11	-03	-07
a. Not required when turning at a traffic light			01									
b. Always required for any turn			98									
c. Not required when pulling into an alley or parking space			00									

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
151. When turning left you should: a. Signal by extending left arm out with arm bent straight up at elbow b. Signal by pulling down on the turn signal lever c. Start slowing down after you begin making the turn	1	1064	32 07 89 05	02	03	-02	NA	01	03	-07	-02	
153. The first thing you should do after signalling for a turn is to: a. Check to see if the turn is legal b. Check the response of other vehicles to your signal c. Slow down and start your turn	2	998	36 16 55 29	02	02	01	NA	-04	09	-15	-02	
154. It is important to use hand signals when: a. Your lights are covered with snow or mud b. Near a railroad crossing c. It is dark or visibility is poor	1	1077	30 80 04 16	-05	-04	-03	NA	07	09	-06	-02	
155. When driving in bright sunlight or near glare from lights, it is important to: a. Avoid looking in your rearview mirror b. Use both mechanical and hand signals c. Get your eyes used to the light by staring at it	2	1008	36 08 88 03	-03	-03	02	NA	00	12	-19	-01	
156.M When driving on slippery roads you should: a. Drive with one foot on the brake b. Use hand signals when stopping c. Change speed often	1	1068	27 31 52 16	03	02	-03	NA	03	01	-08	-03	
157. When stopping you should give a hand signal: a. Right after you have applied the brakes b. Just before applying the brakes or slowing down c. Several hundred feet before you begin slowing down	2	993	29 01 58 41	-04	-02	-04	NA	10	15	01	-04	

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
158. When about to enter traffic from a side street, you need not: a. Yield to traffic on the street you wish to enter b. Enter at the same speed as the traffic c. Signal as the vehicle you want to enter behind passes by you	2	998	31 18 45 36	05	06	02	NA	-01	01	-08	01	
159. If you are about to drive away from the curb you should: a. Signal and pull into the street b. Signal, yield right-of-way, and pull into the street c. Signal, wait for the first vehicle to pass and pull into the street	2	998	42 01 96 03	00	00	-06	NA	-03	09	-21	02	
160. When pulling out of a side street into a lane of traffic you should: a. Move into the traffic lane and then increase your speed smoothly b. Edge out into traffic slowly and then quickly speed up c. Put on your turn signal as you begin moving into the traffic lane	1	1072	49 50 03 46	04	07	04	NA	06	16	-25	-08	
162. If you must stop your vehicle while driving you should: a. Look for a wide, firm part of the shoulder b. Stop on the road and turn on your left turn signal c. Pull off the road onto the left shoulder, if possible	1	1077	30 89 03 08	-01	-01	-01	NA	05	03	-15	-02	
163. If you are going to pull onto the shoulder, you should first: a. Signal your intention b. Slow down c. Turn your wheels	2	998	11 95 04 00	-03	-05	-01	NA	02	03	00	06	

-94-

Item number and description	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
164. After leaving a high speed road, it is most important to check your: a. Gas guage b. Speedometer c. Generator light	1	1077	06 92 02	31	00	03	00	NA	08	03	-11	-04
164. Duplicate of above	3	1078	04 95 01	26	05	03	-01	-01	00	07	-12	-08
165. If you want to pull onto the shoulder and you are traveling at a fast speed: a. Hold the steering wheel loosely when pulling onto the shoulder b. Gently brake to a stop when on the shoulder c. Come to a stop before pulling completely off the road	2	1002	04 79 17	12	-05	-05	-05	NA	-01	08	04	-02
166. When you turn left into a driveway you: a. Should not signal for a left turn b. May cross a double line in the center of the road c. Should edge into oncoming traffic until you can complete the turn	1	1076	02 71 27	46	-04	-02	-02	NA	04	17	-24	-06
167. When you want to make a right turn into a driveway, you should: a. Signal after you begin to turn b. Signal the traffic behind you to pass c. Avoid stopping on the road	1	1076	03 49 47	43	01	02	02	NA	08	18	-11	-13
168. When turning into a driveway or alley it is most important to watch for: a. Oncoming traffic that is waiting for you to turn b. Pedestrians who are window shopping c. Traffic going in or coming out of the same place	1	1077	16 03 80	31	-01	03	-05	NA	03	14	-09	-09



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distributor	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
169. When you turn into a driveway or parking lot you should generally: a. Begin slowing down after you start turning the steering wheel b. Slow down before the turn, but avoid stopping c. Stop in the road before you make the turn	2	1013	31 04 82 13	04	02	02	NA	04	-03	-08	-04	
169. Duplicate of above	3	1058	25 06 85 09	03	06	00	06	11	-09	-09	-04	
169. Duplicate of above	4	1168	34 06 81 13	01	00	02	05	01	-01	-09	-04	
169. Duplicate of above	5	926	33 11 74 15	NA	NA	NA	NA	02	-02	-08	-08	
170. After you have turned into a driveway or parking lot: a. Stop as soon as you are completely off the road b. Speed up so you will not block vehicles turning in behind you c. Continue at a slow speed and avoid stopping while still on the road	1	1080	34 09 04 87	01	00	01	NA	00	08	-14	-01	
171. When leaving a parking lot, alley or driveway you should: a. Slow down only when there is traffic on the road b. Stop before entering the road c. Slow down and blow the horn before entering the road	2	993	11 01 97 02	-06	-06	-02	NA	00	-05	01	01	

Number and item	Pilot number	Number of subjects	Response distributor	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
172. When you are leaving a parking lot, alley, or driveway: a. You need not signal when turning onto the road b. Wait until a driver on the road signals you to enter c. Yield to traffic on the road	1	1072	28 03 -01 03 NA 02 04 -15 03	28	03	-01	03	NA	02	04	-15	03
173.M If you are backing to the right out of a driveway, it is most important to: a. Check only the traffic coming from the left b. Back into the lane nearest the curb c. Start forward quickly once you are in the traffic lane	2	1002	30 -01 00 01 NA 06 02 -05 -05	30	-01	00	01	NA	06	02	-05	-05
175. When you come to an intersection where there are no traffic controls you should: a. Slow down so you can stop before the intersection b. Come to a stop before you come to a crosswalk c. Continue at the same speed and watch for traffic	1	1068	26 02 05 03 NA 04 01 -09 -03	26	02	05	03	NA	04	01	-09	-03
175.M When you come to an intersection where there are no traffic controls you should: a. Slow down so you can stop, if necessary, before the intersection b. Come to a stop before you come to a crosswalk c. Continue at the same speed and watch for traffic	3	1058	19 -01 01 -04 -03 04 05 -06 -09	19	-01	01	-04	-03	04	05	-06	-09
175. Duplicate of above	5	938	26 NA NA NA NA 04 -05 -06 -11	26	NA	NA	NA	NA	04	-05	-06	-11

-97-



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
176. When coming to an intersection, you should: a. Enter the correct lane within 25 feet of the intersection b. Come to a stop and yield to all traffic c. Look for signs that give you lane information	1	1068	39	00	00	-06	NA	12	07	-19	-07	
			33									
			25									
			<u>42</u>									
177. If you want to turn left at an intersection, you should get into the left lane: a. No more than 500 feet before the intersection b. At least 100 feet before the intersection c. Two or more blocks before the intersection	1	1076	23	-02	01	01	NA	02	-02	-15	-04	
			10									
			83									
			<u>07</u>									
178.M When about to make a turn, you should: a. Slow down then move into the proper lane and turn b. Slow down then signal for the turn c. Move into the proper lane then signal for the turn	1	1076	27	00	00	07	NA	-02	01	-09	03	
			08									
			26									
			<u>12</u>									
178. When about to make a turn you should: a. Move into the proper lane then slow down b. Slow down then move into the proper lane and turn c. Move into the proper lane then signal for the turn	1	1075	24	01	00	01	NA	03	04	-10	-06	
			12									
			10									
			<u>78</u>									
178. When about to make a turn you should: a. Move into the proper lane then slow down b. Move into the proper lane then signal for the turn c. Slow down then move into the proper lane and turn	1	1080	26	-04	-01	-06	NA	01	-01	-04	-03	
			07									
			81									
			<u>12</u>									

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
179. For turning, you should signal: a. Just before the turn so you will not cause confusion b. After you begin to slow down c. At least 100 feet before the intersection	1	1076	14 01 02 96	-03	-04	01	NA	-04	07	-08	03	
180. When coming to an intersection it is most important to: a. Stay in the same lane b. Flash the brake lights c. Look for and obey the traffic lights and signs	1	1077	33 07 01 92	00	01	06	NA	02	05	-14	-04	
181. If you come to an intersection where there is a traffic light and a traffic officer: a. Obey the traffic officer b. First obey the traffic officer, then the signal c. Obey the traffic signal	2	1002	17 93 07 00	-02	00	-02	NA	-01	-02	-02	01	
182. If when coming to an intersection you see another vehicle approaching from the opposite direction: a. Stop until you know what the other driver is going to do b. Continue at the same speed, since you have the right-of-way c. Be prepared to stop if the other driver signals for a left turn	2	998	26 24 29 46	00	00	00	NA	09	-14	-04	-03	
183. If an oncoming vehicle is making a left turn at an intersection do <u>not</u> : a. Continue at the same speed and drive around the vehicle b. Slow down to let the vehicle complete the turn c. Prepare to stop if it does not complete the turn	1	1075	31 60 19 20	04	05	-02	NA	11	13	-12	-06	

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
183. If an oncoming vehicle is making a left turn at an intersection do <u>not</u> :	2	997		43	00	01	00	NA	-05	16	-22	-10
a. Slow down to let the vehicle complete the turn			12									
b. Continue at the same speed and drive around the vehicle			65									
c. Prepare to stop if it does not complete the turn			22									
184. If a vehicle is coming from the right at an intersection where you have the right-of-way:	1	1072		31	01	-01	03	NA	06	-04	-04	00
a. Be prepared to stop by placing your foot over the brake pedal			83									
b. Speed up so that you can get through the intersection first			00									
c. Continue at the same speed since you have the right-of-way			17									
184. Duplicate of above	3	1061		22	03	10	04	09	04	00	-12	-05
			88									
			01									
			11									
184. Duplicate of above	4	1171		29	-03	-01	-02	-02	12	-05	-11	-11
			85									
			00									
			15									
184. Duplicate of above	5	926		27	NA	NA	NA	NA	08	-03	-03	-12
			81									
			01									
			18									
185. If at an intersection you see a vehicle coming from the left you should:	1	1068		24	05	05	10	NA	-01	-01	-05	00
a. Prepare to stop and yield the right-of-way if necessary			88									
b. Continue at the same speed, since you have the right-of-way			08									
c. Move as far to the right as possible and maintain your speed			04									



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients									
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Educational	Mileage	
185. Duplicate of above	3	1058	87 08 05	21	-02	-03	01	00	-02	03	-01	01	
185. Duplicate of above	4	1166	90 06 04	25	04	04	03	08	03	-03	-02	-08	
185. Duplicate of above	5	940	78 12 09	24	NA	NA	NA	NA	03	-05	-08	-03	
186. When entering larger road you should:	2	1072	46	-01	-02	05	NA	-02	15	-23	-07		
a. Only use your turn signals when there are vehicles behind you			10										
b. Estimate the speed and distance of vehicles on the larger road			88										
c. Assume you have the right-of-way over vehicles that are making turns from the larger road		01											
187. If you come to an intersection that is hard to see around because of trees or buildings:	1	1068	13	00	-01	-06	NA	-02	03	03	02		
a. Stop at the intersection and edge forward slowly			60										
b. Proceed as if there was a yield sign at the intersection			22										
c. Slow down and blow your horn to warn drivers who cannot see you		18											
188. If at an intersection you are in the wrong lane to make your turn, you should:	1	1064	40	03	03	-02	NA	06	16	-15	-04		
a. Signal to driver beside you and turn in front of him			01										
b. Proceed to the next intersection and turn there			89										
c. Wait until all other vehicles have cleared the intersection and turn		11											

47

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
188. Duplicate of above	3	1078	00 93 07	30	07	11	02	01	00	09	-14	-10
188. Duplicate of above	4	1170	01 91 08	37	-01	01	-06	-04	05	12	-17	-10
188. Duplicate of above	5	940	03 89 08	34	NA	NA	NA	NA	06	-07	-14	-10
189. When driving through an intersection is most important to: a. Speed up slightly to get through the intersection b. Keep a close watch on your speedometer c. Check traffic signs and signals	2	993	05 00 94	21	-03	-01	-02	NA	-02	05	-08	-03
190. When coming to an intersection you should: a. Be prepared to stop because the lead vehicle may stop b. Enter the intersection even if you can not complete the turn c. Move as far to the right as possible	2	998	99 01 00	10	02	06	-03	NA	01	00	-05	-02
191. If an oncoming vehicle turns left across your path at an intersection: a. Move to the left and get around him b. Stop and let him turn c. Move to the right and get around him	1	1077	00 98 02	12	-05	-03	01	NA	-02	00	-06	-01

Number and Item	Pilot Number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
192. If you are making a left turn at an intersection you should: a. Yield to oncoming traffic b. Stop in the intersection and turn your wheels to the left c. Move to the right, then turn	1	1077	23 96 04 00	23	-05	-04	-02	NA	00	-02	-05	-09
193. If you plan to go straight through this intersection you should:  a. Avoid pulling out until the other vehicle starts to turn b. Proceed through the intersection at normal speed c. Wait until the other vehicle has completed the turn before you begin to move	1	1075	42 48 32 20	42	00	00	-05	NA	03	22	-21	00
193. If you plan to go straight through this intersection you should:  a. Proceed through the intersection at normal speed b. Wait until the other vehicle has completed the turn before you begin to move c. Avoid pulling out until the other vehicle starts to turn	2	998	43 30 14 55	43	-05	-04	-12	NA	09	24	-15	-07
195.M You should check traffic coming from the left and the right before entering an intersection without signals because: a. Once you are in the intersection you should only look straight ahead b. You lose your right-of-way as soon as you enter the intersection c. You should not stop in the intersection	2	993	37 14 10 76	37	06	07	02	NA	-08	02	-09	01


UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
195. Duplicate of above	3	1058	13 12 74	36	05	09	11	11	-09	01	-15	02
195. Duplicate of above	4	1168	10 11 79	38	00	00	00	01	-01	04	-10	-03
195. Duplicate of above	5	926	12 17 71	41	NA	NA	NA	NA	-05	-08	-16	-09
196. You should slow down at an intersection if: a. The light turns yellow when you are in the middle of an intersection b. There are pedestrians near the corner c. There is a vehicle close behind you	2	998	12 85 02	40	01	02	-07	NA	10	18	-17	-09
197. If a traffic signal changes while a pedestrian is still in the street: a. Vehicles coming from the right have the right-of-way b. Vehicles making turns have the right-of-way c. The pedestrian has the right-of-way	2	985	00 00 100	11	-02	-02	-02	NA	00	-01	-03	-02
198. When in an intersection you should: a. Complete your turn even if you change your mind b. Signal if you want to make a turn at the next intersection c. Stop if the light turns yellow	2	998	89 03 07	43	-05	-06	-01	NA	00	07	-20	00
199. If after signalling for a turn in an intersection you decide you don't want to turn: a. Complete the turn anyway b. Turn off the signal and do not turn c. Speed up, change lanes if necessary and go straight ahead	1	1076	84 14 02	18	-02	-03	-04	NA	02	02	03	-02



Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
200. Stopping within an intersection is permitted only: a. Where traffic requires b. To obtain information from a policeman c. When the light turns red	1	1068	38 86 04 10	02	05	-04	NA	05	10	-25	-09	
200. Duplicate of above	3	1061	42 85 03 11	04	04	03	04	05	00	-19	-09	
200. Duplicate of above	5	240	38 79 08 13	NA	NA	NA	NA	06	00	-04	-04	
201. Cross traffic should be checked before entering an intersection: a. Only when you have a stop sign b. At all times c. Where there is a traffic light	2	993	10 03 97 60	01	02	02	NA	00	02	-04	-01	
202.M When driving through an intersection you should: a. Yield only to pedestrians in crosswalks b. Observe oncoming traffic preparing to turn left c. Stay in the far right lane	2	1008	37 20 75 04	-01	00	-07	NA	-09	12	-19	-02	
203. If an oncoming vehicle has started to turn left in front of you: a. Steer to your right to get around him b. Steer to your left to get around him and allow him to turn c. Slow down and allow him to turn in front of you	2	997	16 02 01 97	-01	-03	-04	NA	00	01	-01	-03	

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
204. When you want to go straight through an intersection you should: a. Use the far left lane b. Cross after all oncoming traffic turns left c. Enter the intersection when it is clear enough for you to get all the way across	2	1013	16 05 02 93	16	-02	-02	05	NA	-01	-10	00	-02
205. If, upon entering an intersection on a 2 lane road, a vehicle coming up from the left is going to hit you:  a. Brake and steer straight ahead b. Steer sharply to the right to reduce the impact angle c. Try to steer to the left of the vehicle and go around it	1	1076	11 77 12	21	04	03	04	NA	06	-12	-04	02
206.X If a vehicle approaches you quickly from the right while you are crossing an intersection: a. Speed up to get out of the way b. Blow the horn and continue at the same speed c. Turn left to avoid it	1	1075	45 26 29	28	01	02	07	NA	-03	07	-10	02
207. Before turning at an intersection, you should: a. Check cross traffic b. Come to a complete stop c. Tap your brakes 3 or 4 times	1	1064	75 25 00	36	05	07	02	NA	10	-01	-21	-10
207. Duplicate of above	3	1061	78 21 01	37	02	04	05	05	11	-11	-15	-09
207. Duplicate of above	4	1171	80 20 00	38	02	00	03	07	09	-10	-12	-11




Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
207. Duplicate of above	5	954	69 30 01	34	NA	NA	NA	NA	06	-01	-11	-10
208. When preparing to turn right at an intersection it is most important to look for: a. Traffic coming from the right b. Traffic coming from the left c. Oncoming traffic signalling for a left turn	1	1076	08 70 21	29	01	04	01	NA	07	05	-11	-02
209. When making a right turn you should always: a. Check the road that you are turning onto for vehicles b. Signal several blocks before the turn c. Stop and check traffic before turning	2	1002	65 12 23	42	08	11	05	NA	14	-03	-15	-03
209. Duplicate of above	3	1078	65 09 26	41	02	06	-01	02	16	-05	-18	-14
209. Duplicate of above	4	1170	61 08 31	42	01	03	-01	-02	18	-08	-10	-09
209. Duplicate of above	5	940	47 08 45	27	NA	NA	NA	NA	04	-05	-10	-07
210. The correct way to make a right turn is to: a. Move to the left of your lane to give yourself room and then turn b. Keep within one foot of the curb throughout the turn c. Stay within your lane as you make and complete the turn	1	1064	01 16 81	38	-04	-02	-01	NA	09	09	-13	-11

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
211.M When you are making a right turn: a. Come to a complete stop and check for vehicles and pedestrians b. Apply increasing pressure to the brake as you go through the turn c. Avoid going any slower than 5 mph if possible	1	1076	24	07	07	05	NA	11	-06	-05	-06	
			65									
			15									
211.M When you are making a right turn: a. Come to a complete stop and check for vehicles and pedestrians b. Avoid going any slower than 5 mph if possible c. Start to speed up as soon as you begin turning the wheel	1	1075	18	02	01	05	NA	12	-14	-03	02	
			79									
			15									
212. When turning at an intersection, you should go no faster than: a. 5 mph b. 25 mph c. 15 mph	1	1064	26	-03	-01	-01	NA	01	06	-08	00	
			41									
			06									
213. When turning left at an intersection: a. You have the right-of-way over oncoming traffic b. Check cross traffic from both directions c. Pull halfway into the intersection and edge into cross traffic	2	978	29	02	05	00	NA	03	-05	-01	-06	
			01									
			85									
213. Duplicate of above	3	1078	14									
			25	04	04	06	03	03	-08	-04	-01	
			00									
			90									
			09									

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
214. Before turning left at an intersection you should: a. Wait until the light turns yellow before making your turn b. Wait until traffic clears and you can complete the turn c. Pull halfway into the intersection to block traffic from the left	2	998	01 99 00	12	-02	-01	01	NA	-02	09	-04	01
215. In making a left turn you should <u>not</u> : a. Pull halfway into the intersection and edge into cross traffic b. Signal before you arrive at intersection c. Slow down to a stop if traffic is heavy	2	998	84 08 08	47	01	05	-03	NA	-07	24	-20	-05
217. If you want to turn left at an intersection and there is oncoming traffic, do <u>not</u> : a. Move to the left of center lane b. Keep your wheels pointed straight ahead c. Proceed to the center of the intersection	1	1076	56 13 31	42	-01	00	03	NA	11	12	-21	-04
218. It is safest to turn left across the path of oncoming traffic when: a. You can get your vehicle into that lane before oncoming traffic arrives in the intersection b. You have a red light and oncoming traffic has a green arrow pointing to the left c. Oncoming traffic has cleared the intersection and there is a gap for the turn	2	978	04 04 92	36	01	05	00	NA	01	06	-20	-08
220. When you wish to turn left you should check for people and vehicles to the left: a. About a block before the turn b. Just before making the turn c. Only when traffic is heavy	2	1005	50 50 00	23	-03	-02	00	NA	-11	08	-04	00

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
221. If you want to turn left at an intersection and an oncoming vehicle also signals for a left turn:  <ul style="list-style-type: none"> a. Keep your wheels straight and do not move until he begins to turn b. Move part way into his lane and begin to make your turn c. Begin to turn when you see his signal but turn slowly 	1	1076	14 <hr style="width: 20px; margin-left: 10px;"/> 42 13 45	14	-03	-01	02	NA	02	12	-02	-05
222. The vehicle least likely to turn in front of you is the one that: <ul style="list-style-type: none"> a. has its left turn signals on b. begins to slow down c. Stops near the curb or shoulder 	1	1068	40 17 12 <hr style="width: 20px; margin-left: 10px;"/> 70	40	01	01	-04	NA	10	11	-25	-07
223. Two left turning vehicles opposite one another should:  <ul style="list-style-type: none"> a. Turn in front of each other b. Turn one at a time c. Turn behind each other 	1	1076	42 <hr style="width: 20px; margin-left: 10px;"/> 49 43	42	01	03	02	NA	07	06	-23	-07
224. If you want to turn left at an intersection and an oncoming vehicle is turning left:  <ul style="list-style-type: none"> a. Pause and wait for traffic alongside of the oncoming vehicle b. Turn quickly so you will not block traffic c. Wait until the oncoming vehicle completes its turn, then make your turn 	1	1076	51 <hr style="width: 20px; margin-left: 10px;"/> 61 01 38	51	03	04	01	NA	09	09	-20	-09

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
225. Before you turn left you should: a. Always wait until oncoming traffic is stopped for the light b. Signal the vehicles behind you to pass c. Yield to oncoming traffic and check for pedestrians or vehicles	1	1064	30 06 01 <u>93</u>	-05	-02	-05	NA	03	18	-15	-03	
225. Before you turn left you should: a. Yield to oncoming traffic and check for pedestrian or vehicles b. Signal the vehicles behind you to pass c. Always wait until oncoming traffic is stopped for the light	1	1080	45 <u>93</u> 01 07	-02	-02	-07	NA	-01	17	-25	-08	
226. When in an intersection about to turn left you should: a. Complete your turn when oncoming traffic has cleared b. Wait until the light changes to red before turning c. Stop the oncoming traffic by moving into their lanes	1	1064	23 <u>98</u> 02 00	05	10	-01	NA	-01	08	-08	-02	
227. If the light turns red when you are in an intersection about to turn left: a. Go straight ahead, if possible b. Complete the turn when traffic clears c. Back out of the intersection, if possible	1	1076	28 10 <u>80</u> 10	01	02	-07	NA	09	08	-10	-04	
230. As you come to a curve in the road: a. Move to the outside of your lane to make the turn more easily b. Check for posted speed limits to see if you should slow down c. Apply your brakes after you enter the curve	1	1068	37 10 <u>71</u> 10	-03	-01	-05	NA	17	00	-05	-12	

167



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
231.M If a speed limit is <u>not</u> posted before a curve on a highway: a. Continue at the same speed b. Slow down to 35 or 40 mph c. Judge how sharp the curve is and change your speed accordingly	1	1072	41 05 12 <u>82</u>	06	07	06	NA	05	-02	-15	-10	
231. Duplicate of above	3	1258	36 05 14 <u>81</u>	03	04	06	07	04	00	-14	-09	
231. Duplicate of above	4	1168	39 03 13 <u>83</u>	03	02	00	03	05	03	-17	-07	
231. Duplicate of above	5	926	35 05 17 <u>77</u>	NA	NA	NA	NA	02	02	-03	-09	
232. If you are about to enter a curve after driving at highway speeds you should: a. Check your speedometer to make sure you are going slow enough b. Maintain the same speed and move to the outside of the curve c. Begin applying the brakes before the curve and keep them on while in the curve	1	1075	33 <u>60</u> 05 34	00	02	-04	NA	18	-07	-03	-03	
232. If you are about to enter a curve after driving at highway speeds you should: a. Maintain the same speed and move to the outside of the curve b. Check your speedometer to make sure you are going slow enough c. Begin applying the brakes before the curve and keep them on while in the curve	2	1013	28 08 <u>52</u> 40	01	04	-01	NA	14	-11	-03	-09	

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
233. When driving through a curve, you should: a. Keep your brakes slightly applied b. Stay as far to the left as possible c. Look well ahead to where you are going	1	1068	41 05 <u>54</u>	25	01	04	03	NA	18	-10	-08	-06
235.M After entering a curve you should: a. Pump on your brakes b. Keep pressure on the gas pedal c. Gradually slow down	1	1075	04 27 <u>69</u>	37	00	-01	02	NA	01	10	-17	01
235. After entering a curve you should: a. Pump your brakes b. Gradually slow down c. Keep pressure on the gas pedal	2	1005	03 58 <u>38</u>	45	-03	00	-06	NA	03	16	-17	-15
236. If you find that you are going through a curve too fast it is best to: a. Pump the brakes lightly b. Release the gas pedal c. Shift into a lower gear	2	998	51 42 <u>07</u>	24	-03	-01	-06	NA	12	09	00	-08
237. If you cannot see around a curve, you should: a. Slow down more than you normally would b. Continue as you would through any curve c. Drive around the curve at 5 to 10 mph	1	1072	81 04 16	27	01	04	-02	NA	09	05	-09	-03
237. Duplicate of above	3	1061	82 02 16	33	05	05	-05	-03	11	08	-11	-13
237. If you cannot see around a curve you should: a. Continue as you would through any curve b. Slow down more than you normally would c. Drive around the curve at 5 to 10 mph	1	1077	94 06 <u>01</u>	30	-04	-01	-04	NA	11	07	-09	-11

-113-

172

171

UNIVERSITY OF MICHIGAN H.S.R.T. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
240. When approaching the top of a hill you should:	1	1077	29	-03	-03	-01	NA	10	-06	-10	-06	
a. Slow down because you cannot see very far ahead			87									
b. Blow your horn to warn other vehicles or pedestrians			11									
c. Move up close to the vehicle in front of you so you can pass while going downhill			02									
241. When nearing the top of a hill on a narrow road:	2	991	15	08	07	00	NA	-04	04	-08	-03	
a. Get ready to pass any slow vehicles in front of you			01									
b. Speed up			00									
c. Keep far to the right			95									
242. When about to go down a hill, you should first:	1	1068	50	-02	02	-02	NA	18	03	-21	-13	
a. Shift to a lower gear			37									
b. Begin to apply your brakes			28									
c. Judge how long and steep the hill is			34									
243.M Before going down a long, steep hill:	2	985	19	-03	-01	-02	NA	10	02	-07	-06	
a. Shift into neutral			01									
b. Test your brakes and shift into lower gear			98									
c. Use your emergency brake			00									
244. For best control on a steep downgrade you should begin to slow down:	2	991	19	05	07	05	NA	-02	-17	-08	00	
a. Just after starting downhill			18									
b. Before starting downhill			31									
c. About halfway down the hill			01									
244. Duplicate of above	3	1061	13	00	00	03	02	00	-18	04	04	
			19									
			80									
			01									
244. Duplicate of above	4	1171	27	-01	01	01	02	04	-14	-04	-02	
			20									
			79									
			01									

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
244. Duplicate of above	5	954	19 28 67 04	19	NA	NA	NA	NA	-03	-03	-07	-04
244. Duplicate of above	1	1075	12 15 84 01	12	-03	-01	-01	NA	00	-13	-01	-03
245. While going down a hill you should try to: a. Drive slightly slower than the other traffic b. Keep a constant speed c. Speed up slightly	1	1072	46 23 76 00	46	-03	-01	02	NA	12	10	-21	-08
246. Before making a lane change, you should <u>first</u> : a. Put on your turn signal b. Check the markings on the road c. Look for rear approaching traffic in the new lane	1	1068	26 41 11 47	26	-07	-05	-02	NA	-02	15	-13	00
249. When changing lanes you should: a. Look behind you, signal, and check your mirror b. Check your mirror, look behind you and signal c. Signal, check your mirror, and look behind you	2	1002	19 09 24 67	19	04	03	08	NA	04	-13	-02	02
250. Before changing lanes from the right to the middle lane on a 6 lane road you should: a. Check for vehicles entering middle lane from the left behind you b. Signal for a left turn and blow your horn c. Slow down and then signal for a left turn	1	1072	33 90 00 09	33	00	03	-02	NA	08	15	-20	-07

-115-



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
251.M After changing lanes you should: a. Adjust your speed to the legal speed limit b. Keep your turn signals on until you have adjusted your speed c. Check behind you for vehicles coming up fast or wanting to pass you	1	1072	26 52 09 39	02	05	00	NA	06	-01	-03	-05	
252.M After deciding to change lanes you should check behind you for vehicles: a. Turning off the road b. About to enter your new lane c. Entering the road	1	1068	25 01 95 04	07	10	-02	NA	04	05	-12	-07	
252. Duplicate of above	3	1061	24 00	05	07	04	04	02	06	-15	-03	
252. Duplicate of above	4	1171	27 01 96 03	05	05	00	-02	-03	-10	-02		
252. Duplicate of above	5	938	29 01 92 06	NA	NA	NA	NA	06	00	-05	-08	
252.M After deciding to change lanes you should check behind you in the new lane for vehicles: a. Exiting from that lane b. Entering the road c. About to enter your new lane	1	1072	31 10 03 86	-05	-04	01	NA	00	-02	-12	-02	
253. You can check your blind spot before changing lanes by: a. Turning around and looking out the window b. Looking at the left side mirror c. Looking into the rearview mirror	1	1072	36 55 30 14	00	00	05	NA	-02	15	-17	-04	

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
254. When changing lanes on a highway you should: a. Drive slightly above the speed limit until you find space in the new lane b. Speed up or maintain your speed c. Turn sharply into the new lane	1	1080	39 17 70 05	00	00	04	NA	00	07	-16	-04	
255. After moving into a new lane you should drive near the: a. Left side of the lane b. Right side of the lane c. Center of the lane	1	1072	32 02 05 92	01	03	-06	NA	00	15	-16	-06	
255. Duplicate of above	3	1058	40 04 15 81	02	02	09	09	-04	05	-20	-01	
255. Duplicate of above	4	1168	43 03 16 30	02	01	-02	-02	-03	16	-18	00	
256. When about to change lanes on a highway you should: a. Slow down until you can change lanes b. Drive just above the speed limit until you find a gap c. Maintain your speed or speed up until you can change lanes	2	1005	27 38 08 54	00	02	-02	NA	00	17	-06	-06	
257. Parsing results in: a. Many fatal accidents per year b. Many accidents but few deaths per year c. Relatively few serious accidents per year	2	998	30 84 07 09	03	05	03	NA	05	-03	-11	-04	

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Item number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
257.M Passing maneuvers result in: a. Many fatal accidents per year b. Many accidents but few deaths per year c. Relatively few serious accidents per year	3	1061	39 87 06 06	09	12	03	06	06	-03	-18	-13	
258. Before deciding to pass another vehicle you should first check: a. The road ahead for oncoming traffic b. For signs prohibiting passing c. Behind you for traffic in the passing lane	1	1075	33 31 50 18	-02	-0.	-01	NA	-07	15	-21	-01	
260. The safest time to pass vehicles ahead of you on a 2 lane highway is when: a. You are coming to an intersection b. A sign indicates there is a hill ahead c. A sign indicates the end of a "No passing" zone	1	1075	44 09 06 84	03	04	07	NA	-01	04	-22	-06	
260. Duplicate or above	3	1061	41 09 06 83	02	02	03	02	09	01	-24	-11	
261. The best way to tell whether you are permitted to pass other vehicles is to see if: a. The road ahead is straight b. The vehicle ahead signals that it is OK to pass c. There are solid or broken lane marks	1	1075	24 11 07 82	-01	02	-01	NA	-04	08	-11	-02	
262. If you are in a "No Passing" zone and you are behind a slow moving vehicle you should: a. Wait until you are out of the "No Passing" zone before beginning to pass b. Begin to pass the vehicle when you are near the end of the "No Passing" zone c. Use the shoulder in order to pass the vehicle	1	1075	19 99 01 00	05	02	-01	NA	01	11	-08	-02	

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Violation rate	Age	Education	Mileage	
263. After moving into a new lane it is best to drive: a. Slightly slower than the traffic in the new lane b. At the same speed as the traffic in the new lane c. At the posted speed limit.	1	1072	39 02 <u>75</u> 24	39	-02	00	07	NA	07	06	-20	-14
264. If there is no oncoming traffic when nearing the end of a "No passing" zone: a. Wait until the end of the "No passing" zone before acting b. Increase your speed and get ready to change lanes c. Slow down because this is an unsafe area	1	1075	77 03 20	37	02	06	03	NA	02	07	-20	-08
264. Duplicate of above	3	1078	74 03 22	32	00	01	02	00	-02	13	-17	-04
266. On a 2 lane road it is safe to pass when you come to a: a. Railroad crossing b. Divided highway c. Group of people walking on the shoulder	1	1075	01 94 05	13	-02	-03	-01	NA	-04	07	-06	-06
267. If you pass another vehicle when you are near a railroad track, you: a. Should apply the brakes lightly when going over the tracks b. Will be violating the law c. May not see an oncoming train	2	1005	04 53 42	19	-03	-04	02	NA	03	-07	06	00
268. Before you decide whether to pass on a 2 lane highway you should: a. Judge how much distance there is for passing b. Shift to a lower gear c. Turn on your turn signal	2	993	89 00 11	33	02	00	01	NA	-01	03	-10	00

-611-



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
268. Duplicate or alone	3	1061	39 75 00 25	.39	.03	.04	.02	.01	.06	.08	-.18	-.05
269. Before beginning to pass, you should: a. Judge the speed of the lead vehicle b. Slow down so you will have more room to pass c. Blow the horn and put on your bright lights	1	1068	31 87 06 06	.31	-.02	.00	.01	NA	-.03	-.03	-.13	.00
271. Before passing another vehicle you should first: a. Speed up as much as possible and put on your signal lights if you have to change lanes b. Judge the distance available for passing and how fast you are approaching the other vehicle c. Signal to the vehicle that you want to pass	1	1075	48 06 68 26	.48	-.02	-.01	-.03	NA	.09	.07	-.22	-.05
272. When deciding whether it is safe to pass a vehicle, you should consider: a. How many vehicles are behind you b. How fast your vehicle can speed up c. Whether the road is made of concrete or asphalt	1	1075	46 33 65 02	.46	.04	.06	-.04	NA	.13	.12	-.19	-.09
273. The ability of your vehicle to speed up in order to pass is most affected by: a. Your skill as a driver b. Whether the road surface is concrete or asphalt c. Heavy loads such as trailers, cargo, or passengers	2	991	45 34 04 72	.45	-.03	.01	-.03	NA	.13	.16	-.19	-.10
274. If you are driving an unfamiliar vehicle: a. Allow more room for passing on 2 lane roads b. Never drive faster than 60 mph c. Stay in the right lane if you are on a freeway	1	1075	37 27 19 63	.37	-.01	.01	-.02		.16	.07	-.13	-.09

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
276. On a 2 lane road you should pass only when: a. There is a solid line to the left of your lane b. There is enough room to return safely to your lane after the pass c. The vehicle ahead of you is going more than 15 mph below the speed limit	2	998	06 93 01	25	-05	-05	-03	05	02	-05	-09	-02
277. If you are not sure you have enough distance to pass you should: a. Put vehicle in a lower gear and speed up b. Signal the driver ahead to slow down c. Wait for a better chance to pass	2	998	00 00 100	07	05	05	00	NA	00	-01	04	-02
278. The first thing you should do before passing is: a. Make sure way is clear of oncoming traffic b. Sound horn c. Increase your speed	1	1075	98 00 01	19	05	02	08	NA	-02	04	-12	01
279. When you decide to pass on a 2 lane road you should: a. Judge the distance to the first oncoming vehicle b. Keep blinking your lights until you finish passing c. Check your speed often as you are passing	1	1077	39 10 01	41	14	17	00	NA	11	03	-13	-03
279. Duplicate of above	3	1061	81 18 01	26	00	01	00	01	04	-03	02	-10
279. Duplicate of above	1	1171	09 01	34	04	03	06	01	02	-09	-08	-06

-121-


188

167

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	mileage
279. Duplicate of above	5	954	03 14 02	40	NA	NA	NA	NA	06	04	-10	-13
279. When you decide to pass on a 2 lane road you should: a. Keep blinking your lights until you finish passing b. Check your speed often as you are passing c. Judge the distance to the first oncoming vehicle	1	1075	15 01 83	41	00	04	-03	NA	09	07	-17	-13
280. The best reason for allowing extra time and distance for passing on a 2 lane road is: a. It may take longer to pass than you think b. The vehicle you are passing may speed up c. You may lose steering control while passing	1	1071	74 01	30	02	02	00	NA	17	00	-11	-09
280. Duplicate of above	3	1078	02	24	01	02	-03	01	18	-10	-12	-12
290. Duplicate of above	4	1170	78 21 01	28	-03	02	-02	01	14	-03	-06	-11
281. When passing at high speeds, most drivers: a. Take longer to complete the pass than they thought b. Drive too close to the left edge of the road c. Take too long in getting back into the right lane	1	1075	48 09 42	31	01	00	00	NA	12	-02	-14	-02

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Visual test score	Accident	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
283. If to pass the vehicle ahead, you'd have to drive faster than you like: a. Signal the vehicle to slow down b. Wait for a better chance to pass c. Drive alongside the vehicle until it slows down	1	1072	03 96 01	28	05	02	11	NA	01	-07	-07	-02
286. If you want to pass a vehicle that is weaving from side to side you should: a. Pull off the road and wait to allow greater separation distance b. Pull onto the shoulder to pass if necessary c. Sound your horn or flash your lights	2	1013	30 02 67	26	01	00	04	NA	02	07	-02	00
288. On a 2 lane road it is generally safe to pass a vehicle that is: a. Suddenly slowing down b. Towing a small trailer c. Being passed by another vehicle	1	1075	28 47 24	32	-06	-03	-04	NA	05	11	-15	-05
291. On a 2 lane road, do not: a. Look in front of the vehicle you want to pass b. Pass vehicles making a left turn from the right lane c. Pass moving traffic on the left	1	1075	05 76 18	29	01	04	00	NA	01	11	-23	-05
291. When there are 2 lanes of traffic going in your direction, it is generally safe to: a. Use the right lane to pass vehicles that are making left turns b. Blow your horn when passing another vehicle c. Stay in the left lane until someone wants to pass you	1	1075	65 02 13	19	04	05	06	NA	-03	-03	02	01
293. Duplicate of above	3	1058	86 02 12	25	03	06	10	08	01	-11	-02	-04



MICROCOPY RESOLUTION TEST CHART
 NATIONAL BUREAU OF STANDARDS-1963-A

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
571. If an oncoming vehicle is forced across the center line because of potholes or road repair: a. Slow down and move to the right, if possible b. Turn to the left to get around the oncoming vehicle c. Blow your horn and continue at normal speed	1	1080	15 99 00 00	04	03	00	NA	-03	02	04	-03	
573. If an oncoming vehicle crosses the center line and drives into your lane you should: a. Stop as quickly as you can b. Drive into his lane if it is empty c. Slow down and steer to the right	1	1075	35 09 05 86	01	02	00	NA	07	13	-17	-07	
574. If a vehicle is heading toward you in your lane, you should attempt an emergency stop: a. Only if there is enough room to stop and you cannot pull off the road b. Only if the oncoming driver does not seem to see you c. When the traffic behind you is 10 or more vehicle lengths away	1	1068	27 07 18 14	03	03	00	NA	03	09	-21	-05	
575. If a vehicle is coming straight at you and you cannot stop: a. Continue slowing down and hope that the driver will turn away b. Look for an open space to the right of the oncoming vehicle c. Turn off the engine and apply the brakes as hard as possible	2	1008	17 03 51 04	02	01	-03	NA	-01	02	00	-02	
575. Duplicate of above	3	1058	14 04 92 04	-01	05	01	09	-05	13	-09	-01	

-172-



Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
575. Duplicate of above	4	1168	04 93 03	16	07	03	00	00	-05	05	-02	01
575. Duplicate of above	5	954	05 92 03	18	NA	NA	NA	NA	01	04	-04	-03
578. If you must leave the road to avoid an accident, you should look for a: a. Ditch b. Sign or pole c. Lawn or field	1	1064	10 07 83	36	04	03	01	NA	03	04	-20	02
578. Duplicate of above	3	1061	10 04 86	36	01	06	01	09	09	-01	-18	-07
578. Duplicate of above	5	954	10 05 84	29	NA	NA	NA	NA	03	-02	-07	-08
580. If it appears certain that you will be in a head-on crash you should: a. Put on your brakes and stay in the center of your lane b. Put your vehicle in neutral and coast into the oncoming vehicle c. Run off the road if at all possible	2	997	10 01 89	28	00	03	-03	NA	00	-04	-05	-07
581. When you must leave the road to avoid a head-on crash: a. Turn your wheels as gradually as possible b. Apply the brakes hard before leaving the road c. Keep the brake on until after you cross the edge of the shoulder	1	1076	67 06 26	25	07	05	03	NA	08	-08	-01	-08



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
584. If, after leaving the road, it is necessary to return to the road without stopping: a. Shift to neutral and keep your foot on the brake b. Gradually steer back towards the road c. Speed up to get back on the road quickly	2	1005	21 02 90 09	02	01	11	NA	-03	-16	-03	04	
584. Duplicate of above	3	1078	27 02 86 11	05	05	03	02	01	-04	-08	-04	
586. When driving behind another vehicle you should: a. Try to tell how fast you are approaching the other vehicle b. Drive at the speed limit even if you have to drive close to the other vehicle c. Flash your lights to let the other vehicle know you are following	1	1075	41 84 03 13	03	07	05	NA	-03	06	-20	08	
586. Duplicate of above	3	1070	43 87 03 10	04	06	11	11	04	00	-14	-06	
586. Duplicate of above	5	954	40 78 06 15	NA	NA	NA	NA	-03	05	-11	-12	
588. You will most likely have to make frequent stops when driving behind: a. Postal delivery vehicles and school buses b. Large moving vans and construction equipment c. Campers and vehicles towing trailers	1	1075	20 98 01 00	02	-03	-02	NA	-02	14	-13	-04	

-174-



Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
589. If you are behind a truck carrying inflammables near a railroad crossing: a. Turn on your emergency flashers b. Be prepared to stop even if there is no train c. Pull halfway into the left lane so you can see around the truck	2	998	18 01 98 01	07	05	01	NA	01	00	-07	03	
591. When following busses or trucks carrying inflammable cargo you should: a. Move over to the left lane rather than following them in the same lane b. Expect them to stop at railroad crossings c. Be prepared to pull onto the shoulder if they begin slowing down	1	1075	42 36 60 03	01	08	00	NA	19	-07	-10	-17	
592. It is most important to watch for vehicles up ahead making left turns from your lane because they may: a. Slow down or stop b. Interfere with oncoming traffic c. Be driving too fast for conditions	2	978	23 92 07 01	-04	-02	-05	NA	03	17	-12	-01	
594. When slowing down behind another vehicle you should: a. Brake early as a signal to the vehicles behind you b. Do not apply your brakes until you are within 3 car lengths of the vehicle c. Signal the vehicles behind you to pass	1	1075	40 91 05 04	02	03	00	NA	07	03	-14	00	
594. Duplicate of above	3	1078	27 91 04 04	00	01	-02	02	07	04	-11	-08	

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
594. Duplicate of above	4	1170	93 05 02	31	-02	02	-09	-06	11	03	-13	-13
594. Duplicate of above	5	938	88 07 04	36	NA	NA	NA	NA	06	-02	-07	-11
595. If there is a vehicle stopped on the road ahead of you and you decide to stop behind it: a. Stop well behind it so you can pass if necessary b. Get as close as possible to the stopped vehicle c. Leave 1 vehicle length between you and the other vehicle	1	1050	60 02 38	33	02	05	03	NA	04	-09	-08	-03
596. If a vehicle is stopped on the road it is most important to watch for: a. A police car nearby b. People getting out c. Unusual activity inside the vehicle	2	1008	02 97 01	32	-05	-04	-05	NA	04	10	-10	-04
597. It is most important to watch vehicles stopped on the road in front of you because: a. They may be disabled b. They may suddenly make a turn c. The police may be nearby	2	978	36 62 01	34	-05	-02	-07	NA	05	18	-15	-09
598. When driving in the left lane and you see a vehicle stopped in the right lane: a. Apply your brakes and try to stop behind the vehicle b. Hit the horn and stop in the left lane c. Check traffic behind and in front and pass if it is clear	1	1075	03 03 94	07	03	02	01	NA	06	-04	03	01

-176-



Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
598. Duplicate of above	3	1078	02 01 97	08	05	00	02	00	-03	-12	04	05
598. Duplicate of above	5	940	05 02 93	16	NA	NA	NA	NA	-03	-02	-05	-07
599. If you cannot stop in time before hitting another vehicle, it is best to:	2	997		31	-02	00	-01	NA	-03	11	-07	01
a. Gradually slow down and then hit the other vehicle			04									
b. Try to steer around the vehicle and avoid braking hard			59									
c. Remove your foot from the gas and put on the brake as hard as possible			37									
600. An indication that a school bus is going to stop is not:	2	997		44	-03	-01	-06	NA	04	15	-17	-09
a. Flashing lights on the bus			13									
b. A city bus stop sign			69									
c. A group of children on the sidewalk			18									
601. If you notice flashing red or yellow lights on a vehicle ahead:	2	998		08	-04	-04	-01	NA	07	-09	02	-02
a. Change lanes and pass the vehicle			03									
b. Slow down and prepare to stop			97									
c. Make a U-turn to avoid the situation ahead			00									
602.M If you notice flashing red or yellow lights on a vehicle ahead you should:	2	1005		24	07	03	05	NA	01	00	-08	-02
a. Continue at the same speed until you are past the vehicle			03									
b. Look for objects or people on the road			94									
c. Turn your bright lights on to warn that you are approaching			03									

-177-

300

299

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test MCC	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
602. Duplicate of above	1	1061	04 93 03	25	00	-03	01	-01		-05	-09	-06
603. When you come to a bus stop: a. Clear the area quickly so you will not block the bus b. Come to a full stop and proceed when safe c. Watch for pedestrians crossing the street	1	1077	05 24 71	43	-07	-03	00	NA	15	15	-18	-12
605. When driving near crosswalks, intersections, or school crossings you should: a. Move into the left lane b. Watch for pedestrians c. Blow the horn and continue at the same speed	1	1077	00 100 00	20	-02	-02	-02	NA	03	-04	-04	01
606. If a person crosses the street in the middle of the block in front of you: a. Blow your horn and proceed b. Slow down and be prepared to stop c. Change lanes to get by him	2	1002	00 100 00	07	-02	-02	00	NA	03	02	-01	05
607. When driving in an area where there are many pedestrians it is most important to: a. Keep your speed down to 15 MPH b. Watch for an indication that they will enter the road c. Stop at every intersection and proceed when safe	2	978	41 41 15	41	-05	-02	-04	NA	11	12	-11	-08
608. You should slow down and be prepared to stop: a. When you approach a divided highway b. When you are crossing a large bridge c. When you see pedestrians walking toward the road	1	1077	11 01 89	24	-02	-01	00	NA	11	11	-01	-08

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
609. When driving by children playing or walking near the edge of the road you should: a. Blow your horn and continue at the same speed b. Be ready to make a quick safe stop c. Drive close to the children so they will see you	2	971	01 98 01	13	-04	-01	08	NA	01	-09	-05	-02
610. Pedestrians who have been drinking are: a. Less dangerous than sober pedestrians because they are more careful after drinking b. Not usually involved in accidents, but should be carefully watched c. Involved in a large number of fatal pedestrian-auto accidents	2	1013	01 12 88	16	00	02	-01	NA	06	-04	-02	-03
611. When watching pedestrians you need not pay special attention to those who are: a. Running b. Standing on the road c. Window shopping	1	1077	03 04 93	37	-03	-01	-03	NA	-01		-23	-07
614. If an animal is in your lane and there are vehicles on both sides of you: a. Swerve to avoid hitting it b. Blow your horn and slow down c. Slam on your brakes hard	2	1013	01 91 08	18	-05	-05	01	NA	00	14	00	-02
615. If it looks like you may hit a pedestrian, the final thing to do is: a. Blow your horn b. Swerve around the pedestrian c. Slow down by pumping the brake	2	998	13 56 30	39	-08	-04	-12	NA	07	11	-21	-14
616. When approaching a traffic accident or fire you should: a. Stop and offer your help to the police b. Slow down and watch for people near the scene c. Turn on your emergency flashers before you drive by	2	957	05 84 10	33	-01	01	01	NA	03	07	-18	-01



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item Correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Educatic.	Mileage
617. To be sure that you will stop in time on a slippery road surface: a. Follow other vehicles at a greater distance and begin slowing down well in advance b. Let some air out of your tires c. Apply the brakes harder than usual.	1	1072	99 01 00	25	01	00	03	NA	03	07	-11	03
618. If there is a bad accident and no one else is there you should: a. Stop at the scene in a safe spot off the road b. Slow down and pass cautiously c. Speed up rapidly and go for help	2	997	81 09 09	26	-01	00	-02	NA	12	13	-01	-05
619. You should turn on your headlights: a. At night and during the day only if it is raining b. Only between dusk and dawn c. In all conditions of darkness	2	991	04 04 92	27	01	03	05	NA	02	04	-14	-03
621. At night you should drive slow enough to be able to stop within: a. The distance lighted by your headlights b. 5 car lengths c. 10 seconds from the time you hit the brake	1	1068	67 23 09	41	03	05	10	NA	07	09	-21	-36
621. Duplicate of above	3	1061	74 19 07	42	04	07	06	09	15	05	-21	-12
621. Duplicate of above	4	1172	72 21 07	43	02	04	01	02	12	-01	-10	-10
621. Duplicate of above	5	940	77 15 08	39	NA	NA	NA	NA	01	10	02	03

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
623.M If when driving at night you have trouble seeing an object up ahead: a. Blink both your eyes several times b. Fix both eyes on the object c. Look slightly to one side of the object	1	1068	27 11 25 64	00	01	03	NA	-05	14	-14	-04	
624. When driving at night: a. Keep your high beams on if traffic is light b. Turn on your inside light to rest your eyes c. Look beyond your headlights for vehicles and people	1	1077	20 14 00 85	-05	-03	-07	NA	08	09	-02	-07	
625. At night you should: a. Allow more distance for passing and stopping b. Use your bright lights if it is foggy c. Drive in the left part of your lane	2	1013	31 95 04 01	-01	00	-02	NA	09	06	-15	-12	
626. In order to stay alert and be able to see clearly at night you should: a. Keep fresh air coming into the vehicle b. Blink your eyes slowly several times c. Rub your eyes hard from time to time	1	1077	14 95 04 00	-03	-03	05	NA	-03	02	04	06	
629.M If you are driving at night in a city and there are no speed limit signs: a. Drive no faster than 15 mph b. Drive no faster than 35 mph c. Drive no faster than 25 mph	1	1072	23 02 37 61	02	03	04	NA	01	-11	01	04	
630. If the city streets are wet at night you should drive no faster than: a. 15 MPH b. 25 MPH c. 35 MPH	2	993	30 18 70 11	07	07	-01	NA	07	03	-04	-01	

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
630. Duplicate of above	3	105A	25 18 69 12	25	00	00	-02	-03	08	11	-02	-07
631. You need <u>not</u> dim your bright lights when: a. Following or passing another vehicle b. Driving past pedestrians near the road c. Slowing down for a turn	1	1075	27 09 38 52	27	-02	01	00	NA	-05	05	-16	-04
633. When you near an oncoming vehicle at night you should: a. Slow down b. Flash your headlights c. Stay in the center or left part of your lane	1	1072	31 63 12 25	31	-03	-03	04	NA	04	-07	-10	-04
634. If an oncoming vehicle refuses to dim its lights at night it is best to: a. Keep your eyes to the right b. Speed up to get by him quickly c. Leave your headlights on high beam	2	1008	30 96 01 03	30	-01	-01	-03	NA	04	07	-10	-07
635. After passing an oncoming vehicle that had its bright lights on you should: a. Continue at your normal speed b. Speed up slightly c. Continue at a slower speed for a short time	1	1072	34 32 03 65	34	01	01	03	NA	04	-06	-09	-01
636. At night you can tell how fast you are approaching the vehicle in front of you by: a. Looking at your speedometer b. Looking at your headlights on the road c. Watching the lead vehicle's tail lights	1	1077	31 15 06 79	31	-01	01	-02	NA	12	00	-13	-08
637. If you are being followed at night by a vehicle with its bright lights on: a. Turn your lights off for several seconds b. Slow down and permit it to pass you c. Speed up slightly and move to the left	2	1005	27 03 94 03	27	02	03	03	NA	04	-02	-07	-05

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
639. When driving at dusk or dawn on a dark day: a. Turn on your lights on low beam b. Turn on your parking lights c. Turn on your lights on high beam	2	1002	91 03 06	23	-04	-02	-05	NA	04	11	01	-07
641. In order to see better when passing an oncoming vehicle with its bright lights on: a. Move as close to the oncoming vehicle as possible b. Keep your headlights on high beam c. Close one eye as the vehicle gets close	1	1068	29 30 48	42	00	01	03	NA	09	02	-17	-05
642. When approaching a railroad crossing that does not have a signal on it: a. Stop and look both ways before crossing b. Slow down and look both ways c. Continue across at normal speed	2	998	37 62 01	36	00	00	-05	NA	08	06	-03	-10
643. When approaching a railroad crossing that has signals on it you should: a. Stop and then continue slowly across b. Slow down and be prepared to stop c. Continue at normal speed if the signals are not on	1	1068	18 64 18	31	00	03	-02	NA	06	07	-13	-09
646. If the signal at a railroad crossing does not indicate that a train is coming you should: a. Slow down and look both ways b. Continue at the same speed and check for a train before crossing c. Come to a complete stop before continuing across	1	1072	64 20 16	28	02	01	02	NA	-03	07	-10	05
650. When approaching a narrow bridge or tunnel that has 2 way traffic you should: a. Keep to the right b. Keep going at the same speed c. Turn on your headlights	1	1080	86 01 13	31	03	04	-03	NA	02	-04	-09	-03

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accident.	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
651. When driving through a tunnel you should: a. Keep your vehicle in low gear b. Use your high beam lights c. Check your speedometer often	1	1075	39 14 41 44	39	01	03	.01	NA	20	02	-14	-10
655. In order to avoid eye strain during long trips it is best to: a. Keep the vehicle comfortably heated b. Move your eyes across the road regularly c. Shift your eyes from the road to the dash-board often	2	1013	10 01 86 13	10	01	02	-04	NA	-11	01	00	00
655. Duplicate of above	3	1061	16 03 62 15	16	01	01	02	01	00	01	-07	03
657. When meeting a vehicle with glaring headlights you should: a. Watch the center line of the road b. Avoid looking at its headlights c. Turn on your bright lights	2	985	31 26 70 03	31	04	05	-02	NA	11	13	-12	-06
657. Duplicate of above	3	1058	35 23 70 07	35	-03	-02	09	08	00	14	-18	-06
657. Duplicate of above	5	940	28 25 56 08	28	NA	NA	NA	NA	03	04	04	00
659. If you get sleepy while driving it is best to: a. Stop for a cup of coffee b. Stop and exercise until you wake up c. Rest or change drivers if possible	2	985	28 05 04 90	28	-02	-02	-03	NA	04	16	-11	-03

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
661. To reduce the effects of exhaust fumes you should: a. Turn the heater off when it is humid b. Keep at least 1 window opened c. Use high-octane gas	2	991	04 87 09	31	01	03	04	NA	07	-05	-07	-01
662. If after several hours, it becomes difficult to pay attention to your driving: a. Change your speed regularly b. Stay close to the right edge of the road c. Put on the roof light inside your vehicle	2	978	43 55 01	44	00	02	-06	NA	24	-03	-10	-15
664. If you become tired while driving you should: a. Decrease your speed, drive closer to the vehicle ahead, and allow less distance to stop b. Decrease speed, leave more distance between you and the vehicle ahead and allow more distance to stop c. Increase speed, leave more distance between you and the vehicle ahead and allow more distance to stop	1	1080	00 99 01	27	01	01	-02	NA	-07	02	-10	-03
669. The percent of fatal highway accidents involving a drinking driver is about: a. 50 percent b. 25 percent c. 75 percent	2	997	65 13 42	29	-01	02	02	NA	07	01	-03	-09
673. Having 1 or 2 drinks before driving: a. Will affect reactions and judgment b. Has little or no effect on driving ability c. Is illegal	2	1013	66 02 32	35	-04	-02	-02	NA	04	11	-25	-05
075.M If a driver will be drinking before driving it is <u>not</u> a good idea to: a. Take medicine without asking a doctor b. Eat before and while drinking c. Limit his drinks to 1 per hour	2	998	72 05 16	40	-02	-01	-01	NA	-05	10	-15	-05

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
676.M If a driver has had several drinks in a short period of time he should: a. Drive 15-20 MPH slower than the speed limit b. Wait 1 hour for each drink before driving c. Drive with someone else in the vehicle to help guide him if necessary	2	998	47 01 85 14	47	-02	-01	-04	NA	08	16	-20	-10
678. Before taking any drugs and then driving it is most important to: a. Know what the effects of the drug are b. Plan to have some other person with you c. Have some food in your stomach	2	1002	24 88 12 00	24	-03	-02	-03	NA	02	10	-06	-02
680. It is generally safe to drive after taking: a. Aspirin b. Tranquillizers c. Antibiotics	2	997	16 89 01 10	16	01	03	-04	NA	06	06	02	-06
680. Duplicate of above	3	1061	09 91 01 17	09	-02	-02	-01	-01	04	05	05	-01
680. Duplicate of above	4	1171	14 93 01 05	14	-01	-01	-03	-02	04	06	07	-04
682. If you take medicine and then drink alcohol: a. Nothing will happen if you only have 1 or 2 drinks b. The medicine will not benefit you c. The effects can make you unfit to drive	2	1008	22 00 00 100	22	-01	-01	-03	NA	-03	08	00	-02
689. As you get older your night vision usually: a. Stays the same b. Becomes harder to check c. Gets worse	2	1013	35 07 13 80	35	-04	-03	02	NA	06	11	-23	-08

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
694. If you are taking medicine for a cold you should: a. Know the effects of the medicine before you drive b. Not drive at night or just after taking the medicine c. Only drive if it is an emergency	2	998	16 89 06 05	00	01	04	NA	-04	-02	-05	-02	
697. If you are angry or upset you should: a. Go for a drive in order to forget your problems b. Control your emotions while driving c. "Cool off" before driving	2	998	08 00 05 94	09	08	12	NA	-02	00	00	06	
697. Duplicate of above	3	1058	15 00 06 94	-03	-02	-02	-01	-03	05	-03	-01	
697. Duplicate of above	4	1168	22 00 06 94	-02	-03	-02	-03	-09	07	-06	05	
697. Duplicate of above	5	954	09 00 04 95	NA	NA	NA	NA	-04	-01	01	03	
699. When changing a tire you should: a. Be away from the road on a level spot b. Lean the jack toward the vehicle c. Put the vehicle in neutral	2	998	15 97 01 07	-04	-03	-05	NA	11	12	01	-01	
713. If your vehicle pulls to one side when the brakes are applied you should: a. Have your brakes checked b. Balance your wheels c. Put more air in the tires on that side	2	1013	29 85 14 02	04	06	-05	NA	30	-11	-03	-16	

-187-

320

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item c. relation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
713. Duplicate of above	3	1061	24 <u>82</u> 15 03	-05	-01	-05	-02	31	-11	-06	-21	
713. Duplicate of above	5	954	19 <u>63</u> 29 07	NA	NA	NA	NA	19	-20	-20	-26	
718. If you are involved in an accident you should: a. Try to move the vehicle out of traffic b. Keep your lights on c. Keep your engine running	2	998	31 <u>80</u> 20 00	-08	-05	-09	NA	06	07	-13	-11	
721. To help a seriously injured person after an accident you should: a. Cover him and try to control any bleeding b. Rush him to the hospital c. Move him to a warm place	2	993	27 <u>95</u> 04 00	01	-01	06	NA	-02	07	-08	-01	
764. A driver's license: a. Is a right of every resident of a state who meets the age requirements b. Limits you to drive only those types of vehicles specified on the license c. Gives the driver the right to drive only in the state	2	1005	38 12 <u>85</u> 03	-04	-03	-04	NA	08	10	-12	-06	
772. When operating a motor vehicle you must carry your: a. Driver's license b. Title c. Proof of age	2	1005	10 <u>100</u> 00 00	01	-01	04	NA	-07	-03	-03	13	
776. Your license expires: a. On the last day of your birth month b. 1 year from the date issued c. On your birthday	2	1002	13 02 00 <u>98</u>	01	-01	02	NA	-07	04	-06	00	

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
785. The implied consent law means you must submit to a test for alcohol: a. Only if you agree to the test when a police officer requests it b. If arrested and asked to do so by a police officer c. When you have been involved in an accident	2	1002	14 30 64 05	01	01	01	NA	01	-01	-09	01	
786. The implied consent law means: a. The police may stop you without reason and test whether or not you have been drinking b. If arrested for drunk driving you must take a breath test if asked to do so c. If you refuse to take the breath test your license may be revoked	2	998	35 27 39 34	-02	-01	-02	NA	10	02	-10	-08	
841. You need not obey a traffic control device when: a. Other vehicles ignore the device b. No other traffic is present c. A police officer directs you to do otherwise	2	978	18 00 00 100	-03	-03	09	NA	01	01	-09	-03	
851. You should <u>not</u> drive in the left lane if: a. You are going below the speed of other traffic b. You are turning left c. There is an obstacle in the right lane	2	1005	20 98 01 01	-03	-02	03	NA	-10	08	-14	-04	
869. When driving on a one-way road: a. Drive only in the direction indicated by traffic control devices b. Keep to the right at all times c. Avoid changing lanes between intersections	2	998	30 85 10 05	-04	-03	02	NA	07	11	-20	-12	

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
871. You must drive your vehicle entirely within a single lane and: a. Stay 5 MPH or more below the speed limit b. Change lanes only after making sure it is safe to do so c. Keep your right wheels close to the right lane line	2	991	24 02 <u>90</u> 07	24	-01	00	-04	NA	07	03	-09	-07
881. If you and another vehicle reach an intersection at approximately the same time, the vehicle: a. On the left must yield the right-of-way b. On the left has the right-of-way c. On the larger road has the right-of-way	2	991	19 88 09 03	19	03	02	05	NA	-02	05	-10	01
881. Duplicate of above	3	1078	30 89 08 02	30	-02	-03	04	03	-05	06	-13	-01
881. Duplicate of above	4	1170	33 88 09 02	33	-01	-01	00	-03	-06	05	-08	02
883. When entering a highway from an alley or private drive you must: a. Drive onto the shoulder of the highway before pulling onto the road b. Sound your horn before pulling onto the road c. Yield to all approaching vehicles	2	978	25 01 00 <u>98</u>	25	-02	01	03	NA	-01	-01	-12	-04
885. When an emergency vehicle with siren sounding and red lights flashing is approaching you should: a. Reduce speed and signal the driver to pass b. Drive to the right side of the road and stop until the vehicle has passed c. Reduce speed and proceed with caution until the vehicle has passed	2	1013	-02 00 <u>100</u> 00	-02	02	00	01	NA	00	00	04	02



Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
887. If a pedestrian is crossing at an intersection where there are no traffic controls: a. Take the right-of-way but do not strike him b. Yield and give him the right-of-way c. Slow down and proceed with care	2	1013	00 97 03	14	05	04	05	NA	-01	00	-06	00
889. If a vehicle ahead of you has stopped at a crosswalk to let someone walk across: a. Stop, and proceed when safe b. Change lanes and pass c. Blow your horn as you pass	2	985	100 00 00	-01	-02	-02	-01	NA	-14	-03	-00	05
894. When possible, pedestrians walking along the road should walk: a. On the left side facing traffic b. On the right side with traffic c. On the side with the least traffic	2	991	84 13 02	27	14	04	05	NA	07	-10	-10	-34
894. Duplicate of above	3	1061	85 13 02	31	10	13	04	10	07	-08	-08	-10
894. Duplicate of above	4	1171	87 12 01	25	-01	01	-03	-03	11	-13	-06	-09
894. Duplicate of above	5	940	79 17 03	31	NA	NA	NA	NA	03	-08	-11	-06
897. At places where a driveway or alley crosses a sidewalk, the right-of-way belongs to the: a. Vehicle leaving the alley if there are no traffic signs or lights b. Pedestrian on the sidewalk c. Vehicle leaving the alley	2	997	01 99 00	15	02	04	-02	NA	01	03	-01	-04

-161-



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and Item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
898. When you want to turn right at an intersection you should generally drive: a. Close to the left side of the road b. In the left part of the right lane c. Close to the right hand side of the road	2	997	00 01 99	12	-02	-03	02	NA	-02	-01	-03	00
899. When making a left turn you should drive: a. Wherever the traffic is lightest unless a special left turn lane is available b. In the left-most lane used for traffic going in your direction c. Several miles above the speed limit so you will not hold up traffic behind you	2	985	05 94 00	36	00	02	05	NA	-04	-02	-23	-01
903. To legally signal for a turn you must use: a. Mechanical signals b. Both mechanical and hand signals c. Either mechanical or hand signals	2	1013	06 10 84	34	00	00	05	NA	-09	08	-20	01
915. You should expect school and passenger busses to: a. Travel 10-15 MPH below posted speed limit b. Signal you when it is safe to pass them c. Stop at a railroad crossing	2	1005	07 07 86	35	-05	-04	05	NA	17	-20	-05	-11
916. When entering a road from a private driveway or alley in a business district: a. Stop only if you see other vehicles approaching b. Stop just before reaching the sidewalk c. Drive out slowly while sounding the horn	2	978	05 86 08	25	05	06	06	NA	-01	-05	-08	01
916. Duplicate of above	3	1058	05 87 07	30	05	02	08	02	-08	06	-18	-03

-192-



Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
916. Duplicate of above	5	940	08 80 11	29	NA	NA	NA	NA	-01	-06	-05	-08
918. When approaching a stopped school bus with flashing red lights, you must: a. Slow down to 10 MPH and be on the look out for children b. Wait until the flashing red lights are turned off or the driver signals you to pass c. Stop and then proceed at not more than 10 MPH	2	997	02 88 10	18	-03	-01	07	NA	02	-03	01	-01
919. If a school bus is stopped on the other side of a divided highway you should: a. Stop and wait for the bus to continue b. Move to the lane farthest from the bus c. Continue with caution	2	991	10 01 88	15	01	00	02	NA	02	04	-11	-02
920. You should always travel: a. At the speed of the vehicles in front of you b. At the speed limit c. At a safe and reasonable speed	2	985	00 08 91	35	02	06	08	NA	00	-07	-20	-01
945. You may stop and temporarily leave a vehicle in a traffic lane if: a. You turn the emergency flashers on and leave the engine running b. It breaks down and you cannot move it off the road c. The highway has at least 2 other lanes of traffic going in the same direction	2	1005	06 82 11	33	-03	-02	00	NA	06	04	-09	-04
967. When pulling a house trailer it is illegal to: a. Have people inside when the trailer is being moved b. Use the left lane of a highway c. Pass passenger cars on the highway	2	985	89 08 03	37	02	03	05	NA	10	-04	-04	-03






-193-

332

331








UNIVERSITY OF MICHIGAN I.I.S.R.I. ITEM STATISTICS







Number and item	Pilot number	Subjects	Reliability	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
976. In most situations bicycle riders: a. Have the right-of-way over all other vehicles b. May not travel on a heavily traveled road c. Are subject to the same rules as motor vehicles	2	1009	.89	34	01	01	01	NA	10	04	-09	01
976. Duplicate of above	3	1058	.90	31	08	06	09	11	-08	-05	-12	01
976. Duplicate of above	4	1168	.87	35	07	11	11	13	-10	04	-13	-02
976. Duplicate of above	5	926	.86	37	NA	11	11	NA	-08	02	-02	03
978. Bicycles should generally be ridden: a. On public streets only b. Alongside of another bicycle if available c. On the far right side of the road	2	997	.92	27	-01	00	-03	NA	06	02	-02	-10
1082. This sign means:  a. Slow down and proceed when the way is clear b. Maintain speed and look both ways c. Proceed as though you have the right-of-way	2	978	.99	24	00	01	07	NA	-05	03	-06	04
1092.M This sign means you should not:  a. Turn around b. Turn right or left c. Change lanes	2	998	.96	33	01	03	03	NA	-02	12	-17	-04

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
1095. You would most likely see this sign on a:  a. 2-lane road b. 4-lane divided highway c. City street	2	1005	96 01 03	22	-01	-01	10	NA	05	-12	00	-02
1096. When you see this sign you may:  a. Not pass at any time b. Pass only if the lead vehicle signals that it is okay c. Not pass if visibility is poor	2	1008	99 01 00	31	-06	-06	-07	NA	03	16	-06	-10
1098. You would most likely see this sign on a:  a. Multi-lane highway b. 2 lane road c. City parking ramp	2	1013	88 11 01	36	03	07	-02	NA	09	12	-15	-13
1099. When you see this sign you should:  a. Not drive in the right lane if you are driving near the speed limit b. Take the next right exit if you will be driving slower than other traffic c. Step to the right when driving below the normal speed of traffic	2	985	03 01 96	17	05	09	03	NA	00	01	-03	-03
1102. When you see this sign you should:  a. Watch for side road traffic to the right b. Drive to the right c. Slow down for a right turn	2	991	01 98 01	23	04	05	-05	NA	03	07	-12	-09







335

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS



Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
1105.A This sign means:  a. You may not enter this road from your direction  b. You are going in the wrong direction  c. The road ahead is closed to all traffic	2	991	38 72 26 01	-01	-01	00	NA	01	12	-14	-05	
1110. This sign means:  a. Travel only in the direction of the arrow b. Turn right or left ahead c. No U-turns	2	998	11 100 00 00	02	02	-02	NA	00	05	-08	01	
1135.H When you see this sign you should:  a. Slow down and be prepared to stop b. Stop until the flagman signals you to cross c. Stop at the nearest rail and look in both directions	2	985	41 79 04 16	-02	03	-03	NA	17	09	-11	-14	
1139.M This sign means:  a. Slow down to 40 MPH and prepare to enter a curve b. Exit ahead, exit speed 40 MPH c. Vehicles turning left must reduce speed to 40 MPH	2	998	36 86 02 12	-02	01	-09	NA	02	29	-11	-05	
1142.H This sign means:  a. Slow down and prepare to turn to the left and then to the right b. Barricade ahead, prepare to detour c. Road closed ahead, prepare to turn right	2	997	33 81 19 00	01	04	-08	NA	25	11	-09	-16	

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
1153. This sign means:  a. Road ends, turn to the right or left b. Turn around, dead end ahead c. Watch for cross traffic before crossing the intersection	2	1013	42 <u>77</u> 05 18	42	-04	00	-07	NA	12	22	-20	-17
1155. This sign means:  a. Slow down and prepare to turn right or left b. Prepare to merge with traffic ahead c. Prepare to detour	2	991	36 <u>76</u> 17 07	36	00	02	-06	NA	12	06	-17	-10
1160.M You are most likely to see this sign before:   a. An intersection b. A highway exit c. A school crossing or bus stop	2	1002	24 <u>85</u> 09 05	24	-02	00	-05	NA	05	06	-06	-04
1164. This sign means:  a. Right lane ends, prepare to merge b. Slow down, pavement ends c. Construction ahead, caution, no shoulder	2	991	19 <u>99</u> 01 00	19	-04	-04	-04	NA	05	01	-10	-08
1179. This sign means:  a. One way road widens into 2 lanes b. Lanes of oncoming traffic are no longer separated c. Cross road intersects the main road ahead	2	997	46 <u>74</u> 01	46	-01	-01	01	NA		11	-16	-14




UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS






Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients									
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage	
1186. If you see this sign you should:  <ul style="list-style-type: none"> a. Slow down, low place in the road ahead b. Stop and proceed slowly around the dip c. Continue at normal speed but be prepared for a jolt 	2	1002	09 02 03 00 NA -01 08 -11 03	99	01	00							
1195. This sign means:  <ul style="list-style-type: none"> a. Railroad crossing is controlled -- continue at your regular speed b. Stop at nearest railroad tracks and wait for signal before crossing c. Slow down and watch for trains 	2	1005	37 00 04 00 NA 13 01 -13 -09	07	07	86							
1199. This sign means:   <ul style="list-style-type: none"> a. People may cross the road, drive with extra caution b. Pedestrians are not permitted to cross this road c. Pedestrians must yield to vehicles 	2	993	14 -02 -01 -04 NA 00 07 -09 -04	99	00	00							
1200. This sign means:  <ul style="list-style-type: none"> a. Obstruction ahead, move to the right or left b. Divided road ahead, keep right c. Road ends ahead, detour 	2	985	34 -07 -06 -08 NA 07 09 -19 -09	85	11	03							
1205. This sign means you should:  <ul style="list-style-type: none"> a. Slow down to 30 MPH on this exit b. Go no faster than 30 MPH before leaving the main road c. Expect to go 30 MPH after exiting 	2	998	12 03 05 01 NA -05 07 00 -02	92	05	03							

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS





Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
1205. Duplicate of above	3	1061	91 06 03	12	00	04	02	08	00	09	-06	-04
1205. Duplicate of above	4	1171	95 03 01	16	00	-01	-01	-01	-01	07	-04	03
1213. This sign means:  a. Slow down and drive carefully b. Continue at the same speed but be prepared to stop c. Move to the right lane if you are driving slow	2	998	99 00 01	21	-01	02	-04	NA	-01	12	-11	-07
1224.M A flashing red signal at an intersection means:  a. Slow down and continue carefully b. Stop and yield to cross traffic c. Continue at normal speed because you have the right-of-way	2	998	04 96 00	34	-04	00	-06	NA	07	13	-13	-05
1225. A flashing yellow traffic signal at an intersection means: a. Continue at normal speed because you have the right-of-way b. Slow down and continue carefully c. Stop and yield to cross traffic	2	998	01 95 05	26	-01	01	-02	NA	02	15	-13	-08




UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
1227.H This steady yellow traffic signal means:  ↑ YELLOW	2	1005		36	-01	01	-08	NA	09	10	-13	-07
a. Stop before entering the intersection if you can safely do so			82									
b. Speed up and continue through the intersection before light turns red			03									
c. Stop immediately; do not continue through the intersection			15									
1232. If the traffic light over your lane stays red while the lights controlling the oncoming traffic turns green: a. Proceed with caution since your light must not be working b. Wait until the light over your lane turns green, then proceed c. Wait until the opposing traffic has cleared the intersection	2	991		24	-03	-02	-01	NA	02	14	-13	-02
a. Proceed with caution since your light must not be working			03									
b. Wait until the light over your lane turns green, then proceed			90									
c. Wait until the opposing traffic has cleared the intersection			07									
1245. This center pavement line means:  YELLOW	2	998		32	00	01	03	NA	04	10	-19	-10
a. Passing permitted; you may cross the line			85									
b. Do not cross the line; no passing zone			13									
c. Cross the line only when making a U-turn			02									
1246. You should expect this type of center line: 	2	1008		41	02	05	-04	NA	13	14	-18	-06
a. When it is unsafe for you to pass			78									
b. When you are permitted to pass			20									
c. On city streets			02									
1246. Duplicate of above	3	1008		28	-02	-04	00	02	06	13	-14	-03
			72									
			25									
			03									

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
1247. These center pavement lines on a 2-lane road mean passing is:  <ul style="list-style-type: none"> a. Not permitted when the solid line is in your lane b. Permitted only when the solid line is on your side c. Not permitted in either direction 	2	1008	35 90 04 05	35	-03	01	-01	NA	09	07	-17	-05
1249. These center pavement lines mean:  <ul style="list-style-type: none"> a. Pass with care in either direction b. No passing in either direction c. Trucks may not pass; all other vehicles pass with care 	2	1005	13 03 96 00	13	00	02	-01	NA	00	10	-03	-04
1251. This lane line means:  <ul style="list-style-type: none"> a. You should avoid changing lanes if possible b. You may change lanes c. Keep to the right 	2	1008	30 05 81 14	30	-04	-02	-04	NA	-01	10	-07	-02
1256. These pavement markings mean:  <ul style="list-style-type: none"> a. You should pass slow-moving vehicles in this area b. Lane ends; merge c. Shoulder ends; do not leave the road 	2	998	35 03 94 03	35	-03	-02	-02	NA	02	08	-09	-01
1257. If you are turning left at this intersection you should:  <ul style="list-style-type: none"> a. Make the turn from the lane with the least traffic b. Drive in the lane to the right of the white line c. Stay to the left of the white line 	2	998	27 01 04 96	27	06	03	03	NA	00	07	-11	-07

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
1259. These pavement markings mean:  <ul style="list-style-type: none"> a. Emergency parking area b. Vehicles may not enter marked area c. Vehicles must stop before driving onto the road 	2	1013	33 17 68 14	-06	-04	-06	NA	16	05	-13	-05	
1260. These markings painted on the pavement at a highway exit mean:  <ul style="list-style-type: none"> a. You may stop in the painted area to check for directions b. Exiting traffic should enter the exit lane before reaching the painted area c. All non-exiting traffic should keep in the far left lane 	2	998	39 02 79 18	00	03	-07	NA	09	10	-16	-10	
1278.M You should expect this sign:  <ul style="list-style-type: none"> a. At the entrance ramp of a highway b. When entering a road construction area c. At the entrance to a dead-end street 	2	998	21 00 98 02	-03	-04	-05	NA	03	-01	-07	-07	
1279.M When you see this sign you should:  <ul style="list-style-type: none"> a. Stop and turn around b. Continue with caution and watch for other signs c. Expect to see oncoming traffic in your lane 	2	985	31 03 97 00	00	01	00	NA	04	-07	-10	-03	

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
1294.M When you see this sign you should:  <ul style="list-style-type: none"> a. Drive on the shoulder for the next 1500 feet b. Use caution and watch for other signs c. Move over to the left lane and maintain your speed 	2	991	04 00 100 00	04	00	02	-01	NA	-01	-01	-03	-03
1299. These orange cones are generally used to:  <ul style="list-style-type: none"> a. Point out where the exits are located on the road b. Guide traffic through construction areas c. Indicate a detour 	2	991	14 00 93 06	14	-01	-02	06	NA	-05	-11	02	04
1303. When you see this sign you should:  <ul style="list-style-type: none"> a. Avoid parking in this area b. Slow down and watch out for children c. Be quiet -- School zone 	2	985	01 99 00	09	-03	-04	05	NA	-02	03	00	05

APPENDIX B

CALIFORNIA DMV ITEM STATISTICS

This appendix contains the results of an item analysis made on each California DMV item. There are five forms of the class 3 (passenger car and light truck) drivers licensing test, designated DMV Forms 1-5. The January, 1974 version of DMV Forms 1-5 was used. Each form contains 36 items but, because there is a total of only 74 unique items, 48 items are present on more than one test form. More than one set of data was therefore available for the items present on more than one test form. Only one set of data from one test form was selected for analysis, so data was selected from the lowest numbered test form on which each item appeared. Cross-validation of item statistics is presented for each DMV item. The table presenting item statistics is divided into 13 columns, and the data presented is as follows:

1. Number and Item - DMV items from DMV Forms 1-5 were numbered from 1 to 74, and each item is presented as it appeared on DMV test forms. Twelve new sign and law change items created by the California DMV are numbered 75 to 86.
2. Pilot Number - Five pilots were conducted, each utilizing different subjects selected at a different set of field offices. The following is a brief summary of Pilots 1-5. Complete details are available in the full research report.

Renewal applicants were tested in Pilots 1-4. Original applicants were tested in Pilot 5. California DMV Forms 1-5 were interleaved and administered with new forms in Pilots 1, 3, and 4, and were attached to new forms in Pilot 5. Item results are presented for DMV items appearing on DMV Forms 1-5 only. Results from Pilot 1 are presented, with the results from Pilots 3 and 4 combined presented as a cross-validation. Data is also presented for original applicants tested in Pilot 5. Data is also presented for several new sign items used in Pilot 2, and several new law items used in Pilots 3 and 4. Refer to Appendix C for a list of the

items that were placed on each test form.

3. Number of Subjects - the number of subjects that were administered the lowest numbered DMV test form containing each item is presented. Due to missing data for some subjects, item correlations with driver record and biographical data may be based on a slightly smaller number of subjects than the subject number presented. Refer to Table 1 in the Results Section for the number of subjects for whom data was not available for each driving record or biographical variable.
4. Response Distribution - The percentage distribution of subjects responding to each multiple choice answer for each item is presented. The percentage corresponding to the correct answer is underlined. On the average, less than 1% of applicants indicated no answer choice on each item. This, together with rounding error, accounts for some response distribution adding to less than 100.

Item-Correlation Coefficients

All item-correlation coefficients were rounded to two digits, and decimal points were omitted. The number of subjects per DMV item ranged from 926 to 1,355. A correlation that was significantly different than zero therefore, ranged from .053 for a subject number of 1,355 to .064 for a subject number of 926. Because all correlations were rounded to two digits, a correlation of .06 or above of a moderate magnitude may be considered significant. Due to rounding, some correlations that failed to reach significance by a small margin may be considered significant, and some correlations that barely reached significance may be considered non-significant.

Approximately a six year prior driving record was analyzed, although driving record was shorter or longer than six years for some applicants. If N/A appears in place of correlation, that correlation was not available. For original applicants (Pilot 5), all item correlations with accidents, accident rate, convictions, and conviction rate were not available because California driving record prior to testing was used. Conviction rate was not calculated for Pilots 1 and 2.

5. Total Test Score - This is the correlation between correct or incorrect item response and the total number wrong. A positive correlation indicates that subjects who selected the correct answer tended to have higher total test scores than subjects who selected an incorrect answer. These correlations might be slightly inflated, because each item was not removed from the total score for its item-total test score correlation. For Pilots 1, 3, and 4, 36-item DMV Forms 1-5 were used. For Pilot 5, 50-item test forms were used that were made up of 14 HSRI items attached to DMV Forms 1-5.

6-13. Tables in Appendix B are in the same format as tables in Appendix A, and correlations presented in columns 6-13 have the same meaning. The reader is referred to the introduction to Appendix A for definitions of correlations presented in columns 6-13.

Number and item	Pilot number	Number of subjects	Response contribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
1. Except where special bicycle lanes are provided, bicycles must be ridden near the edge of the roadway: a. In the opposite direction to auto travel b. In the same direction as auto travel c. In either direction, regardless of auto travel		1065	17 81 01	26	07	07	08	NA	-01	-01	-11	03
1. Duplicate of above	3,4	1329	14 84 01	31	03	07	02	06	-05	-07	-11	-05
1. Duplicate of above	5	940	11 88 01	28	NA	NA	NA	NA	-01	06	01	05
2. When you come to a stop sign you should: a. Stop at all times b. Slow down, and stop if necessary c. Stop, unless nothing is coming	1	1065	100 00 00	06	02	01	06	NA	-01	-02	-02	03
2. Duplicate of above	3,4	1329	100 00 00	01	01	01	02	02	-01	-03	02	-02
2. Duplicate of above	5	940	99 01 00	15	NA	NA	NA	NA	-03	-03	01	-04
3. To make a left turn from a two-way street, you should start the turn in the lane closest to the: a. Middle of the street b. Left curb c. Right curb	1	1065	88 11 01	32	02	02	-02	NA	06	07	-10	-03

-207-



CALIFORNIA DMV ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
1. Duplicate of above	3,4	1329	89 10 01	34	02	05	02	05	-02	10	-13	-02
3. Duplicate of above	5	940	86 12 02	34	NA	NA	NA	NA	00	05	00	04
4. You may go through a red light without stopping if you are ordered to do so by a: a. Doctor or nurse b. Traffic officer or fireman on duty c. Uniformed soldier or sailor	1	1065	00 100 00	09	-02	-01	-01	NA	-04	01	-06	-03
4. Duplicate of above	3,4	1329	00 99 00	05	-01	-01	-02	-02	00	00	00	-03
4. Duplicate of above	5	940	01 99 00	12	NA	NA	NA	NA	00	-01	-04	-02
5. Driving through a pedestrian safety zone marked by raised buttons or markers is: a. Permitted if zone is not occupied b. Permitted if there is a traffic light control c. Prohibited at all times	1	1065	27 11 61	34	03	06	16	NA	-03	-24	-09	-03
5. Duplicate of above	3,4	1329	25 08 66	29	00	-01	12	10	-04	-17	-03	00



CALIFORNIA DMV ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
5. Duplicate of above	5	940	32 10 57	20	NA	NA	NA	NA	-02	-11	-10	-03
6. When you reach a corner at the same time as another car coming from a cross street, you should yield the right-of-way to: a. The car on your left b. The car on your right c. Neither car	1	1065	08 91 01	32	05	05		NA	01	-03	-03	02
6. Duplicate of above	3,4	1329	06 92 01	23	06	05	11	14	-05	-06	-09	-03
6. Duplicate of above	5	940	08 90 01	33	NA	NA	NA	NA	-04	05	-01	00
7. If you are going to turn, the law requires that you give a signal continuously: a. During the last 100 feet b. Only during the last 50 feet c. Only while making the turn	1	1065	89 10 01	30	-01	01	06	NA	-01	-02	-08	-04
7. Duplicate of above	3,4	1329	90 10 01	30	-02	-02	02	02	05	-01	-02	00
7. Duplicate of above	5	940	87 11 02	25	NA	NA	NA	NA	00	-02	01	02

-209-



CALIFORNIA DMV ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
8. If you are making a turn on a very bright and sunny day, it is considered safest to: a. Use electric signal only b. Use both electric and hand-and-arm signal c. Sound horn instead of signaling	1	1065	05 95 00	21	-03	-02	02	NA	00	09	-09	00
8. Duplicate of above	3,4	1329	06 93 00	25	-01	00	-05	-04	06	09	-05	-04
8. Duplicate of above	5	940	03 97 01	20	NA	NA	NA	NA	09	07		01
9. You may <u>never</u> make a U-turn: a. Across a double line b. On a blind curve c. On a two-lane highway	1	1065	37 58 04	45	-02	04	09	NA	-09	-03	-14	-05
9. Duplicate of above	3,4	1329	31 64 04		-01	00	07	10	-11	00	-13	-07
9. Duplicate of above	5	940	32 59 08	38	NA	NA	NA	NA	-04	-03	-11	-01
10. When you come to a corner where there is a flashing yellow light you must: a. Slow down and cross carefully b. Stop before crossing c. Wait for the green light	1	1065	91 06 01	30	-03	-01	02	NA	05	12	-14	-08

CALIFORNIA DMV ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
10. Duplicate of above	3,4	1329	96 03 01	27	-02	03	01	07	00	11	-12	-10
10. Duplicate of above	5	940	95 04 01	22	NA	NA	NA	NA	-02	08	03	-05
11. Under the "basic speed law" you may <u>never</u> drive faster than: a. The posted speed limit b. The flow of traffic c. It is safe	1	1065	33 06 61	49	06	06	09	NA	-06	06	-17	-01
11. Duplicate of above	3,4	1329	29 05 66	48	06	06	13	13	-08	05	-19	00
11. Duplicate of above	5	940	32 05 63	48	NA	NA	NA	NA	02	03	02	11
12. When another car tries to pass you on a two-lane road, you should never: a. Increase your speed b. Maintain your speed c. Slow down	1	1065	89 06 04	46	00	-02	02	NA	-06	15	-23	-02
12. Duplicate of above	3,4	1329	91 05 04	30	00	-02	01	01	-05	17	-15	-03
12. Duplicate of above	5	940	93 03	43	NA	NA	NA	NA	00	07	-01	05

CALIFORNIA DMV ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accid	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
13. If you get into a rear wheel skid, it is best to: a. Turn your steering wheel away from skid b. Hold your steering wheel straight c. Turn your steering wheel toward skid	1	1065	11 10 78	43	01	02	02	NA	09	02	-14	-06
13. Duplicate of above	3,4	1329	10 09 81	39	-04	-05	02	00	02	01	-16	-03
13. Duplicate of above	5	940	09 09 81	38	NA	NA	NA	NA	07	00	03	00
14. When passing a school while children are going to or coming from school, the speed limit is: a. 35 miles per hour b. 10 miles per hour c. 25 miles per hour	1	1065	00 23 77	33	09	06	10	NA	-06	03	03	-02
14. Duplicate of above	3,4	1329	00 19 80	32	04	-01	10	07	-10	06	-01	07
14. Duplicate of above	5	940	00 23 76	24	NA	NA	NA	NA	-12	12	18	15
15. You are permitted to open your door on the traffic side: a. Only when it is safe b. At all times while parked c. To leave but not to enter your car	1	1065	98 01 01	12	05	04	09	NA	-05	-08	-01	00

CALIFORNIA DMV ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
15. Duplicate of above	3,4	1329	98 01 01	16	00	00	03	04	02	-09	-02	-01
15. Duplicate of above	5	940	95 02 02	24	NA	NA	NA	NA	-01	00	-02	-03
16. You are required to make a financial responsibility report after an accident where damage to one of the vehicles is over \$200: a. Whether or not it was your fault b. Only if it was your fault c. Only if you are not insured	1	1065	88	24	03	-01	13	NA	-02	-08	03	04
16. Duplicate of above	3,4	1329	89 03 09	19	00	-01	02	00	03	-07	-01	-01
16. Duplicate of above	5	940	90 04 06	19	NA	NA	NA	NA	-02	-03	03	-01
17. A special lane in the middle of a two-way street, marked by broken double yellow lines on each side of the lane, may be used: a. For beginning or ending left turns only b. For passing or overtaking other cars c. For making both right and left turns	1	1065	71 17 12	32	03	05	02	NA	05	06	-11	-07
17. Duplicate of above	3,4	1329	75 13 12	42	05	07	00	-01	-01	05	-12	00



CALIFORNIA DMV ITEM STATISTICS

Number and Item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
17. Duplicate of above	5	940	34 <u>71</u> 16 12	NA	NA	NA	NA	03	02	-04	-03	
18. If you refuse to submit to a chemical test of the alcohol in your body when you are arrested for drunk driving, your license will be suspended for: a. 6 months b. 90 days c. 30 days	1	1065	26 <u>69</u> 16 14	-02	00	-02	NA	06	02	-04	00	
18. Duplicate of above	3,4	1329	28 <u>69</u> 16 14	-02	-02	-06	-07	06	-06	-01	-06	
18. Duplicate of above	5	940	19 <u>67</u> 19 14	NA	NA	NA	NA	08	03	01	00	
19. When there is a solid double line in the center of the roadway it means that you may <u>not</u> cross the line to: a. Make a left turn b. Enter a private driveway c. Overtake and pass another car	1	1065	40 <u>11</u> 02 86	00	02	06	NA	-04	12	-15	-08	
19. Duplicate of above	3,4	1329	31 <u>07</u> 02 90	-02	01	-02	01	03	12	-14	-09	
19. Duplicate of above	5	940	32 <u>09</u> 02 89	NA	NA	NA	NA	00	09	01	00	

- 214 -

CALIFORNIA DMV ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients							
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education
20. A flashing red signal light at a road crossing means that you should: a. Stop, before crossing b. Slow down, before crossing c. Wait for the green light	1	1065	15 98 01 02	02	01	01	NA	02	06	-03	07
20. Duplicate of above	3,4	1329	19 98 01 01	-02	-02	-01	00	03	11	-07	-07
20. Duplicate of above	5	940	25 94 03 03	NA	NA	NA	NA	03	-04	-07	-11
21. The law says that a passenger vehicle may <u>not</u> tow: a. A single trailer b. Another passenger vehicle c. More than one trailer	1	1065	35 02 07 91	-02	-02	04	NA	-02	-02	-04	-04
21. Duplicate of above	3,4	1329	25 01 04 95	01	01	01	00	00	06	-04	-03
21. Duplicate of above	5	940	37 01 07 91	NA	NA	NA	NA	01	-01	-04	-01
22. You may cross over a double line on the road to pass another car if the line on your side is: a. A solid white line b. A broken line c. A solid yellow line	1	1065	14 02 96 01	06	00	01	NA	-05	11	-08	-07




CALIFORNIA DMV ITEM STATISTICS

Number and item	Pilot number	Number of subjects	distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
22. Duplicate of above	3,4	1329	03 96 02	25	01	-01	03	00	-05	01	-07	00
22. Duplicate of above	5	940	04 94 02	29	NA	NA	NA	NA	-02	03	01	06
23. You may "double park": a. Not at any time b. When making a delivery c. While waiting for a passenger	1	1065	96 02 01	22	-01	-01	01	NA	-04	03	-05	-03
23. Duplicate of above	3,4	1329	96 03 01	26	04	04	-01	00	-04	06	-1'	-05
23. Duplicate of above		940	92 04 04	22	NA	NA	NA	NA	-01	01	-01	03
24. When a curb is painted red, it means: a. Limited time parking only b. No stopping or parking c. Reserved for unloading freight	1	1065	0 01	20	-02	-02	02	NA	-01	03	-08	-03
24. Duplicate of above	3,4	1329	00 98 01	21	-03	-01	-04	-02	-01	10	-08	-07
24. Duplicate of above	5	940	01 96 02	21	NA	NA	NA	NA	01	-01	-02	03

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
25. When coming to a stop at a corner where there is a stop sign you should stop:	1	1065		24	05	03	08	NA	03	00	-02	02
a. In back of the crosswalk			95									
b. After crossing the crosswalk			00									
c. Out far enough to see cross traffic			05									
25. Duplicate of above	3,4	1329		18	-01	-03	02	00	-06	00	-05	02
			97									
			00									
			03									
25. Duplicate of above	5	940		22	NA	NA	NA	NA	01	03	04	-04
			94									
			01									
			05									
26. When you hear the siren of a closely approaching fire truck, and you are <u>not</u> in an intersection at the time, you should:	1	1065		04	02	01	04	NA	-01	-03	00	-02
a. Drive slowly until it has passed			00									
b. Speed up to clear traffic			00									
c. Pull to the right and stop			100									
26. Duplicate of above	3,4	1329		08	04	03	03	02	-07	03	-01	00
			92									
26. Duplicate of above	5	940		20	NA	NA	NA	NA	02	-01	04	-06
			01									
			01									
			98									
27. A pedestrian has the right-of-way at a corner:	1	1065		27	01	-01	08	NA	-04	-02	-03	-03
a. Only when crosswalk is marked			07									
b. Whether or not crosswalk is marked			92									
c. Only when traffic signals are working			01									



CALIFORNIA DMV TEST STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
27. Duplicate of above	3,4	1329	07 91 01	27	01	00	05	05	-01	-02	-01	01
27. Duplicate of above	5	940	10 68 01	33	NA	NA	NA	NA	-01	01	-06	00
28. When a school bus has stopped on the highway ahead of you and is showing flashing red lights, you must: a. Stop until lights stop flashing b. Slow to 10 M.P.H. in passing c. Change lanes and pass cautiously	1	1065	95 02 02	28	06	10	12	NA	-02	-10	-05	-09
28. Duplicate of above	3,4	1329	06 01 01	11	-02	00	05	05	03	-04	-01	-03
28. Duplicate of above	5	940	04 02 04	30	00	NA	NA	NA	-04	-08	-05	-11
29. You should normally begin a right turn in: a. The lane nearest the curb center b. The same as for a left turn c. The lane nearest the right curb	1	1065	01 00 01	04	04	04	-01	NA	-01	07	-05	-05
29. Duplicate of above	3,4	1329	04 00 03	06	06	07	01	01	03	-06	-05	-06


Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
29. Duplicate of above	5	940	02 00 98	20	NA	NA	NA	NA	01	-02	00	-01
30. You must always give the right-of-way to a pedestrian carrying a white cane because it means that he is: a. Blind b. Crippled c. An elderly person	1	1065	98 01 01	23	-01	-01	09	NA	-01	-04	-11	-09
30. Duplicate of above	3,4	1329	99 00 00	15	03	01	01	01	-09	-04	-03	01
30. Duplicate of above	5	940	98 01 01	27	NA	NA	NA	NA	-02	-01	01	03
31. This sign means:  a. Let cross traffic go by first b. Car on the right goes first c. You have the right-of-way	1	1065	90 09 00	20	06	06	11	NA	04	-04	-05	-01
31. Duplicate of above	4	1329	91 09 01	24	-01	-02	05	03	05	-05	-06	-02
31. Duplicate of above	5	940	89 09 02	22	NA	NA	NA	NA	-01	-03	-04	-04

-61-

CALIFORNIA DMV ITEM STATISTICS

Number and Item	Pilot number	Number of objects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction :	Sex	Age	Education	Mileage
32. This sign means:  <ul style="list-style-type: none"> a. Road ahead not paved b. Two-way road begins ahead c. Wider road ahead 	1	1065	01 90 08	26	04	07	-02	NA	05	-03	-04	-05
32. Duplicate of above	3,4	1329	02 92 06	33	-01	00	04	03	06	-08	-13	-07
32. Dupl. of above	5	940	05 82 12	32	NA	NA	NA	NA	07	-10	-13	-13
33. This sign means: <ul style="list-style-type: none"> a. Fewer lanes ahead b. Divided highway ahead c. Side road ahead 	1	1065	94 04 02	40	07	11	11	NA	00	05	-09	-07
33. Duplicate of above	3,4	1329	95 03 01	35	02	00	02	02	-02	03	-10	-01
33. Duplicate of above	5	940	95 03 01	31	NA	NA	NA	NA	00	04	-02	06
34. This sign means:  <ul style="list-style-type: none"> a. Rough road ahead b. Roadway crossing c. Railroad crossing 	1	1065	01 09 90	14	00	00	03	NA	-01	10	-12	-04

-220-



MICROCOPY RESOLUTION TEST CHART
 NATIONAL BUREAU OF STANDARDS-1963-A

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
293. Duplicate of above	5	926	80 05 15	29	NA	NA	NA	NA	-01	-09	-14	-10
294. When about to pass you should generally: a. Move up very close to the lead vehicle, then change lanes b. Drop back and change lanes far behind the lead vehicle c. Maintain usual following distance until you change lanes	1	1072	04 06 89	24	-01	01	07	NA	09	03	-14	-08
295. When about to pass a vehicle on a divided highway you should: a. Move into the passing lane well before passing b. Turn on your bright lights and have them on until you complete the pass c. Flash your brake lights to warn following vehicles	1	1072	89 06 06	25	01	01	01	NA	06	-04	-14	-03
296. Before passing the vehicle ahead you should: a. Move up very close to it before pulling out b. Blow your horn or flick the lights c. Edge into the left lane to check for on-coming traffic	2	978	10 19 71	22	-03	-04	-05	NA	01	11	-01	-05
297. You should always blow your horn if the driver you are passing: a. Is signaling for a right turn or has begun to slow down or is passing parked vehicles b. Cannot see behind him or is not paying attention or begins to move sideways toward you c. Flashes his headlights or begins to move to the right	1	1075	03 94 03	36	04	04	04	NA	-08	07	-21	-07

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
297. Duplicate of above	3	1054	03 93 03	32	00	-02	04	02	-02	06	-15	-05
297. Duplicate of above	5	940	04 92 03	33	NA	NA	NA	NA	-04	04	-04	-08
298. When passing several vehicles <u>at the same time</u> on a 2 lane road you should:	1	1075	13 13 75	33	01	04	03	NA	08	-03	-09	-13
299. When passing a vehicle you should remember that the other driver will not be able to see you when you are:	1	1075	07 14 79	44	-01	01	00	NA	06	26	-03	-09
300. When passing another vehicle you should:	1	1075	16 08 75	44	-01	03	-05	NA	17	08	-16	-16
301. If when passing with an automatic shift vehicle, you need to quickly speed up you should:	2	1002	52 48 01	43	05	09	01	NA	32	-05	-15	-12

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and Item	Pilot number	Number of subjects	Response distributor	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
302. If, while passing, it appears that you will not have time to complete the pass: a. Slow down and return to the right lane behind the vehicle you were passing b. Speed up quickly and cut in front of the vehicle you are passing c. Continue as you are and signal the vehicle you are passing to slow down	1	1075	32 95 00 04	-02	00	-04	NA	10	02	-15	-08	
303. If you can see far ahead you may: a. Drive above the speed limit b. Drive on the shoulder of the road c. Pass several vehicles at once	1	1075	40 05 04 90	05	07	00	NA	04	05	-21	-11	
303. Duplicate of above	3	1078	37 07 02 91	03	05	06	06	-01	04	-18	-05	
303. Duplicate of above	5	938	47 09 09 80	NA	NA	NA	NA	01	-09	-13	-13	
304. If you want to pass several vehicles at the same time on a 2 lane road you should: a. Check the room left for passing before passing each of the vehicles b. Slow down before passing each of the vehicles c. Drive 15-20 mph over the posted speed limit	1	1077	29 96 03 01	00	03	03	NA	05	03	-12	-04	
304. If you want to pass several vehicles at the same time on a 2 lane road you should: a. Slow down before passing each of the vehicles b. Drive 15-20 mph over the posted speed limit c. Check the room left for passing before passing each of the vehicles	1	1075	25 04 02 94	01	07	-04	NA	05	00	-11	-18	

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
305. When passing a vehicle you should return to the right side of the road when: a. You can see both its headlights in your rearview mirror b. You are 50 feet in front of the passed vehicle c. You have cleared the front bumper by a vehicle length	1	1075	27 46 37 17	06	07	03	NA	02	08	-10	-01	
305. Duplicate of above	3	1078	17 55 32 14	04	04	08	08	-03	02	-05	03	
305. Duplicate of above	5	940	34 55 25 20	NA	NA	NA	NA	06	04	-03	-04	
306. After passing a vehicle on a 2-lane road you should generally: a. Gradually turn back to the right lane b. Turn sharply back to the right lane c. Slow down and then move into the right lane	2	998	30 91 03 06	03	05	02	NA	09	-08	-06	-09	
306. Duplicate of above	3	1058	23 92 03 05	-01	-01	01	02	04	-02	00	-03	
307. Before pulling in front of a vehicle you have just passed, you should: a. Speed up b. Check your speedometer c. Put on your turn signal	1	1075	26 08 01 91	-01	00	-04	NA	06	10	-07	-04	

-127-




UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
308. When making a U-turn: a. Pause and check rear traffic before starting in your new direction b. Blow your horn to warn all traffic to slow down and wait c. Only use hand signals during the turn	2	993	19 95 00 04	-03	-03	-07	NA	-05	12	-09	-05	
311. If you decide to use a driveway when turning around, it is best to: a. Drive forward into the driveway and then turn while backing out b. Back into the driveway and then move forward into traffic c. Select a driveway that has vehicles parked on either side of it at the curb	2	997	25 76 23 01	-01	00	-05	NA	05	-11	-06	-04	
312. If you need to reverse your direction while driving on a road it is usually best to: a. Make the necessary right and left turns b. Make a Y-turn c. Make a U-turn	2	1002	22 73 03 24	05	07	00	NA	-07	-02	-08	-02	
312. Duplicate of above	1	1058	10 69 04 26	05	03	05	03	-04	-08	-06	-03	
312. Duplicate of above	5	926	18 64 04 32	NA	NA	NA	NA	-06	-22	-26	-24	
314. If you miss your exit on the freeway you should: a. Go on to the next exit b. Stop and back up c. Stop and ask for directions	2	993	17 100 00 00	03	12	-02	NA	-04	03	-09	-07	

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
315. When backing up you should assume that: a. You have the right-of-way if you have signaled b. You can see everything behind you by using your mirrors c. Pedestrians may not notice that you are backing up	2	998	44 02 12 <u>85</u>	-04	-03	03	NA	05	16	-24	-11	
317. The correct order of operations when backing up is: a. Look to the rear, make sure vehicle is stopped, shift into reverse b. Make sure vehicle is stopped, look to the rear, shift into reverse c. Shift into reverse, make sure vehicle is stopped, look to the rear	2	993	38 24 <u>70</u> 06	-03	-02	-09	NA	18	16	-10	-07	
318. Before beginning to back up, you: a. Need not come to a complete stop b. Must straighten your front wheels c. Should look to the right and left	2	1002	10 02 18 <u>81</u>	03	03	01	NA	-01	-06	04	00	
318. Duplicate of above	3	1078	07 01 17 <u>82</u>	00	-01	03	02	00	-13	04	03	
319. When backing up it is usually best to: a. Steer with one hand, while looking into the rearview mirror b. Steer with both hands while looking out the left front window c. Steer with one hand, while looking out the rear window	2	1002	33 04 22 <u>73</u>	-05	-03	-07	NA	14	31	-11	-08	

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distributor	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
321. When backing up you should: a. Allow less distance to stop than if going forward b. Speed up slightly when turning c. Avoid making quick steering changes	2	993	43 21 00 79	00	03	NA	06	20	-16	-10		
322. Before you begin to back into a parallel parking space you should: a. Put on your 4-way flashers to warn other vehicles b. Signal following traffic to pass if there is another lane c. Open your door and look for traffic behind you	2	1008	31 18 78 04	-07	-06	00	NA	03	10	-06	-05	
323. When backing into a parallel parking space you should straighten your wheels when:  a. Your front seat is in line with the rear bumper of the vehicle alongside of you b. You have moved about 1 to 2 feet c. Your front bumper is in line with the rear bumper of the vehicle parked alongside you	1	1064	20 40 06 54	-03	-01	-03	NA	00	09	-04	-04	
324. If you park along the right hand curb facing uphill you should: a. Keep the front wheels straight b. Turn the front wheels to the left c. Turn the front wheels to the right	1	1064	37 00 78 22	03	05	-04	NA	11	08	-14	-08	
325. It is most important to turn the front wheels toward the curb: a. When parking facing downhill b. When parking facing uphill c. At all times	2	1008	31 85 04 11	01	02	02	NA	-03	04	-11	-02	

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
326. When parking on a hill where there is <u>no</u> curb, you should: a. Leave your front wheels straight b. Point your front wheels away from the road c. Turn your front wheels toward the road	1	1064	24 10 70 20	.06	.07	-.02	NA	.10	-.01	-.04	-.04	
328. After parking your vehicle you should: a. Be 2 to 4 inches away from the vehicle in front of you b. Straighten your front wheels c. Firmly apply the parking brake	2	978	19 01 01 97	.02	-.02	-.02	NA	.06	-.02	-.02	-.05	
332. When backing out of a parking space where you are at an angle facing the curb: a. Continue looking through the rearview mirror and slowly back out b. Have someone outside of the vehicle direct you and traffic until you are out c. Turn around and watch for other vehicles while slowly backing out	2	1008	22 07 00 92	.00	.01	.01	NA	.06	.01	-.03	-.01	
333. When backing out of an angle parking space, you should begin turning your wheels: a. As soon as you can clear the vehicles on either side of you b. As soon as you start backing up c. Back and forth to ease your way out of the spot	1	1064	28 90 05 04	.00	.00	.03	NA	.10	-.03	-.07	-.06	
334. If you find you must pull off the highway when you are in the left lane and cannot reach the right shoulder: a. Leave the road and move onto the median b. Stop in the left lane and then slowly move over to the right c. Continue to the first exit and get off	2	985	49 52 06 41	-.06	-.03	-.04	NA	.10	.15	-.20	-.12	

-131-

207



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Convict.	Sex	Age	Education	Mileage
337. If you must stop because of mechanical trouble when on a highway it is best to stop: a. In the right lane of the road and flag down the first vehicle you see b. So that your vehicle is facing oncoming traffic and put your lights on c. On the shoulder, turn on the flashers, raise the hood and wait for help	2	978	28 01 00 99	28	-01	02	02	NR	00	07	-10	-04
338. If you cannot drive your vehicle off the road after an accident, you should not: a. Stay in your vehicle b. Get out and leave the road c. Try to push the vehicle off the road	2	998	34 52 23 25	34	-03	-02	03	NA	06	06	-12	-02
341. When driving in an alley or parking lot it is important to: a. Stay close to building or vehicles on your right b. Keep a constant speed c. Watch for children	2	997	19 24 01 75	19	-04	-02	-11	NA	21	05	02	-11
344. When driving in parking lots: a. You may cut across empty spaces if no vehicles are coming b. Watch out for vehicles going into or coming out of parking spaces c. You do not have to signal when turning	1	1077	12 01 98 01	12	-01	-01	02	NA	-01	-02	-04	-04
345. When in a parking lot you should: a. Expect people and vehicles to cut in front of you b. Keep all your windows closed to block out the noise c. Only use hand signals when turning	2	991	34 84 00 16	34	-03	-02	07	NA	05	05	-09	-09

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
345. When driving you should pay most attention to the:	2	978		27	-07	-04	02	NA	06	13	-04	-13
a. Road surface			77									
b. Brake system			19									
c. Gas gauge			04									
351. If you see a sign warning of poor road conditions ahead:	2	985		08	03	02	-02	NA	02	06	-03	01
a. Brake quickly and stop			00									
b. Move toward the center of the road and continue at the same speed			00									
c. Slow down before you get to the problem area			100									
352. Before steering around a hole in the road you should:	1	1080		38	-04	-03	00	NA	00	12	-17	-03
a. Put on your emergency flashers			03									
b. Check the traffic around you			83									
c. Put on your turn signals even if you will not have to change lanes			14									
353. When driving on roads covered with water, ice, or mud:	2	997		22	01	02	05	NA	02	-08	-07	-02
a. Change your speed and direction slowly			95									
b. Drive at the same speed as on a dry road			00									
c. Vary your speed often			05									
354. When driving on a slippery road you should:	1	1076		48	06	06	08	NA	07	05	-15	-05
a. Hit your brakes harder to stop			00									
b. Not make quick turns			76									
c. Slow down and stop at every intersection			24									
354. Duplicate of above	3	1058		42	02	04	10	13	03	-02	-14	-12
			00									
			82									
			18									

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
354. Duplicate of above	5	940	01 63 35	39	NA	NA	NA	NA	02	-02	-08	-07
355. When driving on icy roads you should: a. Slow down when coming to intersections b. Drive with one foot on the brake c. Keep your brakes on when driving down hills	2	993	88 05 06	26	01	00	-02	NA	05	-04	-04	-07
357. If you are driving and it starts to rain: a. You need not slow down unless it begins to rain hard b. Pull over to the side of the road and stop until the rain stops c. Be careful since rain and road oil may create a slippery surface	2	985	00 00 99	22	-01	02	-04	NA	04	06	-13	-08
358. You should be most careful when turning or stopping: a. After it has been raining all day b. A half hour after it stops raining c. During the first half hour of rain	1	1076	30 03 67	36	06	10	03	NA	08	-05	-13	-10
358. You should be <u>most</u> careful when turning or stopping: a. After it has been raining all day b. A half hour after it stops raining c. During the first half hour of rain	3	1058	28 03 69	43	01	02	05	04	11	-08	-11	-11
358. You should be most careful when turning or stopping: a. After it has been raining all day b. A half hour after it stops raining c. During the first half hour of rain	4	1168	26 03 70	39	02	07	01	06	04	-07	-17	-12
358. Duplicate of above	5	938	34 06 59	33	NA	NA	NA	NA	07	-07	-11	-15

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	VI strength
359. When driving on a wet road, you should: a. Try to avoid driving on the tracks of other vehicles b. Test your brakes by pumping them lightly c. Keep one foot over the brake pedal	1	1068	35 09 79 11	-01	01	-05	NA	08	13	-16	-04	
360. If there is a layer of water on the road: a. Increase your following distance behind large trucks b. Increase your speed if you begin to lose traction c. Travel at the same speed as on a dry road	2	1005	47 75 07 18	-02	00	00	NA	14	01	-27	-12	
361. At low speeds your tires are most likely to ride on top of the water if: a. They are bald b. You put too much air in them c. The road is very smooth	2	1013	38 61 22 16	-08	-04	-03	NA	16	14	-14	-10	
362. If deep water covers the road ahead you should: a. Steer your vehicle around the area, if possible b. Shift into neutral as you enter the area c. Speed up and go through the water	1	1064	34 91 07 01	04	05	-02	NA	15	08	-07	-04	
362. Duplicate of above	3	1058	26 95 05 01	-08	-06	-02	-02	08	00	-10	-08	
362. Duplicate of above	5	926	29 90 09 01	NA	NA	NA	NA	10	-03	-04	-07	

-135-

216

215

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
364. After driving through a deep puddle you should first: a. Check your lights b. Increase your speed to the posted limit c. Test your brakes	1	1077	19 01 01 98	19	-03	-02	04	NA	01	02	-02	-03
365. If you get water in all four brakes: a. Your brakes may grab and stop you suddenly b. It will take twice as far to stop c. Your brakes may not hold at all	1	1068	10 10 79	20	04	03	-03	NA	02	00	-11	-05
365. Duplicate of above	3	1061	16 10 74	19	02	02	01	02	06	-07	-04	-05
365. Duplicate of above	5	954	08 19 72	24	NA	NA	NA	NA	00	-11	-12	-11
366. If you get water in your right front brake and try to stop, your vehicle will: a. Pull to the right b. Stop straight c. Pull to the left	1	1077	38 03 59	42	-02	00	-11	NA	17	16	-16	-04
367. If your brakes are not holding because they are wet you should: a. Continue driving and they will dry off b. Keep one foot on the gas and one lightly on the brake until dry c. Stop on the side of the road and wait for them to dry	2	1002	02 66 32	37	-04	-04	-01	NA	18	-03	02	-07

UNIVERSITY OF MICHIGAN W.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Ill. cage
359. If you see wet leaves on the road ahead you should: a. Turn sharply to avoid driving through the leaves b. Take your foot off the gas pedal as soon as you are on the leaves c. Keep your foot off the brake while on the leaves	1	1076	41 03 24 <u>73</u>	41	07	08	-03	NA	10	07	-08	-07
369. Duplicate of above	3	1078	29 02 21 <u>77</u>	29	02	04	00	-01	01	01	-09	-07
369. Duplicate of above	1	940	26 03 31 <u>66</u>	26	NA	NA	NA	NA	01	-09	-17	-19
372. When driving on snow or ice do not: a. Look at other vehicles to see if they are skidding b. Match out for vehicles coming out of side streets c. Wait until you reach the intersection before slowing down	2	985	48 11 17 <u>72</u>	48	02	04	02	NA	-04	12	-24	-01
373. The best way to get good traction on hard packed snow is to: a. Put on chains b. Let air out of your tires c. Carry extra weight in the trunk	2	1005	13 95 03 02	13	-01	-01	-04	NA	-03	03	02	-04
374. When starting to move in snow you should: a. Avoid driving in tracks already made b. Keep slight pressure on the brake c. Keep your wheels straight ahead	1	1064	37 06 19 <u>76</u>	37	04	05	-05	NA	17	00	-06	-10

-137-

220

219

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Mar	Age	Education	Mileage
377. If you have to stop on snow you should: a. Hold the steering wheel tightly b. Avoid signalling the driver behind you c. Try to stop on snow that is hard packed	1	1077	17 43 52	17	-01	-03	-02	NA	02	13	-01	03
378. If you must make an emergency stop on snow and you start to skid you should: a. Drive into a snowdrift b. Turn off the engine c. Shift into neutral	2	991	32 40 29 30	32	-03	-01	-04	NA	25	-02	-02	-08
380. If ice is beginning to melt on the road, you: a. Should avoid using the passing lane on a highway b. Should resume normal speed and allow normal following distance c. Need not worry about road conditions in bright sunlight areas	1	1075	35 65 32 03	35	03	02	-01	NA	01	00	-14	-02
383. If you must stop on ice: a. Hold your foot firmly on the brake pedal until you have stopped b. Make steering corrections when your foot is off the brake c. Hold the steering wheel loosely so the wheel will not lock in a skid	1	1077	42 28 43 38	42	-02	-01	00	NA	18	03	-15	-13
384. When you want to stop or slow down when driving on ice you should: a. Use steady pressure on the brake b. Apply the gas and brake at the same time c. Pump the brakes	1	1077	36 34 04 63	36	00	-02	02	NA	-02	05	01	08
385. When stopping on ice with a manual shift vehicle you should: a. Depress the clutch before using the brake b. Shift into neutral and brake gently c. Depress the clutch when the vehicle is almost stopped	1	1077	34 20 24 55	34	-04	01	-06	NA	31	05	-12	-22

Item and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
392. If you come to a sand or snow drift on the road it is best to: a. Slow down and go through it b. Drive around it if possible c. Shift to a lower gear and drive through	1	1064	41 14 66 20	05	03	04	05	01	09	-10	00	
391. When driving on a road where there is no shoulder or only a narrow, soft one: a. Spend more time checking your rearview mirror b. Keep in the left lane c. Pay more attention to your steering	1	1050	28 04 15 01	00	03	-01	04	10	13	08	-10	
392. If 1 or 2 of your wheels drop off the edge of the pavement: a. Increase your speed and drive back on the road b. Hold the steering wheel loosely c. Ease back onto the road after slowing down	1	1076	23 03 04 92	07	05	-03	04	11	7	08	03	
392. Duplicate of above	3	1058	24 02 02 95	00	01	00	04	01	04	-10	04	
392. Duplicate of above	5	926	27 03 05 92	00	00	00	04	08	02	08	04	
393. If your vehicle has run off the road onto the shoulder you should: a. Shift quickly to a lower gear b. Gradually ease your foot off the gas pedal c. Brake with heavy constant pressure on the brake pedal	2	991	29 09 82 09	06	06	03	04	06	02	-03	-01	

-139-

UNIVERSITY OF MICHIGAN H.S.R.T. ITEM STATISTICS

Number and item	Pilot number	Number of sub. pts	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
393. Duplicate of above	3	1078	09 83 07	20	06	06	01	02	02	-05	-02	-07
393. Duplicate of above	5	938	11 81 08	25	NA	NA	NA	NA	-01	-04	02	-03
393. If your vehicle has run off the road onto the shoulder you should: a. Gradually ease your foot off the gas pedal b. Brake with heavy constant pressure on the brake pedal c. Shift quickly to a lower gear	1	1075	84 08 08	17	08	07	08	NA	-01	-03	-04	02
394. If you are on a soft shoulder and need to slow down: a. Apply steady increasing pressure on the brake pedal b. Turn sharply onto the road and then apply the brakes c. Pump the brake pedal gently	1	1068	43 03 54	14	-03	-02	03	NA	-04	-03	03	03
395. Before driving from the shoulder onto the road you should always: a. Apply the brake when your front wheels are on the road b. Decrease your speed c. Check the road for traffic	2	998	00 04 96	19	-04	-04	-01	NA	-03	03	-01	05
396.M If you want to return to the road from a soft shoulder: a. Drive along the shoulder until you are going as fast as the traffic on the road b. Move slowly onto the road and wave traffic around you c. Slow down then turn your wheels sharply to climb the pavement edge	1	1076	39 33 28	14	-01	-01	05	NA	-05	-07	01	04

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
338. If you have to drive into a lane used by on-coming traffic to avoid an object in your lane: a. Wait for a break in the traffic b. Drive around the object by using the shoulder c. Stop and move the object off the road, if possible	1	1080	26 68 15 17	00	-01	02	NA	-01	-08	-12	00	
400. If you come to an area where there is road repair going on you should: a. Move over to the right and stay near the shoulder b. Stop and wait for instructions c. Watch for flagmen and instructions	2	1008	20 01 02 96	-03	-01	-05	NA	01	10	-06	-07	
401. If bad weather makes it hard for you to see you should: a. Increase your following distance b. Drive in the lane closest to oncoming traffic c. Turn your lights on high beam	2	1013	51 79 05 16	-03	02	-07	NA	23	08	-32	-21	
406. When it is very foggy during the day or night you should: a. Slow down b. Put on your high beam lights c. Follow closer to other vehicles	2	985	38 88 12 00	-01	02	-05	NA	22	03	-11	-17	
407. When driving through fog at night, you should use your: a. High beam headlights b. Parking lights c. Low beam headlights	2	998	29 19 01 80	-07	-02	-10	NA	26	01	-19	-18	
408. When driving in heavy fog during the day you should use: a. High beam headlights b. Parking lights c. Low beam headlights	2	998	28 11 05 84	00	02	00	NA	07	02	-03	-09	

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
410. When glare from the sun makes it hard to see you should: a. Avoid using the visor since it will cut down or your vision b. Put on your sunglasses c. Look far ahead on the road	2	1002	06 69 24	27	-06	-05	02	NA	02	-08	-10	-04
414. When driving in a high wind: a. Make changes in your steering to match wind changes b. Drive a bit faster than under normal conditions c. Keep your windows open more than usual	1	1064	93 02 05	26	04	05	04	NA	-01	01	-06	-07
414. Duplicate of above	3	1078	90 01 08	22	-03	00	01	03	02	02	-03	-04
418. If your gas pedal gets stuck in heavy traffic and you cannot unstick it with your foot: a. Shift into neutral b. Apply your brakes as hard as possible c. Turn off the engine	1	1068	28 10 61	18	02	02	02	NA	09	-11	04	-02
420. If your brakes begin to fade when going down a steep hill you should: a. Pull off the road if possible and let the brakes cool off b. Drive in a zig-zag manner to reduce speed c. Shut off the engine and use the parking brake	1	1068	73 02 25	35	02	04	-02	NA	21	-06	-05	-14

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
421. If normal pressure on the <u>power</u> brake fails to slow your vehicle: a. Keep constant pressure on the brake until you begin to slow down b. Press the pedal down as far as it will go c. Pump the brake up and down	2	998	20 <u>08</u> 71	16	-05	-05	01	NA	03	-01	-05	-01
422. If your brakes fail completely you should: a. Pump the brake, slowly apply parking brake and shift into a lower gear b. Shift into neutral, turn off engine, and slowly apply parking brake c. Press the brake all the way down, shift into neutral, and apply the parking brake	1	1068	<u>60</u> 20 11	42	-08	-02	-09	NA	27	01	-11	-12
423. If your brakes fail when driving in traffic you should <u>not</u> : a. Steer onto a shoulder, curb, or field b. Continue on the road until you coast to a stop c. Look for brush or a guardrail to sideswipe	1	1048	12 <u>51</u> 36	15	-03	-04	00	NA	-03	00	03	01
424. If your brakes do not work you should: a. Pull off of the road onto a shoulder or field b. Steer into a guard rail or post c. Continue on road until you coast to a stop	2	1008	<u>77</u> 01 21	13	00	03	02	NA	-07	-04	02	01
425. If your brakes are wet after driving through deep water: a. Pull onto the shoulder and put your hood up b. Brake very hard the next time you need to stop c. Keep slight pressure on the brake while driving	1	1068	11 05 <u>81</u>	24	-02	-01	-08	NA	20	01	-03	-10

-143-



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
426. If your headlights go out while you are driving at night you should <u>first</u> :	1	1068		36	-02	02	-01	NA	-04	18	-20	-09
a. Stay on the road and come to a stop in the right lane			32									
b. Move over so that one set of wheels are on the lane lines			13									
c. Hit the dimmer switch several times			<u>54</u>									
427. If your headlights go out while you are driving at night you should:	1	1068		26	-01	02	-02	NA	-04	08	-05	-05
a. Maintain your speed and quickly steer off the road			35									
b. Try your parking lights and emergency flashers			<u>59</u>									
c. Tap your brakes every few seconds and continue driving until you get to a service station			05									
428. If the engine stalls and the power steering fails as you are driving you should:	2	1002		29	-02	02	01	NA	04	04	-05	-06
a. Turn the steering wheel very gradually			31									
b. Avoid using the brakes			06									
c. Try to restart the engine			<u>62</u>									
429. If your steering fails as you are driving you should:	1	1076		20	02	03	-02	NA	15	-11	01	-05
a. Come to a stop as quickly as possible			<u>59</u>									
b. Take your foot off the gas and coast to a stop			39									
c. Turn the wheel back and forth to tighten the steering			02									
433. If you have a blowout while driving you should:	2	991		18	-03	00	-07	NA	-03	04	05	00
a. Apply the brakes as soon as you notice the blowout			05									
b. Keep going at the same speed until you can get off the road			17									
c. Look for a safe place to drive off the road			<u>78</u>									

Number and item	Pilot number	Number of subjects	Response distribution	on correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
436. To help prevent skids, you should: a. Be alert for slippery road conditions b. Slow down quickly on slippery surfaces c. Aim for rough spots in the road	1	1077	25 94 06 01	25	04	01	06	NA	-01	00	-07	00
436. Duplicate of above	3	1076	28 95 04 01	28	-01	00	02	00	-03	03	-11	-03
436. Duplicate of above	5	938	30 92 05 01	30	NA	NA	NA	NA	02	02	-08	-03
437. You are most likely to skid when: a. On asphalt roads, in tunnels, and when it is windy b. On curves, sand or gravel roads, and when making quick stops c. Making left turns, driving on bridges, and when speeding up	2	1008	33 01 97 02	33	-02	-01	-02	NA	03	10	-15	-02
439. To turn on a slippery road you should: a. Turn your wheels more than usual b. Take the corner in a controlled skid c. Slow down gradually before the turn	2	993	17 00 01 99	17	01	02	-02	NA	05	06	-01	-01
442.M When you begin to skid, the <u>first</u> thing you should do is to gradually: a. Apply the brakes b. Steer in the direction of the skid c. Take your foot off the gas pedal	1	1075	21 05 66 01	21	-04	-03	-03	NA	03	16	-09	-03
442.M When you begin to skid, the <u>first</u> thing you should do is to gradually: a. Steer in the direction of the skid b. Steer for the shoulder of the road c. Take your foot off the gas pedal	2	993	27 66 00 32	27	01	02	-13	NA	02	14	-05	-04

-245-

235

236

UNIVERSITY OF MICHIGAN U.S.R.I. ITEM STATISTICS

Number and item	Pl	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Reconviction rate	Sex	Age	Education	Mileage
443. In order to get out of a skid you should: a. Keep your foot off the brake b. Let the steering wheel slip through your hands c. Keep a constant pressure on the gas pedal	1	1077	26 75 09 15	-01	-02	02	.07	03	-05	-01	-01	
446. If the rear of your vehicle is skidding to the left you should: a. Turn the top of your steering wheel to the left b. Hold your steering wheel from moving until out of the skid c. Turn the top of your steering wheel to the right	1	1064	40 65 13 22	08	08	04	.04	10	08	-12	-02	
446. Duplicate of above	3	1061	38 69 11 20	09	10	08	.11	10	08	-21	-14	
447. As you are coming out of a skid it is most important to: a. Begin pumping the brake until you come to a complete stop b. Start to speed up slightly and steer your vehicle toward the right edge of the road c. Turn the steering wheel in the opposite direction as your vehicle approaches the desired heading	2	991	25 25 27 48	00	02	-06	.04	05	-02	-08	-06	
448. When you are coming out of a skid you should begin to straighten your wheels: a. Just before heading in the desired direction b. As soon as your speed drops below 10 mph c. After you have come to a complete stop	1	1064	25 63 15 22	00	02	-04	.04	12	-02	-08	-07	

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
449.M When coming out of a skid you should apply your brakes only: a. After you have been heading in the desired direction for several seconds b. After you have steering control of the vehicle c. If you have to come to a stop	1	1068	27 09 75 15	27	-01	02	-02	NA	00	10	-12	-03
450. When coming out of a skid on a dry road you should apply your brakes: a. By using increasing pressure until you stop b. In a series of quick hard jabs c. By using constant pressure until you stop	1	1077	25 49 16 34	25	-02	-05	00	NA	04	-01	05	02
451. When coming out of a skid on a slippery road you should apply your brakes: a. In a series of firm gentle pumping motions b. By using increasing pressure until you stop c. By using constant pressure until you stop	1	1077	31 78 14 08	31	02	01	04	NA	00	-07	01	02
451. Duplicate of above	3	1061	20 78 14 07	20	00	02	06	08	02	-06	-07	-03
451. Duplicate of above	5	954	20 82 10 06	20	NA	NA	NA	NA	04	-05	-04	-12
453. When driving in the downtown area of a city you should: a. Blow your horn when passing any other vehicles b. Reduce distractions in the vehicle c. Carefully watch activities on the sidewalk	2	998	23 03 72 25	23	03	00	00	NA	-06	04	-04	04

-147-



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distributor	Item correlation coefficients							
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education
454. When driving in an area of a city where there are many store lights you should: a. Wear sunglasses or put visor down b. Look for traffic lights hidden by lights from signs c. Keep your eyes on the road right in front of you	2	998	43 01 66 32	-01	00	-01	NA	01	07	-16	-04
460. When in a residential area where there are no posted speed limits you should drive around: a. 15 mph b. 25 mph c. 35 mph	1	1072	33 14 79 07	-05	-03	00	NA	02	03	-10	-08
461. When driving near homes: a. Stop at each cross street even if there are no stop signs b. Watch for children darting into the street c. Drive slightly above 30 MPH	2	993	28 08 91 01	00	02	03	NA	11	-05	-14	-07
463. If it looks like you might hit a pedestrian and you notice a vehicle close behind you: a. Blow your horn to warn others, then steer for the sidewalk b. Try to hit the person with the side of the vehicle c. Stop short even if you will be hit from behind	2	1005	30 19 00 91	-02	01	02	NA	17	-07	00	-07
464. The most difficult thing to predict is the movement of: a. Motorcycles b. Cars c. Pedestrians	2	1008	28 16 06 78	-02	-01	-02	NA	16	-01	-08	-12

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Military
465. When driving near schools, playgrounds and parks: a. Stay close to the right curb b. Drive no faster than 10 MPH c. Drive more carefully than usual	2	998	36 00 17 82	.36	.05	.03	.08	.08	.02	.01	-.15	.00
465. Duplicate of above	3	1076	31 01 14 85	.31	.04	.04	.01	.04	.04	-.01	-.16	-.03
465. Duplicate of above	4	1170	32 00 19 80	.32	-.02	.01	.00	.04	.10	.01	-.09	-.12
465. Duplicate of above	5	938	43 00 19 81	.43	.08	.08	.08	.08	.10	.06	.03	.03
466. When coming to an intersection or a winding or narrow area on a highway you should: a. Drive close to the right shoulder b. Slow down c. Begin to pass slower moving vehicles	1	1072	29 11 88 00	.29	-.01	.01	-.04	.08	.06	.12	-.15	-.09
467. When driving on a highway you should: a. Stop on the median if you want to rest b. Watch for hidden traffic, animals and pedestrians c. Drive as close to the right edge of the road as possible	1	1068	34 05 73 21	.34	-.01	-.01	-.05	.08	-.01	.13	-.12	-.06


UNIVERSITY OF MICHIGAN M.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
468. When crossing a median on a highway you should be careful because: a. Oncoming traffic may not be able to see you b. Other vehicles may be trying to cross at the same point c. Medians don't provide enough room for stopping without blocking traffic	1	1072	19 53 23 22	01	02	03	NA	02	-01	03	-01	
469. Unmarked intersections, curves, sharp turns, poor road conditions and slow-moving farm vehicles should: a. All be expected on country highways b. Serve to warn you that you are near a small town c. Cause you to drive in the passing lane	1	1077	39 78 13 09	02	05	04	NA	03	-07	-15	-07	
469. Duplicate of above	3	1061	39 87 07 06	-02	01	04	10	08	-05	-14	-10	
470. Because there is often slow-moving traffic on country highways you should: a. Be ready to adjust your speed to the speed of traffic b. Stay in the left lane and drive at the speed limit c. Generally drive 10-15 mph under the speed limit in order to be safe	1	1072	42 86 07 08	-01	03	00	NA	11	05	-18	-08	
471. When driving through mountains you should: a. Stay close to the right edge of the road to be away from oncoming traffic b. Speed up going over hills c. Put the vehicle in neutral and coast down hills in order to save gas	1	1080	22 99 01 00	01	02	04	NA	01	01	-09	-02	

Number and Item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
472.M When driving in the mountains: a. Put your bright lights on when going around a curve at night b. Coast downhill in neutral c. Look for speed limit and warning signs	2	978	13 00 87	27	01	02	02	NA	10	02	-07	-04
473. Before entering a freeway it is most important to check for: a. Speed limit sign b. Lane markings c. DO NOT ENTER signs	2	997	03 06 90	28	01	06	07	NA	08	-03	-12	-05
475. When deciding how fast you should go in order to enter a freeway, you need <u>not</u> consider: a. How sharply curved the entrance is b. Whether the entrance is on the right or left side of the freeway c. How much traffic there is on the entrance behind you	2	998	06 31 64	33	03	04	00	NA	01	-05	-08	-04
476. When entering a freeway from the right you should: a. Check back over your left shoulder for traffic b. Look straight ahead and use your mirrors c. Check back over your right shoulder for traffic	1	1068	70 13 17	29	-03	-01	03	NA	05	03	-09	-05
477. When you are entering a freeway you should <u>first</u> : a. Look for speed limit signs b. Note the speed and location of vehicles on the freeway c. Move over to the left in order to pass slower moving vehicles	2	998	03 95 02	33	-04	-01	-08	NA	04	10	-09	-10

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
478.M When entering a freeway behind several other vehicles it is <u>most</u> important to: a. Keep your eyes on the vehicles in front of you b. Turn on your signal lights as soon as you are on the entrance c. Be alert to the actions of the vehicle in front of you	2	998	03 10 87	41	-05	-04	-03	NA	05	09	-16	-02
481. When on a short entrance to a freeway where there is no acceleration lane: a. Come to a complete stop before entering the freeway b. Enter the far right traffic lane and speed up to the flow of traffic there c. Speed up on the entrance only after you have found a gap in traffic	2	993	16 54 30	28	-05	-03	-05	NA	-04	-01	-06	-04
482. When on a short freeway entrance it is <u>most</u> important to: a. Speed up as much as possible before coming to the end of the entrance b. Turn on your signal lights as soon as you start down the entrance c. Check ahead for vehicles that may be slowing down or stopping	2	1002	15 18 67	18	-02	-02	05	NA	-06	-06	00	00
485. When entering a freeway from a <u>left</u> entrance: a. Enter the road at a speed faster than the speed limit b. Edge slowly onto the freeway driving on the shoulder in order to speed up c. Compare what you see in your mirrors with what you see when looking over your shoulder	2	993	03 19 78	29	-01	-03	08	NA	-07	-08	-07	03

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
487. If you do not see a break in the freeway traffic while driving down the entrance:	2	1008		36	00	02	-05	NA	-04	24	-09	-07
a. Turn your head and keep your eyes on the freeway until you see a break in traffic			41									
b. Match the vehicle in front of you on the entrance and enter the freeway when it does			01									
c. Match the vehicles in front of you and check the freeway traffic with your mirrors			57									
488. In general you should stop before entering a freeway when:	1	1068		05	00	-02	05	NA	-01	-10	00	06
a. There is no special lane to use in order to speed up			21									
b. The entrance is short or has a low speed limit			06									
c. Waiting for a break in the traffic			74									
491. The solid painted lines that divide the entrance and the freeway:	2	1005		20	-05	-03	-01	NA	04	-01	-06	-04
 a. May be crossed when entering the freeway			03									
b. Mean the same as broken lines on the main road			02									
c. Should not be crossed when entering the freeway			95									
492. When on an entrance to a freeway it is important to:	1	1068		42	04	05	01	NA	07	20	-22	-07
a. Match the vehicle in front and the traffic on the freeway			60									
b. Slow down to make sure there is enough room to enter			30									
c. Move quickly onto the freeway			10									
492. Duplicate of above	3	1078		35	03	07	02	06	06	20	-23	-14
			66									
			24									
			10									


153-

252


251

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
492. Duplicate of above	5	940	29 <u>61</u> 24 14	29	NA	NA	NA	NA	10	03	-08	-11
494. When entering a freeway, it is most important to: a. Quickly increase your speed up to the maximum posted speed limit b. Adjust your speed to that of the vehicle in front of you c. Move into the middle or left lane as soon as possible	1	1075	08 <u>86</u> 06	37	01	02	05	NA	03	03	-19	00
494. Duplicate of above	3	1058	11 <u>81</u> 08	33	01	03	04	12	04	00	-14	-11
495. When you enter a freeway you should: a. Stay in the entrance lane until it ends b. Drive smoothly onto the road and quickly move into the middle lane c. Drive smoothly into the right hand lane	1	1072	20 04 <u>76</u>	31	01	02	-01	NA	07	01	-05	-04
496. When entering a freeway from an entrance with an acceleration lane, you should: a. Stop to check for traffic at the end of the entrance b. Enter the freeway at top speed and slow down to the speed limit afterward c. Use the acceleration lane to get up to the speed of the freeway traffic	1	1072	12 01 <u>87</u>	44	-04	-02	-02	NA	06	12	-18	-06

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
497. If there is a vehicle ahead of you in the acceleration lane it is best to: a. Wait until it enters the freeway before you do b. Stay close behind it and merge with the freeway traffic when it does c. Stop and allow it to merge with the freeway traffic first	1	1075	44 69 10 20	44	-05	-01	00	NA	09	12	-18	-06
498. When entering a freeway you should:  a. Watch for vehicles leaving the freeway that may cross your path b. Merge with freeway traffic at the beginning of the entrance lane c. Stay in the entrance lane as long as possible	1	1068	41 76 20 04	41	01	03	-04	NA	09	14	-18	-06
500.M If you are entering a freeway and there is no break in the traffic: a. Slow down at the beginning of the acceleration lane but avoid stopping b. Stop at the beginning of the acceleration lane c. Continue as you would if there were a break and hope that one appears	1	1075	24 60 38 02	24	02	03	03	NA	-01	13	-06	00
500. Duplicate of above	3	1061	17 61 37 02	17	01	00	04	03	-02	20	-08	00
500. Duplicate of above	5	940	18 73 23 03	18	NA	NA	NA	NA	00	23	09	10

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
500.K If you are entering a freeway and there is no break in the traffic:	2	1013		35	-02	-01	-03	NA	08	08	-06	-13
a. Continue as you would if there were a break and hope that one appears			01									
b. Drive along the shoulder until you can pull onto the freeway			17									
c. Slow down at the beginning of the acceleration lane but avoid stopping			81									
502.M When you enter a freeway from an acceleration lane you should be driving at:	1	1076		38	03	05	-01	NA	15	-06	-18	-09
a. The legal speed limit on the freeway			11									
b. About the same speed as the vehicle you want to enter behind			71									
c. About 10 mph below the legal speed limit on the freeway			18									
502. Duplicate of above	3	1061		48	07	13	05	11	15	-09	-26	-18
			17									
			81									
502. Duplicate of above	4	1171		47	04	04	-01	-01	17	-08	-16	-13
			18									
			63									
502. Duplicate of above	5	940		39	NA	NA	NA	NA	13	-03	-08	-09
			26									
			56									
503. When entering a freeway you should:	1	1072		32	00	00	-02	NA	05	11	-11	-02
 a. Stay in the right lane until you are going as fast as other traffic			65									
b. Move slowly to the left until the other vehicle have to slow down to let you enter			04									
c. Move into the faster lanes as soon as there is a break in traffic			31									

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
504. After you enter a freeway you should: a. Move into the fastest lane as soon as possible b. Drive about the same speed as other traffic c. Signal faster moving traffic to pass you	1	1080	33 03 94 03	02	04	03	NA	00	00	-14	-04	
504. Duplicate of above	3	1078	32 03 93 03	-01	01	03	06	00	07	-18	-06	
504. Duplicate of above	5	940	40 05 87 07	NA	NA	NA	NA	-01	-03	-04	-07	
506. After entering a freeway it is most important to: a. Move from the right lane to the middle or left lane as soon as possible b. Check for faster moving traffic behind you and adjust your speed c. Increase your speed until you are driving at the posted speed limit	1	1075	37 13 69 18	01	02	05	NA	06	-01	-15	-03	
507. You should select a lane on the freeway where vehicles are traveling: a. Slightly slower than you want to go b. At the legal speed limit c. At the same speed you want to go	1	1072	51 02 42 56	01	02	00	NA	04	04	-32	-07	
507. Duplicate of above	1	1080	46 01 47 51	01	01	09	NA	02	05	-29	-01	

157-

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
508. Generally you should drive in a lane on the freeway:	2	1013		24	02	02	01	NA	-04	06	-12	05
a. Where there are no trucks or busses			04									
b. That has the least traffic in it			07									
c. Where you can maintain a constant speed		89										
511. When driving on a freeway you should:	2	957		30	07	07	00	NA	02	09	-10	-09
a. Pay attention to the traffic well ahead of you and around you			96									
b. Pay attention only to the vehicle ahead and the vehicle behind you			04									
c. Drive faster than the vehicles around you		00										
511. When passing a car that is driving behind a slower moving vehicle, you should:	1	1068		35	04	05	-04	NA	10	03	-11	-10
a. Pass on the right, if possible			09									
b. Be careful because the other car may cut in front of you			88									
c. Go 5 to 10 mph above the posted speed limit		02										
512. Duplicate of above	3	1061		31	08	10	00	03	15	01	-19	-12
			06									
			91									
		03										
512. Duplicate of above	5	940		36	NA	NA	NA	NA	22	-13	-13	-18
			16									
			78									
		05										
513. When driving on a freeway you should:	1	1068		14	-02	-04	03	NA	01	-04	-01	01
a. Check the lanes next to you for vehicles			33									
b. Keep your eyes focused 5 to 10 vehicle lengths ahead of you			60									
c. Turn around to look behind instead of using the outside mirror		07										

-158-



Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
514. While on a freeway you should check the vehicles behind you from time to time by: a. Looking over your left shoulder b. Looking over your right shoulder c. Watching your mirrors	2	1005	01 01 97	22	00	-01	03	NA	01	07	-12	-08
515. When driving in heavy afternoon city traffic on a freeway you should: a. Drive with more care since many accidents occur at this time b. Try not to use your mirrors, and look at the traffic ahead instead c. Act quickly so that you only keep a small space between you and the vehicle in front	1	1077	96 03 02	30	01	02	01	NA	00	02	-19	-05
516. When approaching valleys and tops of hills on freeways you should: a. Pass slower moving vehicles b. Drive cautiously because you cannot see as far c. Stay far over to the left so as to avoid the shoulder		1077	04 94 02	24	02	04	03	NA	06	-05	-22	-05
516. Duplicate of above	3	1058	01 97 02	23	03	00	14	10	-02	01	-05	-03
516. Duplicate of above	5	940	04 93 03	25	NA	NA	NA	NA	03	-05	01	-01
517. If you are nearing an entrance ramp while driving on a freeway, you should: a. Signal for a left turn in case you have to pull over in a hurry b. Move to the left lane if safe to do so c. Slow down if safe to do so	1	1072	03 75 22	38	02	03	03	NA	-03	12	-12	-05

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS



Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
518. In order to make it easy for a vehicle to enter the freeway that you are on:	1	1072		27	-05	-01	-04	NA	05	10	-07	-08
a. Speed up to create a gap behind you			05									
b. Move to your left to create a gap for the entering vehicle			62									
c. Maintain your speed, staying in the right lane			32									
519.M If you are in the right lane of a freeway when passing an exit:	1	1072		31	-03	01	-05	NA	05	03	15	-16
a. Watch for exiting vehicles and be ready to slow down			92									
b. Speed up and change lanes if the vehicle ahead signals that it is exiting			02									
c. Slow down and move to the left part of the lane			06									
520. When driving past exits on a freeway you should be most careful of:	1	1068		20	-01	00	02	NA	06	00	06	-03
a. Exiting vehicles because they may cut back onto the freeway			10									
b. Vehicles in the passing lane because they may slow down			1									
c. Vehicles slowing down or stopping on the freeway exit			39									
521. If you exit at the wrong place on a freeway you should:	2	998		24	-05	-04	-02	NA	-02	11	-07	-01
a. Back up onto the main freeway and continue when safe			04									
b. Continue until you are off the exit ramp and look for a way to re-enter the freeway			92									
c. Turn your vehicle around, stay on the shoulder and drive back down the exit ramp			04									

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
522. If you get a flat tire on a freeway you should: a. Pull over to the shoulder and make repairs b. Slow down and continue driving until the next exit c. Put on flashing lights and stop on the road	2	978	80 14 06	16	-01	00	-08	NA	04	09	04	-02
523. When nearing your exit on a freeway you should: a. Watch for signs indicating whether the exit is on the left or right b. Flash your brake lights several times to warn the drivers behind you c. Start to slow down as soon as you see your exit	1	1077	53 06 42	32	04	04	05	NA	-02	02	-13	-06
525. When preparing to leave a freeway you should: a. Look for the exit and deceleration lane b. Drive in the middle lane as long as possible c. Slow down before entering the deceleration lane	1	1068	80 01 19	40	01	03	03	NA	08	13	-18	-08
526. If your freeway exit has a deceleration lane you should: a. Slow down as much as possible on the main road before entering the deceleration lane b. Move into the deceleration lane as soon as possible c. Drive alongside and pull in front of slower moving traffic in the deceleration lane	1	1072	34 63 03	47	-01	03	00	NA	09	14	-24	-13
528. When exiting from a freeway where there is a deceleration lane you should: a. Drive at a constant speed on the deceleration lane b. Begin slowing down before entering the deceleration lane c. Judge how much you will have to slow down by the length and curve of the exit	1		05 62 33	35	00	-01	01	NA	06	14	-19	01



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
528. When exiting from a freeway where there is a deceleration lane you should: a. Begin slowing down before entering the deceleration lane b. Drive at a constant speed on the deceleration lane c. Judge how much you will have to slow down by the length and curve of the exit	2	997	32 63 04 <u>33</u>	-03	-02	-03	NA	09	18	-14	-10	
529. As you are exiting from a freeway you should: a. Keep one foot over the brake and one on the gas pedal b. Turn off your turn signals c. Check your speedometer to make sure you are going at a safe exit speed	1	1075	22 03 03 <u>94</u>	-05	-03	-01	NA	06	05	-02	-06	
530. If your exit on the freeway looks like this you should:  a. Watch for vehicles entering the freeway and adjust your speed b. Slow down to exit speed on the main road and then move into the exit lane c. Move into the exit lane at the last possible moment	1	1072	42 79 20 00	00	00	-05	NA	03	22	-21	00	
531.M When leaving a freeway at an exit where there is no deceleration lane you should:  a. Slow down on the shoulder b. Slow down only as much as necessary on the freeway c. Drive at your regular freeway speed until you are on the exit	1	1075	27 05 <u>77</u> 17	-01	01	03	NA	09	-10	-12	-06	

-102-

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
531.M When leaving freeway at an exit where there is no deceleration lane you should:	2	1013		34	02	03	-04	NA	09	-05	-15	-07
 a. Drive at your regular freeway speed until you are on the exit			13									
b. Signal and come to a gradual stop just before the exit			06									
c. Slow down only as much as necessary on the freeway			81									
532. If there is a freeway entrance just before your exit you:	1	1068		23	00	01	-03	NA	00	03	-14	-08
a. Should wait as long as possible before moving into the exit lane			03									
b. Will probably have to speed up in order to be able to exit			01									
c. Should watch for vehicles entering or leaving the freeway			96									
533.M If there is a freeway entrance just before your exit, you should:	1	1075		35	02	02	05	NA	05	10	-18	-03
 a. Be prepared to change your speed so that entering traffic can merge			93									
b. Signal at least 1 mile before your exit			07									
c. Stay closer than usual to the vehicle ahead of you			00									
533. Duplicate of above	3	1058		37	02	03	06	09	08	04	-17	-04
			91									
			09									
			00									

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
533. Duplicate of above	5	926	29 90 09 01	29	NA	NA	NA	NA	07	05	-08	-08
533.M If there is a freeway entrance just before your exit you should:	2	985	42 04 89 06	42	01	05	-04	NA	12	06	-16	-08
 <ul style="list-style-type: none"> a. Signal at least 1. before your exit b. Be prepared to change your speed so that entering traffic can merge c. Drive in the left lane until you pass the entrance 												
534. When on a freeway exit, you should:	1	1072	34 10 52 37	34	04	07	-03	NA	17	01	-09	-12
<ul style="list-style-type: none"> a. Keep your foot off the gas pedal b. Stay near the center of the exit lane c. Drive about 20 mph less than your freeway speed 												
535. If you are on a freeway exit that looks like this, you should:	1	1068	33 15 79 05	33	00	01	04	NA	-03	11	-17	01
 <ul style="list-style-type: none"> a. Keep your right turn signals on until you decide what to do b. Watch for vehicles changing lanes c. Drive 10-15 mph below the speed limit posted on the exit 												

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
536.M When nearing the end of a freeway <u>exit</u> you should generally:	1	1075		22	-10	-08	-05	NA	09	17	-15	-03
a. Slow down and prepare to stop			77									
b. Be careful of merging traffic			21									
c. Move as far to the left as possible			02									
539. If you see a vehicle stopped on the shoulder with its hood up, you should:	1	1072		23	01	03	01	NA	00	02	-06	-05
a. Blow your horn to warn its driver			03									
b. Turn on emergency flashers to warn others and continue at same speed			11									
c. Slow down and move to the left part of the lane			86									
539. Duplicate of above	3	1061		27	04	05	-03	00	07	10	-13	-09
			03									
			06									
			92									
540. When passing a parked vehicle you should:	1	1060		38	01	03	-05	NA	08	04	-16	-07
a. Leave room in case a door opens or a pedestrian steps out			25									
b. Continue driving at the speed limit since you have the right-of-way			03									
c. Slow down to 15 mph until you are past all parked vehicles			10									
540. Duplicate of above	3	1061		43	01	09	00	03	15	06	-19	-19
			83									
			05									
			11									
540. Duplicate of above	4	1171		38	01	01	-03	-03	17	00	-05	-14
			80									
			07									
			13									

-155-



UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
540. Duplicate of above	5	938	35 <u>81</u> 05 14	35	NA	NA	NA	NA	09	-01	-05	-07
541. When you see the door of a parked vehicle begin to open in front of you: a. Speed up in order to get past the parked vehicle b. Flash your lights or blow the horn as a warning c. Come to a complete stop and signal the people in the parked vehicle that they can exit	2	998	30 00 60 40	30	-03	-03	-03	NA	08	01	-09	-06
542. When driving near parked vehicles you should not: a. Drive far enough from parked vehicles to avoid hitting any doors that might suddenly open b. Look for parked vehicles with exhaust smoke coming from them or back-up or brake lights on c. Drive close to the vehicle in front to prevent children from running out between the vehicles	2	1002	40 18 09 72	40	-07	-05	-04	NA	16	-24	-08	
544. When a vehicle is going into or out of a parking space in front of you: a. Continue at the same speed and signal the vehicle to wait b. Speed up to pass the vehicle c. Prepare to stop or change lanes if necessary	1	1080	21 01 00 99	21	02	03	-03	NA	01	01	-12	00
545. If you decide to stop to let a vehicle pull into a parking space, you should: a. Move into the next lane but wait until it has parked before continuing b. Stop several vehicle lengths behind it c. Come to a full stop directly behind it	2	985	41 03 86	41	-03	00	03	NA	08	11	-14	-10

Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients							
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Education	Michigan
546. When you change lanes to get by a parked vehicle about to enter the road: a. Make sure the driver of the parked vehicle knows you are passing b. Speed up and get by it before its driver has a chance to move c. Stay close to the parked vehicle and pass by slowly	1	1075	23 85 01 13	03	03	04	NA	-0.		-10	-02
546. Duplicate of above	3	1075	27 88 01 11	07	08	09	06	-06	08	-11	03
548. When being passed on a 2 lane road you should: a. Maintain your speed and position in the lane b. Slow down sharply and keep to the right c. Slow down and drive slightly to the left	1	1080	26 70 29 01	00	01	-05	NA	01	10	-05	-01
550. When coming to a vehicle that is about to pull out of a parking space along the curb: a. Leave at least 6 feet between you and the vehicle when passing b. Speed up and get by it before its driver has a chance to move c. Move into the lanes used by the oncoming traffic if they are not crowded	1	1081	31 81 04 16	-03	00	-10	NA	07	10	-09	-03
551. If a passing vehicle signals that he must cut in front of you, you should: a. Prepare to speed up to let him get in behind you b. Continue at the same speed and maintain your position c. Prepare to slow down to allow room	2	991	21 00 04 96	-04	-04	00	NA	03	-01	-08	-0.

279

UNIVERSITY OF MICHIGAN H.S.R.T. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distributor	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
552. If a vehicle passing you is in the way of oncoming traffic you should:	2	998		41	-05	-04	-06	NA	14	09	-21	-05
a. Signal the passing vehicle to cut in front of you			27									
b. Cut in front of the passing vehicle so it can get into your lane			02									
c. Slow down if he speeds up. Speed up if he slows down			71									
553. If a passing vehicle has to cut in front of you to avoid oncoming traffic:	1	1080		40	01	03	02	NA	14	01	-14	-10
a. Leave the road by moving left			14									
b. Loosen your grip on the steering wheel			04									
c. Alert your passengers			79									
554. If a passing vehicle has to cut in front of you to avoid oncoming traffic:	1	1080		11	-05	-03	-07	NA	09	16	-20	-06
a. Pull up and let the other vehicle pull in behind you			04									
b. Pull off the road as soon as possible			09									
c. Slow down and check the shoulder			88									
556. If a vehicle pulls up alongside you and then decides not to pass, you should:	1	1075		19	01	-01	02	NA	-01	16	-10	-05
a. Continue at the same speed			68									
b. Speed up			09									
c. Slow down			23									
557.M When there is a vehicle close behind you, it is best to use:	1	1076		22	-04	-03	-01	NA	-04	07	-13	-01
a. Both hand and mechanical signals for turning and stopping			91									
b. Only hand signals for turning and stopping			03									
c. Only mechanical signals for turning, and stopping			05									



Number and item	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	IQ	Education	Mileage
559. You should <u>not</u> use your rearview mirrors to: a. Check how fast vehicles are approaching b. Estimate how far away vehicles are c. Judge how fast you are going	2	998	06 12 82	36	-02	-01	-02	NA	-01	09	-19	-08
560. If the vehicle behind you is following too close you should: a. Slow down and allow the other vehicle to pass b. Hit your brakes hard several times c. Drive off the road if possible	2	998	89 01 10	20	05	06	02	NA	06	-02	-01	-03
560.M If the vehicle behind you is following too close you should: a. Allow the other vehicle to pass b. Hit your brakes hard several times c. Drive off the road if possible	3	1061	94 01 05	22	08	08	03	03	05	07	-05	-07
560.M If the vehicle behind you is following too close you should: a. Slow down and allow the other vehicle to pass b. Hit your brakes hard several times c. Drive off the road if possible	5	954	80 01 10	17	NA	NA	NA	NA	04	-10	-17	-16
561. If you are being followed too closely while in the passing lane you should: a. Move to the right lane when it is safe to do so b. Slow down to warn the other vehicle he is too close c. Continue at the same speed but tap your brakes	1	1072	91 02 06	28	03	06	00	NA	03	02	-08	-11
561. Duplicate of above	3	1078	01 04	2	01	05	05	05	03	06	-11	-04

UNIVERSITY OF MICHIGAN H.S.R.I. ITEM STATISTICS

Number and item	Pilot number	Number of subjects	Response distributor	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Hileas
561. Duplicate of above	5	940	87 04 10	26	NA	NA	NA	NA	-01	-09	-16	-10
562. If the vehicle that is following you is weaving you should: a. Keep to the right, slow down, and pull off the road if necessary b. Turn on your emergency flashers and stay in front of him c. Pull over to the left and signal the driver to pass you	1	1072	89 04 07	25	04	05	-03	NA	06	-03	-09	-07
562. Duplicate of above	3	1078	93 04 03	19	02	02	-02	-04	06	-05	-07	01
562. Duplicate of above	5	940	84 04 12	31	NA	NA	NA	NA	10	-16	-17	-16
563. When you have to stop because of heavy traffic ahead you should: a. See if the vehicle behind can stop b. Signal to the driver ahead to make sure he knows you are there c. Move as far to the right as you can	1	1077	53 08 38	34	-06	-06	-05	NA	-01	12	-10	-08
564. If the vehicle behind you is not slowing down after you have stopped: a. Keep your foot on the brake even if there are no vehicles in front of you b. Warn other passengers c. Lean forward against the steering wheel	2	991	43 44 12	26	-00	-01	-02	NA	11	-02	-03	-06

Number and description	Pilot number	Number of subjects	Response distribution	Item correlation coefficients								
				Total test score	Accidents	Accident rate	Convictions	Conviction rate	Sex	Age	Education	Mileage
565. Generally you should drive: a. Just to the left of the center line b. As near as possible to the center line c. Well to the right of the center line	1	1000	05 14 81	31	06	07	08	NA	10	-11	-06	-02
565. Duplicate of above	3	1061	07 16 77	29	-01	00	08	09	08	-25	-06	-12
565. Duplicate of above	5	954	10 24 65	25	NA	NA	NA	NA	06	-22	-31	-23
567. When driving by oncoming traffic you should be especially alert for: a. Flying stones and glare from headlights or reflected sun b. Wind gusts, road irregularities, and vehicles crossing the center line c. Traffic entering from side roads and vehicles parked on the shoulder	2	978	18 37 45	29	-03	00	-07	NA	06	10	-18	-11
568. An oncoming vehicle is most likely to cross the center line when: a. It is signaling for a right turn b. There is a large distance between each of the oncoming vehicles c. There is a slow moving or stopped vehicle in the oncoming lane	1	1068	13 27 59	44	-04	-02	-03	NA	04	14	-23	-10
570. When approaching oncoming vehicles you should: a. Ignore oncoming vehicles that are driving with their right wheels on the road b. Watch for oncoming vehicles crossing the center line at places where traffic merges c. Increase your speed slightly so that your vehicle will not be affected by the wind	1	1077	02 98 01	10	-04	-04	00	NA	01	03	01	01

-171-

267

