DOCUMENT RESUME

ED 135 584 SE 021 575

AUTHOR Zdravkovich, V.

TITLE Organic Chemistry Self Instructional Package 4:

Alkanes-Nomenclature.

INSTITUTION Prince George's Community Coll., Largo, Md.

FUE DATE 76

NOTE 41p.; For related Packages 1-17, see SE 021 572-588;

Not available in hard copy due to copyright

restrictions

AVAILABLE FROM Frince George's Community College Bookstore, Largo,

Maryland 20870 (\$17.00 a set, \$1.00 each)

EDRS PRICE MF-\$0.83 Plus Postage. HC Not Available from EDRS.

DESCRIPTORS *Autoinstructional Aids; *Chemistry; *College Science; Higher Education; *Independent Study;

Individualized Instruction; Individualized Programs;

*Organic Chemistry: Science Education: Self Help

Programs


IDENTIFIERS Alkanes; Prince Georges Community College

ABSTRACT

This booklet, one of a series of 17 developed at Prince George's Community College, Largo, Maryland, provides an individualized, self-paced undergraduate organic chemistry instruction module designed to augment any course in organic chemistry but particularly those taught using the text "Organic Chemistry" by Morrison and Boyd. The entire series of modules covers the first 13 chapters of the Morrison-Boyd text in great detail. Each module has been provided with from one to three audiotapes, available from Prince George's Community College, to provide students additional explanations of particular concepts. Each module includes a self-evaluation exercise, a reference guide, worksheets to be completed with the audiotapes, answer sheets for the worksheets, a progress evaluation, an answer sheet for the progress evaluation, an answer sheet for the self-evaluation exercise, an introduction to the topic covered by the module, and student performance objectives for the mcdule. The topic of this module is alkanes. (SI)



ORGANIC CHEMISTRY



U S DEPARTMENT OF HEALTH.
EDUCATION & WELFARE
NATIONAL INSTITUTE OF
EDUCATION

THIS DOCUMENT HAS BEEN REPRO-DUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGIN-ATING IT POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRE-SENT OFFICIAL NATIONAL INSTITUTE OF EDUCATION POSITION OR POLICY


PERSONAL TO BEEN TO E TWOS CONTROL OF THE MICRO FICHE ONLY HAS BEEN SHAPED BY

V. Zdravkovich

Total Cambridge and part of the same

Total Cambridge

ALKANES-NOMENCLATURE



Self Instructional Sequence in

ORGANIC CHEMISTRY

"Copr.," V. Zdravkovic 1976

Self Instructional Package No. 4

ALKANES

Good morning, troublemaker - I'm told they call you "Alkane". Quite an impressive moniker, Such a strange sounding name.

Actually, this is only your title, Pretensions to grandeur, no less! With aliases you've not been idle, How do I keep track of this mess?!

Butane, pentane, hexane, heptane...
Won't you ever stop putting us on?
Your list of henchmen is legion
You're a species they can't seem to restrain
Methyl, ethyl, propyl, butyl...
As if you ground them out of a mill!

They say I'm to examine the textbook,
And listen to this marvelous tape,
And they've even come up with a system
Which holds out a small ray of hope.
The IUPAC nomenclature - designed to put you in your place.
I'll beat you at your own game you stinker I'll call you all-those-impossible-names right to your face!

---Author unknown



Self Instructional Package No. 4 Form A

ALKANES

NOMENCLATURE

Definitions

The student will be able to define or explain and illustrate with appropriate examples where applicable the following terms: PARENT CHAIN, BRANCH, ALKYL GROUP, METHYL GROUP, ETHYL GROUP, n-PROPYL GROUP, ISOPROPYL GROUP, n-BUTYL GROUP, SEC. BUTYL GROUP, ISOBUTYL GROUP, TERT, BUTYL GROUP.

Naming

The student will be able to assign the correct IUPAC name to any given alkane.

The student will be able to draw the structure that corresponds to the given IUPAC name.

Given an incorrect name, the student will be able to draw the structure and assign the correct IUPAC name to the compound.


Self Instructional Package No. 4 Form B - Self-Evaluation Exercise

ALKANES

NOMENCLATURE

Fill out this exercice by blacking the appropriate answers.

1. The longest chain in the compound below is:



- a) 5 b) 6 c) 7
- 2. The compound below is a derivative of:

- a) hexane b) heptane c) octane d) nonane
- 3. You are given four different alkyl groups below. Identify the isobutyl group.
 - a) CH₃ CH₃-C-

CH₃-CH₂-CH-

- CH₃
 CH₃-CH-CH₂
- d) CH₃-CH₂-CH₂-CH₂-

- 4. From the given alkyl groups select the secondary butyl group.
 - a) CH₃ CH(CH₃) CH₂
 - b) сн₃ сн₂ си(сн₃)
 - $c) = C(CH_3)_3$
 - d) CH_3 CH_2 CH_2 CH_2
- 5. The correct IUPAC name for the compound with the structural formula drawn below is:

- a) 5.5-dim@thy1-2-ethy1 -2-isopropy1-6-isobuty1 heptane
- b) 2,4,5,5-tetramethy1-8-ethy1-8-isopropy1 nonane
- c) 2,3,6,6,7,9-hexamethy1-3-ethy1 decane
- d) 2,4,5,5,8,9-hexamethy1-8-ethy1 decane
- 6. The correct 1UPAC name for the compound with the structural formula drawn below is:

- a) 3-methyl-7-n-propyl-6-sec. butyl-4-tert. butyl nonane
- b) 2,2-dimethyl-6-n-propyl-3,5-disec. butyl octane
- c) 3-methyl-7-ethyl-4-tert. butyl-6-sec. butyl decane
- d) 2,2-dimethyl-6-ethyl-3,5-disec. butyl nonane



Identify the correct structural formula which corresponds to
 2,4,4,6-tetramethyl-5-ethyl-5-isopropyl octane

a)
$$CH_3$$
 CH_3 CH_3 CH_3 CH_3 CH_3 CH_3 CH_3 CH_3 CH_3 CH_4 CH_5 CH_5

c)
$$CH_3 - CH_2 - CH_2 - CH_2 - CH_3 - CH_3$$

d)
$$CH_3 - CH_2 - CH_2 - CH_2 - CH_3$$
 $CH_3 - CH_2 - CH_2 - CH_3$
 $CH_2 - CH_3$
 $CH_2 - CH_3$

8. Identify the structural formula which corresponds to:
3-ethyl-6-isopropyl-4-tert, butyl-5-isobutyl nonane

$$\begin{array}{c} \text{CH}_{3} \\ \text{CH}_{2} - \text{CH}_{3} \\ \text{CH}_{3} - \text{CH}_{2} - \text{CH}_{2} - \text{CH}_{2} - \text{CH}_{3} \\ \text{CH}_{2} - \text{CH}_{2} - \text{CH}_{3} - \text{C}_{4} - \text{CH}_{3} \\ \text{CH}_{3} - \text{CH}_{3} \end{array}$$

SIP No. 4
Form B - Self-Evaluation Exercise

- - a) 2,6,6-trimethyl-3-isobutyl-4-tert. butyl heptane
 - b) 2,2,6-trimethy1-5-isopropy1-4-tert. buty1 heptane
 - c) 2,2,6-trimethy1-5-n-propy1-4-tert. butyl heptane
 - d) 2,2,6-trimethy1-5-isopropy1-4-isobuty1 heptane
- 10. From the given INCORRECT IUPAC name for an alkane draw its structural formula. The correct name of this alkane is:

ethyl, propyl, isopropyl, sec. butyl methane

- a) 2-methyl-3-ethyl-3-sec. butyl hexane
- b) 3-methy1-4-ethy1-4-isopropy1 heptane
- c) 2.4-dimethyl-3-ethyl-3-n-propyl hexane
- d) 3-methyl-4-ethyl-4-n-propyl hexane



Gelf Instructional Paskage No. 4 Form C - Reference Guide

ALKANES

NOMENCLATURE

The reference guide should be used in conjunction with Form B or the Self Evaluation Exercise. The references given are geared specifically toward the questions on Form B.

Question 1

Question 2

Chapter 3

Sections 7, 10

Questions 2

Chapter 3

Sections 7, 9

Questions 3, 4

Chapter 3

Section 8

Questions 5, 6, 7, 8, 9, 10

Morrison and Boyd

Organic Chemistry

For Questions 1 through 10, additional explanation and examples can be found in Tape 1 - Alkanes - Nomenclature.



OBJECTIVE

To learn the IUPAC nomenclature of ALKANES.

IUPAC RULES FOR THE NAMING OF ALKANES.

- 1. Select as the parent structure the longest chain, and then consider the compound to have been derived from this structure by the replacement of hydrogen by various alkyl groups.
- 2. Where necessary, indicate by a number the carbon to which the alkyl group is attached.
- 3. In numbering the parent carbon chain, start at whichever end results in the use of the lowest numbers.
- 4. If the same alkyl group occurs more than once as a side chain, indicate this by the prefix di-, tri-, tetra-, etc., to show how many of these alkyl groups there are, and indicate by various numbers the positions of each group.
- 5. If there are several different alkyl groups attached to the parent chain, name them in order of increasing size or in alphabetical order.

Example 1.

Longest chain: 3 - propane
Number of branches: 1
Identity of the branch: methyl group

- C - Name: METHYL PROPANE

Example 2.

Longest chain: 6 - hexane Number of branches: Identity of the branch:

- .





Example 3.

			1	١					
		-	· C ·			,			•
	i		1			١	ŧ	1	
-	С	-	C	 C	 С	 C	 C	 C	-
	i		1	i	ł	1	1	1	
	1		2	3	4	5	6	7	CORRECT
	7		6	5	4	3	2	1	INCORRECT

Longest chain:

Number of branches:

Identity of branches:

Name:

ASSIGNMENT 1. a) Identify the longest carbon chain. b) Identify the branches. c) Assign the correct IUPAC names to the alkanes below.

- a) _____
- b) ____
- c) _____

- a) _____
- b) ____
- c) _____

13



ASSIGNMENT 1. continued

- a) _____
- b) _____
- c) _____

Example 4.

CORRECT NUMBERING Longest chain:

Number of branches:

Identity of branches:

IUPAC name:

ASSIGNMENT 2. Assign the correct IUPAC names to the following compounds:



ASSIGNMENT 2. continued

ASSIGNMENT 3. Draw the structural formulas of the following compounds:

I 2,2,3,4 - Tetramethyl Heptane

II 2,3,3,5,6 - Pentamethyl Nonane

III 2,2,3 - Trimethyl Butane

Example 5.

Self Instructional Package ¹ Tape 1 - Worksheet cont.

CH₄ Methane
$$-\frac{1}{C}$$
 or CH₃ Methyl group

C₂H₆ Ethane $-\frac{1}{C}$ - C - or C₂H₅ Ethyl group

C_nH_{2n} + 2 Alkane C_nH_{2n} + 1 Alkyl group

Example 6. 4 - ? propyl Octane

ASSIGNMENT 4. Write the structural formulas or the following compounds:

I 2.2- Dimethyl - 3 - ethyl - 4 - iso-propyl Heptane

II 2,4,5- Trimethyl - 3,3 - diethyl Octane

III 2,3,7,8- Tetramethyl - 3 - isopropyl - 4-n-propyl Nonane



ASSIGNMENT 4. continued

IV 4,4- Di-isopropyl Octane

ASSIGNMENT 5. Name the compounds for which the structural formulas are given below:

17

ASSIGNMENT 6.



Forgetful Frieda has been given the task of assigning the correct IUPAC names to the alkanes below. In each case she has forgotten something. Examine the structural formulas and correct Frieda's incorrectly assigned IUPAC names.

2,6,7- Pentamethyl - 5 - ethyl - 4 - propyl Octane

2,2,4- Trimethyl - 5,6 - di - n-propyl Heptane

2 - Methyl - 4 - isopropyl - 3 - ethyl Heptane

ASSIGNMENT 7.



Confused Clyde has completely failed the assignment given him by his instructor. He was given a structural formula and asked to supply the correct IUPAC name. Confused Clyde not only returned an incorrect answer, but he also managed to loose the original structural formula. It is now your task to draw the structural formula of the compound from the incorrect name which Clyde submitted and to supply the correct IUPAC name for it.

Name submitted by Confused Clyde was:

Methyl, ethyl, isopropyl Methane

Example 7.

n-Butane $\begin{pmatrix} 1 & 2 & 2 & 1 \\ & 2 & 2 & 1 \\ & & & C - C - C - C - C - C - n$ -Butyl group $\begin{pmatrix} 1 & 2 & 2 & 1 \\ & 2 & 2 & 1 \\ & & & & C - C - C - C - C - C \end{pmatrix}$ sec. Butyl group

5 - n - Butyl Nonane:

5 - sec. Butyl Nonane:



Example 7. continued

5 - tert. Butyl Nonane

ALKYL GROUPS CnH2n + 1

ALKYL GROUPS CnH2n + 1 continued

Isobutyl group
$$CH_3 - CH_2 - CH_2$$

ASSIGNMENT 8. Assign the correct IUPAC names to the four compounds listed below.

ASSIGNMENT 8. continued

ASSIGNMENT 9.



Inert Irma has been given the task of assigning the IUPAC names to a number of alkanes. She has done this only partially correctly. She has actually made a few mistakes. You are now expected to assume the role of a teacher and mark her answers as right or wrong. In addition to this, whenever an answer is incorrect, show the correction.

2,2 - Dimethyl - 4 - isopropyl - 5 - tert. butyl - 7 - isobutyl Octane

II
$$c - c - c - c - c - c - c$$

$$c - c - c - c - c - c - c$$

$$c - c - c - c - c$$

2.5 - Dimethyl - 3 - ethyl - 2 - n-propyl - 4 - sec. butyl Hexane



ASSIGNMENT 9. continued

III
$$C - \stackrel{C}{C} - \stackrel{C}{C$$

2,2,6 - Trimethyl - 5 - isopropyl - 3 - tert. butyl Octane

- ASSIGNMENT 10. From the given IUPAC names write the structural formulas of the alkanes below.
 - I 2,4 Dimethyl 5 ethyl 3 isopropyl 4 tert.
 butyl Heptane
 - II 2,6 Dimethyl 3 ethyl 4 isobutyl 5 tert.
 butyl Octane
 - III 2,3,6 Trimethyl 5 isopropyl 4 sec. butyl Nonane



ASSIGNMENT 11.



Saturated Sam has completed an assignment given him, and has submitted IUPAC names for three alkanes. These names, however, are incorrect. Using these incorrect IUPAC names:
a) draw the correct structural formulas

- b) assign the correct IUPAC names.
- I Isobutyl, isopropyl, ethyl, methane

II 2 - n - propyl - 3 - sec. butyl - 4 - isobutyl Pentane

III 2 - tert. butyl - 3 - isopropyl - 4 - sec. butyl Hexane





Self Instructional Package 4 Tape 1 - Answer Sheet

ALKANES

ASSIGNMENT 1. a) Identify the longest carbon chain. b) Identify the branches. c) Assign the correct IUPAC names to the alkanes

- c) 2.3.5-Trimethyl Octane

ASSIGNMENT 2. Assign the correct IUPAC names to the following compounds:

2.2.5 - Trimethyl Heptane



Self Instructional Fackag 4 Tape 1 - Answer Sheet cont.

ASSIGNMENT 2. continued

2,4,6,6 - Tetramethyl Octane

2,2,5,8 - Tetramethyl Nonane

ASSIGNMENT 3. Draw the structural formulas of the following compounds: I 2,2,3,4 - Tetramethyl Heptane

II 2,3,3,5,6 - Pentamethyl Nonane





Self Instructional Package 4 Tape 1 - Answer Sheet cont.

ASSIGNMENT 4. Write the structural formulas of the following compounds:

I 2,2 - Dimethyl - 3 - ethyl - 4 - isopropyl Heptane

II 2,4,5 - Trimethyl - 3,3 - diethyl Octane

III 2,3,7,8 - Tetramethyl - 3 - isopropyl - 4 - n-propyl Nonane

IV 4,4 - Di-isopropyl Octane

ASSIGNMENT 5. Name the compound for which the structural formulas are given below:

3.5-Dimethyl - 4 - ethyl - 6 - isopropyl Octane

Self Instructional Package 4 Tape 1 - Answer Sheet cont.

ASSIGNMENT 5. continued

2.3.6.6- Tetramethyl - 5 - ethyl - 5 - n-propyl Octane

ASSIGNMENT 6.



Forgetful Frieda has been given the task of assigning the correct IUPAC names to the alkanes below. In each case she has forgotten something. Examine the structural formulas and correct Frieda's incorrectly assigned IUPAC names.

2.2.6.6.7- Pentamethyl - 5 - ethyl - 4 - isopropyl Octane




Self Instructional Package 4 Tape 1 - Answer Sheet cont.

ASSIGNMENT 6. continued

2.2.4.6- Tetramethyl - 5 - n-propyl Nonane

III
$$1^{C-\frac{1}{2}C-\frac{1}{3}} \xrightarrow{C-C} \frac{1}{4^{C-\frac{1}{5}}} \xrightarrow{C-C} \frac{1}{6^{C-\frac{1}{7}}}$$



Confused Clyde has completely failed the assignment given him by his instructor. He was given a structural formula and asked to supply the correct IUPAC name. Confused Clyde not only returned an incorrect answer, but he also managed to loose the original structural formula. It is now your task to draw the structural formula of the compound from the incorrect name which Clyde submitted, and to supply the CORRECT IUPAC name for it.

Name submitted by Confused Clyde was:

Methyl, ethyl, isopropyl Methane

29

Self Instructional Package 4 Tape 1 - Answer Sheet cont.

ASSIGNMENT 7. continued

CORRECT IUPAC NAME: 2,3- Dimethyl Pentane

ASSIGNMENT 8. Assign the correct IUPAC names to the four compounds listed below:

2.2.5- Trimethyl - 3 - isopropyl - 4 - tert. butyl Heptane

2.3.7- Trimethyl - 4 - ethyl - 5 - isobutyl - 6 - sec. butyl Nonane



Self Instructional Package 1 Tape 1 - Answer Sheet cont.

ASSIGNMENT 8. continued

2.3.7.7- Tetramethyl - 4 isopropyl - 5 - isobutyl Nonane

2.3.7- Trimethyl - 4 - ethyl - 5 - tert, butyl Octane

ASSIGNMENT 9.



Inert Irma has been given the task of assigning the IUPAC names to a number of alkanes. She has done this only partially correctly. She has actually made a few mistakes. You are now expected to assume the role of a teacher and mark her answers as right and wrong. In addition to this, whenever an answer is incorrect, show the correction.

Self Instructional Package 4 Tape 1 - Answer Sheet cont.

ASSIGNMENT 9. continued

2.2.7.9- Tetramethyl - 4 - isopropyl - 5 - tert. butyl Decane

3.6.6- Trimethyl - 5 - ethyl - 4 - isopropyl Nonane

III
$$_{1}^{C} - \begin{array}{c} \begin{array}{c} \begin{array}{c} C \\ \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} C \\ \end{array} \\ \\ \begin{array}{c} C \\ \end{array} \\ \begin{array}{c}$$

2.2.6- Trimethyl - 4 - ethyl - 5 - isopropyl - 3 - tert, butyl Octane



Self Instructional Package 4 Tape 1 - Answer Sheet cont.

ASSIGNMENT 10. From the given IUPAC names, write the structural formulas of the alkanes below.


Self Instructional Package 4
Tape 1 - Answer Sheet cont.

ASSIGNMENT 11.



Saturated Sam has completed an assignment given him and submitted IUPAC names for three alkanes. These names, however, are incorrect. Using these incorrect IUPAC names:

- a) draw the correct structural formulas
- b) assign the correct IUPAC names.
- I Isobutyl, isopropyl, ethyl, methane (INCORRECT)



CORRECT IUPAC NAME: 2,5- Dimethyl - 3 - ethyl Hexane

II 2 - n-propyl - 3 - sec. butyl - 4 - isobutyl Pentane
 (INCORRECT)

CORRECT IUPAC NAME: 2,4,6- Trimethyl - 5 - sec. butyl Nonane

CORRECT IUPAC NAME: 2,2,3,6- Tetramethyl - 5 - ethyl - 4 - isopropyl Octane

Self Instructional Package No. 4 Form D - Progress Check Evaluation

ALKANES

NOMENCLATURE


1. The parent chain in the compound below consists of how many carbon atoms?

- a) 7 b) 8 c) 9 d) 10
- 2. The compound below can be considered a derivative of which alkane?


- a) butane b) hexane c) heptane d) octane
- 3. Identify the isobutyl group as one of the groups listed.
 - a) $(CH_3)_3C$
 - b) $CH_3 CH(CH_3) CH_2$
 - c) CH_3 CH_2 $CH(CH_3)$
 - d) $CH_3 CH_2 CH_2 CH_2$

SIP No. 4
Form D - Progress Check Evaluation

 Assign the correct IUPAC name to the alkane for which the structural formula is supplied.



- a) 3-methyl-5-isopropyl-2-tert. butyl-5-isobutyl heptane
- b) 2,2,3,4-tetramethyl-6-isopropyl-6-isobutyl octane
- c) 2,2,3,4,8-pentamethyl-6-ethyl-6-isopropyl nonane
- d) 2,2,3,4,8-pentamethyl-6-ethyl-6-propyl nonane
- 5. Assign the correct IUPAC name to the alkane for which the structural formula is given below.



- a) 2,3,3,5,7-pentamethyl-5-ethyl octane
- b) 2,4,6-trimethy1-4-ethy1-2-isopropy1 heptane
- c) 2,4-dimethyl-2-isopropyl-4-isobutyl hexane
- d) 2,3,3,5,7-pentamethyl-5-ethyl nonane



SIP No. 4 Form D - Progress Check Evaluation

- 6. The correct IUPAC name which corresponds to the alkane below is:

 CH₃ CH(CH₃) CH(CH₃) CH[C(CH₃)₃] CH(CH₂CH₃)CH(CH₂CH₃)CH₂CH₃
 - a) 3,4-diethyl-6-isopropyl-5-tert. butyl heptane
 - b) 2,3-dimethy1-5,6-diethy1-4-tert. buty1 octane
 - c) 6,7-dimethy1-2,3-diethy1-4-tert. buty1 octane
 - d) 2,3-dimethy1-5,6-diethy1 octane
- 7. The correct IUPAC name corresponding to the alkane below is: $CH_3CH[CH_2CH(CH_3)_2]CH(CH_3)CH[CH(CH_3)_2]CH_2CH_2CH_3$
 - a) 2,4,5-trimethyl-6-isopropyl nonane
 - b) 2,2,4,5-tetramethyl-6-isopropyl octane
 - c) 2,4-dimethyl-5-isopropyl octane
 - d) 2,4,5-trimethy1-5-propy1 nonane
- 8. The structural formula which corresponds to
 2,3-dimethyl-6-ethyl-5-isopropyl-4-tert. butyl octane is:
 - a) $CH_3CH(CH_3)$ $CH(CH_3)$ $CH[C(CH_3)_3]$ $CH[CH(CH_3)_2]$ CH_2 CH_2 CH_3
 - b) $CH_3 CH(CH_3) CH(CH_3) CH[C(CH_3)_3] CH[CH(CH_3)_2] CH(CH_2CH_3)_2$
 - c) CH_3 $CH(CH_3)$ CH $CH[C(CH_3)_3]$ $CH[CH(CH_3)_2]$ $CH(CH_2CH_3)_2$
 - d) CH_3 $\operatorname{CH}(\operatorname{CH}_3)$ $\operatorname{CH}(\operatorname{CH}_3)$ [C(CH₃)₃] $\operatorname{CH}[\operatorname{CH}(\operatorname{CH}_3)_2]$ $\operatorname{CH}(\operatorname{CH}_2\operatorname{CH}_3)_2$
- 9. From the incorrect IUPAC name for an alkane which is:

l-ethyl-l-isopropyl-2-isobutyl ethane, draw the structure and assign the correct IUPAC name. It is:

- a) 2-methyl-5-isopropyl-heptane
- b) 2,6-dimethyl heptane
- c) 2,6-dimethyl-3-ethyl heptane
- d) 2,6-dimethyl-5-ethyl heptane



SIP No. 4
Form D - Progress Check Evaluation

- 10. From the <u>incorrect</u> 1UPAC name for an alkane which is:

 2-isobutyl-2-tert, butyl-3-n-butyl-3-sec, butyl butane

 Draw the structure and assign the correct IUPAC name. It is:
 - a) 2,4,5-trimethyl-3-tert. butyl-5-sec. butyl nonane
 - b) 2,2,3-trimethy1-3-isobuty1-4-sec. buty1 octane
 - c) 2,2,3,5-tetramethyl-3-isobutyl-4-n-butyl heptane
 - d) 2,4,5,6-tetramethy1-4-tert. buty1-5-n-buty1 nonane

Self Instructional Package No. 4 Form B¹ - Answer Sheet

ALKANES

NOMENCLATURE

- 1. d
- 2. d
- 3. b
- 4. b
- 5. c, d
- 6. c
- 7. c
- 8. d
- 9. d
- 10. b



Self Instructional Package No. 4 Form Dl - Answer Sheet

ALKANES

NOMENCLATURE

- 1. d
- 2. d
- 3. b
- 4. 0
- 5. a
- 6. b
- 7. a
- 8. b
- 9. c
- 10. a









S.I.P. #4 - ERRATA

FORM D - Question 10

a) 2,4,5-Trimethyl-4-tert. Butyl-5-Sec. Butyl Nonane

TAPE 1 - Answer Sheet

Assignment 8

Compound II - 2,3,3,7 - Tetramethyl-4-Ethyl-5-Isobutyl-6-Sec. Butyl Nonane

Compound IV - 2,3,3,7 - Tetramethyl-4-Ethyl-5-tert. Butyl Octane

