

DOCUMENT RESUME

ED 135 587

SE 021 578

AUTHOR Zdravkovich, V.
 TITLE Organic Chemistry Self Instructional Package 7:
 Alkenes-Nomenclature and Isomerism.
 INSTITUTION Prince George's Community Coll., Largo, Md.
 PUE DATE 76
 NOTE 49p.; For related Packages 1-17, see SE 021 572-588;
 Not available in hard copy due to copyright
 restrictions
 AVAILABLE FROM Prince George's Community College Bookstore, Largo,
 Maryland 20870 (\$17.00 a set, \$1.00 ea.)

EDRS PRICE MF-\$0.83 Plus Postage. HC Not Available from EDRS.
 DESCRIPTORS *Autoinstructional Aids; *Chemistry; *College
 Science; Higher Education; *Independent Study;
 Individualized Instruction; Individualized Programs;
 *Organic Chemistry; Science Education; Self Help
 Programs
 IDENTIFIERS Alkenes; Isomerism; Prince Georges Community
 College

ABSTRACT



This booklet, one of a series of 17 developed at Prince George's Community College, Largo, Maryland, provides an individualized, self-paced undergraduate organic chemistry instruction module designed to augment any course in organic chemistry but particularly those taught using the text "Organic Chemistry" by Morrison and Boyd. The entire series of modules covers the first 13 chapters of the Morrison-Boyd text in great detail. Each module has been provided with from one to three audiotapes, available from Prince George's Community College, to provide students additional explanations of particular concepts. Each module includes a self-evaluation exercise, a reference guide, worksheets to be completed with the audiotapes, answer sheets for the worksheets, a progress evaluation, an answer sheet for the progress evaluation, an answer sheet for the self-evaluation exercise, an introduction to the topic covered by the module, and student performance objectives for the module. The topic of this module is alkenes, Sp² hybridization, geometric isomerism, and nomenclature. (SL)

 * Documents acquired by ERIC include many informal unpublished *
 * material not available from other sources. ERIC makes every effort *
 * to obtain the best copy available. Nevertheless, items of marginal *
 * reproducibility are often encountered and this affects the quality *
 * of the microfiche and hardcopy reproductions ERIC makes available *
 * via the ERIC Document Reproduction Service (EDRS). EDRS is not *
 * responsible for the quality of the original document. Reproductions *
 * supplied by EDRS are the best that can be made from the original. *



THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL NATIONAL INSTITUTE OF EDUCATION POSITION OR POLICY.

V. Zdravkovich
Author of "Organic Chemistry: A Self-Instructional Package" published by the National Institute of Education, Washington, D.C., 1971. This work is a translation of the original work by V. Zdravkovich, "Organic Chemistry: A Self-Instructional Package" published by the National Institute of Education, Washington, D.C., 1971.


ORGANIC CHEMISTRY




I AM
ETHYLENE



I AM
PENTENE



ALKENES-NOMENCLATURE AND ISOMERISM



Self Instructional Sequence in

ORGANIC CHEMISTRY

"Copr.," V. Zdravkovich 1976

*What is it? A learned man
could give it a clumsy name.
Let him name it who can, the
beauty would be the same.
Tennyson---*

ALKENES

Sp² Hybridization, Geometric Isomerism, Nomenclature

Walking in the country, lost in thought, you suddenly found yourself in a deep forest. The trees were tall and full of branches. They obscured the sky from your sight and you found yourself completely lost. All of a sudden, on one of the trees, you spotted a sign. It said, "Follow these directions and you will find your way out of my maze." The directions were as follows: Find the tallest tree and turn right. Pass the next few trees until you reach the tree with the longest branch. Then, turn left and proceed in that direction until you find the tree with four branches of the same kind. Turn right and continue in that direction until you find the tree with the same number of branches. Turn right again and you will find yourself in the clearing.

Can you imagine yourself measuring the trees and the branches, counting and comparing each branch? Of course not. But what if in addition to these directions, there was another sign which read: Trees in this organic forest depict the alkenes listed underneath. Without this knowledge you will be lost forever.

Complete the forms and assignments in this Self Instructional Package in order that at the end of it, you may be able to solve the puzzle and walk out of the forest safely. Otherwise, you will be lost in a jungle of ignorance in this particular discipline forever.

ALKENES

Sp² Hybridization, Geometric Isomers, Nomenclature

Definitions

The student will be able to define or describe and illustrate with appropriate examples when applicable the following terms: Sp² hybridization, π bond, double bond, geometric isomers, cis and trans isomers, Z and E isomers.

Bonding and Sp² hybridization

The student will be able to explore and describe the steps in the Sp² hybridization.

The student will be able to explain and describe the formation of the π bond and different σ bonds.

The student will be able to describe the shape of ethylene and to identify the magnitude of the bond angles in ethylene.

Geometric isomerism

The student will be able to identify the alkenes which can exist as geometric isomers.

The student will be able to draw the Z and E configurations of different geometric isomers.

The student will be able to assign the correct Z and E specifications to the given configurations.

The student will be able to compare the characteristic properties of geometric isomers to those of conformational isomers, enantiomers and structural isomers.

Nomenclature

The student will be able to assign the correct IUPAC names to different alkenes.

The student will be able to draw the correct structure which corresponds to the given IUPAC name.

The student will be able to draw the correct structure from an incorrect name and assign the correct IUPAC name to it.

ALKENES

Sp² hybridization, geometric isomerism, nomenclature




Circle the correct answer or answers in each question below.

1. Identify the alkene in the set of compounds given below.
 - a) C₇H₁₆
 - b) C₃H₆
 - c) C₄H₁₀
 - d) C₅H₈
2. The following statements about the 2-pentene are correct:
 - a) C₁-C₂ bond results from the overlap of Sp³ A.O. on carbon 1 and Sp² A.O. on carbon 2.
 - b) C₃-H bond results from the overlap of Sp³ A.O. on carbon 3 and S A.O. on hydrogen.
 - c) C₁-C₂ bond is longer than C₂-C₃ bond.
 - d) C₂-C₃ bond is longer than C₄-C₅ bond.
3. Select the correct statements below:
 - a) An Sp² hybridized carbon has a tetrahedral shape.
 - b) An Sp² hybridized carbon forms bond angles of 120°.
 - c) In the Sp² hybridization one S A.O. and two p A.O. "mix" together.
 - d) Every double bonded carbon is characterized by Sp² hybridization.
4. The statements which are not correct are:
 - a) Ethylene is flat because both carbons are Sp² hybridized.
 - b) The shape of an alkene molecule is determined by the shape of the atomic orbitals on the carbon atoms.


SIP No. 7

Form B - Self Evaluation Exercise





- c) All carbon atoms form tetrahedral bonds.
 - d) 1-butene is a planar, flat molecule.
5. Cis and trans 2-butene have the following characteristic properties:
- a) they are not superimposable.
 - b) they are mirror image isomers.
 - c) they have the same structure.
 - d) They have different physical properties.
6. The alkenes which can exist as geometric isomers are:
- a) 2-methyl-2-pentene
 - b) 3-heptene
 - c) 3-bromo-4-methyl-3-heptene
 - d) 3-ethyl-3-heptene
7. Identify the Z configuration of 2-bromo-3-methyl-2-hexene.



SIP No. 7
Form B - Self Evaluation Exercise



8. Identify the E configuration of:




9. Identify the correct statements about the geometric isomers.

- a) they are diastereoisomers.
- b) they owe their existence to the hindered rotation around carbon-carbon double bond.
- c) they can be converted into each other.
- d) they are nonsuperimposable mirror image isomers.

10. The correct statements about the π bond are:


- a) It consists of two lobes perpendicular to the carbon skeleton.
- b) It results from the overlap of the p A.O. on carbon one and the p A.O. on carbon two.
- c) It contains four electrons.
- d) carbon-carbon π bond is weaker than a carbon-carbon σ bond.

11. The longest carbon chain in the alkene below consists of how many carbon atoms?




- a) 9
- b) 10
- c) 11
- d) 12

12. The alkene with the structural formula given below can be considered a derivative of which alkene?



- a) pentene
- b) hexene
- c) heptene
- d) octene

13. The correct name for the alkene with the following structural formula:




is:

13. (continued)


- a) 2,2,3-trimethyl-4-n-propyl-5-isobutyl-1-hexene
- b) 3 - n-propyl - 2 - tert. butyl - 4 - isobutyl hexene
- c) 2,2,3,7 - tetramethyl- 4 - n-propyl - 5 - ethylene octane
- d) 3 - n-propyl - 2 - isobutyl - 4 - tert. butyl 1 - hexene

14. The correct IUPAC name which corresponds to the alkene with the following structural formula:




- a) 3 - methyl - 2 - isopropyl - 4 - isobutyl - 3 - hexene
- b) 2,3,4 - trimethyl - 5 - isobutyl - 4 - heptene
- c) 2,3,4,7 - tetramethyl - 5 - ethyl - 4 - octene
- d) 2,5,6,7 - tetramethyl - 4 - ethyl - 3 - octene

15. The correct IUPAC name which corresponds to this alkene:







- a) 2,5 - dimethyl - 4 - tert. butyl - 2 hexene
- b) 2,6 - dimethyl - 4 - isopropyl - 2 - heptene
- c) 2,6 - dimethyl - 4 - isobutyl - 2 - heptene
- d) 2,6 - dimethyl - 4 - isopropyl - 5 - heptene

16. The structural formula which corresponds to:







SIP No. 7
Form B - Self Evaluation Exercise



17. The structural formula which corresponds to the alkene:

2,3,6,6-tetramethyl-5-isopropyl-5-tert. butyl-2-heptene

is:



18. From the INCORRECT IUPAC name for the alkene below, draw the correct structural formula and assign the CORRECT IUPAC name.

1-isobutyl-1-methyl-2-tert. butyl-2-isopropyl ethene

a) 2,4,6-trimethyl-3-tert. butyl-3-heptene

b) 2,2,4,6-tetramethyl-3-isopropyl-3-heptene

c) 2,4,6-trimethyl-5-tert. butyl-4-heptene

d) 2,2,4,5-tetramethyl-3-isopropyl-3-heptene

19. From the INCORRECT IUPAC name for the alkene below draw the correct structural formula and assign the CORRECT IUPAC name. Identify this as a,b,c, or d.

1-methyl-2-sec. butyl-3-isobutyl-1-propene

a) 2-methyl-5-isobutyl-5-heptene

b) 2-methyl-5-sec. butyl-5-heptene

c) 6-methyl-3-sec. butyl-2-heptene

d) 2,6-dimethyl-5-propylene octene

ALKENES


Sp² Hybridization, Geometric Isomerism, Nomenclature

The Reference Guide should be used in conjunction with Form B or the Self Evaluation Exercise. The references provide the correlation between the questions in Form B and the available material in the textbook and in the form of tapes.

Question 1	Chapter 5, Section 7
Questions 2,3,4,10	Chapter 5, Sections 2,3,4
Questions 5,6,7,8,9	Chapter 5, Sections 5,6
Questions 11,12,13,14,15,16,17,18,19	Chapter 5, Section 8

For Questions 1,2,3,4,5,6,7,8,9,10, additional explanation and examples can be found in Tape 2 - Alkenes - Sp² hybridization, Geometric Isomerism, with the accompanying work sheet and answer sheet.

For Questions 11,12,13,14,15,16,17,18,19, additional explanation and examples can be found in Tape 1 Alkenes - Nomenclature with the accompanying work sheet and answer sheet.



Self Instructional Package
Tape 1 - Worksheet

ALKENES


OBJECTIVE: To learn the IUPAC nomenclature of ALKENES.

IUPAC RULES FOR THE NAMING OF ALKENES.

1. Select as the parent structure the longest continuous chain that CONTAINS THE CARBON-CARBON DOUBLE BOND; then consider the compound to have been derived from this structure by replacement of hydrogen by various alkyl groups. The parent structure is known as ETHENE, PROPENE, BUTENE, PENTENE and so on, depending upon the number of carbon atoms; each name is derived by changing the ending -ANE of the corresponding alkane name to -ENE.
2. Indicate by a number the position of the double bond in the parent chain. Although the double bond involves two carbon atoms, designate its position by the number of the FIRST doubly-bonded carbon encountered when numbering from the end of the chain nearest to the double bond.
3. Indicate by numbers the positions of the alkyl groups attached to the parent chain.


NOMENCLATURE MODULE
 Self Instructional Package 2
 Tape 1 - Worksheet cont.

Example 3.





Example 4. The possible structural isomers of 2-Methyl ? Pentene are:

ASSIGNMENT 2. Assign the correct IUPAC names to the compounds below:



NOMENCLATURE MODULE
 Self Instructional Package 2
 Tape 1 - Worksheet cont.

ASSIGNMENT 2. continued



ASSIGNMENT 3. Draw the structural formulas for the compounds listed below:


I 2,2,6- Trimethyl - 3 - ethyl - 4 - isopropyl-3 - Heptene

II 2,5,5,6- Tetramethyl - 3 - isopropyl - 4 - isobutyl -
 2-Octene

NOMENCLATURE MODULE
 Self Instructional Package 2
 Tape 1 - Worksheet cont.


ASSIGNMENT 3. continued

III 6- Propyl - 4 - sec. butyl - 5 - n-butyl - 3 - Nonene



ASSIGNMENT 4.

Forgetful Frieda was asked to assign the correct IUPAC names to the alkenes below. As usual, she has forgotten something in every one of her answers. Find the missing element in each one of her answers and assign the correct IUPAC names.




4- Methyl - 5 - ethyl - 2 - tert. butyl - 6 - isobutyl
 2 - Heptene

CORRECT IUPAC NAME: _____


NOMENCLATURE MODULE
 Self Instructional Package 2
 Tape 1 - Worksheet cont.

ASSIGNMENT 4. continued



2,2,6,7- Tetramethyl - 3 - ethyl - 4 - tert. butyl - 5 - Octene

CORRECT IUPAC NAME: _____



6- Methyl - 3 - ethyl - 5 - n-propyl - 6 - isobutyl - 3 -
 Heptene.

CORRECT IUPAC NAME: _____

ASSIGNMENT 5.




Confused Clyde has been given the task of assigning the correct IUPAC names to the structural formulas of the alkenes below. He has completed his task dilligently and for the most part correctly, but he listed the names in no particular order. You are asked to match the correct



NOMENCLATURE MODULE
 Self Instructional Package 2
 Tape 1 - Worksheet cont.

ASSIGNMENT 5. continued

IUPAC name with the appropriate structural formula.



- 2,5,7- Trimethyl - 4 - ethyl - 3 - Octene
- 3,5,6- Trimethyl - 5 - ethyl - 4 - isopropyl - 3 - Octene
- 2,4,6,7- Tetramethyl - 5 - isopropyl - 3 - Octene

ASSIGNMENT 6. The names of the alkenes listed below are incorrect. From these incorrect names, draw the correct structural formulas and assign the CORRECT IUPAC names.

- I 1-n-Propyl - 1 - ethyl - 2 - isobutyl - 2 - sec. butyl Ethene

NOMENCLATURE MODULE
Self Instructional Package 2
Tape 1 - Worksheet cont.

ASSIGNMENT 6. continued

II 2- Isopropyl - 2 - tert. butyl - 3 - n-butyl Propene

III 2- sec. butyl - 3 - ethyl - 3 - n-propyl - 2 - Butene

Self Instructional Package
Tape 1 - Answer Sheet

ALKENES

ASSIGNMENT 1. Draw the structural formulas of all the possible structural isomers of : a) Pentene b) Hexene c) Heptene d) Octene. Assign the correct IUPAC name to each one of them.




- a) $\text{CH}_2=\text{CH}-\text{CH}_2-\text{CH}_2-\text{CH}_3$ 1-Pentene
- $\text{CH}_3-\text{CH}=\text{CH}-\text{CH}_2-\text{CH}_3$ 2-Pentene
- ($\text{CH}_3-\text{CH}_2-\text{CH}=\text{CH}-\text{CH}_3$ 2-Pentene - SAME AS THE ONE ABOVE)
- b) $\text{CH}_2=\text{CH}-\text{CH}_2-\text{CH}_2-\text{CH}_2-\text{CH}_3$ 1-Hexene
- $\text{CH}_3-\text{CH}=\text{CH}-\text{CH}_2-\text{CH}_2-\text{CH}_3$ 2-Hexene
- $\text{CH}_3-\text{CH}_2-\text{CH}=\text{CH}-\text{CH}_2-\text{CH}_3$ 3-Hexene
- c) - C = C - C - C - C - C - C - 1-Heptene
- C - C = C - C - C - C - C - 2-Heptene
- C - C - C = C - C - C - C - 3-Heptene
- 1 2 3 4 5 6 7
- (- C - C - C - C = C - C - C - 3-Heptene - SAME AS THE ONE ABOVE)
- 7 6 5 4 3 2 1

NOMENCLATURE MODULE
 Self Instructional Package 2
 Tape 1 - Answer Sheet cont.


ASSIGNMENT 1. continued

- d) $-C=C-C-C-C-C-C-C-$ 1-Octene
 $-C-C=C-C-C-C-C-C-$ 2-Octene
 $-C-C-C=C-C-C-C-C-$ 3-Octene
 $-C-C-C-C=C-C-C-C-$ 4-Octene


Example 4. Answer 2 - Methyl ? Pentene



(Remember RULE 2.
 for the IUPAC
 naming of ALKENES)




ASSIGNMENT 2. Assign the correct IUPAC names to the compounds below:




NOMENCLATURE MODULE
 Self Instructional Package 2
 Tape 1 - Answer Sheet cont.

ASSIGNMENT 2. continued




7-Methyl-4-isopropyl-3-isobutyl-5-tert. butyl-2-Octene




2,5,8-Trimethyl-7-ethyl-4-isopropyl-6-n-propyl-4-Nonene

ASSIGNMENT 3. Draw the structural formulas for the compounds listed below:

I 2,2,6-Trimethyl-3-ethyl-4-isopropyl-3-Heptene




II 2,5,5,6-Tetramethyl-3-isopropyl-4-isobutyl-2-Octene




NOMENCLATURE MODULE
Self Instructional Package 2
Tape 1 - Answer Sheet cont.

ASSIGNMENT 4. continued



CORRECT IUPAC NAME:


2,3,7,7-Tetramethyl-6-ethyl-5-tert, butyl-3-Octene



CORRECT IUPAC NAME:

6,8-Dimethyl-3-ethyl-5-n-propyl-3-Nonene

ASSIGNMENT 5.




Confused Clyde has been given the task of assigning the correct IUPAC names to the structural formulas of the alkenes below. He has completed his task dilligently and correctly for the most part, but he listed the names in no particular order. You are asked to match the correct IUPAC name with the appropriate structural formula.

NOMENCLATURE MODULE
 Self Instructional Package 2
 Tape 1 - Answer Sheet cont.


ASSIGNMENT 6. continued

II 2-Isopropyl-2-tert. butyl-3-n-butyl Propene
 (INCORRECT)



CORRECT IUPAC NAME: 2-Isopropyl-2-tert. butyl-1-Heptene

III 2-sec. butyl-3-ethyl-3-n-propyl-2-Butene
 (INCORRECT)




CORRECT IUPAC NAME: 3,4,5-Trimethyl-5-ethyl-4-Octene

ALKENES

Sp² Hybridization, Geometric Isomerism


Example No. 1 - ethylene



structural formula

molecular formula


Example No. 2 - shape of ethylene and its bond angles



ethylene

Shape: trigonal (flat, planar)

$$\angle = 120^\circ$$



ethane

Shape: tetrahedral (three-dimensional)


$$\angle = 109^\circ$$

Example No. 3 - Sp² hybridization


Ground state electron configuration on carbon.



Step 1 - promotion of an electron from 2S atomic orbital to 2 p atomic orbital. Result: four unpaired electrons.




Step 2 - "mixing" of one s atomic orbital and two p atomic orbital.
Result: three equivalent sp^2 hybrid atomic orbitals.




three sp^2 hybrid atomic orbitals of carbon



Example No. 4 - bond formation




same as:



Example No. 5 - bond lengths



Example No. 6.- propylene or propene



$$\alpha = 120^\circ$$

$$\alpha' = 109.5^\circ$$






molecular formula

Assignment No. 1

Consider the molecule of 1-butene $\text{CH}_2=\text{CH}-\text{CH}_2-\text{CH}_3$ and answer the following questions:

1. What are the bond angles around Carbon No. 1?
2. What are the bond angles around Carbon No. 2?
3. What are the bond angles on Carbon No. 3?
4. What are the bond angles on Carbon No. 4?

Compare the following bond lengths qualitatively:




Assignment No. 2


- a) From the molecular formulas of ethylene (Example No. 1), propene (Example No. 6) and butene (Example No. 7) arrive at the general molecular formula for all alkenes: $\text{C}_n\text{H}_?$
- b) Write the molecular formulas for the following alkenes:
- | | |
|-------------|-------------|
| (1) heptene | (3) pentene |
| (2) nonene | (4) octene |

Example No. 7 - structural isomers of butane and butene

BUTANES



n-butane




isobutane




molecular formula

BUTENES




1-butene



isobutene




molecular formula




2-butene

Example No. 8 - isomers of 2-butene



I



II

1. Do configurations I and II have the same molecular formula? _____
2. Do configurations I and II have the same structure? _____
3. Do configurations I and II have the same arrangement of atoms or space?


4. Are configurations I and II superimposable?
5. Are configurations I and II mirror image isomers? _____
6. Can configurations I and II be converted into each other? _____

Is I cis or trans isomer? _____

Is II cis or trans isomer? _____


Geometric isomers (cis and trans isomers) are diastereoisomers which owe their existence to the hindered rotation about the carbon-carbon double bond.

Example No. 9 - Geometric isomers of 1-butene



cis ?

I




trans ?

II

Are I and II superimposable? _____


Are I and II geometric isomers? _____

Example No. 10 - Geometric isomers of 2-methyl-2-butene



cis ?

I




trans ?

II



Are I and II superimposable? _____

Are I and II geometric isomers? _____





Example No. 11




No geometric isomerism




Geometric
Isomerism
is
possible



Example No. 12 - Geometric isomers of 3-bromo-2-pentene



I
Z configuration



II
E configuration

SIP No. 7
Tape 2 -- Work Sheet

Example No. 12 (continued)

Is I cis or trans configuration? _____

Is II cis or trans configuration? _____

Assignment No. 3

1. Draw the structures of all the structural and geometric isomers of:

A) pentenes C_5H_{10}

b) monochloropropene C_3H_5Cl

c) monobromobutene C_4H_7Br

SIP No. 7
Tape 2 - Work Sheet

Assignment No. 4

From the compounds given below identify the ones which can exist as geometric isomers and draw their corresponding Z and E (cis and trans) configurations. (Specify each as Z and E)

- a) 1,1-dichloro-1-butene
- b) 3-methyl-2-hexene
- c) 3-ethyl-2-pentene
- d) 1-bromo-2-methyl-1-butene
- e) 2-chloro-3-bromo-2-pentene

Assignment No. 5

Draw the structures of the following compounds:

- a) Z-2-bromo-2-butene
- b) trans-3-hexene
- c) E-3-bromo-3-hexene
- d) Z-3-bromo-4-methyl-3-hexene

ALKENES





Sp² hybridization, geometric isomerism

Assignment No. 1


1. 120°
2. 120°
3. 109.5°
4. 109.5°
5. C₁-C₂ bond is shorter than C₂-C₃ bond
6. C₂-C₃ bond is shorter than C₃-C₄ bond
7. C₁-H bond is shorter than C₄-H bond

(greater the s character of an atomic orbital on a given atom, shorter the bond)


Assignment No. 2













Assignment No. 3



2.










Assignment No. 3 (continued)




SIP No. 7
Tape 2 - Answer Sheet


c) (continued)




Assignment No. 4



no geometric isomerism






E - configuration





Z - configuration


Assignment No. 4 (continued)




Assignment No. 5



Assignment No. 5 (continued)



E - 3-bromo-3-hexene



Z - 3-bromo-4-methyl-3-hexene

ALKENES

Sp² hybridization, Geometric Isomerism, Nomenclature





Identify the statements below as True or False by placing a capital T or F in the space to the left.

1. _____ In the Sp² hybridization an S atomic orbital "mixes" with three p atomic orbitals to yield three equivalent Sp² hybrid atomic orbitals.
2. _____ The π electron cloud contains two electrons.
3. _____ The π bond is formed when the p A.O. from carbon 1 overlaps with the p A.O. from carbon 2.
4. _____ The carbon-carbon σ bond in ethylene results from the overlap of an Sp³ hybrid atomic orbital on carbon 1 and an Sp³ hybrid atomic orbital on carbon 2.
5. _____ Ethylene owes its flat, planar shape to the Sp² hybridization on the carbon atom.
6. _____ The Sp² hybrid atomic orbitals point to the corners of a regular tetrahedron.
7. _____ A σ bond resulting from an overlap of Sp² A.O. on one carbon and Sp³ A.O. on the other carbon is longer than the σ bond resulting from the overlap of Sp³ A.O. on one carbon and Sp³ A.O. on the other carbon.
8. _____ A carbon-carbon double bond is stronger and consequently longer than a carbon-carbon single bond.
9. _____ The bond dissociation energy of the carbon-carbon double bond is higher than the bond dissociation energy of the carbon-carbon single bond.
10. _____ The bond angles formed by the double bonded carbon atom are 120°.





Circle the correct answer or answers in the following questions:

11. The compounds which can exist as Z and E (or cis and trans) isomers are:
- | | |
|-------------------------|-------------------------------|
| a) 2,3-dibromo-2-butene | c) 1-bromo-2-methyl-1-pentene |
| b) 2-methyl-2-hexene | d) 3-octene |

12. Identify the Z configurations among the ones given below:



13. Identify the E configurations among the ones given below:




14. The correct statements about the geometric isomers are:

- a) they owe their existence to the hindered rotation about the carbon-carbon double bond.
- b) they have identical physical properties.
- c) they are not superimposable.
- d) they can exist in two different forms: Z and E.


15. The longest carbon atom chain in the alkene below consists of how many carbon atoms?

- a) 7
- b) 8
- c) 9
- d) 10




16. The alkene with the following structure can be considered a derivative of:

- a) heptene
- b) octene
- c) nonene
- d) decene




17. The correct IUPAC name for the alkene with the structural formula:




- a) 2,2,3-trimethyl-4,6-diethyl-4-tert. butyl-5-heptene
- b) 2,2,3,6-tetramethyl-4-ethyl-4-tert. butyl-5-octene
- c) 3,6,7,7-tetramethyl-5-ethyl-5-tert. butyl-2-octene
- d) 3,6,7,7-tetraethyl-5-ethyl-5-tert. butyl-3-octene

18. Identify the correct IUPAC name for the alkene with the structural formula:




- a) 2,3,7,8,8-pentamethyl-6-ethyl-4-isobutyl-3-nonene
 b) 6,7,7-trimethyl-5-ethyl-2-isopropyl-3-isobutyl-2-octene
 c) 2,2,3,7,8-pentamethyl-4-ethyl-6-isobutyl-6-nonene
 d) 2,3,7,8,8-pentamethyl-6-ethyl-4-sec. butyl-3-nonene
19. The correct IUPAC name for the alkene:




- a) 4-methyl-5-ethyl-3-isopropyl-5-isobutyl-3-heptene
 b) 2,4,7-trimethyl-3,5-diethyl-5-isopropyl-3-octene
 c) 4,7-dimethyl-5-ethyl-3,5-diisopropyl-3-octene
 d) 2,5-dimethyl-4-ethyl-4,6-diisopropyl-5-octene
20. The structural formula which corresponds to:

6,6-dimethyl-5-ethyl-3-isobutyl-4-tert. butyl-2-heptene


is:




20. b)



c)



d)



21. The correct formula which corresponds to:

2,2,7-trimethyl-4-ethyl-5-isobutyl-4-octene is:

- a) $\text{CH}_3\text{C}(\text{CH}_3)_2\text{CH}_2\text{C}(\text{CH}_2\text{CH}_3)\text{C}[\text{CH}_2\text{CH}(\text{CH}_3)\text{CH}_3]\text{CH}_2\text{CH}(\text{CH}_3)_2$
- b) $\text{CH}_3\text{C}(\text{CH}_3)_2\text{CH}_2\text{C}(\text{CH}_2\text{CH}_3)\text{C}[\text{C}(\text{CH}_3)_3]\text{CH}_2\text{CH}(\text{CH}_3)\text{CH}_3$
- c) $\text{CH}_3\text{C}(\text{CH}_3)_2\text{CH}\text{C}(\text{CH}_2\text{CH}_3)\text{CH}[\text{CH}_2\text{CH}(\text{CH}_3)\text{CH}_3]\text{CH}_2\text{CH}(\text{CH}_3)\text{CH}_3$
- d) $\text{CH}_3\text{C}(\text{CH}_3)_2\text{CH}\text{C}(\text{CH}_2\text{CH}_3)\text{CH}[\text{CH}_2(\text{CH}_3)\text{CH}_2\text{CH}_3]\text{CH}_2\text{CH}(\text{CH}_3)_2$

22. You are given an INCORRECT name for an alkene. It is:

1-isobutyl-1-isopropyl-2-tert. butyl ethene

Draw the correct structural formula and identify its IUPAC name as a, b, c, or d.

- a) 2,2,5-trimethyl-4-isobutyl-3-hexene
- b) 2,2,6-trimethyl-4-isopropyl-3-heptene
- c) 2,2,5-trimethyl-4-isopropyl-3-octene
- d) 2,2,5,5,-tetramethyl-4-isopropyl-3-heptene

23. From the INCORRECT name of an alkene which is:

3-methyl-2-ethyl-2-isopropyl-4-sec. butyl-3-hexene

- a) 2,3,4,6-tetramethyl-3-ethyl-4-octene
- b) 3,5,6,7-tetramethyl-6-ethyl-4-octene
- c) 3,4,6-trimethyl-3-isopropyl-4-octene
- d) 2,4,6-trimethyl-3-ethyl-4-octene

Self Instructional Package No. 7
Form B¹ - Self Evaluation Exercise - Answers

ALKENES

Sp² Hybridization, Geometric Isomerism, Nomenclature

- | | |
|-------------|----------|
| 1. b | 11. b |
| 2. a, c | 12. b |
| 3. b, c, d | 13. a |
| 4. c, d | 14. c |
| 5. a, c, d | 15. b |
| 6. b, c | 16. a |
| 7. b, d | 17. c |
| 8. a, d | 18. a, b |
| 9. a, b | 19. c |
| 10. a, b, d | |

Self Instructional Package No. 7
Form D¹ - Progress Check Evaluation - Answers

ALKENES

Sp² Hybridization, Geometric Isomerism, Nomenclature

- | | | | | | |
|-----|---|-----|---------|-----|------|
| 1. | F | 11. | a, c, d | 21. | a |
| 2. | T | 12. | b, c | 22. | b |
| 3. | T | 13. | a, d | 23. | a, c |
| 4. | F | 14. | a, c, d | | |
| 5. | T | 15. | b | | |
| 6. | F | 16. | b | | |
| 7. | F | 17. | d | | |
| 8. | F | 18. | a | | |
| 9. | T | 19. | b, c | | |
| 10. | T | 20. | b | | |

