

DOCUMENT RESUME

ED 190 373

SE 031 317

AUTHOR
TITLE

Bonar, John R., Ed.; Hathway, James A., Ed.
Probing the Natural World, Level III, Teacher's
Edition: Crusty Problems. Intermediate Science
Curriculum Study.

INSTITUTION

Florida State Univ., Tallahassee. Dept. of Science
Education.

SPONS AGENCY

National Science Foundation, Washington, D.C.; Office
of Education (DHEW), Washington, D.C.

PUB DATE
NOTE

72
225p.: For related documents, see SE 031 300-330, ED
035 559-560, ED 049 032, and ED 052 940. Contains
colored and shaded photographs, drawings, and print
which may not reproduce well.

EDRS PRICE
DESCRIPTORS

MF01/PC09 Plus Postage.
*Geology: Grade 9: Individualized Instruction;
Instructional Materials: Junior High Schools:
Laboratory Manuals: *Laboratory Procedures: *Natural
Resources: *Problem Solving: *Science Activities:
Science Course Improvement Projects: Science
Education: Secondary Education: Secondary School
Science

IDENTIFIERS

*Intermediate Science Curriculum Study

ABSTRACT

This is the teacher's edition of one of the eight
units of the Intermediate Science Curriculum Study (ISCS) for level
III students (grade 9). This unit focuses on processes that shape the
earth. Optional excursions, in addition to the activities, are
suggested for students who wish to study an area in greater depth on
an individualized basis. An introduction describes geologic time and
preparation of laboratory equipment. Illustrations accompany the
text. (SA)

* Reproductions supplied by EDRS are the best that can be made *
* from the original document. *

Crusty Problems


U.S. DEPARTMENT OF HEALTH,
EDUCATION & WELFARE
NATIONAL INSTITUTE OF
EDUCATION

THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL NATIONAL INSTITUTE OF EDUCATION POSITION OR POLICY.

"PERMISSION TO REPRODUCE THIS MATERIAL HAS BEEN GRANTED BY

Mary J. Charles
of the NSF

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)."



ED190373

SE 031317

...bing the Natural World / 3

THIS BOOK IS THE PROPERTY OF:

STATE _____
 PROVINCE _____
 COUNTY _____
 PARISH _____
 SCHOOL DISTRICT _____
 OTHER _____

Book No. _____
 Enter information
 in spaces
 to the left as
 instructed

ISSUED TO	Year Used	CONDITION	
		ISSUED	RETURNED

PUPILS to whom this textbook is issued must not write on any page or mark any part of it in any way, consumable textbooks excepted.

- Teachers should see that the pupil's name is clearly written in ink in the spaces above in every book issued.
- The following terms should be used in recording the condition of the book: New, Good, Fair, Poor, Bad.

INTERMEDIATE SCIENCE CURRICULUM STUDY TEACHER'S EDITION

Crusty Problems

Probing the Natural World / Level III



SILVER BURDETT
GENERAL LEARNING CORPORATION

Morristown, New Jersey • Park Ridge, Ill. • Palo Alto • Dallas • Atlanta

ISCS PROGRAM

LEVEL I Probing the Natural World / Volume 1 / with Teacher's Edition
Student Record Book / Volume 1 / with Teacher's Edition
Master Set of Equipment / Volume 1
Test Resource Booklet

LEVEL II Probing the Natural World / Volume 2 / with Teacher's Edition
Record Book / Volume 2 / with Teacher's Edition
Master Set of Equipment / Volume 2
Test Resource Booklet

LEVEL III Why You're You / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment
Environmental Science / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment
Investigating Variation / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment
In Orbit / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment
What's Up? / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment
Crusty Problems / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment
Winds and Weather / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment
Well-Being / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment

ACKNOWLEDGMENTS

The work presented or reported herein was performed pursuant to a Contract with the U. S. Office of Education, Department of Health, Education, and Welfare. It was supported, also, by the National Science Foundation. However, the opinions expressed herein do not necessarily reflect the position or policy of the U. S. Office of Education or the National Science Foundation, and no official endorsement by either agency should be inferred.

© 1972 THE FLORIDA STATE UNIVERSITY

All rights reserved. Printed in the United States of America. Published simultaneously in Canada. Copyright is claimed until 1977. Except for the rights to materials reserved by others, the Publishers and the copyright owner hereby grant permission to domestic persons of the United States and Canada for use of this work without charge in the English language in the United States and Canada after 1977 provided that the publications incorporating materials covered by the copyrights contain an acknowledgment of them and a statement that the publication is not endorsed by the copyright owner. For conditions of use and permission to use materials contained herein for foreign publications in other than the English language, apply to the copyright owner. This publication, or parts thereof, may not be reproduced in any form by photographic, electrostatic, mechanical, or any other method, for any use, including information storage and retrieval, without written permission from the publisher.

ILLUSTRATIONS: © 1972 GENERAL LEARNING CORPORATION.
ALL RIGHTS RESERVED.

An Introduction

This unit is about the geologic processes that shape the landscape. A given landscape on the earth is the product of the influence of either tectonic or erosional forces acting on the crust over a long period of time. The concept of geologic time is difficult to comprehend, but very important in understanding why the landscape looks as it does. The processes that shape the land are very gradual, and for the most part (except during earthquakes, volcanic eruptions, floods, etc.) radical changes in the landscape do not occur within our lifetimes, but rather in the course of millions of years (see Geologic Time Chart shown in Table T1).

The unit introduces students to both internal and external processes. Internal processes have traditionally included earthquake activity, volcanic and plutonic activity, and metamorphism. These processes are associated with the formation of crustal structures such as continents, ocean basins, mountains, folds, faults, and volcanoes. Recent studies in geology, especially those pertaining to ocean features, have led to a unified theory of crustal structures. This theory, the plate tectonic theory, envisions the formation of new crust along mid-ocean ridges, the movement away from the ridges by large crustal plates, and the subduction of the plates at deep-sea trenches. The beginnings of this theory are founded in the early proposal of Alfred Wegener (see references). In 1915 he proposed that the earth's continents formed one supercontinent that later split apart, the fragments gradually drifting apart from one another. The theory was considered controversial and divided geologists into opposing groups. The debate among geologists continued and has led to a general theory that goes beyond drifting continents to include major tectonic plates.

Mountains are a major feature of the landscape, but more importantly, they reflect in their appearance the internal processes affecting the crust. Of major significance are the processes of vulcanism, which involve movements of molten rock, and of diastrophism, which involve movements of solid crustal rock. In addition to volcano formation, vulcanism is responsible for masses of solidified rock that have intruded, while molten, into older rock formations.

T 3

Table T1

GEOLOGIC TIME CHART				
The Geologic Time Scale				
ERA	PERIOD	EPOCH	Beginning	Duration
			(approx. millions of years ago)	(approximate millions of years)
Cenozoic	Quaternary	Recent	0-1	1
		Pleistocene		
	Tertiary	Pliocene	11	10
		Miocene	25	14
		Oligocene	40	15
		Eocene	60	20
Mesozoic	Cretaceous		135	65
		Jurassic	180	45
		Triassic	225	45
Paleozoic	Permian	Carboniferous	270	45
			350	80
	Pennsylvanian		400	50
			440	40
	Mississippian		500	60
			600	100
	Devonian			
Silurian				
Ordovician				
Cambrian				
Precambrian		Late	Although many local subdivisions are recognized, no worldwide system has been evolved. The Precambrian lasted for at least 2½ billion years. Oldest dated rocks are at least 2,700 million, possibly 3,300 million, years old.	
		Middle		
		Early		

Diastrophic activity can occur in several forms: rocks may move along a fracture line, fold over themselves, or be displaced in great upward, downward, or tilting motions that affect a whole region. The earth is not so solid beneath our feet as we may think, but is forever in the processes of change through energetic forces.

Structural features, such as mountains, do not last forever. Kinetic energy supplied by erosional agents acting over long periods of time has profound effects on the land.

The wearing away of rocks by wind, water, and ice and the subsequent deposition of the debris elsewhere are factors that shape all landscapes. Soil, that significant feature of the earth's crust, is a mixture of this rock debris with organic matter. The running water of streams is the most common source of erosion that leads to the formation of valleys and floodplains. Less common, but often more spectacular, are the effects of glaciers, wind, ocean waves and currents, and groundwater. The materials removed by erosion accumulate in various locations as sediments, the major portions of which find their way into the oceans. These sediments, continually being buried under new deposits, harden into new rocks whose characteristics reveal much about the history of a region.

If more information on geology is desired, the following references are recommended.

- Beiser, Arthur, and the Editors of *Life. The Earth (Life Nature Library)*. New York: Time, Inc., 1962.
- Boyer, Robert E., and Jon L. Higgins. *Activities and Demonstrations for Earth Science*. West Nyack, N.Y.: Parker Publishing Co., Inc., 1970.
- Clark, Thomas H., and Colin W. Stearn. *The Geological Evolution of North America*. New York: The Ronald Press Company, 1960.
- Editors of *Scientific American. The Planet Earth*. New York: Simon and Schuster, Inc., 1963.
- Engel, Leonard, and the Editors of *Life. The Sea (Life Nature Library)*. New York: Time, Inc., 1963.
- ESCP Pamphlet Series, Houghton Mifflin Company, Boston, 1971.
- The following titles in the series are especially appropriate:
- PS-1 Field Guide to Rock Weathering
 - PS-3 Field Guide to Layered Rocks
 - PS-4 Field Guide to Fossils
 - PS-5 Field Guide to Plutonic and Metamorphic Rocks
 - PS-6 Color of Minerals
 - PS-7 Field Guide to Beaches
 - PS-8 Field Guide to Lakes
- Farb, Peter, and the Editors of *Life. The Land and Wildlife of North America (Life Nature Library)*. New York: Time, Inc., 1963.
- Gamow, George. *A Planet Called Earth*. New York: The Viking Press, Inc., 1963.
- Heller, Robert L., ed. *Geology and Earth Sciences Sourcebook*. New York: Holt, Rinehart and Winston, 1970.
- Leopold, A. Starker, and the Editors of *Life. The Desert (Life Nature Library)*. New York: Time, Inc., 1962.
- Leopold, Luna, Kenneth S. Davis, and the Editors of *Life. Water (Life Science Library)*. New York: Time, Inc., 1966.
- Milne, Lorus J. and Margery, and the Editors of *Life. The Mountains (Life Nature Library)*. New York: Time, Inc., 1962.
- Powell, J. W., *Down the Colorado!* (Science Reading Series). Princeton, N.J.: Princeton University Press, 1964.

- Rhodes, Frank H. T., H. S. Zim, and P. R. Shaffer. *Fossils: A Guide to Prehistoric Life*. New York: Golden Press, Inc., 1962.
- Shelton, John S. *Geology Illustrated*. San Francisco: W. H. Freeman & Co., Publishers, 1966.
- Stokes, William L., and Sheldon Judson. *Introduction to Geology: Physical and Historical*. Englewood Cliffs, N.J.: Prentice Hall, Inc., 1968.
- Wegener, Alfred. *The Origin of Continents and Oceans*. New York: Dover Publications, 1966.
- Zim, Herbert S., and Paul R. Shaffer. *Rocks and Minerals (A Golden Nature Guide)*. New York: Golden Press, Inc., 1957.

If possible, you should have available in your classroom a number of reference books for use as additional resource material by the students.

The following films from Encyclopedia Britannica Films, 1150 Wilmette Avenue, Wilmette, Illinois, are recommended for use with the following chapters.

- Chapter 1: Evidence for the Ice Age
- Chapter 2: Rocks That Form on the Earth's Surface
Rocks That Originate Underground
Why Do We Still Have Mountains?
- Chapter 3: Erosion—Leveling the Land
- Chapter 4: The Beach—A River of Sand Waves on Water

AN OVERVIEW

The materials in this unit are organized differently from those in other units. There are few activities in the chapters. Instead, through carefully selected pictorial evidence, limited explanation, and a series of questions, the chapters introduce the major geologic mechanisms for shaping the landscape.

All the questions are backed up by appropriate resources, which provide the necessary information and activities from which to derive answers to the questions. However, it is the student's responsibility to determine which resources are needed. Remember, it is the intention of the unit to have the student reason out the information required. Both because of his maturity and previous ISCS experiences, the student should be able to respond to questions such as "What are the variables involved?" or "What information do I need in order to answer the question?"

Chapter 1 sets the stage for the entire unit. Common geologic features are presented, with a series of pertinent questions. Instruction is provided to help the student perceive the pattern to be used in finding answers. Resources are referred to, and the student gets acquainted with how they are to be used. The remainder of the unit then focuses on the major features of the landscape.

Chapter 2 centers on some of the most spectacular scenery in the United States—the mountains. The student will consider such key processes as uplift, layering, vulcanism, erosion, glaciation, and diastrophism. Numerous activities are available in the resources to aid him in his quest for understanding.

Another major landscape feature is the midlands, the topic for Chapter 3. Rivers play an important role in shaping the midlands sector and thus receive a major emphasis in the chapter. The student is called on to use the concept of kinetic energy that he studied in earlier levels of ISCS. Erosion and deposition are important processes featured in this chapter.

A third major feature of the landscape, the shorelands, is considered rather thoroughly in Chapter 4. Shorelands include not only the coastal regions but also the beaches of our many lakes. The student will be exposed to such topics as wave action, beach variability, delta formation, and tidal action. Resources are varied and abundant for providing activities to help explain these processes and features.

Some of the forces with which the student has been involved in previous ISCS levels are again put to use in the activities of this unit. Many types of energy, including gravitational, chemical, heat, solar, glacial, meteorological, and mechanical, are interwoven throughout *Crusty Problems*.

With our hurried pattern of living, some students may try to finish the unit as rapidly as possible. Help such students to slow down. The effects of undue speed are especially detrimental in the stream-table activities. Because you are using such a small amount of water, it takes time to produce an observable change. The student must be patient and observant or the details of what happens will be lost entirely. The same type of deliberation will be needed for many of the questions included in these chapters. The student should realize, however, that the stream table is only a simulation. The particles, volume of water, and time are not on the same scale as in nature.

You will have to help some students use the resources wisely. Beginning in Chapter 2, the resources are grouped by clusters at the end of each chapter. All the resources in any particular cluster are aimed at a specific concept in geology. The student text points toward the cluster; the student must select the appropriate resources from it.

Not only does the student have a choice of which resources to study, but he could also be given a choice of the order with which he deals with the chapters. For instance, all students could begin with Chapter 1. Then some could go to Chapter 2 on mountains, some to Chapter 3 on midlands, and the remainder to Chapter 4 on seashores. After finishing a chapter, the student could proceed to another one until all four chapters are completed. One decided advantage that this system affords is relieving congestion and demand on the available equipment. The four stream tables, the modeling clay, and other items will go a lot further in supplying student needs.

In any case, don't expect all students to travel at the same pace, or get the same answers to questions, or use the same resources. This unit can go a long way in providing for individual differences.

ITEMS TO BE SUPPLIED LOCALLY

In order to keep costs to a minimum, and to reduce the bulk of the kit, it is suggested that a number of items needed in the unit be procured locally.

Many of these can normally be found in a science classroom; others are easily obtained from your students. You will probably want to set up a checklist and gather the materials well before they are needed for the activities.

In Chapter 1 and the accompanying resources, you will need several pairs of scissors, several sets of pencils in 3 different colors, rulers, and tape. In addition, you should ask students to bring in baby-food jars. You will probably be able to use 3 dozen or so in the chapters that follow. If you don't have a clock with a sweep-second hand in your room, it might be possible to get an old but usable clock donated for use in the timing exercises in the later chapters.

Chapter 2 with its resources will require white paper, rulers, scissors, paper towels, a protractor, a 5" x 7" index card, baby-food jars, tape, a short piece of string or thread, a weight such as a lead sinker, a sharp steel nail or needle, 10 one-quart milk cartons (unless test-tube racks are available), 10 glass plates about 2" square (cut from broken window glass), a sharp knife, corks for test tubes, 3 sticks of white chalk, 3 sticks of colored chalk, several teaspoons (may be plastic), about 60 small paper cups, a metal file, 2 sheets of fine sandpaper, a 10" x 10" piece of masonite or plywood board, 4 building bricks, wooden matches, 4 wooden blocks, such as 2 x 4's, about 1 foot long, several old hacksaw blades, and a dozen pans, such as old aluminum pie or cake pans, and some sand to put in them.

Chapter 3 and its resources need first the sand that is to be mixed with the silt that is supplied (for the 4 stream tables) along with some sand that will be used unmixed, as in the pans in Chapter 2. You probably should get about 6 gallons of clean sand (that's about 75 lb) to use for all the activities. Then you will also need about a quart of gravel (pebbles, small stones), wax marking pencils, a cup of powdered milk, a knife, baby-food jars, 8 cardboard shoe boxes, and about 20 pieces of cardboard from old boxes.

In Chapter 4 and the resources supporting it, you will need 4 more wooden blocks, about 2" x 4" x 8", for the wave activities, and gravel as in Chapter 3. For all the stream-table activities in Chapters 3 and 4, it would be wise to have a generous supply of paper towels, rags, and a mop. It would also help to have another pail or two for students to rinse their hands, so that sand or silt does not go into your sink drain.

PREPARATION OF EQUIPMENT

With the materials listed for local supply and the items furnished in the kit, you should have everything needed to supply all the chapters and resources. But a number of advance preparations must be made for using these materials. It would probably be wise to get these done as soon as the students begin the unit. In the following listing, a brief procedure is given, along with the chapters and resources in which the equipment will be used.

1. **Cleanup area** Provide a bucket of water for preliminary washing of hands as the students work with the stream tables. The mud should not be washed

into a sink. Have plenty of paper towels and a mop on hand in case of emergencies. This will be used throughout the unit.

2. **Modeling clay (5 lb)** The plasticene clay is furnished in assorted colors. Set up a shoe box or other container on the supply table for each separate color. At the conclusion of an activity, the models should be broken down and the clay separated by color. A flat blade such as an old hacksaw blade will be useful in cutting the clay. Resources 15, 17, 18.
3. **Rock kit (4 each of 16 samples)** Each rock sample must be numbered. The following procedure (also included with the rock kit) will serve as a guide: On each rock, form a dot about $\frac{1}{4}$ " in diameter with the white marking liquid. Let it dry; then write the number given in the parentheses on the white dot with a ball-point pen. By types, the rocks are as follows: *Sedimentary*: conglomerate (13), shale (16), limestone (17), sandstone (19). *Metamorphic*: gneiss (05), marble (12), quartzite (15), slate (18), schist (20). *Igneous*: pink granite (06), gray granite (07), gabbro (08), basalt (09), rhyolite (10), obsidian (11), pumice (14). Resources 5, 6, 7, 9, 10.
4. **Hydrochloric acid—(0.5M) (1 lb)** Add 20 ml of concentrated (12M) hydrochloric acid (HCl) to 480 ml of water. Dispense in dropping bottles labeled "Dilute HCl." Resources 5, 7, 9
5. **Test-tube racks (quart milk cartons) (10)** If test-tube racks are not available, you may want to make racks out of the plastic-coated, one-quart milk cartons. Cut out one side of the carton for the front of the rack. Make several cuts in the top side, large enough for a test tube to slide in, and spaced along the top. Resources 6, 7
6. **Corks (#15) (50)** Wells must be cut in the corks to receive molten materials. It is rather arduous making the hole with a knife; if you have a cork-borer (or can borrow one), a quicker and neater job can be done. Alternatively, your school shop might drill the holes the correct size for you. Details are given in Resource 6, where they are used.
7. **White sand (4 lb)** Put the white sand out, a baby-food jar at a time, on the supply table. Label it "White sand." Resources 7, 8, 36
8. **Chalk (3 white, 3 colored)** Crush the white chalk and the colored chalk separately into a fine powder, and put in labeled baby-food jars on the supply table. Resource 7
9. **Silt mix (4 lb)** Save out a baby-food jar full before you make the sand-silt mix. Put the labeled jar on the supply table for Resource 7.
10. **Sand-silt mix** Save out a baby-food jar full when you mix it for the stream-tables. Label the jar for the supply table. Resource 7
11. **Minerals kit (2 each of 12 samples)** Each mineral sample must be numbered in the same way as the rock samples (see preparation 3). The numbers in the parentheses should be used for the following minerals: augite (21), calcite (22),

microcline feldspar (23), plagioclase feldspar (24), galena (25), garnet (26), hematite (27), hornblende (28), biotite mica (29), muscovite mica (30), olivine (31), quartz (32). Resource 11


12. Volcano Using the copper sheet, the 10" x 10" board, and the 4 bricks, and following the directions in the teacher notes in Resource 13, the volcano can be constructed. Ammonium dichromate and magnesium ribbon are supplied in the kit. Large wooden matches should be used for igniting the ribbon. It is suggested that only one set-up be constructed and that the activity be done under close supervision with groups of students who arrive at that point together. The activity gives a very realistic simulation in a semidarkened room, but you should be forewarned that it is very messy. The products of the combustion of the ammonium dichromate include chromic oxide, Cr_2O_3 , which is a dark-green fluffy substance. As with a real volcano, this ash is thrown into the air, and will be all over the room. Also, as with any pyrotechnics, the activity is potentially dangerous. Resource 13


13. Stream table (4) This apparatus is the most widely used item in the unit, and is utilized continually in Chapters 3 and 4. Preparation is broken into three parts: (a) the stream table with outlet system, (b) the supply system, and (c) the contents of the table.

(a) *The outlet assembly* must be put together. Keep the inside end of the threaded pipe as close as possible to the inside surface of the plastic. Tighten the nuts well the first time to avoid leakage. Attach a 60-cm length of the rubber hose and add the screw clamp. Wooden blocks or bricks are used to provide a slope to the table.

(b) *Supply buckets.* Heat a large nail (quite hot) and push it through the sides of four of the plastic five-quart buckets, about two centimeters from their bottoms as shown below. Enlarge the hole by reheating the nail and forming an opening just large enough to allow the insertion of the threaded pipe. Smooth both inner and outer surfaces around the hole with a sharp tool.

Use the assembly kits containing the threaded pipe, washers, and nuts to make a spout. Modeling clay under the washers helps to make a tight seal when the nuts are tightened. Attach 30 cm of rubber tubing and add the screw clamp.





The supply bucket should be supported about 30 cm above the table. A cardboard box or stool may be used. If a cardboard box is used, add several thicknesses of corrugated cardboard under the bucket. A thin plastic cover should be added to keep water off the cardboard box.

- (c) **Sand-silt mix.** Add enough clean sand to the 4 lb of silt mix supplied in the kit to make 4 gallons of sand-silt mixture. Mix well. Put 1 gallon (4 quarts) of the mixture in each stream table. Save out a baby-food jar full for Resource 7. The mix should be pre-wet before student use. Chapter 3: Resources 27, 28, 29, 31, 32, 33, 34, 36; Chapter 4: Resources 38, 40, 41, 44, 46


14. Stream trough (1) The lower end of the stream trough should extend just over the end of a table. The catch bucket can rest on a chair. The supply bucket should be lower than when it is used for the stream table. Resource 27.

15. Powdered milk solution (1 cup) Prepare the solution, making it as thick as possible and yet easily dispensable with a medicine dropper. This solution needs refrigeration if it is kept for a period of time. Resource 28


16. Plaster Sheets (8) Two thin sheets of plaster are needed for each stream table to provide the hard caprock for the waterfall activity. The simplest way of preparing these sheets is to put a very thin layer of water into the bottom of a flat dish, such as an aluminum pie dish, and sprinkle in plaster of paris to make a wet layer about 3 mm deep. Allow this mixture to set. When it is almost set, cut through the plaster to make strips about 5 cm wide, the width of the dish. Allow these to set and dry completely. Resource 33

17. Sand-and-plaster blocks (8) Each stream table will need a block made of 25% plaster of paris and 75% sand for the wave erosion activity. You should also prepare a second set of blocks for use when the first set is eroded away. Each block should be 2" x 1 1/4" x 1 1/4". A piece of wood 3/4" thick, 1 1/4" wide, and 9 1/2" long will furnish the material for the mold. Cut the piece of wood into four parts, two of which are 1 1/4" long, and the other two pieces 3 1/2" long. Then follow these directions:

- (a) Make the mold by using the four pieces of wood you cut as shown in the sketch. Hold it together with rubber bands.




- (b) Put a thin layer of sand or soil into the bottom of an old aluminum pie dish and set the mold in the sand.



- (c) Thoroughly mix 1 cup of plaster of paris with 3 cups of clean sand.
(d) Pour water into the mold till it is about half full, and quickly sprinkle the plaster-sand mixture into the water, continuing until the mixture is level with the top of the mold.
(e) Sprinkle some water on top if it looks dry. Care should be taken that the block does not become too wet.
(f) The block should set sufficiently to permit removal from the mold in about an hour.
(g) Any of the mixture that remains after making the 8 blocks can be stored in a tightly capped jar.

T 12



(h) Use a knife or any sharp instrument to make a small cut in the block about halfway up. It should be about $\frac{1}{2}$ " long and $\frac{1}{8}$ " deep. It represents a joint (crack) in the rock. Make a similar cut near the top of the block and another near the bottom. The water level in the stream table must reach the middle notch. Resource 38

18. Plaster blocks (12) Each stream table will need one block $3'' \times 2'' \times 2''$ and two blocks $4'' \times 2'' \times 2''$ made of 100% plaster. Prepare the molds of suitable dimensions in the same way you did for the sand-and-plaster block in preparation 17. Follow the same procedure for making the block, using plaster of paris only. The blocks will take about the same time to set. The larger blocks are used in Resources 40, 41, 44, and 46. The smaller block is used in Resource 44.

19. Sand dune box (5) Provide labeled shoe boxes with one end cut out. Put in $\frac{1}{2}$ " of plain sand. Resource 37

20. Concept of geologic time Ninth graders (and most adults!) find it difficult to conceive of the vast spans of geologic time. This is especially understandable when you consider how short the life span of nearly everything around us is. In geologic time, a million years is a relatively short period. As a result, this unit does not attempt to develop an understanding of geologic time as an absolute. Relative rates at which the features are changing are developed, however. You may want to provide some information for those students who are interested. Here is a suggested method. The age of the earth is approximately 4.5 billion years. Obtain 4.5 meters of adding machine tape and a meterstick. Have the students locate points on the tape that correspond to the dates given for the following events. (Hint: First, mark one-billion-year units on the tape.)

- (a) Oldest rock ever found 3.3 billion years old
- (b) First abundant animal fossils 0.6 billion years ago
- (c) First reptiles 0.3 billion years ago
- (d) Arid climate in much of North America 0.22 billion years ago
- (e) First primitive horses07 billion years ago
- (f) Man002 billion years ago
- (g) Last Ice Age00001 billion years ago
- (h) Earliest written records of man000005 billion years ago
- (i) First movable-type printing press 00000053 billion years ago
- (j) The year of your birth — years ago

Stretch the finished tape along one side of the room and leave it up for display throughout the unit.

GENERAL INFORMATION

Each chapter of the Teacher's Edition contains an equipment list for that chapter. The same is true for each resource. In addition, the last page of the final resource for the chapter alerts you to the preparations necessary for the following chapter.

The first page of each chapter also gives the chapter emphasis and the major points, and a listing of the clusters of resources that may be used. The first page of each resource gives the purpose and major points. Answers to some key questions are also included in the margins of this Teacher's Edition.

INTERMEDIATE SCIENCE CURRICULUM STUDY TEACHER'S EDITION

Crusty Problems

Probing the Natural World / Level III



SILVER BURDETT

GENERAL LEARNING CORPORATION

Morristown, New Jersey • Park Ridge, Ill. • Palo Alto • Dallas • Atlanta

ISCS PROGRAM

- LEVEL I** **Probing the Natural World / Volume 1 / with Teacher's Edition**
Student Record Book / Volume 1 / with Teacher's Edition
Master Set of Equipment / Volume 1
Test Resource Booklet
- LEVEL II** **Probing the Natural World / Volume 2 / with Teacher's Edition**
Record Book / Volume 2 / with Teacher's Edition
Master Set of Equipment / Volume 2
Test Resource Booklet
- LEVEL III** **Why You're You / with Teacher's Edition**
Record Book / with Teacher's Edition / Master Set of Equipment
Environmental Science / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment
Investigating Variation / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment
In Orbit / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment
What's Up? / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment
Crusty Problems / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment
Winds and Weather / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment
Well-Being / with Teacher's Edition
Record Book / with Teacher's Edition / Master Set of Equipment

ACKNOWLEDGMENTS

The work presented or reported herein was performed pursuant to a Contract with the U. S. Office of Education, Department of Health, Education, and Welfare. It was supported, also, by the National Science Foundation. However, the opinions expressed herein do not necessarily reflect the position or policy of the U. S. Office of Education or the National Science Foundation, and no official endorsement by either agency should be inferred.

© 1972 THE FLORIDA STATE UNIVERSITY

All rights reserved . Printed in the United States of America. Published simultaneously in Canada . Copyright is claimed until 1977. Except for the rights to materials reserved by others, the Publishers and the copyright owner hereby grant permission to domestic persons of the United States and Canada for use of this work without charge in the English language in the United States and Canada after 1977 provided that the publications incorporating materials covered by the copyrights contain an acknowledgment of them and a statement that the publication is not endorsed by the copyright owner. For conditions of use and permission to use materials contained herein for foreign publications in other than the English language, apply to the copyright owner. This publication, or parts thereof, may not be reproduced in any form by photographic, electrostatic, mechanical, or any other method, for any use, including information storage and retrieval, without written permission from the publisher.

ILLUSTRATIONS: © 1972 GENERAL LEARNING CORPORATION.
ALL RIGHTS RESERVED.

ISCS STAFF

David D. Redfield, *Co-Director*
William R. Snyder, *Co-Director*
Ernest Burkman, *Steering Committee Chairman*

- * Laura M. Bell, *Artist*
- * John R. Bonar, *Editor*
- Dennan A. Browne, *Artist*
- * Harold L. Buell, *Administration*
- Robert L. Cocanougher, *Art Director*
- * Betsy Conlon Balzano, *Evaluation*
- Stewart F. Darrow, *Field Trial-Teacher Education*
- George O. Dawson, *Teacher Education*
- James A. Hathway, *Editor*
- * John S. Hutchinson, *Field Trial Teacher Education*
- * Sally Diana Kaicher, *Art Director*
- * Jane Larsen, *Art Director*
- Adrian D. Lovell, *Administration*
- * Audley C. McDonald, *Administration*
- * W. T. Myers, *Administration*
- Lynn H. Rogers, *Artist*
- Stephen C. Smith, *Artist*
- Lois S. Wilson, *Assistant Editor*

ISCS ADVISORY COMMITTEE

- J. Myron Atkin, *University of Illinois*
- Betsy Conlon Balzano, *State University of New York at Brockport*
- Werner A. Baum, *University of Rhode Island*
- Herman Branson, *Lincoln University*
- * Martha Duncan Camp, *The Florida State University*
- Clifton B. Clark, *University of North Carolina at Greensboro*
- Steve Edwards, *The Florida State University*
- Robert M. Gagné, *The Florida State University*
- Edward Haenisch, *Wabash College*
- * Michael Kasha, *The Florida State University*
- Russell P. Kropp, *The Florida State University*
- J. Stanley Marshall, *The Florida State University*
- William V. Mayer, *University of Colorado*
- Herman Parker, *University of Virginia*
- Craig Sipe, *State University of New York at Albany*
- * Harry Sisler, *University of Florida*
- Clifford Swartz, *State University of New York at Stony Brook*
- Claude A. Welch, *Macalester College*
- Gates Willard, *Manhasset Junior High School, Manhasset, N.Y.*
- Herbert Zim, *Science Writer, Tavernier, Florida*

* Former member

MATERIALS DEVELOPMENT CONTRIBUTORS

This list includes writing-conference participants and others who made significant contributions to the materials, including text and art for the experimental editions.

Janet Anderson, *Nyack, N.Y.*...Gerald R. Bakker, *Earlham College*...Frank Balzano, *F.S.U.*...Harold N. Bliss, *Mayville State College*. Olaf A. Boedtker, *Oregon State Univ.* Calvin E. Bolin, *F.S.U.* Earl Brakken, *Two Harbors, Minn.* Bobby R. Brown, *F.S.U.* Robert J. Callahan, Jr. (deceased). Brian W. Carsa, *University of Illinois*. Lois H. Case, *Lombard, Ill.* Clifton B. Clark, *University of North Carolina at Greensboro*. Sara P. Craig, *F.S.U.* John D. Cunningham, *Keene State College*. David H. Dasenbrock, *F.S.U.* Doris Dasenbrock, *F.S.U.* Jeff C. Davis, *University of South Florida*. Alan D. Dawson, *Dearborn Public Schools, Mich.* George O. Dawson, *F.S.U.* Gerrit H. DeBoer, *F.S.U.* Howard E. DeCamp, *Glenn Ellyn, Ill.* James V. DeRose, *Newtown Square, Pa.* William A. Deskin, *Cornell College*. William K. Easley, *Northeast Louisiana State College*. Donald C. Edinger, *University of Arizona*. Camillo Fano, *University of Chicago Laboratory School*. Ronald A. Fisher, *Maquoketa, Iowa*. Edwin H. Flemming, *F.U.S.* Paul K. Flood, *F.S.U.* Harper W. Frantz, *Pasadena City College (Emeritus)*. Earl Friesen, *San Francisco State College*. Bob Galati, *Fullerton, Calif.* J. David Gavenda, *The University of Texas*. Charles A. Gilman, *Winchester, N.H.* Robert J. Goll, *Jacksonville University*. Ralph H. Granger, Jr., *Walpole, N.H.* H. Winter Griffith, *F.S.U.* William Gunn, *Miami, Florida*. John Hart, *Xavier University*. John R. Hassard, *Georgia State University*. J. Dudley Herron, *Purdue University*. Father Francis Heyden, S.J., *Georgetown University*. Leonard Himes, *Sarasota, Florida*. Evelyn M. Hurlburt, *Montgomery Junior College*. John R. Jablonski, *Boston University*. Bert M. Johnson, *Eastern Michigan University*. Roger S. Jones, *University of Minnesota*. Leonard A. Kalal, *Colorado School of Mines*. Theodore M. Kellogg, *University of Rhode Island*. Elizabeth A. Kendzior, *University of Illinois*. F. J. King, *F.S.U.* David Klasson, *Millville, Calif.* Ken Kramer, *Wright State University*. William H. Long, *F.S.U.* Robert Lepper, *California State College*. Harold G. Liebherr, *Milwaukee, Wis.* William D. Larson, *College of St. Thomas*. Mable M. Lund, *Beaverton, Oregon*. H. D. Luttrell, *North Texas State University*. Maxwell Maddock, *F.S.U.* Solomon Malinsky, *Sarasota, Florida*. Eloise A. Mann, *Sarasota, Florida*. Harleen W. McAda, *University of California at Santa Barbara*. Auley A. McAuley, *Michigan State University*. E. Wesley McNair, *F.S.U.* Marilyn Miklos, *F.S.U.* Floyd V. Monaghan, *Michigan State University*. Rufus F. Morton, *Westport, Conn.* Tamson Myer, *F.S.U.* Gerald Neufeld, *F.S.U.* James Okey, *University of California*. Lawrence E. Oliver, *F.S.U.* Larry O'Rear, *Alice, Texas*. Herman Parker, *University of Virginia*. Harry A. Pearson, *Western Australia*. James E. Perham, *Randolph-Macon Woman's College*. Darrell G. Phillips, *University of Iowa*. Howard Pierce, *F.S.U.* David Poché, *F.S.U.* Charles O. Pollard, *Georgia Institute of Technology*. Glenn F. Powers, *Northeast Louisiana State College*. Ernest Gene Preston, *Louisville, Ky.* Edward Ramoy, *F.S.U.* Earl R. Rich, *University of Miami*. John Schaff, *Syracuse University*. Carroll A. Scott, *Williamsburg, Iowa*. Earle S. Scott, *Ripon College*. Thomas R. Spalding, *F.S.U.* Michael E. Stuart, *University of Texas*. Sister Agnes Joseph Sun, *Marygrove College*. Clifford Swartz, *State University of New York*. Thomas Teates, *F.S.U.* Bill W. Tillery, *University of Wyoming*. Ronald Townsend, *University of Iowa*. Mordecai Treblow, *Bloomshurg State College*. Henry J. Triesenberg, *National Union of Christian Schools*. Paul A. Yestal, *Rollins College*. Robert L. Vickery, *Western Australia*. Frederick B. Voight, *F.S.U.* Claude A. Welch, *Macalester College*. Paul Westmeyer, *F.S.U.* Earl Williams, *University of Tampa*. G. R. Wilson, Jr., *University of South Alabama*. Harry K. Wong, *Atherton, California*. Charles M. Woolheater, *F.S.U.* Jay A. Young, *King's College*. Victor J. Young, *Queensborough Community College*.

The genesis of some of the ISCS material stems from a summer writing conference in 1964. The participants were:

Frances Abbott, *Miami-Dade Junior College*. Ronald Atwood, *University of Kentucky*. George Asanua, *Carnegie Institute*. Colin H. Barrow, *University of West Indies*. Peggy Bazzel, *F.S.U.* Robert Binger (deceased). Donald Bucklin, *University of Wisconsin*. Martha Duncan Camp, *F.S.U.* Roy Campbell, *Broward County Board of Public Instruction, Fla.* Bruce E. Cleare, *Tallahassee Junior College*. Ann-cle Hall, *Pensacola, Florida*. Charles Holcolmb, *Mississippi State College*. Robert Kemman, *Mt. Prospect, Ill.* Gregory O'Berry, *Coral Gables, Florida*. Elra Palmer, *Baltimore*. James Van Pierce, *Indiana University Southeast*. Guenter Schwarz, *F.S.U.* James E. Smeland, *F.S.U.* C. Richard Tillis, *Pine Jog Nature Center, Florida*. Peggy Wiegand, *Emory University*. Elizabeth Woodward, *Augusta College*. John Woolever, *Sarasota, Florida*.

Foreword

A pupil's experiences between the ages of 11 and 16 probably shape his ultimate view of science and of the natural world. During these years most youngsters become more adept at thinking conceptually. Since concepts are at the heart of science, this is the age at which most students first gain the ability to study science in a really organized way. Here, too, the commitment for or against science as an interest or a vocation is often made.

Paradoxically, the students at this critical age have been the ones least affected by the recent effort to produce new science instructional materials. Despite a number of commendable efforts to improve the situation, the middle years stand today as a comparatively weak link in science education between the rapidly changing elementary curriculum and the recently revitalized high school science courses. This volume and its accompanying materials represent one attempt to provide a sound approach to instruction for this relatively uncharted level.

At the outset the organizers of the ISCS Project decided that it would be shortsighted and unwise to try to fill the gap in middle school science education by simply writing another textbook. We chose instead to challenge some of the most firmly established concepts about how to teach and just what science material can and should be taught to adolescents. The ISCS staff have tended to mistrust what authorities believe about schools, teachers, children, and teaching until we have had the chance to test these assumptions in actual classrooms with real children. As conflicts have arisen, our policy has been to rely more upon what we saw happening in the schools than upon what authorities said could or would happen. It is largely because of this policy that the ISCS materials represent a substantial departure from the norm.

The primary difference between the ISCS program and more conventional approaches is the fact that it allows each student to travel

at his own pace, and it permits the scope and sequence of instruction to vary with his interests, abilities, and background. The ISCS writers have systematically tried to give the student more of a role in deciding what he should study next and how soon he should study it. When the materials are used as intended, the ISCS teacher serves more as a "task easer" than a "task master." It is his job to help the student answer the questions that arise from his own study rather than to try to anticipate and package what the student needs to know.

There is nothing radically new in the ISCS approach to instruction. Outstanding teachers from Socrates to Mark Hopkins have stressed the need to personalize education. ISCS has tried to do something more than pay lip service to this goal. ISCS' major contribution has been to design a system whereby an average teacher, operating under normal constraints, in an ordinary classroom with ordinary children, can indeed give maximum attention to each student's progress.

The development of the ISCS material has been a group effort from the outset. It began in 1962, when outstanding educators met to decide what might be done to improve middle-grade science teaching. The recommendations of these conferences were converted into a tentative plan for a set of instructional materials by a small group of Florida State University faculty members. Small-scale writing sessions conducted on the Florida State campus during 1964 and 1965 resulted in pilot curriculum materials that were tested in selected Florida schools during the 1965-66 school year. All this preliminary work was supported by funds generously provided by The Florida State University.

In June of 1966, financial support was provided by the United States Office of Education, and the preliminary effort was formalized into the ISCS Project. Later, the National Science Foundation made several additional grants in support of the ISCS effort.

The first draft of these materials was produced in 1968, during a summer writing conference. The conferees were scientists, science educators, and junior high school teachers drawn from all over the United States. The original materials have been revised three times prior to their publication in this volume. More than 150 writers have contributed to the materials, and more than 180,000 children, in 46 states, have been involved in their field testing.

We sincerely hope that the teachers and students who will use this material will find that the great amount of time, money, and effort that has gone into its development has been worthwhile.

Tallahassee, Florida
February 1972

The Directors

INTERMEDIATE SCIENCE CURRICULUM STUDY

Contents

NOTES TO THE STUDENT

x

CHAPTER 1 A FIRST LOOK AT EARTH

1

<i>RESOURCE</i>	1	Ancient Ice Sheets and Continental Drift	11
	2	Rock Layers, Fossils, and Continental Drift	14
	3	Contraction Theory	17
	4	Sea-Floor Spreading and Earthquakes	19

CHAPTER 2 THE MOUNTAINS

27

<i>RESOURCE</i>	5	Distinguishing Among Igneous, Sedimentary, and Metamorphic Rocks	45
	6	How Igneous Rocks Are Formed	48
	7	The Formation of Layered Sediments	52
	8	How Sediments Harden into Rock	58
	9	Sedimentary Rocks	59
	10	Metamorphic Rocks—A Field Trip in the Classroom	60
	11	Identifying Rock-forming Minerals	65
	12	How Rocks Change from One Kind to Another	69
	13	Making a Volcano	70
	14	Layered Igneous Rock	72
	15	Molten Rock Beneath the Crust	74
	16	Cone-shaped Mountains and Lava Flow	78

vii

17	Wedge-shaped Mountains and Uplift by Faulting	79
18	Uplift of Mountains Due to Folding	83
19	Old and Young Mountains	86
20	Snow to Ice	87
21	The Size and Movement of Glaciers	88
22	Effects of Glacial Carving	90
23	How Glaciers Form U-shaped Valleys and Hanging Valleys	94

CHAPTER 3 THE MIDLANDS, A PATHWAY TO THE SEA 101

<i>RESOURCE</i>	24	Average Annual Precipitation in the United States	118
	25	River Systems Map of the United States	119
	26	Elevation Map of the United States	120
	27	Variables Affecting Rate of Stream Flow	121
	28	Particle-carrying Capacity and Rate of Stream Flow	124
	29	How Deep a Channel Can a Stream Cut?	126
	30	Effects of Obstacles upon Direction of Stream Flow	128
	31	Alluvial Fan Formation	129
	32	Delta Formation and Changes in Sea Level	131
	33	Waterfalls and Rock Hardness	135

34	Gullying and Erosion of a Plateau	139
35	Gullies and Canyons - A Comparison	141
36	Action of Water Moving In a Curved Path	143
37	Dunes on the Move	148

CHAPTER 4 THE SHORELANDS 153

<i>RESOURCE</i>	38	Wave Action on Rocky Cliffs	171
	39	Kinetic Energy and Waves	174
	40	Beaches and the Curving of Waves	177
	41	Waves at an Angle and Movement of Sand	180
	42	Measuring Sea Level	183
	43	Tidal Effects on Shorelines	186
	44	Changing Sea Level and Erosion	189
	45	Where Does Beach Sand Come From?	190
	46	Spits and Sandbars	191
	47	Rise in Sea Level Floods Valleys	193

Notes to the Student

The word *science* means a lot of things. All of the meanings are "right," but none are complete. *Science* is many things and is hard to describe in a few words.

We wrote this book to help you understand what science is and what scientists do. We have chosen to show you these things instead of describing them with words. The book describes a series of things for you to do and think about. We hope that what you do will help you learn a good deal about nature and that you will get a feel for how scientists tackle problems.

How is this book different from other textbooks?

This book is probably not like your other textbooks. To make any sense out of it, you must work with objects and substances. You should do the things described, think about them, and then answer any questions asked. Be sure you answer each question as you come to it.

The questions in the book are very important. They are asked for three reasons:

1. To help you to think through what you see and do.
2. To let you know whether or not you understand what you've done.
3. To give you a record of what you have done so that you can use it for review.

How will your class be organized?

Your science class will probably be quite different from your other classes. This book will let you start work with less help than usual from your teacher. You should begin each day's work where you left off the day before. Any equipment and supplies needed will be waiting for you.

Your teacher will not read to you or tell you the things that you are to learn. Instead, he will help you and your classmates individually.

Try to work ahead on your own. If you have trouble, first try to solve the problem for yourself. Don't ask your teacher for help until you really need it. Do not expect him to give you the answers to the questions in the book. Your teacher will try to help you find where and how you went wrong, but he will not do your work for you.

After a few days, some of your classmates will be ahead of you and others will not be as far along. This is the way the course is supposed to work. Remember, though, that there will be no prizes for finishing first. Work at whatever speed is best for you. *But be sure you understand what you have done before moving on.*

Excursions are mentioned at several places. These special activities are found at the back of the book. You may stop and do any excursion that looks interesting or any that you feel will help you. (Some excursions will help you do some of the activities in this book.) Sometimes, your teacher may ask you to do an excursion.

What am I expected to learn?

During the year, you will work very much as a scientist does. You should learn a lot of worthwhile information. More important, we hope that you will learn how to ask and answer questions about nature. *Keep in mind that learning how to find answers to questions is just as valuable as learning the answers themselves.*

Keep the big picture in mind, too. Each chapter builds on ideas already dealt with. These ideas add up to some of the simple but powerful concepts that are so important in science. If you are given a Student Record Book, do all your writing in it. *Do not write in this book.* Use your Record Book for making graphs, tables, and diagrams, too.

From time to time you may notice that your classmates have not always given the same answers that you did. This is no cause for worry. There are many right answers to some of the questions. And in some cases you may not be able to answer the questions. As a matter of fact, no one knows the answers to some of them. This may seem disappointing to you at first, but you will soon realize that there is much that science does not know. In this course, you will learn some of the things we don't know as well as what is known. Good luck!



29

EQUIPMENT LIST

Per student-team


- 1 scissors
- 2 world maps (in Record Book)
- 3 different-colored pencils
- 1 epicenter data table (in Record Book)

CHAPTER EMPHASIS

The earth is a dynamic body, as evidenced by such large-scale changes as earthquakes, continental drift, and sea-floor spreading.

A First Look at Earth

Chapter 1



Resources 1 through 4 are keyed to this chapter. Note that they are found at the end of the chapter.

MAJOR POINTS

- 1 Observations of the earth from different locations (outer space, an earth satellite, on the surface) vary and lead to different interpretations.
- 2 The earth is a changing planet.
- 3 The shape of the continents led early geologists to hypothesize continental drift.
- 4 The occurrence of glacial drift and grooves in the Southern Hemisphere continents and India are correlated and support the drifting-continent hypothesis.
- 5 Earthquakes represent the interaction of crustal plates and occur in zones at different depths.
- 6 Magnetic anomalies indicate the spreading of ocean crust away from mid-ocean ridges.

SPECIAL NOTE

Chapter 1 provides a transition for the student from the Core-Excursion model he has been used to in other units to the Core-Resource model used in *Crusty Problems*. You are encouraged to have a short discussion with students when they finish Chapter 1, concerning how the resources are organized and when they are to use them.

Just a few years ago the photograph you see on the facing page could not have been taken. Isn't it rather awesome to think you were walking around on that planet the day the photograph was taken? In this unit, you will be asked to solve many problems concerning the planet you are looking at, to make observations of features that you may see, and to determine how those features were formed and what might happen to them in the future.

Although you have lived on the earth all your life, there is a good chance that you have wondered about one or more of the following.

1. How old is the earth?
2. Has the earth always looked the way it does on the facing page?
3. Has the land that your school rests on always been there?
4. Is the earth changing in any way?
5. Do the continents actually drift?
6. What causes an earthquake, a volcano, or a landslide?

Encourage students to follow this suggestion of writing questions, which they have no answers, in their Record Books. This is an excellent opportunity to stress the sound scientific concept of asking the right questions, and then searching for answers to them.

Have you ever thought about any other questions related to the earth? If so, why don't you write them in the space provided in the Record Book, and then as you study this unit, or when you finish, check back and see if you've answered them.

Before moving in and getting a closer look at the earth, examine the chapter-opening picture once again.

1-1. If you were an observer from outer space, how would you describe the planet before you?




Figure 1-1

Figure 1-1 shows a portion of the planet as seen from about 150 miles above the surface.

1-2. List the important features you see in the photograph.

1-3. In the photograph, do you see any evidence of motion or change?



If you said No in response to question 1-3, your answer is correct, based on the evidence in the picture.

1-4. What would you say if asked the same question about Figure 1-2? If you decided that change is shown in the photograph, list the evidence you used to make that choice.

From the evidence in Figure 1-2, there's no doubt that at least that part of the earth is active and changing. One of the exciting areas of study a geologist encounters is the study of the ways the earth has changed through time and what might have caused the change.

For a moment let's consider the subject of change on a grand scale. In 1915 Alfred Wegener, a German scientist, proposed that all the continents were once joined together and formed one super landmass. He also proposed that this landmass later broke apart into separate continents. One of the first lines of evidence to suggest such an idea is the shape of the continents. Try your hand at fitting the continents together as you would a puzzle. For the activity, you will need the following materials:

- 1 pair of scissors
- 1 map of the world


ACTIVITY 1-1. Cut out the continents of North America, South America, Eurasia, Africa, Australia, and Antarctica.

Figure 1-2

DOWN TO EARTH

The single supercontinent that made up the earth about 225 million years ago in the continental drift theory was called Pangea. This huge mass split into two parts—Laurasia and Gondwana. The first of these became North America, Europe, and Asia. The second contained the land that through the ages became South America, Africa, Australia, Antarctica, and India. At a much later time, India drifted north to join the Eurasian continent.

DRIFTING CONTINENTS





ACTIVITY 1-2. Piece the continents together in such a way that you get the best fit possible.

Students should not expect a perfect fit. Many things could happen to shorelines to change their shapes.

If you were successful, you probably were able to put the pieces of the puzzle together to form a supercontinent. Now suppose someone were to ask you if the continents were really together once. What would you say? What kind of information would you need to support the idea?

Now you have a problem on your hands, don't you? Whenever we have a problem to solve, we need information (call it data if you wish) to help us solve the problem. In this unit, the source of that information will be in the set of accompanying resources. In some cases, you will not only have a problem posed, but you will also have to search for the resource or resources to help you solve the problem. For the first problem, we'll give you some direction in terms of which specific resource you might study.

The problem you have here is this: *What kind of evidence will support (or reject) the idea that the continents were once joined together?* Read through Resources 1 and 2 very quickly and decide which one you would like to do.

1-5. Which resource did you do?

1-6. Did the resources support, or reject, the idea that the continents might have been joined together? Explain your response.

THE QUAKING EARTH

There is a close connection between the continental drift theory and the occurrence of earthquakes. If, as is theorized, the earth's crust is moving in large sections, or plates, then at the points that these plates are pulling apart or coming together there would tend to be disturbances. The sliding, fracturing, or buckling of the crust could be felt in the form of a shock wave, or earthquake.

Let's continue our examination of the earth. You probably have never experienced the shock waves produced by an earthquake. But you probably have read in the newspaper or seen on television the destruction of property and loss of lives due to these tremors of the earth. You might think earthquakes are rare events on the earth, especially if you have never experienced one. But this is not true. Hundreds of tremors occur daily all around the earth, many too small to be reported. Now and then, however, one occurs that is powerful enough to destroy cities and towns and kill thousands of people.


Let's consider what has been said. If there are many quakes occurring daily, why would we say that few of you have experienced them? Where do they occur? How deep in the earth do they originate? How powerful are they?

Let's consider the first two questions: Where on the earth and how deep below the surface do earthquakes occur? To find out, you will need the following materials:

- 3 different-colored pencils
- 1 map, in Record Book
- 1 epicenter data table, in Record Book

Below is a sample epicenter data table, which gives you information regarding the date, time, location, depth, and magnitude of earthquakes.

Table 1-1



The 3 colored pencils are local supply items. Students could use a regular pencil, a pen with blue ink, and another colored pencil or pen. In the sample epicenter data table given in Table 1-1, and in the table in the Student Record Book, an entry of "N" for Depth refers to "normal" and should be plotted as a shallow earthquake as defined in the chart on the next page. The Magnitude in the table refers to the energy released by the earthquake. The largest magnitude recorded on the scale since its use was 8.6. The Alaskan quake of 1964 registered 8.4.

PRELIMINARY DETERMINATION OF EPICENTERS								
February 1971			Geographic Coordinates		Region and Comments	Depth (Km)	Magnitude (CGS)	
Day	Origin Time (GMT)		Lat	Long				
1	Hr	Mn	Sec	Lat	Long			
1	01	12	26.8	37.2 N	30.2 E	Turkey	35	4.5
1	02	47	51.6	7.0 N	73.1 W	Northern Colombia	140	4.3
1	03	51	45.4	5.1 S	151.7 E	New Britain Region Felt (III) at Rabaul.	110	5.0
1	05	19	23.4	51.7 N	172.9 W	Andreanof Islands, Aleutian Is. Mag. 6 (Pas)	40	5.5
1	06	14	50.2	25.5 S	176.8 W	South of Fiji Islands	44	5.4
1	07	36	54.4	51.9 N	172.9 W	Andreanof Islands, Aleutian Is.	48	3.9
1	07	50	10.7	38.7 N	14.1 E	Sicily	N	4.3
1	11	56	29.8	5.4 S	146.0 E	East New Guinea Region	73	
1	12	26	55.6	44.6 N	7.5 E	Northern Italy Felt (III) in Côte d'Azur.	18	4.4
1	12	48	32.8	56.2 S	27.4 W	South Sandwich Islands Region	17	5.1
1	14	21	42.9	42.3 N	85.3 E	Northern Sinkiang Prov., China	N	4.8
1	14	43	26.6	2.9 S	139.1 E	Near N. Coast of West New Guinea	46	
1	14	56	23.1	6.2 S	154.6 E	Solomon Islands	103	5.4
1	14	59	12.6	62.3 N	145.7 W	Central Alaska	15	4.6

Notice that if you read across a single line in Table 1-1, you will obtain information about a single earthquake.

- 1-7. a. Date—Feb 1, 1971, at 11:26.8 (A.M.)
 b. Location—Turkey
 c. Depth—45 km
 d. Latitude—37.2° N
 e. Longitude—30.2° E

□ 1-7. To make sure you can read the table, determine the following for the first earthquake listed.

- Date earthquake occurred
- General location
- Depth (km)
- Latitude
- Longitude

How did you do? If you were successful, continue on. If not, go back and study the table.

Using the data from the table, you are to plot the location and indicate the depth of each earthquake. To indicate the depth, utilize the following chart in plotting your earthquakes.

Most earthquakes fall in the shallow category. This is especially true of the highly destructive ones.

Earthquake	Depth (km)	Symbol or Color
Shallow	0-69	+ blue
Moderate	70-299	■ red
Deep	More than 299	□ yellow


Table 1-2

Students may need help in plotting points on a map, using latitude and longitude. You might want to use a standard geographic map on which they could read the latitude and longitude of principal cities for practice.

To locate the position of the earthquake on the map requires the use of two coordinates. You're familiar with locating a point on a graph, using X- and Y-coordinates; on a map, latitude and longitude are used.

For example, in Figure 1-3, point X has the coordinates of latitude 30° N, and longitude 90° W. Look at point Y, with a latitude of 15° S and longitude of 90° W:


Figure 1-3



1-8. What are the coordinates of point Z?

Did you get latitude 15° N and longitude 120° W?

ACTIVITY 1-3. The first earthquake on the sample epicenter data table has the coordinates 37.2° N and 30.2° E and is located as shown on the map. Find this location on your map and use an appropriate symbol or color to mark it. Now, using the epicenter data table on page 3 in your Record Book, plot all the earthquakes in this manner.



1-9. On the basis of the earthquakes you have just plotted, list the regional locations of the earthquakes.

1-10. Would you say that earthquakes are randomly distributed over your map, or are they concentrated in zones?

Look over your completed map again but, this time, focus on the depth of the earthquakes.

1-11. Can you find any zones on your map where there are concentrations of shallow, moderate, or deep earthquakes? If so, where?

Spatter of earthquakes occurrence should be evident from the plot. Students should be able to recognize the ring around the Pacific Ocean, the concentration around the Malay Peninsula, the clusters of the South Pacific and Japan, and a line running up the center of the North and South Atlantic and through the Mediterranean, between Eurasia and Africa, extending north of India through the Himalayas. The important thing is for students to see that they are not randomly distributed (question 1-10), but are definitely in zones. There is a concentration of shallow quakes through the Mid Atlantic, and of moderate to deep quakes along the eastern coast of South America (question 1-11).

Student attempts to explain the pattern or develop a model should prove interesting. You might want to point out that there is a close correlation between volcanic activity and earthquakes in terms of location. The "ring of fire" around the Pacific Ocean is an example of this relationship.

You now know that earthquakes do occur in zones and that some places on the earth have more shallow earthquakes than other places.

1-12. How can you explain this pattern of earthquake location? Why are there zones of shallow earthquakes and zones of deep earthquakes?

1-13. Refer to Resources 3 and 4. Does either resource provide you with an adequate explanation of the two observations concerning earthquakes?

1-14. Can you describe another model that might explain these observations?

At this point in Chapter 1, you have taken a first, large-scale look at the planet on which you live, and you also have a general model from which to view the earth. Like any model that you have developed in this course, it is temporary and subject to change as new data and evidence are gathered.

More about resources

In this unit, you will be asked to solve problems by answering questions posed about geologic features and events. To make it clear to you when you should consult the resources, we'll use either this symbol,

RESOURCE →


or this.

← **TO CLUSTER**

When this occurs, you should turn to the resource section at the end of the chapter. Everything you need to answer all the problems will be somewhere among the resources.

Important Note *The resources follow each chapter and those following Chapters 2, 3, and 4 are further arranged into clusters.*

For example, if you are working in Chapter 2, for each resource problem in that chapter, you will be directed to a cluster of resources indicated as Cluster A, Cluster B, and so forth.




Remember, resource implies support, and that's what you get. Each resource contains information that you can fall back on to fill gaps in your knowledge. Unlike excursions, however, they are not arranged in the order you will need them, even though they are grouped by chapter. It is up to you to find and use the ones you think will be helpful.

They are also grouped by clusters in Chapters 2, 3, and 4. A cluster of resources is aimed at a particular part of the subject matter of the chapter.

Take a look at the general geology chart (the composite diagram, shown in Figure 1-4 below). If you look closely, you should find that part of the diagram contains features somewhat like those near you. Students all over the United States will find this to be true because the drawing includes most of the important landforms found in this country.

HOW THE UNIT IS ORGANIZED

Figure 1-4



These two pages are designed to give students a look at the "coming attractions." At this point you should have the discussion on the organization and use of the resources. Experience has shown that some students are reluctant to go to these supportive devices; they will try to answer the questions on their own without any help from the book. You may have to do a selling job, the main point being that the use of the resources provides the easiest and most practical path through the unit.

Each of the three chapters that follow focuses upon features shown in one of the three sections (A, B, or C) of the diagram. As you work through the chapters, you are to use your resources as a help in explaining how the various features got the way they are.


Chapter 2 centers upon some of the most spectacular scenery in the United States—the mountains (section C). In it you will try to figure out how landscapes like the one shown in Figure 1-5 got the way they are—and even try to guess what the area may look like in the future.



Figure 1-5

Chapter 3 deals with what might be called the "midlands" of the United States. This is the area shown in section B of the diagram. Among the features you will interpret are the ones shown in Figure 1-6.

Figure 1-6



Chapter 4 deals with the area that borders the sea—the shorelands. This is section A in the diagram. Examples of the kind of features you will study in Chapter 4 are shown in Figure 1-7.




Figure 1-7

Begin your study of “crusty problems” with Chapter 2, “The Mountains.” When you have finished all the chapters and the appropriate resources, you should be better able to interpret the country you live in. Good luck!

Before going on, do Self-Evaluation 1 in your Record Book.

1 Ancient Ice Sheets and Continental Drift

PURPOSE: To provide supportive evidence based on glaciation for the continental drift theory.


EQUIPMENT LIST

Cut-up map from Activity 1-2
1 colored pencil

During the late nineteenth century, geologists discovered evidence that an ice age existed about 200 million years ago in three continents of the Southern Hemisphere—South America, Australia, and Africa. What was the evidence, and more important, what does an ancient ice sheet have to do with continental drift?

First let's look at the evidence. Figure 1 shows a rock outcrop that is rather smooth in appearance and has a series

This resource is aimed at question 1-6.



11

MAJOR POINTS

1. An ice age existed in South America, Australia, and Africa 200 million years ago.
2. Parallel grooves in a rock surface can be made by the movement of an ice mass.
3. Deposits left by glaciers are called glacial drifts.
4. Glacial grooves and drifts of about the same age have been found on South America, Africa, Australia, Antarctica and India.
5. In order for glacial grooves to have formed in the direction they are now found, it would have been necessary for the glacier to have moved from an area now covered by ocean.

of parallel grooves. If you know anything about the hardness of rocks, you'll probably agree that whatever scratched the rocks in Figure 1 must have been a very powerful force. We know now that such grooves can be made by a huge mass of ice, several thousand feet thick, moving very slowly over solid rock.




Figure 1

A glacier carries, at its base, rock fragments of various sizes that act as an abrasive, like sandpaper. Thus, as the glacier moves along, it is capable of scratching and cutting deep grooves in the rock.

Another piece of evidence is the location of deposits similar to that shown in Figure 2. Notice that the material contains rocks of various sizes, from large boulders to small fragments. Also, note that there is an abundant supply of finer material, such as sand, mixed in with the mass of rock. This is a typical feature of glacial deposits. Such a deposit is called *glacial drift*. River or stream deposits are more uniform in size because of the sorting effects of moving water.

Glacial grooves and drift of about the same age have been found on South America, South Africa, Australia, Antarctica, and India! Figure 3 shows the distribution of ancient glacial



Figure 2




Figure 3

drift and the direction in which glaciers moved. (The direction of glacial grooves tells geologists the direction in which the glaciers moved.) Look at South America closely. In order to explain the glacial grooves there, it would be necessary for the glacier to have moved from areas now covered by an ocean. Also, note that glacial drift is found very near the equator.

Students will have further experience with glacial grooves in Chapter 2 and the accompanying resources.

RESOURCE 1 13



One explanation of these facts is that the landmasses were connected at the time of glaciation and then the continents moved apart at a later time.

ACTIVITY 1. Using the cutouts of the continents from Activity 1-2, draw the arrows showing the direction of glacial motion on each of your cutout continents, as shown on Figure 3. Use a colored pencil to show the distribution of drift. Fit the continents together, using as guides the direction of the arrows (assume the glacier moved out in all directions from a central area) and the distribution of drift.

1. Do you think the distribution of glacial drift and the location of glacial grooves provide evidence to support, or reject, the idea of continental drift? Explain your answer.

2. If not, what other explanation can you make?

EQUIPMENT LIST

None


PURPOSE: To provide supportive evidence based on rock layers and fossils, for the continental drift theory.

This resource is aimed at question 1-6.

2 Rock Layers, Fossils, and Continental Drift

Do you think the rock layers on the left side of the highway in Figure 1 match the rock layers on the right side? Compare the areas at the ends of the two lines AA' and BB'. They should help you conclude that they do match.

Figure 1



You shouldn't be surprised, because engineers blasted the rock away to build the highway. However, the photograph illustrates one of the things that geologists do; namely, try to match rock layers that are separated from each other.

Let's look further at the idea of matching rock layers.

1. Can you match one rock layer with any other rock layer shown in Figure 2?




Figure 2

The problem of matching is a little more difficult in this photograph, but if you use a rule you should be able to find several layers that match (based on the color of each layer). Notice the thin dark layer near the top on the ridge at the left. Perhaps you used this layer to help you match with other layers. To understand this examine the diagram in Figure 3. Notice how the layers are matched on the basis of the color of the rock.

Figure 3




Figure 4 shows diagrams of two sequences of rock layers. All the rocks are layered. A key is provided to help you identify the rocks.

2. Do the layers in rock sequence 1 match the layers in rock sequence 2?




Figure 4


You probably found that the bottom three layers in each sequence matched. The first layer, or lowest layer, is tillite. Above that, is a layer that is a mixture of sandstone, shale, and coal with a plant fossil. The third layer is shale with animal fossils. The fourth layer in sequence 2 is a mixture of sandstone, shale, and coal, which appears to be missing in sequence 1. However, the fifth layer in sequence 2 matches the top layer in sequence 1. The two layers are very similar.

How is this going to help you decide whether the continents drifted apart? Let's examine these sequences again. Figure 5 shows a drawing of the plant fossil found with the layer of sandstone, shale, and coal.

You might have used the fossil to help you answer question 2. Geologists use fossils to help them match rock layers.

The seed fern *Glossopteris* shown here must have flourished in great abundance in the Southern Hemisphere some 250 million years ago, as evidenced by the profusion of fossil remains.

Figure 5



In fact, the presence of a certain type of fossil is a better clue than the layers match is the type of rock. Notice that the layer containing this plant fossil, which is called *Glossopteris*, lies just above the tillite.

Here's one more fact that might be helpful. Rock sequence 1 in Figure 4 is found in southern Brazil and rock sequence 2 is found in South Africa!

□3. How can you explain the occurrence of similar rock layers and identical fossil plants on two different continents?

Probably the strongest kind of evidence to support continental drift is the presence of identical fossil plants, such as *Glossopteris*, on different continents separated by hundreds of miles of ocean. Identical plants could hardly have developed in areas separated by such distances. It is possible that the seeds of these plants could have floated across the ocean, but most biologists rule this out. You may suggest that birds carried the seeds. However, the first flying animals did not occur until millions of years after this time. Thus, the idea of continental drift was supported on the basis of similar rock layers and fossils occurring on different continents.

You might be wondering whether similar sequences and the fossil plant *Glossopteris* have been found elsewhere. Well, they have! They were found in Australia, India, and Antarctica!

3 Contraction Theory

This resource is aimed at questions 1-11 through 1-14.

EQUIPMENT LIST

None

Tilting of rocks, movements of the earth's crust, and earthquakes are examples of the kinds of forces that affect the earth. What produces these forces that dimple, wrinkle, bulge, crack, and tilt the earth's surface? (See Figure 1.) Geologists disagree upon this, but several useful models have been developed.

One model is described below. Read the description carefully and think about how the process being described might have affected the earth. Later you will be asked to use the model to explain how certain mountains were formed.



PURPOSE: To provide a possible explanation for occurrence of earthquakes

MAJOR POINTS

1. One model for mountain-building and earthquakes pictures the earth as having a tough crust around a core that is shrinking as it cools.
2. As the core shrinks, some parts of the crust are uplifted to form mountains and other parts are pushed downward to form valleys.
3. Cracks form in the crust because of these opposing motions.

17



Figure 1

Note the suggestion that the student take an apple at home. Perhaps someone would be willing to bring a baked apple to school.

Have you ever seen what happens to the skin of an apple when it is baked? As shown in Figure 2, the skin buckles and cracks as loss of water causes the fruit inside to shrink. If you have never seen a baked apple, bake one at home.




Figure 2

One model for mountain-building and earthquakes views the earth as being somewhat like a baked apple—that is, as having a tough “skin” around a core that was once very hot and is now shrinking as it cools. According to this model, the core shrank, causing some parts of the earth’s crust to be uplifted, forming mountains. Other parts of the crust were pushed downward into valleys (see Figure 3). Cracks formed in the crust and these led to still other changes.




Figure 3

4 Sea-Floor Spreading and Earthquakes

This resource is aimed at questions 1-11 through 1-14.

You have completed an exercise in which you plotted the location of many earthquakes. Geologists have been collecting similar data for years and have compiled the data as you did when you plotted the earthquakes. Figure 1 on the next page is a world map showing the distribution of earthquakes.

Note that the earthquakes are restricted to zones or belts and are not evenly distributed on the earth.

1. In the region between South America and Africa, are the earthquakes shallow, intermediate, or deep?
2. How deep are the earthquakes that occur along the western coast of South America?
3. Identify two other areas where intermediate and deep earthquakes occur.

EQUIPMENT LIST

- 2 sheets of notebook paper
- 1 tape
- 1 bar magnet
- 2 magnetic compasses
- Red and blue pencils
- 1 ruler

PURPOSE: To examine the mechanics of sea-floor spreading and the resulting effect of earthquakes

MAJOR POINTS

1. Shallow earthquakes follow a pattern around the earth
2. The system of shallow earthquakes outlines the mid-ocean ridge system
3. One theory is that the earth’s crust is separated into plates that can spread apart or slide together
4. According to this theory, new crust is being formed at the mid-ocean ridges and is spreading away in opposite directions.
5. At other places the older crust is sinking back into the earth.
6. The earth’s magnetic field has reversed several times in geologic history
7. Magnetism induced in the earth’s crust can form a record of the amount of spreading of the sea floor.




Figure 1

Some of the volcanic mountains in the mid-ocean ridge system are rather active. The 269 inhabitants of tiny Tristan da Cunha had to flee their island in 1961 when the volcano on the island erupted.

You should have noted that there is a zone of shallow earthquakes splitting the Atlantic Ocean. In fact, if you glance back to the map you can trace the shallow earthquakes around the earth. This system of shallow earthquakes is known as the mid-ocean ridge system and consists of a chain of volcanic mountains. Shallow and deep earthquakes occur along the boundaries of oceans and continents (such as South America and the Pacific Ocean) or between two continents (Africa and Europe).

How can this pattern of earthquakes be explained? One theory that has been proposed states that the earth's crust is separated into plates that in some places are spreading apart and in other places are colliding. The earthquakes occur when these plates of crust are separating or colliding.

According to the theory, new crust is being formed at the mid-ocean ridges and is spreading away in two opposite directions; at other places older crust is sinking back into the earth. It's like a great big conveyor belt. Figure 2 shows a continent rifting and then the two segments drifting away in opposite directions. New crust forms and spreads away from a central ridge.





Figure 2


What evidence is there that the ocean floor is spreading away from the mid-ocean ridges? To find out, you and your partner will need a bar magnet, 2 compasses, 2 sheets of notebook paper, and a ruler.

If desks are not equally movable, several books piled into two even stacks may be used.



ACTIVITY 1. Tape together the 2 sheets of notebook paper, as shown. Move two desks together so that they are touching. Insert the two sheets of paper between the desks with the taped end hanging down between the desks. Fold the left sheet of paper so that the top half rests on the left desk; fold the right sheet in the same manner over the right desk. Assume that the joined sheets of paper represent a continent before break up.


RESOURCE 4 21




ACTIVITY 2. Place a small bar magnet next to the papers in the groove between the two desks. Place two compasses on each sheet of paper, as shown. Turn the magnet around if the needle on each compass is not pointing toward the magnet. The magnet represents the earth's magnetic field, and the compasses will be used to detect the field. Draw a line on each sheet of paper along the groove. This line represents the edge of the two continents.

Be careful that the magnet does not slip between the desks and fall to the floor. Many good magnets are molded from finely ground magnetic material and will break if dropped. A small piece of tape can be used to hold the magnet in place.


ACTIVITY 3. Rift, or split, the supercontinent by placing one hand on each sheet of paper and slowly spreading the papers away from the center. Spread each sheet of paper about 3 cm from the rift line you drew. Shade lightly in red the area of paper that you have pulled out from beneath the table. (This is the rift area.)



ACTIVITY 4. Record the magnetic field on each side of the rift by drawing an arrow in the direction that the compass needle is pointing.



ACTIVITY 5. Turn the magnet around 180° , so that the end that was away from the paper is now pointing toward the paper. Spread the continents as you did in Activity 3, but this time spread them 1.5 cm. Shade lightly in blue the area that was pulled out. Again, measure and record the direction of the compass needle, as you did in Activity 4.




Repeat Activity 5 two more times, spreading the continents 2 cm the first time and 4 cm the second. Be sure to alternate the colors, and also be sure to reverse the magnet each time.

It has been discovered that the earth's magnetic field has reversed several times during geologic time. Each time you turned the magnet around, you were reversing the earth's magnetic field. No doubt you have worked with a magnet and you know that metal, such as iron, will be attracted to a magnet. According to the sea-floor spreading theory, if molten rock spreads away from the central rift and if the rock contains metallic material that would act like little compass needles, then the record of the magnetic field should be recorded in the rock. The little metallic "compasses" would line up with the earth's magnetic field just as the compasses you are using line up with the magnet.

Figure 3 on page 24 shows a diagram of the magnetic field recorded in the North Atlantic.

The ridge axis is in the center and the shaded areas represent rock on the sea floor that records the earth's magnetic field as normal (same as it is now), and the white indicates rocks with a reversed magnetic field.

Students may wonder why the earth's magnetic field reverses. This is a mystery. The earth's magnetic field on the continents is determined in large part by the flow of molten iron. Geologists believe that in the hot fluid, small compasses of iron line up and, in doing so, they create all of the magnetic field of the earth.



Magnetic Field North Atlantic

Figure 3

- 4. Does the diagram in Figure 3 resemble the model you made with the two sheets of paper?
- 5. Measure the distance along line AA', from the ridge axis to the last shaded area on each side of the axis. Are the two distances about the same?
- 6. What does this tell you about the amount of spreading on each side of the ridge?


Examine the drawing on the two sheets of paper that you worked with in Activities 1 through 5. According to the sea-floor spreading theory, the Atlantic Ocean now occupies the area between the two continents that you split apart. Assume South America is the continent on the left and Africa the one on the right.

- 7. If you were to collect samples of rock at the ridge and at several other areas between the ridge and South America, what would you predict about the age of the rocks?

Since the activity at the ridge is near the surface of the crust, the earthquakes are shallow. As new crust forms, it

7. The age of the rocks should get progressively older, the farther they were from the ridge.

spreads away from the crust, with spreading on either side about the same. Further, it has been discovered that the farther from the mid-ocean ridge the sediments are, the older they are. Thus, scientists now believe the ocean floor in the Atlantic is spreading slowly away from the mid-ocean ridge. The pattern of earthquakes along the mid-ocean ridge outlines a huge crack in the earth's crust.



GET IT READY NOW FOR CHAPTER 2

The next chapter and the accompanying resources include the longest list of equipment of any part of the unit. Included in the list are the following items that must be procured locally: white paper, scissors, protractor, 5" x 7" index card, tape, string, a small weight (such as a sinker) or lead or sharp nail, test tube rack (may be homemade), piece of foil or glass, baby-food jar, knife (or cork borer), paper towels, stoppers for test tubes, white and colored chalk, teaspoon, paper cups, metal file, sandpaper, piece of masonite or plywood, bricks, matches, rulers, block of wood, pan of sand.

Students will use the numbered rock samples in this chapter and in Resources 5, 6, 7, 9, and 10. The numbered minerals are used in Resource 11. Several other resources use rather

extensive supplies that must be readily available. Be sure that all rock and mineral samples are numbered before being put out for student use. The HCl solution for use in Resources 5 and 7 should be about 0.5M. To prepare it, add 20 ml of concentrated (12M) hydrochloric acid (HCl) to 480 ml of water. Dispense in dropping bottles labeled "Dilute HCl."

RESOURCE 4. 25



55

Resources 5 through 23 are used in this chapter. They are grouped at the end of the chapter in the following clusters: Cluster A, 5 through 12; Cluster B, 13 through 16; Cluster C, 17, 18, and 19; Cluster D, 20 through 23.

The Mountains

EQUIPMENT LIST

1 sheet of white paper
Scissors
Ruler
Square of modeling clay
1 protractor
1 5" x 7" index card
Tape
String
Weight
Numbered rock samples
1 hand lens
1 needle or sharp nail

Suppose you were asked to guess where the photograph in Figure 2-1 was taken. We're not so interested in the place, but rather in the general geologic setting of the picture. As a clue, we'll tell you that the features you see are called *ripple marks*.



Did you guess a seacoast, a stream, or a lakeshore? All of these are obviously sources of water. You may be surprised to discover that the ripple marks you see are in the Rocky Mountains in Colorado!

Not only are they in the Rocky Mountains, but they also are not lying flat. Look at the complete scene in Figure 2-2. The ripple mark surface is tilted!

CHAPTER EMPHASIS

Mountains are spectacular geologic features that have been subjected to forces from within the earth. Making observations of both the materials and the general appearance of the mountains will enable the student to interpret how they were formed and to make predictions about their future.

Chapter 2

MAJOR POINTS

1. Interpretations of geologic phenomena such as tilted rocks with ripple marks can be made only after careful observations.
2. The observation of a rock's texture will enable the student to make inferences about its origin.
3. Rocks can be classified according to texture and composition: a) as having either interlocking or noninterlocking texture or b) as being igneous, sedimentary, or metamorphic.
4. Most rocks are composed of only a few varieties of minerals. This study is limited to a few silicates, calcite, galena, and hematite.
5. A model for the formative processes of igneous, metamorphic, and sedimentary rocks can be made by simulating the process in the laboratory.
6. No single model can account for the formation of all mountains.
7. The type of rock and general shape are clues to the formative process of mountains.
8. Glaciers are investigated as an erosive and sculpturing agent of mountains.

Figure 2-1





Figure 2-2


Two pieces of equipment that are listed here—the geology cutout block and the clinometer—are constructed by the student. The cutout block is made from a sheet of plain white paper and a square of modeling clay, using a ruler and scissors, and following the directions in Activities 2-1 and 2-2. The clinometer utilizes a protractor, white index card, tape, a short piece of string, and a weight, such as a sinker. Directions are given in Activity 2-4. The clay square may be used by successive students as they get to the activity, if standard dimensions are followed; they can use their own paper cutout on the block. Likewise, the clinometer may be used repeatedly once it is constructed by the first student.

We have two observations here, don't we? First, we observe a feature that was probably formed underwater, perhaps in the sea but here it is high in the Rocky Mountains. Second, the surface upon which the ripples are seen is tilted. What does this tell us about these rocks and this area? To find out, let's trace the history of this area very briefly, using the observations we have. For this activity you will need a geology cutout block, a pair of scissors, a clinometer, and 2 colored pencils.



ACTIVITY 2-1. Cut out the figure along the dotted lines; then within the area marked by the solid lines, sketch in a series of parallel lines to represent ripple marks.

ACTIVITY 2-2. Mold a square of clay the same size as the area within the solid lines and then fold the paper mold along the solid lines and place the model on top of the clay—you now have a geology-block model.



Examine Figure 2-3, shown below. This is a cross-section diagram of the area shown in Figure 2-2.





Figure 2-3

Note that the ripple marks on the side of a mountain are being used to introduce the student to uplift. In other words, the student isn't told that the rocks were pushed upward; an inference of this is made based on the ripple marks.

Now return to your geology-block model, remembering that you are looking at one section of the area shown in Figure 2-3.




ACTIVITY 2-3. Assume that when the ripple marks were being formed, the water was washing over level land. Place your block flat on the table with the ripples up. Look at the ripple mark zone of Figure 2-3 and then orient your block the same as in the figure. You may have to support your geology block with a book.

2-1. Write in your Record Book a very brief account, based on what you have just done, of what you think might have happened in the past in the area of the ripple mark zone.

Possibly students will not conclude that the ripple marks show that the rocks were once lying flat. This is fine, but they should try to come up with some better explanation of how the marks could have formed on the rocks.


Note that the angle of tilt, or dip, is measured between the vertical string and the midpoint of the protractor scale. Most protractors do not have the zero point in the center, so students will have to count the degrees in reading the angle. Some may have difficulty in understanding why the angle measured from the vertical is equal to the amount of tilt measured from the horizontal. A theorem in geometry proves this to be true, but probably the easiest way for students to see it is to have them visualize holding the clinometer on a flat surface (no tilt); the angle measured would be 0° , because the string would coincide with the midpoint of the protractor. Likewise, if the surface were vertical (maximum tilt) the clinometer would show an angle of 90° between string and midpoint.



2-2. 20° to 30° (This is a good checkpoint to see if students are reading the clinometer correctly. If answers such as 65° or 115° are given, they are reading the wrong angle.)

You've probably concluded that the rocks in this area were once lying flat but now are tilted. Some force must have pushed the rocks up from right to left on Figure 2-3. If you return to your geology block you can estimate how much it was tilted up. (If you took down the geology block, tilt it again as the rocks are tilted in Figure 2-3 in the ripple mark zone.)

ACTIVITY 2-4. The tilt of the rocks (geologists call it dip) can be measured with an instrument called a clinometer. To make one, tape a protractor to a 5" x 7" index card, as shown, and then, from the reference point of the protractor, hang a string with a weight on the end.



ACTIVITY 2-5. Place the clinometer on your geology block and read the angle directly off the clinometer.

2-2. How many degrees did you estimate the rocks have been tilted?

This angle is known as the dip angle and, as you have found out, is a measure of how much the rocks have been tilted. To move many thousands of tons of rock takes quite a bit of energy. In this chapter you'll examine rocks in a variety of mountains and attempt to determine how mountains were formed, what they are made from, and what is likely to happen to them in the future.



There is purposely an element of discovery in the use of the specified equipment. The teas-

To find out more about mountains, let's start by examining materials from the mountains. Select the following rocks from the rock kit in the supply area: numbers 05, 06, 08, 12, 13, and 17.

To begin your study, you will need a hand lens and a teasing needle (a sharp nail will do). Your goal is to be able to describe your samples and make a decision about the texture of each rock. You're going to discover that you can tell a lot about a rock from its texture. Enter all your decisions in Table 2-1 of your Record Book.



ACTIVITY 2-6. Pick up a rock sample and look at it, using a hand lens. Hold the rock a few centimeters from your eye, with the hand lens up to your eye. Rotate the sample in your hand (in good light), examining the surfaces of the rock.

ACTIVITY 2-7. First decide whether the rock is made of only a single kind of material or component, or more than one. Enter your decision in Table 2-1.



ACTIVITY 2-8. Focus on the way the components in the rock are held together. Decide whether the components are non-interlocking, or if the components are interlocking. Enter your choice in the table.

At this point the students can only make a judgment on interlocking of components visually. Later they will study other factors that aid in making the decision.




ing needle, which can be an ordinary large needle or a sharp nail, is used as a fine pick to loosen individual grains of material from the rock sample. If these grains differ in color or other characteristics, it is reasonable to say that the sample consists of more than one kind of material.



Again, a decision on an arrangement of components must be made visually at this point.

ACTIVITY 2-9. For those rocks you decided were interlocking, decide if the components are oriented in a given direction or randomly distributed in the rock.



Sample Number or Color	Number of Components	Texture		Arrangement	
		Interlocking	Noninterlocking	Random	Oriented

Table 2-1

Students who are careful observers will find the first four samples (quartz, pink granite, gabbro, and marble) fall in the interlocking group; the other two samples (conglomerate and limestone) are noninterlocking in texture.

Repeat Activities 2-6 through 2-9 for each rock sample, entering each of your decisions in the table. When you have studied each rock sample, use the data to sort your rocks into two groups, one with interlocking texture and the other with noninterlocking texture. Take careful note of which rocks are in each group. Later, after you find out more about how the rocks are formed, you will return to explain why they have different textures. You have now described a few samples of mountain rocks and have noted differences in the way they look.

Here are some of the questions that you'll be tackling next.

- [] 2-3. a. How do you distinguish among igneous, sedimentary, and metamorphic rocks?
- b. How do these rocks form?
- c. What kind of materials are these rocks made of?

After having studied the resources in Cluster A, return to the six rocks you studied and answer the following questions.

[] 2-4. How do you think rocks with interlocking texture differ from rocks with noninterlocking texture in terms of the way they are formed? Identify at least one mineral in each of the six rocks and indicate, in Table 2-2 in your Record Book, whether the rock is igneous, metamorphic, or sedimentary.

Rock Number	Mineral	Type
05		
06		
08		
12		
13		
17		

NEW YORK STATE

This is the first of the questions that students are referred to in Cluster A resources. Cluster A contains 8 resources, aimed mainly at how the various kinds of rocks are formed and the tests that can be applied to tell them apart. Teachers should choose the ones that they feel will help them answer the two questions and complete Table 2-2. Some students may need your help to use the resources wisely. If necessary, students may need to do most or all of the ones in this cluster. Questions 2-3 and 2-4 are key questions; it would be wise to check answers in the Record Book to see that students are getting the basic ideas.

Table 2-2

Before taking a tour of the mountains in the United States, let's get a general picture of the distribution of rocks in the country and how they are associated with the mountains. Examine the map in Figure 2-4 showing the distribution of flat-lying sedimentary, steeply-tilted sedimentary, and igneous and metamorphic rocks. Compare the rock distribution map with the map showing the location of the mountains in the United States (Figure 2-5). Using these two maps, answer the following questions.

WHERE ARE THE MOUNTAINS



2-5. Possibly all three kinds. The uplifted rocks were originally sedimentary but some may have been metamorphosed. Intrusions of granite and other plutonics occur along the Blue Ridge. The valley and ridge provinces consist entirely of sedimentary rock.

2-5. What kind of rocks would you find if you visited the Appalachian Mountains?

2-6. Are there any mountains in your state? If not, go on to question 2-7. What is the name of these mountains? What kind of rocks are found in them?

2-7. If your response to 2-6 was No, where are the closest mountains?

2-8. What kinds of rocks would you find there?

Figure 2-4





Figure 2-5



Death Valley, California

Your first stop on an imaginary tour of the mountainous regions of the United States takes you to the lowest point in the country—Death Valley. An area 85 meters (280 feet) below sea level may seem like a strange place to begin a tour of the mountains. But if you take a look at Figure 2-6, you will see that some fairly high mountains surround the valley.



Notice how steep and rugged the west wall of Death Valley looks. Piles of sediment, apparent in Figure 2-6, fan out at the base of the wall, and you can see patches of light gravel on the steep fan-shaped formation in the center of the picture. If we examine the fan more closely, we can observe some features that may indicate that active processes are occurring in the area. Figure 2-7 is a view of an alluvial fan (sand washed down from the mountain) on the west side of Death Valley. Look closely at point A. There appears to be a line running left and right from this point.

2-9. What appears to have happened above the line on the fan?



A "tour" of the mountainous regions of the United States begins with Death Valley. Observations of layers in the mountains provide evidence for uplift, the wedge-shaped form of the mountains further suggests block faulting. Students may have to refer back to some of the resources in Cluster A for help in answering the questions, but they will be specifically referred to Cluster C.

Figure 2-6




Figure 2-7

Now look back at Figure 2-6, the west wall of the valley. Locate a zone of layered rocks.

2-10. The movement must have been upward. Layered rocks form horizontally, so tilting indicates uplift

2-10. Based on what you know about the formation of layered rocks, what does the position of these rocks tell you about the probable movement on the west wall of the valley?

Figure 2-8 shows a general view of the Death Valley area. Once again, notice how steep and rugged the west wall of the valley is. Then check the steepness of the back side of the same mountain. Notice how many other mountains in the Death Valley area have the same wedge shape (see point A in Figure 2-8). Use Cluster C for help.

2-11. By what process did these wedge-shaped mountains form?

2-12. Explain your answer to question 2-11, using one model for uplift of the earth's crust.

ERIC →





Figure 2-8

Mono craters in California

About 320 kilometers (200 miles) north of Death Valley is a set of mountains that looks quite different from the ones you've looked at so far. The Mono craters are a group of about 20 domes, several of which appear in Figure 2-9. A single Mono crater is shown at A in Figure 2-9, while a trio are shown near B.

Mono craters are domes of volcanic ash and lava that formed in the Mono Lake area. They are located in the Sierra Nevada range, north of Death Valley. The craters are formed by the collapse of a magma chamber beneath the surface. Some craters contain lakes, such as Mono Lake. The craters are also known for their unique geology and are a popular destination for hikers and geologists.

Figure 2-9



If you were to look at the trio of craters more closely, they would appear to be like the drawing in Figure 2-10. There you will notice that the dome contains a shallow hole at the top.



Figure 2-10

Specimen 10 is rhyolite, a fine grained igneous rock called an extrusive, meaning that it was formed above ground.

MONO CRATERS

In the supply area are some specimens (number 10) of rock like the ones in the Mono crater area. Examine one or more of these carefully, and refer to Cluster B.

2-13. Based on your knowledge of rocks, what clue does the texture of the rock give you as to the origin of the rock?

2-14. Based on the shape of the features in Figure 2-10 and the kind of rock samples you have seen, how do you think the Mono craters were formed?

Figure 2-11




Examine Figure 2-11, a photograph of Mount St. Helens in the state of Washington. Notice that this almost 3,000-meter (10,000-foot)-high giant stands well away from any other mountain and is rather cone-shaped.

□ 2-15. Do you think Mount St. Helens was formed in a way similar to the Mono craters? Explain your answer.

Stone Mountain, Georgia

One of the most interesting mountains in the country lies just outside of Atlanta, Georgia, and is called Stone Mountain (see Figure 2-12). This 200-meter (650-foot)-high hunk of once molten rock is surrounded for miles in all directions by rocks that geologists believe were originally formed in water but are now metamorphic.



The rocks that make up Stone Mountain are quite different in appearance from the rocks you examined from the Mono craters. In the supply area you will find samples (number 07) of rocks like those from Stone Mountain. Compare these samples with the Mono crater rocks.

□ 2-16. What do the differences in these rocks tell you about how and where the Stone Mountain samples were formed?

Figure 2-12

2-16 How are igneous rocks, and the Mono sample (this one) was formed on the surface from molten material, while the Stone Mountain sample (see note) was formed deep within the earth, under heavy pressure, and with lower cooling.

12-17




Figure 2-13

12-17. If the rocks from Stone Mountain were formed within the crust, how can you explain the fact that they are exposed at the surface, and are higher than the surrounding rocks? Cluster B will help with the explanation.

CHECKUP

Here is a sketch of the roadcut shown in the photograph in Figure 2-13. The light-colored rock is sedimentary, and the dark-colored rock is igneous. Based on the resources in Cluster C, answer the following.

1. How did the dark-colored rock get where it is now?
2. Which do you think is older: the sedimentary rock or the igneous rock?



Ridges and valleys of the Appalachians

As the map in Figure 2-14 shows, the Appalachian Mountains extend over much of the eastern United States. Looking closer at the mountains (see Figure 2-15), three zones can be identified as follows: zone A, the Appalachian plateau consisting of flat, gently tilted sedimentary rock; zone B, a series of ridges and valleys trending toward the northeast; and zone C, metamorphic and igneous rocks, forming the Great Smoky Mountains. Farther to the east, the Piedmont and coastal plains are encountered.




Figure 2-14





Figure 2-15

Let's focus on zone B, the ridges and valleys of the Appalachians. If you were a geologist trying to judge how ridges and valleys were formed, you would have to travel over a wide area. Figure 2-16 has been drawn to save you time. This diagram shows some of the ridges and valleys, as well as the rocks, in cross section.

Figure 2-16



2-18. Explain and describe a process that will account for the series of ridges and valleys shown in Figure 2-16.

SEARCHING FOR A MODEL

Students studied the continental drift model, in which large sections of the earth's crust move away from each other or toward each other, and ways of splitting. They looked at the contraction (thickened) model, where wrinkles and folds form in the crust because of shrinking. They examined the sea-floor spreading model with rifting, uplift, earthquakes, and volcanoes. Any of those could be used to help explain mountain formation (see story 2-19).

In Chapter 1, you studied several models that dealt with uplift of the earth's surface. In this chapter, you studied several types of mountains. Table 2-3 summarizes for you information about each mountain that you investigated.

	Types of Rocks	Origin of Rocks	Shape of Mountains
Block-Fault (Death Valley)	sedimentary and metamorphic	marine deposits	linear; wedge-shaped
Mono craters	igneous	cooling of molten material at the surface of crust	round
Stone Mountain	igneous	cooling of molten material beneath the crust	round
Valley and Ridge of Appalachians	sedimentary	marine deposits	linear; folds

Table 2-3

2-19. Do any of the models you have studied help you explain how any one or several of the mountains listed in Table 2-3 might have been formed?

Removing the mountains

Mountains don't last forever! Up to this point, you have been concentrating on how the land is uplifted to form mountains. Let's make a slight departure and see how they are cut down and sculptured. Much of the variety that causes mountains to be so awe-inspiring was caused by the sculpturing of already uplifted materials. One way that mountains are sculptured is by glacial action. Take a look at Figure 2-17.



Notice how many sharp ridges are in this portion of the Canadian Rocky Mountains. Notice also the U-shaped valleys, the many bowl-shaped basins, and the almost complete absence of flat surfaces. This kind of landscape is fairly typical of areas that have been carved by glaciers—moving rivers of ice. In fact, the remains of what was probably once a much larger glacier are shown in the center of the photograph.

2-20. How does a glacier sculpture mountains? To help solve this problem, you might use Cluster D and consider the following questions.

2-21. How are glaciers made, and how do they move?

Figure 2-17

118731803337:501

CHAPTER 2 43

□2-22. How are glacial features, such as U-shaped valleys, bowl-shaped basins, glacial lakes, and hanging valleys, created?

SUMMARY

Well, if you've done good work, you've learned a great deal about the way mountains took on their characteristics. You've also had a chance to think about forces that are acting upon mountains today.





Figure 2-18

WHAT KIND OF MOUNTAINS DO THESE LOOK LIKE?



To find out how well you've done your work, look over Figure 2-18. You will recognize this drawing as part of the overview sketch you saw before in Figure 1-4. On the drawing, you will find examples of just about all the kinds of situations you've looked at in this chapter. If you've worked well, you should be able to give reasonable descriptions of the way each type of mountain in the picture was formed. You should also be able to identify the forces acting upon each kind of mountain and to predict what changes these will produce in the future.

Before going on, do Self-Evaluation 2 in your Record Book.

5 Distinguishing Among Igneous, Sedimentary, and Metamorphic Rocks

CLUSTER A
(Resources 5-12)

HOW 'BOUT
SOMETHING ON
THE ROCKS?

Cluster A includes Resources 5 through 12 and is concerned with the identification of the three types of rocks and the processes by which they were formed.

PURPOSE: To provide a step-by-step series of tests for rock classification.

EQUIPMENT LIST

- 1 Test kit (see sample)
- 1 Bottle of 10% HCl (0.1M)
- 1 Hand lens
- 1 Hammer


The properties that a rock has are a result of how the rock was formed. Thus, in this resource you will make careful observations of rocks in order to determine how they were formed. In doing this, you will then be able to tell if a given rock is sedimentary, igneous, or metamorphic.

Go to the supply area and pick up a kit of mixed rocks, a hand lens, 1 bottle of HCl, and a steel nail. Before working through the activities that follow, predict which rocks you believe were (1) once molten and then hardened, as they cooled, or (2) once sediment but then cemented together. Make separate lists, using the number on the rocks, and then at the end of the resource you can check to see how good your predictions were.

Listed below are a few simple tests that will help you sort the rocks. Read the tests first so that you understand them. Then sort the rocks into three groups according to these tests and the sequence of numbered questions that follow.

Rock Tests

Texture test: Determine whether the specimen (1) has visible components (minerals) that are held together in an interlocking fashion, (2) has visible components (minerals) that are held together by a cement (noninterlocking), (3) looks glassy and is very smooth, (4) looks frothy and has lots of holes in it, or (5) has a very fine-grained appearance and seems to lack minerals.




MAJOR POINTS

1. Rocks may be classified by criteria such as texture, composition, and color, in addition to chemicals.
2. A Ye (has) should be always be asked about rock samples that will lead to a decision.

Note the reference to Resource 11 in this same cluster, titled "Identifying Rock-forming Minerals." This resource uses the kit containing 12 minerals, and other equipment. Caution students about getting the rocks and minerals correctly separated after they are through using them, and in getting the other materials back to supply, before going on.

You should caution students about using reasonable care in handling the acid. Although dilute, it is corrosive and can damage clothing and other materials. Rocks (and hands) should be washed upon completion of the test. Note that if bubbling occurs, the rock cannot be igneous.



46 RESOURCE 5

Composition test: Look at the minerals in the specimen and try to identify as many minerals as you can. The most common minerals you will probably see are quartz, feldspar, mica, calcite, and hornblende. If you can not identify these, do Resource 11.

Fossil test: Look for fossils in the rock. They may be in the form of small shells or imprints of leaves.

Chemical test: Put a couple of drops of HCl on the specimen and look for bubbling. Be sure to wash the specimen with water when you are done.

Pick up a specimen and write down its number. Ask yourself the following questions and write down the answers as you go. If your rock fits the description of any of the items that are preceded by asterisks, then you can make a decision on the specimen at that point. You won't need to go any further in checking that specimen. When that happens, pick up another specimen and start with question 1 again.

1. Is the rock made up of visible minerals that are interlocking? If the answer is Yes, it cannot be sedimentary—go on to item 2 in this list. If the answer is No, go to item 7.

2. Are the minerals of the same kind (same color, about the same shape, same hardness)? If the answer is Yes, it cannot be igneous—go to 3. If the answer is No, go to 4.

*3. A rock with crystals of all the same kind is probably metamorphic.

4. Are the minerals of the different types distributed in a uniformly mixed pattern like the one shown in the sketch (each number represents a different kind of mineral)?

If the answer is Yes, go to 5. If the answer is No, go to 6.

*5. A rock with different types of minerals in a uniformly mixed pattern is an igneous rock.

*6. A rock with different types of minerals arranged in stripes or bands is metamorphic rock.

7. Is the rock frothy (full of small holes)? If the answer is Yes, go to 8. If No, go to 9.

*8. A rock, with lots of small holes, that looks as though it has been full of gas at some time is an igneous rock formed by cooling a gassy lava.

9. Is the rock glassy (like a piece of colored broken glass)? If the answer is Yes, go to 10. If No, go to 11.

*10. A dark, hard rock that looks like glass is probably igneous rock formed by fast cooling of a lava flow from a volcano.

11. Is the rock made up of strong, flat sheets that look as though they will split off into slatelike pieces? If the answer is Yes, go to 12. If No, go to 13.

*12. A rock that splits easily into thin, flat sheets is probably metamorphic. The splitting has been caused by pressure. It used to be sedimentary. If fossils are present, they are probably squashed and flattened.

13. Does the rock contain easily recognized particles, like fine silt, sand, or pebbles, cemented together? If the answer is Yes, go to 14. If No, go to 15.

Students are sometimes reluctant to use the step-by-step method and may tend to accept what another student has found. Encourage them to develop the technique for themselves.

Table 1

Test	Sedimentary	Igneous	Metamorphic
Texture	Noninterlocking; size of minerals ranges from very large grains to invisible.	Interlocking; random distribution; size of minerals ranges from glassy to large grains.	Interlocking; random and oriented distribution in bands or flakes; size ranges from invisible grains to very large grains.
Composition	Minerals may include quartz, feldspar, calcite.	Usually contains quartz, feldspar, mica; sometimes hornblende, olivine.	Minerals may be quartz, feldspar, mica; some contain garnet or calcite.
Fossil	May have fossils.	No fossils.	If fossils are present, they are usually squashed or twisted.
Chemical	May bubble with HCl.	Does not react with HCl.	May bubble with HCl.

*14. A rock made of ~~sh~~ sand, or pebbles cemented together is sedimentary. It may have fossils. You can probably see the layering in good specimens.

15. If you have come this far, you have a specimen that is difficult to identify. It is not igneous. It may be sedimentary or metamorphic. An expert is needed to sort this one out.

Check your answers against Table 1.

EQUIPMENT LIST

List of items in text, plus the following.

Paper towels

Burner fuel

Rock kit (16 samples)

Note that if test-tube racks are not available, they may be constructed from a quart milk carton, or another baby-food jar may be used to set the test tubes in.

PURPOSE: To simulate the outpouring and the intrusion of molten rock in nature.

MAJOR POINTS

1. The rate of cooling of molten material has an effect on the texture of the solid that is formed.
2. When molten rock forces its way into cracks deep in the earth, it is called an intrusion.
3. When some substances are cooled very rapidly, crystals do not have time to form, and a glasslike texture results.

If a cork borer is available, a quick, neat job can be done. Bore a hole all the way through the cork. Then cut a plug about 1/2" thick from the core that was removed, and use this to insert into the bottom of the hole. A small piece of tape across the end will seal it further.

6 How Igneous Rocks Are Formed

Igneous rock is rock that was once molten and that crystallized as it cooled. Some igneous rocks are made of very small crystals, and others are made of large crystals, but most are made of crystals of different sizes, colors, and compositions.

To be able to understand how igneous rock forms from molten rock, you can simulate (imitate) the process on a small scale. You will need the following items:

1 test-tube rack

3 test tubes

1 alcohol burner

1 test-tube holder

3 large corks

1 flat metal or glass surface

(aluminum foil, window glass)

1 baby-food jar


1 knife, cork borer,
or scissors

Naphthalene flakes


Sodium thiosulfate

Sulfur


ACTIVITY 1. Using a knife, cork borer, or scissors, carefully dig out the middle of a cork to make a well, as shown in the diagram. Prepare three corks like this and label them A, B, and C.



ACTIVITY 2. Get 3 test tubes and label them A, B, and C. Put about 5 cm of naphthalene flakes into test tube A.



ACTIVITY 3. Put about the same amount (5 cm) of sodium thiosulfate into tube B and of sulfur into tube C.



ACTIVITY 4. Very gently heat tube A until the naphthalene starts to melt. Then take the tube away and shake it gently. Heat a little more and then shake again. Keep doing this until all the naphthalene has melted.




Stress conservation of chemicals and proper technique of handling and working with them. Avoid overheating any of the substances. Are safety glasses available? The plugs of naphthalene (smooth plates), sodium thiosulfate (photo paper's fixer), and sulfur may be reused after they have been inspected by the students. Break them up and reheat in the test tubes. It might be wise to have 3 baby-food jars, labeled "A-naphthalene," "B-sodium thiosulfate," and "C-sulfur," into which the students could put the used chemicals. Care should be taken to avoid mixing.


The naphthalene fumes may get too strong, especially if the tube is overheated (melting point 80°C, boiling point 218°C). You should probably plan for adequate ventilation in the room. In the case of sulfur, if it is heated enough to boil (or burn), it can drive you out of the room.

5 cm of the powdered chemical may not be enough to fill the well when it is melted. More can be added after further melting without doing any harm.

ACTIVITY 5. Pour part of the melted naphthalene quickly into the well in the cork labeled A, just filling the well. Put the cork aside in a safe place where it won't get knocked over. Look at the top of the liquid every few minutes or so, but don't move the cork.




ACTIVITY 6. Support the piece of glass or aluminum foil on a paper towel. Now pour the rest of the naphthalene down the gently sloping glass or foil.



One of the difficulties with these activities is an adequate cleanup of the equipment and the area. When pouring into the cork, it would probably be wise to have paper under it to catch spills. Because both naphthalene and sulfur are insoluble in water, cleaning the test tubes may be troublesome. A little burner alcohol in the tube will help loosen these two materials.

Repeat Activities 4, 5 and 6, using the sodium thiosulfate and then the sulfur. Try not to use all the sulfur from tube C. Set tube C aside after these activities. Meanwhile, keep checking on the melted materials you poured into the wells in the corks.

Now carefully compare the structure of the materials you poured onto the flat surfaces with the materials in the corks.



ACTIVITY 7. When the substance in each cork is completely solid, cut the cork in half with a sharp knife.

What differences do you observe between the substances cooled by pouring down the glass and the substances cooled by pouring them into a well in a cork?


You have just carried out a simulation experiment. Pouring the molten material down a cold slope is somewhat similar to what happens when lava pours out onto the land surface. Lava, however, contains several different chemical substances, and its temperature is about 900-1100° C, depending on the mineral composition.

The liquid in the cork simulates molten rock that has forced its way into cracks deep in the crust. The surrounding rock acts as an insulator just as the cork does and prevents rapid loss of heat. A body of igneous rock formed in this way is called an *intrusion*.

Sometimes the lava in contact with the cold rock at the margin of an intrusion is chilled more quickly than in the center.

Look at the substances in the corks you have cut (Figure 1). What differences can you see in the structure of the material next to the cork (at A) and in the middle (at B)?

ACTIVITY 8. Now get test tube C with the leftover sulfur in it. (If you used all the sulfur, add about half an inch more.) Heat very gently as you did before to produce a pale golden liquid. Have a beaker of cold water ready. Pour the liquid sulfur into the water.



Pick the lumps of solid sulfur out of the water and look at them closely. Compare the structure with the sulfur from the "intrusion" and from the "flow." These differences are

Students should see that the crystals that formed by rapid cooling on the glass or foil are much smaller than those that formed inside the cork with slower cooling.




Figure 1

Sulfur melts at a temperature of 114.5° C, forming a pale-yellow, free-flowing liquid. If heating is continued, it becomes thicker and more viscous and is poured from the test tube with difficulty. It changes color to reddish-brown and then almost to black as temperature increases. An entirely different structure will result if the darker-colored sulfur is suddenly cooled.

very similar to what happens to lava. If lava pours out under the sea, it rolls into lumps with a glassy-looking surface. If it pours out onto the land in thin flows that cool very rapidly, it may form a glassy substance.

Sulfur does not really form a glass, but the very rapid cooling does not allow crystals to form properly. When this sort of thing happens to the silicate minerals in lava, crystals cannot form; therefore, a glass is formed instead.

Get the rock kit and select the igneous rocks from it. (You should already have done the resource on distinguishing rock types. If you have not, stop here and do the previous resource.) Compare the different types of igneous rock. What differences can you see in the colors, shapes, and sizes of crystals? Can you predict whether each rock is from an intrusion or from a flow?


A simulation experiment is often a useful device for helping to develop models of processes that are difficult to observe. Geologists in the field can add other evidence to that from simulation experiments because there are active volcanoes in existence. Freshly cooled lava flows from a new eruption can be examined and compared with much older rocks.

MAJOR POINTS

1. The settling of different kinds of particles at different times could form layered sediments.
2. Chemicals can react to form a layer that behaves like limestone
3. Particles of different sizes settle at different speeds.

7 The Formation of Layered Sediments

PURPOSE: To examine some ways that layered sediments could form.



52

81

Whether you are at the seashore, in the mountains, or on the plains, you are likely to find rock outcrops like those shown in Figure 1. The outcrops all have one striking feature in common. Take a careful look at Figures 2 and 3, too, and see if you can identify the feature that all three photographs have in common. It is a feature that probably came about in roughly the same way each time.

Because of the commonness of this type of rock, you may want to encourage students to bring in samples to "localize" the unit.

EQUIPMENT LIST

- test tubes,
- stoppers,
- baby food jars,
- 1sp. crushed white chalk,
- 1sp. crushed colored chalk,
- 1sp. sand,
- 1sp. silt.



Figure 1



Figure 2



Figure 3



- 1 tsp. sand-silt mixture
- 1 plastic teaspoon
- 1 tsp. calcium chloride
- 1 tsp. sodium carbonate
- 2 droppers
- 1 drop HCl (0.5M)
- 1 piece of glass
- 1 filter-paper disk
- Rock kit (16 samples)

To try to get some clues about the formation of this feature, you can do some simple experiments. You and your partner will need the following materials:

- 4 test tubes, with stoppers
- 2 baby-food jars
- 50 ml water
- $\frac{1}{2}$ tsp crushed chalk (white)
- $\frac{1}{2}$ tsp crushed chalk (colored)
- $\frac{1}{2}$ tsp sand
- $\frac{1}{2}$ tsp silt
- 1 tsp sand-silt mixture
- 1 plastic teaspoon
- 1 bottle of calcium chloride powder
- 1 bottle sodium carbonate powder
- 2 droppers
- Dropping bottle of HCl
- 1 watch glass or other piece of glass
- 1 filter-paper disk

The white and colored crushed chalk, the sand, the silt, and the sand-silt mixture could be put on the supply table in 5 labeled baby-food jars. Students could then take the required amounts ($\frac{1}{2}$ teaspoon, 1 teaspoon) to their tables on small pieces of paper. It would help to have a different spoon with each substance. If this is not possible, the spoon should be cleaned.

Students may find it easier to create a small piece of paper and use it to direct the substances into the test tubes. It could save spillage and the resulting mess.




ACTIVITY 1. Fill a test tube about half full of water and add about $\frac{1}{4}$ teaspoon calcium chloride. Cap the test tube and shake it to dissolve the calcium chloride.

ACTIVITY 2. Stand the test tube in a baby-food jar on the table. Remove the stopper and let the water settle. Now take $\frac{1}{2}$ teaspoon sand, hold it over the bottle, and tap gently so that the sand grains fall slowly into the water in the test tube. Keep tapping until all the sand has gone.


ACTIVITY 3. Using the same test tube, carefully add $\frac{1}{2}$ teaspoon crushed colored chalk in the same way. Do not disturb the test tube while you are doing it, and let it stand for a few minutes afterward.

Repeat the process once more, using the white chalk. Allow it to settle for about two minutes and then add the silt in the same way. Now look into the test tube through the side, without disturbing it. What do you see?

ACTIVITY 4. Put about an inch of water into a clean test tube, and add $\frac{1}{4}$ teaspoon sodium carbonate. Stopper and shake it until everything dissolves. Take up the solution into a dropper. Slowly add the solution, a couple of drops at a time, into the test tube to which you added sand, chalk, and silt. Observe what is happening. When you have used all the sodium carbonate solution, let the test tube stand for several minutes.




Sodium carbonate is washing soda. A small amount of the solution makes an excellent cleaning agent for the test tubes and other glassware at the conclusion of the activities.



Could this process—particles settling in water—form layers like those in the photographs? What evidence would you need about the rocks in the photographs to confirm that this process caused the layers to form?


In the experiment just completed, you selected different kinds of particles, and you used a chemical reaction to produce another kind of particle. Let's take a closer look at the chemically formed particles.



ACTIVITY 5. Put about an inch of water into a third clean test tube. Add about a $\frac{1}{4}$ teaspoon calcium chloride. Stopper the tube and shake it until everything dissolves. Make up a solution of sodium carbonate as you did for Activity 4. Add this solution to the calcium chloride solution.


ACTIVITY 6. Now filter the mixture you have made into a baby-food jar.

If filter paper is available, fine. But a paper towel, cut in a 5" circle and folded so that it forms a cone, will work satisfactorily.




ACTIVITY 7. Scrape the particles off the filter paper onto a small watch glass or other piece of glass. That which remains on the glass is the residue.


The residue, for your information, is the product of the chemical reaction between calcium chloride and sodium carbonate:



As you can see, the liquid that passed through the paper contained salt.



ACTIVITY 8. Using a clean dropper, add one drop of hydrochloric acid to the residue.



What happened when you added hydrochloric acid to the particles? You will find that some of the rock specimens in the rock kit will also react in a similar way with hydrochloric acid. These rocks are called *limestones* and contain calcium carbonate, the same chemical contained in the particles that settled out of the solution in Activity 4. Some limestones are thought to have been formed by the settling-out of calcium carbonate in layers.

Get the rock kit and find out which specimens react with hydrochloric acid.


ACTIVITY 9. Take your fourth clean test tube and fill it about three-fourths full of water. Pour about 1 teaspoon of the sand-silt mixture into the test tube. Stopper the test tube and shake it vigorously for a few seconds. Put the test tube into the jar and let the contents settle. Carefully observe what is happening.

What do you notice about the rate of settling of the different-sized particles?

These simple experiments, and the evidence in the rock specimens give a few clues that layers might be formed from particles settling out from water, but how are these layers changed into rock?

You can get some more clues by doing the following resource, "How Sediments Harden into Rock."

The students are told to get the rock kit and find out which specimens react with HCl. If they have done Resource 5 (which they should have), they have already made the test and can just refer to the results in that resource.



RESOURCE 7 57

EQUIPMENT LIST

See list in paper's text

PURPOSE: To examine possible mechanisms for hardening of sedimentary rocks.

MAJOR POINTS

1. Dissolved minerals can have a cementing effect on layers of sediments.
2. Certain minerals, like iron oxides of iron, can cause layered sediments to be colored in varying amounts.

Any flat dish can be used as long as it doesn't have a lip or ridges to prevent the hardened layer from being removed. For instance, a plastic petri dish works well, but because its diameter is about twice that of the paper cup, it will require about 4 times as much material (2 full teaspoons of chemical, more sand).




8 How Sediments Harden into Rock

Sediments are deposited in the form of layers of particles. The particles in most layered rock have properties that show they were once sediments deposited in water. But how do such sediments become hardened into rock?

Since the water in rivers and in the oceans contains many dissolved minerals, perhaps these minerals have an effect on deposited sediments. To study how dissolved minerals can affect sediments, you can try the following experiment. Go to the supply area and get the following items:

- 3 paper cups
- 1 teaspoon
- Fine sand
- Ferrous sulfate (a soluble compound of iron)
- Ferrous ammonium sulfate (a soluble compound of iron)
- Scissors

ACTIVITY 1. Get a paper cup and cut it off to make a small flat dish about half an inch deep. Fill it about halfway with water and add about $\frac{1}{4}$ teaspoon ferrous sulfate. Shake the dish until the FeSO_4 dissolves completely.



ACTIVITY 2. Now sprinkle fine sand into the water. Keep adding until wet sand almost fills the dish. Shake the dish to level the sediment and then set it aside in a warm safe place until your next class.

Repeat the experiment, but this time use ferrous ammonium sulfate as the substance to be dissolved.

Also set up a third experiment, using only water and sand, without any dissolved mineral.

1. What is the purpose of this third experiment?

Since it will take at least a day for the sand to dry out, you might go on to the next resource, "Sedimentary Rocks," if you still have class time left. When the sand has completely dried out, remove it from the paper cup, and compare the results of the three experiments.

2. What do you notice?

In this experiment, the presence of a dissolved iron compound in water causes a cementing and hardening action on the sand particles as the deposit dries out. You may even have found that your deposit changed to a yellowish color.

Iron compounds have been identified as the cementing agent in many sedimentary rocks, and the yellowish or reddish color of many sandstones is due to the presence of such compounds in the cementing material.

This experiment suggests at least one way that deposited particles might harden. Natural waters contain many dissolved materials that could act in a way similar to that of the materials you tried.

9 Sedimentary Rocks

Get the rock sample kit and pick out the sedimentary rocks. (If you have trouble doing this, see Resource 5.) Your task in this resource will be to identify each sedimentary rock as sandstone, shale, or limestone.

Sandstone, as its name implies, is composed of sand grains cemented together. **Shale** is hardened clay or mud. It often has a "muddy" odor when it is moistened. **Limestone** is composed of calcium carbonate, the same chemical contained in sea shells. Limestone fizzes vigorously when a drop of HCl is applied to it.

When they did react, it should drop out of the paper cup (or other container). Have students save the containers. They can be used by others in the class. Students should notice that the two containers that used dissolved chemicals hardened. The one with water and sand only (the control) did not. Also, they should note a change in color with the chemicals.

EQUIPMENT LIST

- Rock kit (16 samples)
- Hand lens
- HCl (optional)

PURPOSE: To identify sedimentary rocks by using certain procedures.

MAJOR POINTS

1. Sandstone is composed of sand grains cemented together.
2. Shale is a fine-grained clay or mud that often has a muddy odor when moistened.
3. Limestone is hardened calcium carbonate and reacts vigorously with HCl.

The grains of limestone should be rounded and should show a crystalline texture. Limestone should show a crystalline texture of white calcium carbonate grains. Limestone is either of the following:

Students may already know the HCl test and can sample water to check activities instead of doing it again.

Here are some tests that you may find helpful in classifying the rocks.

1. Look closely at each rock with a hand lens.
 - a. What is the average size of the grains?
 - b. What is the shape of the grains—rounded, angular, or elongated?
 - c. What is the color of the grains?
2. Study the material that holds the grains together.
 - a. Is it fine-grained or crystalline?
 - b. If it is crystalline, what is the size of the individual crystals?
3. What happens when you put a drop of dilute HCl (hydrochloric acid) on each rock?
4. Breathe on each rock. Try to identify any odors that result.

The results of the above tests should give you enough information to identify the rocks.

After careful thought and experimentation, geologists have concluded that rocks like sandstone, shale, and limestone were formed in lakes and seas. The theory is that the sand and clay that were deposited in seas and lakes became cemented into sandstone and shale. Limestone is thought to be fused calcium carbonate that was once dissolved in seawater (calcium carbonate is part of the "salt" of the seas).

Sedimentary rocks are generally found in layers. If you would like to know why, see Resource 7, in this cluster.

EQUIPMENT

See first page of paper text.

PURPOSE: To simulate a field trip for collecting rocks and identifying areas of regional metamorphism.

MAJOR POINTS

1. Any rock may be subjected to metamorphism, which changes it.
2. The texture of a rock may be studied by making an acetate peel of it.
3. Areas of regional metamorphism may be identified by the changes that have taken place in the rocks from the areas.
4. Regional metamorphism is the term used when large areas of the earth's crust are changed by pressure and temperature.

60

40 Metamorphic Rocks— A Field Trip in the Classroom


Metamorphic rocks are rocks that have been changed in form because of increases in temperature and pressure. Any rock may be subjected to metamorphism. In this resource you are going to imagine that you are going on a field trip in an area where metamorphic rocks are found. After collecting

89

the rocks you will return to the laboratory as would a geologist, to study and examine the rocks you collected. To do this resource, you will need the following:

- | | |
|--|--|
| 1 geologic map of a metamorphic area | 1 hand lens |
| 1 piece of cellulose acetate film | 1 metal file |
| 1 bottle of acetone or nail polish remover | 1 rock kit containing samples 05, 16, 18, 20 |
| | Piece of fine sandpaper |
| | Pan of clean sand |


ACTIVITY 1. For each of the geology stops listed below, imagine you are in the field collecting samples of rocks. Using the directions at each stop, locate that spot on the map and record on the map the identification number of the rock sample. Use the map in your Record Book.



- Stop #1 At the north end of unimproved dirt road about 1 mile from west end of Iggy Road. Specimen fragment 16 collected here.
- Stop #2 Intersection of Iggy Road and ISCS Highway 21. Sample 18 collected here.
- Stop #3 Intersection of ISCS Highway 21 and East Street. Sample very similar to 18 collected here.
- Stop #4 Intersection of East Street and an unimproved dirt road. Sample similar to 16 collected here.
- Stop #5 Intersection East Street and Iggy Road. Sample 20 located here.
- Stop #6 Edge of map and East Street. Sample 05 collected here.
- Stop #7 Intersection of Lake Street and Lake Creek. Sample similar to 20 found here.
- Stop #8 Intersection of Lake Street and the light-duty road. Sample similar to specimen 05 collected here.

When you have finished the field trip, make sure you have recorded the sample numbers on the map at each of the eight stops. Although you made eight stops, you should only have four rock samples, since you collected a similar rock for each of these four at another station.

The four rock samples are granite (05), shale (16), slate (18), and chert (20). They illustrate the progression of transformation of a sedimentary rock (shale) through successive steps under heat and pressure to metamorphic forms of slate, then chert and finally quartz. Under the most heat and pressure, a type of granite may be produced as the final step beyond quartz. Some geologists feel, therefore, that the granite, which was once believed to be entirely igneous, may be formed by metamorphic processes as well.




ACTIVITY 2. Draw a line from the upper left corner of the map to the lower right corner of the map and then place each rock sample at any one of the stations from which it was collected.

11. If you start from the upper left-hand corner and move along the line to the lower right, what major differences among the rocks do you note?


If you examine the rocks in the upper left part of the map you will note that they are sedimentary, and as you move toward the lower right they grade into metamorphic rocks. You should have noted that as you move toward the lower right the rocks become more layered or banded, and the minerals in the rocks become larger.

Figure 1




Let's examine each of these rocks more closely. Geologists sometimes study rocks by making an acetate peel of the rock. Pick up rock 05 and examine it carefully, looking for a flat, polished surface. If your rock does not have a polished surface, then you will have to polish it by following the instructions in Activity 3. If it is polished, start with Activity 4.

ACTIVITY 3. Hold the rock in your hand so that the surface to be polished faces outward. Lay a steel file flat on the desk and grind the surface of the rock on the file for a few minutes. The area you grind should be at least 1.5 cm square. Use fine sandpaper when you think the surface is smooth. Wash the rock in water and let it dry.






ACTIVITY 4. Support the rock sample by gently pushing downward and slightly rotating the rock into a pan containing clean sand. The polished surface should be face-up and horizontal.



Note that the following instructions apply to all rock samples. The order of the steps is not necessarily the order of the activities.

The acetate film should be cut only slightly larger than the polished surface of the rock. There is sufficient acetate to supply all the students in several classes if care is taken to conserve materials.

ACTIVITY 5. Carefully wet the polished surface with a few drops of acetone or nail polish remover. Hold the acetate film between thumb and forefinger of each hand and bend downward into a U shape. Apply to the rock so that the base of the U is first to touch the wet surface. Progressively roll the film out so that it is flat on the rock. Do not press with your fingers. Let this dry for about 15 minutes.



While the first rock is drying, repeat Activities 3 through 5 for the other rocks.

ACTIVITY 6. After 15 minutes, carefully lift the peel off by grasping one corner with your finger and gently lifting. The acetate should peel off.

When you have made four peels, examine them carefully with a hand lens. Using the peels, answer the following questions.

2. What differences do you note in the size of the minerals in each rock?

3. What differences do you note in the arrangement of the minerals in each rock?

You have already learned that metamorphic rocks originate when rocks are changed by conditions of high temperature and pressure. Let's assume that the original rock for the

2 and 3 The grains should get larger as the samples go from shale to gneiss. Also the arrangement of minerals should progress from uniform grains in shale and slate to flaky schist and then to banded gneiss.

93

three metamorphic rocks in this activity was the sedimentary rock you collected in the upper left regions of the map. This rock is called shale, which is made of very fine particles of silt and clay. You should have noted from the peels that the grain size of the minerals of the rock increased as you moved toward the southeast regions of your map. Also the appearance of a layer or bands became more pronounced as you moved toward the southeast.

14. What part of the map do you think was subjected to highest temperatures and pressures?

The type of metamorphism you are studying here is called regional metamorphism. The reason for this is that metamorphic rocks generally occupy large areas on the earth. These rocks form deep in the crust, and the fact that you collected them on the surface indicates they were uplifted and the rocks above them were eroded away. It is generally agreed that the rocks with pronounced layering or banding have undergone more change than other rocks. Perhaps the higher temperatures and pressures occurred in the southeast region of the map.

As you will learn later in this unit, greater masses of hot rocks buried deep in the crust, known as igneous intrusions, might provide the high temperatures necessary to metamorphose rocks.

11 Identifying Rock-forming Minerals

There are more than 2,000 different minerals on the earth, yet the ones that are useful in the study of rocks can be reduced to about a dozen. In this resource you will use a simplified classification system to help you identify mineral specimens.

Obtain from the supply area a kit of minerals, a glass plate, a knife, and a hand lens.


EQUIPMENT LIST

Mineral kit (12 samples)
Glass plate
Knife
Hand Lens

PURPOSE: To show a simplified classification system for identifying minerals.

MAJOR POINTS


1. The more than 2,000 minerals can be reduced to about 12 important ones that are useful in the study of rocks.
2. Cleavage faces will flash when rotated in a bright light.
3. Mineral hardness can be classified as harder or softer than glass.
4. Minerals can be classified as having either metallic or nonmetallic luster.



Encourage students to work together as they peel off a layer of biotite mica and, also, to

ACTIVITY 1. Pick up mineral sample 29 (biotite mica) and carefully try to peel a layer off the top. Place a knife between the layers and lift. This peeling or separation along a smooth surface is called cleavage. peel off a minimum layer. The samples can become quickly fragmented otherwise.


ACTIVITY 2. Hold the sample in your hand with the fresh surface up at about eye level. Now rotate the sample until you see a flash of light. Cleavage surfaces will flash in light as a mirror will if you hold it at the right angle to the sun.



Minerals can have several cleavage surfaces. The mineral you are now holding has one cleavage surface.


Examine the drawings in Figure 1. Cleavage surfaces are shown for samples having one, two, and three directions.

Figure 1




Remember that cleavage faces will flash when you rotate them in good light; other surfaces will not.

ACTIVITY 3. Pick up mineral sample 23 (microcline feldspar). Hold the sample in good light and rotate, looking for flashes. You should be able to identify two cleavage directions, at about 90° to each other.



The glass plate called for here can be salvaged scraps of window glass. Your custodian may have some that he would be willing to give you and even trim up with a glass cutter. Local glass companies also have scraps that they will give away. Warn students about handling the sharp edges.

ACTIVITY 4. Lay the glass plate on the table. Holding mineral sample 23 (feldspar) in your hand, try to scratch the glass with the sample. To determine if you have scratched the glass, rub your moistened finger across the mark. If the mark comes off, then you have not scratched the glass. If the mark remains, look closely at it with a hand lens.



If you can scratch the glass with the mineral, then we conclude that the mineral is harder than glass. If you cannot scratch the glass, then the mineral is softer than glass.

1. Is the mineral sample 23 harder, or softer, than glass?

You should have determined that mineral sample 23 is harder than glass.

Using the same mineral you tested in Activity 4, determine its luster. To do this, examine Figure 2, which shows two photos of minerals having either a metallic luster (look like a metal) or a nonmetallic luster (look glassy, greasy, waxy, pearly).

2. What kind of luster does mineral sample 23 have?

RESOURCE 11

67




Figure 2

To identify a mineral, you will need to determine its luster (metallic or nonmetallic), its hardness (harder or softer than glass), and if it has cleavage surfaces. When you determine these three properties, you should then refer to the mineral classification chart on this page and the next page.

Identify each of the samples in the mineral identification key by following the procedure above.

Students may be interested to know that rock samples brought back from the moon contained a number of the minerals listed here. For instance, the glassy olivine was found in much of the dust and rock.

Mineral Classification Chart

		Special Properties	Name
Nonmetallic luster	Harder than glass	Cleavage	2 directions of cleavage; pink, white Microcline feldspar
		Cleavage	2 directions of cleavage; white, blue-gray, striations (lines) on some cleavage planes Plagioclase feldspar
		No cleavage	Red, brown, or yellow Garnet
			Olivine green; commonly in small glassy grains Olivine
			Transparent, milky-white Quartz
	Softer than glass	Cleavage	Brown to black; perfect cleavage producing thin elastic sheets Biotite mica
			3 cleavage directions—surfaces look like this \square ; colorless, white; effervesces in HCl Calcite
			Perfect cleavage, producing thin elastic sheets Muscovite mica
			Dark-green to black; 2 cleavage directions Hornblende and Augite

Metallic luster	Harder than glass			
	Softer than glass	Cleavage	Heavy; silver-gray color; little cubes	Galena
		No cleavage	Black	Hematite

Note that there is no sample among the 12 minerals that has a metallic luster and is harder than glass

12 How Rocks Change from One Kind to Another

The earth's crust is in constant change. Whether you examine rock in the mountains, the midlands, or the shorelands, you see the same cycle of change. Figure 1, on the following page, is a simplified diagram of the rock cycle. With it, you should be able to predict how one kind of rock can change into another kind.

As a starting point for making predictions from the diagram, consider the molten rock coming from a volcano. This lava was pushed upward and exposed to weathering. Any rocks exposed to wind, water, and changing temperature will be broken down and carried away as sediments, which may then be deposited in a lower region. Constant wearing away and deposition of more sediments will bury the first sediments to arrive.

In time, the buried sediments become hardened to form

EQUIPMENT LIST

None

PURPOSE: To give a brief description of the changes in a "rock cycle."

MAJOR POINT

Conditions of weathering, heat, or pressure can change one type of rock into another type.




Figure 1

sedimentary rock. With added pressure and heat, the sedimentary rock may change to metamorphic rock. The metamorphic rock can melt and be pushed into or onto overlying sediments as igneous rock. This completes the cycle for this case, since this rock has gone through a whole cycle from igneous rock to igneous rock.

Cluster B is made up of Resources 13, 14, 15, and 16. They are aimed at helping the student understand how igneous rocks are formed.

CLUSTER B
(Resources 13-16)

MAJOR POINT

Some volcanic eruptions are violent, while in others hot rock pours slowly out of a vent.

PURPOSE: To simulate volcanic activity.

13 Making a Volcano

EQUIPMENT LIST


See list in pupil's text.

Caution Do this resource only after obtaining your teacher's permission!


During a volcanic eruption, molten rock and gases come to the surface of the earth. In some cases the eruption is very violent, sending molten rock several hundred feet into the air, while in other volcanoes hot rock pours slowly out of the vent. In this resource we will use a simple model of a

volcano to study its behavior when it erupts. Obtain the following materials from the supply area:

- 1 copper cone
- 1 masonite board, 10" x 10"
- 2 strip magnesium ribbon, 2½" long
- 1 pair tweezers
- 30 cc ammonium dichromate, $(\text{NH}_4)_2\text{Cr}_2\text{O}_7$
- 4 bricks
- Wooden matches



ACTIVITY 1. With your partner, set up the apparatus as shown in the diagram and fill the cone to the top with the ammonium dichromate. Do not pack down. Using tweezers, insert unlighted 2½" piece of magnesium ribbon into cone, leaving 1" exposed above the dichromate.




2. Cut a piece from the copper sheet, using the above figure as a template.
3. Cut in on the curved line ¼" deep every ¼" along the curve, as shown.
4. Roll the cone so that the copper overlaps ¼" at the curved edge to the line shown on the template. Fasten with small pieces of tape.
5. Bend the ¼" cuts out so that they form a lip on the open end of the cone.
6. Support the board with the hole in it on the four bricks. Insert the cone snugly into the hole, with the tabs flat on the board. Make sure that the overlap is tight together all the way to the tip of the cone.
7. It would be wise to have protection under the tip of the cone so that molten material cannot damage the table. Another brick will work fine.

Caution Keep your face and hair away from the cone. Avoid touching the powder.

The proper construction of the copper cone, fitted into the masonite or plywood board, can be tricky. The following procedure should help.

1. Cut a circular hole 1" in diameter in the board. Perhaps the school shop can help with this step.


ACTIVITY 2. In a dimly lighted room, ignite a match and carefully bring the match up to the ribbon and ignite it. Do not touch match to the dichromate. When ribbon ignites, stand back and observe what happens.



The first trial is best done in a dimly lit room. The second trial may be done with normal lighting.

Without disturbing the powder on the masonite board, refill the cone with ammonium dichromate, and insert a fresh piece of magnesium ribbon. Repeat Activity 2.

ACTIVITY 3. At eye level with the masonite board, sketch a diagram in your Record Book, showing what the volcano looks like from right to left. As an aid, imagine walking from points A to B across the volcano.



SAFETY NOTE: These activities should be done under close supervision. You may want to consider performing them yourself, with small groups of students who arrive at this point together. In addition to the potential danger, they are extremely messy (see "Preparation of Equipment" in the front of the text). Could you use a large packing box with the front cut out?

- 1. Does your sketch resemble any of the Mono craters you saw on page 38?
- 2. How do you believe Mono craters were formed?

EQUIPMENT LIST

None

PURPOSE: To discuss the formation of igneous rock in cracks beneath the earth's surface.

MAJOR POINTS

1. A layer of igneous rock between two other rock layers is called a sill.
2. During formation, a sill changes the rock above and below it by heat.
3. Size of crystals and effects on adjacent rock show the difference between a sill and the layer formed by outpouring of lava on the surface of the earth.

14 Layered Igneous Rock

When molten rock flows out onto the earth's surface through cracks in the earth's crust, it forms a layer of lava that cools to a fine-grained crystalline rock. What happens to the molten rock trapped in the cracks?

Look at Figure 1, which shows a rock outcropping in a cliff in Glacier National Park, Montana. Notice the layers in this outcrop, also seen in many other rock outcrops illustrated in this book.




Figure 1

The dark layer near the top of the photograph is a different kind of rock from the rocks above and below it. It is a very hard, medium-grained crystalline rock containing several different minerals. The crystals in the middle of the layer are slightly larger in size than those near the top or the bottom of the layer.

If you have done the resource on identifying the main classes of rocks, you will recognize these properties as belonging to igneous rock—a rock layer formed by the cooling of molten rock. The rocks above and below the dark layer are sedimentary. Careful examination of the boundary with the dark rock shows a narrow band of baked, light-colored rock much harder than the rest of the sediment.

The dark layer of igneous rock is called a *sill*. It is thought to have been formed from the cooling of molten rock that forced its way through a crack formed at the zone of weakness much later than the sediments above and below it. (See Figure 2.)

When a series of layers of sedimentary rocks is divided by layers of igneous rocks, you sometimes can't tell what happened. You don't know whether the igneous layer is a lava flow with the sediments deposited above it later or

Students can be referred back to Resource 6, "How Igneous Rocks Are Formed." When they poured molten naphthalene or hypo or sulfur into the hole in the cork, it simulated the formation of a sill. The crystals at the edges of the plug were much smaller than those in the center, where the material cooled more slowly. Likewise, the material that was poured onto a flat surface cooled so rapidly that either very small crystals formed, or the liquid hardened too quickly for crystallization to occur, and a sort of a glass resulted.




Figure 2

whether it is a sill that intruded between layers of sediment. If you look closely at the top and bottom of the igneous layer, however, usually you can decide fairly easily. Can you guess how? Remember that a sill is pushed into rocks and that a lava flow is poured out onto the surface.

The answer is fairly simple. A sill, being very hot when it was squeezed between layers, would change the rocks both above and below it. The heat would change (metamorphose) the sedimentary rocks on either side. However, when a lava flow forms, there is only rock beneath it as it pours out onto the surface. Therefore, only the lower boundary of the layer will be metamorphosed. By the time a rock layer is deposited on top of the igneous layer, it would be cold.

When the plugs were poured in Resource 6, the cork, being an organic substance, was not metamorphosed, so the simulation does not show this effect.

EQUIPMENT LIST

4 strips of modeling clay, 6 cm x 6 cm x 1 cm, in 2 different colors (2 of each color)
Block of modeling clay of third color
Knife

PURPOSE: To simulate the formation of domes, dikes, and sills by molten rock beneath the earth's surface.

MAJOR POINTS

1. Mountains of igneous rock that have none of the features of volcanoes have been identified on earth.
2. A dome might be formed by molten rock pushing up from below the surface.
3. A sill might be formed by molten rock being forced horizontally between two other layers of existing rock.
4. A dike might be formed by molten rock being forced into a vertical crack across several layers of rock.
5. Erosion can remove the overlying layers, exposing domes, sills, and dikes.

15 Molten Rock Beneath the Crust

What happens when molten rock cools within the earth's crust? That's what you will discover as you do this resource. You will make a clay model to represent several igneous rock features that form when molten rock cools while still within the crust of the earth.

Figure 1 shows a slab of igneous rock (a dike) that cuts across layers of sedimentary rock. Which was formed first, the igneous rock or the sedimentary rock?

Figure 2 shows Moro Rock, a dome-shaped mound of solid granite. You might think this mountain of igneous rock was volcanic, but it has none of the features associated with volcanoes. The large crystals of which it is made are evidence





Figure 1



Figure 2

that it cooled very slowly—perhaps while buried in the crust. If so, how do dome mountains like this become surface features?


The following activities with modeling clay will help you understand the theories that have been developed to explain these features. You will need a knife and three lumps of clay, each of a different color.




ACTIVITY 1. Cut two strips of modeling clay of one color, 6 cm x 6 cm x 1 cm, and two strips the same size of another color. Make them into a block (alternating the colors as shown) to represent sedimentary beds in the earth's crust.

Impress students with the necessity of saving all the modeling clay that is cut out. It should be carefully separated by colors, and can then be re-formed into blocks. If this is not done, you will rapidly deplete your supply of clay.


ACTIVITY 2. Scoop out a dome-shaped hole in the bottom of the block so that you remove clay from the bottom two layers, but not the top two layers. Imagine that the rock has melted. Pack a different-colored clay (to represent molten rock) into the hole. Fill the hole completely.



ACTIVITY 3. Use a knife to make two cuts into your block. Make one vertical cut across the middle, cutting down only as far as the second layer from the bottom. The other cut should be a diagonal cut, intersecting the first one as shown.




Clay representing molten rock



ACTIVITY 4. Take some more of the colored clay you used to represent the molten rock and flatten it into thin sheets about 2 mm thick. Open up the two top cuts you have made and push a thin piece into each one, joining them with the dome piece. Separate the second and third layers of the block, and slip in a sheet on top of the second layer. It will connect with both top cuts and the dome.

ACTIVITY 5. Now cut your block in half along the line AB all the way to the bottom of the block.



Look closely at the block's inner face. You have a model of molten rock intruding as a dome, as a sill (between the beds), and as dikes (across the beds). See Figure 3. Notice that intrusion of the sill has caused uplift.




Figure 3

Now imagine that the molten rock has cooled and that steady erosion keeps removing the sediments, the dikes, and the sill.



ACTIVITY 6. Take one half of the cut block and carefully remove all three top layers, the sills, and the dikes until you are left with the bottom layer and the dome.

At the conclusion of the activities, insist on an adequate cleanup, with clay separated by colors and, if possible, remade into blocks.

A big mass of molten rock like that in a dome would have cooled very slowly. It would have much larger crystals than the dikes or sill. Being such a big mass of hard igneous rock, it would be resistant to erosion.

EQUIPMENT LIST

None

PURPOSE: To explain the formation of volcanic cones and lava flows.

MAJOR POINTS

1. Some cone-shaped mountains were formed by volcanic activity and are made of layers of lava and ash.
2. Lava may flow out of fissures, or cracks, in the earth's crust and cover large areas on the surface.

16. Cone-shaped Mountains and Lava Flow

In the western part of the United States, you can find cone-shaped mountains, some of them with craters in the top. The cinder cone (Figure 1) at Lassen Volcanic National Park, California, is typical. The rock in these mountains is igneous, meaning that it has cooled from molten rock, which may be alternately layered with ash.





Figure 1

The shape and the rock type are evidence that these cone-shaped mountains were once volcanoes, but not all lava flows form cones. The Columbia plateau in the northwest United States is covered by layers of igneous rock over an area of 500,000 square kilometers, as shown in Figure 2.



This igneous rock, when it is broken up by weathering, has a high nutrient content and supports many forms of plant life. Consequently, much of the Columbia plateau is covered with vegetation, and the lava-flow nature is not always readily apparent.

Figure 2

Although there are several cone-shaped mountains in this region, the lava coming from them could not have covered such a vast area. Instead, most of the lava is believed to have poured out of long cracks, called *fissures*, in the earth's crust. The cooled lava that poured out of these fissure volcanoes is a hard, fine-grained igneous rock. It has properties similar to those of the volcanic rock that is still being formed by the Kilauea and Mauna Loa volcanoes in Hawaii.

17 Wedge-shaped Mountains and Uplift by Faulting

PURPOSE: To model faulting of the earth's crust and examine possible causes.

High in the Rocky Mountains, several thousand meters above sea level, are layered sedimentary rocks. What does evidence like this show? One explanation is that the crust

Cluster C contains Resources 17, 18, and 19, which give background on uplifting of mountains.

CLUSTER C (Resources 17-19)

EQUIPMENT LIST

4 strips of modeling clay, 10 cm x 3 cm x 1 cm, in 2 different colors (2 of each color).
Knife
2 rulers or thin blocks of wood

MAJOR POINTS

- 1 Layered sedimentary rocks are found high in the Rocky Mountains. A possible explanation is that they have been pushed upward over long periods of time.
- 2 A line of slippage between two sections of the earth's crust is called a fault line.
- 3 The model explains faulting by assuming that (a) there must be a zone of weakness in the rocks, and (b) there must be a strong downward force some distance away to cause the tilting.
- 4 The great weight of sediments on the ocean floor could cause the faulting in the Sierra Nevada in California.


of the earth must have been pushed upward over a vast period of geologic time.

In this resource, you will look at some models of how this uplift may have come about. Get two colors of modeling clay and a knife.

ACTIVITY 1. From each colored piece of clay, cut two thin strips, each about 10 cm long, 3 cm wide, and 1 cm thick.




ACTIVITY 2. Let each strip represent a layer of sediment deposited in water. Deposit one on top of the other, alternating the colors, to make a block.




Large cuts such as this can be done easier with an old hacksaw blade.

ACTIVITY 3. Imagine that these layers represent a region where forces on the crust cause a crack or zone of weakness. Cut a sloping crack as shown.



ACTIVITY 4. After cutting, press the two pieces together again so that they just barely hold together. Support the block on two rulers. Press down on one end of the block and vibrate the block slightly as you push. Gently vibrate and push until the cut surfaces begin to slide apart.



When students finish with the activity, have them separate the clay into the two colors before returning it.

The line of slippage as shown in Figure 1 is called the *fault line*.




Figure 1

If you were careful in following directions, your block should now look like the sketch in Figure 1. Compare your clay model with Figure 2. Can you identify the fault line in this picture?

Two conditions are necessary for this theory to explain mountains like those in Figure 2. There must be a zone of weakness in the rocks, and there must be a strong downward force some distance away to cause a tilting of the block.

RESOURCE 17 81



Figure 2

The Sierra Nevada is the upper edge of a huge sloping platform 400 miles long and from 40 to 80 miles wide. When approached from the California coast, the slope is rather gentle; when viewed from the Death Valley side, the fault forms steep precipices.

Figure 3 shows a profile of the Sierra Nevada in California to indicate how faults cause mountain uplift there.





Figure 3

In this model of mountain uplift, the great weight of the sediments on the ocean floor pushed downward, causing slippage along the fault.

18 Uplift of Mountains Due to Folding


One theory to explain how the crust is pushed up to form mountains is based on the continental drift model for the earth's crust. According to this model, the collision of crustal plates causes pressure that results in a folding of the crust. To make a model that explains layered and folded features of the crust, you will need two colors of modeling clay.

ACTIVITY 1. Flatten or cut the clay into strips 1 cm by 3 cm by 10 cm. Make two strips of each color.



ACTIVITY 2. Stack the strips, alternating the colors.

ACTIVITY 3. Place the narrow end of the clay block against the wall, protecting the wall with a piece of paper. Using a block of wood at the opposite end and, steadying it with one hand, push the clay block hard and steadily.



Look carefully at the side of the clay block. The layers represent beds of sediments. The dips represent valleys and the humps mountains.


EQUIPMENT LIST

- 4 strips of modeling clay, 10 cm x 3 cm x 1 cm, in 2 different colors (2 of each color)
- Sheet of paper
- Block of wood
- Knife

PURPOSE To make a model to show folding of the earth's crust

MAJOR POINTS

1. The contraction theory (the wrinkled-apple model) assumes that the shrinking of the earth causes pressures that result in uplift of mountains
2. In the plate tectonic theory, folding of rocks is caused in regions where plates collide
3. Erosion may remove top layers to reveal the folding of the crust.
4. Extensive folding occurs in the Appalachian region of the United States.







Figure 1

When you look at the earth, you cannot always see the folding this clearly because a side view is not always exposed. But sometimes there is other evidence of folding.

ACTIVITY 4. Slice off the top one fourth of your clay block. Then look down at the top of it.



This newly revealed surface represents a section of country where erosion has removed the top part of the folding. As you can see in Figure 2, removing the top section of the crust shows the strips or bands formed by the folded layers.




Figure 2

Top view

You can recognize where bed 4 on your modeling clay block repeats itself on the top easily enough. However, when folded rock is exposed in several places miles apart on the surface of the earth, the job is not easy. A geologist has to identify the properties of the rocks. He must look at the way they dip into the earth and see what rocks occur next to one another.

The Appalachian region of the United States has many folds. Figure 3 shows a situation very much like the one that

occurs where the Susquehanna River flows above Harrisburg in Pennsylvania. The rocks of Cove Mountain, a curved ridge, and rocks on each side of it give evidence that layers of rock were folded down in the center, as shown in the cross section diagram of Figure 4. This was followed by erosion.

Sometimes one of the folded layers is a coal seam (and the sedimentary rock). In another case it may be a layer of gypsum, the raw material of plaster.




Figure 3




Figure 4

The photograph in Figure 5 shows actual folds in a railway cutting at Bakersville, North Carolina. These folds are much smaller than the Cove Mountain folding.



Figure 5

EQUIPMENT LIST

None

PURPOSE: To determine the relative age of mountains by their appearance.

MAJOR POINTS

1. Two different sets of forces act on mountains—uplift and wearing away.
2. If mountains are being uplifted faster than they are wearing away, they have sharp features and may be considered young.
3. If mountains are wearing away faster than they are uplifting, they have rounded features and may be considered old.

19. Old and Young Mountains

Suppose someone asked you which of the two mountains shown in Figures 1 and 2 is older. Although this is a very complex question, it is possible to give a general answer. This resource deals with the way to do this:

The problem in determining the age of a mountain is that two quite different sets of forces must be considered. At the same time that mountains are being pushed up from below, they are being worn down from above by water, wind, and ice. What you see as you look at a mountain is the result of both of these sets of forces.



Figure 1

If the uplift has been quite a bit greater than the wearing away, you should expect high peaks, steep mountain sides, deep narrow valleys, and swiftly flowing streams (Figure 1). You might think of such mountains as "young." The mountains shown in Figure 1 began "growing" about 70 million years ago and continue to be uplifted today.

On the other hand, if wearing away has exceeded uplift, or if uplift has stopped, you find rounded hills and broad valleys (Figure 2). These are "old" mountains. The ones shown in Figure 2 are believed to have stopped "growing" about 230 million years ago.




Figure 2

By these criteria, the older mountains in the United States are the Appalachians, which are composed of the Adirondacks, Green Mountains, Catskills, Smokies, and others. The younger mountains would include the Rockies and the Andes in South America. The youngest would probably be the Cascades and Sierras, along with the Alps in Europe.

Cluster D consists of Resources 20, 21, 22, and 23 and is concerned with glaciation.

20 Snow to Ice

PURPOSE: To examine the process by which snow changes to ice.

EQUIPMENT LIST

None

This resource deals with the process by which snow turns into glacial ice (Figure 1).

When snowflakes are examined closely, they are seen always to be six-sided (hexagonal). Because no two snowflakes appear the same, there are millions and millions of variations of this hexagonal form. In spite of their variety, however, all snowflakes are quite delicate with lots of open space. For this reason, freshly fallen snow tends to be rather loose, light in weight, and not hard like ice.

CLUSTER D (Resources 20-23)

MAJOR POINTS

1. Snowflakes are always six-sided with much open space in the crystals.
2. The pressure on accumulated snow changes it to ice grains.
3. Further packing, pressure, and addition of water changes it to solid ice.
4. The change from snow to solid ice can require up to 300 years.




Figure 1

When snow changes to ice under pressure, its density changes dramatically. Snow has an average density about $\frac{1}{9}$ that of water, although this figure may vary from $\frac{1}{8}$ to $\frac{1}{10}$. Ice under normal pressure is about $\frac{9}{10}$ as dense as water, so the mass per unit volume is about 9 times as great as that of snow.

At high elevations in the mountains, snowfall often exceeds the rate of melting. This results in peaks that remain snow covered the year around. As snow accumulation increases, there is greater and greater pressure exerted on the snowflakes at the bottom. In time, the flakes lose their delicate structure and become loosely packed ice grains. This process may take approximately a year, depending upon the weather.

With further packing and the addition of water from melting snow, the granular ice may recrystallize and gradually turn to solid ice. At a depth of about 15 meters, ice particles over a centimeter across are common. At a depth of about 30 meters, the pressure is great enough to cause the particles to lose their form and fuse into solid ice. In cold climates, this change from snow to granular ice and, finally, to solid ice can take up to 300 years.

EQUIPMENT LIST

None

PURPOSE: To examine the factors that control the size and the movement of glaciers.

MAJOR POINTS

1. The size and motion of a glacier are controlled by the relationship between the creation of new ice at the head and the rate of melting at the foot.
2. Temperature and amount of snowfall are two factors that control this relationship.

21. The Size and Movement of Glaciers

Measurements show clearly that the lower edges of glaciers may alternately move up or down the sides of mountains. Nisqually Glacier, on the side of Washington's Mount Rainier, moved back more than 1,200 meters between 1857 and 1944. On the other hand, the Black Rapids Glacier in Alaska moved forward almost five kilometers during five months in 1936. What causes glaciers to retreat and advance? That's what this resource is about.

Let's begin by examining what happens at the head and foot of a typical glacier. Notice that the head of the glacier in Figure 1 is well up the mountain slope, where cold temperatures keep snow present throughout the year. The fallen snows gradually turn to ice and add to the size of the glacier. At the same time, the foot of the glacier is being melted because of the higher temperatures lower down the mountainside. Gravity, helped by melting and refreezing of ice where it contacts rock, causes the ice to slide downward.




Figure 1

Often the creation of new ice at the head of a glacier equals the rate of melting at the foot. In this case, although ice gradually flows down the hill, the foot of the glacier remains at about the same point.

But at other times, either the rate of melting or the rate of ice buildup increases with no change in the other. Under these conditions, the foot of the glacier would move either up or down the mountainside (see Figure 2).

Most mountain glaciers are retreating (moving up the mountainside) throughout the world. Whether they will continue to retreat, or will grow again into another ice age, is an undecided question.




Figure 2

Causes: More snowfall or a drop in temperature results in less melting and evaporation.
 Effect: Foot of glacier advances down the mountain.

Causes: Less snowfall or higher temperature results in more melting and evaporation.
 Effect: Foot of glacier retreats up the mountain.

EQUIPMENT LIST

None

PURPOSE: To identify the terms used to describe the action of glaciers on the land.

MAJOR POINTS

1. The pulling of rocks from an area by a glacier is called plucking.
2. A large bowl formed at the head of a glacier by plucking is called a cirque.
3. If the cirque fills with water, it forms a lake called a tarn.
4. Sharply ridged peaks formed by glacial plucking are called horns.
5. One of the most important effects of glaciers is the carving of U-shaped valleys.

22 Effects of Glacial Carving

As glaciers move, they grind, carve, and pluck at the rocky faces of mountains. This action produces many of the troughs, bowls, ridges, and sheer cliffs that compose some of the world's most beautiful scenery. This resource deals with the erosive action of glaciers upon mountains. It also identifies some of the common features that this kind of erosion produces.

As glaciers move down a mountainside, they often pull rocks away from the area in which they began. Over a period of time, this plucking forms a large bowl, or *cirque*, at the head of the glacier. As plucking continues, the cirque grows larger and deeper, often producing a wall many hundreds of meters high and a bowl equally deep. Melting of the

glacier frequently turns the bowl of the cirque into a small lake called a *tarn*. Figure 1 diagrams the process by which cirques are formed. Figure 2 shows an actual cirque and tarn.

Figure 1





Figure 2

Sometimes glaciers are like very rough sandpaper indeed. Grooves 2 feet deep and 3 feet wide have been identified on Kelleys Island, which is north of Sandusky, Ohio, in Lake Erie. Even deeper glacial grooves, some a mile long, 150 feet wide, and 50 feet deep were gouged in the rock of upper Canada.

Glacial plucking often produces several cirques on the same mountain. Sharp ridges and many-sided peaks called *horns* are two results of this process. Figure 3 diagrams the way these features are formed, and Figure 4 shows a typical example, the famous Matterhorn in Switzerland.

A glacier sometimes grinds at rock surfaces like a piece of steel wool or sandpaper. Look at Figures 5 and 6. You can almost see the glacier that once occupied these areas smoothing and polishing the rock surfaces shown.

RESOURCE 22 91



Figure 3




Figure 4




Figure 5



Figure 6




Perhaps the most important effect produced by moving glaciers is shown in Figure 7. This U-shaped valley is quite typical of the trough carved by glaciers. It stands in sharp contrast to the V-shaped canyons and gullies that are cut by moving water. (The next resource deals with the reasons for this difference.)

The Finger Lakes in central New York were formed by glaciation in the last ice age. They are really long, parallel, U-shaped valleys.



Figure 7

Figure 8 shows a number of the glacial features you've studied, all located in a relatively small area. How many additional glacial features can you find? What other agents besides glaciers have affected and are affecting this landscape?



RESOURCE 22 93



Figure 8

EQUIPMENT LIST (Optional)

Ice, with pebbles and stones frozen in it
Stream table, with sand-silt mixture

PURPOSE: To compare valleys formed by streams and by glaciers and to examine the processes of formation.

MAJOR POINTS

1. A fast-flowing stream cuts a narrow channel with sharp bends.
2. A glacier cuts a wide, U-shaped path with long, smooth curves.
3. When tributary glaciers join a main glacier, hanging valleys may be formed.

23 How Glaciers Form U-shaped Valleys and Hanging Valleys

One of the most prominent features of many glacial landscapes is the huge valleys. These valleys stand in sharp contrast to the valleys carved by rivers. Compare the shape of the typical river valley in Figure 1 with the shape of the typical old glacial valley in Figure 2. Figure 3 on page 96 is a diagrammatic sketch of these two kinds of valleys.

Figure 1

Figure 2





Figure 3

A fast-flowing mountain river rolls stones and pebbles along the stream bed, causing a grinding action. This digs the bed deeper along a narrow channel and cuts sharp bends.

When a glacier moves down the mountainside, it forms a huge, wide, slow-moving mass. Pebbles and boulders are embedded in the ice being dragged along. Instead of cutting downward like a saw-cut, it grinds a wide, U-shaped path, which can only bend in long, smooth curves.

Figure 4



If you have access to a refrigerator, freeze a tray of ice with pebbles and stones in it. Then try pushing the ice through the sand-silt mixture in a stream table to compare it with stream action.

In Figure 4, you can see the wide masses of ice forming the big South Sawyer Glacier in Alaska and two tributary glaciers feeding into it. Imagine the huge load of rock debris this ice is dragging along the valley floor.

This activity, pushing ice with pebbles and stones in it through the mixture in the stream table, is optional. You may not have the stream table ready for operation yet, a large pan would do. It may not be convenient to freeze the tray of ice and stones as well.




Figure 5

RESOURCE 23 97

When a tributary river flows into another river, the base level of erosion is the bottom of the bigger river -- both rivers meet at the same valley level. When a tributary glacier meets another glacier, the base level of each valley depends on how much ice it carries. A small glacier cuts a shallow valley, and a big glacier cuts a deep valley. The rock floor of a small glacial valley can be high up the wall of the big valley into which it flows. In old glaciated landscapes, these small tributary valleys can be seen as "hanging valleys."

Figure 5 shows how the landscape illustrated in Figure 4 could look in the future if the ice melts. The U-shaped valley (1) formed by the main glacier and the hanging valleys (2, 3) formed by the tributary glaciers have been labeled to help you compare the diagram with the photograph.




Figure 6

There are many spectacular hanging valleys in the United States. Yosemite National Park in the Sierra Nevada, California, is famous for its glacial valley landscape. Figure 6

shows a typical hanging valley in Yosemite. It is what remains from a small tributary glacier of the last ice age and can be seen at the right, high above the big U-shaped valley that was carved by the main glacier.

SUPPORT YOUR HANGING VALLEYS



GET IT READY NOW FOR CHAPTER 3

The biggest task is in setting up the stream tables. This involves preparing the supply buckets, procuring sand and mixing it with the silt that is supplied to make the sand-silt combination, procuring wood blocks and supports for the stream tables and supply buckets, and preparing plaster of paris sheets for Resource 33. Further information will be found in the text, in the Introductory material in the front of this Teacher's Edition, and below. Items for the chapter and accompanying resources that must be procured locally are as follows: about 6 gallons of clean sand, bricks or wooden blocks to provide slope for the stream tables, large boxes or blocks to support the supply buckets, a wax marking pencil, one cup of

powdered milk, one quart of gravel, a cardboard carton, and paper, knife, and baby-food jars as used previously. Two thin sheets of plaster are needed for each stream table to provide the hard caprock for the waterfall in Resource 33. The simplest way of preparing these sheets is to put a very thin layer of water into the bottom of a rectangular or square dish that is flat on the bottom. Sprinkle plaster of paris evenly into the water to make a wet layer about 3 mm deep. Allow this mixture to set. When it is almost set, cut through the plaster to make strips about 5 cm wide all the way across the dish. Allow these to set and dry completely.

RESOURCE 23 99

EQUIPMENT LIST

Per student-team
1 stream table, complete
1 supply bucket
2 regular buckets
Wooden block
Support for supply bucket

Resources 24 through 37 are used in this chapter. They are grouped in the following clusters. Cluster A, 24, 25 and 26; Cluster B, 27 through 30; Cluster C, 31 and 32; Cluster D, 33 through 36; Cluster E, 37.

CHAPTER EMPHASIS

Erosion and deposition are major processes that shape the midland sector of North America. The principle agent of both processes is water flowing in rivers. Changes in the stream's hydraulic factors result in different effects on the landscape.

The Midlands, A Pathway to the Sea

MAJOR POINTS

1. Simulation of different river systems is provided using a stream table.
2. A systems approach is used in studying the effects of different variables. The conclusions drawn are:
 - A. Increasing the slope of the stream bed increases the rate of flow of water.
 - B. Increasing the channel roughness decreases the flow of water.
 - C. Particle-carrying capacity is a function of

The largest part of the United States does not have spectacular mountain peaks, crashing surf, or seacoast bathing beaches. Instead, it is covered by flat plains or gently rolling hills, which are cut through here and there by rivers that sometimes lie in fairly deep valleys. It is this midland area (Section B), between mountains and sea, that you will study in this chapter.




Figure 3-1 contains many of the important features of the midlands region. Features from many parts of the country have been combined into this one diagram. Figure 3-2 gives you some idea of how much land in the United States can be described as midlands.

Before going on, take a close look at the features shown in Figure 3-1. By the end of your study, you should be able to describe how the midland features were formed and to predict what the midlands might look like in the future.

- the river's kinetic energy and tends to increase as energy increases.
- D. Deposition of sediment occurs when the river's kinetic energy is below the particle-carrying capacity of the river. Larger particles are deposited first, as the kinetic energy progressively decreases. Alluvial fans and deltas are examples of this process.
3. Stream table studies show the following about potential and kinetic energy in river systems:
 - A. The potential energy of a river is converted to kinetic energy as soon as water begins to either flow in a river bed or plunge over a fall.
 - B. The kinetic energy of the river is used to do work on the landscape, i.e., erode it and deposit silt in low-potential-energy areas.
 - C. Rivers generally originate in high-potential-energy regions, such as mountain areas.
 4. Predictions about geologic features are based on knowledge of the interaction processes. More specifically, the student makes

Figure 3-1

- and tests the following predictions:
- A. Waterfalls occur where more-resistant rock intersects the stream profile.
 - B. Gullies erode the landscape by a process of headward erosion.
 - C. The kinetic energy of a river with a meandering path is greater on the outside bend. Erosion of the riverbank is differential, with the outside bends being subjected to more erosion than the inside.

5. The process of wind erosion and deposition produces features such as sand dunes.





Figure 3-2

Rocks in the midlands

Many parts of the midlands are flat and contain rocks buried in the earth. Often, however, these rocks are exposed in riverbeds and roadcuts. Take a look at the layered rocks exposed in the roadcut in Figure 3-3. Layered rocks like these are found almost everywhere in the midlands.

Figure 3-3

There may be roadcuts in your area that show layered rocks. If so, it will help to call attention to them and let the students see the formations for themselves. They might even bring in samples for identification.



3-1. Based on what you learned in Chapter 2, how do you think this layered rock was formed, and what does its presence tell you about the geologic history of the area?

3-1. The layered rock was formed under water. At some time in the past, water must have covered the land where it is now dry.

If you look back to Figure 2-4 (Chapter 2), you will find that the major portion of the midlands is composed of flat-lying rocks. In fact, the central portion of the United States is made up of sedimentary rocks that were formed in a marine environment. Fossil animals and plants that lived in the sea are found in rocks throughout the Midwest. But you will note on the map in Figure 2-4 that there are also igneous rocks and, in scattered locations, metamorphics.

The major agent shaping the midlands is the river. If you studied Volume 1 of NISCS, you learned about energy and discovered that you could describe energy as either potential or kinetic. Let's see how a river's kinetic (mechanical) energy is used to shape the midlands.

You know that when an object falls, it loses potential energy. At the same time, it picks up speed and gains kinetic energy. The water in a river that starts high in the mountains goes through a similar process on its way to the sea.

3-2. When does a river have high kinetic energy and when does it have high potential energy?

Take a look at Figure 3-4. The river at the top of De Soto Falls in Alabama has kinetic energy of the sort just discussed. But it also has a great deal of potential energy because of its height—well above the base of the falls. As the water plunges over the falls, its kinetic energy increases.

At the same time, its potential energy decreases. Notice in Figure 3-5 that when the water reaches the bottom of the falls, it crashes into the rocks and slows down again.

3-3. Locate on a map in Cluster A the source areas (areas where rivers begin) of the rivers that provide the kinetic energy to erode and shape the midlands. Why do they generally begin in these locations?




Cluster A (Resources 24, 25, and 26)

Actually, the student may use more than one map in Cluster A to answer question 3-3. In fact, all three of the maps given have a bearing on the question and the material that follows.

← **CLUSTER A**


CHAPTER 3 103

Figure 3-4



Energy conversions (potential to kinetic, etc.) are made through the transformation mechanism of work. The water with high kinetic energy does work on the rocks at the bottom of the falls. Whenever energy is changed from one form to another, some of it is changed to heat due to friction. But evaporation and other factors probably keep the water at the bottom of the falls from showing any temperature increase.

Figure 3-5



The beginnings of a river

Many rivers begin in the mountains, sometimes from glaciers such as the one in Figure 3-6. Notice the stream braiding its way from the glacier. Notice also the kind of material through which the stream flows.




Figure 3-6


In order to be a river source, a glacier does not have to be huge. The Rhone glacier in Switzerland is only about 8 miles long—puny in comparison with polar glaciers—but it is the source of the Rhone River, which has the largest volume of any river in France.

Rivers that begin in the mountains usually flow downhill in a torrent. The water in them is quite clear because the particles of rock being moved by the river are rather large. The lack of fine sand and silt prevents the stream from being muddy.

Figure 3-7



MAKE SURE YOU KNOW HOW TO USE THE STREAM TABLE BEFORE GOING ON FURTHER!



The supply bucket should be elevated on blocks or a box about 30 cm above the table. If a cardboard box is used, be sure that it is strong enough to support the full of water (about 10 lb), and also see that it is protected from slopping with a plastic cover.

The stream table

In order to study the work of rivers in the classroom, it will be necessary for you to use a stream table. In order to solve many of the resource problems, you will have to set up an artificial stream, using the table.

One of the problems in interpreting the natural landscape is that many important variables act at the same time. The stream table will allow you to control some of the important variables that are uncontrollable in nature. For example, you'll be able to do such things as create a river, speed it up or slow it down, or make it flow through types of material that you select. These possibilities can help greatly in deciding how real rivers behave.

The standard setup is similar for all stream-table experiments. Take a careful look at Figure 3-8 and notice the parts that are used.




Figure 3-8

The stream table is a flat trough containing a sand-silt mixture that can be formed into various shapes. Water enters one end of the trough through a supply hose from an elevated bucket, flows across the sand, and leaves the other end through an exit hose into a second bucket. The flow of water into and out of the trough can be controlled by opening and closing screw clamps. The slope of the trough can be changed.

by moving a support (such as a brick or a wooden block) back and forth.

Here is a list of the variables your stream table will let you control for experiments. Set up a stream table and study them.

1. Rate of flow in a stream
2. Rate of flow leaving a lake
3. Making a reservoir
4. Slope of the stream

1. To Control the Rate of Flow from the Supply Bucket

Most of the stream-table experiments call for you to adjust the rate of flow of water into the reservoir to a certain number of milliliters per second. Doing this is easy. You simply time how long it takes (in seconds) for the supply hose to fill a 100-milliliter beaker. You can then calculate the rate of flow like this (the example assumes that it takes five seconds to fill the beaker):

$$\frac{100 \text{ ml (volume of water)}}{5 \text{ sec (time)}} = 20 \text{ ml/sec (rate of flow)}$$

ACTIVITY 3-1. Set up the stream table and pour water into the supply bucket. To reduce the rate of flow, tighten the screw clamp. Opening the clamp increases the flow. Adjust the clamp so that you get a rate of flow of 10 ml/second. (Note: The rate of flow values given in the resources are approximate and can be varied up or down by 2 ml/second. Thus, any rate from 8 ml/second to 12 ml/second will do for a rate of 10 ml/second.)


When you are sure that you have a flow of approximately 10 ml per second, change the flow to 5 ml per second.

You must keep water in the supply bucket at all times. To help you do this, an extra bucket has been supplied. When you see the supply bucket becoming empty, replace the full catch bucket with the extra bucket and transfer the water to the supply bucket. You will probably have to do this every 5 minutes or so.

Caution Watch the catch bucket. Don't let it overflow!

Note that some kind of timing device must be available for timing the flow in seconds. If your room has a clock with a sweep-second hand, it will work fine. Students may have their own watches that can be read in seconds. You might want to consider asking students for a clock in working order as a donation or a loan.


Rate of flow will be somewhat dependent on how full the supply bucket is. More frequent replenishing will maintain a more uniform level and result in a more constant rate of flow.



2. To Control the Flow of Water Leaving the Stream Table

Some resources ask you to form a lake at the bottom of the stream table. You can control the formation and depth of such a lake by adjusting the screw clamp on the exit hose. If you change the amount of water entering the stream table, the lake level will also change unless you readjust the exit-hose screw clamp.

ACTIVITY 3-2. With the water flowing at 5 ml/sec, adjust the exit hose to cause a lake to form.



As students begin work with the stream table, you might want to spend some time with them in small-group discussion on the important points that are described on these four pages. One of the things that is the hardest for them to understand is the concept of scaling. For example, suppose a river is simulated by a flow of water 1 cm wide in the stream table. This might represent a width of 20 meters in the actual river. The ratio of 1 cm to 20 m is 1 to 2,000. If everything else in the stream table were at the same scale, then a tiny grain of sand 0.25 mm in diameter would represent a rock 2,000 times as large, or 50 cm across. Yet the speed at which the real river flows would not be 2,000 times greater than the speed of the water in the stream table. So the activities only serve as a rather rough approximation of the actual events and features.


3. To Make a Reservoir

Some activities call for a reservoir at the upper end of the stream table. This is used to observe the effect of a wide, thin sheet of water. In general, a shallow reservoir molded near the top of the stream table will serve the purpose. However, you may wish to mold a larger dam when your activities call for a thick layer of sand and silt. Pile up the sand and silt with your hands or use a small board. Figure 3-9 shows where and how to do this.

4. To Adjust the Slope of the Table

Most resources call for you to raise the upper end of the stream table a certain number of centimeters above the table. To do this, simply slip a support under the stream table. Then move it back and forth to get the appropriate height.

Figure 3-9



Some teachers have found that a sign saying "Check the catch bucket" posted near the stream table is a helpful reminder to guard against overflow and the resulting mess.


1. Watch the catch bucket. You must keep your eye on the catch bucket to keep it from overflowing. You can avoid the problem in some activities by pouring less than a full bucket of water into the supply system to start with. Any time you use more than one full bucket of water, you will need a third bucket to trade positions with the catch bucket before it's too late.
2. Be sure that the water-supply pail is set on a box or other support about 30 cm above the table.
3. Keep the supply hose and clamp attached at all times to control the water flow.
4. Do not remove the sand-silt mixture from the stream table when you finish an experiment. The next person using the table will need the same material.
5. The stream table isn't a perfect model. You will not get exactly the same effects that a real river would produce. Remember that the particle sizes you use are very much out of proportion to the volume of water flowing through a real stream.

THINGS TO WATCH FOR

The river at work

Figure 3-10 shows two different views of a river. In the picture on the right, the water is flowing swiftly, and there are many rapids in the stream channel. In the picture on the left, the river is sluggish, with no rapids, and the surrounding land is very flat.

Figure 3-10



NO CLUSTER: ➔

□ 3-4. What factors cause rivers to flow swiftly, to slow down, and to carry away rock and soil?

Cluster B (Resources 27 through 30)

When a stream reaches the foot of a mountain, it may suddenly spill out onto the valley floor, as shown in Figure 3-11. There it widens and slows down.




Figure 3-11

For example, look at Figure 3-12, which shows two small streams. Note the great width of the stream shown on the left. Then compare this fast-moving stream with the one on the right. Note the deposits that fan out on the valley floor.





Figure 3-12

□ 3-5. Why do deposits occur at the floor of the valley as in Figure 3-12 (right)? List several variables that affect the deposition and explain your answer in terms of the change of the water's potential into kinetic energy.



Special erosion features of rivers

Up to this point in this chapter you have investigated some of the factors that control rivers that erode the midlands. In this section you will be studying some of the special features of the landscapes that are due to erosion by rivers.

To study these features, we are going to ask you to make predictions about specific features and events before checking the resources. Here's how it works. You will find descriptions of several numbered features, along with two or more photographs or diagrams. In addition you will find a specific statement asking you to make a prediction. Read carefully through the descriptions and examine the figures. Then select *one* that you would like to investigate.

Cluster C (Resources 31 and 32)

CHAPTER 3 111

DISCLUSTERED

Cluster D (Resources 33 through 36)


3-6. Write a prediction concerning one of the features and enter it in Table 3-1 of your Record Book. Test your prediction by consulting Cluster D of the resources. If you are interested, go back and make predictions about the remaining features.

Table 3-1

	Accept Prediction	Reject Prediction

Feature 1: Waterfalls

Figure 3-13



1

Figure 3-13 shows two views of Niagara Falls in New York State. The top of these falls is a flat plain with gently rolling hills. Actually, the plain rests about 175 meters (570 feet) above sea level. The falls are more than 50 meters (167 feet) high. Each year the falls cut back into the plain about 1½ meters (5 feet). During the last thousand years, the brink of the falls has moved more than 1,200 meters (4,000 feet). This has resulted in the long canyon that the falls crash into today.




Figure 3-14a

Another good example of the cutting back of the brink of a waterfall is the famous Grand Canyon of the Yellowstone River in Wyoming (Figure 3-14b). In fact, several brinks in the river are being cut back at the same time as the water falls to one level, and then to another level, and so on. Here there is a sequence of waterfalls, not a single-level waterfall as there is at Niagara. (The same section of the Yellowstone River that appears in the photograph is shown in Figure 3-14a.)

The student is to choose among waterfalls, gullies, and meanders. You might reinforce the last paragraph on page 111 by reminding the students to read through pages 112-116 before deciding which resource in Cluster D they will do.



Figure 3-14b

The Grand Canyon of the Yellowstone is 1,200 feet deep below Yellowstone Falls. The soft, volcanic rock of the Yellowstone Plateau has been cut for 20 miles by the action of the Yellowstone River. Above the falls, the river is rather sedate as it winds quietly through the park.

Prediction 1

Assuming that a difference in rock hardness is responsible for the location of both waterfalls, where in each figure (3-13 and 3-14) do you *predict* the layer or layers of hard rock are located? Make simple sketches of each figure and label the locations.

The simple, labeled sketches should be made in the space provided in the Student Record Book.




Figure 3-15a




Figure 3-15b



Feature 2: Gullies

Gullies are rather common in many sections of the United States because of the removal

Figure 3-15a is an aerial view of a flat hill (plateau) in South Dakota. The dark, branchlike features are gullies. The gullies stand out because they are lined with plants that grow there because of the extra water.

of trees and other vegetation, and the resulting erosion. You may be able to direct students to a local example for firsthand information.

Prediction 2

From looking at both the picture and the drawing in Figure 3-15, what do you *predict* is (1) the direction that the water flows in the gullies and (2) the direction that the gullies tend to grow and get larger? Make a sketch and label.

Feature 3: Meanders

One of the most common features of a river is a bend or a meander. Figure 3-16 shows a bend in the Little Missouri River near Medora, North Dakota.



Figure 3-16

Here the kinetic energy of the stream is being used to cut away at the bank of the stream rather than to cut down through the rocks.

Figure 3-17a





Figure 3-17b



115

The Apalachicola River was heavily used for shipping cotton from the plantations to the Gulf of Mexico in the past. It is still used for commercial transportation all the way from the Gulf up into Georgia. Obviously the formation of sand deposits that are constantly changing presents a navigational problem.

The Apalachicola River in northwestern Florida is another good example of a river's doing work other than downcutting into rocks. An aerial photograph of part of this river is shown in Figure 3-17a. The water in the photograph flows toward the bottom of the page.



Figure 3-18

Figure 3-18 shows a Montana river meandering down a gently sloping valley. Notice that the pattern of trees suggests that the river bends have swung from the far side to the near side of the valley.

Prediction 3

If the black arrow in Figure 3-17 points to deposits of sand, predict where other similar deposits of sand would be found, and whether the water at that point will be flowing faster, or slower, than at point A directly across the stream from the arrow. What do you predict will happen to the land in Figure 3-18 that the arrow is pointing at?

Other forces that shape the midlands

It is obvious that water has a good deal to do with shaping the landscape. Water is important both as a means of adding land in some places and as a means of wearing away land elsewhere. But other forces are also important in forming the midlands. Let's look at some of these.

The two photographs in Figure 3-19 were taken seven years apart. Wind caused the motion of the sand dune that you see.

WANTED



Agent of EROSION



□ 3-7. Based on evidence in the photograph, in what direction do you think the sand has moved? Which photograph (left or right) was taken first?

Figure 3-19



Cluster E (Resource 37 only)

Conclusion

In this chapter you have been primarily concerned with the process of erosion as it affects the midlands. Figure 3-20 is the same diagram you saw on the first page of this chapter. If you've done your work well, you should be able to describe and interpret the features as shown. You should also be able to make predictions about the area and what it might look like in the future.




Figure 3-20

Before going on, do Self-Evaluation 3 in your Record Book.

CLUSTER A
(Resources 24-26)

Cluster A consists of Resources 24, 25, and 26, which are aimed at rivers, and factors that affect their formation.

EQUIPMENT LIST


None

PURPOSE: To provide information on the possible source of water for river formation from precipitation.

24 Average Annual Precipitation in the United States

MAJOR POINT

Most of the United States receives from 26 to 178 cm of precipitation per year, with large areas in the western part of the country receiving 25 cm or less, and only a few scattered areas receiving more than 179 cm per year.



25 River Systems Map of the United States


PURPOSE To show the river systems of the United States.

MAJOR POINT

In general, river systems seem to flow from two "divides"—one in the eastern U.S. flowing east to the coast and west to the Mississippi River, and one in the western U.S. flowing east to the Mississippi and the Gulf of Mexico and west to the coast and the Gulf of California.

EQUIPMENT LIST

None



PURPOSE To show the elevations of areas in the United States


26 Elevation Map of the United States

MAJOR POINTS

1. A large area of high elevation is located in the western U.S., with a smaller area in the eastern U.S.
2. Most of the areas of low elevation are located in the eastern half of the country.
3. When elevations and river systems are examined together, rivers seem to originate generally in higher elevations and flow toward areas of lower elevation.

EQUIPMENT LIST

None



120

149

27. Variables Affecting Rate of Stream Flow


CLUSTER B (Resources 27-30)

PURPOSE. To investigate the factors that affect rate of stream flow


Cluster B... through... on factors that affect the flow of stream

Rivers and streams can be raging torrents or slow-moving trickles. In this resource, you will try to determine what variables affect the speed at which water flows. You will also investigate whether or not the speed at which a river flows is the same from bank to bank. To do the experiments, you will need a partner and this equipment:


- 1 stream trough
- 1 dropper
- 1 wax pencil
- 1 water-supply system for the stream trough
- Food coloring
- Supply of gravel
- Modeling clay
- 30-cm ruler



ACTIVITY 1. With a wax pencil, mark a starting line 8 cm from the upper end of the trough. Elevate the upper end of the trough 4 cm.



ACTIVITY 2. Set up the water supply system as shown. Adjust the water flow into the trough to 10 ml/sec. Be sure to keep the supply bucket at least half full of water at all times. Do not let the catch bucket overflow!



- 1 stream trough
- 1 dropper
- 1 wax pencil
- 1 water-supply system
- 1 ruler
- 1 handful of gravel
- 1 watch or clock with second hand
- 1 catch bucket

MAJOR POINTS

1. Rate of flow is affected by
 - (a) the slope of the trough,
 - (b) the amount of water flowing through the trough, and
 - (c) the bed over which the water flows
2. The same factors affect the flow of natural streams.
3. A stream normally flows faster in the center than at the sides.

Note the need for some method of measuring time in seconds

ACTIVITY 3. Add a drop of food coloring to the water as it flows past the starting line. Time how long it takes the dye to reach the end of the trough. Calculate the speed in centimeters per second, and record your data under Trial 1 in Table 1 of your Record Book.




Table 1	Slope (in cm)	Rate of Flow into Trough (in ml/sec)	Trough Bed	Speed (in cm/sec)
Trial 1	4	10	Normal	
Trial 2	8	10	Normal	
Trial 3	12	10	Normal	
Trial 4	4	20	Normal	
Trial 5	4	10	Gravel-covered	

Next, you will carefully and regularly change the slope of the trough, the amount of water flowing through the trough, and the bed over which the water flows. You will then decide whether or not changing these variables affects the rate of flow down the trough.

Set up and carry out Trials 2 through 5 as described in Table 1. Measure the rate of flow down the trough for each trial and enter your results in the table. Notice that increasing

the rate of flow has the effect of increasing the volume of water in the trough. Note also that Trial 5 calls for you to spread a layer of gravel along the stream bed.

If you did careful work, you found that increased slope, increased volume of water, and a smooth bed all cause the water to flow faster down the trough. These factors influence the rate of flow of water in natural streams, too. Rivers flow faster on steep slopes, when swollen by rains or melting snow at certain seasons of the year, or when flowing through beds with few obstacles.

One of the questions posed at the beginning of this resource is whether or not the rate of flow in rivers is the same from bank to bank. You and your partner can use the trough you've set up to answer this question, too. To do this, set up the apparatus as described in Activities 1 and 2. Then add a drop of food coloring and watch it closely as it moves down the trough. Try to decide which shape in Figure 1 most closely resembles the front edge of the drop.

The amount of gravel used in Trial 5 may vary, but it should be sufficient to noticeably affect the flow in the stream trough. The gravel should be removed at the conclusion of the trial. With the wet sand, probably the best method is picking the individual pebbles out by hand.





Figure 1

You probably found that the front edge of the drop looked most like A above. This tells you that the stream was flowing faster in the center, and slower along the sides, of the trough. Natural rivers and streams flow this way, too. How do you explain this difference in speed from bank to bank?

The friction of water against the surface over which it is flowing is more pronounced at the edges than in the center of the stream.



28 Particle-carrying Capacity and Rate of Stream Flow

How big a rock can a stream carry along? Depends upon the stream, you say? Sure, it's pretty obvious that fast-moving streams have greater kinetic energy and, therefore, can carry bigger rocks. But the rate of flow of streams is not constant—they speed up and slow down many times over their courses. What happens to the materials being carried by a river when its rate of flow changes? That's what this resource is all about.

For these activities, you will need the following materials:

EQUIPMENT LIST

1 complete stream table
Powdered milk solution
1 dropper


PURPOSE: To investigate the relationship between rate of stream flow and particle-carrying capacity.

MAJOR POINTS


1. Where a stream flows faster, more and larger size particles are carried along by the water.
2. When a stream slows down, particles are dropped by the water, with the larger size particles being dropped first.

1 complete stream-table setup
1 powdered-milk solution
1 dropper

ACTIVITY 1. Set up the stream table as shown. Use a bucket to fill the lake until water just leaves the outlet hose. Adjust the inlet water flow to 3–5 ml/sec.



ACTIVITY 2. Add a drop of powdered-milk solution to the water and note the places where the stream's rate of flow changes. Note also where particles of sand and silt are deposited by the stream.



If you did your work well, you should have found a relationship between the number and size of sand particles dropped by the stream and the changes in the stream's rate of flow. As the stream slows down (loses kinetic energy), it drops part of its load; as it speeds up (gains kinetic energy), it picks up additional material.

This general process works in nature as well as on the stream table. Take a look at Figure 1. Can you predict at which points the stream is moving slowly and at which points it picks up speed?

Another of the discrepancies between the simulated river in the stream table and the actual river in nature is the time factor. In the stream table, sand is moved (fortunately) rather rapidly. But in an actual meandering river, it may take thousands of years for a single grain of silt or sand to move from mountain peak to seashore. It makes the journey in a series of short hops. For several days it may be swept downstream, and then lodge itself in a bank or backflow, where it remains for many years before making the next short journey.





Figure 1



29 How Deep a Channel Can a Stream Cut?


This resource will help you find out if there is any limit to how deep a channel a river can cut. You will need a partner and a complete stream-table setup.

EQUIPMENT LIST

1 complete stream table

PURPOSE: To investigate the controlling factor in the depth to which a stream will cut a channel.

ACTIVITY 1. Arrange the sand mixture on the stream table as shown. Be sure to give the proper slope to the sand. Notice that the stream table itself is level and that the lake level comes up to the edge of the sand. Adjust the water flow into the reservoir to 5 ml/sec. Notice how deeply the stream cuts into the sand.



MAJOR POINT

A stream cuts to the level of the body of water into which it flows.

Note that the stream table is flat instead of sloping. Have students fill the lake first, and then shape the sand to give a slope down to the lake shoreline. The upper part of the sand could be about 5 cm deep. Then trace a starting stream channel with a finger. The outlet clamp is closed, so the lake level will rise as the stream flows in. This will give students time to watch where the downcutting stops and deposition takes place. Hopefully they will observe the downcutting stop as the lake water comes up the stream valley.

Elevation of the stream table 1 cm can be done with a thin board or with cardboard pieces. With an increase in slope, the stream should downcut until its valley depth again reaches the lake level.

When the stream stops cutting, compare the depth of the gully with the level of the surface of the lake. You should find that they are approximately the same. A stream cannot cut a gully, canyon, or valley whose bottom is lower than the surface of the lake (or sea) into which it flows. You can see this more clearly by changing the slope of the sand in your stream table.

Repeat Activity 1, with the reservoir end of the stream table raised one centimeter. Notice what effect changing the slope has upon how deep a channel is cut. Notice also that the stream still cuts only to the level of the surface of the lake.

The principle that a stream cuts to the level of the body of water into which it flows applies in nature as well as on the stream table. Take a look at Figures 1 and 2. How do you account for the difference in how deeply these two rivers have cut?

Figure 1



The stream in Figure 2 was much higher above the body of water into which it was flowing than the stream in Figure 1 was.

Figure 2

RESOURCE 29 127

156



30 Effects of Obstacles upon Direction of Stream Flow

EQUIPMENT LIST

None

PURPOSE: To examine reasons for stream braiding.

In this resource, you will study photographs of rivers flowing through several kinds of materials. Your problem will be to note and try to explain any changes in a river's course as a result of obstacles it encounters.

First, take a look at Figure 1. Notice that the river is flowing through an area of large rocks. As the river flows around some of the rocks (Figure 2), it is broken up into a series of small streams. (This is called *braiding*.)



Figure 1



Figure 2

MAJOR POINTS

1. The stream itself often drops obstacles in its bed.
2. These obstacles cause the stream to divide into more than one channel.

Take another look at Figure 2. Notice that the boulders that caused the braiding are located at the point where the mountain begins to level off. These rocks were very likely carried down from the mountain by the stream. They were dropped where they are because the stream lost speed (kinetic energy) as it hit the bottom of the slope. It is at points like this that one most often finds braiding of streams.

The river in Figure 3 is braided, too. What caused the splitting this time?




Figure 3



31 Alluvial Fan Formation

EQUIPMENT LIST
1 complete stream table

PURPOSE: To investigate how and why alluvial fans form.

Cluster C consists of Resources 31 and 32. It is concerned with depositional processes.

Sometimes stone, gravel, and silt washing down a steep slope form a fan-shaped deposit at the base of a hill. Such deposits are called *alluvial fans*. Figure 1 shows several alluvial fans in Death Valley.

In this resource, you will have a chance to investigate for yourself how and why alluvial fans form. To do it, you will need a partner and a complete stream-table setup.

CLUSTER C
(Resources 31 and 32)




Figure 1

MAJOR POINTS

1. A fan-shaped deposit at the bottom of a steep slope is called an alluvial fan.
2. Factors such as amount of water flow, looseness of material, steepness of slope, and variation in water flow may affect the formation of alluvial fans.

ACTIVITY 1. Set up the stream table as shown. Adjust the rate of flow into the reservoir to 5 ml/sec. Allow the water to flow for several minutes. Observe what happens.



Did you get an alluvial fan to form? Once you have succeeded in getting an alluvial fan to form, you are on your own. Vary the procedure outlined in Activity 1 in any way that you like. Keep in mind that you are trying to learn the

conditions present when alluvial fans form. Here are some variables you may want to experiment with.

1. Amount of water flowing down the hill
2. Looseness of the materials over which the water flows
3. Steepness of the slope the water flows over
4. Change in the water's rate of flow

Students should be able to discern, from the activity and from the illustrations, that an abrupt leveling of a stream channel makes it impossible for the stream to carry its entire load. As the load is dropped, a fan is formed. This is a little difficult to simulate with the stream table, because an abrupt change in slope is hard to get.




Figure 2

Figure 2 shows some white areas in addition to the alluvial fans. The water that brought down the material that formed the fan carried dissolved materials with it as well. In a dry area like Death Valley, water evaporates very quickly, leaving the dissolved material behind. The white material in Figure 2 is mostly salt.

EQUIPMENT LIST

- 1 complete stream table
- Knife
- 1 baby-food jar


MAJOR POINTS

1. A delta is the fan-shaped deposit dropped at the mouth of a river.
2. As a river flows into a sea or lake, it slows down, and its ability to carry sediments is reduced.
3. The larger particles are deposited first, and the finer particles settle in deeper, stiller water.
4. Multiple deltas result when the sea or lake level changes.
5. Rate of stream flow has an effect on the speed and size of delta formation.

32 Delta Formation and Changes in Sea Level

PURPOSE: To investigate delta formation.

Soil, sand, and gravel dropped at the mouths of rivers build up into fan-shaped deposits called *deltas*. The one at the mouth of the Nile grew slowly over thousands of years, but




you can make a simulated delta in a few minutes.

Get the complete stream-table setup and a knife for shaping the sand. Then do the following activity.

Important Note: The stream-table activity is an attempt to reproduce natural conditions as closely as possible, but it is most important to remember that it is not a natural stream. The size of particles in relation to the size of the stream and to the rate of flow is not the same as in nature. Neither is the time.

ACTIVITY 1. Set up your stream table as shown. Adjust the rate of flow into the reservoir to 5 ml/sec. Allow the water to flow for about 10 minutes.

Carefully watch the buildup of the delta and note what happens to particles of different sizes. Leave the delta in place for the next experiment.



The Mississippi River drops 2 million tons of sediment a day into the Gulf of Mexico. This great a load is actually deforming the crust of the earth and causing it to sag about 3 feet every hundred years. This has been going on for such a long time that the sediment is now estimated to be 30,000 feet deep at the river's delta. The sagging will probably cause some adjustments in the distant future; uplift may occur in lands surrounding the Gulf.

Where are the finer particles deposited? Compared with the coarse sand grains, are they closer to or farther from the shoreline?


What you have just seen in the stream table is very much like what happens at the mouth of a large river. As the river flows into a sea or lake, it slows down, and its ability to carry sediments (particles) is reduced. As a result, its load is dropped, and a delta is gradually built up from the deposited sediments. The fine particles are deposited in the deeper, stiller water.

There is much evidence that the level of the seas has changed many times in the past. If the land were to sink a little or the sea level were to rise a little, then the position of the shoreline could move some distance. For example, Figures 1 and 2 show how the shoreline has moved on Florida's Gulf Coast. (Figure 1 is an aerial photograph, and Figure 2 is a diagram to help you understand the photograph.)

Figure 1




Figure 2



You can use the stream table to model the effect of the changing sea level upon deposition of materials.

ACTIVITY 2. With the delta from the previous experiment still in place, carefully raise the lake level as shown. Without disturbing the delta you formed, replace the sand-silt mixture at the top of the table and allow the water to run for another 10 minutes. The rate of flow should once again be 5 ml/sec. Notice how the sand is deposited this time.



If students examine a map of the United States closely (Resource 25), they will see the multiple deltas of the Mississippi. New Orleans is built on material deposited as an older, broader delta. The presently forming delta of the river is over 75 miles southeast, in the Gulf. The sea level (or Gulf level) has changed over the centuries.

You should see a new delta forming on top of part of the original one. When you see the second delta forming clearly, try simulating flood periods by pouring a baby-food jar of water quickly into the reservoir every half-minute. Move the jar as you pour to stir up the silt. After about 10 minutes, stop the water flow and completely drain the stream table.

You should now have two deltas, one overlapping the other, as shown in Figure 3.

You have observed that deposition of sediment in a delta sorts out the size of the grains. And you should realize that a combination of rate of the stream flow and deepness of the water determines where the particles deposit. This double delta effect—the position of one delta on top of another—occurs when change of sea level takes place for some reason (by melting of continental glaciers, for example).




Figure 3

Cluster D consists of Resources 33 through 36, and is concerned with erosion by running water.

CLUSTER D (Resources 33-36)

33 Waterfalls and Rock Hardness

PURPOSE: To investigate the relationship of rock hardness to waterfall formation.

This resource deals with the interaction of waterfalls and the crust of the earth. You will learn how the hardness of the rock and its structure affect the shape of the falls.

Figure 1 shows a waterfall in Indiana that is tumbling over a ledge of rock. Can you guess how the hardness of the rock at the top of the waterfall differs from the hardness of the rock at the bottom?

With your stream table, you can test the effect of relative hardness and work out a model for the process taking place. To do the activities that follow, you will need a partner and the following materials:

- 1 complete stream-table setup
- 2 sheets of plaster, about 0.3 cm thick by 5 cm wide by 10 cm long

EQUIPMENT LIST

- 1 complete stream table
- 2 sheets of plaster, about 5 cm x 10 cm x 0.3 cm

MAJOR POINTS


1. The way that water erodes material is dependent on the hardness of the rock.
2. If the top layer of rock is harder, a waterfall with a sharp edge will result; if the underlying rock is harder, the edge of the waterfall will be rounded.
3. If all the rock is one kind of hard material, the falls cut back slowly.




Figure 1

The preparation of the plaster sheets, which represent a hard rock layer, is described on the last page of Chapter 2 material, in the teacher notes entitled "Get It Ready Now for Chapter 3."


ACTIVITY 1. Set up the stream table and sand mixture as shown. Make a layer of sand-silt mixture about 3 cm deep. Place two sheets of thin plaster on the layer as shown.



ACTIVITY 2. Now cover the plaster with a layer of sand, and make a slight valley so that the stream will flow over the top of the buried plaster. Start the water flowing.



ACTIVITY 3. Adjust the water flow into the reservoir to 5 ml/sec. Let the water run down the valley until it has eroded enough to uncover the plaster. Allow erosion to continue for about 5 minutes after the plaster is uncovered.



The plaster represents layers of harder sediment or perhaps a lava flow between sediments. The sand-silt mixture represents softer rock above and below the harder rock. When the plaster becomes exposed, what happens to the rate of erosion upstream and downstream from it?

Now take a look at Figures 2, 3, and 4. These drawings show two possible effects of water flowing over falls like the

If the water is allowed to flow for a long enough time, the stream will undercut the plaster sheets. If a wide stream were used, it might be possible to undercut enough to cause the plaster sheets to collapse, modeling the action of a falls cutting its way up a stream.

RESOURCE 33 137

Figure 2 represents the *initial* waterfall. The pothole at the bottom is the *beginning* of a swimming hole.

one you just looked at. Try to decide logically, on the basis of what you've seen, which set best represents what is going on in Figure 1.




Figure 2




Figure 3

Figure 3 tends to become a rapids such as are found in many rivers




Figure 4

Waterfalls are common landscape features where water flows rapidly over a hard rock ledge. When the ledge rests on softer rock, the water will erode the softer rock faster than the top layer, resulting in a sharp edge to the falls as shown in Figure 2. Notice the pothole (deep pool) forming at the base of the falls and the flat chunks of rock that have broken off into it.

In Figure 3, the rock beneath the top layers is harder than that in the stream bed. The top layers, therefore, erode more quickly, making the edge more rounded. Notice that no pothole is formed.

In Figure 4, all the rock is made of one type of hard material, and the falls cut back slowly. No pothole is formed, and the shape of the falls changes very little as the river erodes away the rock.

If you've done the resource on distinguishing rock types, you may be able to guess which rock types are shown and discussed above. Which do you think is igneous, metamorphic, and sedimentary?

Gullying and Erosion of a Plateau

FIGURE 1. Cross-section of the formation of a gully by headward erosion. (a) Complete stream flow.

In this resource, you will study what happens when water runs off a flat-topped hill. To do the activities, you will need a complete stream-table setup and the help of a partner.

ACTIVITY 1. Set up your apparatus as shown. Be sure that the flat-topped hill of sand is at least 5 cm high.





FIGURE 1. (continued)

1. When the stream runs off a flat-topped hill, a gully is formed. (a) When the gully gets larger and longer from heavy rainfall, the process is called headward erosion.

ACTIVITY 2. Adjust the rate of water flow to less than 3 ml/sec. Move the hose back and forth as the water falls on the hill. Notice what happens to the sand as the water runs off the hill. Try to decide why gullies begin to form and how they become longer.





Figure 1

Figure 1 shows the effects of water running off a hill of fairly loose material. At one time, the area probably contained only a single gully. As water flowed into the main

gully from the sides, the branches you see in the photograph formed.

Notice also that waterfalls have been formed at the tops of some of the gullies. During rainstorms, the water that pours over these falls gradually erodes away the lip of the gully. In this way, gullies become longer and longer. This process is known as *headward erosion*.

What's the difference between a gully and a canyon? Will the area in Figure 1 ever be a canyon? If you would like to know more about this, do the next resource.

35 Gullies and Canyons— A Comparison

Look at Figures 1 and 2. Although the small gully in Figure 2 doesn't look much like the Grand Canyon shown in Figure 1, there is a lot of similarity in the way they were formed. This resource will help you understand the differences between gullies and canyons.

Figure 1



Figure 2



A question might be posed for small-group discussion: "Can a gully become a canyon?" Probably, some features that started as gullies in relatively loose material later were classified as canyons. But most of the well-known canyons in the United States are found in areas that have the characteristics listed here.

Characteristics of Canyons

1. The land being carved is usually hard rock that is quite resistant and breaks up into loose material very slowly.
2. Canyons usually form in a relatively dry climate. This means that very little water runs into the canyon from the sides.
3. The stream doing the carving of canyons usually originates in a much higher area.
4. Because the stream comes from a higher source, it moves through a canyon very rapidly.
5. The fast-moving stream in a canyon carries a large load of rocks. These rocks help to cause further erosion.



Characteristics of Gullies

1. Loose materials from the sides of gullies wash easily into the stream at the base of a gully.
2. Rainfall is common where gullies form.
3. Runoff water from the surrounding land tumbles over the sides of the main gully and forms many branches.
4. Water flows through a gully at varying rates. The gully deepens most rapidly where the slope is steepest.
5. The load carried by the streams in gullies sometimes moves rapidly, but the particles are usually rather small.




"Taken as a whole, the characteristics of canyons tend to result in steep, almost vertical walls, while those of gullies produce gentle slopes. This is the most important difference between gullies and canyons."

36 Action of Water Moving in a Curved Path

Most of the other resources deal with water flowing in a straight line. In nature, however, most rivers move through quite a number of curves. Does anything special happen to water that moves in a curved path? If so, does this produce any important effects at points like river bends? These are questions you will tackle in this resource. To answer them, you and a partner need these materials:

- 1 complete stream-table setup
- 1 paper disk, 6 cm in diameter
- 1 teaspoon white sand
- 1 beaker

First, get some water moving in a curved path and look at it.



ACTIVITY 1. Place 1 teaspoon sand in a beaker three-fourths full of water. Stir the water until it swirls around in the beaker. Observe what happens to the sand.

EQUIPMENT LIST


- 1 complete stream-table
- 1 paper disk, 6 cm in diameter
- 1 teaspoon white sand
- 1 600 ml beaker
- 1 spoon or wooden stick

PURPOSE: To investigate the effect of water traveling in a curved path on the erosion and deposition of material and to investigate the path of the river as it flows to the surrounding area.

MAJOR POINTS:

1. Water traveling in a curved path will deposit material on the inside of the curve.
2. Water traveling in a curved path will erode material from the outside of the curve.
3. The course of a curving stream changes continually.
4. A river cut carries much water than itself.
5. The winding of a stream (the meander) can result in sections being cut off to form oxbow lakes.

Note that the beaker should be fairly large to be able to see the deposition of sand in the center. A gallon mayonnaise jar could be used.




You may have been surprised to find that the sand in the swirling water piled up in the center of the beaker. Why did this happen? A simple experiment can help you decide.

ACTIVITY 2. Mark the paper disk as shown. Push a pencil through the center of the disk and, holding the pencil between your palms, spin the disk slowly. Notice which letter moves fastest.


The water moving around near the outside of the beaker clearly traveled a greater distance in the same time than did the water near the center. Described another way, the water near the edge traveled at a greater speed (or velocity) than did the water in the center.

The slower water moves, the more likely it is to drop whatever load it is carrying. This fact is very important as water moves in a curved path. The next activity will allow you to learn still more about this.

ACTIVITY 3. Arrange the sand on the stream table as shown. Be sure that the sand is wet, piled deeply enough, and contoured according to the sketch.



ACTIVITY 4. Trace a path with your finger as shown. The path should be cut almost to the bottom of the sand (about $2\frac{1}{2}$ cm deep). Adjust the flow of water into the reservoir to about 5 ml/sec, and allow the water to flow down the path for 20 minutes. Then turn off the water, but leave the sand in place.




Now take a look at Figure 1, which shows the Apalachicola River in Florida, and Figure 2, which shows a small stream in North Dakota. Notice that sand is deposited on the inner parts of each river bend, where the water moves slowest. On the outer part of the curve, the water moves fast enough to keep the sand from falling out. In fact, the water erodes the outer bank away as it rounds the corner.

Figure 1





Figure 2



It is one of the oddities of nature that a straight river tends to run on straight, and a curving river tends to curve more. In order for the undercutting to proceed as shown, the river must either have a curve in it or develop a curve due to relative softness of bank material or the diversion of the stream by an obstacle dropped in it.

Figure 3 diagrams what a river does to the outer bank of a river bend. Notice that the water, along with the rocks and sand it carries, is thrown against the outer bank. This produces an undercutting of the bank and causes the rim of the bank to overhang more and more. Finally the rim collapses, becoming part of the load that will act on banks farther downstream.



Notice that the cutting and deposition at the bends caused the stream to swing wider and wider. This is what happens in nature with fairly slow-moving rivers. But sometimes, during periods of heavy rain, these same rivers become flooded, and their rate of flow increases. You can duplicate this effect by increasing the rate of flow of water into the stream-table reservoir to 15 ml/sec. Notice what effect this has upon the meanders in the stream bed.

The big point shown by the activities you've just done is that a river can cut a valley much wider than itself. It does this by meandering slowly in its course. This action is summarized in the series of sketches in Figure 4.

The point of the river valley being much wider than the river itself is an important one. In almost every section of the country students should be able to see examples of this in nature.






Figure 4



Cluster E consists of Resource 37 only.

CLUSTER E

MAJOR POINTS

1. A sand dune forms when a wind blows the sand up a gentle slope and drops it on a steep slope on the farther side.
2. Sand dunes move in the direction that the prevailing wind blows.
3. Vegetation or other obstacles can keep dunes from moving.

EQUIPMENT LIST

1 cardboard box Handful of sand

37 Dunes on the Move

PURPOSE: To develop a model for sand dune formation and movement.

Behind many beaches and on many island desert plains, there are great piles of sand called *dunes*. St. George's Island, in the Gulf of Mexico, has many sand dunes. One of these dunes is shown in Figure 1. You can see the Gulf in the distance, beyond the dune.



Figure 1

4. When sand is deposited in layers by wind, it is called dune bedding.
5. The layering of sand in dune bedding can help to decide whether a sedimentary rock is wind-deposited or water-deposited, and can also indicate the direction of the prevailing wind that formed the dune.

148

Predict how the pattern of markings was produced on the face of the dune. You can check your prediction by finding a partner to help you with this activity. You will need:


Cardboard box (size of shoe box), with one end removed
Handful of sand

177


ACTIVITY 1. Build a small sand dune near the open end of your box. Put your mouth level with the bottom of the box, and blow gently but steadily. Move your head from side to side to distribute the wind evenly across the pile of sand.

Take turns with your partner until the sand pile moves about 10 cm (4 in).

NOTE: Be sure the sand is dry and clean for proper dune formation.



1. What happens to the sand on the side of the pile facing you? What happens on the other side?



You have just simulated the action of the wind on beach or desert sand. In both places, the wind builds up piles of sand called *dunes*, as shown in Figure 2. Dunes can be moved considerable distances each year unless they encounter some obstacle that slows or stops their progress, as in Figure 3.

RESOURCE 37 149



Figure 3

Students could simulate obstacles by pushing projecting small objects (pencils, rocks) into the dune.

[12. What agent is preventing the movement of the sand dune in Figure 3?

In the simulation experiment you carried out, you observed the sand grains rolling down the far side of the dune. Imagine a period of weather with little wind, followed by a period with strong wind, followed by another calm period, etc. Then look carefully at Figure 4, a close-up of the dune you examined in Figure 3.

Figure 4



3. What do you see at X, and what caused this feature?

4. In what way does the X feature differ from the structure of a sand deposit formed in water? (Hint: Don't guess—think about the simulation experiment results and look back to Resource 7.)

Bedding of this kind is called *dune bedding* and is one way of deciding whether a sedimentary rock is wind-deposited or water-deposited.

4. Water deposited sand is generally in horizontal layers (unless they have been tilted). Wind deposited sand is found in tilted, curving layers.

Another conservation item: Some vegetation, such as sea oats on the Florida coast, are protected by law because the plants have the ability to grow in beach sand and keep it from moving, thus maintaining the dunes along the beach.




Figure 5A





Figure 5B

5. Which figure (5A or 5B) represents dune bedding? What was the direction of the prevailing wind?

In this resource, you have looked at wind transport of sand. Sand grains are blown along near the ground and in the process become angular and sharp. They move up the face of dunes and fall down the other side. In this way, a dune may move long distances over a period of years. A new dune starts behind it, and soon a parallel set of dunes is marching across a landscape. Dunes bury objects in their path and may kill vegetation. If the vegetation can grow thick and tall enough not to be buried, it may eventually hold the sand and stop it from moving.





181.

EQUIPMENT LIST

Per student team
1 computer stream table
1 wooden block
Handful of gravel

Resources 38 through 47 are used in this chapter. They are grouped in the following clusters: Cluster A, 38 through 41; Cluster B, 42, 43, and 44; Cluster C, 45, 46, and 47.

The Shorelands

CHAPTER EMPHASIS

The interaction of ocean waves and the continental margins produces features that are classified as shorelands. Variables such as the energy of waves, direction of wave movement, type of coastline, and tidal changes have an influence on the resulting shoreland.

If you've never tasted a peach, you can hardly imagine its flavor. Fortunately, the same problem doesn't exist with land features. The student who lives in an interior state like Iowa may still have a good idea of what the shorelands of the United States are like even though he has never visited them. In fact, he may have an even better idea than a resident of a coastal region. The latter may sometimes think that all coastlines are like his own, forgetting how varied are the lands that border our major lakes, the Gulf of Mexico, and the Pacific and Atlantic oceans. The geologic features of the shorelands are different in different regions.

MAJOR POINTS

1. The observation of waves in the ocean can lead the student to develop a model of ocean waves.

2. The measurement of wave direction can be coordinated with the characteristics of the shore.

A. Whether a coastline is sandy or rocky is

Chapter 4

a function of the energy of waves and the type of rock.

B. Waves erode a rocky coastline to various features, such as stacks, headlands, and sea caves.

C. Changing the level of the sea, or a relative change of the land, results in wave erosion of different elevations.

3. The nature of the shoreline has an effect on a wave's kinetic energy.


A. The interference of the rotational motion of the water wave by the elevated beach narrows water waves to the rock, and thus reduces energy.

B. Waves approaching shoreland at an angle and water approaching land at a shallow angle change direction by the processes of refraction and diffraction respectively.

C. Depositional features, such as sand bars, sandbars, and sandspits, result when the carrying capacity of water is reduced.

Figure 4-1






4-1. The absence of the cottage in Figure 4-4 is a good indication that a hurricane passed through, causing a rapid change.

4-2. Yes, the sand and the cottage were probably removed by wave action. The trees appear undamaged, so it is likely that the wave action rather than the wind removed the cottage during the storm.

Figure 4-2



Study Figure 4-1 carefully. You should be able to see many of the features of the shorelands sector that you first noted in Figure 1-4. Why is this coastline narrow and rocky in some places and wide and sandy in others? Why are some waves almost straight and others curved, and why do they break where they do? How did the coastline get to be the way it is, and what will it look like in the future?

These are not easy questions to answer. As you work through this chapter, you should find that you can explain how each feature of the shorelands was formed. And you may even predict what may happen to it in the future.

The force of waves

Any surfer who has "wiped out" knows about the tremendous force of just a single wave. Chances are that he can't see how this same force changes the land. Over a period of time, however, he would be able to see the important changes. Look at the following sequence of photographs carefully. Then answer questions 4-1 and 4-2.

4-1. Which occurred more rapidly, the change from Figure 4-2 to 4-3 or the change from Figure 4-3 to 4-4?

4-2. Did the same forces of erosion that brought about the change seen in Figure 4-3 cause the change seen in Figure 4-4? Explain.



Figure 4-3

It is very important to note that the principal cause of the damage was not the wind, but the high water. The principal result of the high winds in a hurricane is that of driving extremely high water toward the shore. If this high water occurs simultaneously with an incoming high tide, a rise of 15 feet or more in the sea level can occur. This great increase would have inundated the cottage, undermining the foundation and battering the structure with storm waves of great force. Homes, decks, and other structures that could easily have withstood the force of the wind alone could be wiped out quickly by the bounding of the water. As students work through the chapter, they will study the effect of a change in sea level on erosion (Cluster B) and also see that the greatest effect of a wave occurs in a narrow band just above sea level (Cluster A).




Figure 4-4

Were you able to guess what happened?

Those pictures in Figures 4-2, 4-3, and 4-4 were taken over a period of several years. The last picture was taken shortly after Hurricane Betsy hit. (If the owner of the beach cottage had read this chapter before he built the cottage, he might have chosen a different location! Perhaps you will see why as you continue reading.)

Waves against the beach

Most changes along the seashore are not as apparent as those just shown, however. When you go to the beach, you



CHAPTER 4 155

see the results of many different processes. Look at the two beaches shown in Figures 4-5 and 4-6.

Figure 4-5



Figure 4-6




185

Figure 4-5 shows a beach in Florida along the Gulf of Mexico. Figure 4-6 shows a Maine beach on the Atlantic Coast. Notice some of the big differences in these beaches. One is sandy with a gradual slope, whereas the other is rocky with a steep drop-off. During the winter, the rocky beach is battered by waves 10 to 15 feet in height, whereas the sandy beach seldom has waves more than 4 or 5 feet high. If you were to dig down through the sand, you would find that the sand layer is very thick. If you tried to dig under the rock beach, you'd probably bend your shovel!

Kinetic energy from winds and storms far out at sea is transferred to the water to produce waves. The energy is carried toward this coast by waves. The waves release their energy when they reach shallow water and break. Energy can be carried to the shore like this wherever there is a big expanse of water subject to winds and storms.

You can investigate how this energy can affect beaches by simulation experiments that use the stream tables. Work with at least one partner for this activity.


One of the most difficult concepts for students is the change with time. The rocky beach in Figure 4-6 could become a sandy beach as in Figure 4-5 with the passing of sufficient time, perhaps thousands of years. The rocks could gradually be ground smaller and smaller, until they become beach sand. Then again, if the waves were strong enough, as in Activity 4-2, the sand that was formed could be carried to deeper water, leaving only the underlying rocks.



ACTIVITY 4-1. Pile the mixture of sand and silt at one end of the stream table to make a sloping surface. Use a block to tilt the table. Then fill with water until the bottom edge of the sand is covered to a depth of about 3 cm. Put a few small pieces of gravel near the water's edge and cover them with sand. Note the relationship between the sand-silt mixture and the water line.


ACTIVITY 4-2. Produce storm waves by pressing down firmly on a piece of wood with the palm of your hand, as shown, once every 3 seconds. Keep this up for about 5 minutes and carefully observe the sand-silt mixture. Then let the water settle for a few minutes. (Keep the stream table set up and do not alter the sand.)

Note the constraint to keep the stream table unaltered in Activity 4-2 in preparation for Activity 4-3. These two activities are sequential, and students should be sure to have sufficient time to complete both of them in a single session in order to see the two-way transport of the sand—seaward with strong waves, landward with gentle waves.



During storms, high-energy waves reach the shoreline. The action of these waves on the beach is similar to the effect in your stream-table model. The effect should look something like what is shown in Figure 4-7.


Figure 4-7



The strong waves attack the beach, shifting the sand out to sea to form a *bench*. Rocks are exposed along the shore, and most of the very fine particles are carried out into deep water, where, in calmer weather, they slowly drop to the bottom.

Some shorelines that are exposed to high-energy waves all the time may not have any sand. Only smooth pebbles are left on such shores.

ACTIVITY 4-3. Continue your experiment, using the same stream table that was exposed to high-energy waves. Leave everything as it was. This time, however, push very *gently* so that you produce low-energy, gentle waves. Continue this for about 5 minutes, watching what happens when the waves reach shore.



4-3. What effect do the low-energy waves have on the beach? How is this different from the high-energy storm waves crashing into the beach?

This time, you should have observed the slow building up of the beach on shore. In fact, if you were patient enough to keep the gentle waves going for a long time, you might have covered up the gravel exposed during the storm. The waves will gradually shift the sand back from the underwater bench onto the beach.

The "Going, Going, Gone" pictures in Figures 4-2, 4-3, and 4-4 show what can happen to a beach when high-energy waves attack it. Storms increase the energy reaching the


Note the location of the bench. It is formed by the sand that has been pushed out to sea by the high-energy waves. A bench is a level elevated land on along a shore, either above or below the water. A beach is defined as a sloping shore of a body of water.

If there is sufficient time available, encourage students to continue with the *gentle* wave action for a longer period. The beach-building activity can be interesting and instructive.

shore and help to erode beaches. Good weather reduces the energy level, and beaches will build up again. This cycle of change is always going on wherever the land meets a large body of water and where the shoreline is suitable for beaches to develop.

Waves against a steep shoreline

Ocean waves can do a great deal of work to shape and change coastlines and beaches. You have just experimented with the effect of waves on a relatively low-lying shoreline. Figure 4-8 shows waves approaching a rocky coastline with steep cliffs.



Cluster A (Resources 38-41) **Figure 4-8**

100CLUSTER A →

1-4. What effects do waves have on a coastline like the one shown in Figure 4-8?



Figure 4-9

When waves crack against a steep shoreline instead of on a fairly wide and flat beach, the effects on the landscape are quite different. Figure 4-9 shows some features of a typical rocky coast.

The figure shows an outcrop with two sea caves. Look carefully near the top of the caves and you should be able to see evidence of the high-tide line. (Hint: Look for a color change.)

The top of the cave is just above high-tide level. Outside the cave, the beach is steep and curves back away from the rock outcropping in which the cave is located.

□ 4-5. Based on your study of waves and their effect on steep shorelines, what factors do you think affect the rate at which the cave in Figure 4-9 is carved out of rock?

4-5. Factors might include the energy level of the waves, the range of the tidal cycles, the seasonal difference in waves, and the hardness of the rock.

Ocean waves—a better look

If you look at Figure 4-10, you will see a series of waves approaching a beach. As the waves get closer to shore, they “break” and spread onto the beach.

Figure 4-10

The modeling of breaking waves is not possible in the stream table. Several factors present on an actual coastline, such as wave length (distance from crest to crest), wave height, and nature of the bottom, are hard to duplicate. Missing too is the wind, which has an effect. Students have to accept the model of wave action and breaking presented in Resource 39 without an activity to support it.




Cluster A (Resources 38-41)

WAVE ACTION

Curving of waves as they enter a bay may be due to both diffraction and refraction of the waves. As straight waves hit the two outer points of the bay, the wave fronts are curved, as in Resource 40, in passing between two obstacles in their path. Then as they enter the bay they are curved even more by the bending of refraction, as the edges reach shallow water before the middle of the waves do, as shown in Resources 40 and 41.

Figure 4-11



□ 4-6. Why do the waves break as they get closer to shore?

You should have found that the ocean wave breaks because the sea bottom, which slopes upward as you approach the shore, interferes with the circular motion of the wave.

Look back again at Figure 4-10. The waves approaching the shore that you see in the photograph are entering a bay. On closer inspection, you see that the wave front within the bay takes on a curved path. Figure 4-11 shows the curved fronts approaching the shore.

Farther out to sea, the wave fronts are not curved, but are straight.

4-7. Find out why the waves bend as they enter the bay, as shown in Figure 4-11. Also, what do you predict would happen to straight waves approaching a shoreline, as shown in Figure 4-12? Make a sketch and pencil in your prediction. What would happen to waves approaching a shoreline at an angle, as shown in Figure 4-13? Make a sketch and pencil in your prediction.




Figure 4-12




Figure 4-13

Another ocean motion


Figure 4-14 shows two photographs of the same ship, docked at the same pier, at two different times of the same day. As

Cluster A (12 sources, 36-41)

The first sketch called for in question 4-7 should show the waves curving as they pass the heads of the bay. It should also show that sand will be moved toward the pocket beach in the bay.

The second sketch called for in question 4-7 should show parallel wave crests approaching the beach at an angle. It should show the bending of the waves by refraction, and the movement of the beach sand by longshore drift.

you can see, the level of the water has changed drastically from one picture to the other.



Cluster B (Resources 42-44)

Figure 4-14

FOCUS: →

□ 4-8. Why does the level of the sea change and what effect does a tidal change have on a coastline like that shown in Figure 4-14?

Interpreting a seacoast

The combined effect of ocean waves and tidal changes produces a great variety of seacoast landscapes. A shore of hard, resistant igneous rock will develop a different seacoast appearance than a shore of soft sedimentary rock. Seacoasts that are subjected to many storms will be eroded more rapidly than those with few storms.

When a geologist tries to interpret a landscape, he looks for evidence of the changes that have been taking place. He tries to figure out what caused them, just as you've been doing. Figure 4-15 contains evidence of a change that took thousands of years to happen. Can you spot the evidence?



Figure 4-15

□ 4-9. Interpret (describe and explain) how you think this coastline got to be the way it is. Here are some clues to help you. Notice the rocky outcroppings in the foreground. Do they resemble the results of erosion you've been studying? What about the flat, gently sloping area in the center of the picture? What area of Figure 4-15 does it resemble? Examine Figure 4-16, an artist's sketch of the same area.

4-9. Students should be able to see that the flat area is an old wave cut bench. Before the sea level dropped (or the land was uplifted), the waves eroded the shoreline to form the old sea cliffs and stacks and the flat bench in the foreground. At its present level, the sea is eroding new cliffs and forming another bench.

Figure 4-16







Figure 4-17

Delta formation was studied in Chapter 3, but this is obviously an area where mountains, midlands, and seashores interact.

Figure 4-17 shows a view of a coastal feature that you may never have seen from this angle before. This is an aerial shot of a delta. If you were to see it from ground level, you would not be able to describe its shape unless you walked around the edges as well as across it. Figure 4-18 shows a diagram of the same region.

Figure 4-18



This delta is built up from sand and silt sediments. The plants on it obviously started growing after the sediments began to accumulate. Some of the larger trees are more than a hundred years old. Notice that in the right side of the photo the delta appears to have been growing faster and that a sandbar has formed.

□ 4-10. Where did the sand and silt that formed this delta come from and how have the ocean tides, currents, and wave action helped shape the delta?


Ocean currents and wave action are at work along all coasts. Sometimes the currents flow parallel to the shore, and at other times they curve in or out. Usually they go in one general direction for months and months. Only occasionally do they change speed or direction. Waves, on the other hand, usually approach the shore at an angle that changes as the wind changes. (Sometimes the wind blows out to sea!)

Chapter 4 (Resources 45-47)

←

4-10. Most of the sand and silt was carried down by the river (Resource 32, Chapter 3). But the wave action and currents carry sediment. The load brought by the stream can be transported in different directions according to this action of the waves and currents. The sediment is deposited when the kinetic energy falls below a certain level.

Figure 4-19



A spit is a curved deposit of sand connected to the land

Cluster C (resources 45-47)



The *spit* shown in Figure 4-19 has built up where the ocean currents and the wave action are working together for at least part of the year to deposit sand at the mouth of the river. Both the river and the ocean carry sediments.

□ 4-11. How are wave direction and ocean currents involved in the shaping of the spit shown in Figure 4-19?

4-11. Waves, striking the coast at an angle other than straight, shift sand along the beach. Longshore currents also carry the sand along. When the coastline changes direction to make a headland, waves are refracted (bent) around the headland and lose enough energy to deposit sand, which builds into a spit.

Some rivers do not form deltas or spits where they empty into the sea. Rivers like the Columbia, the Delaware, the St. John, the St. Lawrence, and the ones that empty into Chesapeake Bay have deepwater channels (called *tidal estuaries* or *fjords*, depending on where they were formed). These channels may extend for many miles from the sea inland.

Figure 4-20





Figure 4-21



The harbors shown in Figures 4-20 and 4-21 are examples of each type. Figure 4-20 is the fiord type, and Figure 4-21 is the tidal type.


Scientists have puzzled over how these harbors were formed, but they have located some pieces of the puzzle. For one thing, the fiord type of deepwater channel is found in mountainous regions where there is much evidence of glaciation. The wide, flat channel bottom of the fiord-type harbor is typical of valleys carved by glaciers. Using depth soundings and aerial photography, scientists have discovered that the more V-shaped harbors reveal a river valley pattern and shape. The great continental glaciers that used to cover most of North America and Europe were melting and their water was running into the oceans while these harbors were developing.

Cluster C (Resources 45-47)

- 4-12. Using this evidence, describe a model to account for the formation of the deep harbors shown in Figures 4-20 and 4-21.

Summary

You've seen that many different forces are involved in the shaping of the shorelands. If you've used your resources successfully, you should be able to interpret the features of the shorelands and to predict what may happen to them in the future. The stretch of shoreline shown in Figure 4-22 has many of these features. How well can you interpret this shoreline?







Figure 4-22

If you are located near a seashore, a field trip could be of tremendous value at this point. Students should be able to identify at least some of the features they have studied.

You can see that interpreting most of the landscapes of shorelands is not hard when you know the forces involved. Look over Figure 4-23. You will recognize this drawing as part of Figure 1-4 from Chapter 1. Can you identify the features of the shorelands and describe how they were formed? If you can, you should be able to visit a beach or lake near you and understand many of the processes that made them look the way they do today.

Figure 4-23



Before going on, do Self-Evaluation 4 in your Record Book.


38 Wave Action on Rocky Cliffs

EQUIPMENT LIST


- 1 complete stream table
- 1 sand-and-plaster block
- 1 piece of wood
- Handful of gravel

PURPOSE: To study the action of waves on a rocky cliff.

When water crashes into rock, which is stronger, the water or the rock? Obviously, rock is stronger because it hardly changes, while the water is sent flying in all directions. Yet, over a long period of time, water can destroy cliffs, too. To simulate the process, get a notched block made of sand and plaster of paris, some mixed sand and silt, and a piece of wood, and set up a stream table as shown below. Also, scatter some gravel on the sand.



ACTIVITY 1. Fill the stream table with water so that the middle notch in the block is just at water level. Now generate waves by pushing the piece of wood up and down every 5 seconds, so that the waves hit the face with the three notches. Keep the waves going for 5 to 10 minutes, carefully observing the face of the block to see which notch is most affected by the wave action.



Cluster A consists of Resources 38 through 41. It is concerned with waves and beaches.

CLUSTER A (Resources 38-41)

MAJOR POINTS

1. The erosive effects of waves on a cliff occur in a narrow band just above sea level.
2. When a crack develops in the cliff, the compressive force of air driven by the waves will tend to make it bigger.
3. Fragments broken from the cliff will cause further erosion when driven by waves.
4. Undercutting of the cliff can cause arches, caves, and pinnacles to form.
5. Material removed from the cliff may form an underwater bench, or a beach.

Figure 1

Construction of the block out of sand and plaster is described in the front section of this Teacher's Edition in the section entitled "Preparation of Equipment."

Students may wonder why the erosive effects of the waves is most pronounced in the band just above sea level. The answer is tied to the kinetic energy of waves and to the fact that greatest forward (toward shore) speed of the water in the wave is at the top, or crest, of the wave. Resource 39 is concerned with this characteristic of waves, and students could be pointed toward this resource next.

From these simulation experiments, you should have found out that the erosive effects of the waves occur in a narrow band just above sea level. At this level, they would produce undercutting on a cliff face. Softer rocks are more rapidly eroded than harder ones, and cracks allow the erosion to proceed faster. If you could see the waves acting against a cliff face over a period of time, you would note that the face keeps moving back, and a wave-cut bench is left.




Figure 2

Let's examine the effect of cracks at sea level a little further. Figure 2 shows a crack at sea level. What does the space in the crack contain when there is no water washing into it?




Figure 3

What happens at X in Figure 3 when a big wave washes into the crack, and what effect would this have on the crack? Imagine this process continuing in the same crack for hun-

dreds of years. It is not difficult to see that the sudden compression of the air when the water drives into the crack will help to make the crack bigger and longer.

In your experiment, you may have seen little broken pieces of plaster tumbling down. These represent pebbles and boulders broken off in the real situation. Some of these would be small enough for the waves to pick up and throw against the cliff. What effect would this have on the cliff and on the pebbles?

In any coastline region where cliff faces are raised against the sea, the kinetic energy of waves does work. The cliff gets undercut at sea level by the abrasive action of stones and the compression of air in cracks. Arches and caves develop. Then these collapse as they are enlarged, leaving pinnacles of rock standing by themselves.

The pebbles and boulders are ground into sand, which gets transported away to be deposited elsewhere as offshore benches or as beaches and sandbars.

Now that the water in your stream table has settled down, take another good look at the model you have produced. You should find that the coarser sediment has formed a bench in front of the cliff area. The very fine material should be deposited in the deeper "offshore" water.

Both the New England coast in Maine and Pacific coast of Oregon and California show examples of waves, arches, and pinnacles. In some cases the grinding of rocks to sand has formed a beach; in others, the wave action has not had a long enough time to accomplish this, and there is still only a rocky shore.




Figure 4

RESOURCE 38

173

MAJOR POINTS

1. One model of a wave shows individual water particles in the upper layers rotating because of wind action.
2. At the crest of the wave the top particles are rotating in the direction that the wave is moving.
3. An object floating in deep water will simply move up and down as waves pass by.
4. When the water gets shallow enough to stop the rotating, the wave breaks, and the circular motion is changed to forward motion of the water particles.
5. A breaking wave pushes floating objects ahead of it and picks up sand.

39

Kinetic Energy and Waves

EQUIPMENT LIST

None

PURPOSE: To study the motion of the water in a wave.

Have you ever been surfing or watched surfing at the movies or on television? A surfer on a board out beyond the breaking waves just bobs up and down in almost the same spot, while a surfer in the breaking wave is pushed toward the shore, like the two people in Figure 1.




Figure 1

6. Prevailing winds over a large area of water produce waves called swells that roll toward the shore.

The surfers in Figure 1 have gained kinetic energy as they moved toward the shore. Why doesn't a surfer, beyond the breaking wave have the same kinetic energy?

What causes the waves to break when they reach shallow water? *

One model of wave action states that water particles in the upper layers are rotating because of wind action. At the high point of the wave (the crest), the particles have rotated

up to their highest position. At the lowest point (the trough), the particles have rotated back down to their lowest position. A surfer is lifted and lowered by this rotational motion but is not carried to shore, as shown in Figures 2 and 3. Although the energy obtained by the wave from the wind is carried forward by the wave, the particles of water rotate in a confined area.

As the rotational motion is slowed by the friction with the bottom in shallow water, the crest of the wave starts to "lean" in the direction of wave motion because of inertia. When the lean gets too great, the break occurs. A surfer starts riding the wave when it starts to lean, and before it actually breaks.




Figure 2

If the water is deep, waves can travel without interference. But imagine what happens when waves get close to shore. What causes waves to break when they reach shallow water?

When the water is shallow enough to stop the particles from rotating, the wave breaks. The circular energy of the waves is changed to forward motion of water particles, which rush up the sloping shore. The breaking wave pushes floating objects ahead of it and picks up tons of sand as it rushes toward the beach.

This model of wave action is one explanation of how water close to shore gets enough kinetic energy to form a breaking wave and thus can pick up and carry sand to the shore.




Figure 3





Figure 4

If the ocean is wide and a prevailing wind blows in one direction for most of the year, as along the Pacific Coast, waves continually roll shoreward. These waves (called *swells*) are usually large, reaching heights of 10, 15, and 20 feet. Some coastlines face sheltered water (like the Gulf of Mexico)—and here swells only develop after storms at sea. The total energy supplied to that coastline each year is not so great as the energy supplied to coastlines facing the Pacific or the Atlantic Ocean.

40 Beaches and the Curving of Waves



When you stand on a beach, do the waves always come at you head on, 90° to the beach waterline? Are all waves formed the same way? Take a careful look at Figure 1, which shows an aerial view of a coastline, with waves washing past an offshore jetty. Notice the pattern formed by the waves.

You can understand this pattern and the effect it might have on a shoreline by doing a stream-table activity. You will need a partner, one stream-table set, two plaster blocks, and one wooden block.

EQUIPMENT LIST

- 1 complete stream table
- 2 plaster blocks
- 1 wooden block

PURPOSE: To investigate the curving of waves and its effect on the beach.

MAJOR POINTS


1. With the wind blowing perpendicular to the beach and no obstructions, the wave crests approach the coastline parallel to each other and to the coast.
2. When parallel waves pass the end of an obstacle or between obstacles, they curve because of attraction.
3. Parallel waves that strike a beach at other than a right angle bend because of refraction.

Preparation of the 2 plaster blocks is described in the front section of this Teacher's Edition in the section entitled "Preparation of Equipment."

Figure 1


ACTIVITY 1. Set up the stream table with a sloping sand beach at one end, with the water about 2 cm deep where it meets the beach. Generate waves by gently pushing the wooden block up and down rhythmically every 3 seconds. Notice the pattern produced by the waves and the effect of the waves on the beach.

In generating parallel waves, it is important that the wooden block be long enough to come within a few centimeters of the edges of the stream table, and also that the front edge of the block be kept parallel to the beach.



ACTIVITY 2. Now put two plaster blocks into the water as shown. The blocks should have a space of at least 4 cm between them and should appear above water level.

Generate waves in the same way that you did in Activity 1. Note the pattern this time and the effect on the shore.



Where a prevailing wind is blowing toward land at right angles to a straight coastline, the wave pattern is like the one you found in your first simulation experiment. The crests approach the coastline parallel to each other and to the coast.

Almost all energy is concentrated on the coast, causing steady erosion all along the coast. Figure 2 shows the typical wave pattern for these conditions.




Figure 2

Did you get a curved pattern when the waves passed through the gap in your second experiment? When parallel waves pass the edge of an obstacle, or between obstacles, the crests curve. This is called *diffraction*. Your second experiment should have produced a pattern like that in Figure 3. Compare this with Figure 1.

The end of the breakwater in Figure 1 caused the wave crests to curve. If the breakwater had been in two sections, with a gap in the middle, completely curved crests would have formed, as in Figure 3.





Figure 3

Where a coastline is neither straight nor at right angles to the prevailing wind, some parts of the wave line reach land before others. The parts that reach land first are slowed down, whereas the other parts continue at the same speed. The wave line bends, and this is called *refraction*. Predict what wave pattern you would get with waves entering a wide, curved bay.

ACTIVITY 3. Pile your sand mixture at one end to make a deeply curved, scooped-out bay, and generate more waves.



The greatest energy of the waves is concentrated on the heads of the curved bay. Gentle wave action should move sand gradually into the pocket beach. Beautiful bay beaches are formed in this way. One classic example is Mogens Bay of Saint Thomas in the Virgin Islands.

Did you predict correctly? Where is the most beach-forming activity when waves are curved by refraction entering a bay? This experiment should help you understand how wave refraction helps to form beaches at the heads of curved bays as well as pocket beaches between headlands.

EQUIPMENT LIST

- 1 complete program table
- 1 wooden bin
- 2 plaster blocks

PURPOSE To investigate longshore drift, caused by waves, and to see what can be done to retard the shifting of the sand.


MAJOR POINTS

1. As waves move toward a beach at other than right angles, they are bent by refraction.
2. Sand shifted along the beach is called longshore drift.
3. An obstruction placed at right angles to the beach can retard longshore drift.
4. Piling up of sand by an obstruction can change the shape of the beach.

41 Waves at an Angle and Movement of Sand

What happens to a coastline when the wave pattern reaches the shore at an angle most of the time? Imagine a consistent wave pattern approaching a beach coastline as shown in Figure 1.


Figure 1



Predict what will happen to the shape of the wave pattern when the waves reach the shore. Make a diagram to illustrate your prediction.

Now get a partner, a complete stream-table setup, a piece of wood, and two plaster blocks. You can conduct a simulation experiment to see if your prediction is correct and to observe the effect of this type of wave action on a beach.

ACTIVITY 1. Pile the sand-silt mixture along one side of the stream table and put water into the table to a depth of about 3 cm. Place the piece of wood you are using as a wave generator at an angle, as shown. Push down on it every three seconds or so to produce a pattern of waves at an angle to the shore. Watch the wave pattern and the erosion effect carefully.



If students have done Resource 40 before getting to this one, they will be able to predict that the wave crests will bend as they near the shore because of refraction. You may want to refer students to this other resource.

The angle at which the wave crests approach the shore should be kept constant by holding the block at a fixed angle. The longshore drift can be accentuated by decreasing the slope of the stream table. In fact, students might experiment with the idea of putting the table flat longitudinally and giving it just a little slope laterally. This may require a bit more water in the table.


Did you predict the wave pattern correctly? What happened to the beach?

In your simulation, the wave pattern curves into the beach, and the sand is shifted steadily along the shore in a process that is called *longshore drift*.

Because man uses beaches for recreation and builds homes on the seashore, he often builds structures to reduce beach erosion. Let's see what these structures do.

RESOURCE 41 181

ACTIVITY 2. Get the plaster blocks and set them at right angles to your simulated beach, one on top of the other. The topmost block must be above water. Make waves at an angle as you did before and observe what happens as the blocks obstruct the longshore drift.



Along the southeastern coast of Florida (the "Gold Coast") the prevailing breezes are from the southeast, so waves hit the sand beaches at an angle as they do in these activities. Many structures, called groins, have been built perpendicular to the shoreline to halt longshore drift and maintain the beaches.

The diagram in Figure 2 shows how the waves are bent (refracted) as they reach the shore area. As long as the waves follow this pattern, the sand builds up beside the obstruction. Boat ramps, sea walls, or jetties can interfere with longshore drifts of sand along a beach and in much the same way cause a change in the shape of the coast. A jetty at Panama City, Florida, is shown in Figure 3.




Figure 2




Figure 3

MAJOR POINTS

1. The actual level of the sea changes all the time for many reasons.
2. A measuring instrument called a tide gauge can be used for measuring (operationally defining) and recording sea level.
3. Mean sea level is the average value be-

- tween high water and low water.
4. Mean sea level differs at various places on the United States coast. One place can arbitrarily be chosen as the zero point for comparison.

Cluster B consists of Resources 42, 43, and 44. It is concerned with sea level changes.

42 Measuring Sea Level

PURPOSE: To study the measurement of sea level, and the meaning of the term.


EQUIPMENT LIST

None

CLUSTER B
(Resources 42-44)


Many times in the chapters in *Crusty Problems* there are references to *sea level*. The elevation of mountains and places along river systems is related to sea level. Along the coast, major landscape changes are related to sea level. It is all very well to talk about sea level, but how can it be measured?

If you have observed boats tied to a wharf, piles standing out of the water, or beaches and shore rocks over a period of days, weeks, or months, you will realize that sea level just isn't level! Waves can cause a minute-to-minute change. Tides can cause a day-to-day, week-to-week, and month-to-month variation. You even get a slightly different view of sea level if you are in a boat looking at the land.



What can you do to get an operational definition for *sea level* when it is changing all the time? The measurement of sea level is no easy task. Usually the problem of making such a measurement is solved by installing a measuring instrument called a *tide gauge* at the end of a pier that stretches far out into the sea.


Figure 1



This may be one of the few examples that students have seen of an automatic type of measuring instrument. Actually, the measurement of sea level is not nearly so difficult a task as the determination of mean sea level, which requires that measurements be made over a relatively long period of time.

A tide gauge has a cylinder with a small opening that allows water to enter and fill the cylinder to the levels reached by the tide. One common form has a float in the cylinder. As the float moves up and down with the tide, a cable turns a drum, and a pen draws a line on a moving sheet of paper.

Figure 2



The pen traces out records like that on the chart shown in Figure 2. The graph, developed over a period of time, shows the highest level reached by the tide, the lowest level, and all levels between.

From continuous readings like these, taken over a long time, a value for mean sea level can be calculated. Mean sea level is an average value between high water and low water. Which value on this chart would be about the level of mean sea level?

The United States Coast and Geodetic Survey classifies tide stations as primary, or first class, only if they have been in continuous operation for more than nineteen years. There are about 40 places in the United States that are first-class stations.

Charts from all these stations are used to calculate the mean sea level, to which all surveying measurements are related.

Careful measurement has shown that the sea level is not the same at all places (see Figure 3). For example, if the sea level at St. Augustine, Florida, is taken as zero, then the sea level at Portland, Maine, is about 38 cm higher; at San Diego, California, it is about 58 cm higher; and on the Oregon coast it is about 86 cm higher.

Figure 2 is given only as an example of a chart showing the sea level. This chart would differ for just about every tide station in the world. Some stations located on the open Atlantic or Pacific Ocean (not in a bay, on the Gulf, etc.) would show two high and two low tides every 24 hours and 51 minutes, but the respective high and low measurements would be different in amount and in the time they occurred for each of the stations. For stations located on the Gulf of Mexico and on bays and inlets, so many different factors affect the tides (there are said to be 26 factors) that the chart may in some cases show only one high and one low in a 24-hour period.





Figure 3

Here is an interesting point: Scientists do not have all the answers, even about as common a thing as sea level.

MAJOR POINTS:

1. The difference between high tide and low tide varies greatly in different locations.
2. Tides are caused by the gravitational attraction of the moon and sun. The moon has over twice the effect of the sun.
3. Difference between high and low tide varies with the relative positions of the sun and the moon. When sun, moon, and earth are lined up, big tides result; when the sun and moon form a right angle with the earth, small tides result.
4. Erosion of the shoreline is dependent on the range of the tide.



186

Scientists are not certain why there is a difference in sea level, but they think it is related to such variables as barometric pressure and water temperature.

43 Tidal Effects on Shorelines

PURPOSE: To examine the effects of tides on the shoreline.

EQUIPMENT LIST:

None

One of the most noticeable cyclic events (events occurring at regular periods) that affects the shoreline is the daily rise and fall of the tides. The difference between high tide and low tide in the United States can be as much as three meters (10 ft), and in some parts of the world it can be more than nine or ten meters (33 ft). Only the larger lakes have measurable tides; Lake Erie has a tidal range of only eight centimeters (3 in).

Men have noticed how tidal cycles follow the daily cycles of the earth, moon, and sun. The present theory of tides explains them in terms of the gravitational attraction of the moon and sun, which causes the water on the earth's surface to bulge out. The moon, though smaller than the sun, has a greater effect (over twice as great) because it is so much closer to the earth.

In Figure 2 of the previous resource, there is a chart showing a daily tide record. Notice that the recordings in the early part of the chart show a big difference between high-tide level and low-tide level (almost four meters on the sixth day) while a week later the difference is only about one meter. When the moon and the sun are in a straight line with the earth so that their gravitational attractions are pulling together, big tides are caused. When they are at right angles, their attractions work against one another, and the differences are small. This causes a cycle of big tidal differences at certain times of the month and small differences at other times.

On a gently sloping shore like the one pictured in Figure 1, the period of big tides causes wave action on the upper part of the beach for the first time since the last big tides. You can imagine the tremendous effects a combination of

215

a storm and one of these very high tides has on the upper part of the beach and the dunes.





Figure 1

On a cliff or steep shore, the tide cycle affects the part of the shore that gets undercut by wave action. In Resource 38, you saw that most of the erosion takes place at sea level. If the rise and fall of the tide is small, only a narrow strip is exposed to wave action. If the change is large, a much wider strip is exposed. The range of the rise and fall of the tide controls how much of the cliff face is affected by wave action.

Along the rocky coast of Maine, wave action during high tides has hollowed out caves of rather large size.

Figure 2



EQUIPMENT LIST

- 1 complete stream table
- 2 plaster blocks, different sizes
- 1 wood block

PURPOSE To investigate the effect of sea level change on seacoast erosion.

MAJOR POINTS

1. Wave erosion takes place at sea level.
2. If sea level drops, a flat wave-cut bench forms, and erosion begins at a different level of the coastline.

The 2 plaster blocks should have the following dimensions:

No. 1—3" x 2" x 2"


No. 2—4" x 2" x 2"

Construction of these blocks is described in the front section of this Teacher's Edition, in the section entitled "Preparation of Equipment."


44 Changing Sea Level and Erosion

This resource will help you find out what effect a change in sea level can have on a cliff-type coastal landscape. To get started, obtain two plaster blocks (one larger than the other), some of the sand-silt mixture, a piece of wood, and a stream table. You will use the sand-silt mixture and plaster blocks to build your own landscape.

ACTIVITY 1. Pack your sand-silt mixture at one end of the stream table as shown, embedding the two plaster blocks along the front edge. Raise this landscape end of your stream table with a block of wood or other support. Then fill the other end with water until it just covers the smaller of the two plaster blocks.



ACTIVITY 2. Place the piece of wood in the stream table at the opposite end from your model landscape. Push down gently on the wood with the palm of your hand and then quickly lift your hand. Do this every 5 seconds or so, and you will create gentle waves.



Keep making waves this way for about 5 minutes. Notice where the erosion at this sea level takes place. Now let the water out through the drainage hole until only the lower half of the smaller plaster block is covered with water. Then repeat the wave action to see how a change in sea level can affect the landscape.

Wave erosion takes place at sea level and cuts a bench (Figure 1), the cliff being steadily cut back. If the sea level drops, erosion cannot take place at this level any more, and a flat wave-cut bench is left. The old cliffs are left behind, but they often lose their distinctive features because of slides and erosion. Old wave-cut benches can be recognized on many coastlines and are evidence of changes in sea level.





Figure 1

Both the Pacific and the Atlantic coasts have numerous examples of flat wave-cut benches and old cliffs standing well above the present mean sea level. The Great Lakes and smaller lakes also show the effects of changing water level along their shorelines.

Cluster C consists of Resources 45, 46, and 47. It is concerned with sand and sea levels

CLUSTER C (Resources 45-47)

45 Where Does Beach Sand Come From?



EQUIPMENT LIST

None

PURPOSE: To discuss the formation of various kinds of sand.

MAJOR POINTS

1. Sand is rock material ground to a certain size by the action of wind and water.
2. In general, rocks made of hard minerals break down to sand.
3. The color and kind of sand formed depend on the kind of rock ground down. White sand is usually quartz; darker sand is formed from darker igneous or metamorphic rocks; black sands are usually finely ground lava rock.
4. Color of beach sand may be altered by wastes, organic matter, or clay.

The moviemakers' concept of an island paradise is a white sand beach with waving palms, but white beaches in the tropics and in southern regions of the United States are not all that common.

In Hawaii, some of the beaches are black. In Florida, some of the beaches are tawny, some are buff-colored, and there are long stretches of eggshell-white beach. On the West Coast of the United States, beaches are more often brownish-gray. All these beaches have sand. How can the sand be so different from beach to beach?

Sand is simply a name given to rock material ground to a certain size by the action of water or wind. Beach sand is formed by the grinding action of rocks on each other and on bedrock when vigorously rolled by moving water of high kinetic energy.

This process can happen in the fast-flowing section of a river. Because the sand particles are small, they are carried far beyond the rocky region where they were formed. And if the kinetic energy of the stream is sufficiently high, the particles can eventually be washed out to sea. Many particles get no farther than the river mouth, where they build up as sandbars. Others, however, are swept along by sea currents and wave action, finally becoming part of a beach.

Sand particles break off from rocks when waves batter the rocks against each other or against the cliffs. This sand can be deposited on pocket beaches in the bays between rocky headlands or carried away by wave action and washed up on a beach elsewhere.

The color and kind of sand formed depend on the kind of rock that was ground down. In general, rocks made of hard minerals break down to sand. White sand like that along the southeast coast usually comes from quartz. Darker sands are often formed by the breakdown of dark-colored igneous or metamorphic rock. The black sands of Hawaii are composed of tiny grains broken from dark-colored lava rock. In some localities, the color of the beach may be altered by wastes, organic matter, or mixtures of clay with the sand.



Figure 1

Some of the sand on the Oregon beach in Figure 1 below could have come from the grinding down of the rocky headland in the distance. There are no rocky headlands within hundreds of miles of the Florida beach pictured in Figure 2. Part of this sand comes from broken shells and coral, though some may have been brought a long way by ocean currents.

On some of the so called shell beaches of Florida, a large amount of the beach sand is made up of finely ground shell fragments.




Figure 2

EQUIPMENT LIST

- 1 complete stream table
- 1 plaster block
- 1 wooden block

MAJOR POINTS

1. Deposits of sand piled up in the water are called sandbars; when they are connected to a tip of land and curve out into the water they are called spits.
2. The deposition of sand in a bar or a spit is dependent on loss of energy by the waves carrying the sand.

46 Spits and Sandbars

PURPOSE: To study the formation of spits and sandbars by longshore drift


Where rivers enter the sea, the river mouths are often partly blocked by deposits of sand called *sandbars*. Long, curved sandbars called *spits* also form at the tip of headlands that project into the sea.

One way that spits form can be demonstrated in a stream table. Imagine a long coastline with angled waves drifting along a shallow shore. Can you predict what kind of beach will form where the coastline changes direction?




Construction of the plaster block is described in the front section of the Teacher's Edition in the section entitled "Preparation of Equipment."

ACTIVITY 1. Pile up the sand-silt mixture to make a beach from one corner of the stream table to about the middle, as shown. Then put in a plaster block to represent a rock headland. Pour in water to a depth of about 3 cm. Generate angling waves by pushing down every 3 seconds on a wooden block. Do this for about 5 to 10 minutes.



Note that not only is the energy of the waves reduced by hitting the headland, causing sand to be dropped, but the wave crests are bent by refraction and curved by diffraction, causing the sand deposit to be curved.

Your simulation should have produced a landform like that shown in Figure 1. Longshore drift shifts the sand along the coast to the headland. The energy of the waves is reduced as they swing around the headland, and the sand is deposited as a curved sandbar, or spit.



192

Figure 1

221

Sandbars can also be deposited off the mouths of rivers or in shallow water off a beach when currents carrying a load of sand are slowed down and lose energy.


47 Rise in Sea Level Floods Valleys

PURPOSE To compare drowned glacier valleys and drowned river valleys.

EQUIPMENT LIST
None

MAJOR POINTS

1. Melting of glaciers may have raised sea level 100 feet.
2. A flooded glacier valley is called a fjord, a flooded river valley is called an estuary.
3. Sinking of land beneath the sea could have the same effect of flooding a valley that raising the sea level could have.



The large body of water in the mountain scene of Figure 1 is *not* a lake system; it's a system of valleys flooded by the sea. The scene is in Alaska where Tracy Arm (in the foreground) empties into Holkam Bay. The bay, in turn, connects with the Pacific Ocean.

Figure 1


Since you have already done the mountain chapter, you will recognize features which indicate that the landscape was

glacially carved. There is evidence that during the ice-age period, when these mountains were being carved to their present shape, great ice sheets covered much of the Northern Hemisphere. With so much of the earth's water trapped in the form of glacial ice, the sea level would have been much lower than now.

One theory suggests that as the climate changed to a warmer one, the ice sheets melted back to their present positions over the North and South Poles. The water released by the melting ice raised the sea level—one estimate is by about 100 meters. A rise as big as this caused the flooding of many valleys near the coast.


Flooded, ice-carved valleys like Tracy Arm are sometimes called *fiords*, while flooded river-carved valleys are called *estuaries*. Many of the world's best harbors occupy flooded valleys. Some deep harbors in North America that have formed because of the flooding of river valleys include the Hudson River, Chesapeake Bay, Delaware Bay, San Francisco Bay, and the straits and harbors between British Columbia and the state of Washington. Oslo, Norway, is at the far end of a 90-mile fiord.

Figure 2



Flooding due to a rise in sea level caused by melting ice is not the only possible way of forming an estuary or a fiord. The same result would occur if earth movements caused the land to sink beneath the sea. The diagram in Figure 2 shows how a river valley could become an estuary if the sea level rose, or the land sank, or a combination of both effects resulted in a relative rise in sea level.

In the disastrous earthquake that hit Alaska in 1964, the land in several of the harbors sank enough to change the entire shape of the coastline, wiping out houses, docks, and wharves



PICTURE CREDITS

T-Top
B-Bottom
L-Left
R-Right

X - NASA 2 - NASA 3 - M. Friedel-Stern, Black Star
107 - William F. Tanner 108L - Phil Degginger 108R
- USDA-Soil Conservation Service 11L - H. N. Bliss
11R - Betsy Conion Balzano 12 - U. S. Forest Service
13 - U. S. Geological Survey 14 - Missouri State Highway
Department 15 - South Dakota Department of Highways
18 - Robert Samples 26 - E. R. Degginger 27-28 - John S.
Shelton 31-32 - Geo-Ed Aids 35-37 - John S. Shelton 38 -
E. R. Degginger 39 - Courtesy: Stone Mountain Park 40 -
David Poché 43 - John S. Shelton 537L - E. R. Degginger
537R - H. N. Bliss 538 - E. R. Degginger 68 - Hoppock
Associates 73 - Rufus Morton 75L - David Poché 75R -
National Park Service Photo by Fred Mana, Jr. 78 - National
Park Service Photo by Clay Peters 82 - Rufus Morton
86 - U. S. Geological Survey 87L - Rufus Morton 87R -
E. R. Degginger 91 - U. S. Geological Survey Photo by G.
R. Gilbert 92T - Swiss National Tourist Office 92BL -
U. S. Geological Survey Photo by H. E. Malde 92BR - U. S.
Geological Survey Photo by F. E. Matthes 93 - Douglas R.
Steinbauer 94 - U. S. Geological Survey 95T - Doug-
las R. Steinbauer 95B - National Park Service 96 -
Steve McCutcheon 98 - National Park Service Photo by
Woodbridge Williams 100 - E. R. Degginger 102 -
Missouri State Highway Commission 104, 105T - William
F. Tanner 105BL - David Poché 105BR - H. N. Bliss
110L - E. R. Degginger 110R - U. S. Forest Service
111L - H. N. Bliss 111R - M. N. Maddock 112 - U. S.
Army Corps of Engineers 113 - Rufus Morton 114,
115T - H. N. Bliss 115B - U. S. Army Corps of Engineers
116 - Rufus Morton 117 - John S. Shelton 127T - Bob
Samples 127B - Maine Department of Economic Develop-
ment 128 - William F. Tanner 129 - U. S. Forest Ser-
vice Photo by Leland J. Prater 130, 131 - John S. Shelton
133 - U. S. Army Corps of Engineers 136 - H. N. Bliss
140 - H. N. Bliss 141L - National Park Service Photo by
M. W. Williams 141R - Tennessee Valley Authority
146L - U. S. Army Corps of Engineers 145R - H. N. Bliss
148 - Jack Hassard 150 - Jack Hassard 152 - E. R.
Degginger 153 - Josef Muench 154, 155 - Detlef A.
Warnke 156T - H. N. Bliss 156B - William F. Tanner
160 - Maine Department of Economic Development 161 -
Josef Muench 162 - Oregon State Highway Department
164 - Nova Scotia Information Service 165 - U. S. Forest
Service Photo by Lee Prater 166, 167 - Coast & Geodetic
Survey 170 - Ray Atkeson-DPI 174 - John Atkinson,
Jr.-DPI 177 - U. S. Army Coastal Engineering Research
Center 183 - Florida Development Commission 191T
E. R. Degginger 191B - Florida Development Commission
193 - Steve McCutcheon