tance. During tournament sessions, you can spend extra time at the low-achiever tables with students who most need your help. In especially low-reading classrooms, you can revise and simplify the materials. Special education teachers have employed TGT science successfully by simplifying the worksheets and gamesheets.

Organization of Materials

TGT Physical Science consists of worksheets and gamesheets covering 42 learning objectives. These objectives are classified under six basic units:

Chemistry
Work, Force and Motion
Light and Sound
Heat Energy
Electricity
Measurement

The complete listing of objectives under each unit is contained in the Appendix of this manual.

Using TGT Physical Science in the Classroom: General Issues

Part II of this manual provides specific information on using each
of the TGT worksheet and gamesheet sets. There are, however, some general
issues that you should be aware of as you implement the TGT process and
materials in your classroom.

1) Schedule of Usage. There is no specifically prescribed schedule for using TGT. A typical weekly schedule consists of, for each learning objective, regular instruction by the teacher on Monday, Tuesday, and Wednesday, team practice on Thursday and tournament play on Friday. Essentially



DOCUMENT RESUME

?D 206 512

SE 035 624

AUTHOR

Hollifield, John H.: Leavey, Marshall B.

TITLE Teachers' Manual: Using Teams-Games-Tournament (TGT)

in the Physical Science Classroom.

INSTITUTION Johns Hopkins Univ., Baltimore, Md. Center for Social

Organization of Schools.

SPONS AGENCY National Inst. of Education (DHEW), Washington, D.C.:

National Science Foundation, Washington, D.C.

PUB DATE 80

GPANT NSF-SED-77-19102

NOTE 305p.: For related document, see SE 035 623.

EDRS PPICE DESCRIPIORS

MP01/PC13 Plus Postage.

*Educational Games: *Junior High Schools: Learning Motivation: Middle Schools: *Physical Sciences: *Science Activities: Science Course Improvement Projects: *Science Curriculum: Science Education: Secondary Education: Secondary School Science: Small

Group Instruction: *Teaching Guides: Worksheets

ABSTRACT

This teacher's manual provides general and specific guidelines for use of Teams-Games-Tournaments (TGI) Physical Science Curriculum materials at the junior high-middle school level. TGI is an innovative instructional model which focuses on the learning of basic skills, information, and concepts, rewarding students in small teams rather than at the individual level. The "games" component consists of a series of learning games: "tournaments" involve weekly sessions in which each student competes with other students of comparable achievement level on other teams: ultimately, individual scores are converted to team scores and winning teams are declared. The manual includes worksheets and gamesheets covering 42 learning objectives classified under these basic units: chemistry, work, force and motion, light and sound, heat, electricity, and measurement. (CS)

^{*} Reproductions supplied by EDRS are the best that can be made **

from the original document.



U.S. DEPARTMENT OF EDUCATION
NATIONAL INSTITUTE OF EDUCATION
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

This document has been reproduced as received from the person or organization originating it. Minor changes have been made to improve reproduction quality.

Points of view or opinions stated in this document do not necessarily represent official NIE position or policy

"PERMISSION TO REPRODUCE THIS MATERIAL HAS BEEN GRANTED BY

Patricia Babb

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)."

Teachers' Manual:

Using Teams-Games-Tournament (TGT) in the

Physical Science Classroom

John H. Hollifield

Marshall B. Leavey

Published by the Center for Social Organization of Schools, supported in part as a research and development center by funds from the United States National Institute of Education, Department of Health, Education and Welfare. The opinions expressed in this publication do not necessarily reflect the position or policy of the National Institute of Education, and no official endorsement by the Institute should be inferred.

This material was prepared with the support of National Science Foundation Grant No. SED-77-19102. However, any opinions, findings, conclusions or recommendations expressed herein are those of the authors and do not necessarily reflect the views of NSF.

© 1980 The Johns Hopkins University

Acknowledgments

The development of TGT Physical Science and TGT Life Science has been accomplished over two-and-one-half years, with the cooperation and assistance of many people. The authors wish to sincerely thank all those people and the following people in particular.

NSF Program Monitors
Alexander Barton
Ruth Von Blum

Project Consultants
Audrey Champagne
David DeVries

Project Advisory Committee
Charles DeBolt
James Latham, Jr.
Constance Tate
Nannette Williams

Curriculum Developers
Jacqueline Gundy
John Yantz

Graphic Artist Kate Maas

Field Evaluators

Barbara Ballan

Patricia Christy

Roṇa Goldsmith

Rose Logwood

Keith Mason

Suzanne Ricklen

Deborah Victor

Material Reviewers
Joseph Antenson
John Layman
John Wheatley
Emmett Wright

Pilot Test Teachers

Richard Archambault
David Barczak
Steve Beam
Paul Becker
Gail Burns
Leora Caporaletti
Richard Carl
Avadna Coghill
Brian Corbin
Donald Cunningham
Dorothy Diggs
Ester Frasier
Virginia Ives

Melinda Kelley
James McClenahan
Elizabeth Paige
Mary Queen
Martha Richardson
Thomas Rohr
C. David Rowe
John Scott
Robert Siskind
Gordie Thorpe
Rosa True

Worksheet/Gamesheet Typists

Anne McLaren Barbara Hucksoll Hazel Kennedy Alta Lou Smith

ERIC Frovided by ERIC

Introduction

This manual provides general and specific guidelines for use of the Teams-Games-Tournament (TGT) Physical Science Curriculum materials in the classroom. Part I discusses general issues; Part II provides specific information to enhance the use of the materials for each designated learning objective.

Physical Science is part of the curriculum at the eighth- or ninth-grade level in most schools across the country. These materials, were pilot-tested in both eighth- and ninth-grade physical science classrooms.

Before using TGT Physical Science, you should receive training in using the TGT process in the classroom. At the least, you should read and study the teacher's manual, <u>Using Student Team Learning</u>, especially the TGT sections, before attempting to use the process in your science classroom. Also, the materials can be used with the Student Teams-Achievement Division (STAD) process, simply by using the tournament gamesheets as quizzes.

Part I .
General Issues *

 $\tilde{\mathfrak{o}}$

The Purpose of TGT Physical Science

TGT should be used in the science classroom in accordance with its strengths—the learning and reinforcement of basic knowledge that will provide a base for further learning and experiences.

Science classrooms provide students with opportunities for meaningful experiences, which should in turn lead to further inquiry. However, students need a stable knowledge base or cognitive structure within their experience in order to proceed with manipulation and application of their learning. This basic philosophy of use of TGT, when applied to the physical science curticulum, has important implications. The materials focus on what TGT does best-the learning of basic skills, information, and concepts.

For example, the facile use of laboratory equipment is an important feature in science classrooms, but the basic knowledge required before facility--identification of equipment and knowledge of the functions of the equipment--can be taught and reinforced through TGT. Similarly, before students can analyze and synthesize chemical formulae, they must first learn chemical symbols and their meanings.

Another good example is vocabulary. Before vocabulary can be facilely applied, a basic level of knowledge of definitions must be assured and strengthened. Before nuances of meaning can be effectively dealt with, the student must acquire a definition that provides the base for the nuances. Vocabulary drawn from experience and reinforced through TGT will provide such a base.

There is no argument that the primary purpose of middle schooljunior high school science programs must be to enable students to exper-



ience their world and develop the inquiry and investigative skills that they need to examine and understand that world. This purpose can be greatly facilitated, however, when students are able to develop a base of knowledge from which to launch their inquiry and investigation. The purpose of TGT science is to allow students to build that knowledge base successfully, especially students who may traditionally have difficulty in achieving academic success.

The Teams-Games-Tournament (TGT) Instructional Process

TGT is a classroom instructional process that changes the reward and task structures which surround a student in the classroom. The change in reward structure involves rewarding students as teams as well as individually. Task structure changes are created by having students perform cooperatively in their teams and then in small groups playing instructional games rather than in an isolated, individual setting.

The team structure leads students to encourage each other to learn academic material and to reinforce each other for successful performance, promoting greater learning. The game structure allows each student, regardless of past performance, to have a good chance to succeed at academic learning and to receive recognition for that success. The particular combination of structural changes used by TGT follows directly from research in both social psychology and instructional gaming.

TGT has three components: teams, games, and tournaments. The team component involves assigning students in a classroom to a series of four-or five-member teams. The students are assigned to create maximal hetero-

geneity within each team (in such dimensions as student academic achievement, race, and sex) and equality across teams. Team membership remains intact over time; within-team interaction and cohesion is fostered by frequently held team work sessions and by assigning teammates to adjacent seats. During team work sessions, the team members work together on worksheets that focus on specific learning objectives.

The games component consists of a series of instructional or learning games. This component consists of weekly (or even twice weekly) gameplaying sessions, typically lasting 30 to 50 minutes, in which each student competes with two other students of comparable achievement level, representing other student teams. The instructional games used in the tournaments cover the same material (but only some of the actual items) that the students worked on together in their teams.

At the end of each tournament a "top scorer," "middle scorer," and "low scorer" are declared for each three-person tournament table. The individual student scores are converted to team scores. The team scores are ranked and winning teams are declared. Public feedback is provided periodically through a newsletter which announces individual achievement but which stresses team performance. After each day's play, students are routinely reassigned to different tables for the next tournament based on recent performance, to ensure that all students retain a good chance of winning and thus remain motivated.

The manual accompanying the TGT Physical Science materials, <u>Using</u>

<u>Student Team Learning</u>, describes the TGT process more thoroughly and provides specific step-by-step instructions for implementing the process.

Development of TGT Physical Science Materials

The development of these materials followed a model of previous development used for language arts and math materials—essentially, the identification of common and important learning objectives through multiple sources, followed by worksheet/gamesheet development for each objective, followed by formative evaluation of the materials conducted in science classrooms over a full school year. Full details of the development are contained in the final report on the project submitted to the National Science Foundation.

Difficulty Level of Materials

In general, the physical science worksheets and gamesheets are above average in difficulty level—that is, they cover a good deal of information and do so on a more than elementary basis. Some worksheets and gamesheets, of course—depending upon the learning objective—are not as difficult as others.

You should not assume that a certain worksheet/gamesheet or a certain unit may be too difficult for your students. The pilot testing of these materials, and other previous testing of TGT materials, has shown that students working in cooperative teams are capable of learning information that they might not be able to learn, or motivated to learn, on their own.

At the same time, students with genuine reading difficulties will still face the problem of dealing with print materials. In this case, you can assign aides, teammates, or parent helpers to provide special assis-



tance. During tournament sessions, you can spend extra time at the low-achiever tables with students who most need your help. In especially low-reading classrooms, you can revise and simplify the materials. Special education teachers have employed TGT science successfully by simplifying the worksheets and gamesheets.

Organization of Materials

TGT Physical Science consists of worksheets and gamesheets covering 42 learning objectives. These objectives are classified under six basic units:

Chemistry
Work, Force and Motion
Light and Sound
Heat Energy
Electricity
Measurement

The complete listing of objectives under each unit is contained in the Appendix of this manual.

Using TGT Physical Science in the Classroom: General Issues

Part II of this manual provides specific information on using each
of the TGT worksheet and gamesheet sets. There are, however, some general
issues that you should be aware of as you implement the TGT process and
materials in your classroom.

1) Schedule of Usage. There is no specifically prescribed schedule for using TGT. A typical weekly schedule consists of, for each learning objective, regular instruction by the teacher on Monday, Tuesday, and Wednesday, team practice on Thursday and tournament play on Friday. Essentially



you select the learning objective to be concentrated on, you teach that objective through regular classroom instruction for the first three days of the week, the students then have team practice sessions on Thursday and the tournament on Friday. The next Monday, you introduce another learning objective and follow the weekly schedule again.

This schedule will vary according to the difficulty of the learning objectives, the ability level of the students, and how much teacher instruction is required to provide information about the objective. For example, the information required for students to learn objective I.4 (Identification of the names and symbols of common elements) is contained wholly within the worksheets and gamesheets, so little preliminary teacher instruction would be needed. The objective could be covered in two classroom periods only—one for the team practice and one for the tournament. On the other hand, to cover objective II.3—application of Newton's law of motion and Bernoulli's principle—the students may need three to five classroom periods of instruction and experimentation before going into the team practice and tournament periods.

Thus, the average weekly schedule will vary according to your assessment of how much preparation your students require before entering the team practice and tournament. Remember, however, that the team practice is a learning period, and students will learn the worksheet information in their teams. They should be sufficiently prepared to be able to learn the worksheet information, but not so thoroughly instructed in it beforehand that it is simply review



Another aspect of scheduling is the problem of holidays and school events. Most teachers like to run team practice on Thursday and the tournament on Friday. During the school year, however, a lot of Thursdays and Fridays get cancelled out by holidays and school events. During such a week, you may select a relatively easy objective—one that can be covered through instruction on Monday, team practice on Tuesday, and tournament on Wednesday. Or you may select a difficult objective and use a two-week period that includes the holiday to cover it thoroughly. In essence, TGT is flexible—you need to allow a period for team practice and a period for the tournament, but the length of the instructional time beforehand is up to you.

Also involved with scheduling is the use of vocabulary review. Each TGT unit (Chemistry; Work, Force and Motion; Light and Sound; etc.) ends with a vocabulary review. This vocabulary information, however, is generally provided by the teacher at the beginning of each learning objective and the learning of vocabulary is an important part of each objective.

2) <u>Sélection of objectives</u>. The 42 learning objectives covered by TGT Physical Science are presented in logical sequential order under each unit and should correlate very well with your present curriculum—that is, you are probably already teaching most or all of these objectives right now.

Your selection of which TGT materials to use will depend upon how extensively you want to use TGT in your classroom. You may, for example, select eight chemistry objectives that match your



current objectives and use the TGT process with only those eight.

On the other hand, you may want to select enough objectives in each unit to be able to use TGT, off and on, throughout the entire school year. In essence, your needs will determine how much use you make of the materials. You may choose to use them extensively or use them only occasionally to cover specific objectives that are not as well covered by other materials or methods of instruction.

In your determination of their use, you should remember that, although TGT may effectively teach basic information and motivate students to learn basic information, the process and materials provide no hands-on experience or conscious development of inquiry skills. TGT focuses primarily on the knowledge objectives level of Bloom's hierarchy. Some suggestions are made in the specific issues portion of this manual for incorporating experimental and inquiry skill development, but the basic academic purpose of TGT is to enhance the learning of knowledge objectives.

In line with this, it would probably be possible to begin the year with Unit I, Objective 1.1 of the TGT materials and go right through the year with TGT and cover almost all 42 objectives. Students exposed to this schedule would probably show very high scores on standardized and criterion referenced knowledge tests. This would, however, be a misuse of TGT Physical Science. Students learn basic information very well in TGT, but their learning of information must be viewed as providing a base in physical science for the important further development of inquiry skills.

3) Grading. The use of TGT should not change the way that you assign grades in your classroom. You should not grade students on how well they do in their tournament, nor should you give a team grade based on how well the team performs. Your grades should be based on the standard measures that you already use--quiz and test scores, preparation of assignments, and so on. As students are involved in TGT, you should see higher achievement for the class as a whole, and for low achievers especially, on quiz and test scores.

In the STAD team learning process, which can be used with the TGT physical science materials, grading can be based on the actual results of the quiz that is given each week. The STAD process is included in the <u>Using Student Team Learning</u> teacher s manual

Using TGT Science in the Classroom: General Procedures for Each Objective

Teacher judgment plays a large role in the successful use of TGT science, but the following general guidelines will help you organize your instruction. For each set of worksheets/gamesheets covering each objective, you should:

1. Examine the worksheet/gamesheet materials to see how much information is provided about the objective and how much you will need to provide in your instruction. TGT worksheets do not provide full instructional materials, but are designed to be used with your textbooks, other printouts, and so on. Determine how many periods you will need to devote to instruction and set up your team practice and tournament to follow those periods.



- 2. As part of your instruction, be sure to present and cover vocabulary definition and usage, especially the vocabulary that is listed on the worksheet. The extent of your coverage should be based on how thoroughly the worksheets/gamesheets cover the vocabulary. The more thoroughly the vocabulary is covered in the worksheets, the less instruction you need to devote to it. However, vocabulary should be covered experientially, not simply as a set of definitions. For example, students need to learn definitions for opaque, transparent, mixture, and suspension in order to verbalize or write out their conceptions of these terms, but the conception itself must be based on experience with the qualities of opaqueness, transparency, mixtures, and suspensions.
- 3. In your instruction preceding the team practice and tournament, include as many experimental and experiential activities as possible. . . Remember that the team practice and tournaments are devoted to learning of basic skills and information.
- 1. In team practice sessions, encourage students to use extra resources, such as models, manipulables, diagrams, charts, and textbooks.

 You can provide resources to each team or set up a central area of resources that teams can take turns using.
- 5. Students should be made aware and kept aware that, in science as in life, objective answers to objective questions do not always cover all the possible nuances of a situation. Essentially, an objective answer or statement provides a handle for grasping and examining a concept but does not necessarily fully describe nor explain that concept. For example, definitions of physical change and chemical change are short and specific and very useful, but any particular change may be mostly physical or mostly



chemical and not exclusively one or the other. Along the same lines, we can define what a neutron is in brief, specific terms, and use this definition in writing and verbalizing about atoms, but the definition does not fully cover all the known aspects of the neutron and its relationship to the atom. In essence, students need to learn that objective statements of qualities, concepts, and processes are necessary and useful in order to gain a preliminary understanding, but the preliminary understanding can be deepened and enhanced through inquiry, observation, and experience.



Part II .
Specific Issues

ERIC

Full Text Provided by ERIC

This section of the manual provides more specific information for coordinating the use of TGT and your usual instruction or classroom procedures. This information is based on observation of the use of these specific materials in classrooms and the suggestions of teachers who have used the materials. You need not apply all or any of the following suggestions; however, you may find many of them helpful as you implement TGT in the physical science classroom.

Objective

I.1 Laboratory
Equipment

Students should have some direct experience
with some of all of the equipment before
this worksheet/gamesheet is used. Also,
instead of using the worksheet, you can
set up the actual equipment throughout the
room, tag each piece, and have the students

room, tag each piece, and have the students work with their teams to identify each piece.

I.2 Physical and Demonstrate examples of changes prior to Chemical Change using the materials.

I.3 Solutions and Suspensions.

Provide samples of the various solutions and suspensions for student examination prior to team practice.

I.4 Element Little or no pre-instruction is required Symbols

I.5 Acids, Bases Requires pre-instruction on formulas and and Salts the properties of acids, bases, and salts.

I.6 Elements, Compounds Provide samples of the various substances and Mixtures for student examination before team practice.

I.7 Common Elements, Requires pre-instruction on the nature of Radicals and radicals.

Compounds

I.8.1 Periodic Table Requires pre-instruction in the structure and use of the periodic table.

I.8.2 Atomic Structure Models and charts of atomic structure will help students realize that the structure is not as regular and orderly as depicted.

	7	•
1.8.3	Count the Atoms	Team practice and tournament can be shortenedonce students understand the counting process, they will go through these materials quickly.
1.9 .	Properties and Purification of . Water	Pre-instruction should include demonstrations and experiments involving boiling, freezing, aeration, distillation, etc., and should include demonstrations in reading of graphs.
I.10	Ronding and Valence	Requires extensive pre-instruction to help students understand the concepts and processes. Models and diagrams should be provided as resource materials during team practice.
1.11	Making Chemical Formulas	During team practice and the tournament, students become very proficient with the mechanical processes involved in producing chemical formulas. Pre-instruction should emphasize student understanding of what is physically and chemically occurring.
·I.12	Identify the 'Reaction'	Requires little pre-instruction
I.13	Organic and Inorganic: Formulas	Pre-instruction should stress student under- standing of concepts of organic and inorganic. Models of molecules and compounds will help students visualize molecular structure. In team practice, students quickly become pro- ficient at deriving molecular formulas.
I.14	Chemistry Vocabulary Review	No pre-instruction required if used at the end of the chemistry unit.
II.1	Simple Machines	Pre-instruction should include demonstrations and hand-on experience with first, second, and third-class levers.
II.2	Ideal Mechanical Advantage	Pre-instruction should include demonstrations and hands-on experience with levers, pulleys, and inclined planes, and demonstrations of inertia, friction, and gravity.
II.3	Laws and Principles of Motion	Provide demonstrations and hands-on experience to illustrate the laws and principles before team practice.

Ä

II.4 Density Include demonstrations and experiments with density. Provide formulas and instruction in use of formulas. II.5 Energy Pre-instruction should focus on student Conservation understanding of each form of energy and types of energy convertors. II.6 Work, Force, and Requires no pre-instruction at end of unit. Motion Vocabulary Review II.7 Parts of a Car If shop facilities are available, have students examine a total car and/or an engine and identify parts as part of their team practice. Pre-instruction can stress function of the parts. III.1 Light and Matter Pre-instruction should include demonstrations Relationships and student experience with light and transparent, translucent, and opaque objects. During team practice, students can make up their own list of objects for their team members to identify. III.2 Refraction and Include demonstrations and experience with Reflexion mirrors and prisms. III.3 The Eye Use a model to give students hands-on experience with parts of the eye. Encourage reference to the model during team practice. .III.4 Producing Color Set up demonstrations and experiments to to show production of colors. III.5 Light Vocabulary No pre-instruction required when used at end of unit. III.6 Waves and the Bar Demonstrate wave movement. Use a model of the ear if available. Pre-instruction should stress student understanding of sound waves. IV.7 Heat Transfer Pre-instruction should include demonstrations and experiments with heat transfer and with insulators and conductors. In team practice, students can make up lists of insulators/.

IV.2 Heat and Temperature

Pre-instruction should include student experience with temperature measurement, and demonstrations and experiments with heat and temperature.

conductors for their team members to identify.

IV.3	· Heat Graphs	Pre-instruction should include essentials of graph reading and interpretation.
IV.4	Heat Vocabulary Review	Requires no pre-instruction when used at end of unit.
V.1	Electricity	Demonstrate and set up experiments with positive and negative charges as part of pre-instruction.
V.2	Ohm's Law	Pre-instruction should stress student under- standing of the concepts of electromotive force, resistance, and current.
v. 3	General Circuits	Pre-instruction should include construction and demonstration of series and parallel circuits.
V.4	Electrical Symbols	Pre-instruction should stress functions of the parts of electronic circuits along with identification.
v.5	Electronic Circuits	Pre-instruction should include hands-on experience with radio circuits, with emphasis on functions of the circuit parts.
V.6	Electricity Vocabulary Review	No pre-instruction required when used at end of unit.
VI.1	The Metric System .	Little pre-instruction required.
VI.2	Scientific Notation	Pre-instruction should cover the purpose of scientific notation and the process. Team practice and tournament will provide drill in using scientific notation.

Appendix

TGT Physical Science Learning Objectives

ERIC Prull Text Provided by ERIC

TGT Physical Science Objectives

The TGT Physical Science curriculum materials consist of forty-two sets of worksheets and gamesheets that cover specific learning objectives. These objectives are classified under six basic units: Chemistry; Work, Force, and Motion; Light and Sound; Heat Energy; Electricity, and Measurement.

I. Chemistry

I.1 - Laboratory Equipment

Students will identify equipment used in physical science experiments.

- I.2 Physical and Chemical Change
 - . a. Students will identify a given change as a physical or
 ◆
 chemical change.
 - b. Students will distinguish examples of either a physical or chemical change from among other given examples of changes.
- I.3 Solutions and Suspensions
 - a. The student will classify familiar mixtures as solutions or suspensions.
 - b. The student will identify the basic properties of a solution and a suspension.
- I.4 Element Symbols ♥

Students will identify the names of common elements and their symbols.

I.5 - Acids, Bases and Salts

Students will classify a chemical substance as an acid, base or salt when given a formula or property of a substance.

I.6 - Elements, Compounds and Mixtures

Students will classify substances as elements, compounds, or mixtures.

- I.7 Common Elements, Radicals and Compounds
 - a. Students will identify common elements and radicals by their formulas or symbols.
 - b. Studenţs will classify formulas and symbols as elements, radicals or compounds.
- I.8 Atomic Structure
 - I.8.1 Periodic Table

Students will determine an element's name, symbol, atomic weight and atomic number using the periodic table.

- I.8.2 Atomic Structure
 - a. Students will apply a set of rules and use the periodic table to assist them in computing the number of electrons, protons and neutrons in an atom.
 - b. Students will arrange electrons in the K, L, and M electron shells for the first eighteen elements on the periodic table.
- I.8.3 Count the Atoms

Students will compute the number of atoms in a formula or equation.



I.9 - Properties and Purification of Water

Students will identify the properties of water and demonstrate basic knowledge of the water purification process.

I.10 - Bonding and Valence

- a. Students will be able to determine the valence of common chemical elements.
- b. Students will classify elements as metals, non-metals, or noble gases according to their valence.

I.ll - Making Chemical Formulas

Students will arrange elements and radicals to produce correct chemical formulas.

I.12 - Identify the Reaction

Students will identify reactions by examining their equations.

I.13 - Organic and Inorganic Formulas

- a. Students will construct a simple molecular formula when given the structural formula.
- b. Students will identify a given structural formula as being either organic or inorganic.
- I.14 Chemistry Vocabulary Review

Students will define chemistry unit terms.

II. Work, Force and Motion

II.1 - Simple Machines

- a. Students will identify practical examples of levers.
- b. Students will compute the IMA, AMA, and efficiency of a lever system by applying the formulas.

II.2 - Ideal Mechanical Advantage (IMA)

- a. Students will compute the IMA of simple machines.
- b. Students will match IMA formulas with the proper machine.
- c. Students will identify factors that affect the IMA of a simple machine.
- II.3 Laws and Principles of Motion

Students will be able to apply Newton's laws of motion and Bernoulli's principle to practical events.

II.4 - Density

- a. Students will define terms related to density.
- b. Students will apply the density formula and find the density of regular and irregular shaped objects.
- II.5 Energy Conversions.

Students will identify energy conversions that take place in common energy conversion systems.

✓ II.6 - Work, Force and Motion Vocabulary Review

Students will define the basic vocabulary words used in the Work, Force and Motion unit.

II.7 - Parts of a Car

Students will identify the main parts of the car.

III. Light and Sound

III.1 - Light and Matter Relationships

Students will classify objects according to their relationship with light.



III.2 - Refraction and Reflection

- a. Students will be able to identify types of mirrors.
- b. Students will determine the path light will take as it passes through a transparent media.
- c. Students will determine the path light will take as it is reflected by a mirror.

III.3 - The Eye

- a. Students will identify the parts of the eye.
- b. Students will identify the functions of the parts of the eye.
- c. Students will recognize the differences between nearsightedness and farsightedness.

III.4 - Producing Color

- a. Students will identify the color systems and their primaries.
- b. Students will order and identify the colors of the spectrum.
- c. Students will predict the results of mixing colors and color systems.

III.5 - Light Vocabulary

Students will define words necessary for understanding the nature of light.

III.6 - Waves and the Ear

- a. Students will distinguish between waves and their parts.
- b. Students will identify parts of the ear and their function.
- c. Students will distinguish between frequency and pitch.

III.7 - Sound Vocabulary Review

Students will define the basic words needed to understand the relationship between waves and sound.

IV. Heat Energy

IV.1 - Heat Transfer

- a. Students will identify and distinguish among the methods of heat transfer.
- b. Students will define the terms insulator and conductor.
- c. Students will identify substances that conduct and insulate against heat.

IV.2 - Heat and Temperature

- a. Students will identify common Celsius and Fahrenheit temperatures:
- b. Students will convert readings from one temperature scale to the other.
- c. Students will compute heat energy loss and gain.

IV.3 - Heat Graphs

- a. Students will be able to interpret latent heat factors from a graph.
- , b. Students will be able to identify latent heat points.

IV.4 - Heat Vocabulary Review

Students will define basic terms used in the study of heat energy.



V. Electricity

- V.1 What Charge and Why?
 - a. Students will define the terms "negative charge" and "positive charge."
 - b. Students will determine if an object is negatively or positively charged.
- V.2 Ohm's Law
 - a. Students will write and apply Ohm's Law.
 - b. Students will identify the units and symbols used to measure current, resistance, and electromotive force.
- V.3 General Circuits
 - a. Students will distinguish between a series and a parallel circuit.
 - b. Students will calculate the voltage and resistance in parallel and series circuits.
 - c. Students will identify an open or closed circuit.
- V.4 Electrical Symbols

Students will identify electrical symbols.

- V.5 Electronic Circuits
 - a. Students will identify the parts of a radio circuit.
 - b. Students will identify the function of each part of a radio circuit.
- V.6 Electricity Vocabulary Review

Students will be able to define words necessary for understanding electrical concepts.

VI. Measurement

- VI.1 The Metric System
 - a. Students will identify and use the basic units for measuring length, volume, area and mass in the metric system.
 - b. Students will compute the conversion of units within the metric system.
- VI.2 Scientific Notation
 - Students will express large numbers in a scientific notation form.
 - Students will convert scientific notation to regular numbers.



TGT PHYSICAL SCIENCE

UNIT: Chemistry

WORKSHEET: Laboratory Equipment

Objective: I.1--Students will identify equipment used in physical science experiments.


Instructions: This worksheet will help you prepare for the Laboratory Equipment Game. Study each diagram carefully. Select the name of the piece of equipment which matches the diagram. The vocabulary list below will not be provided in the tournament.


Vocabulary:


bar magnet
beaker
bell jar
bunsen burner
convection box
evaporating dish
Erlenmeyer flask
Florence flask
funnel
galvanometer
gas collection bottle
glass plate

graduated cylinder
iron ring
medicine dropper
mottar and pestle
platform balance
pneumatic trough
prism
protractor
reagent bottle
ring stand
ring stand clamp
set of masses (weights)

spring balance
test tube brush
test tube clamp
test tube rack
thermometer
tongs
triangular file
tripod
tripod magnifier
voltmeter
watchglass
wire gauze








WORKSHEET ANSWERS

I.1 Laboratory Equipment


- 1. test tube clamp
- 2. test tube brush
- 3. ring stand clamp
- 4. convection box
- 5. wire gauze
- 6. spring balance
- 7. graduated cylinder
- 8. iron ring
- 9. protractor
- . 10. galvanometer
 - 11. thermometer
 - 12. test tube rack
 - 13. bell jar
 - 14. mortar and pestle
 - 15. funnel
 - 16. tongs.
 - 17. set of masses (weights)
 - 18. gas collection bottle


- 19. pneumatic trough
- 20. tripod magnifier
- 21. voltmeter
- 22. bunsen burner
- 23. reagent bottle
- 24. Erlenmeyer flask
- 25. Florence flask
- 26. watch glass
- 27. prism
- 28. beaker
- 29. bar magnet
- 30. triangular file
- 31. evaporating dish
- 32. ring stand
- 33. glass plate
- 34. platform balance
- 35. tripod
- 36. medicine dropper



ERIC

32





GAMESHEET. ANSWERS

I.1 Laboratory Equipment

- 1. test tube rack
- 2. tripod magnifier
- 3. ring stand clamp
- 4. pneumatic trough
- 5. wire gauze
- 6. evaporating dish
- 7. reagent bottle
- 8. protractor
- 9. bunsen burner
- 10. mortar and pestle
- 11, tongs
- 12. gas collection bottle
- 13? galvanometer
- 14. Florence flask
- 15. funnel
- 16, ring stand
- 17. bar magnet
- 18. beaker

- 19. watch glass
- 20. bell jar
- 21. voltmeter
- 22. thermometer
- 23. set of masses (weights)

9.

- 24. Erlenmeyer flask
- 25. prism
- 26. iron ring
- 27. glass plate
- 28. spring balance
- 29. test tube clamp
- 30, triangular file
- 31. test tube brush
- 32. graduated cylinder
- 33. convection box
- 34. medicine dropper
- 35. platform balance
- 36. tripod

TGT PHYSICAL SCIENCE

UNIT: Chemistry

WORKSHEET: Physical and Chemical Change

Objective: I.2--a. Students will identify a given change as a physical or chemical change.

Students will distinguish examples of either a physical or chemical change from among other given examples of changes.

Instructions: This worksheet will help you prepare for the Physical and Chemical Change Game. In items 1-15 decide whether the given example is a physical or chemical change. In items 16-30, choose the change which is different from the others listed and identify it as a physical or

chemical change.

Vocabulary:

chemical change physical change



Making tea a physical change change	An apple decaying physical chemical change change	Frosting a cake r physical chemical change change
. 1	2	, 3
Salt dissolving in water physical chemical change change	Iron rusting physical chemical change change	Soda going flat physical chemical change change
4	5	
Digesting food physical chemical change change	Shredding paper physical chemical change change	Adding food coloring to water physical chamical change change
7	8	, 9
Using a liquid drain cleaner to open clogged drain physical chemical change change	Water evaporating physical chemical change change	Milk Souring physical chemical change change
Baking a cake	Making ice cubes	Producing cheese
physical chemical change change	physical chemical change change	physical chemical change change

TGT WORKSHEET: I.2 Physical and Chemical Change

28	29	30
c. slicing a tomato d. filtering water	c. a log burning d. putting sugar in tea	c. food digesting d. oil burning
a. sanding a floorb. starting a gasolineengine	a. a charcoal fire b. developing film	a. water evaporating b. cake baking
25	26	. 27
a. making wine b. making chocolate milk c. crushing grapes d. melting glass	a. burning a matchb. cutting grassc. making beerd. iron rusting	a. parking a car b. chopping wood c. grinding beef d. producing cheese
22	23	. 24
a. slicing an apple b. making apple juice c. making apple cider d. peeling an apple	a. ice melting b. cake baking c. milk souring d. food digesting	a. tossing a salad b. freezing water c. crushing a cigar d. lighting a cigar
, 19	20	21
a. iron rusting b. soda going flat c. water evaporating d. iron bending	a. burning coalb. lighting a matchc. sanding woodd. baking a cake	a. making soap b. a log decaying c. making vinegar d. making tea
, 16	17	18
 a. scrambling an egg b. coloring in a book c. painting a chair d. burning a piece of paper 	a. water freezingb. milk souringc. plowing the earthd. clouds forming	 a. breaking water into its elements b. breaking a balloon c. making vinegar d. making salt

WORKSHEET ANSWERS

I.2 Physical and Chemical Change

1.	physical	change
2.	chemical	chấnge
3.	physical	change

- 4. physical change
- 5. chemical change
- 6. physical change
- 7. chemical change
- physical change
- 9. physical change
- 10. chemical change
- 11. physical change
- 12. chemicál change
- 13. chemical change
- 14. physical change
- 15. chemical change

- 16. (d) chemical change
- 17. (b) chemical change
- 18. (b) physical change
- 19. (a) chemical change
- 20. (c) physical change
- 21. (d) physical change
- 22. (c) chemical change
- 23. (a) physical change
- 24. (d) chemical change
- 25. (a) chemical change
- 26. (b) physical change
- 27. (d) chemical change
- 28. (b) chemical change
- 29. (d) physical change
- 30. (a) physical change



TGT GAMESHEET: 1.2 Physical and Chemical Change

,			_			_			
	Making appl	e cider		Lighting a	cigar		Sanding woo	d	
	physical change	chemical change	1	physical change	chemical change	. 2	physical change	chemical change	_3
	Making tea			An apple de	caying		Frosting a	cake	•
	physical change	chemital change	4	physical change	chemical change	5	physical change	chemical change	6
	Salt dissolu	ving in wat	er	Iron rustin	g		Boiling wat	er 1	
. ^	physical change	chemical change	7	• physical change	chemical change	8	physical change	chemical change	9
•	Match burning	ng	•	Making pape	<u>r</u>		Aerating an	aquarium	
<u>′</u> .	physical change	chemical change	10	physical change	chemical change	11	physical change ,	chemical change	12
	Making soap			Soda going	flat .		Shredding p	aper	
	physical change	chemical change	13	physical change	chemical change	14	physical change	chemical change	15
	Digesting fo	ood		Breaking a	balloon	ò	Adding food	coloring to	water
• \	physital change	chemical change	16	physical change	chemical change	17	physical change	chemical change	18
	Using a drai	in cleaner		Water evapo:	rating		Casting lead	d soldiers	
	physical change	chemićal change	19	physical change	chemical change	20	physical change	chemical change	21
	Milk souring	<u>.</u>	•	Baking a cal	ke_		Making ice o	ubes	
	physical change	chemical change	22	physical change	chemical change	23	physical change	chemical change	24
•	Grinding bee	<u>.f</u>		Producing a	cheese	·	A log decay	ing	\$
- والموري	physical change	chemical change	25	physical change	chemical change	26	physical change	chemical change	27
•	Homogenizing	milk		Making vines	gar		Melting butt	er ·	
	physical change	chemical change	28	physical change	chemical change	29	physical change	chemical change	30
	,								

, GAMESHEET 'ANSWERS

I.2 Physical and Chemical Change

1.	chemical	change	16.	chemical change
2.	chemical	change	17.	physical change
3.	physical	change	18.	physical change
4.	physical	change	19.	chemical change
5.	chemical	change	20.	physical change
6.	physical	change	21.	physical change
7.	physical	change .	22.	chemical change
8.	chemical	change	23.	chemical change
9.	physical	change	24.	physical change
10.	chemical	change	25.	physical change
11.	chemical	change	26.	chemical change
12.	physical	change	27.	chemical change
13.	chemical	change '	28.	chemical change
14.	physical	change	29.	chemical change
15.	physical	change	30.	physical change



TGT PHYSICAL SCIENCE

UNIT: Chemistry

WORKSHEET: Solutions and Suspensions

Objective: I.3--a. The student will classify familiar mixtures as solutions or suspensions.

b. The student will identify the basic properties of a solution and a suspension.

Instructions: This worksheet will help you prepare for the Solutions and Suspensions Game. In each item you will be presented with the name of a substance or a property of a substance.

Decide whether the substance is a solution or suspension.

Vocabulary:

dissolve
filtration
mixture
opaque
property
solute
solution
suspension
tincture
transparent



TGT WORKSHEET: 1.3 Solutions and Suspensions

Simple syrup is a	Smoke is a	Oil-based paint is a
1	. 2	3
A cup of tea is a	Milk is a	Saltwater is a
4	5 ,	6
Chocolate milk is a	Whipped cream is a	Soda pop is a
7	8	9
Blood is a	Tincture of iodine is a	Solder is a
10		بر 12
A mixture whose components can be separated by fil-	A mixture whose particles will not settle out is a	Orange juice is a
tration is a		15
Muddy water is a	Sugar water is a	Hydrogen peroxide is a
16	17	18
A mixture whose components cannot be separated by fil-	A mixture that is cloudy or	Lemonade is a
tration is a	opaque in appearance is a	. 21
Vinegar is a	Smog is a	Household ammonia is a
22	23	·
Gravy is a	Kool-Aid is a	Italian salad dressing is
25	26	a 27
Calamine lotion is a	Regular gasoline is a	Milk of magnesia is a
28	29	a 30

WORKSHEET ANSWERS

I.3 Solutions and Suspensions

 soluti 	on
----------------------------	----

- suspension
- 3. suspension
- 4. solution
- 5. suspension
- 6. solution
- 7. suspension
- 8. suspension
- 9. solution
- 10. suspension
- 11. solution
- 12. solution
- 13. suspension
- 14. solution
- 15. suspension

- 16. suspension
- 17. solution
- 18. solution
- 19. solution
- 20. suspension
- 21. suspension
- 22. solution
- 23. suspension
- 24. solution
- 25. suspension
- 26. solution
- 27. suspension
- 28. suspension
- 29. solution
- 30. suspension



TGT GAMESHEET: I.3 Solutions and Suspensions

Simple syrup is a	Tincture of iodine is a	Lemonade is a
<u> </u>	· · · 2	3
Smoke is a	Solder is a	Vinegar is a
. 4	5	6
Oil-based paint is a 7	A mixture whose components can be separated by filtration is a8	Smog is a
A cup of tea is a	A mixture in which particles will not settle out is a	Household ammonia is a
, 10	11	12
Milk is a	Orange juice is a	Gravy is a ,
13	14	. 15
Saltwater is a	Muddy water is a	Kool-Aid is a
. 16	. 17	18
Chocolate milk is a	Sugar water is a	Italian salad dressing is a
19	• 20	21
Whipped cream is a	Hydrogen peroxide is a	Calamine lotion is a
. 22	23	. 24
Soda pop is a	A mixture whose components cannot be separated by fil-	Regular gasoline is a
. 25	tration is a	. 27
Blood is a	A mixture that is cloudy or opaque in appearance is a	Milk of magnesia is a
28	29	30

45

GAMESHEET ANSWERS

I.3 Solutions and Suspensions

1.	solution		16.	solution
2.	solution		17.	suspension
3.	suspension		18.	solution
¥ .	suspension		19.	suspension
5.	solution		20.	solution
6.	solution		21.	suspension
7.	suspension	•	22.	suspension
8.	suspension		23.	suspension
9.	suspension		24.	suspension
10.	solution	•	25.	suspension
11.	solution		26.	solution
12.	solution		27.	solution
13.	suspension		28.	suspension
14.	suspension	,	29.	Suspension
15.	suspension		30.	• suspension



TGT PHYSICAL SCIENCE

UNIT: Chemistry

WORKSHEET: Element Symbols

Objective: I.4--Students will identify the names of common elements

and their symbols.

Instructions:

This worksheet will help you prepare for the Element Symbol Game. If an item presents an element symbol, you state the name of the element. If an item presents an element name, you state the symbol for that element.

Vocabulary:

aluminum (A1)
calcium (Ca)
carbon (C)
chlorine (C1)
copper (Cu)
fluorine (F)
gold (Au)
helium (He)
hydrogen (H)
iodine (I)
iron (Fe)
lead (Pb)

magnesium (Mg)
manganese (Mn)
mercury (Hg)
nitrogen (N)
neon (Ne)
oxygen (O)
potassium (K)
silicon (Si)
silver (Ag)
sodium (Na)
sulfur (S)
tin (Sn)



TGT WORKSHEET: I.4 Element Symbols

·					
calcium		Au		oxygen •	
	1		. 2		3
Hg	· ·	chlorine		Al	
	4		5	,	6
sulfur		Sn		helium	
<u> </u>	7	ļ	8		9,
. Ag ·		Na		iodine	
	10		. 11		12
Fe		lead	•	С	•
	13	,	. 14		15
nitrogen		silicon		C1	
	16		17		18
potassium		Cu		neon	
	19	_	20		21
iron		Н		gold	
	22		23		24
Ca	.	fluorine		He	
	25		26		/ ²⁷
mercury		Mg	,	copper	
	28		. 29		30
EDIC					

23.

TGT WORKSHEET: 1.4 Element Symbols

					
S	· .	silver	-	Pb	
~ 	31	,	32		33
K		sodium		tin	
	34	,	35		36
hydrogen	·	Si	•	0	
	. 37		38		. 39
carbon		Ne		manganese	
	40		41		42
aluminum		N		Mn .	,
	43		44		45
F		magnesium		I	
***************************************	46		47		48
		•			
			,		
		,			
,					
-					
				, , , , , , , , , , , , , , , , , , , ,	
		•			
ERIC	· 🐧	. (ij		

WORKSHEET ANSWERS

I.4 Element Symbols

- 1. Ca
- 2. gold
- 3. 0
- 4. mercury
- 5. C1
- 6. aluminum
- 7. S
- 8. tin
- 9. He
- 10. silver
- 11. sodium
- 12. I
- 13. iron
- ' 14. Pb
 - 15. carbon
 - 16. N
 - 17. Si
 - 18. chlorine
 - 19. K
- 20. copper
- 21. Ne
- 22. Fe
- 23. hydrogen
- 24. Au

- 25. calcium
- 26. F
- 27. helium
- 28. Hg
- 29. magnesium
- 30. Cu
- 31. sulfur
- 32. Ag
- 33. lead
- 34. potassium

¢ -

- 35. Na
- 36. Sn
- 37. H
- 38. silicon
- 39. oxygen
- 40. C
- 41. neon
- 42. Mn
- 43. A1
- 44. nitrogen
- 45. manganese
- 46. fluorine
- 47. Mg
- 48. iodine · :



TGT GAMESHEET: I.4 Element Symbols

		·			
calcium		Na		neon	
	1		2		3
. Au		iodine		copper	
	4		5		6
oxygen		Fe		н .	
	7		8		9
Нg		lead		gold	,^
,	10		11		. 12
chlorine	•	C		Ca ,	
	13		14		15
A1		nitrogen		fluorine	
	16		17		18
sulfur		silicon	;	• He	
,	19		20		21
Sn		C1 .		mercury	•
	22		23		24
helium		potassium		Мg	
	25		26		27
Ag	·	Cu		iron	
	28		29		30
•					

GAMESHEET ANSWERS

I.4 Element Symbols

- 1. Ca
- 2. sodium
- 3. Ne
- 4. gold
- 5. I
- 6. Cu
- 7. 0
- 8. iron
- 9. hydrogen
- 10. mercury
- 11. Рь
- 12. Au
- 13. C1
- 14. carbon
- 15. calcium

- 16. aluminum
- 17. N
- 18. F
- 19. S
- 20. Si
- 21. helium
- 22. tin
- 23. chlorine
- 24. Hg
- 25. He
- 26. K
- 27. magnesium
- 28. silver
- 29. copper
- 30. Fe



TGT PHYSICAL SCIENCE

UNIT: Chemistry

WORKSHEET: Acids, Bases and Salts

Objective: I.5--Students will classify a chemical substance as an

acid, base or salt when given a formula or property of

a substance.

Instructions: This worksheet will help you prepare for the Acids,
Bases and Salts Game. In each block you will find
a property or formula. Identify each item as an

acid, base, salt or none of the above.

Vocabulary:

acid base halogen indicator ion neutralization pH radical salt



		<u> </u>
KOH a. acid b. base c. salt d. none of the above	'KI a. acid b. base c. sait d. none of the above	A chemical substance produced in a neutralization reaction along with water. a. acid b. base c. salt d. none of the above
	, ,	3
a. acid b. base c. salt d. none of the above	Fe(OH) ₃ a. acid b. base c. salt d. none of the above	HF a. acid b. base c. salt d. none of the above
. 4	5	6
NaCl a. acid b. base c. salt d. none of the above	a. acid b. base c. salt d. none of the above	NaF a. acid b. base c. salt d. none of the above
7	8	9
Has a pH above 7 a. acid b. base c. salt d. none of the above	NH ₄ OH a. acid b. base c. salt d. none of the above	H ₃ PO ₄ a. acid b. base c. salt d. none of the above
. 10	. 11	12
HNO ₃ a. acid b. base c. salt d. none of the above .	Al(OH) ₃ a. acid b. base c. salt d. none of the above	FeS a. acid b. base c. salt d. none of the above
13	. 14	15

TGT WORKSHEET: 1.5 Acids, Bases and Salts

			<u> </u>
CuCl ₂ a. acid b. base c. salt d. none of the above	16	Forms hydroxide ions when dissolved in water a. acid b. base c. salt d. none of the above	H ₂ SO ₄ a. acid b. base c. salt d. none of the above
Mg(OH) ₂ a. acid b. base c. salt d. none of the above	19	H ₃ PO ₄ a. acid b. base c. saIt d. none of the above	CO ₂ a. acid b. base c. sølt d. none of the above
KBr a. acid b. base	• •	CuSO ₄ a. acid b. base	Has a bitter taste a. acid b. base
c. salt d. none of the above	22	c. salt d. none of the above 23	c. salt d. none of the above
NaOH a. acid b. base c. salt d. none of the above		Has a sour taste a. acid b. base c. salt d. none of the above	Ca(OH) ₂ a. acid b. base c. salt d. none of the above
	25	?6	27
BaCl ₂ a. acid b. base c. salt d. none of the above		Changes the color of litmus from red to blue a. acid b. base c. salt d. none of the above	Reacts with active metals a. acid b. base c. salt d. none of the above
	28	29	

TGT WORKSHEET: I.5 Acids, Bases and Salts

	The state of bases and	
H ₂ 0 a. acid b. base c. salt d. none of the above	Has a pH below 7 a. acid b. base c. salt d. none of the above	NaNO ₃ a. acid b. base c. salt d. none of the above
31	32	;
Changes the color of litmus from blue to red a. acid b. base c. salt d. none of the above		·
		*
	•	

WORKSHEET ANSWERS

I.5 Acids, Bases and Salts

- 1. (b) base
- 2. (c) salt
- 3. (c) salt
- 4. (a) acid
- 5. (b) base
- 6. (a) acid
- 7. (c) salt
- 8. (d) none of the above
- 9. (c) salt
- 10. (b) base
- 11. (b) base
- 12. (a) acid
- 13. (a) acid
- 14. (b) base
- 15. (d) none of the above
- 16. (c) salt
- 17. (b) base

- 18. (a) acid
- 19. (b) base
- 20. (a) acid
- 21. (d) none of the above
- 22. (c) salt
- 23. (c) salt
- 24. (b) base
- 25. (b) base
- 26. (a) acid
- 27. (b) base
- 28. (c) salt
- 29. (b) base
- 30. (a) acid
- 31. (d) none of the above
- 32. (a) acid
- 33. (c) salt
- 34. (a) acid



TGT GAMESHEET: 1.5 Acids, Bases and Salts

Changes the color of litmus from blue to red a. acid b. base c. salt d. none of the above	KOH a. acid b. base c. salt d. none of the above	NH ₄ OH a. acid b. base c. salt d. none of the above
a. acid b. base c. salt d. none of the above	KI a. acid b. base c. salt d. none of the above	H ₃ PO ₄ a. acid b. base c. salt d. none of the above
KBr a. acid b. base c. salt d. none of the above	A chemical substance produced in a neutralization reaction alone with water a. acid b. base c. salt d. none of the above	HNO ₃ a. acid b. base c. salt d. none of the above
CuSO ₄ a. acid b. base c. salt d. none of the above	IIC1 a. acid b. base c. salt d. none of the above	Al(OH) ₃ a. acid b. base c. salt d. none of the above
Has a bitter taste a. acid b. base c. salt d. none of the above	H ₂ O a. acid b. base c. salt d. none of the above	FeS a. acid b. base c. salt d. none of the above
13	. 14	15



Acids, bases and Saits					
NaOH a. acid b. base c. salt d. none of the above	HF a. acid b. base c. salt d. none of the above	CuCl ₂ a. acid b. base c. salt d. none of the above			
. 16	17	18			
Has.a sour taste a. acid b. base c. salt d. none of the above	NaCl a. acid b. base c. salt d. none of the above	Forms hydroxide ions when dissolved in water a. acid b. base c. salt d. none of the above			
19	, 20	21			
Ca(OH) ₂ a. acid b. base c. salt d. none of the above	CC1 ₄ a. acid b. base c. salt d. none of the above	H ₂ SO ₄ a. acid b. base c. salt d. none of the above			
22	. 23	24			
BaCl ₂ a. acid b. base c. salt d. none of the above	NaF a. acid b. base c. salt d. none of the above	Mg(OH) ₂ a. acid b. base c. salt d. none of the above			
Changes the color of litmus from red to blue a. acid. b. base c. salt d. none of the above	Has a pH above 7 a. acid b. base c. salt d. none of the above	H ₃ PO ₄ a. acid b. base c. salt d. none of the above			
28	29	30			

GAMESHEET ANSWERS

I.5 Acids, Bases and Salts

- 1. (a) acid
- 2. (b) base
- 3. (b) base
- 4. (d) none of the above
- 5. (c) salt
- 6. (a) acid
- 7. (c) salt
- 8. (c) salt
- 9. (a) acid
- 10. (c) salt
- 11. (a) acid
- 12. (b) base
- 13. (b) base
- 14. (d) none of the above
- 15. (d) none of the above

- . 16. (b) base
 - 17. (a) acid
 - 18. (c) salt
 - 19. (a) acid
 - 20. (c) salt
 - 21. (b) base
 - 22. (b) base
 - 23. (d) none of the above
 - 24. (a) acid
 - 25. (c) salt
 - 26. (c) salt
 - 27. (b) base
 - 28. (b) base
 - 29. (b) base
 - 30. (a) acid

TGT PHYSICAL SCIENCE

UNIT: Chemistry

WORKSHEET: Elements, Compounds and Mixtures

Objective: I.6--Students will classify substances as elements, compounds, or mixtures.

Instructions: This worksheet will help you prepare for the Elements, Compounds and Mixtures Game. Classify each substance given as an element, compound or mixture.

Vocabulary:

element compound mixture

TGT WORKSHEET: 1.6 Elements, Compounds and Mixtures

		and Mixtures
Saltwater is a(n)	Marble is a(n)	Paint is a(n)
element	element	element
compound	compound	compound
mixture 1	mixture 2	mixture 3
Silver is a(n)	Rust is a(n)	Tin is a(n)
, element	element	element
compound	compound	compound
mixture 4	mixture 5	mixture 6
Air is a(n)	Chlorine is a(n)	Mercury is a(n)
element	element	element
compound mixture 7	compound	compound
*	mixture 8	mixture 9
Salt is a(n)	Iron is a(n)	Tapwater is a(n)
element	element	element .
compound mixture 10	compound	compound
	mixture 11	mixture 12
Oxygen is a(n)	Baking soda is a(n)	Helium is a(n)
element	element	element
compound mixture 13	compound	compound
	mixture 14	mixture 15
Lye is a(n)	Ink is a(n)	Iodine is a(n)
element	element	element
compound mixture 16	compound	compound
	mixture 17	mixture 18
Lead is a(n)	Soup is a(n)	Neon is a(n)
element	element	element
compound ' mixture 19	compound	compound
	mixture 20	mixture 21
Gunpowder is a(n)	Gold is a(n)	Distilled water is a(n)
element	element	element
compound mixture 22	compound	compound
	mixture 23	mixture 24
Sugar is a(n)	Salad is a(n)	Alcohol is a(n)
element	element	element
compound mixture 25	compound	compound
	mixture 26	mixture 27
Colored glass is a(n)	Calcium is a(n)	Milk is a(n)
element	element	element
compound mixture 28	compound	compound
	mixture 29	mixture 30
EDIC		

WORKSHEET ANSWERS

I.6 Elements, Compounds and Mixtures

1.	mixture
----	---------

- 2. mixture
- 3. mixture
- 4. element
- 5. compound
- 6. element
- 7. mixture
- 8. element
- 9. clement
- 10. compound
- 11. element
- 12. mixture
- 13. element.
- 14. compound
- 15. element

- 16. compound
- 17. mixture
- 18. element
- 19. * element
- 20. mixture
- 21. element
- 22. mixture
- 23. element
- 24. compound
- 25. compound
- 26. mixture
- 27. compound
- 28. mixture
- 29. element
- 30. mixture



TGT GAMESHEET: 1.6 Elements, Compounds and Mixtures

	•	
Carbon dioxide is a(n)	Saltwater is a(n)	Iron is a(n)
element	element	element
compound	compound	compound
mixture 1	mixture 2	mixture 3
Sulfur is a(n)	Neon is a(n)	Marble is a(n)
element	element	element
compound mixture 4	compound	compound
mixture 4	mixture 5	mixture 6
Tapwater is a(n)	Gunpowder is a(n)	Paint is a(n)
element	element	element
compound	compound	compound
mixture 7	mixture 8	mixture .9
Oxygen is a(n)	Gold is a(n)	Silver is a(n)
element	element	element
compound	compound	compound
mixture 10	mixture 11	mixture 12
Baking soda is a(n)	Distilled water is a(n)	Rust is a(n)
element	element	element
compound	compound	compound
mixture 13	mixture 14	mixture 15
Helium is a(n)	Sugar is a(n)	Tin is a(n)
element	element	element
compound *	compound	compound
mixture 16	mixture 17	mixture 18
Lye is a(n)	Salad is a(n)	Air is a(n)
element	element	element
compound	compound	compound
mixture 19	mixture 20	mixture 21
Ink is a(n)	Alcohol is a(n)	Chlorine is a(n)
element	element .	olement.
compound	compound .	element compound
mixture 22	mixture 23	mixture 24
Iodine is a(n)	Colored glass is a(n)	Mercury is a(n)
element	alaman t	
compound	element compound	element
mixture 25	mixture 26	compound mixture . 27
Soil is a(n)		
	Calcium is a(n)	Salt is a(n)
element	element	element
compound	compound	compound
mixture 28	mixture 29	mixture 30
LDIC.		

GAMESHEET ANSWERS

I.6 Elements, Compounds and Mixtures

1.	compound	16.	element
2.	mixture .	17.	compound
3.	element	18.	element
4.	element	19.	compound
5.	element	20.	mixture
6.	mixture	21.	mixture
7.	mixture	22.	mixture
8.	mixture	23.	compound
9.	mixture	24.	element
10.	element	25.	element
11.	element	26.	mixture
12.	element	27.	element
13.	compound	28.	mixture
14.	compound	29.	element
15.	compound	30.	compound



TGT PHYSICAL SCIENCE

UNIT: Chemistry

WORKSHEET: Common Elements, Radicals and Compounds

Objective: I.7--a. Students will identify common elements and radicals by their formulas or symbols.

b. Students will classify formulas and symbols as elements, radicals or compounds.

Instructions:

This worksheet will help you prepare for the Common Elements, Radicals and Compounds Game. In each item you will be given a symbol of an element or a formula of a compound or radical. You must state whether the symbol or formula is an element, radical or compound. If it is a radical, you must name the radical.

Vocabulary:

compound element formula radical symbol





TGT WORKSHEET: 1.7 Common Elements, Radicals and Compounds 41.

OH element compound radical:	KCl element compound radical:	Hig element compound radical:
NH ₄ OH element compound radical:	CO 2 element compound radical: .	Fe element compound radical:
SO ₄ element compound radical:	H ₂ S element compound radical:	NaCl . element compound radical:
element compound radicai:	element compound radical:	element compound radical:
Cl ₂ element compound radical:	Au element compound radical:	NH ₄ element compound radical:



TGT WORKSHEET: 1.7 Common Elements, Radicals and Compounds

CuSO ₄ element compound radical:	H ₂ 0 element compound radical:	Pb element compound radical:
16	17	18
compound radical:	AgNO ₃ element compound radical:	Al ₂ O ₃ element compound radical:
19	20	21
Ca(HCO ₃) ₂ element compound radical:	H ₂ element compound radical:	HCO ₃ element compound radical:
22	23	24
element compound radical:	NO ₃ element compound radical:	element compound radical:
CaCl 2 element compound radical:	0 element compound radical:	element compound radical:
28	29	30

WORKSHEET ANSWERS

I.7 Common Elements, Radicals and Compounds

1.	radical:	hydroxide	16.	compound	
2.	compound		17.	compound	
3.	element		18.	element	
4.	compound		19.	radical:	carbonate
5.	compound		20.	compound	
6.	element		21.	compound	
7.	radical:	sulfate	22.	compound	
8.	compound		23.	element	
9.	compound		24.	radical:	bicarbonate
10.	compound		25.	element	
11.	radical:	phosphate	26.	radical:	nitrate
12.	radical:	chlorate	27.	compound	
13.	element		28.	compound	
14.	element		29.	element	
15.	radical:	ammonium	30.	radical:	sulfate



		· · · · · · · · · · · · · · · · · · ·
OH element compound radical:	PO, element compound radical:	Al ₂ O ₃ element compound radical:
KC1 element compound radical:	clo ₃ element compound radical:	Ca(HCO ₃) ₂ element compound radical:
4	5	6
Hg element compound radical:	C1 2 element compound radical:	H ₂ element compound radical:
NH ₄ OH element compound radical:	Au element compound radical:	HCO ₃ element compound radical:
CO 2 element compound radical:	NH ₄ element compound radical:	K element compound radical:



TGT GAMESHEET: 1.7 Common Elements, Radicals and Compounds

Fe element compound radical:	CuSO ₄ element compound radical:	NO 3 element compound radical:
16	17	18
SO ₃ element compound radical:	H ₂ O element compound radical:	KI element compound radical:
H ₂ S element compound radical:	Pb element compound radical:	CaCl 2 element compound radical:
22	23	24
NaCl element compound radical:	CO 3 element compound radical:	element compound radical:
25	26	
element compound radical:	AgNO ₃ element compound radical:	so ₄ element compound radical:
28	29	30

GAMESHEET ANSWERS

I.7 Common Elements, Radicals and Compounds

- l. radical: hydroxyl
- 2. radical: phosphate
- 3. compound

5

- 4. compound
- 5. radical: chlorate
- 6. compound
- 7. element
- 8. element
- 9. element
- 10. compound
 - 11. element
 - 12. radical: bicarbonate
 - 13. compound
 - 14. radical: ammonium
 - 15. element

- 16. element
- 17. compound
- 18. radical: nitrate
- 19. radical: sulfate
- 20. compound
- 21. compound
- 22. compound
- 23. element
- 24. compound
- 25. compound
- 26. radical: carbonate
- 27. element
- 28. compound
- 29. compound
- 30. radical: sulfate

TGT PHYSICAL SCIENCE

UNIT: Chemistry

WORKSHEET: Periodic Table

Objective: I.8.1--Students will determine an element's name, symbol,

atomic weight and atomic number using the periodic table.

Instructions: This worksheet will help you prepare for the Periodic

Table Game. Use the periodic table to supply the missing piece(s) of information in each block

In the tournament you will also need to know the

names of elements.

Vocabulary:

atom
atomic number

atomic weight element

symbol

	 ,				ME	TALS						NONMETALS					NOBL GASE
1 H 1	•	Symbo	c Number ol c Weight		l off)								-	(Carbon weight st	_	omic	2 He 4
3 Li	4 Be			D F1	N. O. D	T		^ -				5 B	6 C	7 N	8 O	9 F	10 Ne
7.	9			PE				OF 1	HF			11	12	14	16 .	, , 19	20
11	12					ELEM	ENT	5				13	14	15	:6	17	18
Na 23	Mg 24			,								Al 27	Si 28	P 31	S 32	Cl 35	Ar 40
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
K 39	Ca 40	Sc 45	Ti 48	V 51	Cr 52	Mn 55	Fe 56	C o	N i 59	Cu 64	Zn 65	Ga 70	Ge 73	As 75	Se 79	Br 80	Kr 84
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb 85	Sr 88	Y 89	Zr 91	Nb 93	Mo 96	Tc 99	ี ห ับ 101	Rh 103	Pd 106	Ag 108	Cd	ln 115	Sn 119	Sb 122	Te 128	 127	Xe
55	56		72	73	74	75	76	77	78	, 79	80	81	82	83	84	85	86
Cs 133	Ba 137	*	. Hf 179	Ta 181	W 184	Re 186	Os 190	 192	Pt 195	Αυ 197	Hg 201	TI 204	Pb 207	Bi	Po	Ar	Rn
87 Fr 223	88 Ra 226	• •	*Elements 57 71 comprise a related series called Rare Earths *Elements 89 103 make a series which include the Transuranium (man mode) Elements (93 103)														



TGT WORKSHEET: I.8.1 Periodic Table

					· ·
Element - Sodium		Element - Aluminum	_	Element - Helium	
Atomic No 11		Atomic No (a)	•	Atomic No (a)	
Atomic Wt (a)		Atomic Wt 27		Atomic Wt (b)	
Symbol - (b)		Symbol - (b)		Symbol - He	
•		, , ,		by moor lie	
	1		2		3
Element - Mercury		Element - Iron		Element - Sulfur	
Atomic No (a)		Atomic No 26		Atomic No (a)	
Atomic Wt 201		Atomic Wt (a)		Atomic Wt (b)	
Symbol - (b)		Symbol - (b)		Symbol - S	
				5,	
	4		5		6
Element - Carbon		Element - Silver		Element - Chlorine	
Atomic No (a)		Atomic No, - (a)		Atomic No (a)	
Atomic Wt 12		Atomic Wt 108		Atomic Wt (b)	
Symbol - (b)		Symbol - (b)		Symbol - Cl	
	7		8		9
Element - Copper		Element - Oxygen		• Element - Silicon	
Atomic No 29		Atomic No (a)		Atomic No 14	
Atomic Wt (a)	İ	Atomic Wt (b)		Atomic Wt (a)	<i>(</i>
Symbol - (b)		Symbol - O		Symbol - (b))
	10		11		12
Element - Lead		Element - Neon		Element - Potassium	
Atomic No (a)		Atomic No (a)		Acomic No (a)	
Atomic Wt 207		Atomic Wt (b)			
Symbol - (b)		Symbol - Ne		Atomic Wt 39	
· , · . · . · . · . · . · . · . · .		Symbol - Ne	į	Symbol - (b)	
	13		14		15

TGT WORKSHEET: . I.8.1 Periodic Table

	<u> </u>				
Element - Tin Atomic No 50		Element - Iodine Atomic No (a)		Element - Nitrogen Atomic No (a)	
Atomic Wt (a)	,	Atomic Wt 127		Atomic Wt (b)	
Symbol - (b)		Symbol - (b)		Symbol - N	
			•	•	
	16		17		18
Element - Gold		Element - Hydrogen		Element - Zinc	
Atomic No (a)		Atomic No 1		Atomic No. ~ (a)	
Atomic Wt 197		Atomic Wt (a)	•	Atomic Wt (b)	
Symbol - (b)		Symbol - (b)		Symbol - Zn	
	19	`	20		21
Flement - Fluorine		Element - Magnesium		Element - Phosphorus	
Atomic No 9		. Atomic No (a)		Atomic No (a)	
Atomic Wt (a)		Atomic Wt 24		Atomic Wt (b)	
Symbol - (b)		Symbol - (b)		Symbol - P	
Ł,	22		23		24
Element - Nickel		Element - (a)		Element - Mercury	
Atomic No (a)		Atomic No 8		Atomic No 80	
Atomic Wt (b)		Atomic Wt 16		Atomic Wt (a)	
Symbol - Ni		Symbol - (b)		Symbol - (b)	
	25				
	25		26		27
Element - Copper		Element - Calcium		Element - Iron	
Atomic No (a)	İ	Atom'c No (a)	İ	Atomic No (a)	
Atomic Wt 64	į	Atomic Wt (b)		Atomic Wt 56	
Symbol - (b)		Symbol - Ca		Symbol - (b)	
	28				
	20		29	- A	30

WORKSHEET ANSWERS

I.8.1 Periodic Table

- 1. (a) 23
 - (b) Na
- 2. (a) 13
 - (b) A1
- , 3. (a) 2
 - (b) 4
 - 4. (a) 80
 - (b) Hg
 - 5. (a) 56
 - (b) Fe
 - 6. (a) 16
 - (b) 32
 - 7. (a) 6 (b) C
 - 8. (a) 47
 - (b) Ag
 - 9. (a) 17
 - (b) 35
- 10. (a) 64
 - (b) Cu
- 11. (a) 8
 - (b) 16
- 12. (a) 28
 - (b) Si
- 13. (a) 82
- (b) Pb
- 14. (a) 10
 - (b) 20
- 15. (a) 19
 - (b) K

- ló. (a) 119
 - (b) Sn
- 17. (a) 53
 - (b) I
- 18. (a) 7
 - (b) 14
- 19. (a) 79
 - (b) Au
- 20. (a) 1
 - (b) н
- 21. (a) 30
 - (b) 65
- 22. (a) 19
 - (b) F
- 23. (a) 12
 - (b) Mg
- 24. (a) 15
 - (b) 31
- 25. (a) 28
 - (b) 59
- 26. (a) Oxygen
 - (b) 0
- 27. (a) 201
 - (b) lig
- 28. (a) 29
 - (b) Cu
- 29. (a) 20
 - (b) 40
- 30. (a) 26
 - (b) Fe



For Use with Gamesheet I.8.1

					ME 1	IALS	- <u>-</u>					ν -	N	ONMETA	ιs		HOBLE GASES
1 H 1	-	Symba		rounded	off)							•	<i></i>		is the Ato landard)		2 He
3 Li 7	Be			PE		IC TA			THE			5 B 11	6. C 12	7 N 14	8 O 16	9 F 19	10 Ne- 20
11 Na 23	12 M g 24	 				ELEM	ENT	5				13 Al 27	14 Si 28	15 P 31	16 S 32	17 Cl 35	18 Ar 40
19 K 39	20 Ca 40	21° \$c 45	22 Ti 48	23 V 51	24 Cr 52	25 Mn 55 <	26 Fe 56	27 Co 59	28 Ni 59	29 Cu 64	30 Zn 65	31 Ga 70	32 Ge 73	33 As 75	34 Se 79	35 Br 80	36 Kr 84
37 Rb 85	38 Sr 88	39 Y 89	40 Zr 91	41 Nb · 93	42 Mo 96	43 Tc 99	44 Ru 101	45 Rh 103	46 Pd 106	47 Ag 108	48 Cd 112	49 In 115	50 Sn 119	51 Sb 122	52 Te	53 127	. 54 Xe 131
55 Cs 133	56 Ba 137	*	72 Hf 179	73 Ta 181	74 W 184	75 Re 186	76 Os 190	77 r 192	78 P† 195	79 Au 197	80 Hg 201	81 TI 204	82 Pb 207	83 Bi 209	84 Po 210	85 Ai 210	86 Rn 222
87 Fr 223	88 Ra 226	• •	ļ	nents 57 (n mode)	Element	s (93-103)	1	L	

TGT GAMESHEET: 1.8.1 Periodic Table

			* 			
	Element - Lead Atomic No (a)		Element - Magnesium Atomic No (a)		Element - Silver Atomic No (a)	
	Atomic Wt 207		Atomic Wt (b)		Atomic Wt 108	
	Symbol - (b)		Symbol - Mg		Symbol - (b)	
		1		2	: 	3
	Element - (a)		Element - Iron		Element - Iodine	
	Atomic No 1		Atomic No 26		Atomic No (a)	
	Atomic Wt 1		Atomic Wt (a)		Atomic Wt 127	
	Symbol - (b)		Symbol - (b)		Symbol - (b)	
		4		e		,
	-	- 4	· · · · · · · · · · · · · · · · · · ·	5		6
	Element - (a)		Element - Sodium		Element - (a)	
	Atomic No 29		Atomic No 11		Atomic No (b)	
	Atomic Wt (b)		Atomic Wt (a)		Atomic Wt 27	
	Symbol - Cu		Symbol - (b)		Symbol - Al	
		7		8		9
	Element - Helium		Element - Oxygen		Element - (a)	
	Atomic No (a)		Atomic No (a)		Atomic No 6	
	Atomic Wt 4%		Atomic Wt (b)		Atomic Wt 12	
	Symbol - (b)		Symbol - O		Symbol - (b)	
		10		11		12
	Element - Nickel		Element - (a)		Element - Zinc	
	Atomic No (a)		Atomic No 16	ì	Atomic No (a)	
	Atomic Wt (b)		Atomic Wt (b)		Atomic Wt (b)	
	Symbol - Ni		Symbol - S		Symbol - Zn	
		13"	•	14		15
0						1.7

TGT GAMESHEET: 1.8.1 Periodic Table

		 		· · · · · · · · · · · · · · · · · · ·	
Element - (a)		Element - Mercury		Element - (a)	-
Atomic No 17		Atomic No (a)		Atomic No 14	
Atomic Wt (b)		Atomic Wt 201		Atomic Wt (b)	
Symbol - Cl		Symbol - (b)		Symbol - Si	
	16		17		18
					_
Element - (a)		Element - (a)		Element - Potassium	
. Atomic No 10		Atomic No (b)		Atomic No (a)	
Atomic Wt (b)		Atomic Wt 19		Atomic Wt 39	
Symbol - Ne		Symbol - F	•	Symbol - (b)	
	19		20		21
Element - (a)		Element - (a)		Element - (a)	
Atomic No 50		Atomic No (b)		Atomic No 15	
Atomic Wt (b)	9	Atomic Wt 56		Atomic Wt (b)	
Symbol - Sn		Symbol - Fe		Symbol - P	ı
	22		23		24
Element - (a)		Element - (a)		Element - Calcium	ł
Atomic No. ~ (b)		Atomic No (b)		Atomic No (a)	
Atomic Wt 201		Atomic Wt 16		' Atomic Wt 40	
Symbol - Hg		Symbol - O		Symbol - (b)	
	25		26		27
Element (a)		Element Course		ę	
Element - (a)		Element - Copper		Element - (a)	
Atomic No (b)		Atomic No (a)		Atomic No 7	1
Atomic Wt 197		Atomic Wt 63		Atomic Wt 14	
Symbol - Au		Symbol - (b)		Symbol - (b)	
- 0	28	70	29		30

GAMESHEET ANSWERS

I.8.1 Periodic Table

1.	(a)	82

- (b) Pb
- 2. (a) 12
 - (b) 24
- 3. (a) 47
 - (b) Ag
- 4. (a) Hydrogen
 - (b) I
- 5. (a) 56
 - (b) Fe
- 6. (a) 53
 - (p) (a)
- 7. (a) Copper
 - (b) 64
- 8. (a) 23
 - (b)⋅ Na
- 9. (a) Alúminum
 - (b) 13
- 10. (a) 2
 - (b) He
- 11. (a) 8
 - (b) 16
- 12. (a) Carbon
 - (b) C
- 13. (a) 28
 - (b) 59°
- 14. (a) Sulfur
 - (b) 32
- 15. (a) 30
 - (b) 65

- 16. (a) Chlorine
 - (b) 35
- 17. (a) 80
 - (b) lig
- 18. (a) Silicon
 - (b) 28
- 19. (a) Neon
 - (b) 20
- 20. (a) Fluorine
 - (b) 9
- 21. (a) 19
 - (b) K
- 22. (a) Tin
 - (b) 119
- 23. (a) Iron
 - (b) 26
- 24. (a) Phosphorus
 - (b) 31
- 25. (a) Mercury
 - (b) 80
- 26. (a) Oxygen
 - (b) 8
- 27. (a) 20
 - (b) Ca
- 28. (a) Gold
 - (b) 79
- 29. (a) 29
 - (b) Cu
- 30. (a) Nitrogen
 - (b)



TGT PHYSICAL SCIENCE

UNIT: Chemistry

WORKSHEET: Atomic Structure

Objective: I.8.2--a. Students will apply a set of rules and use the periodic table to assist them in computing the number of electrons, protons and neutrons in an atom.

b. Students will arrange electrons in the K, L, and M electron shells for the first eighteen elements on the periodic table.

Instructions: This worksheet will help you prepare for the Atomic Structure Game. In items 1-12, write the correct number of protons and neutrons in the nucleus. In diagrams 13-30, write in the correct number of pro-

tons and neutrons in the nucleus and the correct number of electrons in the K, L, and M shells.

Vocabulary:

atomic number atomic weight (mass) electron energy level neutron nucleus proton shell



NOBIE

NONMETALS

1. General Rules for Atomic Structure


- A. The number of protons in an atom is equal to the atomic number.
- B. The number of electrons in an atom is equal to the number of protons.
- The number of neutrons can be found by subtracting the atomic number from the atomic weight. Use the "rounded off" atomic weight for this calculation.

II. General Rules for Electron Structure


METALS


- A. Electrons are arranged in shells around the nucleus of an atom. The first three shells are called K, L, and M., and are arranged around the nucleus.
- B. To arrange the electrons each shell must be filled in order from K through M.
- (. The maximum number of electrons in each shell when an atom is stable is as follows: K-2, L-8, M-8.

Example. Phosphorus has 15 electrons. They would be arranged like this:



						^								`			CASE
		Symbo		{rounded	(Ro								•	Carbon weight st	s the At J andard	mić	2 He
3 Li	4 Be		,		·	olc TA	ARIF	OF 1	rus			5 B	. 61	7 N	8	9 F	10 Ne
7	9			P E I		ELEM			1112			11	. 12. `	14 -15	16	19 17	18
Na Na	12 Mg											Αl	Si	Р	16 S	Cl	Ar
23	24		, -	:		۰ ,						. 27	. 28	31	32	35	0
19	20	21	22	23	24	25	26	, 27	28	36	30	31	32	33	34	35	36
K 39	Ca 40	Sc 45	Ti 48	V 51	Cr 52	Mn 55	- Fe 56	Co . 59	N1 59	Cu 64	Zn 65	Ga 70	Ge 73	As 75	Se 79	Br 80	Kr , 84
37	38	39	40	41	42	43	44	45	46	47	48	47	50	51	52	53	54
85	Sr 88	, Y 89	Zr 91	Nb 93	Mo . 96	Tc 99	R∪ 101	Rh 103	Pd 106	Ag 108	Cd 112	In 115	Sn 119	Sb 122	Te 128	 127	• Xe
55	56	•	72	73	74	75	76	77	78	19	80	81	82	83,	84	85	86
Cs 133	Ba 137		Hf 179	Ta 181	W 184	Re 186	Os 190		Pt 195	Au 197	Hg 201	T 204	Pb 207	Bi 209	Po 210	Ar 210	Rn 222
87 Fr	88 Ro		*Elen	nents 57	71 co	se a rela	t — Itad serie	s called	f = - = = Rgre Epri	hs			اب ـ	1		•	







WORKSHEET ANSWERS

I.8.2 Atomic Structure



- 2. (P-3 N-4)
- 3. (P-9)
- $4. \quad \left(\begin{array}{c} P-11 \\ N-12 \end{array}\right)$
- 5. (P-4 N-5
- 6. $\begin{pmatrix} P-13 \\ N-14 \end{pmatrix}$
- 7. $\begin{pmatrix} P-16 \\ N-16 \end{pmatrix}$
- 8. $\begin{pmatrix} P-17 \\ N-18 \end{pmatrix}$
- 9. (P-8 N-8)
- 10. $\binom{P-14}{N-14}$
- 11. $\begin{pmatrix} P-18 \\ N-22 \end{pmatrix}$
- 12. $\begin{pmatrix} P-12 \\ N-12 \end{pmatrix}$
- 13. $\begin{pmatrix} P-10 \\ N-10 \end{pmatrix}$ K (2), L (8)
- 14. $\begin{pmatrix} P-7 \\ N-7 \end{pmatrix}$ K (2), L (5)
- 15. $\binom{P-8}{N-8}$ K (2), L (6)

- 16. $\binom{P-16}{N-16}$ K (2), L (8), M (6)
- 17. (P-5) K (2), L (3)
- 18. $\begin{pmatrix} P-12 \\ N-12 \end{pmatrix}$ K (2), I. (8), M (2)
- 19. $\begin{pmatrix} P-18 \\ N-22 \end{pmatrix}$ K (2), L (8), M (8)
- 20. (P-13) K (2), L (8), M (3)
- 21. $\binom{P-3}{N-4}$ K (2), L (1)
- 22. $\begin{pmatrix} P-11 \\ N-12 \end{pmatrix}$ K (2), L (8), M (1)
- 23. $\begin{pmatrix} P-17 \\ N-18 \end{pmatrix}$ K (2), L (8), M (7)
- **24.** $\begin{pmatrix} P-15 \\ N-16 \end{pmatrix}$ K (2), L (8), M (5)
- 25. $\begin{pmatrix} P-11 \\ N-12 \end{pmatrix}$ K (2), L (8), M (1)
- **26.** $\binom{P-9}{N-10}$ K (2), L (7)
- 27. $\begin{pmatrix} P-16 \\ N-16 \end{pmatrix}$ K (2), L (8), M (6)
- **28**. $\begin{pmatrix} P-12 \\ N-12 \end{pmatrix}$ K (2), L (8), M (2)
- **29.** $\begin{pmatrix} P-14 \\ N-14 \end{pmatrix}$ K (2), L (8), M (4)
- **30.** $\binom{P-7}{N-7}$ K (2), L (5)

For Use with Gamesheet 1.8.2

					ا فیده تر <u>س</u> د	TAL:							M'	, KIMIF " A.	.;		11.45Es
1 H 1		Symbo	N nber		off.								,	Carbon weights	s the Aty angues	ym e	2 He
3 Li 7	4 Be 9			PE		IC TA			THE			5 B	S. C. Y.	7 N 14	8 O 16	F 19	10 Ne 20
11 Na 23	12 Mg 24					ELEM	EIA!)			!	13 Al 27	14 Si 28	15 P 31	16 S 32	17 Cl 35	18 Ar 40
19 K 39	20 Ca 40	21 Sc . 45	72 Ti	23 V 51	24 Cr 52	25 Mn 55	26 Fe 56	27 Co 59	28 Ni 59	29 Cu 64	30 Zn 65	31 Ga 70	32 Ge 73	33 As 75	34 Se 79	35 Br 80	36 Kr 84
37 Rb 85	38 Sr 88	39 Y 89	40 Zr 91	41 Nb 93	42 Mo 96	43 Tc 99	44 Ru 101	45 Rh 103	46 Pd 106	47 Ag 108	48 Cd 1	49 In 115	50 Sn 119	51 Sb 122	52 Tg 128	53 127	54 1 Xe 131
55 Cs 133	56 Ba 137	*	72 Hf 179	73 Ta 181	74 W 184	75 Re 186	76 Cs 190	77 Îr 192	78 Pt	79 Au 197	80 Hg 201	81 TI 204	82 Pb 207	83 Bi 209	84 Po 210	85 Ai 210	. 86 Rn 222
87 Fr 223	88 Ra 226	A •	•		·				Pare Eart	·	n mada)	E'emeni	s (93 -103))			•




TGT GAMESHEET: 1.8.2 Atomic Structure

GAMESHEET INSTRUCTIONS:

- In items 1-18, apply the rules for atomic structure using the periodic table to fill in the blank correctly.
- 2. In items 19-30, supply the missing information to complete the diagram of the atom. Again, apply the rules for atomic structure and use the periodic table.

Iron (Fe) has protons. a) 56 b) 30 c) 26 d) 50	Silver (Ag) has neutrons. a) 108 b) 61 c) 47 d) 14	Sulfur (S) has protons. a) 32 b) 16 c) 17 d) 48 3 .
Chlorine (C1) has electrons. a) 17 b) 18 c) 35 c) 52 4	Potassium (K) has neutrons, a) 19 b) 39 c) 18 d) 20	Aluminum (A1) has electrons. a) 2 b) 3 c) 8 d) 5
Sodium (Na) has electrons in the M shell. a) 1 b) 11 c) 2 d) 8	Iodine (I) has protons. a) 127 b) 53 c) 74 d) 21	Al minum (Al) has neutrons. a) 27 b) 13 c) 40 d) 14
An atom of gold (Au) would contain a total of electrons. a) 197 b) 97 c) 79 d) 118	An atom of oxygen (0) haselectrons in the L shell. a) 8 b) 6 c) 10 d) 2	An atom of zinc (Zn) has neutrons. a) 35 b) 30 c) 60 d) 65 12
An atom of phosphorus (P) has electrons in the M shell. a) 15 b) 16 c) 5 d) 31	An atom of nitrogen (N) has protons. a) 6 b) 14 c) 20 d) 7	An atom of boron (B) has electrons in the L shell. a) 3 b) 2 c) 5 d) 10
An atom of tin (Sn) has protons. a) 69 b) 118 c) 50 d) 91	An atom of iron (Fe) has a total of electrons. a) 56 b) 26 c) 30 d) 36	An atom of copper (Cu) has neutrons. a) 64 b) 6 c) 29 d) 35

TGT GAMESHEET: 1.8.2 Atomic Structure



GAMESHEET ANSWERS

I.8.2 Atomic Structure

- 1. c) 26
- 2. b) 61
- 3. b) 16
- 4. a) 17
- 5. d) 20
- 6. c) 8
- 7. a) 1
- 8. b) 53
- 9. d) 14
- 10. c) 79
- 11. b) 6
- 12. a) 35
- 13. c) 5
- 14. d) 7
- 15. a) 3

- 16. c) 50
- 17. b) 26
- 18. d) 35
- 19. N-4
- 20. N-10
- 21. K (2), L (5)
- 22. P-18, N-22
- 23. L (6)
- 24. P-13, M (3)
- 25. N-12, M (1)
- 26. P-12, N-12
- 27. K (2), L (4)
- 28. L (8), M (6)
- 29. N-14, M(4)
- 30. P-17, M (7)

TGT PHYSICAL SCIENCE

UNIT: Chemistry

WORKSHEET: Count the Atoms

Objective: I.8.3--Students will compute the number of atoms in a formula or equation.

Instructions: This worksheet will help you prepare for the Count the Atoms Game. In items 1-20, compute the number of atoms in each formula. In numbers 21-30, count the atoms on each side of the equation and determine if they are equal. Write number of atoms in the space under each side of the equation and circle the word equal or unequal to show if the equation is balanced or not.



TGT WORKSHEET: 1.8.3 Count the Atoms

Ag ₂ S	İ	KNO ₃		MgSO ₄	
	1		2		_3_
2KC1		CuSO ₄		Na ₂ O	
	4	·	5		6
Ag NO ₃		A1 ₂ (SO ₄) ₃		MgC1 ₂	
	7		8		9
NH ₄ C1		Ba(OH) ₂		A1 ₂ S ₃	
	10		11		_1
Ba ₃ (PO ₄) ₂		K ₂ SO ₃		znso ₃	
	13		14		1
кс1		CC1 ₄		^{2A1} ₂ 0 ₃	
	16		17		1
BaCl ₂		2CuSO ₄		$2HC1 + Zn \longrightarrow ZnC1_2 + H_2$	
	19		20	Equal Unequal	2
$H_2 + O_2 \rightarrow H_2O$		Na + Cl ₂ → NaCl		HgO, → Hg + O ₂	
Equal Unequal	22	Equal Unequal	23	Equal Unequal	
$\operatorname{Zn} + \operatorname{C1}_2 \longrightarrow \operatorname{ZnC1}_2$		NaOH + HC1 → NaC1 + H ₂ C	0	$Mg + O_2 \rightarrow MgO$	
Equal Unequal	25_	Equal Unequal	26	Equal Unequal	- 2
Fe + S → FeS		$A1 + S \rightarrow A1_2S_3$		$H_2 + C1_2 \rightarrow 2HC1$	
Equal Unequal	28	Equal Unequal	29	Equal Unequal	

WORKSHEET ANSWERS

I.8.3 Count the Atoms

- 1. 3
- 2. 5
- 3. 6
- 4. 4
- 5. 6
- 6. 3
- 7. 5
- 8. 17
- 9. 3
- 10. 6
- 11. 5
- 12. 5
- 13. 13
- 14. 6
- 15. 5

- 16. 2
- 17. 5
- 18. 10
- 19. 3
- 20. 12
- 21. $5 \rightarrow 5$; equal
- 22. 4 -> 3; unequal
- 23. 3 → 2; unequal
- 24. $2 \rightarrow 3$; unequal
- 25. $3 \rightarrow 3$; equal
- 26. $5 \rightarrow 5$; equal
- 27. $3 \rightarrow 2$; unequal
- 28. $2 \rightarrow 2$; equal
- 29. 2 → 5; unequal
- 30. 4 → 4; equal



$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		استندا المنابع المهاب المنابع	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			Equal Unequal
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	кno ₃	A1 ₂ S ₃	Fe + S → FeS
KC1 K_2SO_3 $H_2 + C1_2 \rightarrow 2HC1$ Equal Unequal 12 CuSO_4 $ZnSO_3$ $ZKCL$ 15 Na_2O $H_2 + O_2 \rightarrow H_2O$ $Equal$ Unequal 17 AgNO_3 $Na + C1_2 \rightarrow NaC1$ $Equal$ Unequal $ZA1_2O_3$	MgSO ₄	Ba ₃ (PO ₄) ₂	Equal Unequal
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	KC1	κ ₂ so ₃ ———	H ₂ + Cl ₂ → 2HCl Equal Unequal
Na ₂ 0 H ₂ + 0 ₂ \rightarrow H ₂ 0 Equal Unequal 16 Na + Cl ₂ \rightarrow NaCl Equal Unequal Equal Unequal	CuSO ₄	ZnSO ₃	2KCL
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Na 2 ⁰	$H_2 + O_2 \rightarrow H_2O$ Equal Unequal	cc1 ₄
I	AgNO ₃	Na + Cl ₂ → NaCl Equal Unequal	^{2A1} 2 ^O 3
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	A1 ₂ (SO ₄) ₃	HgO → Hg + O ₂ Equal Unequal	$2HC1 + Zn \rightarrow ZnC1_2 + H_2$ Equal Unequal
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	MgC1 2	Zn + Cl ₂ → ZnCl ₂ Equal Unequal	2CuS0 ₄
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	NH ₄ C1	NaOH + HC1 → NaC1 + H ₂ O Equal Unequal	BaCl ₂
Equal Unequal	<u>28</u>	29	30

GAMESHEET ANSWERS

I.8.3 Count the Atoms

1		7
-	•	_

2. 5

3. unequal

4. 5

5. 5

6. equal

7. 6

8. 13

9. unequal

10. 2

11. 6

12. equal

13. 6

14. 5

15. 4

16. 3

17. unequal

18. 5

19. 5

20. unequal

21. 10

22. 17

23. unequal

24. equal

25. 3

26. equal

27. 12

28. 6

29. equal

30. 3



TGT PHYSICAL SCIENCE

UNIT: Chemistry


WORKSHEET: Properties and Purification of Water

Objective: 1.9--Students will identify the properties of water and demonstrate basic knowledge of the water purification process.

instructions: This worksheet will help you prepare for the Properties and Purification of Water Game. Read each statement or question and choose the correct answer.

Vocabulary:

aeration
anhydrous
coagulation
distillation
filtration
hydrate
potable
pure water
sediment
solubility
solute
solution
solvent
specific heat





TGT WORKSHEET: 1.9 Properties and Purification of Water

	11.7 Properties and Th	arriteation or water
A single water molecule (H ₂ O) contains: a) 2 atoms b) 3 atoms c) 1 atom	A single water molecule (H ₂ O) contains: a) 2 elements b) 3 elements c) 1 element	Pure water is classified as: a) an element b) a compound c) a mixture
Tap water is classified as: a) an element b) a compound c) a mixture	The boiling point of pure water is: a) 100° C b) 212° C c) 110° C	The freezing point of pure water is: a) 32° C b) 0° C c) 10° C
Water is known as the universal: a) solute b) emulsion c) solvent	Water takes a long time to heat and cool because of its: a) molecular shape b) density c) high specific heat	When water freezes it: a) contracts b) expands c) changes chemically
į	8	Q
When water at room temperature is heated it: a) expands b) contracts c) changes chemically	Boiling water will produce: a) pure water b) mineral free water c) germ free water	Distilling water will produce: a) pure water b) potable water c) gers free water
. 10		N.
Alum is used in water creatment to: a) kill germs b) improve the taste c) help settle dirt	Chlorine is used in water treatment to: a) kill germs b) improve the taste c) help settle the dirt	Water is aerated in order to: a) kill germs b) improve the taste c) help settle the dirt

When water is taken out of A crystalline substance con-Water is added to a crystal the substance is taining water is called: an acid solution. called: a) hydrated a) strengthen b) anhydrous a) hydrated b) concentrate b) anhydrous c) dilute You can increase the solu-Hard water is water that Distilled water has: bility rate of a substance by: contains: a) a salty taste b) a sweet taste a) stirring it a) sediment b) cooling it b) minerals c) no taste c) letting it alone c) bacteria 19 21 The boiling point of pure Evaporation and conden-Filtering removes water is: sation are part of the from the water. process of: a) 100° F b) 212° F a) sediment b) germs a) aeration c) 110° F c) minerals b) distillation c) coagulation 23 Using the graph, as the tem-The freezing point of pure Using the graph, which perature increased, the solletter represents the com-, water is: pound least soluble at 73° C? ubility of compound C: a) 32° F b) 0° F c) 10° F a) B a) decreased b) E b) increased c) D c) remained the same 26 27 Using the graph, how many Using the graph, which Using the graph, which letter grams of compound C will letter represents the comrepresents the compound whose be needed to saturate pound with the highest solubility increases most 100 ml. of water at 50° C? solubility at 30° C? slightly as the temperature increases? a) 20 a) A ъ) 80 b) С a) B c) E b) C c) 40

WORKSHEET ANSWERS

I.9 Properties and Purification of Water

- 1. b) 3 atoms
- 2. a) 2 elements
- 3. b) a compound
- 4., c) a mixture
- 5. a) 100° C
- 6. b) 0° C
- 7. c) solvent
- 8. c) high specific heat
- 9. b) expands
- 10. a) expands
- 11. c) germ free water
- 12. a) pure water
- 13. c) help settle dirt
- 14. a) kill germs
- 15. b) improve the taste

- 16. c) dilute
- 17. b) anhydrous
- 18. a) hydrated
- 19. b) minerals
- 20. c) no taste
- 21. a) stirring it
- 22. (b) distillation
- 23. a) sediment
- 24. b) 212° F
- 25. a) 32° F
- 26. b) E
- 27. b) increased
- 28. c) 40
- 29. a) A
- 30. c) E

TGT GAMESHEET: 1.9 Properties and Purification of Water

Evaporation and condensation are part of the process: a) aeration b) distillation c) coagulation 1 2 3 Water is known as the universal: a) solute b) emission c) solvent b) distillation c) solvent C) b) emission c) solvent Blard water is water that contains: a) sediment b) minerals c) bacteria 7 Boiling water will produce: solubility rate of a substance by: a) stirring it b) cooling it c) letting it alone A crystaline substance Fure water is classified as: a) an element b) a compound c) a mixture When water is taken out of a crystal the substance is called: a) hydrated b) anhydrous When water freezes it: a) contracts b) expands c) chemically changes Tap water is classified as: a) compound c) a mixture The boiling point of pure water is called: a) 100° C b) 212° C c) 110° C b) emission c) solvent Distilled water has: a) a salty taste b) a sweet taste c) no taste Tap water is classified as: a) contracts b) expands c) chemically changes Tap water is classified as: a) an element b) a compound c) a mixture Tap water is classified as: a) an element b) a compound c) a mixture A single water molecule contains: a) kill germs b) improve the taste c) help settle dirt A crystalline substance containing water is called: a) 2 elements b) 3 elements c) 1 element	· · · · · · · · · · · · · · · · · · ·		
Water is known as the universal: a) solute b) emulsion c) solvent 4 5 Hard water is water that contains: a) sediment b) minerals c) bacteria Distilled water has: a) a salty taste b) a sweet taste c) no taste The boiling point of pure water is taken out of a crystal the substance is called: a) hydrated b) anhydrous When water is taken out of a crystal the substance is called: a) hydrated b) anhydrous When water is taken out of a crystal the substance is called: a) hydrated b) anhydrous When water is taken out of a crystal the substance is called: a) hydrated b) anhydrous Tap water is classified as: a) an element b) a compound c) a mixture A crystalline substance containing water is called: a) pure water b) mineral free water c) germ free water c) germ free water c) a mixture A crystalline substance containing water is called: a) A single water molecule contains: a) 2 elements b) 3 elements c) 1 element c) 1 element	tion are part of thew process: a) aeration b) distillation c) coagulation	an acid solution. a) strengthen b) concentrate	as: a) an element b) a compound
a) sediment b) minerals c) bacteria 7 8 8 9 You can increase the solubility rate of a substance b) cooling it c) letting it alone Alum is used in water treatment to: a) kill germs b) improve the taste c) help settle dirt a) a salty taste b) a sweet taste c) no taste Boiling water will produce: a) pure water b) mineral free water c) germ free water c) germ free water c) a mixture a) contracts b) expands c) chemically changes Tap water is classified as: a) an element b) a compound c) a mixture A crystalline substance containing water is called: a) hydrated, b) anydrated, b) a lements c) 1 element b) 3 elements c) 1 element	Water is known as the universal: a) solute b) emulsion	water is: a) 100 ⁰ C b) 212 ⁰ C	a crystal the substance is called: a) hydrated
Alum is used in water treatment to: a) kill germs b) improve the taste c) help settle dirt a) pure water b) mineral free water c) germ free water c) germ free water c) germ free water c) germ free water c) germ free water c) germ free water c) germ free water c) germ free water c) a) an element b) a compound c) a mixture A crystalline substance contains: a) kill germs b) an hydrated b) an hydrated c) a elements c) 1 element c) 1 element	contains: a) sediment b) minerals c) bacteria	a) a salty taste b) a sweet taste c) no taste	a) contracts b) expands
containing water is called: contains: a) kill germs b) improve the taste c) help settle dirt containing water is called: a) 2 elements b) 3 elements c) 1 element	solubility rate of a substance by: a) stirring it b) cooling it c) letting it alone	a) pure water b) mineral free water c) germ free water	a) an element b) a compound
.00	treatment to: a) kill germs b) improve the taste c) help settle dirt	containing water is called: a) hydrated b) anhydrous	contains: a) 2 elements b) 3 elements

TGT GAMESHEET: I.9 Properties and Purification of Water

The freezing point of water is:

- a) 32° C b) 0° C c) 10° C

Water takes a long time to heat and cool because of its:

- a) molecular shape
- b) density
- c) high specific heat

Chlorine is used in water treatment to:

- a) kill germs
- b) improve the taste °
- c) help settle the dirt

16

17

Filtering removes from the water.

- a) sediment
- b) germs
- c) minerals

Water is aerated in order to:

- a) kill germs
- b) improve the taste
- c) help settle the dirt

A single water molecule contains

- a) 2 atoms
- b) 3 atoms
- c) l atom

20

When water at room temperature is heated it:

- a) expands
- b) contracts
- c) chemically changes

Distilling water will produce:

- a) pure water
- b) potable water
- c) germ free water

ΰÜ

Using the graph, as the temperature increased, the solubility of compound C:

- a) decreased
- b) increased
- c) remained the same

22

Using the graph, which letter represents the compound whose solubility

increases most slightly as the temperature

increases?

a) B ь) С

c) E

25

Using the graph, which letter represents the compound least soluble at 73° C?

- a) B
- b) E
- c) D

ON SOLUBILITY 100 90 80 70 60 50 4() 30 Solubility 20 10 10 20 30 40 50 60 70 80 90 100 TEMPERATURE - C

EFFECT OF TEMPERATURE

GAMESHEET ANSWERS

I.9 Properties and Purification of Water

- 1. 'b') distillation
- 2. c) dilute
- 3. b) a compound
- 4. c) solvent
- 5. a) 100° C
- 6. b) anhydrous
- 7. b) minerals
- 8. c) no taste
- 9. b) expands
- 10. a) stirring it
- 11. c) germ free water
- 12. c) a mixture
- 13. c) help settle dirt
- 14. a) hydrated

- 15. a) 2 elements
- 16. b) 0° C
- 17. c) high specific heat
- 18. a) kill germs
- 19. a) sediment
- 20. b) improved the taste
- 21. b) 3 atoms
- 22. -a) expands
- 23. a) pure water
- 24. 'b) increased
- 25. c) E
- 26. b) E

TGT PHYSICAL SCIENCE

UNIT: Chemistry

 $\mathbf{WORK}_{\mbox{\scriptsize (}}\mathbf{S}^{\mbox{\scriptsize (}}\mathbf{HEET}$: Bonding and Valence

Objective: I.10--a. Students will be able to determine the valence of a common chemical elements.

b. Students will classify elements as metals, non-metals, or noble gases according to their valence.

Instrucțions:

This worksheet will help you prepare for the Bonding and Valence Game. In items 1-16, unscramble the letters to form the correct word. In items 17-30, use the periodic stable and the valence table to find the correct valence of each element. In the two spaces provided write the valence and the word "metal," "non-metal," or "noble gas."


Vocabulary:

chemical bond covalent electrons energy gain inert ionic last shell lose metal molecule

molecule negative noble gas non-metal positive valence

· Valence	Chart Chart
No. of le in	Valence
<u>last shell</u>	No.
1	+1
2	+2
3	- +3
4	, +4 -3
. • 5	-3
. 6	- 2 .
.7	-1
8	0
٠ ا	

PERIODIC TABLE OF ELEMENTS



103

主门车

TGT WORKSHEET: 1.10 Bonding and Valence

.		
Atoms that share EESROTNL are joined by a chemical bond.	The atoms in a molecule are held together by MAECCLIH DNOB.	Two hydrogen atoms share electrons to form a hydrogen CELELOUM.
Atoms of elements known as metals <u>OLES</u> electrons to become stable.	Atoms of elements known as non-metals <u>ANIG</u> electrons to become stable.	Atoms of elements known as BOLNE EAGSS do not gain or lose electrons to become stabl
44	5	, 6
LANVCEE describes the num- ber of electrons an atom gains, loses or shares to form a chemical bond.	Atoms that give up electrons, have a <u>SOVTIIEP</u> valence.	Atoms that receive electrons have a <u>TEEGAVIN</u> valence.
The valence electrons of an atom are found in the RTUEO HLELS of the atom.	Elements that are not chemi-cally active are RITEN.	Elements that gain electrons are classified as <u>ONN ETMLAS</u> .
10		
When atoms transfer electrons to fill their outer shells, they form NICOI bonds.	When bonds are formed or broken <u>GERYNE</u> is lost or gained.	Elements that lose electrons are classified as ETMLAS.
Atoms that share electrons form a LAVCOENT bond.	oxygen	fluorine
	<u> </u>	
' 16	8 17	10
helium	sodium	iodine
19		
chlorine	magnesium	neon
	23	
22	. 23	24
.s beryllium	calcium ,`	nitrogen
		·
25	26	27
	• . barium	aluminum
lithium	·	,
lithium28		

WORKSHEET ANSWERS

I.10 Bonding and Valence

1.	elec	trons
----	------	-------


- 2. chemical bond
- molecule
- 4. lose
- 5. gain
- 6. noble gases
- 7. valence
- 8. positive
- 9. negative
- 10. last shell
- 11. inert
- 12. non-metals
- 13. ionic
- 14. energy
- 15. metals

16. covalent

- 17. -2, non-metal
- 18. -1, non-metal
- 19. 0, noble gas
- 20. +1, metal
- 21. -1, non-mețal
- 22. -1, non-metal .
- 23. +2, metal
- 24. 0, noble gas
- 25. +2, metal
- 26. +2, metal
- 27. -3, non-metal
- 28. +1, metal
- 29. +2, metal
- 30. -3, non-metal



PERIODIC TABLE OF ELEMENTS



:107

8

103

TGT GAMESHEET: 1.10 Bonding and Valence

When atoms transfer electrons to fill their outer shells, they form bonds.	Atoms of elements known as non-metals electrons to become stable.	Atoms of elements known as do not gain or lose electrons to become stable.
Atoms that shareare joined by a chemical bond.	Atoms that give up electrons have a valence.	Two hydrogen atoms share electrons to form a hydrogen
Atoms of elements known as metals electrons to become stable:	Elements which are not chemically active are	Elements that gain electrons are classified as
describes the number of electrons an atom gains, loses or shares to form a chemical bond.	When bonds are formed or broken is either taken in or given off.	Atoms that receive electrons have a valence.
The valence electrons of an atom are found in the of the atom.	The atoms in a molecule are held together by	Atoms that share electrons form bonds.
nitrogen .	beryllium	fluorine ;
aluminum 19	sodium !	iodine
calcium :	helium 23	barium 24
lithium 25	oxygen	bromine
potassiùm	neon	chlorine .
28	29	30

GAMESHEET ANSWERS

I.10 Bonding and Valence

٠.	•	
1.	ion	1C

2. gain

3. noble gases

4. electrons

5. positive

6. molecule

7. lose

8. inert

9. non-metals

10. valence

11. energy

12. negative

13. last shell

14. chemical bonds

15. covalent

.16. -3, non-metal

. 17. +2, metal

18. -1, non-metal

19. +3, metal

20. +1, metal

21. -1, non-metal

22. +2, metal

23. 0, noble gas

24. +2, metal

25. +1, metal

26. -2, non-metal

27. -1, non-metal

28. -1, non-metal

29. 0, noble gas

30. -1, non-metal



TGT PHYSICAL SCIENCE

UNIT: Chemistry

WORKSHEET: Making Chemical Formulas

Objective: I.11--Students will arrange elements and radicals to produce correct chemical formulas.

Instructions:

This worksheet will help you prepare for the Making Chemical Formulas Game. In each item an element symbol with a valence, and a radical symbol and valence are presented. Choose the correct answer from among the choices provided.

Vocabulary:

compound
element
formula
radical ion
subscript
symbol
valence



Examples and Explanations

I.
$$\begin{array}{c|cccc} +2 & -2 \\ \text{Mg} & +0 & \longrightarrow \text{MgO} \end{array}$$

Step 1. Crisscross the valences and drop their signs.

Step 2. When the valence numbers are the same, cancel them. The formula there- of fore is MgO.

II.
$$Mg^{+2} + C1^{-1} \longrightarrow MgC1_2$$

Step 1. Crisscross the valences and drop their signs.

$$Mg + C1$$

$$Mg_1 + C1$$

$$2$$

Step 2. The two valence numbers are different. Drop the (1) because it is understood. Leave the 2. The formula is MgCl₂.

III. Na +
$$(SO_4)^{-2} \longrightarrow Na_2 SO_4$$

Step 1. Crisscross the valences and drop their signs.

$$Na_{2}^{+1} + (SO_{4}^{-2})^{-2}$$
 $Na_{2}^{+} + (SO_{4}^{-1})_{1}$

Step 2. The two valence numbers are different. Drop the (1) because it is understood. Since a number is not needed you may drop the parentheses. Leave the 2. The formula is Na₂SO₄.

IV.
$$\begin{bmatrix} A1 & +3 \\ + & (SO_4) \end{bmatrix} + A1_2(SO_4)_3$$

Step 1. Crisscross the valences and drop their signs.

$$A1^{+3} \div (S0_4)^{-2}$$
 $A1_2 + (S0_4)_3$

Step 2. The two valence numbers are different. Keep both numbers and the parentheses. The formula should read $^{A1}_2(^{S0}_4)_3$.

$$V. (NH_4)^{+1} + (NO_3)^{-1} - NH_4NO_3$$

Step 1. Crisscross the valences and drop their signs.

$$(NH_4)^{+1} + (NO_3)^{-1}$$

 $(NH_4)^{1} + (NO_3)_{1}$

Step 2. When the valence numbers are the same, drop them. Since the numbers are not needed the parentheses may be dropped. The formula is NH₄NO₃.

		11
$\frac{2n^{+2} + C1^{-1}}{a) 2nC1_{2}}$ b) $2n_{2}C1$ c) $C1_{2}Zn$ d) $2nC1$	$ \frac{\text{Ca}^{+2} + 0^{-2}}{\text{a) } \text{CaO}_{2}} $ $ \text{b) } \text{Ca}_{2}^{0}_{2} $ $ \text{c) } \text{OCa} $ $ \text{d) } \text{CaO} $	$\frac{H^{+} + O^{+2}}{a) HO_{2}}$ a) HO_{2} b) $H_{2}O$ c) OH_{2} d) HO
$\frac{K^{+1} + (NO_3)^{-1}}{a) K(NO_3)_2}$ b) $K^{0}NO_4$ c) K_2NO_3 d) KNO_3	$\frac{K^{+1} + (SO_4)^{-2}}{a) KSO_3}$ b) $K(SO_4)_2$ c) K_2SO_4 d) KSO_4	$\frac{\text{A1}^{+3} + (\text{S0}_4)^{-2}}{\text{a) A1}_3(\text{S0}_4^2)_2}$ $\text{b) A1}_2(\text{S0}_4)_3$ $\text{c) A1}_2\text{S0}_7$ d) A1S0_4
$\begin{array}{c} A1^{+3} + (OH)^{-1} \\ a) A1(OH)_{3} \\ b) A1OH_{3} \\ c) A1_{3}OH \\ d) A1_{2}OH \\ e$	$\frac{\text{Na}^{+1} + \text{C1}^{-1}}{\text{a) NaCl}_2}$ b) C1Na c) NaCl $\text{d) Na}_2\text{C1}$ 8	$\frac{Na^{+1} + 0^{-2}}{a) NaO_2}$ b) ONa c) NaO d) Na ₂ O
$\frac{\text{Mg}^{+2} + \text{O}^{-2}}{\text{a) MgO}_{2}}$ $\text{b) Mg}_{2}\text{O}$ c) MgO $\text{d) Mg}_{2}\text{O}_{2}$ 10	$\frac{\text{Mg}^{+2} + (\text{PO}_4)^{-3}}{\text{a)} \text{Mg}_3(\text{PO}_4)_2}$ $\text{b)} \text{Mg}_2(\text{PO}_4)_3$ $\text{c)} \text{Mg}_3^{\text{PO}}_6$ $\text{d)} \text{MgPO}_4$ 11	$\frac{\text{A1}^{+3} + (\text{PO}_4)^{-3}}{\text{a)} \text{A1}_3(\text{PO}_4)_3}$ b) \text{A1PO}_4 c) \text{A1}_3\text{PO}_7 d) \text{A1}_3(\text{PO}_4)_2
$\frac{H^{+1} + S^{-2}}{a) HS_2}$ b) HS c) SH_2 d) H_2S	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{\text{Fe}^{+2} + \text{S}^{-2}}{\text{a)} \text{ Fe}_2^{\text{S}}_2}$ a) $\text{Fe}_2^{\text{S}}_2$ b) Fe_2^{S} c) FeS d) FeS_2

$\begin{array}{cccccccccccccccccccccccccccccccccccc$	(NH ₄) ⁺¹ + (OH) ⁻¹ a) NH ₅ O b) NH ₅ OH c) NH ₄ (OH) ₂ d) NH ₄ OH	$\frac{(NH_4)^{+1} + (CO_3)^{-2}}{a) NH_4(CO_3)_2}$ b) $(NH_4)_2CO_3$ c) NH_6CO_3 d) $(NH_4)_2CO_4$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{c^{+4} + o^{-2}}{a) c_4 o_2}$ b) co_2 c) $c_4 o$	$\frac{c^{+4} + c1^{-1}}{a) \ cc1}$ a) cc1 b) c ₄ c1 c) c ₃ c1 d) cc1 ₄
$\frac{\text{Fe}^{+3} + 0^{-2}}{\text{a)} \text{ Fe}_3^{0}_2}$ a) Fe ₃ 0 ₂ b) Fe0 c) Fe0 d) Fe ₂ 0 ₃ 22	Fe ⁺³ + (OH) ⁻¹ a) Fe ₃ OH b) FeOH ₃ c) Fe(OH) ₃ d) Fe ₃ (OH) ₃ 23	Ag ⁺¹ + s ⁻² a) AgS ₂ b) Ag ₂ S c) AgS d) SAg
$\frac{\text{Ca}^{+2} + \text{I}^{-1}}{\text{a) } \text{Ca}_{2}^{\text{I}}}$ a) Ca_{2}^{I} b) CaI c) $\text{CaI}_{2}^{\text{d}}$ d) $\text{Ca}_{2}^{\text{I}}_{2}$ 25	$\frac{K^{+1} + I^{-1}}{A}$ a) KI b) K_2I c) KI_2 d) K_2I_2	$\frac{(NH_4)^{+1} + I^{-1}}{a) NH_5 I}$ b) NH ₄ I c) NHI d) \((NH_4)_2 I) 27
$\frac{H^{+1} + (SO_4)^{-2}}{a) H(SO_4)_2}$ b) HSO ₄ c) H ₃ SO ₄ d) H ₂ SO ₄ 28	$\frac{Ba^{+2} + (OH)^{-1}}{a}$ a) Ba_2^{OH} b) $Ba(OH)_2$ c) $BaOH_2$ d) $BaOH$	$\frac{c^{+4} + s^{-2}}{a}$. a) CS b) $c_4 s_2$ c) cs_2 d) cs_4 30

WORKSHEET ANSWERS

I.11 Making Chemical Formulas

- 1. a, ZnCl₂
- 2. d, Ca0
- 3. b, н₂о
- 4. d, KNO₃
- 5. c, K₂SO₄
- 6. b, $A1_2(S0_4)_3$
- 7. a, A1(OH)₃
- 8. c, NaCl
- 9. d, Na₂0
- 10. c, MgO
- 11. a, Mg₃(PO₄)₂
- 12. b, AlPO₄
- 13. d, H₂S
- 14. b, A1₂s₃
- 15. c, FeS

- 16. a, Al₂0₃
- 17. d, NH₄OH
- 18. b, $(NH_4)_2 co_3^{\prime\prime}$
- 19. a, CuCl₂
- 20. b, CO_{2...}
- 21: d, CC1₄
- 22. d, Fe₂0₃
- 23. c, Fe(OH)₃
- 24. .b, Ag₂S
- 25. c, CaI₂
- 26. a, KI
- 27. b, NH₄I
- ⁄8. d, н₂so₄
- 29. b, Ba(OH)₂
- ,30. c, cs₂

1 0

$$\frac{1}{2n} + \frac{1}{c1} \cdot \frac{1}{c1}$$

- a) ZnCl₂
 - b) Zn₂C1
 - c) ZnC1

- $Mg^{+2} + (PO_4)^{-3}$
- p) Mg₃(PO₄)₂
- b) $Mg_2(PO_4)_3$
- c) Mg₃PO₆

- $\cdot \underline{c^{+4} + c1^{-1}} \quad < \quad \checkmark$
 - a) CC1
- .b) с₄с1
- c) CC1₄

- $Ca^{+2} + o^{+2}$
- a) CaO₂
- b) Ca₂O₂
- c) CaO

- $A1^{+3} + (P0_4)^{-3}$
- a) A1₃(P0₄)₃
- b) A1P0₄
- c) A1₃PO₇

- $re^{+3} + o^{-2}$
- a) Fe₃0₂
- b) FeO
- c) $Fe_2^0_3$

- $H^{+1} + O^{-2}$
- .a) HO₂
- b) H₂0

- b) HS
- c) H₂S

- $Fe^{+3} + (OH)^{-1}$
- a) Fe₃OH
- b) FeOH₃
- c) Fe(OH)₃

- $\cdot K^{+1} + (NO_3)^{-1}$
- a) $K(NO_3)_2$
- b) K2NO3
 - c) KNO₃

- $A1^{+3} + s^{-2}$
- a) A1₃S₂
- b) A12S3
- c) AlS

- $Ag^{+1} + S^{-2}$
- a) AgS₂
- b) 'Ag₂S
- c) AgS

- $K^{+1} + (SO_4)^{-2}$
- . a) KSO₃
 - b) K(SO₄)₂
 - c) K₂SO₄

- a) Fe₂S₂.
- b) Fe₂S
- c) FeS '

- <u>Ca + 1 1</u>
 - a) Ca₂I
 - b) CaI ,
 - c) CaI₂

15

TGT GAMESHEET: I.11 Making Chemical Formulas

$\frac{\text{A1}^{+3} + (\text{S0}_4)^{-2}}{\text{a) A1}_3(\text{S0}_4)_2}$ $\text{b) A1}_2(\text{S0}_4)_3$ $\text{c) A1}_2\text{S0}_7$	$ \frac{A1^{+3} + 0^{-2}}{a) A1_{2}^{0}_{3}} $ b) A1 ₃ 0 ₂ c) A1)	$\frac{K^{+1} + I^{-1}}{a) KI}$ a) KI b) K_2I c) KI_2
A1 ⁺³ + (OH) ⁻¹ a) A1(OH) ₃ b) A1OH ₃ c) A1 ₃ OH	(NH ₄) ⁺¹ + (OH) ⁻¹ a) NH ₅ OH b) NH ₄ (OH) ₂ c) NH ₄ OH	(NH ₄) ⁺¹ + I ⁻¹ (NH ₄) ⁺¹ + I ⁻¹ (NH ₅ I b) NH ₄ I c) NHI (NH ₄) (NH ₄) (NH ₄) (NH ₄) (NH ₄) (NH ₄) (NH ₄) (NH ₄)
19 Na +1 + C1 -1 a) NaC1 2 b) ClNa c) NaC1	$\frac{(NH)_{4}^{+1} + (CO_{3})^{-2}}{a) NH_{4}(CO_{3})_{2}}$ b) $(NH_{4})_{2}CO_{3}$ c) $NH_{6}CO_{3}$	$\frac{\text{H}^{+1} + (\text{SO}_4)^{-2}}{\text{a) H}(\text{SO}_4)_2}$ b) H ₃ SO ₄ c) H ₂ SO ₄
22 +1 -2 Na + 0 a) NaO b) NaO c) Na O 25	$\frac{\text{Cu}^{+2} + \text{C1}^{-1}}{\text{a) } \text{CuCl}_{2}}$ a) CuCl c) Cu ₂ Cl	24 Ba' + (OH) -1 a) Ba ₂ OH b) Ba(OH) ₂ c) BaOH ₂ 2
$\frac{\text{Mg}^{+2} + 0^{-2}}{\text{a)} \text{ MgO}_2}$ a) MgO_2 b) Mg_2 0 c) MgO	$\begin{array}{c} c^{+4} + 0^{-2} \\ a) c_4^0 \\ b) c_2 \\ c) c_4^0 \\ \end{array}$	$\frac{c^{+4} + s^{-2}}{a) cs}$ a) cs b) $c_4 s_2$ c) cs_2 30

GAMESHEET ANSWERS

1.11 Making Chemical Formulas .

- 1. a, ZnC1₂
- 2. a, Mg₃(PO₄)₂
- 3. c, CC1₄
- 4. c, CaO
- 5. b, A1PO₄
- 6. c, Fe₂0₃
- 7. b, H₂0
- 8. c, H₂S
- 9. c, Fe(OH)
- 10. c, KNO₃
- 11. b, Al₂s₃ <
- 12. b, Ag₂S
- 13. c, K₂SO₄
- 14. c, FeS
- 15. c, CaI₂

- 16. b, A1₂(SO₄)₃
- 17. a, $A1_{2}^{\circ}0_{3}$
- 18. a, KI
- 19. a, Al(OH)
- 20. a, NH₄OH
- 21. b, NH₄I
- 22. c, NaCl
- 23. b, $(NH_4)_2CO_3$
- 24. c, H₂SO₄
- 25. c, Na₂0
- 26. a, CuCl₂
- 27. b, Ba(OH)₂
- 28. c, MgO
- 29. b, co₂
- 30. c, CS₂

TGT PHYSICAL SCIENCE

UNIT: Chemistry

WORKSHEET: Identify the Reaction

Objective: I.12--Students will identify reactions by examining their equations.

Instructions:

This worksheet will help you prepare for the Identify the Reaction Game. Study the "Basic Chemical Reaction" sheet. Identify each reaction as composition, decomposition, replacement, or double replacement. In the tournament you will not use the "Basic Chemical Reaction" sheet, but will choose by multiple choice.

Vocabulary:

composition
compound
decomposition
double replacement
element
equation
radical ion
reaction
replacement
yields (——)

3

· Common Radical List:

- 1. CO₃-Carbonate 4. NO₃-Nitrate
- . ClO₃-Chlorate 5. PO₄-Phosphate
- 3. OH-Hydroxide 6. SO₄-Sulfate

Basic Chemical Reactions

Composition

Decomposition

Examples:

Examples:

Element + Element - Compound

Compound → Element + Element

a + b -> al

ab 🛶 a + b

Fe + S → FeS

 $2 \text{HgO} \longrightarrow 2 \text{Hg} + 0_2$

Replacement

Example:

Element + Compound → Element + New Compound

$$a + bc \rightarrow b + ac$$

Fe + CuCl₂
$$\rightarrow$$
 Cu + FeCl₂

or

$$a + bxy \longrightarrow b + axy$$

$$zn + H_2SO_4 \longrightarrow H_2 + . znSO_4$$

Double Replacement

Example:

Compound + Compound → New Compound + New Compound

$$ab + cd \rightarrow cb + ad$$

$$Na_2S + CuCl_2 \longrightarrow CuS + 2NaCl$$

or

$$KC1 + AgNO_3 \longrightarrow AgC1 + KNO_3$$

TGT WORKSHEET: 1.12 Identify the Reaction

Hydrogen Chloride + Zinc → Hydrogen + Zinc Chloride a) composition b) decomposition c) replacement d) double replacement	Mercuric Oxide -> Mercury + Oxygen a) composition b) decomposition c) replacement d) double replacement	Carbon + Oxygen -> Carbon Dioxide a) composition b) decomposition c) replacement d) double replacement
Water -> Hydrogen + Oxygen a) composition b) decomposition c) replacement d) double replacement	Copper + Silver Nitrate> Silver + Copper Nitrate a) composition b) decomposition c) replacement d) double replacement	Calcium Chloride + Sodium Carbonate -> Sodium Chloride + Calcium Carbonate a) composition b) decomposition c) replacement d) double replacement
Sodium + Chlorine	Bromine + Sodium Iodide -> Iodine + Sodium Bromide a) composition b) decomposition c) replacement d) double replacement	Copper Chloride Copper + Chlorine a) composition b) decomposition c) replacement d) double replacement
Sodium Sulfide + Copper Chloride> Copper Sulfide + Socium Chloride a) composition b) decomposition c) replacement d) double replacement	Iron + Sulfur → Iron Sulfide a) composition b) decomposition c) replacement d) double replacement	Hydrogen Chloride + Sodium Hydroxide → Sodium Chloride + Water a) composition b) decomposition c) replacement d) double replacement
Iron + Hydrogen Sulfate Hydrogen + Iron Sulfate a) composition b) decomposition c) replacement d) double replacement	Potassium + Iodine> Potassium Iodide a) composition b) decomposition c) replacement d) double replacement	(Nitric, Acid) Hydrogen Nitrate + Potassium Hydroxide → Potassium Nitrate + Water a) composition b) decomposition c) replacement d) double replacement

TGT WORKSHEET: 1.12 Identify the Reaction

Silver Oxide \rightarrow Silver + Oxygen a) composition b) decomposition c) replacement d) double replacement			
Cucl $\frac{1}{2}$ Cu + Cl $\frac{1}{2}$ a) composition b) decomposition c) replacement d) double replacement 19 20 21 HNO $\frac{1}{2}$ + CN $\frac{1}{2}$ + Cl $\frac{1}{2}$ - Cu + FeCl $\frac{1}{2}$ a) composition b) decomposition c) replacement d) double replacement 19 20 21 HNO $\frac{1}{2}$ + KOH $\frac{1}{2}$ KNO $\frac{1}{3}$ + H2O a) composition b) decomposition c) replacement d) double replacement 21 Example of the first content of the composition b) decomposition c) replacement d) double replacement d) double replacement 22 Example of the first content of the composition b) decomposition c) replacement d) double replacement d) double replacement 22 Example of the first content of the composition b) decomposition c) replacement d) double replaceme	Oxygen a) composition b) decomposition c) replacement	a) compositionb) decompositionc) replacement	a) composition b) decomposition c) replacement
a) composition b) decomposition c) replacement d) double replacem	16	. 17	18
$19 \hspace{1cm} 20 \hspace{1cm} 21$ $19 \hspace{1cm} 20 \hspace{1cm} 21$ $19 \hspace{1cm} 20 \hspace{1cm} 21$ $10 \hspace{1cm} 20 \hspace{1cm}$	a) compositionb) decompositionc) replacement	a) composition b) decomposition c) replacement	a) composition b) decomposition c) replacement
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	u) doubte replacement	,	• •
a) composition b) decomposition c) replacement d) double replacement $ \begin{array}{ccccccccccccccccccccccccccccccccccc$. 19	20	21
b) decomposition c) replacement d) double replacement	$\text{HNO}_3 + \text{KOH} \longrightarrow \text{KNO}_3 + \text{H}_2\text{O}$	2H ₂ O → 2H ₂ + O ₂	HCi + NaOH \rightarrow NaCl + H ₂ O
Fe + S \rightarrow FeS a) composition b) decomposition c) replacement d) double replacement d) double replacement 25	b) decompositionc) replacement	b) decompositionc) replacement	b) decompositionc) replacement
a) composition b) decomposition c) replacement d) double replacement 25 BaCl ₂ + Na ₂ SO ₄ → 2NaCl + BaSO ₄ a) composition b) decomposition c) replacement d) double replacement a) composition c) replacement d) double replacement c) replacement d) double replacement a) composition c) replacement c) replacement d) double replacement c) replacement d) double replacement c) replacement d) double replacement d) double replacement d) double replacement d) double replacement d) double replacement	. 22	23	. 24
d) double replacement 25 26 27 $Cl_{2} + 2KI \longrightarrow I_{2} + 2KC1$ a) composition b) decomposition b) decomposition c) replacement d) double replacement d) double replacement d) double replacement d) double replacement d) double replacement d) double replacement d) double replacement d) double replacement d) double replacement d) double replacement	a) composition b) decomposition c) replacement	a) composition ,b) decomposition	a) composition b) decomposition
C1 ₂ + 2KI \longrightarrow I ₂ + 2KC1 BaCl ₂ + Na ₂ SO ₄ \longrightarrow 2NaCl + BaSO ₄ a) composition b) decomposition c) replacement c) replacement d) double replacement d) double replacement d) double replacement $ \begin{array}{c} BaCl2 + Na2SO4 \longrightarrow 2NaCl + 3O2 \\ BaSO4 a) composition b) decomposition c) replacement c) replacement d) double replacement$		d) double replacement {	d) double replacement
a) composition b) decomposition c) replacement d) double replacement d) double replacement a) composition b) decomposition c) replacement c) replacement d) double replacement d) double replacement c) replacement d) double replacement	. 25	. 26	27
b) decomposition c) replacement d) double replacement d) double replacement b) decomposition c) replacement c) replacement d) double replacement d) double replacement c) replacement c) replacement d) double replacement	C1 ₂ + 2KI -> I ₂ + 2KC1	$BaCl_2 + Na_2SO_4 \longrightarrow 2NaCl + BaSO_4$	2KClo ₃ → 2KCl + 3O ₂
28 122 29 30	b) decompositionc) replacement	b) decompositionc) replacement	b) decompositionc) replacement
	28	122 29	30

WORKSHEET ANSWERS

I.12 Identify the Reaction

1.	c)	replacement	-

- 2. b) decomposition
- 3. a) composition
- 4. b) decomposition '
- 5. c) replacement
- 6. d) double replacement
- 7. `a) composition
- 8. c) replacement
- 9. b) decomposition
- 10. d) double replacement
- 11. a) composition
- 12. a) double replacement
- 13. c) replacement,
- 14. a) composition
- 15. d) double replacement

- 16. b) decomposition
- 17. d) double replacement
- 18. a) composition
- 19. b) decomposition
- 20. c) replacement
- 21. c) replacement
- 22. d) double replacement
- 23. b) decomposition \cdot
- 24. d) double replacement
- 25. a) composition
- 26. c) replacement
- 27. b) decomposition
- 28. c) replacement
- 29. d) double replacement
- 30. b) decomposition

TGT GAMESHEET: 1.12 Identify the Reaction

·		1
2HC1 + Zn -> ZnC1 ₂ + H ₂ a) composition b) decomposition c) replacement d) double replacement	C + 0 ₂ -> C0 ₂ a) composition b) decomposition c) replacement d) double replacement	Potassium Chloride + Silver Nitrate -> Silver Chloride + Potassium Nitrate a) composition b) decomposition c) replacement d) double replacement
2H ₂ 0 → 2H ₂ + O ₂ a) composition b) decomposition c) replacement d) double replacement	Calcium Chloride + Sodium Carbonate -> Sodium Chloride + Calcium Carbonate a) composition b) decomposition c) replacement d) double replacement	Hydrogen + Oxygen ->Water a) composition b) decomposition c) replacement d) double replacement
Sodium + Chlorine Sodium Chloride a) composition b) decomposition c) replacement d) double replacement	Copper Chloride — Copper + Chlorine a) composition b) decomposition c) replacement d) double replacement	Fe + 2HCl → H ₂ + FeCl ₂ a) composition b) decomposition c) replacement d) double replacement
7	. 8	9
HC1 + NaOH → NaCl + H ₂ O a) composition b) decomposition c) replacement d) double replacement	Water	Sodium Sulfide + Copper Chloride -> Copper Sulfide + Sodium Chloride a) composition b) decomposition c) replacement d) double replacement
10	. 11	12
Fe + H ₂ SO ₄ → H ₂ + FeSO ₄ a) composition b) decomposition c) replacement d) double replacement	BaCl ₂ + Na ₂ SO ₄ \rightarrow 2NaCl + BaSO ₄ a) composition b) decomposition c) replacement d) double replacement	HNO ₃ + KOH → KNO ₃ + H ₂ O a) composition b) decomposition c) replacement d) double replacement
. 13	1.64 14	. 15

TGT GAMESHEET: 1.12 Identify the Reaction

Iron + Sulfur → Iron Sulfide a) composition b) decomposition c) replacement d) double replacement d) double replacement 16 17 18 CuCl ₂ → Cu + Cl ₂ a) composition b) decomposition c) replacement d) double replacement		<u> </u>	<u>′</u>
CuCl ₂ → Cu + Cl ₂ a) composition b) decomposition c) replacement d) double replacement 19 20 21 Br ₂ + NaI → l ₂ + NaBr A) composition b) decomposition c) replacement d) double replacement	a) composition b) decomposition c) replacement	Oxygen a) composition b) decomposition c) replacement	(a) compositionb) decompositionc) replacement
CuCl ₂ → Cu + Cl ₂ a) composition b) decomposition c) replacement d) double replacement 19 20 21 Br ₂ + NaI → I ₂ + NaBr A) composition b) decomposition c) replacement d) double replacement	16	17	18
Br ₂ + NaI → 1 ₂ + NaBr a) composition b) decomposition c) replacement d) double replacement 22 Copper + Silver Nitrate → Silver + Copper Nitrate a) composition b) decomposition c) replacement d) double replacement	CuCl ₂ — Cu + Cl ₂ a) composition b) decomposition c) replacement	Fe + CuCl ₂ -> Cu + FeCl ₂ a) composition b) decomposition c) replacement	a) composition b) decomposition c) replacement
Br ₂ + NaI → I ₂ + NaBr a) composition b) decomposition c) replacement d) double replacement 22 Copper + Silver Nitrate → Silver + Copper Nitrate a) composition b) decomposition c) replacement d) double replacement		20	. 21
Silver + Copper Nitrate a) composition b) decomposition b) decomposition c) replacement d) double replacement 25 26 27 Hydrogen Nitrate + Potassium Hydroxide -> Potassium Nitrate + Water a) composition b) decomposition c) replacement 28 28 27 ZKClo -> 2KCl + 30 -> Potassium Nitrate + Water a) composition b) decomposition c) replacement c) replacement d) double replacement c) replacement d) double replacement d) double replacement d) double replacement d) double replacement d) double replacement d) double replacement	a) composition b) decomposition c) replacement d) double replacement	Oxygen a) composition b) decomposition c) replacement d) double replacement	Hydroxide → Sodium Chloride + Water a) composition b) decomposition c) replacement d) double replacement
Hydrogen Nitrate + Potassium Hydroxide Potassium Nitrate + Water a) composition a) composition b) decomposition c) replacement d) double replacement d) double replacement Iron + 0xygen a) composition b) decomposition c) replacement d) double replacement d) double replacement iverals a composition c) replacement d) double replacement d) double replacement	Silver + Copper Nitrate a) composition b) decomposition c) replacement d) double replacement	 a) composition b) decomposition c) replacement d) double replacement 	a) composition b) decomposition c) replacement d) double replacement
28 (2) 29 30	Hydrogen Nitrate + Potassium Hydroxide> Potassium Nitrate + Water a) composition b) decomposition c) replacement	a) compositionb) decompositionc) replacement	a) compositionb) decompositionc) replacement

GAMESHEET ANSWERS

I.12 Identify the Reaction

1.	c)	replacement
	~ /	reproductie

- 2. a) composition
- 3. d) double replacement
- 4. b) decomposition
- 5. d) double replacement
- 6. a) composition
- 7. a) composition :
- 8. b) decomposition
- 9. c) replacement
- 10. d) double replacement
- 11. b) decomposition
- 12. d) double replacement
- 13. c) replacement
- 14. d) double replacement
- 15. d) double replacement

- 16. a) composition
- 17. b) decomposition
- 18. b) decomposition
- 19. b) decomposition
- 20. c) replacement
- 21. c) replacement
- 22. c) replacement
- 23. b) decomposition
- 24. d) double replacement
- 25. c) replacement
- 26. a) composition
- 27. a) composition
- 28. d) double replacement
- 29. b) decomposition
- 30. a) composition

TGT PHYSICAL SCIENCE

UNIT: Chemistry

WORKSHEET: Organic and Inorganic Formulas

Objective: 1.13--a. Students will construct a simple molecular formula when given the structural formula.

b. Students will identify a given structural formula as-being either organic or inorganic.

Instructions:

This worksheet will help you prepare for the Organic and Inorganic Formulas Game. A structural formula is presented in each item. For items 1-15, write the simple molecular formula for each molecule or compound. For items 16-30, identify each molecule or compound as being organic or inorganic. In the tournament, you will be expected to identify each formula as organic or inorganic and give the molecular formula.

Vocabulary:

bond
inorganic compound
organic compound
simple molecular formula
structural formula

<u> </u>	1.15 Organic and Inst	- Barre Tormoras
Na-C1	H _O H	o c
1	2	3
c1—c—c1 c1	Cu-S	H H H-C-C-H H H
4	5	
o si	Н Н Н — С — С — ОН	K−I
7	. 8	. , 9
H	0-0	Ag-S-Ag
10	11	12
Н О І НО — А1 — 'ОН	H H H O O O H—C—C—H I I I H H H	H-S-H '.
13	128 14	15

TGT WORKSHEET: 1.13 Organic and Inorganic Formulas

, , a , , , , , , , , , , , , , , , , ,		·
H S	Na-Cl	, o s
		,
16	f 17	. 18
. Н Н—С—Н Н	0-0	н н н—с—с—он
	20	21
H-S 'H	H H H	Si ⁰
		i d
22	23	24
C1 C1— C— C1	Cu-S	K-I
. C1		. ,
3 25.	26	27
OH HO—AL—OH	H H H O O O	Ag Ag
	190 29	30
ERIC Predictor revision by (10)	130	

WORKSHEET ANSWERS

I.13 Organic and Inorganic Formulas

- 1. NaCl
- 2. H₂O
- 3. co₂
- 4. CC1₄
- 5. CuS
- 6. _{C2}H₆
- 7. SiO₂
- . 8. с₂н₅он
 - 9. KI
- 10'. CH₄
- 11. 0,
- 12. Ag₂S
- 13. A1(OH)₃
- 14. C₃H₅OH₃
- 15. H₂S

- 16. inorganic
- 17. inorganic
- 18. inorganic
- 19. organic
- 20. inorganic
- 21. organic
- 22. inorganic
- 23. organic
- 24. inorganic
- 25. organic
- 26. inorganic
- 27. inorganic
- 28. inorganic
- 29. organic
- 30. inorganic

.TGT GAMESHEET: 1.13 Organic and Inorganic Formulas

Na-OH Na-OH K-Cl HO — Al—OH HO — Al—OH A HO — Al—OH T T T T T T T T T T T T T					
Na-OH K-C1 H O H O H O H O H O H O H O H O H O H		H—C—C—C—H	c1 — c — c1		
Na-OH K-C1 H O H O H O H O H O H O H O H O H O H		2	3		
H H H H H H H H H H H H H H H H H H H	Na-OH	^ K-C1	но — А1 — он		
H - C - H H - C - C - C - C - C - C - C			` 6		
H H H C C C OH H H H H H H H H H H H H H	H — C — H	O _{Si} O	H-C-C-C=C		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	7	8	9		
H - C = C $H - C - C - H$ $H - C - C - H$ $H - H$					
13	$\begin{array}{c} H \\ C - C \\ C - H \end{array}$	H H H H H H H H H H H H H H H H	·		
	ERIC 13		15		

	*	
н	К-ОН	C1
) C1
. 16	17	18
H-C-C-C-H	Na-C1	H H H C C H H H H H H H H H
. 19	20	. 21
, н _о н	Н Н — С — ОН	K-I
•	н	
. 22	. 23	24
C1 C1 Fe C1	H H — C — C == C — H - H	C1 HCC1 H
. 25	26	. 27
Mg=0 *	I-Ca-I	H-C≡C-H
28	132	30

GAMESHEET ANSWERS

I.13 Organic and Inorganic Formulas

- 1. inorganic HC1
- 2. organic $C_3H_5(H)_3$
- 3. organic CC1,
- 4. inorganic NaOH
- 5. inorganic K-Cl
- 6. inorganic Al(OH)₃
- 7. organic CH
- 8. inorganic SiO,
- 9. organic C4H8
- 10. organic C_2H_5OH
- 11. inorganic CuS
- 12. inorganic Ag₂S
- 13. organic C_6H_6
- 14. organic C₂H₆
- 15. inorganic SO₂

- 16. inorganic H₂S
- 17. inorganic KOH
- 18. organic CHCl3
- 19. organic C3H6
- 20. inorganic NaCl
- 21. organic C₂H₄
- 22. inorganic H₂0
- 23. organic CH₃OH
- 24. inorganic KI
- 25. inorganic FeCl₃
- 26. organic C3H4
- 27. organic CH₂Cl₂
- 28. inorganic MgO
- 29. inorganic CaI₂
- 30. organic $C_2^H_2$

TGT PHYSICAL SCIENCE

UNIT: Chemistry

WORKSHEET: Chemistry Vocabulary Review

Objective: I.14--Students will define chemistry unit terms.

Instructions: This worksheet will help you prepare for the Chemistry Vocabulary Review Game. In items 1-15, choose the correct answer from the choices provided. In items 16-29, read the definition and unscramble the underlined word which is defined. Refer to the vocabulary list below to help you with items 16-29. In the tournament game, you will be asked to read a statement to determine if it is true or false. If it is false you must replace the underlined word with the correct answer.

Vocabulary:

neutron atomic weight or mass number non-metal atomic number orbit apparatus periodic table compound precipitate crystals proton electron radical ion electron cloud scientific law equation solute energy level solution formula solvent metal suspension mixture symbol molecule theory nucleus



TGT WORKSHEET: 1.14 Chemistry Vocabulary Review

A solute dissolved in a A mixture containing particles of insoluble material too tiny solvent forms a(n) Elements that gain electo settle to the bottom, yet trons when interacting chem-• big enough to make the liquid ically with other elements. look muddy or milky instead a) compound of clear. ' b) element a) metals b) noble gases c) suspension a) suspension c) precipitate d) solution c) non-metals d) compound b) solution A substance formed by the. The name of the particle of A chemical reaction an element that takes part chemical combination of two expressed with chemical or more elements. in a chemical reaction. symbols. a) element a) atom a) element b) compound b) electron b) compound c) mixture c) molecule c) equation d) solution d) proton d) formula The smallest particle of a One or two letters which A positively charged substance still having the represent an element. particle found in the chemical properties of that nucleus of an atom. a) formula substance. b) symbol a) orbit c) equation b) electron a) atom b) electron c) neutron c) molecule d) proton d) proton The part of the atom that An ion composed of two or An element that gives up more atoms that acts as a its electrons when intercontains the protons and single unit in ∞hemical acting chemically with neutrons. interactions. other elements. a) electron cloud a) element a) metal b) the hub b) compound b) noble gas c) the nucleus c) mixture c) non-metal d) radical d) orbit Two or more chemical sub-An insoluble substance that A particle outside the stances combined physically. forms during a chemical nuclei of atoms with a negative charge. reaction. a) element a) electron a) solvent b) compound b) proton b) solute c) mixture c) noble gas d) solution c) neutron d) precipitate. d) orbit

<u> 135</u>

TGT WORKSHEET: 1.14 Chemistry Vocabulary Review

A particle in the atomic nucleus, that has no electrical charge and is equal in mass to the proton. NTRONEU	The path an electron takes in its movements around the nucleus of an atom. BROTI	An object whose atoms and molecules have a definite arrangement. RYCTALS
. 16	17	· 18
A space around the nucleus of an atom, showing the general location of electrons.	A machine or piece of equipment.	The MICTAO BERNUM of an element is equal to the number of protons in the nucleus of an atom.
• •		
19	20	21
An arrangement of chemical symbols and numbers that shows the number and kinds of atoms in a compound. RMFOLAU	The amount of energy which electrons have in a given shell around the nucleus of the atom. GYENER LELEV	The arrangement of the elements in the order of their atomic numbers. IODPERIC BLETA
. 22	23	24
The MICTAO EIWGTH of an element is approximately equal to the sum of the masses of the protons and neutrons in the nucleus of an atom.	A substance, usually a liquid, that will dissolve a solute. TNEVLOS	An explanation backed up by many experiments; an explanation that seems to work most of the time; a generalization. TIFSCIENIC AWL
25	26	27
An explanation based on some facts; to be tested again and again by experiment. HEOTRY	The substance that will dissolve in a solvent; to form a solution.	
28	- ₂₉	
0	. 136	
ERIC	. = 70	



WORKSHEET ANSWERS

I.14 Chemistry Vocabulary Review

•	١.		
1.	\sim 1	non-metal	ı
- •	· ·	HOH INC Ca	_

- 2. d) solution
- 3. a) suspension
- 4. c) equation
- 5. a) atom
- 6. b) compound
- 7. d) proton
- 8. c) molecule
- 9. b) symbol
- 10. a) metal
- 11. c) nucleus
- 12. d) radical
- 13. a) electron
- 14. d) precipitate
- 15. c) mixture

- 16. neutron
- 17. orbit
- 18. crystal
- 19. shell
- 20. apparatus
- 21. atomic number
- 22. formula
- 23. energy level
- 24. periodic table
- 25. atomic weight
- 26. solvent.
- 27. scientific law
- 28. theory
- 29. solute



TGT GAMESHEET: 1.14 Chemistry Vocabulary Review

*	The smallest particle of a substance still having the chemical properties of that substance is an atom. True-False	A theory is an explanation based on some facts; to be tested again and again by experiment. True-False	An element that gives up its electrons when interacting chemically with other elements is classified as a non-metal. True-False
	An arrangement of chemical symbols and numbers that shows the number and kinds of atoms in a compound is called a <u>formula</u> . True-False	A <u>compound</u> is a substance formed by the chemical combination of two or more elements. True-False	A chemical equation is an expression that tells by formula and symbols what happens during a chemical reaction. True-False
			,
	4	5	6
	Two or more chemical substances combined physically is called a <u>compound</u> . True-False	The atomic weight of an element is equal to the number of protons in the nucleus of an atom. True-False	A mixture containing particles of insoluble material too tiny to settle to the bottom, yet big enough to make the liquid look muddy or milky instead of clear is called a suspension. True-False
	. 7	8	9
	The atomic number of an element is approximately equal to the sum of the masses of the protons and neutrons in the nucleus of an atom. True-False	The amount of energy which electrons have in a given shell around the nucleus of the atom is the energy level. True-False	A <u>solvent</u> is a substance, usually a liquid, that will dissolve a solute. True-False
	10	. 11	12
	An <u>electron</u> is a particle in the atomic nucleus that has no electrical charge and is equal in mass to the proton. True-False	A <u>proton</u> is a positively charged particle found in the nucleus of an atom. True-False	The precipitate is the substance that will dissolve in a solvent; to form a solution. True-False
	. 13	14	15
DI	15		
		135	

TGT GAMESHEET: 1.14 Chemical Vocabulary Review

The <u>atom</u> is the particle of an element that takes part in a chemical feaction. True-False	One or two letters which represent an element is called a formula. True-False	A solid whose atoms or molecules have a definite arrangement is called a crystal. True-False
An <u>orbit</u> is the path an electron takes in its movements around the nucleus of an atom. True-False	A shell is the space around the nucleus of an atom, showing the general location of electrons. True-False	Elements that gain electrons when interacting chemically with other elements are classified as metals. True-False
19	20	
An ion composed of two or more atoms that acts as a single unit in chemical interactions is called a compound. True-False	A <u>solution</u> is a mixture of a solute dissolved in a solvent. True-False	The arrangement of the elements in the order of their atomic numbers is called the <u>periodic table</u> . True-False
22	23	24
The part of the atom that contains the protons and neutrons is called the hub. True-False	A machine or piece of equipment is called an apparatus. True-False	A scientific law is an explanation backed up by many experiments; an explanation that seems to work most of the time; a generalization. True-False
25	26	27
A particle outside the nucleu of atoms with a negative charge is called a neutron. True-False	An insoluble substance that forms during a chemical reaction is called the solute. True-False	
28	• 29	
EBIC.	139	

GAMESHEET ANSWERS

I.14 Chemistry Vocabulary Review

	1.	False.	molecule
--	----	--------	----------

- 2. True
- 3. False, metal
- 4. True
- 5. True
- 6. True
- 7. False, mixture
- 8. False, atomic number
- 9. True -
- 10. False, atomic weight (mass number)
- 11. True
- 12. True
- 13. False, neutron
- 14. True
- 15. False, solute

- 16. True
- 17. False, symbol
- 18. True
- 19. True
- 20. True
- 21. False, non-metals
- 22. False, radical
- 23. True
- 24. True
- 25. False, nucleus
- 26. True
- 27. True
- 28. False, electron
- 29. False, precipitate

TGT PHYSICAL SCIENCE

UNIT: Work, Force and Motion

WORKSHEET: Simple Machines

Objective: II.1--a. Students will identify practical examples of levers.

Students will compute the IMA, AMA, and efficiency of a lever system by applying the formulas.

Instructions: This worksheet will help you prepare for the Simple Machines Game. In numbers 1-15, use the information found on the diagram sheet and answer the questions. In numbers 16-30, identify the picture as a 1st, 2nd or 3rd class lever.

Vocabulary:

actual mechanical advantage (AMA)
efficiency
effort arm
fulcrum
ideal mechanical advantage (IMA)
resistance
resistance arm







Example


Formulas: IMA =
$$\frac{\text{Effort Arm}}{\text{Resistance Arm}} = \frac{7}{5} = 1.4$$


AMA = $\frac{\text{Resistance}}{\text{Effort}} = \frac{350}{270} = 1.3$
Efficiency = $\frac{\text{AMA}}{\text{IMA}} = \frac{1.3}{1.4} = .9$



Use these diagrams to solve the worksheet problems.








TGT WORKSHEET: II.1 Simple Machines

In diagram A the lever is: a. lst class b. 2nd class c. 3rd class	In diagram A the IMA is: a. 3 b. 4 c. 2	In diagram A the AMA is: a. 3 b. 3.2 c. 2.7
. 1	2 .	3
In diagram A the efficiency is: a. 1 b6 c9	In diagram B the lever is: a. 1st class b. 2nd class c. 3rd class	In diagram B the IMA is: a. 1.3 b7 c5
4	5	6
In diagram B the AMA is: a6 b. 1.6 c5	In diagram B the efficiency is: a. 1 b8 c. 1.3	In diagram C the lever is: a. lst class b. 2nd class c. 3rd class
7	8	9
In diagram C the IMA is: a. 2 b. 3 c. 4	In diagram C the AMA is: a: 3.8 b. 4.2 c. 3.5	In diagram C the efficiency is: a. 1.2 b6 c9
10	11	12
The efficiency of a lever will; a. never be greater than 1 b. equal 1 c. be greater than 1	In diagram A, if the effort arm was increased to 8 ft., the amount of effort needed would: a. increase b. decrease c. stay the same	In diagram C, if the resistance arm was changed to 4, the effort needed would: a. increase b. decrease c. stay the same



WORKSHEET ANSWERS


II.1 Simple Machines


1. b) 2nd cl	ass
--------------	-----


- 2. a) 3'
- 3. c) 2.7
- 4. c) .9
- 5. c) 3rd class
- 6. b) .7
- 7. a) .6
- 8. b) .8
- 9. a) 1st class
- 10. c) 4
- 11. a\ 3.8
- 12. c) .9
- 13. a) never greater than 1
- 14. b) decrease
- 15. a) increase

- 16. 2nd
- 17. lst
- 18. 1st
- 19. 3rd
- 20. lst
- 21. 2nd
- 22. 1st
- 23. 2nd
- 24. 1st
- 25. 3rd
- 26. 3rd
- 27. 1st
- 28. 1st
- 29. 3rd
- 30. 2nd

For Use with Gamesheet II.1








TGT GAMESHEET: II.1 Simple Machines

In diagram A the lever is: a. lst class b. 2nd class c. 3rd class	In diagram A the IMA is: a. 3 b. 4 c. 2	In diagram A the AMA is: a. 3 b. 3.2 c. 2.2
In diagram A the efficiency is: a. 1 b5 c7	In diagram B the lever is: a. 1st class b. 2nd class c. 3rd class	In diagram B the IMA is: a. 1.3 b6 c5
In diagram B the AMA is: a5 b. 1.6 c7	In diagram B the efficiency is: a. 1 b8 c5	In diagram C the lever is: a. lst class b. 2nd class c. 3rd class
• In diagram C the IMA is: a. 2 b. 3 c. 4	In diagram C the AMA is: a. 3.2 b. 4.2 c. 3.8	In diagram C the efficiency is: a. 1 b6 c8
The efficiency of a lever will: a. never be greater than 1 b. equal 1 c. be greater than 1	In diagram A, if the effort arm was increased to 10 ft., the amount of effort needed would: a. increase b. decrease c. stay the same	In diagram C, if the resistance arm was changed to 4, the effort needed would: a. increase b. decrease c. stay the same



GAMESHEET ANSWERS

II.1 Simple Machines

30. 1st

1.	b) 2nd class	16.	lst
2.	a) 3	17.	2nd
3.	c) 2.2	18.	lst
4.	c) .7	19.	lst
5.	c) 3rd class	20.	3rd
6.	b) .6	21.	2nd
7.	a) .5	22.	2nd
8.	b) .8	23.	2nd
9.	a) lst class	24.	lst
10.	c) 4 .	25.	3rd
11.	a) 3.2	26.	lst
12.	c) .8	27.	lst
13.	a) never greater than 1	28.	3rd
14.	b) decrease	29.	3rd

15. a) increase

₹

TGT PHYSICAL SCIENCE

UNIT: Work, Force and Motion

s

WORKSHEET: Ideal Mechanical Advantage (IMA)

Objective: II.2--a. Students will compute the IMA of simple mechines.

- b. Students will match IMA formulas with the proper machine.
- c. Students will identify factors that affect the IMA of a simple machine.

Instructions:


This worksheet will help you prepare for the Ideal Mechanical Advantage Game. In questions 1-10, read the statement and choose the correct answer. In questions 11-30, look at the diagram and choose the correct IMA. A formula and example sheet is provided for the practice session only, not for the tournament.

Vocabulary:

effort force formula friction fulcrum inclined plane pulley resistance force wheel and axle



Formulas and Examples






TGT WORKSHEET: II.2.IMA (Ideal Mechanical Advantage)

The IMA of a lever is found by	The class lever cannot have an IMA of less than 1.	The IMA of an inclined plane is found by using the formula
a) <u>Resistance</u> Effort	a) lst	a) <u>I.</u>
b) Effort Arm Resistance Arm	b) 2nd	b) H x I.
	c) 3rd	c) II
c) Resistance Arm Effort Arm 1	2	3
If the IMA of a machine is 4, how much effort will it take to lift 100 lb?	If the IMA of a machine decreases it will take effort to lift 100 lb.	If the IMA of a machine is 1, how much effort will it take to lift 100 lb?
a) 200 lb	a) more	a) 200 lb .
b) 100 1b	b) the same	b) 150 lb
c) 50 lb.	c) less	с) 50 1ь
d) 25 lb 4	5	d) 100 lb6_
If the IMA of a machine is 2, how much effort will it take to lift 100 lb?	If the IMA is .5, how much effort will it take to lift 100 lb?	Due to the HMA will always differ from the IMA.
a) 200 lb	a) 200 lb	a) gravity
b) 100 1b	b) 100 lb	b) friction
c) 50 lb	c) 50 lb	c) inertia
d) 25 1b 7	d) 25 lb 8	9 /
The IMA of a class lever can never be greater than 1.	$ \begin{array}{c c} \hline P & E \downarrow \\ \hline -2ft \rightarrow 4ft \longrightarrow \end{array} $	<u>←2ft.—R</u> <u>E</u> ↑
b) 2nd	a) 4 c) l	a) 3 c) 4
c) 3rd	F) 5 4) 2	h) 2 d) 5
10	b) . 3 d) 2 11	12
D=3 D=12 a) 3 b) 2 c) 4	R Att	E a) 3 b) 2 c) 4
(d) 1		(R)
[R] E 13	a) 3 b) 2 c) 4 d) 5	15
ERIC IS 1	1)~	

TGT WORKSHEET: II.2 IMA (Ideal Mechanical Advantage)



WORKSHEET ANSWERS


II.2 IMA (Ideal Mechanical Advantage)

1.	(b) -	Effort Arm Resistance Arm	16.	(a)	1
2.	(b)	2nd	17.	(c)	3
3.	(a)	<u>L</u> H	18.	(d)	1
4.	(d)	25 lb	19.	(b)	2
5.	(a)	more	20.	(c)	3
6.	(d)	100 1ь	21.	(b)	.5
7.	(c)	50 lb	22.	(c)	3
8.	(a)	200 1ь	23.	(a)	2
9.	(b)	friction	24.	(d)	5
10.	(c)	3rd	25.	(b)	4
11.	(b)	2	26:	(a)	2
12.	(a)	3	27.	(a)	3
13.	(c)	4	28.	(d)	2
14.	(b)	2	29.	(a)	4
15.	(b)	2 .	30.	(b)	5

TGT GAMESHEET: II.2 IMA (Ideal Mechanical Advantage)

ERIC'	155	
E a) 3 b) 2 c) 4 d) 1 R	D=3 D=12 a) 3 b) 2 c) 4 d) 1 R E 14	a) 3 b) 2 c) 4 d) 1
a) ₆ 3 c) 4 b) 2 d) 5 10	b) 2nd, c) 3rd 11	a) 4 c) 5 b) .5 d) 2 12
<u>←2ft.—R</u> <u>·E</u> ↑	The IMA of a class lever can never be greater than 1.	$\begin{array}{c c} & & & & \\ \hline & & & & \\ \hline \leftarrow 2 & & & \\ \hline \end{array}$
7	c) 50 1b d) 25 1b 8	c) 50 lb d) 25 lb . 9
b) friction c) inertia	ь) 100 1ь	b) 100 1b
a) gravity	to lift 100 lb?	100 lb? a) 200 lb
Due to the HMA will always differ from the IMA.	If the IMA of a machine is 4, how much effort will it take	If the IMA is .5, how much effort will it take to lift
c) 50 15 d) 25 1b_` 4	c) 50 lb d) 25 lb 5	6
b) 100 1b	b) 100 lb	
a) 200 lb	a) 200 lb	
If the IMA of a machine is 1, how much effort will it take to lift 100 lb?	If the IMA of a machine is 2, how much effort will it take to lift 100 lb?	If the IMA of a machine decreases it will take effort to lift 100 lb.
L 1.	Effort Arm 2	3
b) H x L c) <u>H</u>	Resistance Arm c) Resistance Arm	b) 2nd c) 3rd
a) $\frac{L}{H}$	b) Effort Arm	a) lst
plane is found by using the formula	a) <u>Resistance</u> Effort	cannot have an IMA of less rhan l.
The IMA of an inclined	The IMA of a lever is found by	Theclass lever

TGT GAMESHEET: II.2 IMA (Ideal Mechanical Advantage)



GAMESHEET ANSWERS

II.2 IMA (Ideal Mechanical Advantage)

- 1. (a) $\frac{L}{H}$
- 2. (b) Effort Arm Resistance Arm
- 3. (b) 2nd
- 4. (b) 100 lb
- ·5. (c) 50 lb
- 6. (a) more
- 7. (b) friction
- 8. (d) 25 lb
- 9. (a) 200 lb
- 10. (a) 3
- 11. (c) 3rd
- 12. (d) 2
- 13. (b) 2
- 14. (c) 4
- 15. (b) 2

- 16. (d) 1
- 17. (c) 3
- 18. (a) 1
- 19. (c) 2
- 20. (b) 3
- 21. (d) .5
- 22. (c) 3
- 23. (a) 2
- 24. (a) 5
- 25. (c) 4
- 26. (a) 2
- 27. (d) 3
- 28. (b) 2
- 29. (b) 4
- 30. (d) 5

TGT PHYSICAL SCIENCE

UNIT: Work, Force and Motion

WORKSHEET: Laws and Principles of Motion

Objective: II.3--Students will be able to apply Newton's laws of motion and Bernoulli's principle to practical events.

Instructions: This worksheet will help you prepare for the Laws and Principles of Motion Game. Read each statement carefully and determine which of the following would apply:

Newton's lst law of motion: A body remains at rest unless a force makes it move. A force is required to change the speed or direction of a moving body.

Newton's 2nd law of motion: Acceleration of a body increases as the amount of force producing the acceleration increases. The larger the mass of the body, the larger the force needed to produce acceleration.

Newton's 3rd law of motion: For every force, there is an equal and opposite force.

Bernoulli's principle: As the speed of a fluid increases, the pressure around it decreases.

acceleration force inertia mass



15

TGT WORKSHEET: II.3 Laws and Principles of Motion

A baseball curving. A rocket ship being launched. Seat belts are needed in a car. Newton's 1st law Newton's 1st law Newton's 2nd law Newton's 2nd law Newton's 1st law c. Newton's 3rd law Newton's 3rd law Newton's 2nd law d. Bernoulli's principle Bernoulli's principle Newton's 3rd law c. Bernoulli's principle The farther back you pull a A drag chute being used to A shotgun kicking when it bow string, the farther the stop a racing car. is fired. arrow travels. Newton's 1st law Newton's 1st law Newton's 1st law b. Newton's 2nd law Newton's 2nd law b. Newton's 2nd law c. Newton's 3rd law c. Newton's 3rd law Newton's 3rd law d. Bernoulli's principle Bernoulli's principle Bernoulli's principle 4 The need for a head rest A cannon moves back as a A golf ball hooking. shell is fired from it. in a car. a. Newton's 1st law a. Newton's 1st law a. Newton's 1st law b. Newton's 2nd law b. Newton's 2nd law b. Newton's 2nd law c. Newton's 3rd law c. Newton's 3rd law c. Newton's 3rd law d. Bernoulli's principle Bernoulli's principle d. Bernoulli's principle 7 A car is moving at a high An electric paint spraying The movement of a rotating rate of speed. A window outfit. lawn sprinkler. is opened and papers fly out of the car. a. Newton's 1st law Newton's 1st law b. Newton's 2nd law b. Newton's 2nd law a. Newton's 1st law c. Newton's 3rd law c. Newton's 3rd law b. Newton's 2nd law Bernoulli's principle d. Bernoulli's principle c. Newton's 3rd law d. Bernoulli's principle 11 10 A boy jumps to a dock from The shape of an airplane It takes more force to move a boat. The boat moves away a loaded wagon than it does wing. from the dock. to move an empty wagon. Newton's 1st law a. Newton's 1st law b. Newton's 2nd law Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle Newton's 3rd law d. Bernoulli's principle Bernoulli's principle

14

TGT WORKSHEET: II.3 Laws and Principles of Morion

idi wonko	till to 11.5 laws and 11 merps	
It is more difficult to get a car to move than it is to keep it moving. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	An atomizer. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	It takes more force to push a truck than it does a car a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle
16	17	18
The action of a vacuum cleaner. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	The movement produced when paddling a canoe. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	A bus stops quickly and a person standing falls forward. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle
19	20	21
A ball suspended by a stream of air. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	An air foil on a racing car. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	A horse stops quickly and the rider falls over his head. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle
	;	į

WORKSHEET ANSWERS

II.3 Laws and Principles of Motion

- 1. a) Newton's 1st law
- 2. c) Newton's 3rd law
- 3. d) Bernoulli's principle
- 4. c) Newton's 3rd law
- 5. a) Newton's 1st law
- 6. b) Newton's 2nd law
- 7. d) Bernoulli's principle
- 8. c) Newton's 3rd law
- q, a) Newton's 1st law
- 10. d) Bernoulli's principle
- 11. c) Newton's 3rd law
- 12. d) Bernoulli's principle

- 13. b) Newton's 2nd law
- 14. d) Bernoulli's principle
- 15. c) Newton's 3rd law
- 16. a) Newton's 1st law
- 17. d) Bernoulli's principle
- 18. b) Newton's 2nd law
- 19. d) Bernoulli's principle
- 20. c) Newton's 3rd law
- 21. a) Newton's 1st law
- 22. d) Bernoulli's principle
- 23. d) Bernoulli's principle
- 24. a) Newton's 1st law



TGT GAMESHEET: II.3 Laws and Principles of Motion

		<u> </u>
Seat belts are needed in a car. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	A baseball curving. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	An air foil on a racing car. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle
A shotgun kicking when it is fired. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	The farther back you pull a bow string, the farther the arrow travels. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	It takes more force to push a truck than it does a car. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle
A golf ball hooking. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	The need for a head rest in a car. a. Newton's 1st 1aw b. Newton's 2nd 1aw c. Newton's 3rd 1aw d. Bernoulli's principle	A bus stops quickly and a person standing falls forward. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle
A car is moving at a high rate of speed. A window is opened and papers fly out of the window. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	An electric air paint spraying outfit. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	A horse stops quickly and the rider falls over his head. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle
It takes more force to move a loaded wagon than it does to move an empty wagon. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	A boy jumps to a dock from a boat. The boat moves away from the dock. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	A rocket ship being launched. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle

TGT GAMESHEET: II.3 Laws and Principles of Motion

It is more difficult to get a car to move than it is to keep it moving. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	A drag chute being used to stop a racing car. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	The action of a vacuum cleaner. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle
16	17	18
A cannon moves back as a shell is fired from it. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	A ball supported by a stream of air. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	The movement of a rotating lawn sprinkler. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle
. 19	20	21
An atomizer. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	The shape of an airplane wing. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle	The movement produced when paddling a canoe. a. Newton's 1st law b. Newton's 2nd law c. Newton's 3rd law d. Bernoulli's principle
·		,



GAMESHEET ANSWERS

II.3 Laws and Principles of Motion

- 1. a) Newton's 1st law
- 2. d) Bernoulli's principle
- 3. d) Bernoulli's principle
- 4. c) Newton's 3rd law
- 5. b) Newton's 2nd law
- 6. b) Newton's 2nd law
- 7. d) Bernoulli's principle
- 8. c) Newton's 3rd law
- 9. a) Newton's 1st law
- 10. d) Bernoulli's principle
- 11. d) Bernoulli's principle
- 12. b) Newton's 1st law

- 13. b) Newton's 2nd law
- 14. c) Newton's 3rd law
- 15. c) Newton's 3rd law
- 16. a) Newton's 1st law
- 17. a) Newton's 1st law
- 18. d) Bernoulli's principle
- 19. c) Newton's 3rd law
- 20. d) Bernoulli's principle
- 21. c) Newton's 3rd law
- 22. d) Bernoulli's principle
- 23. d) Bernoulli's principle
- 24. c) Newton's 3rd law

TGT PHYSICAL SCIENCE

UNIT: Work, Force and Motion WORKSHEET: Density

Objective: II.4--a. Students will define terms related to density.

b. Students will apply the density formula and find the density of regular and irregular shaped objects.

1

Instructions: This worksheet will help you prepare for Density Game. Read each item and choose the correct answer.

Vocabulary:

Archimedes' principle buoyant force density force mass volume weight



TGT WORKSHEET: II.4 Density

Mass is defined as:	Volume is defined as:	Weight is defined as:
a) The amount of space matter occupies.	a) The amount of space matter occupies.	 a) The amount of space matter occupies.
b) The amount of matter in an object.	b) The amount of matter in an Object.	b) The amount of matter in an object.
c) Force of gravity pulling on an object 1	c) Force of gravity pulling on an object. 2	c) Force of gravity pulling on an object. 3
The metric system unit for measuring mass is:	In the metric system a unit for measuring volume is:	Units used to express density in the metric system:
a) gram (g)	a) gram (g)	a) g/cm ³
b) centimeter (cm)	b) centimeter (cm)	b) g/cm
c) cubic centimeter (cm ³)	c) cubic centimeter (cm ³)	c m ^l /g
d) meter (m)	d) meter (m) 5	6
To find the mass of a solid cube you would:	To find the volume of a cube you would:	To find the density of a cube you would
a) multiply L x W x H	a) multiply LxWxH	a) multiply LxWxH
b) place it on a balance	b) place it on a balance	b) multiply mass x volume
c) find its weight in water	c) find its weight in water	c) place it on a balance
7	8	d) divide mass by volume 9
In order to find the mass of an irregularly shaped object you would:	In order to find the volume of an irregularly shaped object you would:	To find the density of an irregularly shaped object you would:
a) multiply L x W x H	a) multiply W x H x L	a) multiply L x W x H
b) place it on a balance	b) place it on a balance	b) multiply mass x volume
c) find its weight in	c) use displacement of	c) divide mass by volume
water 10	water 11	d) place it on a balance 12
Who discovered the displacement method of finding volume?	According to Archimedes' principle, an object dis- places its in water.	A graduate was filled to the 50 cm ³ line with water. When an object was placed in it the reading was 80 cm ³ . Its volume was:
a) Bernoulli	a) mass	a) 30 cm ³
b) Archimedes	b) weight	b) 80 cm ³
c) Newton 13	c) volume $\{f_{i,j}\}$ 14	c) 130 cm ³ 15

In the problem information presented below, does the submerged object appear to: a) gain weight b) lose weight c) stay the same	In the problem information presented below, what is the volume of the object? a) 30 cm ³ b) 90 cm ³ c) 60 cm ³	How does the volume compare with the apparent loss of mass when submerged? a) it was greater b) it was the same c) it was less 18
The object weighsin water as compared to alcohol. a) less b) more c) the same	The density of the object is: a) 2.5 g/cm ³ b) 7 g/cm ³ c) 4.67 g/cm ³	A cube is 2cm-5cm-10cm. Its mass is 50 grams. What is its density? a) 2 g/cm ³ b) .5 g/cm ³ c) 5 g/cm ³
What is the density of an object that has a mass of 60 grams and a volume of 20 cm ³ ? a) 2 g/cm ³ b) 5 g/cm ³ c) 3 g/cm ³	An object has a volume of 100 cm ³ and a mass of 80 grams. What is its density? a) .8 g/cm ³ b) 1.2 g/cm ³ c) 1.8 g/cm ³	If an object has a density of 1.5 and is placed in water, it will: a) float b) sink c) stay where you put it

Problem Information:

An object is weighed on a platform balance, and its mass is $280\ \mathrm{g}$.

The object is then weighed when submerged in a beaker of water, and its apparent mass is 220 g.

It is then weighed when submerged in a beaker of alcohol, and its apparent mass is 232 g. $\,$

The object is then placed in a graduated cylinder. The level of the water in the cylinder before the object is placed into it is $30~\rm{cm}^3$. With the object submerged in the water, the level is $90~\rm{cm}^3$.



WORKSHEET ANSWERS

II.4 Density

- 1. (b) The amount of matter in an object.
- (a) The amount of space matter occupies.
- (c) Force of gravity pulling on an object.
- 4. (a) gram (g)
- 5. (c) cubic centimeter (cm^3)
- 6. (a) g/cm^3
- 7. (b) place it on a balance
- 8. (a) multiply $L \times W \times H$
- 9. (d) divide mass by volume
- 10. (b) place it on a balance
- 11. (c) use displacement of water
- 12. (c) divide mass by volume

- 13. (b) Archimedes
- 14. (c) volume
- 15. (a) 30 cm^3
- 16. (b) lose weight
- 17. (c) 60 cm^3
- 18. (b) it was the same
- 19. (a) less
- 20. (c) 4.67 g/cm^3
- 21. (b) $.5 \text{ g/cm}^3$
- 22. (c) 3 g/cm^3
- 23. (a) $.8 \text{ g/cm}^3$
- 24. (b) sink



TGT GAMESHEET: II.4 Density

		وي المساولية في المان المان المان المان المان المان المان المان المان المان المان المان المان المان المان الم
In order to find the volume of an irregularly shaped object you would: a) multiply W x H x L b) place it on a balance c) use displacement of water 1 To find the volume of a cube you would: a) multiply L x W x H b) place it on a balance c) find its weight in water	Weight is defined a: a) The amount of space matter occupies. b) The amount of matter in an object. c) Force of gravity pulling on an object To find the density of a cube you would: a) multiply L x W x H b) multiply mass x volume c) divide mass by volume	In order to find the mass of an irregularly shaped object you would: a) multiply L x W x H b) place it on a balance c) find its weight in water The metric system unit for measuring mass is: a) gram (g) b) centimeter (cm) c) cubic centimeter (cm ³)
-		(
4	5	6
In the metric system a unit for measuring volume is: a) gram (g) b) centimeter (cm) c) cubic centimeter (cm ³)	Units used to express density in the metric system: a) g/cm b) g/cm c) m ¹ /g	To find the mass of a solid cube you would: a) multiply L x W x H b) place it on a balance c) find its weight in water
7	8	9
Volume is defined as: a) The amount of space matter occupies. b) The amount of matter in an object. c) mass x density	Mass is defined as: a) The amount of space matter occupies. b) The amount of matter in an object. c) Force of gravity pulling on an object.	To find the density of an irregularly shaped object you would: a) multiply L x W x H b) multiply mass x volume c) divide mass by volume
Who discovered the displacement method of finding volume? a) Bernoulli b) Archimedes c) Newton	According to Archimedes' principle, an object dis- places its in water a) mass b) weight c) volume	A graduate was filled to the 60 cm ³ line with water. When an object was placed in it the reading was 100 cm ³ . Its volume was: a) 40 cm ³ b) 60 cm ³ c) 160 cm ³

IRG

TGT GAMESHEET: II.4 Density

In the problem information, does the submerged object appear to: a) gain weight b) lose weight c) stay the same	In the problem information, what is the volume of the object? a) 40 cm ³ b) 110 cm ³ c) 70 cm ³	In the problem information, how does the volume compare with the apparent loss of mass when submerged? a) it was greater b) it was the same c) it was less
In the problem information, the object weighs in water as compared to alcohol. a) less b) more c) the same	In the problem information, the density of the cylinder is: a) 2.5 g/cm ³ b) 7 g/cm ³ c) 4.6 g/cm ³	A cube is 2cm-4cm-12cm. Its mass is 50 grams. What is its density? a) 2 g/cm ³ b) .5 g/cm ³ c) 5 g/cm ³
What is the density of an object that has a mass of 90 grams and a volume of 30 cm ³ ? a) 2 g/cm ³ b) 5 g/cm ³ c) 3 g/cm ³	An object has a volume of 50 cm ³ and a mass of 40 grams. What is its density? a) .8 g/cm ³ b) 1.2 g/cm ³ c) 1.8 g/cm ³	If an object has a density of 1.5 and is placed in water, it will: a) float b) sink c) stay where you put it

Problem Information:

An object is weighed on a platform balance, and its mass is 322 g.

The object is then weighed when submerged in a beaker of water, and its apparent mass is 252 g.

It is then weighed when submerged in a beaker of alcohol, and its apparent mass is 266 g.

The object is then placed in a graduated cylinder. The level of the water in the cylinder before the object is placed into it is $30~\rm{cm}^3$. With the object submerged in the water, the level is $100~\rm{cm}^3$.



GAMESHEET ANSWERS

II.4 Density

1.	(c)	use displacement of water	13.	(b)	Archimedes
2.	(c)	Force of gravity pulling on an object.	14.	(c)	volume
3.	(b)	place it on a balance	15.	(a)	40 cm^3
4.	(a)	multiply L x W x H	16.	(b)	lose weight
5.	(c)	divide mass by volume	17.	(c)	70 cm ³
6.	(a)	gram (g)	18.	(b)	it was the same
7.	(c)	cubic centimeter (cm ³)	19.	(a)	less
8.	(a)	g/cm ³	20.	(c)	4.6 g/cm^3
9.	(b)	place it on a balance	21.	(b)	.5 g/cm ³
10.	(a)	The amount of space matter occupies.	22.	(c)	3 g/cm^3
11.	(b)	The amount of matter in an object.	23.	(a)	.8 g/cm ³
12.	(c)	divide mass by volume	24.	(b)	sink

TGT PHYSICAL SCIENCE

UNIT: Work, Force and Motion

WORKSHEET: Energy Conversions

Objective: II.5--Students will identify energy conversions that .

take place in common energy conversion systems.

Instructions: This worksheet will help you prepare for the Energy Conversion Game. Read each item carefully. Choose one or more forms of energy from the Forms of Energy chart at the bottom of the page to fill in the blanks.

Vocabulary:

energy flourescent incandescent work

Forms of Energy

chemical energy mechanical energy electrical energy nuclear energy heat energy sound energy ·light energy





TGT WORKSHEET: II.5 Energy Conversions

A generator changesenergy to electrical energy.	A piano changes mechanical energy to energy.	A match changes chemical energy to energy and energy.
A toaster changes electrical energy to energy and energy.	A solar cell changesenergy to electrical energy.	A gas stove changes energy to heat energy. 6
A T.V. changes electrical energy to energy and energy.	A motor changes electrical energy to energy.	An atomic reactor changes energy to heat energy.
A dry cell changesenergy to electrical energy.	Dynamite changes chemical energy to energy, energy, heat energy and light energy.	An elevator changes electrical energy to energy.
A steam engine changes heat energy to energy.	A telephone receiver cnanges electrical energy to energy.	A drum changes energy to sound energy.
A radiometer changes light energy to energy.	A fuel cell changes energy to electrical energy. 17	A candle changes chemical energy to energy and 18
An electromagnet changes electrical energy to	A camera changes light energy to energy.	A microphone changes sound energy to energy.
An incandescent light bulb changes energy to energy and light energy.	A firefly changesenergy to light energy.	A thermocouple changes heat energy to energy.
A flourescent tube changes electrical energy to energy.	An infrared cooker changes light energy to energy. 26	An internal combustion engine changes chemical energy and heat energy to
An oil lantern changes energy to light energy. 28	A microwave oven changes electrical energy toenergy.	·



e :

WORKSHEET ANSWERS

II.5 Energy Conversions

- 1. mechanical
- 2. sound
- 3. light and heat
- 4. heat and light
- 5. light
- 6. chemical
- 7. light and sound
- 8. mechanical
- 9. nuclear
- 10. chemical
- 11. sound and mechanical
- 12. mechanical
- 13. mechanical
- 14. sound

- 15. mechanical
- 16. mechanical
- 17. chemical
- 18. light and heat
- 19. mechanical
- 20. chemical
- 21. electrical
- 22. electrical, heat
- 23. chemical
- 24. electrical
- 25. light
- 26. heat
- 27. mechanical
- 28. chemical
- 29. heat



TGT GAMESHEET: II.5 Energy Conversions

A generator changes energy to electrical energy.	A match changes chemical energy to energy and energy.	A fuel cell changesenergy to electrical energy.
A toaster changes electrical energy to energy and energy.	A gas stove changes energy to heat energy. 5	A camera changes light energy to energy.
A T.V. changes electrical energy to energy and energy.	An atomic reactor changes energy to heat energy. 8	A firefly changesenergy to light energy.
A dry cell changes energy to electrical energy.	An elevator changes electrical energy to energy.	An infrared cooker changes light energy to energy.
A steam engine changes heat energy to energy.	A drum changes energy to sound energy.	A candle changes chemical energy to energy and 15
A piano changes mechanical energy to energy.	A radiometer changes light energy to energy.	A microphone changes sound energy to energy.
A solar cell changes energy to electrical energy.	An electromagnet changes electrical energy to energy.	A thermocouple changes heat energy to energy.
A motor changes electrical energy to energy.	An incandescent light bulb changes energy to energy and light energy. 23	An internal combustion engine changes chemical energy and heat energy to
Dynamite changes chemical energy to energy, heat energy and light energy. 25	A flourescent tube changes electrical energy to energy.	A microwave oven changes electrical energy to energy.
A telephone receiver changes electrical energy to energy.	An oil lantern changes energy to light energy and heat energy. 29	`
ERIC.	175	•

GAMESHEET ANSWERS

II.5 Energy Conversions

i. mechanica.	1.	mechan	i	c	а	1
---------------	----	--------	---	---	---	---

- 2. heat and light
- chemical
- 4. heat and light
- 5. chemical
- 6. chemical
- 7. light and sound
- 8. nuclear
- 9. chemical
- 10. chemical
- 11. mechanical
- 12. heat
- 13. mechanical
- 14. mechanical

- 15. light and hea
- 16. sound
- 17. mechanical
- 18. electrical
- 19. light
- 20. mechanical
- 21. electrical
- 22. mechanical
- 23. electrical, heat
- 24. mechanical
- 25. sound, mechanical
- 26. light
- 27. heat
- 28. sound
- 29. chemical

TGT PHYSICAL SCIENCE

UNIT: Work, Force and Motion

WORKSHEET: Work, Force and Motion Vocabulary Review

Objective: II.6--Students will define the basic vocabulary words used in the Work, Force and Motion unit.

Instructions: This worksheet will help you prepare for the Work, Force and Motion Vocabulary Review Game. In numbers 1-15, use the clue words to help you unscramble the letters and spell the word correctly. In numbers 16-30, provide the word that matches the definition. The game will be like items 16-30 and you will have to provide the word without a vocabulary list.

Vocabulary:

acceleration Actual M.A. buoyancy center of gravity density efficiency effort (force) · equilibrium force friction fulcrum gravity (force) hydrometer Ideal M.A. inertia (force)

kinetic energy machine mass moment newton potential energy power resistance (force) resultant vector velocity volume weight wheel axle work



optetilna (energy) l	hewel (machine) 2	cfmulru (lever)
tygvari (force) 4	emlovu (amount of space) 5	roefc (push or pull) 6
sams (amount of matter) 7	nitekci (energy) 8	queliribimu (cancelled forces) 9
tairnei (force)	notewn (force unit) 11	terfioni (force)
olevtyic (vector)	anbucyoy (force)	tredyhmero (density instrument) 15
Changing the speed of a moving object:	A quantity which has strength and direction.	The result of the force of gravity on a mass.
16	1 <u>7</u>	18
A device used for multi- plying an effort.	A comparison between the work input and the work output.	The number of times a machine should multiply the effort.
	20	21
Force used to do work.	The rate of doing work.	A force that opposes the effort.
	23	24
The moving of an object	A force produced by two or more forces acting on	The number of times a machine multiplies the effort.
through a distance.	an object.	
	an object. 26	27
through a distance.		A point at which all of the weight of a body may be considered to be concentrated.

WORKSHEET ANSWERS

ø

II.6 Work, Force and Motion Vocabulary Review

- 1. potential
- 2. wheel
- 3. fulcrum
- 4. gravity
- 5. volume
- 6. force
- 7. mass
- 8. kinetic
- 9. equilibrium
- 10. inertia
- 11. newton
- 12. friction
- 13. velocity
- 14. buoyancy
- 15. hydrometer

- 16. acceleration
- 17. vector
- 18. weight
- 19. machine
- 20. efficiency
- 21. ideal mechanical advantage
- 22. effort
- 23. tower
- 24. resistance
- 25. work
- 26. resultant
- 27. actual mechanical advantage
- 28. moment
- 29. density
- 30. center of gravity



TGT GAMESHEET: II.6 Work, Force and Motion Vocabulary Review

Energy of rest or position.	A simple machine which is a variation of the lever.	The point on which a lever rotates.
1	2	3
The mutual force of attraction which exists between all bodies in the universe.	The amount of space matter occupies.	Any push or pull.
4		6
The quantity of matter in a body.	Energy of motion.	The state of balance between equal opposing forces.
7	8	9
The tendency of matter to remain at rest or in uni-form motion unless acted	Metric unit of force; force required to accelerate a l-kg mass at l m/sec ² .	A force that opposes motion.
upon by a force.	11	12
The speed and direction of a moving body.	The force that pushes up on objects when they are placed in a fluid.	The instrument used to determine the specific gravity of liquids.
13	14	15-
Changing the speed of a moving object.	A quantity which has strength and direction.	The result of the force of gravity on a mass.
16	17	18
A device used for multi- plying an effort.	A comparison between the work input and the work output.	The number of times a machine should multiply the effort.
19	20	21_
Force used to do work.	The rate of doing work.	A force that opposes the effort.
. 	23	24
The moving of an object through a distance.	A force produced by two or more forces acting on an object.	The number of times a machine multiplies the effort.
25	26	_ 27
Force on a lever multiplied by the distance from the pivot point.	Mass per unit volume.	A point at which all of the weight of a body may be considered to be concentrated

GAMESHEET ANSWERS

II.6 Work, Force and Motion Vocabulary Review

- 1. potential energy
- 2. wheel and axle
- 3. fulcrum
- 4. gravity
- 5. volume
- 6. force
- 7. mass
- 8. kinetic
- 9. equilibrium
- 10. inertia
- 11. newton
- 12. friction
- 13. velocity
- 14. buoyancy
- 15. hydrometer

- 16. acceleration
- 17. vector
- 18. weight
- 19. machine
- 20. efficiency
- 21. Ideal M.A.
- 22. effort
- 23. power
- 24. resistance
- 25. work
- 26. resultant
- 27. Actual M.A.
- 28. moment
- 29. density
- 30. center of gravity

3

TGT PHYSICAL SCIENCE

UNIT: Work, Force and Motion

WORKSHEET: Parts of a Car

Objective: II.7--Students will identify the main parts of the car.

Instructions: This worksheet will help you prepare for the Parts of a Car Game. Study the diagram to help you learn the parts. On the worksheet, write the names of the numbered parts.


Vocabulary:

axle battery carburetor clutch housing coil cylinder differential gear distributor drive shaft driving wheels exhaust pipe fan flywheel gasoline pump gasoline tank generator mufflers radiator hose radiator spark plugs starter transmission gears universal joint valves



155.

II.7--Parts of a Car



axle
battery
carburetor
clutch housing
coil
cylinder
differential gear
distributor

drive shaft
driving wheels
exhaust pipe
fan
flywheel
gasoline pump
gasoline tank
generator

muffler
radiator hose
radiator
spark plugs
starter
transmission
universal joint
valves

	84		
1.	···	13.	
2.		14.	
3.		15.	
4.		16.	
5.		17.	
6.		18.	
7.		19.	
8.		20.	
9.		21.	
10.		22.	
11.		23.	

153

24.



12.


WORKSHEET ANSWERS

II.7 Parts of a Car

Ι.	clutch	housing

- 2. differential gear
- 3. cylinder
- 4. exhaust pipe
- 5. gasoline pump (fuel pump)
- 6. starter
- 7. carburetor
- 8. flywheel
- 9. muffler
- 10. battery
- ll. coil
- 12. gasoline tank

- 13. spark plug
- 14. valves
- 15. driving wheels
- 16. fan
- 17. radiator hose
- 18. distributor
- 19. universal joint
- 20. transmission
- 21. radiator
- 22. generator
- 23. drive shaft
- 24. axle



Part 12 is		Part 5 is		Part 7 is	
	1		2		/ 3
Part 14 is		Part 18 is		Part 3 is	-
	4		• 5		6
Part 11 is		Part 17 is		Part 22 is	
	7		8		9
Port 16 is		Part 13 is	, i	Part 21 is	
Part 16 is		1410 15 15	11		12
	10	non 1 so	1.1	Part 20 is	
Part 8 is		Part 1 is		1410 20 20 1	
-	13		14		1:
Part 23 is		Part 2 is		Part 24 is	-
					-
	16		17		1:
Part 15 is		Part 4 is		Part 9 is	•
1010 10 == 1 1 1					•
	19		20		2
Part 10 is		Part 6 is		Part 19 is	
		195			ก
ERIC	22		23		2
Full Text Provided by ERIC				•	

GAMESHEET ANSWERS

II.7 Parts of a Car

1. gasoline tar	ιk
-----------------	----

- 2. gasoline pump
- 3. carburetor
- 4. valves
- 5. distributor
- 6. cylinder
- 7. coil
- 8. radiator hose
- 9. generator
- 10. fan
- 11. spark plug
- 12. radiator

- 13. flywheel
- 14. clutch housing
- 15. transmission
- 16. drive shaft
- 17. differential gear
- 18. axle
- 19. driving wheels
- 20. exhaust pipe
- 21. muffler
- 22. battery
- 23. starter
- 24. universal joint



TGT PHYSICAL SCIENCE

UNIT: Light and Sound

WORKSHEET: Light and Matter Relationships

Objective: III.1--Students will classify objects according to their relationship with light.


Instructions: This worksheet will help you prepare for the Light and Matter Relationships Game. Using the data sheet as an aid, classify each object as being transparent, translucent, or opaque.

Vocabulary:

opaque translucent transparent



Data Sheet



OPAQUE

Light passing through an object unchanged.

Light passing through an object and being scattered. An object on the light side cannot be seen.

Light being absorbed by an object. An opaque object may reflect and/or absorb light. No light passes through.



TGT WORKSHEET: III.1 Light and Matter Relationships

	A.	
Transmits some light but objects cannot be seen clearly through it.	Light hits an object and is absorbed or reflected.	Light passes through an object and another object is clearly visible.
1	2	
book	waxpaper	tin cup
4	5	. 6
window	lamp shade	air
7		9
onion skin paper	baseball '	mirror
10	11_	
tap water	steamed window	prism
13	14	15
frosted light bulb	shoes	desk top
16	17	18
amber bottle	glass shower enclosure	brick wall
19	20	21
cardboard box	plain drinking glass	glass bricks
22	23	24
	·	,
		,
	15.	
	150,	

WORKSHEET ANSWERS

III.1 Light and Matter Relationships

1.	translucent	13.	transparent
2.	opaque	14.	translucent
3.	transparent	15.	transparent
4.	opaque	16.	translucent
5.	translucent	17.	opaque
6.	opaque	18.	opaque
7.	transparent	19°.	transparent
8.	translucent	20.	translucent
9.	transparent	21.	opaque
10.	translucent	22.	opaque
11.	opaque	23.	transparent
12.	opaque .	24.	translucent

TGT GAMESHEET: III.1 Light and Matter Relationships

mirror .		steamed window	``مَرَّمَ	prism	
·	· 1	,	2*		3
lamp shade		amber bottle '		window	
	. 4	*	5		6
desk top		shoes		air	· ·
	_				
tin cup	7	book	8	waxpaper	9
	10		11		12
brick wall		Light hits an object and is absorbed or reflected.	•	tap water	
	_13		14		15
football		Transmits some light but objects cannot be seen clearly through it.		Light passes through an object and another is clearly visible.	
	16_		17	<u> </u>	18
onion skim paper		glass bricks		frosted light bulb	
	19		20		21
plain drinking glass		glass shower enclosure		cardboard box	
	22		23		24
				,	
11		4.0.			
	4	191	Ĭ		

GAMESHEET ANSWERS

III.l Light and Matter Relationships

1.	opaque 🎤
2.	translucent
3.	transparent
4	translucent
5.	transparent
6.	transparent
7.	opaque
8.	opaque
9.	transparent
10.	opaque
11.	opaque,

translucent

12.

13.	opaque
14.	opaque
15.	transparent
16.	opaque
17.	translucent
18.	transparent
19.	translucent
20.	translucent
21.	translucent
22.	transparent
23.	translucent

24. opaque

TGT PHYSICAL SCIENCE

UNIT: Light and Sound

WORKSHEET: Refraction and Reflection

Objective:

III.2--a. Students will be able to identify types of mirrors.

- b. Students will determine the path light will take as it passes through a transparent media.
- c. Students will determine the path light will take as it is reflected by a mirror.


Instructions:

This worksheet will help you prepare for the Refraction and Reflection Game. Study the information and diagrams carefully. Using this information as a reference, choose the correct path which light would take as it is reflected or refracted. The reference sheet will not be used in the tournament.


Vocabulary:

concave convex incident ray prism reflection refraction transparent


Figure 1: Types of Mirrors



plane mirror



concave mirror



convex mirror





TGT WORKSHEET: III.'2 Refraction and Reflection

Figure 2: A light ray is racted in the same direction as it enters and leaves a glass prism.




Figure 3: The behavior of light rays when they pass through lenses of different curvatures.





Figure 4: Light Reflection from a Plane Mirror


A flat, polished surface that reflects light without diffusing it is called a plane mirror. The angle at which light is reflected from a mirror is the same as the angle at which it strikes the mirror. In other words, the angle of reflection equals the angle of incidence. A ball bouncing on the sidewalk obeys the same law of reflection.






194

TGT WOPKSHEET: III.2 Refraction and Reflection



TGT WORKSHEET: III.2 Refraction and Reflection




WORKSHEET ANSWERS


III.2 Refraction and Reflection

- 1. c
- .2. a
- 3. c
- 4. a
- 5. b
- 6. b
- 7. c
- 8. a
- 9. b
- 10. c
- 11. b
- 12. a
- 13. c

- 14. .c
- 15. c
- 16. a
- 17. с
- 18.
- 19. b.
- 20. 0
- 21. ¿
- 22. b
- 23. a
- 24. t
- 25. c



TGT GAMESHEET: III.2 Refraction and Reflection



GAMESHEET ANSWERS

III.2 Refraction and Reflection

1. b

2. c

3. a

4.° a

5. c

6. a

7. c

8. b

9. b

10.

11. c

С

12. a

, 13. €.

14. ь

15. c

16. a

17.

18. a

19. b

'20. c

21. a

22. c

23. b

24. b

TGT PHYSICAL SCIENCE

UNIT: Light and Sound
WORKSHEET: The Eye

Objective: III.3 --a. Students will identify the parts of the eye.

- b. Students will identify the functions of the parts of the eye.
- c. Students will recognize the differences between nearsightedness and farsightedness.


Instructions: The worksheet will help you prepare for The Eye Game. In numbers 1-7, write the name of the numbered part on the diagram of the eye. In 8-16, a function of a part is given; write in the name of the part. In 19-26, fill in the blanks.


Vocabulary:

concave lens convex lens focus inverted real image rods




The eyeballs of nearsighted people are too long; as a result, light rays from distant objects come to a focus before they reach the retina. Glasses with concave lenses correct the defect by spreading the rays apart before the lens of the eye focuses them.





The eyeballs of farsighted people are too short; as a result, the lens of the eye must bend light rays from near objects more sharply than normal to bring them to a focus on the retina. By bending the light rays before they reach the lens of the eye, convex lenses help to focus the rays on the retina.

Light enters the eye through the pupil. The lens focuses the light on the retina. The light stimulates the nerve cells in the retina. "Messages", or impulses, are sent from nerve cells along the optic nerve to the brain, where the messages are interpreted - that is, you "see".





TGT WORKSHEET: 'III.3 The Eye

In the spaces provided at the right, label in the main parts of the eye. 1. Opening that allows light The layer of light sensitive The transparent part of nerve endings lining the back in the eye to pass through. the eyeball. It protects of the eye. the lens. Nerve endings in the retina Carries impulses from the Focuses incoming light which are sensitive to color. eye to the brain. onto the retina. 13 14 12 Controls the movement of Controls the amount of Nerve endings in the retina that are sensitive to light the eye. light coming into the but not color. eye. 17 15 Due to the type of lens in the If you can see distant objects If you cannot see distant clearly, but cannot see objects eye the image is in a/an objects clearly you may ___ position on the that are close clearly, the have a condition known as 20. 18 condition is called lens can be Farsightedness is a result of Nearsightedness is a result used to correct nearsightedthe image being formed of the image being formed of the retina. _____ of the retina. ness. 23



can be used to correct

farsightedness.

If the cones in the eye are

condition is known as

not functioning properly, the

An area on the retina where

26

there are no rods or cones

is a(n) _____ ·

WORKSHEET ANSWERS

iii.3 The Eye

 optic nerv 	ve
--------------------------------	----


- pupil
- 3. cornea
- 4. iris
- 5. lens
- 6. retina
- 7. muscle'
- 8. blind spot ?
- 9. cornea
- 10. pupil
- 11. retina
- 12., lens
- 13. cones


- 14. optic nerve
- 15. iris
- 16. rods
- 17. muscle
- 18. nearsightedness
- 19. farsightedness
- 20. inverted
- 21. in front of
- 22. behind
- 23. concave
- 24. convex.
- 25. color blind
- 26. blind spot



TGT GAMESHEET: III.3 The Eye

Name the main parts of the eye.





			·
	Opening that allows light in the eye to pass through.	Alens can be used to correct farsightedness.	If the cones in the eye are not functioning properly, the condition is known as
	Nerve endings in the retina which are sensitive to color.	The layer of light sensitive nerve endings lining the back of the eye.	The transparent part of the eyeball. It protects the lens.
	Nerve endings in the retina that are sensitive to light but not color.	Carries impulses from the eye to the brain.	Focuses incoming light onto the retina.
	An area on the retina where there are no rods or cones is a(n)	Controls the movement of the eye.	Controls the amount of light coming into the eye.
	Due to the type of lens in the eye the image is in a/an position on the tetina.	If you cannot see distant objects clearly you may have a condition known as	If you can see distant objects clearly, but cannot see objects that are close clearly, the condition is called
•	Nearsightedness is a result of the image being formed of the retina.	Farsightedness is a result of the image being formed of the retina.	A lens can be used to correct nearsighted-ness.
	24	23	

GAMESHEET ANSWERS

III.3 The Eye

•	•
ı.	lens

- 2. retina
- 3. muscle
- 4. blindspot
- 5. optic nerve
- 6. iris
- 7. pupil
- 8. cornea
 - 9. pupil
- 10. convex
- 11. color blindness
- 12. cones
- 13. retina

- 14. cornea
- 15. rods
- 16. optic nerve
- 17. lens
- 18. blind spot
- 19. muscle
- 20. iris
- 21. inverted
- 22. nearsightedness
- 23. farsightedness
- 24. in front of
- .25. behind
- 26. concave



TGT PHYSICAL SCIENCE

UNIT: Light and Sound

WORKSHEET: Producing Color

Objective: III.4--a. Students will identify the color systems and their primaries. .

- b. Students will order and identify the colors of the spectrum.
- c. Students will predict the results of mixing colors and color systems.


Instructions: The

This worksheet will help you prepare for the Producing Color Game. Use the information sheet on the next page to help answer each item on the worksheet.


Vocabulary:


additive system opaque primary colors primary pigments subtractive system transparent





White light can be refracted to produce a spectrum. The colors from red to violet are dispersed on the screen in the order of longest red wavelength to the shortest violet wavelength.






LAWS OF COLOR FOR CPAQUE OBJECTS

- 1. The color of an opaque object is the same color that it reflects. It absorbs all other colors.
- White objects reflect all colors and absorb none.
- 3. Black objects reflect no colors and absorb all.

PRIMARY PIGMENTS





TGT WORKSHEET: III.4 Producing Color

When yellow and red paint are mixed, the result is When yellow and red paint are mixed, the result is When all colors are reflected by an opaque object, the resultant is When all colors are mixed, the result is When all colors are reflected by an opaque object, the resultant is When all colors are mixed, the result is When all color is absorbed by an opaque object, the resultant is When all color is absorbed by an opaque object, the resultant is When red, blue and green light are mixed, the result is When red and blue light are mixed, the result is When red and blue light are mixed, the result is When red and blue light are mixed, the result is When red light falls on white paper, the result is the color When red light falls on white paper, the result is the color When red light falls on white paper, the result is the color	•	,	, , , , , , , , , , , , , , , , , , , ,
When yellow and red paint are mixed, the result is When all colors are reflected by an opaque object, the resultant is 7 When all color is absorbed by an opaque object, the resultant is 6 When red, blue and green light are mixed, the result is When red, the result is When red, the result is When red and blue light are mixed, the result is When red light are mixed, the result is When red light falls on white paper, the result is the color When red light falls on white paper, the result is the color When red light falls on white paper, the result is the color When red light falls on red paint are mixed, the paint absorbs all color except When sunlight falls on red paint, the paint absorbs all color except When sunlight falls on red paint are mixed, the paint absorbs all color except When red light are mixed, the result is When red light falls on white paper, the result is the color When red light falls on white paper, the result is the color	the primary	paint are mixed the result	
When yellow and red paint are mixed, the result is When all colors are reflected by an opaque object, the resultant is 7 When all color is absorbed by an opaque object, the resultant is 6 When red, blue and green light are mixed, the result is When red, the result is When red, the result is When red and blue light are mixed, the result is When red light are mixed, the result is When red light falls on white paper, the result is the color When red light falls on white paper, the result is the color When red light falls on white paper, the result is the color When red light falls on red paint are mixed, the paint absorbs all color except When sunlight falls on red paint, the paint absorbs all color except When sunlight falls on red paint are mixed, the paint absorbs all color except When red light are mixed, the result is When red light falls on white paper, the result is the color When red light falls on white paper, the result is the color	{		•
when red, blue and green light are mixed, the result is	1	2	3
When all colors are reflected by an opaque object, the resultant is When red, blue and green light are mixed, the result is When red, blue and green light are mixed, the result is When red and blue light are mixed, the result is When red and green light are mixed, the result is When red light falls on white paper, the result is the color When red light falls on white paper, the result is the color			paint, the paint absorbs all
When all colors are reflected by an opaque object, the resultant is		*	
when red, blue and green light are mixed, the result is When red, blue and green light are mixed, the result is When red and blue light are mixed, the result is When red and green light are mixed, the result is When red and green light are mixed, the result is When red light falls on white paper, the result is	. 4	·	6
When red, blue and green light are mixed, the result is When red and blue light are mixed, the result is When red and green light are mixed, the result is When red and green light are mixed, the result is When red light falls on white paper, the result is the color When red light falls on red paper, the result is	by an opaque object, the	an opaque object, the	
When red, blue and green light are mixed, the result is When red and blue light are mixed, the result is When red and green light are mixed, the result is It is When red and green light are mixed, the result is When red light falls on white paper, the result is the color	. (c	
light are mixed, the result is mixed, the result is mixed, the result is 10	7	8	
What system does a color T.V. use? When red light falls on white paper, the result is the color When red light falls on white paper, the result is	light are mixed, the result		
What system does a color T.V. use? When red light falls on white paper, the result is the color When red light falls on red paper, the result is		9 1.	
T.V. use? paper, the result is the color		11	12 ′
		paper, the result is the	
20:3 14 15	5	•	
	13	<i>a</i> 20.3 14	• 15

TGT WORKSHEET: III.4 Producing Color

When red light falls on black blue paper, the result is _____. When red light falls on orange paper, the result is _____.


16

When red light falls on black paper, the result is _____.

17

18

19-25 - Name the colors of the spectrum from the longest to the shortest wave length.



- 19.
- 20.
- 21.
- 22.
- 23.
- 24.
- 25.
- 26. A prism uses the process known as ______ to break light up into its colors.
- 27. When green and red are mixed together, they produce yellow in the _____ system.
- 28. When yellow and red are mixed together, they produce orange in the _____ system.



WORKSHEET ANSWERS

/III.4 Producing Color,

1.	pigment	s	•					14.	red	
2.	black	•		i				15.	red	<i>y</i>
3.	green '				•		,	16.	black	
, 4.	orange	è			,**			17.	black	¥
5.	violet	•						18.	red	
6.	red		•		•		~	19.	red	
7.	white							20.	orange	
8.	blåck	•	-			**	-	21.	yellow .	
9.	colors		•				•	22.	green	
.10.	white .			•				23.	blue `	
. 11:	violet			`		:		24.	indigo	
12.	yellow	ı				•	•	نمر 25	violet	
13.	primary	colors	ł	*	•	4		26.	refracti	on

additive -

28.

T,GT GAMESHEET: 111.4--Producing Color

Red, blue, and yellow are the primary	When yellow and red paint . are mixed, the result is 2	When all colors are refilected by an opaque object, the resultant is
When red, blue and green light are mixed, the result is	What system does a color T.V. use?	When red light falls on blue paper, the result is
When red, blue and yellow paint are mixed the result is	When blue and red paint are mixed, the result is	When all color is absorbed by an opaque object, the resultant is
When red and blue light are mixed, the result is	When red light falls on white paper, the result is the color	When red light falls on black paper, the result is
When blue and yellow paint are mixed, the result is	When sunlight falls on red paint, the paint absorbs all color except	Red, blue, and green are the primary
When red and green light are mixed, the result is	When red light fall's on red paper, the result is	When red light falls on orange paper, the result is
The color of the spectrum that has the longest wave length.	The color of the spectrum that has the second-longest wave length.	The color of the spectrum that has the third-longest wave length.
The color of the spectrum that has the fourth-longest wave length.	The color of the spectrum that has the third-shortest wave length.	The color of the spectrum that has the second-shortest wave length.
The color of the spectrum that has the shortest wave length.	A prism uses the process known as to break light up into its colors.	When green and red are mixed together, they produce yellow in the system.
When yellow and red are mixed together, they produce orange in the system.	212	

GAMESHEET ANSWERS

III.4 Producing Color

1.	pigments	15.	colors
2.	orange .	16.	ye lÎow
3.	white	17.	red
4.	white	18.	red .
5.	primary colors	19.	red
6.	black .	20.	orange
7.	ºblack	21.	yell ow
8.	violet	22.	green
9.	black	23.	blue
10,	violet	24.	indigo .
11.	red .	25.	violet
12.	black	26.	refraction
13.	green	27.	additive
	*		

subtractive

28.

red

TGT PHYSICAL SCIENCE

UNIT: Light and Sound

WORKSHEET: Light Vocabulary

Objective: III.5 Students will define words necessary for understanding the nature of light.

Instructions:

This worksheet will help you prepare for the Light Vocabulary Game. Use the word list and write the correct word in the space below the definition or diagram. The same words and definitions will be used in the game.

Vocabulary:

angle of incidence angle of reflection concave lens converging convex lens diffraction grating diffused diverging fluorescent focal length focal point foot-candle illumination incandescence incident ray

index of refraction intensity luminous mirage normal line opaque photometer photon radiometer ray real image reflected ray refraction spectrum virtual image

TGT WORKSHEET: III.5 Light Vocabulary

		كالقرار والتعاول والت
An optical illusion in the atmosphere caused by refraction of light.	Ratio of the speed of light in a vacuum to its speed in a given transparent substance.	A body which gives off light is abody.
· ` `	` 2	* 3
The bundles of energy which make up light.	Image that can be projected. on a screen in an inverted position.	The rays of light that are scattered in different directions.
	, •	. æ
4	5 '	6
An instrument which changes radiant (light) energy into mechanical energy.	Are the rays converging or diverging?	Unit used to measure illumination.
7	8	9
What is line (a) called?	This is alens.	Brightness of a light source.
. , 10	. 11	12
In this diagram the ray has been	The distance from the focus point to the mirror.	What is ray (b) called?
013	215	. 15

TGT WORKSHEET: III.5 Light Vocabulary

Instrument for measuring light intensity.	Glowing or white with heat.	What is ray (a) called?
•		,
. 16		. 18
Are the rays converging or diverging?	Light being reflected by an object.	Material used in a spectro- scope to produce a spectrum.
>	•	` .
19	20	·* 21
19	20	
Any substance through which light cannot pass.	An imaginary line used to show the behavior of light.	An image formed by a lens or mirror that cannot be projected on a screen.
•		a
. 22	. 23	24
What is the name of ∠a?	The bank of visible colors formed by the spreading out of light through a prism.	What is the name of ∠b?
· · · · · · · · · · · · · · · · · · ·		267
25	26	27
This is an example of a lens.	The property of a certain substance to give off light when it is exposed to certain	What is the name of the point?
	radiations.	
. 28	211)	. 30
		

WORKSHEET ANSWERS

III.5 Light Vocabulary

1.	mirage
----	--------

- 2. index of refraction
- 3. luminous
- 4. photon
- 5. real image
- 6. diffused
- 7. radiometer
- 8. diverging
- 9. foot-candle
- 10. normal line
- 11. concave
- 12. intensity
- 13. refracted
- 14. focal length
- 15. reflected ray

- 16. photometer
- 17. incandescent
 - 18. incident ray
 - 19. converging
 - 20. illumination
 - 21. diffraction grating
 - 22. opaque
 - 23. ray
 - 24. virtual image
 - 25. angle of incidence
 - 26. .spectrum
 - 27. angle of reflection
 - 28. convex
 - 29. fluorescent
 - 30. focal point

TGT GAMESHEET: III:5 Light Vocabulary

An optical illusion in the atmosphere caused by refraction of light.	Brightness of a light source. $arepsilon$	Any substance through which light cannot pass.
1	2	3
Ratio of the speed of light in a vacuum to its speed in a given transparent substance.	The bending of a ray of light as it passes at an angle from one transparent material into another.	An imaginary line used to show the behavior of light.
A body which gives off light is abody.	Distance from a mirror or lens to its principle focus.	An image formed by a lens or mirror that cannot be projected on a screen.
, 7	8	9
The bundles of energy which make up light.	The ray of light which is returned from the reflecting surface.	Angle at which light strikes an object.
. 10		12
Image that can be pro- jected on a screen in an inverted position.	Instrument for measuring light intensity.	The band of visible colors formed by the spreading out of light through a prism.
13	,14	15
The rays of light that are scattered in different	Glowing or white with heat.	Angle at which light is reflected from an object.
directions.	. ;	18
Rays which are moving or being directed away from each other.	The ray of light which comes from the source of light.	A lens which is thicker in the center than at its edges.
	. 20	21
Unit used to measure illu- mination	Rays which are moving or being directed toward each other.	The property of a certain substance to give off light when it is exposed to certain radiations.
The line which forms a right angle to the reflecting or refracting surface.	Light being reflected by an object.	The point to which a lens or mirror converges parallel rays of light.
25	. 26	27
A lens which is thicker at its edges than in the center.	Device used in a spectro- scope to produce a spectrum.	An instrument which changes radiant (light) energy into mechanical energy.
Center.		

191.

2

GAMESHEET ANSWERS

III.5 Light Vocabulary

- .2. intensity
- 3. opaque
- 4. index of refraction
- 5. refraction
- 6. ray
- 7. luminous
- 8. focal point .
- 9. virtual image
- 10. photon
- ll. reflected ray
- 12. angle of incidence
- 13. real image
- 14. photometer
- 15. spectrum

- 16. diffused
- 17. incandescent
- 18. angle of reflection
- 19. diverging rays
- 20. incident ray
- 21. convex lens
- 22. foot-cnadle
- 23. converging
- 24. fluorescence
- 25. normal line
- 26. illumination
- 27. focal point
- 28. concave lens
- 29. diffraction grating
- 30. radiometer

TGT PHYSICAL SCIENCE

UNIT: Light and Sound

WORKSHEET: Waves and the Ear

Objective: III.6:-a. Students will distinguish between waves and their parts.

- b. Students will identify parts of the ear and their function.
- c. Students will distinguish between frequency and pitch.

· Instructions:


The worksheet will help you prepare for the Waves and the Ear Game. In numbers 1-16, name the part. In numbers 17-28, answer the questions concerning waves. Use the information sheet that is provided.

Vocabulary:

amplitude
compression
frequency
longitudinal wave
pitch
rarefaction
transverse wave
wave length




193.




The important parts of the ear are inside the head. There, sound waves that beat against the eardrum are turned into nerve signals that travel along the auditory nerve to the brain.


WAVE MOTION AND SOUND



Compressions in a longitudinal wave (left) may be compared to crests in a transverse wave (right).



TGT WORKSHEET: III.6 Waves and the Ear



In the diagram part "A" is: In the diagram part "B" is: In the diagram part "C" is: In the diagram part "E" is: In the diagram part "F" is: In the diagram part "F" is: In the diagram part "F" is: In the diagram part "F" is: In the diagram part "F" is: In the diagram part "I" is: In the diagram part "I" is: In the diagram part "I" is: In the diagram part "I" is: In the diagram part "I" is: In the diagram part "I" is: In the diagram part "F" is: In the diagram part "F" is: In the diagram part "F" is: In the diagram part "F" is: In the diagram part "F" is: In the diagram part "F" is: In the diagram part "F" is: A sound wave is considered a			
In the diagram part "D" is: In the diagram part "E" is: In the diagram part "F" is: In the diagram part "F" is: In the diagram part "F" is: In the diagram part "F" is: In the diagram part "I" is: In the diagram part "I" is: In the diagram part "I" is: In the diagram part "I" is: In the diagram part "I" is: In the diagram part "F" is: In the diagram p	In the diagram part "A" is:		In the diagram part "C" is:
In the diagram part "D" is: 4	1	2	3
In the diagram part "G" is: 7 8 9 Carries impulses from the inner car to the brain. 10 11 12 Turns sound energy into physical vibrations. Turns sound energy into a contact with the cochlea. The diagram part "H" is: 10			·
Carries impulses from the inner ear to the brain. Large part that collects sound waves. Changes physical vibrations into nerve impulses to be sent to the brain. 10 Small bone that makes physical contact with the cochlea. Small bone that picks up the physical vibration from the eardrum. A wave that vibrates parallel to its axis. A wave that vibrates perpendicular to its axis. A sound wave is considered a wave.	4_		0
Carries impulses from the inner ear to the brain. Large part that collects sound waves. Changes physical vibrations into nerve impulses to be sent to the brain. 10 Turns sound energy into physical vibrations. Small bone that makes physical contact with the cochlea. Small bone that picks up the physical vibration from the eardrum. 13 14 A wave that vibrates parallel to its axis. A sound wave is considered a	In the diagram part "G" is:	In the diagram part "H" is:	In the diagram part "I" is:
inner ear to the brain. 10 11 12 Turns sound energy into physical vibrations. Small bone that makes physical contact with the cochlea. 13 A wave that vibrates parallel to its axis. A wave that vibrates perpendicular to its axis. 16 Small bone that makes physical physical vibration from the eardrum. A sound wave is considered a wave.	7	8	9
Turns sound energy into physical vibrations. Small bone that makes physical contact with the cochlea. Small bone that picks up the physical vibration from the eardrum. 13 A wave that vibrates parallel to its axis. A wave that vibrates perpendicular to its axis. A sound wave is considered a wave.	inner ear to the brain.	sound waves.	into nerve impulses to be sent to the brain.
to its axis. perpendicular to its axis. a wave.	111	1 11 1	12
	Turns sound energy into physical vibrations.	Small bone that makes physical contact with the cochlea.	Small bone that picks up the physical vibration from the eardrum.
	Turns sound energy into physical vibrations. 13 A wave that vibrates parallel	Small bone that makes physical contact with the cochlea. 14	Small bone that picks up the physical vibration from the eardrum. 15
	Turns sound energy into physical vibrations. 7 13 A wave that vibrates parallel to its axis.	Small bone that makes physical contact with the cochlea. 14 A wave that vibrates perpendicular to its axis.	Small bone that picks up the physical vibration from the eardrum. 15 A sound wave is considered a wave.

TGT WORKSHEET: III.6 Waves and the Ear


The top of a transverse wave is called the:	The trough of a transverse wave would compare with a in a longitudinal wave.	If you change the wave length of a sound wave you wild change the of the sound.
19	. 20	. 21
If you change the amplitude of a sound wave you will change the of a sound.	Name this part of a longitudinal wave.	Name this part of a longitudinal wave.
	WWW C	
. 22	. 23	. 24
If the wave length of a wave is shortened, the pitch will be	A low note has a	In the diagram part "J" is:
. 25	. 26	. 27
The distance from a point on one wave to the exact same point on the next wave is called		
	•	
	223	<u></u>

WORKSHEET ANSWERS

III.6 Wayes and the Ear

- 1. outer ear
- 2. ear canal
- 3. hammer
- 4. anvil
- 5. auditory nerve
- 6. cochlea
- 7. stirrup
- 8: eardrum
- 9. eustachian tube
- 10. auditory nerve
- 11. outer ear
- 12. cochlea
- 13. ear drum
- 14. stirrup

- 15. hammer
- 16. longitudinal wave
- 17. transverse
- 18. longitudinal.
- 19. crest
 - 20. rarefaction
 - 21. pitch
 - 22. volume
 - 23. compression
- 24. rarefaction
- 25. higher
- 26. lower
- 27. semicircular canal
- 28. a wavelength



	·	
In the diagram part "A" is:	In the diagram part "B" is:	In the diagram part "C" is:
In the diagram part "D" is:	In the diagram part "E" is:	In the diagram part "F" is:
4		6
In the diagram part "G" is:	In the diagram part "H" is:	In the diagram part "I" is:
7	8	 9
Carries impulses from the inner ear to the brain.	Large part that collects sound waves.	Changes physical vibrations into nerve impulses to be sent to the brain.
The distance from a point on one wave to the exact same point on the next wave is called13	Small bone that picks up the physical vibration from the eardrum.	Small bone that makes physical contact with the cochlea.
Turns sound energy into	A sound wave is considered a wave.	A wave that vibrates perpendicular to its axis.
16	225 17	18 •

TGT GAMESHEET: III.6 Waves and the Ear

	•	1
A wave that vibrates parallel to its axis.	If you change the wave length of a sound wave you will change the of the sound.	The trough of a transverse wave would compare with a in a longitudinal wave.
19	20	. 21
The top of a transverse wave is called the:	Name this part of a longitudinal wave.	Name this part of a longitudinal wave.
	MM	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
	23	24
If you change the amplitude of a sound wave you will change the	. In the diagram part "J" is:	A low note has a frequency than a high note.
of a sound.	·	
. 25	`26	2 7
If the wave length of a wave is shortened the pitch will be:		•
. 28	· · · · · · · · · · · · · · · · · · ·	
•	,	
<i>'.</i>		
	226	
LDT	•	

GAMESHEET ANSWERS

III.6 Waves and the Ear

 auditory nerve 	l.	а	udi	Ĺto	ry	ner	ve
------------------------------------	----	---	-----	-----	----	-----	----

- 2. cochlea
- 3. eustachian tube
- 4. stirrup
- 5. eardrum
- 6. outer ear (pinna)
- 7. ear canal
- 8. hammer
- 9. anvil
- 10. auditory nerve
- 11. outer/ear
- 12'. cochlea
- 13. a wavelength
- 14. hammer

- 15. stirrup
- 16. eardrum
- 17. longitudinal
- 18. transverse wave
- 19. longitudinal wave
- 20. pitch
- 21. rarefaction
- 22. crest
- 23. rarefaction
- 24. compression
- 25. volume (
- 26. semicircular canals
- 27. lower
- 28. higher

TGT PHYSICAL SCIENCE

UNIT: Light and Sound

WORKSHEET: Sound Vocabulary Review___

Objective:

III.7--Students will define the basic words needed to understand the relationship between waves and sound.

Instructions:

This worksheet will help you prepare for the Sound Vocabulary Review Game. Choose a vocabulary word from the list below for each definition that is given.

Vocabulary:

acoustics
amplify
amplitude
auditory
compression
crest
cycle
decibel
echo
fidelity
frequency
hearing
intensity
interference

longitudinal wave noise pitch rarefaction resonate sonar sound transverse wave tones trough ultrasonic vibration wave length



TGT WORKSHEET: III.7 Sound Vocabulary Review

		- ما الله على المساورة على المساورة على المساورة على المساورة على المساورة على المساورة على المساورة على المسا
The distance from one wave crest to the next wave crest in a series of waves.	A wave that vibrates perpendicular to its axis.	A wave that vibrates parallel to its axis.
	`	
	_	·
1	. 2	, 3
The number of vibrations per second.	The distance from the axis to the top of a wave.	The top of a wave.
	3 ~	
		.3.
, , , , , , , , , , , , , , , , , , ,	5	6
4 /		
The bottom of a wave.	Part of a sound wave where the molecules have spread out.	Part of a sound wave where the molecules are bunched together.
		· •
7	. 8	<i>;</i> 9
The highness or lowness of a note on a sound scale. This is caused by the frequency of the sound.	Sounds with a frequency higher than those detected by the human ear.	Sound Navigation and Ranging: a method used for locating objects in water.
		•
. 10	11	12
The regular back-and-forth movement of matter.	A complete vibration.	To increase the loudness of a sound.
	•	
	22y	
13	14	15

TGT WORKSHEE,T: III.7 Sound Vocabulary Review

	}	
A reflected sound.	The silence that results when one sound wave whose air molecules are compressed bumps into another sound wave whose air molecules are spread out.	Make sounds louder by a sympathetic vibration.
, ,		
16	17	· 18
The degree of loudness	The science of detecting and controlling sound.	Having to do with the sense of hearing.
.		
19	20	21
A unit used to measure the loudness of sound.	Sounds made up of definite and regular frequencies.	The accurate reproduction of sound by a recording.
22	23	24
Any vibration that is detected by the human ear.	The detection of vibrations.	Sounds caused by vibrations which are not regular.
•	·	,
. 25	26	27
,	·	
* , ·	* ,	
	250	

WORKSHEET ANSWERS

III.7 Sound Vocabulary Review

- 1. wavelength
- 2. transverse wave
- 3. longitudinal wave
- 4. frequency
- 5⊿ amplitude
- 6. crest ·
- 7. trough
- 8. rarefaction
- 9. compression
- 10. pitch
- 11. ultrasonic
- 12. sonar
- 13. vibration
- 14. cycle

- 15. amplify
- 16. echo
- 17. interference
- 18. resonate
- 19. intensity
- 20. acoustics
- 21. auditory
- 22. decibel
- 23. tones
- 24. fidelity
- 25. sound
- 26. hearing
- 27. noise

TGT GAMESHEET: III.7 Sound Vocabulary Review

•	· · · · · · · · · · · · · · · · · · ·
The number of vibrations per second:	The bottom of a wave.
2	<u>(</u>
The regular back-and-forth movement of matter.	A wave that vibrates perpendicular to its axis.
• 5	6
Part of a sound wave where the molecules have spread out.	Sounds with a frequency higher than those detected by the human ear.
8	· 9
A wave that vibrates parallel to its axis.	The top of a wave.
	. `,
, 11	ř 12
Sound Navigation and Ranging: a method used for locating objects in water.	To increase the loudness of a sound.
14	. 15
The degree of loudness of sound.	A unit of sound loudness.
. 17	18
The silence that results when one sound wave whose air molecules are compressed bumps into another sound wave whose air molecules are spread out.	The science of detecting and controlling sound.
20°.	
The detection of vibrations.	Make sounds louder by a sympathetic vibration.
23	24
The accurate reproduction of a sound by a recording.	Sounds caused by vibrations which are not regular.
of a sound by a recording.	•
	which are not regular.
of a sound by a recording.	which are not regular.
	The regular back-and-forth movement of matter. 5 Part of a sound wave where the molecules have spread out. 8 A wave that vibrates parallel to its axis. 11 Sound Navigation and Ranging a method used for locating objects in water. 14 The degree of loudness of sound. 17 The silence that results when one sound wave whose air molecules are compressed bumps into another sound wave whose air molecules are spread out. The detection of vibrations.

GAMESHEET ANSWERS

III.7 Sound Vocabulary Review

1.	wavelengt	ch
----	-----------	----

- 2. frequency
- 3. trough
- 4. pitch
- 5. vibration
- 6. transverse wave
- 7. amplitude
- 8. rarefaction
- 9. ultrasonic
- 10. cycle
- 11. longitudinal wave
- 12. crest.
- 13. compression
- 14. sonar

- 15. amplify
- 16. echo
- 17. intensity
- 18. decibel
- 19. sound
- 20. interference
- 21. acoustics
- 22. tones
- 23. hearing
- 24. resonate
- 25. auditory
- 26. fidelity:
- 27. noise

TGT RHYSICAL SCIENCE 4

UNIT: Heat Energy

WORKSHEET: Heat Transfer

Objective: IV.1--a. Students will identify and distinguish among the methods of heat transfer.

- b. Students will define the terms insulator and conductor.
- c. Students will identify substances that conduct and insulate against heat.


Instructions:

This worksheet will help you prepare for the Heat Transfer Game. In items 1-21, read the statement and pick the main method of heat transfer involved. In items 22-28, identify the substance as an insulator or conductor.


Vocabulary:

conduction conductor convection insulator radiation






conduction heat moves from one particle to another



particles carry heat



radiation heat waves move through empty space

	•	
The sun makes you feel warm.	Your body is warmed by a sunlamp.	Smoke and hot air going up a chimney.
1	2	
The hạndle of a sauce pan gets hot.	Currents or movement of water in a pan when heating it.	The outside of the pipe bringing hot water to the sink becomes hot when hot water flows through it.
A tin cup gets hot when coffee is put into it.	Being warmed by standing in front of a fireplace.	Meat being heated in a frying pan.
7	. 8	9
Produces winds.	Can be controlled or stopped by the use of mirrors.	Keeping the window open for ventilation.
10	11	12
The roof of a car gets very hot when it sits in the sunlight.	Outside of a dish gets hot when filled with hot food.	A pinwheel over a candle starts to spin as a result of air moyement.
13	14	15
Cooking a hot dog over a campfire.	Using a hot water bottle or heating pad. ************************************	On a bright sunny day the pavement gets very hot.

TGT WORKSHEET: IV.1 Heat Transfer

Heat being transferred in water by currents.	The primary method of heat transfer in a fluid.	Transfer of heat by direct contact between molecules.
19	20	21.
Substances that transfer heat easily.	Substances that do not transfer heat easily.	Plastics a. insulator : b. conductor 24
Aluminum a. insulator b. conductor 25	Paper a insulator b. conductor 26	Wood a. insulator b. conductor 27
Iron a. insulator b. conductor 28		
•		•
	,	
•		
ş		•
	236	

WORKSHEET ANSWERS

Heat Transfer

1.	radiation				15.	convection
2.	radiation	•			16.	radiation
3.	convection				17.	conduction
4.	conduction				18.	radiation
5.	convection				19.	radiation
6.	conduction				20.	convection
7.	conduction				21.	conduction
- 8.	convection				22.	conductors
9.	conduction				23.	insulators
10.	convection				24.	insulator
11.	radiation		*		25.	conductor *
12.	convection		-		26.	insulator
13.	radiation				27.	insulator
14.	conduction			•	28.	conductor

TGT GAMESHEET: IV.1 Heat Transfer

The sun makes you feel warm.	Meat being heated in a frying pan.	The primary method of heat transfer in a fluid.
1	\$ 2	3
The handle of a sauce pan gets hot.	Keeping the window open for ventilation.	Substances that do not transfer heat easily.
4	5	6
A tin cup gets hot when coffee is put into it.	The roof of a car gets very hot when it sits in the sunlight.	Paper a. insulator b. conductor 9
Produces winds	Cooking a hot dog over a campfire.	A pinwheel over a candle starts to spin as a result of air movement.
10_	11	. 12
Your body is warmed by a sun lamp.	Heat being transferred in water by currents.	On a bright sunny day the pavement gets hot.
13	14	. 15
Movement of water in a saucepan when heating it.	Substances that transfer heat easily.	Transfer of heat by direct contact of molecules.
16	. 17	18
Being warmed by standing in front of a fireplace.	Aluminum a. insulator b. conductor 20	Glass a. insulator b. conductor 21
Can be controlled or stopped by the use of mirrors.	Iron a. insulator b. conductor 23	Wood a. insulator b. conductor 24
Smoke and hot air going up a chimney.	Outside of a dish gets hot when filled with hot food.	The outside of the pipe bring- ing hot water to the sink becomes hot when hot water flows through it.
Using a hot water bottle or heating pad.		
28	238	

GAMESHEET ANSWERS

Heat Transfer

1.	radiation f		15.	radiation
2.	conduction		16.	convection
3.	convection		17.	conductors
4.	conduction		18.	conduction
5.	convection		19.	radiation
6.	insulators		20.	conductor
7.	conduction		21.	conductor
8.	radiation		22.	radiation
9.	insulator		23.	conductor
10.	convection		24.	insulator
11.	radiation	·, ·	25.	convection
12.	convection	`	26.	conduction
13.	radiation		-27:	conduction
14.	radiation ,		28.	conduction

TGT PHYSICAL SCIENCE

UNIT: Heat Energy

WORKSHEET: Heat and Temperature

Objective: IV.2--a. Students will identify common Celsius and Fahrenheit temperatures.

- b. Students will convert readings from one temperature scale to the other.
- Students will compute heat energy loss and gain.


Instructions: This worksheet will help you prepare for the Heat and Temperature Game. You are provided with a diagram and statement sheet for the worksheet only. Read each item and write the answer on the worksheet.

Vocabulary:

calorie
degree
heat energy
heat of fusion
heat of vaporization
temperature




DIAGRAM A



Statements

- A. Temperature is the measurement of the average molecular motion or kinetic energy in a substance.
- B. Heat is the measurement of the total energy in a substance.
 - A calorie is the amount of heat energy required to raise the temperature of 1 gram of water by one degree celsius.

DIAGRAM B



241



TGT WORKSHEET: IV.2 Heat and Temperature

How many Celsius degrees are between the freezing and boiling point of water?	How many Fahrenheit degrees are between the freezing and boiling point of water?	Normal body cemperature is OC, according to Diagram A.
1	2	_ 3
Normal room temperature is O C, according to Diagram A.	Normal body temperature is OF, according to Diagram A.	Normal room temporature is Of, according to Diagram A.
4	5	6
For every 5° change on the Celsius scale, there will be a change on the	Would 40°C be comfortable in the summer?	What would 40 ⁰ C be equal to on the Fahrenheit scale?
Fahrenheit scale.	8	9
Would water freeze at 14 ⁰ F?	What would 14 ⁰ F be equal to on the Celsius scale?	Temperature is the
10	11	12
Heat energy is the molecular motion in a sub- stance.	The metric unit used to measure heat energy is the	The unit used to measure temperature is the
13	. 14	15
The heat of fusion of water is	The heat of vaporization of water is	According to Diagram B, it requires calories to change 1 gram of ice at 0°C to 1 gram of water at 0°C.
According to Diagram B, it requires calories to change 1 gram of water at 100° C to steam at 100° C.	How many calories would be	How many calories would be required to change 10 grams of water at 100° C to steam at 100° C?
It requires how many calories to raise 1 gram of water 1 C?	It would require calories to raise 100 grams of water 20 Celsius degrees.	It would require calories to raise 10 grams of water 50 Celsius degrees.
2,2	23	24
The point of would be the temperature at which a substance is at its melting point.	The temperature at which a substance turns to a gas is its point or temperature.	The temperature at which water melts or freezes is
25	26	. 27
The temperature at which water vaporizes is	•	
	242	
010	ha 'l (a	

~ WORKSHEET ANSWERS

IV.2 Heat and Temperature

2. 180°

3. 37°

4. 20°

5. 98.6°

6. 68°

7. 90°

8. No

9. 104°

10. Yes

11. -10^o

12. average

13. total

14. calorie

15. degree

16. 80 c/g

17. 540 c/g

18. 80

19. 540

20. 800

21. 5400

22. 1

23. 2,000

24. 500

25. fusion

26. vaporization

27. 0° C or 32° F

28. 100° C or 212° F

TGT GAMESHEET: IV.2 Heat and Temperature

	· · · · · · · · · · · · · · · · · · ·	·
The temperature at which water melts or freezes.	What would 40°C be equal to on the Fahrenheit scale?	Normal room temperature isO C.
1	2	3
What would 14 ⁰ F be equal to on the Celsius scale?	Normal body temperature is F.	The point of would be the temperature at which a substance turns to a gas.
<i>Ļ</i>	5	6
Normal body temperature isO C.	How many Celsius degrees are there between the freezing and boiling points of water?	It requires calories to change 1 gram of water at 100° to steam at 100° C.
7	8	9
Heat energy is the molecular motion in a sub- stance.	Normal room temperature is F.	It would require calories to raise 100 grams of water 20 Celsius degrees.
10	. 11	12
How many calories would be required to change 10 grams of ice at 0°C to water at 0°C?	How many Fahrenheit degrees are between the freezing and boiling points of water?	The point of would be the temperature at which a substance is at its melting point.
13	. 14	
Would water freeze at 14 ⁰ F?	It requires calories to change 1 gram of ice at 0°C to 1 gram of water at 0°C.	The unit used to measure temperature is the
16	17	18
How many calories would be required to change 10 grams of water at 100°C to steam at 100°C?	Temperature is the molecular motion in a substance.	For, every 5° change on the Celsius scale, there will be change on the Fahrenheit scale.
The metric unit used to measure heat is the	The temperature at which water vaporizes is	It would require calories to raise 10 grams of water 50 Celsius degrees.
22	23	24
The point of	Would 40 ⁰ C be comfortable in the summer?	It requires how many calories to raise 1 gram of water 10°C?
25	26	27
The heat of fusion of water is		
	244	
ERIC		

GAMESHEET ANSWERS

IV.2 Heat and Temperature

1.	00	С	or	32°	F
· ·	U	·	OI	JZ	F

- 2. 104°
- 3. 20°
- 4. -10°
- 5. 98.6°
- 6. vaporization
- 7. 37°
- 8. 100°
- 9. 540
- 10. total
- 11. 68°
- 12. 2,000
- 13. 800
- 14.. 180°

- 15. fusion
- 16. Yes
- 17. 80
- 18. degree
- 19. 5,400
- 20. average
- 21. 9°
- 22. calorie
- 23. 100° & or 212° F
- 24. 500
- 25. vaporization
- 26. No
- 27. 1
- 28. 80 c/g

TGT PHYSICAL SCIENCE

UNIT: Heat Energy

WORKSHEET: Heat Graphs

Objective: IV.3--a. Students will be able to interpret latent .

heat factors from a graph.

b. Students will be able to identify latent

heat points.

Instructions:


This worksheet will help you prepare for the Heat Graph Game. Circle the correct answer or write the answers in the space provided. In numbers 1-15, all graph questions refer to Graph A. In numbers 16-24, all graph questions refer to Graph B.

Vocabulary:

calorie
degree
heat of fusion
heat of vaporization
latent heat
point of fusion
point of vaporization




GRAPH A





247





TGT WORKSHEET: IV.3 Heat Graphs


	·	
On graph A, what letter stands for the point of fusion? a. B c. F	On graph A, what letter stands for the point of vaporization? a. B c. F	On graph A, what line segment represents the liquid phase? a. E-F c. A-B b. C-D
b. D 1 On graph A, what line seg-	b. D 2 On graph A, what line seg-	The substance remained a
ment represents the solid phase?	ment represents the vapor (gas) phase?	liquid between the tempera- tures ofO C and
a. E-F c. A-B b. C-D 4	a. E-F c. A-B b. C-D 5	6
How many Lalories of heat energy were absorbed during the vaporization process?	How many calories were absorbed during the heat of fusion period?	What line segment represents the heat of fusion?
7		9
What line segment represents the heat of vaporization?	What was the melting point of the substance?	What is the temperature at the boiling point of the substance?
	11	. 12
In graph A, was the substance being heated or cooled?	Heat is measured in units called	Temperature is measured in units called
13	14	15
In graph B, are the substances heating or cooling?	At what temperature did quantity 1 turn from a gas to a liquid?	At what temperature did quantity 2 turn from a gas to a liquid?
16	17	18
What is the freezing point of quantity 1?	What line segment represents the liquid state of the sub- stance in quantity 1?	According to the graph, does the quantity change the point of vaporization?
. 19	20	21
The point at which a liquid turns to gas or a gas to a liquid is called	If 1 and 2 were different substances, could they be separated by distillation?	Which quantity contained the most heat energy?
	23	24
7		
	219	

WORKSHEET ANSWERS


IV.3 Heat Graphs

- 1. a
- 2. b
- 3. b
- 4. c
- 5. a
- 6. 20° C and 100° C
- 7. 140
- 8. 100
- 9. B-C
- 10. D-E
- 11. 20° C
- 12. 100° C

- 13. heated
- 14. calories
- 15. degrees
- 16. cooling
- 17. 78° C
- 18. 78° C
- 19. -9° C
- 20. T-U
- 21. No
- 22. vaporization point
- 23. No
- 24. .Q2









252.

TGT GAMESHEET: IV.3 Heat Graphs

On graph B, which quantity contained the most heat?	Heat is measured in units called	On graph A, what line segment represents the heat of fusion?
1	2	3
On graph A, what line segment represents the liquid phase? a. E-F c. A-B	Temperature is measured in ! units called	According to graph B, does the quantity change the point of vaporization?
b. C-D 4	5	6
On graph B, if 1 and 2 were different substances, could they be separated by distillation?	On graph A, what letter stands for the point of fusion? a. B c. F	On graph A, what was the melting point of the substance?
	b. D8	9
On graph B, what line seg- ment represents the liquid state of the substance in quantity 1?	On graph B, at what tempera- ture did quantity 2 tu rn from a gas to a liquid?	On graph B, what is the freezing point of quantity 1?
10	11	12
On graph A, how many calories were absorbed during the heat of fusion period?	On graph A, what line segment represents the solid phase? a. E-F c. A-B b. C-D	On graph A, what is the temperature at the boiling point of the substance?
On graph A, what line segment represents the vapor (gas) phase? a. E-F c. A-G b. C-D	The point at which a liquid turns to gas or a gas to a liquid is called	On graph A, the substance remained a liquid between the temperatures of C and C.
On graph A, what letter stands for the point of vaporization? a. B c. F	In graph A, was the substance being heated or cooled?	On graph A, what line segment represents the heat of vaporization?
b. D 19	, 20	. 21
On graph B, at what tem- perature did quantity 1 turn from a gas to a liquid?	In graph B, are the sub- stances heating or cooling?	On graph A, how many calories were absorbed during the vaporization period?
22	23	24_
, ,		
	$c = c \sqrt{25}$	

226.

GAMESHEET ANSWERS

IV.3 Heat Graphs

- 1. Q2
- 2. calories
- 3. B-C
- 4. b
- 5. degrees
- 6. No
- 7. No
- 8. a
- 9. 20° C
- 10. T-U
- 11. 78° C
- 12. -9° C

- 13. 100
- 14. C
- 15. 100° C
- 16. a
- 17. vaporization point
- 18. 20° C and 100° C
- 19. b
- 20. heated
- 21. D-E
- 22. 48° C
- 23. cooling
- . 24. 140

TGT PHYSICAL SCIENCE

UNIT: Heat Energy

WORKSHEET: Heat Vocabulary Review

Objective: IV.4--Students will define basic terms used in the study of heat energy.

Instructions: This worksheet will help you prepare for the Heat Vocabulary Review Game. After reading the definition on the worksheet, choose the correct term from the vocabulary list and write the term in the space below the proper definition. You will not be provided the vocabulary list for the tournament.

Vocabulary:

absolute zero boiling point B.T.U. calorie calorimeter condensation conduction conductor convection cryogenics degree evaporation heat heat of fusion heat of vaporization insulator latent heat radiation specific heat temperature thermometer thermostat



TGT WORKSHEET: IV.4 Heat Vocabulary Review

	<u> </u>
Measurement of the total molecular energy in an object.	The change from a liquid to a gas.
2	3
Transfer of energy in waves through space.	Hidden he a t.
5	6
The unit of heat in the English system. The capacity of air conditioners and refrigerators is given in these units.	Measurement of the average molecular energy in an object.
A device that regulates temperature automatically.	The temperature at which the inner pressure of a liquid becomes greater than the outer pressure.
The metric unit used to measure heat.	The change from a gas to a liquid.
14	15
Unit used to measure temperature.	Amount of heat required to melt one gram of a substance.
17	18
The transfer of heat through a solid.	Amount of heat required to change l gram of a liquid to a gas.
20	
25 ₀	
	Transfer of energy in waves through space. 5 The unit of heat in the English system. The capacity of air conditioners and refrigerators is given in these units. 8 A device that regulates temperature automatically. 11 The metric unit used to measure heat. 14 Unit used to measure temperature. 17 The transfer of heat through a solid. 20



WORKSHEET ANSWERS

IV.4 Heat Vocabulary Review

1.	insu	lator
- •	LIIJU	Idcor

- 2. heat
- 3. evaporation
- 4. thermometer
- 5. radiation
- 6. latent heat
- 7. conductor
- 8. B.T.U.
- 9. temperature
- 10. absolute zero
- 11, thermostat

- 12. boiling point
- 13. convection
- 14. calorie
- 15. condensation
- 15. specific heat
- 17. degree
- 18. heat of fusion
- 19. calorimeter
- 20. conduction
- 21. heat of vaporization
- 22. cryogenics



TGT GAMESHEET: IV.4 Heat Vocabulary Review

		_
A solid through which heat travels easily.	The unit of heat in the English system. The capacity of air conditioners and refrigerators is given in these units.	Measurement of the average molecular energy in an object
Lowest temperature theoretically possible.	A device that regulates temperature automatically.	The temperature at which the inner pressure of a liquid becomes greater than the outer pressure.
The movement of heat through a gas or liquid by circulation.	The metric unit used to measure heat.	The change from a gas to a liquid.
An instrument for mea- suring temperature.	Transfer of energy in waves through space.	Hidden heat.
10	11	12
Something which prevents the flow of heat.	Measurement of the total molecular energy in an object.	The change from a liquid to a gas.
13	14	15
Scientific study of physical and chemical properties at very low temperatures.	Instrument used to measure heat in calories.	The transfer of heat through a solid.
16	17	18
Amount of heat required to change 1 gram of a liquid to a gas at the point of vaporization.	The amount of heat needed to change the temperature of 1 gram of a substance 10 C.	Unit used to measure tempera- ture.
19	20	21
Amount of heat required to melt one gram of a substance at the point of fusion.	•	
22		
	258	
	12 70	



GAMESHEET ANSWERS

TV.4 Heat Vocabulary Review .

1.	onduc	tor
----	-------	-----

ŧ

- 2. B.T.U.
- 3. temperature
- 4. absolute zero
- 5. thermostat
- 6. boiling point
- 7. convection
- 8. calorie
- 9. condensation
- 10. thermometer
- 11. radiation

- 12. latent heat
- 13. insulator
- 14. heat
- 15. evaporation
- 16. cryogenics
- 17. calorimeter
- 18. conduction
- 19. heat of vaporization
- 20. specific heat
- 21. degree
- 22. heat of fusion



TGT PHYSICAL SCIENCE

UNIT: Electricity

WORKSHEET: What Charge and Why?

Objective: V.1--a. Students will define the terms "negative charge" and "positive charge."

b. Students will determine if an object is negatively or positively charged.

Instructions:

This worksheet will help you prepare for the What Charge and Why Game. In questions 1-10, fill in the blanks. In questions 11-24, study the diagrams to answer the questions.

Vocabulary:

electrical current electron negative charge neutral positive charge proton



TGT WORKSHEET: V.1 What Charge and Why'

والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع والمرابع		بالبيادة كالتناقين والتعلق والمراب والمنافي والمنافية والمساح فيتنا المساقية المساوي والمساوية والمساوية
plate vein shield	Plate vein shield	plate vein shield
The is a very small particle of matter with a positive charge.	The is a very small particle with a negative charge.	A neutral object contains equal numbers of and
A negatively charged object has more than	A positively charged object has more	A neutral object may become positively charged by electrons.
A neutral object may become negatively charged by electrons.	A negatively charged object may become neutral by electrons.	A positively charged object may become neutral by electrons.
An object may become negatively or positively charged by gaining or losing	In diagram A the electrons move from the to the	In diagram A the plate has become charged.
In diagram A the vein has become charged.	When the rod is removed the electrons will move from the	The vein and the plate will both become
In diagram B the electrons move from the to the	In diagram B the plate has become charged.	In diagram B the vein has become charged.
When the rod is removed in diagram B, the electrons will move from the to the	The scope and the plate will both become	In diagram C what charge does the plate have?
In diagram C what charge does the vein have?	When the rod is removed the scope will remain charged.	The scope is charged because it has more than protons.
22	23	24

WORKSHEET ANSWERS

V.i What Charge and Why?

l.	p	r	0	t	on
----	---	---	---	---	----

- 2. electron
- 3. protons and electrons
- 4. electrons, protons
- 5. protons, electrons
- 6. losing
- 7. gaining
- 8. losing
- 9. gaining
- 10. electrons
- ll. plate, scope
- 12. positively

- 13. negatively
- 14. scope, plate
- 15. neutral
- 16. scope, plate
- 17. negatively
- 18. positively
- 19. plate, scope
- 20. neutral
- 21. negative
- 22. negative
- 23. negatively
- 24. negatively, electrons

TGT GAMESHEET: V.1 What Charge and Why'

	·	همده مناسخ بردن _{خوا} ستها شمکان ای از است برده بردن بردن بردن است. ا
electroscope	electroscope	electroscope
1	D total	~ // <u>_</u>
A	D - 71-11	D. T.
plate	plate	plate
vein	vein	vein
shield — /	shield—	shield — 7
入 ' <i>人</i>		入了一人
	,	
A positively charged object	A negatively charged object	A neutral object may become
may become neutral by	may become neutral by	negatively charged by
electrons.	electrons.	electrons.
_		,
1	?	3
1 managan 1 alisaa taasa	A positivaly shaward alice	A negatively harmed -1:
A neutral object may become	A positively charged object	A negatively charged object
positively charged by	has more than	has morethan
electrons.	 •	 ·
4	5	6
4		
A neutral object contains	The is a very small	The is a very small
equal numbers of	particle with a negative	particle of matter with a
and	charge.	positive charge.
•		
	88	9
In diagram A the vein and	In diagram A, when the rod is	In diagram A the vein has
the plate will both become	removed the electrons will	become charged.
·	move from the to the	
10	·	10
10	11	12
In diagram A the plate has	In diagram A the electrons	An object may become negatively
	move from the to	or positively charged by
become charged.		gaining or losing
	the	barning of fosting
13	14	15
In diagram C the vein is	When the rod is removed in	In diagram C what charge does
charged because it	diagram C, the vein will	the scope have?
has more than	remain charged.	
protons.		
16	17	18
In diagram Cabat above	In diagram D the come and	When the wed in many die
In diagram C what charge	In diagram B the scope and	When the rod is removed in
does the plate have?	the plate will both become	diagram B, the electrons will
	 '	move from the to the
19	20	·
17	20	21
In diagram B the vein has	In diagram B the plate has	In diagram B the electrons
become charged.	become charged.	move from the to the
		·
22	23	?4

GAMESHEET ANSWERS

V.1 What Charge and Why?

1		,	2	i	n	i	n	o
•	٠	 >	•	•	••	•	••	0

- 2. losing
- 3. gaining
- 4. losing
- 5. protons, electrons
- 6. electrons, protons
- 7. protons, electrons
- 8. electron
- 9. proton
- 10. neutral
- ll. scope, plate
- 12. negatively

- 13. positively
- 14. plate, scope
- 15. electrons
- 16. negatively, electrons
- 17. negatively
- 18. negative
- 19. negative
- 20. neutral
- 21. plate, scope
- 22. positively
- 23. negatively
- 24. scope, plate



TGT PHYSICAL SCIENCE

UNIT: Electricity

WORKSHEET: Ohm's Law

Objective: V.2--a. Students will write and apply Ohm's Law.

b. Students will identify the units and symbols used to measure current, resistance, and electromotive force.


Instructions: This worksheet will help you prepare for the Ohm's Law Game. Read the questions, consult the charts, and provide the correct answers.

Vocabulary:

electrical resistance electromotive force (volts) electrical current

OHM'S LAW

$$I = \frac{V}{R}$$



	SYMBOL	UNIT
electromotive force	V	volt
electric current	I	ampere
resistance	R	ohm



TGT WORKSHEET: V.2--Ohm's Law

State Ohm's law in formula using the following words: resistance, current, electromotive force.	Give the symbol for electrical resistance.	Give the symbol for electrical current.
Give the symbol for electromotive force.	Give the formula for Ohm's law using the symbols.	What is the unit used to measure electrical resistance?
What is the unit used to measure electrical current?	What is the unit used to measure electromotive force?	Express Ohm's law in formula using the units.

Complete the chart:

3 y 11100 1	enic
10.	11.
Ι	13.
15.	Ohm
	10.

How much current will flow in a light that uses a 6 volt battery and a bulb with 3 Ohms of resistance?	How much current will flow through a circuit if the resistance is equal to 8 Ohms and the electromotive force is 120 volts?	A toaster has a resistance of 10 Ohms. How much current will flow if the toaster is in a 120 volt circuit?
If you want to find the resistance in a circuit, you can change the formula to read:	What is the resistance of a toaster if 110 volts produce a 5 amp current through it?	An electrical drill uses 110 volts and 10 amps of electricity. How much re- sistance does it have? 21
If you want to find the voltage across a circuit, you can change the formula to read:	How much voltage is needed to cause a 7 amp current through an electrical heater that has a resistance of 16 Ohms?	A rheostat has a resistance of 20 Ohms. What EMF will be needed if the current in the rheostat is 4 amperes?
	286	

WORKSHEET ANSWERS

V.2 Ohm's Law

	,		Electromotive	force
1.	Current	=	Resistance	

- 2. R
- 3. I
- 4. V
- 5. $I = \frac{V}{R}$
- 6. Ohm
- 7. ampere
- 8. volt
- 9. amperes = $\frac{\text{volts}}{\text{Ohms}}$
- 10. V
- 11. volts
- 12. electric current

- 13. ampere
- 14. resistance
- 15. R
- 16. 2 amperes
- 17. 15 amperes
- 18. 12 amperes
- 19. $R = \frac{V}{I}$
- 20. 22 Ohms
- 21. 11 Ohms
- 22. $V = I \times R$
- 23. 112 volts
- 24. 80 volts

TGT GAMESHEET: v.2 Ohm's Law

State Ohm's law in formula form using the following words: resistance, current and electromotive force.	Give the symbol for electrical current.	Give the symbol for electrical resistance.
Give the formula for Ohm's law using the symbols.	Give the symbol for electromotive force.	What is the unit used to measure electrical current?
4	5	6
What is the unit used to measure electrical resis-tance?	Express Ohm's law in formula using the units.	What is the unit used to measure electromotive force?
7	8	9
Electromotive force is measured in units called	The symbol for volts is	The measurement unit is Ohms. The symbol is
10	11	12
"I" is a symbol for	What unit is used to measure I?	If you are using Ohms, you are measuring
13	14	15
How much current will flow through a circuit if the resistance is equal to 10 Ohms and the electromotive force is 120 volts?	How much current will flow in a light that uses a 12 volt battery and a bulb with 4 Ohms of resistance?	If you want to find the resistance in a circuit, you can change the formula to read:
A toaster has a resistance of 10 Ohms. How much current will flow if the toaster is in a 120 volt circuit?	An electrical drill uses 110 volts and 10 amps of electricity. How much resistance does it have?	What is the resistance of a toaster if 120 volts produce a 6 amp current through it?
How many volts are needed to push 7 amps through an electrical heater that has a resistance of 16 Ohms? 22	If you want to find the voltage in a circuit, you can change the formula to read:	A rheostat has a resistance of 15 Ohms. What EMF will be needed if the current in the rheostat is 3 amperes?
	23	
	285	

GAMESHEET ANSWERS

V.2 Ohm's Law

- 1. Current = $\frac{\text{Electromotive force}}{\text{Resistance}}$
- 2. I
- 3. R
- $4. I = \frac{V}{R}$

V

- 6/. ampere
- 7. Ohm
- 8. amperes = $\frac{\text{volts}}{\text{Ohms}}$
- 9. volt
- 10. volts
- 11. V
- 12. R

- 13. current
- 14. ampere
- 15. resistance
- 16. 12 amperes
- 17. 3 amperes
- 18. $R = \frac{V}{T}$
- 19. 12 amperes
- 20. 11 Ohms
- 21. 20 Ohms
- 22. 112 volts
- 23. $V = I \times R$
- 24. 45 volts

TGT PHYSICAL SCIENCE

UNIT: Electricity

WORKSHEET: General Circuits

Objective: V.3--a. Students will distinguish between a series and a parallel circuit.

b. Students will calculate the voltage and resistance in parallel and series circuits.

c. Students will identify an open or closed circuit.

Instructions: This worksheet will help you prepare for the General

3

Circuits Game. Provide the correct answer for each item. The game will be similar, but some of the

items will vary.

Vocabulary:


)

circuit closed circuit open circuit parallel circuit resistance) series circuit voltage



TGT WORKSHEET: V.3 General Circuits

In a circuit, if one light burns out they all go out. In a circuit, if one light burns out the rest remain on.	An electric is a path through which current can flow.	A circuit is a one-path circuit.	A circuit may have several paths or branches.
When cells are connected in a circuit, the total voltage increases. 7 In this diagram the cells are in a circuit. 7 In this diagram the cells are in a circuit. 7 In this diagram the cells are in a circuit. 8 9 In this diagram the cells are in a circuit. 7 In this diagram the cells are in a circuit. 9 If the cells in #9 are 1.5V each, how many volts are there across the bulb? If four 1.5V cells were connected in series, the total voltage output would be If four 1.5V cells were connected in parallel, the total voltage output would be As more lights are added to a circuit the lights become dimmer.	if one light burns out they	one light burns out the rest	every part of a
When cells are connected in a circuit, the total voltage increases. 7 In this diagram the cells are in a circuit. 7 In this diagram the cells are in a circuit. 7 In this diagram the cells are in a circuit. 8 9 In this diagram the cells are in a circuit. 7 In this diagram the cells are in a circuit. 9 If the cells in #9 are 1.5V each, how many volts are there across the bulb? If four 1.5V cells were connected in series, the total voltage output would be If four 1.5V cells were connected in parallel, the total voltage output would be As more lights are added to a circuit the lights become dimmer.	Δ	, 5	6
If the cells in #9 are 1.5V each, how many volts are there across the bulb? If four 1.5V cells were connected in series, the total voltage output would be If four 1.5V cells were connected in parallel, the total voltage output would be If four 1.5V cells were connected in parallel, the total voltage output would be If four 1.5V cells were connected in parallel, the total voltage output would be As more lights are added to a circuit the lights become dimmer.	When cells are connected in a circuit, the total voltage increases.	When cells are connected in a circuit, the voltage does not change.	In this diagram the cells are in a circuit.
connected in series, the total voltage output would be connected in parallel, the total voltage output would be	are in a	each, how many volts are there across the bulb?	each, how many volts are there across the bulb?
	connected in series, the total voltage output would	connected in parallel, the total voltage output would be	a circuit the
	13		15






Diagram B: Two bulbs in parallel





Diagram C:



If one of the lamps burns out in diagram A, will the others remain lit?

If the 240-0hm lamp burns out in diagram B, will the 120-Ohm lamp remain lit?

In which circuit is it easier to find a burned-out bulb?

16

17

What is the total resistance of the lamps in A? Is the voltmeter in diagram C connected in parallel or series with the resistor?

Is the ammeter in diagram C connected in parallel or series with the resistor?

19

20

18

Are the cells in diagram C connected in series or parallel?

If each cell in diagram C has a voltage of 1.5, how many volts are there across the circuit?

Is the circuit in diagram, C open or closed?

WORKSHEET ANSWERS

V.3 General Circuits

1		e i	Ĺ	c	u	i	t

2. series

3. parallel

4. series

5. parallel

6. series

series

8. parallel

9. parallel

10. series

11. 1.5V

12. 3V

13. 6V

14. 1.5V

15. series

16. No

17. Yes ·

18. B

19. 400 Ohms

20. parallel

21. series

22. series

23. 3 Volts


24. open

TGT GAMESHEET: V.3 General Circuits

If four 1.5V cells were connected in parallel, the total voltage output would be	As more lights are added to a circuit the lights become dimmer.	In this diagram the cells are in a circuit.
If the cells in #3 are 1.5V each, how many volts are flowing through the bulb?	In this diagram the cells are in a circuit.	If the cells in #5 are 1.5V each, how many volts are flowing through the bulb?
In a circuit, if one light burns out they all go out.	In a circuit, if one light burns out the rest remain on.	The current is the same in every part of a circuit.
7	8 .	9
When cells are connected in a circuit, the voltage increases.	When cells are connected in a circuit, the voltage does not change.	If four 1.5V cells were connected in series, the total voltage output would be
∢ 10	11	12
An electric is a path through which electric trons can flow.	A circuit is a one-path circuit.	A circuit may have several paths or branches.
	274	15 *-

Diagram A: String of Christmas tree bulbs in series

Diagram 3: Two bilbs in partiles



8





Diagram C.



If one of the lamps burns out in diagram A, will the others : Emain lit?

If the 240-0hm lamp burns out in diagram B, will the the 120-Ohm lamp remain lit? In which circuit is it easier to find a burned-out bulb?

16

17

What is the total resistance of the lamps in A? Is the voltmeter in diagram C connected in parallel or series with the resistor?

connected in parallel or series with the resistor?

Is the ammeter in diagram C

19

20

21

18

Are the cells in diagram C connected in series or parallel?

If each cell in diagram C has a voltage of 1.5, how many volts are there across the circuit?

Is the circuit in diagram C open or closed?

270

23

GAMESHEET ANSWERS

V.3 General Circuits

1		1		ς
L	•	ī	٠	J

2. series

parallel

4. 1.5V

5. series

6. 3V

7. series

8. parallel

9. parallel

10. series

ll. parallel

12. 6V

13. circuit

14. series

15. parallel

16. No

17. Yes

18. B

19. 400 Ohms

20. parallel

21. series

22. series

23. 3 Volts

24. open

TGT PHYSICĂL SCIENCE

UNIT: Electricity

WORKSHEET: Electrical Symbols


Objective: V.4--Students will identify electrical symbols.

Instructions:


This worksheet will help you prepare for the Electrical Symbols Game. Use the vocabulary and diagram and write the name of the symbol on the line provided in each item. You will not have the use of the vocabulary and diagram below for the tournament.

Vocabulary


SYMBOLS USED TO DIAGRAM ELECTRONIC CIRCUITS







278




WORKSHEET ANSWERS

V.4 Electrical Symbols


- 1. antenna
- 2. cell
- 3. fuse
- 4. triode
- 5. ground
- 6. ammeter
- 7. earphones
- 8. battery
- 9. switch
- 10. galvanometer
- 11. transitor
- 12. resistor

- 13. rectifier
- 14. lamps in parallel
- 15. electromagnet
- 16. connection
- 17. capacitor
- 18. voltmeter
- 19. rheostat
- 20. transformer
- 21. non connection or crossover
- 22. variable capacitor
- 23. diode
- 24. variable resistor

TGT GAMESHEET: v.4 Electrical Symbols



281



GAMESHEET ANSWERS

V.4 Electrical Symbols

1	١.	rheostat	13.	earphones
2	2.	trans former	14.	battery
3	3.	non connection or crossover	15.	switch
4	١.	variable capacitor	16.	galvanomete
5	5.	diode	17.	transitor
6	5.	variable resistor	18.	resistor
7	7.	rectifier	19.	antenna
8	3.	lamps in parallel	20.	cell
9	9.	electromagnet	21.	fuse
10).	connection	22.	triode
11	ι.	capacitor	23.	ground
12	2.	voltmeter	24.	ammeter

TGT PHYSICAL SCIENCE

UNIT: Electricity

WORKSHEET: Electronic Circuits


Objective: V.5--a. Students will identify the parts of a radio circuit.

b. Students will identify the function of each part of a radio circuit.


Instructions: This worksheet will help you prepare for the Electronic Circuits Game. In items 1-12, identify the parts of the radio circuit pictured on the worksheet. In items 13-20, give the function of the named part.

Vocabulary:

SYMBOLS USED TO DIAGRAM ELECTRONIC CIRCUITS







· Part (a) is:	Part (b) is:	Part (c) is:
		_
1	2	
Part (d) is:	Part (e) is:	Part (f) is:
4	5	6
Part (g) is:	Part (h) is:	Part (i) is:
7	8	9
Part (j) is:	Part (k) is:	Part (1) is:
/1/ -0.	` .	
10	.11	12
		coil
triode	earphones	
13	14	15
variable resistor	fuse	battery
	1	
16	17	. 18
variable condensor	antenna	
)
ERIC 19	\$\sigma_{20}_{20}_{}	
ERIC 19	20	

WORKSHEET ANSWERS

V.5 Electronic Circuits

- 1. antenna
- 2. coil
- 3. ground
- 4. coil
- 5. variable capacitor
- 6. variable resistor
- 7. cell
- 8. triode
- 9. earphones
- 10. battery

- 11. connection
- 12. fuse
- 13. amplifies the current
- 14. change electrical energy to sound energy
- 15. changes radio waves into weak alternating current
- 16. controls direct current to triode
- 17. protects earphones from an overload
- 18. produces direct current for triode
- 19. increases alternative current from coils
- 20. picks up radio waves

a b c	g h	
Part (b) is:	Part (e) is:	'Part (h) is:
Part (k) is:	What is the function of earphones?	What is the function of a fuse?
What is the function of an antenna?	What is the function of a battery?	What is the function of a coil?
Part (1) is:	Part (i) is:	Part (f) is:
Part (c) is:	What is the function of a variable condensor?	What is the function of a variable resistor?
What is the function of	14 Part (j) is:	Part (g) is:
a triode?	17	18
Part (d) is:	Part (a) is:	
<u>RIC</u> 19	287	

GAMESHEET ANSWERS

V.5 Electronic Circuits

- l. coil
- 2. variable capacitor
- 3. triode
- 4. connection
- change electrical energy to sound energy
- protects earphones from an overload,
- 7. picks up radio waves
- 8. produces direct current for triode-
- changes radio waves into weak alternative current
- 10. fuse

- 11. earphones
- 12. variable resistor
- 13. ground
- 14. increases alternating current from coils
- 15. controls direct current to triode
- 16. amplifies the current
- 17. battery
- 18. cell
- 19. coil
- 20. antenna

TGT PHYSICAL SCIENCE

UNIT: Electricity

WORKSHEET: Electricity Vocabulary Review

Objective: V.6--Students will be able to define words necessary for understanding electrical concepts.

Instructions: This worksheet will help you prepare for the Electricity Vocabulary Review Game. Using the word list, provide the correct word to match the definition. The same words and definitions will be used in the game.

Vocabulary:

alternating current
ampere
battery
capacitor
circuit
conductor
cell (dry)
current
direct current
electron
electromotive force
electroscope
fuse
galvanometer
generator

induce
induction coil
insulator
magnetic field .
ohm
parallel circuit
rectifier
resistance
rheostat
series circuit
transformer
triode tube
volt
voltmeter
watt

TGT WORKSHEET: V.6 Electricity Vocabulary Review

Device for changing the strength of an electric current by changing the resistance in the circuit.	A current that always flows in the same direction.	To produce an electric current or to magnetize without making contact with the object.
Space around a magnet in which a magnetic force can be detected.	A device used to raise or lower electrical voltage.	A unit of electrical resistance.
4	5	66
A machine for changing mechanical energy into electrical energy.	A device that changes alter- nating current to direct current.	The opposition of a conductor to the flow of a current.
	8	. 9
Used to store an electrical charge.	A device for producing a current with moist chemicals.	A circuit that has more than one path for the circuit.
10	<u>1</u> 1	. 12
An instrument used for measuring electromotive force or voltage.	A complete path over which 'a current may flow.	Unit used to measure power.
13	· 14	. 15
One unit of negative electricity.	A circuit containing a single path.	A substance used to prevent the escape of electricity or heat.
16	17	18
A current that changes its direction regularly.	Two or more cells connected in a series.	Vacuum tube used to amplify or rectify.
	20	21
Part of an electric circuit that melts and breaks the circuit if the current becomes dangerously high.	An electrical device of two separate coils used for increasing a voltage.	An instrument used for measuring a small electric current.
ş <u>22</u>	23	24
Instrument used to detect electrical charges.	The "push" behind electron's in a wire; also called voltage.	A substance through which electricity can flow.
25		27
A unit used to measure electric current.	A unit used to measure electric pressure (EMF).	The flow of electrons through a conductor.
. 28	2.511 29	
0	~ · · · · · · · · · · · · · · · · · · ·	30

WORKSHEET ANSWERS

V.6 Electricity Vocabulary Review

1. rheostat

- 2. direct current
- 3. induce
- 4. magnetic field
- 5. transformer
- 6. Ohm
- 7. generator
- 8. rectifier
- 9. resistance
- 10. capacitor
- 11. dry cell
- 12. parallel circuit
- 13. voltmeter
- '14. circuit
 - 15. watt

- 16. electron
- `17. series circuit
- 18. insulator
- 19. alternating current
- 20. battery
- 21. triode
- 22. fuse
- 23. induction coil
- 24. galvanometer
- 25. electroscope
- 26. electromotive force
- 27. conductor
- 28. ampere
- 29. volt
- 30. current

TGT GAME'SHEET: V.6 Electricity Vocabulary Review

Device for changing the strength of an electric current by changing the resistance in the circuit.	Space around a magnet in which a magnetic force can be detected.	A machine for changing mechan- ical energy into electrical energy.
Used to store an electrical charge,	An instrument used for measuring electromotive force or voltage.	One unit of negative electricity.
4	. 5	. 6
A current that changes its direction regularly.	Part of an electric circuit that melts and breaks the circuit if the current becomes dangerously high.	Instrument ased to detect electrical charges.
A unit used to measure electric pressure (EMF).	A current that always flows in the same direction.	A device used to raise or lower electrical voltage.
. 10	<i>o</i> 11	. 12
A device that changes al- ternative current to direct current.	A device for producting a current with moist chemicals.	A complete path over which a current may flow.
13	14	٠
A circuit containing a single path.	Two or more cells connected in a series.	An electrical device of two separate coils used for increasing a voltage.
The "push" behind electrons in a wire; also called voltage.	The flow of electrons through a conductor,	To produce an electric current or to magnetize without making contact with the object.
19	20°	21
A unit of electrical resistance.	The opposition of a conductor to the flow of a current.	A circuit that has more than one path for the circuit.
. 22		24
Unit used to measure power.	A substance used to prevent the escape of electricity or heat.	Vacuum tube used to amplify or rectify.
25.		
An instrument used for measuring a small electric current.	A substance through which electricity can flow.	A unit used to measure electric current.
. 28	292	30

GAMESHEET ANSWERS

V.6 . Electricity Vocabulary Review

1.	rheos	ta	t/
-•			-,5

- 2. magnetic field
- 3. generator
- 4. capacitor
- 5. voltmeter '
- 6. electron
- 7. alternating current
- 8. fuse
- 9. electroscope
- 10. volt
- 11. direct current
- 12. transformer
- 13. rectifier
- 14. dry cell
- 15. circuit

7.

- 16. series circuit
- 17. battery ...
- 18. induction coil
- ,19. electromotive force
- 20. current "
- 21. induce ·
- 22. Ohm
- 23. resistance
- 24. parallel circuit
- 25. watt
- 26. insulator
- 27. triode .
- 28. galvanometer
- 29. conductor
- 30. ampere

TGT PHYSICAL SCIENCE

UNIT: Measurement

WORKSHEET: The Metric System

Objective: Vi.1--a. Student's will identify and use the basic units for measuring length, volume, area and mass in the metric system.

Students will compute the conversion of units within the metric system.

Instructions:

This worksheet will help you prepare for the Metric System Game. In numbers 1-15, circle the correct answer. In numbers 16-30, write the correct answer in the space provided.

Vocabulary

Basic Units of the Metric System

Mass'- gram (g) Volume - liter (L) = 1,000 cm³
Tength - meter (m)
Area - length² = m²

Some Important P	refixes
'Prefix	Example
çenti = 1/100	l centimeter (cm) = 1/100 of a meter.
milli = 1/1000	1 milliliter (ml) = 1/1000 of a liter
kilo = 1000	l'kilogram (kg) = 1000 grams
deci = 1/10	l decimeter ≤ 1/10 of a meter

↑ TGT WORKSHEET: VI.1, The Metric System

The basic unit of mass is: a. the meter b. the liter c. the gram d. the newton	The basic unit of volume is: a. the meter b. the liter c. the gram d. the newton	The basic unit used to measure length is: a. the meter b. the liter c. the gram d. the newton
The prefix for 1/100 in the metric system is: a. centib. millic. megade. d. kilo-	The prefix for 1/1000 in the metric system is: a. centib. millic. megade kiloc	The prefix for 1,000 in the metric system is: a. centib. millic. megade d. kilo-
An instrument used in the lab to accurately measure volume is the: a. test tube b. balance c. graduated cylinder d. beaker	The unit used to measure a long distance is: a. the kilometer b. the centimeter c. the kilogram d. the decimeter	The abbreviation for centimeter is: a. cc b. c c. cm d. dm
The abbreviation for kilogram is: a. k b. kg c. kl d. ki	The abbreviation for millimeter is: a. m b. mm c. ml d. mi	If you multiply a centimeter by a centimeter, the resulting unit is: a. cc b. cm c. cm ² d. c ³
The abbreviation for decimeter is: a. cm b. cm ² c. dm ² d. dm	How many decimeters are in a meter? a. 10 b. 100 c. 20 d. 1000	How many centimeters are in a decimeter? a. 10 b. 100 c. 20 d. 1000

295-

TGT WORKSHEET: VI.1 The Metric System

1	•	
350 mm would equal	350 cm would equal m.	What is the area of a. rectangle 5 cm by 10 cm?
	, _e `	i'8
16	. 17	18
How many milliliters are in a liter?	3,500 ml would equal how many liters?	How many ml are in 2.8 liters?
	? 20	21
How many grams in 4 kilograms?	5200 grams are equal to kg.	A cm ³ and a are equal.
•		
. 22	23	€ 24 .
How many centimeters are in a meter?	How many millimeters are in a meter?	How many millimeters are in a centimeter?
•		
25	. 26	,
• ` , '		
How many centimeters ² (cm ²) would be in a decimeter ² (dm ²)?	How many centimeters ² (cm^2) in a meter ² (m^2) ?	How many milliliters (ml) in a deciliter (dl)?
28	296	8
EDIC .	29	30

WORKSHEET ANSWERS

VI.1 The Metric System

- 1. c) the gram
- 2. b) the liter
- 3. a) the meter
- 4. a) centi-
- 5., b) milli-
- 6. d) kilo-
- 7. -c) graduated cylinder
- 8. a) the kilometer
- 9. c) cm
- · 10. b) kg
 - 11. b) mm
 - 12. c) cm^2
 - 13. d) dm
 - 14. a) 10
 - 15. a) 10

- 16. 35
- 17. 3.5
- 18. 50 cm^2
- 19. 1,000
- 20. 3.5
- 21. 2,800
- 22. 4,.000
- 23. 5.2
- 24. ml or cc
- 25. 100
- 26. 1,000
- 27. 10
- 28. 100
- 29. (10,000
- 30. 100

TGT GAMESHEET: VI.1 The Metric System

•	,	i
A cc and a are equal.	5200 grams are equal to kg.	How many grams in 4 kilo- grams?
- .	į	
	·	
,	. `	
		•
1`	·2	
How many ml are in 3.6 liters?	3,500 ml would equal how many liters?	How many milliliters are in a liter?
		•
,		•
•		
4	, · · · 5	. 6
•	:	1
What is the area of a rectangle 5 cm by 10 cm?	550 cm would equal m.	450 mm would equal cm.
*		•
,		
<i>,</i> *		•
•		
7	, 8	
		.9
How many millimeters are	How many millimeters are	How many centimeters are in
in a centimeter?	in a meter?	a meter?
		(
•		
	, .	
		,
		,
10	11	12
•		12
If you multiply a centi- meter by a centimeter, the		The abbreviation for kilogram is:
If you multiply a centi- meter by a centimeter, the resulting unit is:	The abbreviation for millimeter is:	The abbreviation for kilogram is: a. k
If you multiply a centimeter by a centimeter, the resulting unit is:	The abbreviation for millimeter is: a. m b. mm	The abbreviation for kilogram is: a. k b. kg
If you multiply a centi- meter by a centimeter, the resulting unit is:	The abbreviation for millimeter is:	The abbreviation for kilogram is: a. k
If you multiply a centimeter by a centimeter, the resulting unit is: a. cm ² b. c	The abbreviation for millimeter is: a. m b. mm c: ml	The abbreviation for kilogram is: a. k b. kg
If you multiply a centimeter by a centimeter, the resulting unit is: a. cm ² b. c	The abbreviation for millimeter is: a. m b. mm	The abbreviation for kilogram is: a. k b. kg

TGT GAMESHEET: VI.1 The Metric System

		
The abbreviation for centimeter is: a. cc b. c c. cm	The unit used to measure a long distance is the: a. kilometer b. centimeter c. kilogram	An instrument used in the lab to accurately measure volume is the: a. test tube b. balance c. graduated cylinder
. 16	17	18
The prefix for 1,000 in the metric system is: a. centib. milli-	The prefix for 1/1000 in the metric system is: a. centi-	The prefix for 1/100 in the metric system is:
c mega-	b. milli- c. mega-	b. milli- c. mega-
d. kilo-	d. kilo-	d. kilo-
, e		1
	20	. 21
The basic unit used to measure length is the:	The basic unit used to measure volume is the: a. meter	The basic unit used to measure mass is the:
b. liter c. gram d. newton	c. gram d. newton	b. liter c. gram d. newton
	23	
How many cm ² would be in a dm ² ?	How many ml in a dl?	How many cm ² in a m ² ?
. , , ,		
25	26	. 27
	,	
The abbreviation for decimeter is:	How many decimeters are in a meter?	How many centimeters are in- a meter?
•	(
28	(29)	30

GAMESHEET ANSWERS

VI.1 The Metric System

- 1. $m1 \text{ or } cm^3$
- 2. 5.2
- 3. 4,000
- 4. 3,600
- 5. 3.5
- 6. 1,000
- 7. 50 cm^2
- 8.) 5.5
- 9. 45
- 10. 10
- 11. 1,000
- 12. 100
- _13. a) cm²
- 14. b) mm
- 15. b) kg

- 16. c) cm
- 17. a) kilometer
- 18. c) graduated cylinder
- 19. d) kilo-
- 20. b) milli-
- 21. a) centi-
- 22. a) meter
- 23. b) liter
- 24. c) gram
- 25. 100 cm^2
- 26. 100 ml
- 27. 10,000 cm²
- 28. dm
- 29. 10
- 30. 100

TGT PHYSICAL SCIENCE

UNIT: Measurement

WORKSHEET: Scientific Notation

Objective: VI.2--a. Students will express large numbers in scientific notation form.

b. Students will convert scientific notation to regular numbers.

Instructions: This worksheet will help you prepare for the Scientific Notation Game. In numbers 1-10, express in proper scientific notation. In numbers 11-24, write the correct number.

TGT WORKSHEET: VI.2 Scientific Notation

6,000		200,000,000		186,000	
x		x		×	
	1	,	2		3_
93,000,000		1,200		1,500,000	
x		x		x	
	_4		5		6
0.06		.00086 ·	,	0.56	
x		/ ×	-	x	
	7		. 8		9
0.0047		6.2 x 10 ²	•	8.4 x 10 ⁶	
x	٠				
	. 10	<u> </u>	11		12
4.32 x 10 ³		7.2 x 10 ⁷		1.6 x 10 ⁹	
]			`
	13		14`		15
4.2×10^{-3}		5.6 x 10 ⁻⁵	7	3.44 x 10 ⁻⁵	•
,	16	•	17		18
7.65 x 10 ⁻²	•	9.3 x 10 ⁻⁷		10 ⁻³	
			-		•
	19		['] 20		21
10-5		104		10 ⁷	
· ———	•	 			
`.'	22		. 23		24
·					
			_		
-					
	<u> </u>	30	2		

WORKSHEET ANSWERS

VI.2 Scientific Notation

			3
1.	6	x	10

2.
$$2 \times 10^8$$

3.
$$1.86 \times 10^5$$

4.
$$9.3 \times 10^7$$

$$\cdot$$
5. 1.2 x 10³

7.
$$6 \times 10^{-2}$$

8.
$$8.6 \times 10^{-4}$$

9.
$$5.6 \times 10^{-1}$$

10.
$$4.7 \times 10^{-3}$$

TGT GAMESHEET: VI.2 Scientific Notation

*			q
60,000	.800,000,000		186,000
x	_8 x	_	1.86 x
' 1	,	2	
93,000,000	1,500		2,500,000
9.3 x	1.5 x	,	x
4	<u> </u>	_5	6
0.03	.00037		0.72
_3	<u>3.7</u> x		_7.2 x
7		8	9
0.0038	2.6 x 10 ²		4.8 x 10 ⁶
3.8 x		`	•
<u> </u>		11	12
			1.6 x 10 ⁹
2.34 x 10 ³	2.7 x 10 ⁷	<i>?</i>	1.0 X 10
•		, ,	
13		14	15
8.4×10^{-3}	3.1 x 10 ⁻⁵		6.88 x 10 ⁻⁵
			· ,
16		17	. 18
4.21×10^{-2}	6.3×10^{-7}	,	10-3 -
		¥	<u> </u>
19	۲	20	21
10 ⁻⁴	10 ⁵		10 ⁶
		23	
,	1 .		
≠	ĺ		•
		^ت مہر	
	 		
			•
	004		
9	304		

GAMESHEET ANSWERS

VI.2 Scientific Notation

- 1. 6 x 10⁴
- 2. 8×10^{8}
- 3. 1.86×10^5
- 4. 9.3×10^7
- 5. 1.5×10^3
- 6. 2.5×10^6
 - 7. 3×10^{-2}
 - 8. 3.7×10^{-4}
 - $9.7.2 \times 10^{-1}$
- 10. 3.8×10^{-3}
- 11. 260
- 12. 4.800,000

- 13. 2,340
- 14. 27,000,000
- 15. 1,600,000,000
- 16. '.0084
- 17. .000031
- 18. .0000688
- 19. .0421
 - 20. .00000063
 - 21. .001
 - 22. .0001
 - 23. 100,000

Ç.

24. 1,000,000