CE 031 773·

ED 213 966

TITLE

The Respiratory System [and] Instructor's Guide: The Respiratory System. Health Occupations Education Module: Instructional Materials in Anatomy and Physiology for Pennsylvania Health Occupations Programs.

INSTITUTION SPONS AGENCY

National Evaluation Systems, Inc., Amherst, Mass. Pennsylvania State Dept. of Education, Harrisburg. Bureau of Vocational and Technical Education.

PUB DATE

40p.; For related documents see listing in note of CE 031 758.

EDRS PRICE DESCRIPTORS \*MF01/PC02 Plus Postage. \*


\*Allied Health Occupations Education; \*Anatomy;
Behavioral Objectives; \*Individualized Instruction;
\*Learning Activities; Learning Modules; Medical Vocabulary; \*Physiology; Postsecondary Education;
Pretests Posttests; Programed Instructional Materials; Secondary Education; Self Evaluation (Individuals); Teaching Methods
Pennsylvania; \*Respiratory System

IDENTIFIERS

•

This module on the respiratory system is one of 17 modules designed for individualized instruction in health occupations education programs at both the secondary and postsecondary levels. It is part of an eight-unit miniseries on anatomy and physiology within the series of 17 modules. Following a preface which explains, to the student how to use the module, the unit consists of a pretest with answers, four sections (information sheets) with their goals (e.g., identify organs and/or structures related to the lungs), optional activities (e.g., discuss how cigarette smoking affects the structures and function of the lungs), and posttests, and a glossary of terms. Topics covered in the unit are introduction to the respiratory system, the upper respiratory tract, the lungs, and respiration. An accompanying instructor's guide contains suggestions for using the module and answers to the posttest. (KC)

Reproductions supplied by EDRS are the best that can be made from the original document.



# OCCUPATIONS EDUCATION /\* MODULE

US DEPARTMENT OF EDUCATION

PERMISSION TO REPRODUCE THIS MATERIAL HAS BEEN GRANJED BY

B. Ford.

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

THE RESPIRATORY SYSTEM



Instructional Materials in Anatomy and Physiology for Pennsylvania Health Occupations Programs

THE RESPIRATORY SYSTEM

# Prepared for:

Research Coordinating Unit for Vocational Education
Pennsylvania Department of Education
Box 911
Harrisburg, Pennsylvania 17126

\*Prepared by:

National Evaluation Systems, Inc. 30 Gatehouse Road Amherst, Massachusetts 01002

### PREFACE

An understanding of basic human anatomy and physiology is essential to any person preparing to enter a health occupation. This instructional unit is designed to introduce you to the structures and functions of the human respiratory system—and the interrelationships of the two—and to familiarize you with some of the terms and concepts necessary for an understanding of the respiratory system.

This unit consists of a <u>pretest</u>; four <u>modules</u> with their <u>optional activities</u> and <u>post-tests</u>; and a <u>glossary</u> of terms.

Begin this modular unit by taking the brief pretest at the front of the booklet. The pretest is for your use only, to give you an idea of what is included in this unit, and to give you an indication of the areas within the unit to which you should pay special attention (perhaps by working on the optional activities). When you have completed the pretest, turn to the answers in the back (page 29) to check your own score. You will not be graded on the pretest.

Next, read through each of the modules (Introduction to the Respiratory System, Upper Respiratory Tract, The Lungs, and Respiration) and investigate any of the optional activities that may be helpful or interesting to you. The optional activities will help you learn more about some of the material presented.

At the end of this unit (page 27) is a glossary which provides you with brief definitions of many of the terms used in the modules.

Upon completion of each module, you should be able to demonstrate and understanding of the material presented, by your performance on the post-test. When you have finished a module and feel that you understand the information in that module, take the post-test that follows it. Write down your answers on ONE piece of paper and pass it in to your instructor, who will give you your grade.

### PRETEST

ļ.,	Which of the following is	s a part of the respiratory oyes.
\$ ~	A. heart B. brain C. lungs	
	D. liver	
/ <del>*</del> .	ų.	
` ^ `	• •	<b>\</b>
2.	which of the following i	is removed from the blood through respiration
4.	Willer St St. St.	m 1 * 8
	A. hemoglobin	· · ·
	B. carbon dioxide	<b>.</b>
	C. glucose	
, ;	D. erythrocytes	•
	~ · · · · ·	
•	<b>\</b>	•
-		g
3.	The main function of the	he respiratory system is to provide the blood w
		• • • •
,		
•	•	
-		at the
4.	During inspiration, air	first passes through the:
÷	A. bronchi.	
		^
-	B alveoli.	· · · · · · · · · · · · · · · · · · ·
-	C. lungs. D. nose.	

The pairs of hollow chambers surrounding the nasal cavity are called

Which of the following is found in the larynx? A. vocal cords bronchi ' C. turbinates sinuses' The structures in the throat that vibrate to produce sounds are the The two passageways that split from the trachea and lead to the lungs are called '-The primary muscle involved in breathing is the: pleura. diaphragm. pharynx... trachea. Name the two major types of respiration.

# INTRODUCTION TO THE RESPIRATORY SYSTEM

### Goals

Upon completion of this module, you should be able to:

- 1. Identify the components of the respiratory system.
- 2. Identify the major, functions of the respiratory system.

# COMPONENTS OF THE RESPIRATORY SYSTEM

The respiratory system is the system of the body that we are probably most aware of in our daily activities. Hard exercise, chest colds, stuffy rooms, and frosty mornings make us aware of the actions of the respiratory system and the need for its constant and efficient functioning.

Although the human body can survive for a considerable period of time without some of the materials necessary to support life (such as food and water), it cannot survive for more than a few minutes without oxygen. Deprived of a supply of oxygen, the cells of the body will soon begin to die. Two systems in the human body serve the critical function of bringing oxygen to the cells: the circulatory system, which is the system of transport (the circulatory system is the subject of another unit), and the respiratory system, which provides oxygen to the circulatory system.

The respiratory system consists of two major divisions: conducting organs and gas exchange organs. Essentially, the conducting organs (upper tract) form a tube opening to the outside environment to permit airflow to and from the lower area. This tube includes the nasal cavity, pharynx, larynx, and traches.

Gas exchange occurs in the lungs. In the lower area, multiple branchings of the passageways lead to the lungs and the organs where gas exchange occurs: the alveoli, which are the functional units of the respiratory system. Also important to the respiratory process are the structures associated with the lungs: the pleurae, the chest wall and ribcage, and the diaphragm and muscles that aid in the mechanical process of breathing.

Figure 1 shows the structures and organization of the respiratory system. .




Figure 1. The Respiratory System


# FUNCTIONS OF THE RESPIRATORY SYSTEM

Breathing is a cycle that begins with inspiration, or taking in air. Next follows a two-way exchange: oxygen passes from the lungs into the bloodstream and carbon dioxide passes from the bloodstream into the lungs. Carbon dioxide is a waste product of normal cell functioning (metabolism) and must be vented from the body by expiration, or exhaling. In fact, breathing is triggered when carbon dioxide concentration in the blood reaches a certain level; the body breathes in order to eliminate carbon dioxide as well as to take in oxygen. The cycle of inspiration-expiration (respiratory rate) is triggered about 10-14 times per minute in a resting adult and about 20 times per minute in a child. The rate of respiration depends largely on body demands. As body activity increases, so does the utilization of oxygen and the production of carbon dioxide. When the trigger level of carbon dioxide is achieved more rapidly, breathing becomes faster and deeper.

Because the respiratory system is open to the outside environment (through the nose and mouth), it is susceptible to particles and bacteria in the air. Pollutants and microorganisms are taken in with every breath of air. Secretions produced by the respiratory tract trap and engulf the particles and pollutants, and even contain enzymes which destroy bacteria. In this way the respiratory system protects the body from constant exposure to harmful particles, while carrying on the process of supplying the body with the oxygen necessary to maintain life.

# INTRODUCTION TO THE RESPIRATORY SYSTEM Post-Test

Match the parts of this diagram (indicated by letters, A-E) to the names of the organs. (One of the letters will not be used.)



\_ trachea

larynx

bronchus

lung

<u>}</u>	•	•	•		, ,	'	•	; ,,.	
2.	The I	two major divisi	ons of the r	espirati •	ory syst	em are:	,	•	
•	B.	conducting orga the pharynx and organs of suppo	the larynx t and orgai	ns of ៣០	•	~3		•	•
	D.	the trachea and	the bronch	i.	• ••				,
	*		,	,		, <b>,</b>		•	•
3	in t	he lower respire	atory tract	, gases	are exc	hanged	between	the lungs an	ıd
	bloo	dstream in the:		·	•	•			
	Ά.	diaphragm.	•	, <i>, ,</i> ,		٠.	·		A.
• •	в <b>.</b> С.	trachea. pleurae.						. •	
	D.	alveoli.		,	, ,		v	5.	
	,		,	•	,		<b>(</b> ·		
		ich of the follow	ing is NOT	.". 'a como	onent o	f the res	, spiratory s	system? (	
4.	Whi	ich of the tollow	ring is 140 ¢	a, 001111p			•	•	٠.
•	. A. . B.	esophagus . pharynx ·	•	, 4		•	3		•
•	C.	larynx nasal cavity		<b>~</b> .		•	-,	<i>i</i> 69	
-	, ,				4	•			•
- •-		e upper respirat	any traot h	asthe a	bility to	) <b>:</b>	,	•	
5,.	·Th		٠.		Ø · °	~~			
,	A. B. C.	transport oxy purify air tha	gen to the t t is inhaled	•. Olani•	ş •		<b>.</b> •		
•	U.	produce onys	. ,	- '					
·		, <u>,</u>	· · ·	• •	,	,		, *, s	
6.	· (Bi	reathing is direc	tly triggere	ed by hic	gh c <b>á</b> rbò	on dioxio	le concent	rations in th	e:
,	. A B		, ,	•	•	ر !	•		

# UPPER RESPIRATORY TRACT

### Goals:

Upon completion of this module, you should be able to:

- 1. Identify the structures of the nose.
- 2. Describe the functions of the nose and its related structures.
- 3. Identify the structures of the pharynx, larynx, and trachea.
- 4. Describe the functions of the pharynx, larynx, and trachea:

Air enters the body through the upper respiratory tract, which includes the nose, pharynx, larynx, trachea, and bronchi. Each of these organs is uniquely equipped to help provide the lungs with properly conditioned air and to maintain the flow of air through the system.

# THE NOSE

The ripse is the first organ of the respiratory system. Its external openings, the nostrils or nares, lead backward into the nasal cavities, which are separated by a wall of cartilage and bone called the septum. On the side walls of the nasal cavities are the turbinates, spiral passageways which hang like "sagging shelves" cavities are the turbinates, spiral passageways which hang like "sagging shelves" in the path of incoming air. Hollow chambers within the facial bones called in the path of incoming air. Hollow chambers within the facial bones called in the path of incoming air. Hollow chambers on the sinuses and walls of the sinuses surround and open into the nasal cavities. The sinuses and walls of the masal cavities are lined with mucous membranes containing cilia, which are microscopic hair-like structures on the surface of the mucous cells. These cilia are constantly in motion; they beat back and forth about 10-12 times per second. Ciliated mucous membrane extends through the entire upper respiratory track.

In addition to providing the initial openings to the outside air, the nose has other functions. Nerve endings in the roof of the nasal cavities are responsible for the sense of smell, or olfaction. Olfaction can serve a protective function by warning the body of air possibly unsuitable or dangerous to breathe.



In another function, the nasal cavities act as a sort of "air conditioner": they condition the air going to the lungs. The temperature and humidity of the air in the environment vary a great deal as compared to the fairly constant conditions within the body; inspired air could dry out or freeze the delicate lung tissue were it not for the fact that the air must first pass the turbinates and tissue were it not for the fact that the body passes over and through these mucous membranes. As air entering the body passes over and through the structures, it becomes warmed and moistened almost to the level of the temperature and humidity inside the lungs.

Also, the nasal cavities filter and clean the air going into the respiratory system. Mucus, a thick and sticky fluid produced by the mucous membranes, traps incoming particles. If the respiratory tract were not lined with cilia, the mucus would quickly become covered with trapped material and thus lose its moistening and protective properties. But the constant waving motion of the cilia moves the mucus to the pharynx where, together with the trapped foreign matter, it is swallowed—and later disposed of by the stomach. In the rest of the upper respiratory tract, the cilia carry mucus and the filtered-out substances toward the pharynx constantly, like a downward escalator.

# THE PHARYNX

The pharynx is the throat, a cavity extending from behind the nasal cavities down to the larynx. Because it is an area common to both the digestive and respiratory systems, the pharynx is ideal for disposing of the particle-filled respiratory systems, the ciliary escalator. The pharynx also completes the task of mucus sent to it by the ciliary escalator. The pharynx also completes the task of warming and moistening the inspired air, which was begun in the nose. At the back of base of the throat the pharynx opens to the larynx, or voicebox; at the back of the neck it leads to the esophagus, the tube which carries food to the stomach.

# THE LARYNX

A rigid, box-like structure made of sturdy plates of cartilage, the larynx houses and protects the vocal cords. We can speak and make sounds because of our vocal cords; which use their ability to contract, combined with the controlled exhaling of air, to produce different vibrations that result in sound. The vocal cords also guard the opening to the trachea, a large tube of the upper respiratory cords also guard the cords is a slit called the glottis, which leads into the trachea. Should anything intended for the esophagus (like food or water) accidentally enter the larynx, the glottis can close shut to seal off the lower respiratory tract. Also, the epiglottis, an elastic flap of tissue, folds over the glottis to seal it off when food or liquid enters the pharynx. In this way the larynx protects the respiratory tract from taking in anything except air.

### THE TRACHEA

The last passageway of the upper respiratory tract is the trachea, or "windpipe," a short tube about five inches long and one inch in diameter which links the pharynx and the lungs. It is made of about 20 C-shaped rings of cartilage, stacked one on top of another and joined together by tough connective tissue. Cartilage provides rigidity and protection which allows the passageway to remain open regardless of the position of the head and neck. Although the C-shaped cartilage is rigid, the back of the trachea, where it lies against the esophagus, is soft. This allows for expansion of the esophagus when food is passing through.

The trachea is the end of the upper respiratory tract. It leads to the lungs, where the actual respiration takes place.

Figure 2 shows the structures of the upper respiratory tract.




Figure 2. The Upper Respiratory Passages



# Optional Activities

- Look at the structure of the cilia under a microscope, or view slides of cilia.
- Discuss what actually happens when food "goes down the wrong way."
- Find out about the emergency procedures and techniques to apply when someone is choking.



# UPPER RESPIRATORY TRACT

### Post-Test

•	The hoir-like st	•	•	iv i j		f the ni	nge are	called
			within the	mucous	Wellingraines of	LIIC 11	C	
1	The heir-live of	ruciures	'Miriti ci∽	11.0000		•		

- A major function of the nose is to:
  - A. effect gas exchange. B. moisten air.

  - C. produce blood cells.\*
  - D. protect the sinuses.
- The sense of smell is also known as:
  - A. olfaction.
  - B. turbinate. C. cilia.

  - D. gustation.
- Mucus is produced by mucous membranes in the:
  - A. lungs.
  - alveoli. в.
  - C. sinuses.
  - esophagus.



				protective	function DY:
ς	Structures of	the nose	201.A9 g	brocecone	, ,

- preventing food from entering the traches. Α.
- warming air entering the body. B.\*
- removing poisonous substances from the blood.
- preventing carbon dioxide from entering the lungs.

The nose is divided into two nostrils by a:

- bronchiole.
- septum. в.
- cavity. c.
- sinus.

Which of the following is NOT a conducting organ of the respiratory system?

- A. pharynx
- trachea В.
- C. alveolus
- larynx

The passageway that connects the nasal cavity and the larynx is the

- The trachea is a protective structure because it is made up of: 9:
  - bones and fatty tissue. A.
  - C-shaped rings of cartilage.
  - blood vessels and ligaments.
  - D. tendons and muscle.

The structures that constantly carry mucus and foreign particles toward 10. the pharynx are the:

- singes... Α.
- bronchi. В.
- alveoli. . C.
- cilia. D.

What is the name of the slit that opens into the trachea? 11.

The function of the epiglottis is to: 12.

- A. remove carbon dioxide from the blood.
- B. produce mucus.
  C. prevent food from entering the traches.
  D. protect the vocal cords.

### THE LUNGS.

### Goals:

. Upon completion of this module, you should be able to:

- 1. Identify the structure of the lungs.
- 2. Identify organs and/or structures related to the lungs.

# STRUCTURE OF THE LUNGS

Only the mechanical process of conducting air takes place in the upper respiratory tract. Actual respiration, the exchange of gases, takes place in the lungs, which are ideally structured to fulfill this function.

The two lungs entirely fill the chest cavity. Shaped like large blunt cones, they point upward past the clavices (collarbones) and are broad at their bases, which rest on the upper surface of the diaphragm at about the level of the seventh rib. Because of the position of the liver, the base of the right lung rests higher in the chest than the base of the left lung. Short and broad, the right lung is divided into three lobes. The left lung is divided into two lobes and is longer and thinner, to allow for the space taken up by the heart.

The two main bronchi, which split off from the trachea, connect the upper respiratory tract to the lungs. About one-half inch in diameter, these bronchi resemble the trachea in that they too are made of rings of cartilage. As the bronchi continue to branch off into the lungs, the passageways divide into smaller and smaller passageways so that the entire bronchial system resembles a tree (upside-down). The next branches of this tree are the bronchioles, tiny passageways that reach deep into the lungs to bring air to every possible area. As the tubes divide further and get smaller, they become the terminal bronchioles. Here the walls of the bronchioles lose their cartilage and become thinner, until the walls are simply a single layer of tissue. The smallest twigs of the bronchial trees are the respiratory bronchioles, which lead directly to the functional units of the respiratory system:-the alveoli (see Figure 3 on the next page).






Figure 3. The Terminal Structures of the Respiratory System

Alveoli are microscopic bubbles of very thin tissue clustered around the respiratory bronchioles. Each cluster, or alveolar sac, is made up of many individual alveoli. Because they are clustered, millions of alveoli with extremely thin walls can fit inside the lungs to provide the lungs with a vast inner surface thin walls can fit inside the lungs to provide the lungs with a vast inner surface area. This great amount of thin-walled surface area permits diffusion, gas exchange between the lungs and the bloodstream, to take place efficiently.

Because of the thinness of the alveolar walls, the lungs could not support themselves or maintain their shape were it not for the pleurae. These are the membranes covering the outside of the lungs and lining the chest wall. The visceral pleura is always in contact with the lung tissue and rests against the parietal pleura, which lines the thoracic (chest) cavity, and diaphragm. Between these two membranes is a thin film of an oil-like substance which binds them these two membranes is a thin film of an oil-like substance which binds them these two membranes is a thin film of an oil-like substance which binds them these two membranes is a thin film of an oil-like substance which binds them these two membranes is a thin film of an oil-like substance which binds them these two membranes is a thin film of an oil-like substance which binds them these two membranes is a thin film of an oil-like substance which binds them these two membranes is a thin film of an oil-like substance which binds them these two membranes is a thin film of an oil-like substance which binds them these two membranes is a thin film of an oil-like substance which binds them these two membranes is a thin film of an oil-like substance which binds them these two membranes is a thin film of an oil-like substance which binds them these two membranes is a thin film of an oil-like substance which binds them these two membranes is a thin film of an oil-like substance which binds them these two membranes is a thin film of an oil-like substance which binds them the two membranes is a thin film of an oil-like substance which binds them the two membranes is a thin film of an oil-like substance which binds the visceral pleura outward; the firm of an oil-like substance which binds the visceral pleura outward; the firm of an oil-like substance which binds the visceral pleura outward; the firm of an oil-like substance which binds the visceral pleura outward; the firm of an oil-like substance which binds the visceral pleura outward; the firm of an oil-like subs

# Optional Activities

- Listen to the sounds of breathing with a stethoscope. Are they the same all over the chest and back? Why or why not?
- Discuss how cigarette smoking affects the structures and function of the lungs.

# THE LÚNGS

### Post-Test

The bottoms of the lungs rest on the:

- A. intestine.
  B. sternum.
  C. heart.

- 'D. ' diaphragm.

The thin-walled bubbles in the lungs where gases are exchanged are the:

- A. bronchioles.
- B. turbinates.
- C. alveoli.
- D. cilia.

The membranes which connect the lungs to the wall of the chest cavity are the:

- pleurae. Α.
- cilia. B.
- bronchi.
- lobes.

Name the two types of pleura contained in the chest cavity,

5., A cluster of microscopic alveoli is called an alveolar

### RESPIRATION

### Goals:

Upon completion of this module, you should be able to:

- Identify the types of respiration.
- 2. Identity and describe the processes involved in respiration.

### TYPES OF RESPIRATION

Respiration, or gas exchange between the blood and body tissues, occurs in two areas: between the lungs and the pulmonary blood supply, and between the bloodstream and the cells of the body.

Internal respiration is the exchange of gases between the blood and body cells. (This process is described in the unit on the circulatory systems) External respiration is the exchange of gases between the blood and the lungs—a process which first requires that oxygen be present in the lungs. The active process of getting air into the lungs is the function of the muscles of respiration.

# PROCESSES OF RESPIRATION

The diaphragm is the primary muscle of respiration. It is attached to the bases of the lungs and the lower edge of the ribcage. When the diaphragm is relaxed, as it is when not involved in inspiration, it bulges upward into the chest cavity. When it contracts, the diaphragm shortens and flattens out, pulling downward. Because the lungs are attached to the diaphragm by the pleurae, they too are pulled downward, and their interior space increases. This expansion causes the pressure in the lungs to drop below atmospheric pressure (the pressure on the air in the outside environment). As a result, outside air is forced into the expanded lungs through the upper respiratory tract (inspiration).



In the breathing process, the ribcage works in much the same way as the diaphragm. The ribs are attached to the spine and breastone in such a way that they are capable of swiveling up and out; muscles called intercostal muscles cause this swiveling motion during inspiration. The effect of this motion is to enlarge the diameter of the ribcage, which expands the entire chest wall. As the chest wall expands, the pleurae cause the lungs to expand with it. Again, the expansion of the lungs causes a drop in internal pressure and the outside air flows into the lungs.

The strength of contraction of the diaphragm and the intercostal muscles changes the amount of air taken in with each breath during inspiration. In quiet breathing, the diaphragm flattens out by only an inch or so, but in heavy breathing it can drop more than three inches. The heaving chest of an athlete who has just run a race is an example of greater-than-normal chest (and therefore lung) expansion, which causes inspiration of greater-than-normal amounts of air.

The amount of air inhaled and then exhaled with each breath is called the tidal volume, because it ebbs and flows: Average resting tidal volume is about 500 cubic centimeters (cc), or about a pint, of air moved by the action of the respiratory muscles. When the need for air is greater, as in stress or exercise, the muscles cause greater schest expansion and the tidal volume increases proportionately. There is always a supply of air left in the lungs which cannot be exhaled. This reserve is called residual volume; it helps prevent the thin-walled passageways of the lungs from collapsing. It is a substantial volume-about 1200 cc, or over a quart. The vival capacitys of the lungs is the maximum amount of air that can be forcibly inhaled and exhaled in one breath

The end of the respiratory cycle is expiration, which eliminates carbon dioxide from the blood and the body. Expiration is normally a passive process; the draphragm and intercostal muscles relax and the ribeage and chest cavity lose their expansion. The lungs, which are elastic in nature, return to their unstretched size. The waste air is forced out of the lungs and back through the upper respiratory tract to the outside environment. The speed with which the respiratory cycle occurs determines respiratory rate. A normal resting adult usually has a respiratory rate of about 10 to 14 breaths (cycles) per minute.

In summary, the respiratory system takes in air; warms, moistens, and filters it; transports it to the system's functional units, the alveol; cupplies the blood with oxygen; and removes carbon dioxide from the body.

# Optional Activities

- e. Find out how to construct a model of the chest which demonstrates the action of the respiratory muscles on the lungs and the resulting flow of air.
- Measure your respiratory rate before and after exercise. What causes the changes?
- Try to complete the word maze on the following page. It uses some of the terms that you learned this unit:



### WORD MAZE

E P I R A G U N G X F O I D R E N A O Y S U N I S B R E A I C S D H L J O I Q R Y N X N E A U I S I N V K S U E L P O P H P A L O A P G E M A N H I M S C H L I V R H K T O D G T O B V A R Y S H U R W X P L A R Y N X R A W D E E A F I Z R I A R O W I G H R A L G O J I K Z C L C Q E M A O R P M E P O S T R O C O V A I C Y A M S T U I Z U F I M E R X L L S E T R L E O C O L B N T I A U R W S I T T O L G I P E K O C N O C O V A Q U A W O G O D I A P A R U E L V E O L V S N I T R X I L I S B D I Y B M

Find the following terms in this maze by circling the words. They may appear frontwards or backwards, vertically, horizontally, or diagonally.

alveoli larynx respiration
cilia, lungs trachea
diaphragm pleura , vocal cords

epiglottis

27

# RESPIRATION,

# Post-Test

1.	The supply of	air that	always rema	ains in the	lungs is called
----	---------------	----------	-------------	-------------	-----------------

2. The muscles which elevate the ribs in breathing are the:

- A. pectorals.
- B. turbinates.
- C. cilia.
- D. intercostals.

3. The exchange of gases between the lungs and the blood is called:

- A. external respiration.
- B. oxygen transport.
- C. osmosis.
- D. capillary action.

4. During breathing, outside air is forced into the lungs because of:

- A. a drop in external pressure.
- B. an increase in residual air.
- C. a pressure drop in the chest cavity.
- D. an increase in tidal volume.

- The maximum amount of air that can be inhaled and exhaled in one breath 5. is called:
  - tidal volume. A.

  - B. vital capacity.C. inspiratory reserve volume.
  - D. residual volume.

- A normal, resting adult breathes about:
  - A. 5-9 times per minute.
  - B. 10-14 times per minute.
  - C. 15-19 times per minute.
  - D. 20-24 times per minute.

### **GLOSSARY**

alveolar sac: a cluster of alveoli.

alveolus (pl. alveoli): a microscopic bubble within the lungs where gas exchange takes place.

bronchiole: a smaller division of the bronchi.

bronchus (pl. bronchi): one of the two tubes that branch off the trachea and into the lungs.

chest cavity: the cavity in which the heart and lungs are located. cilis: hair-like projections from the upper respiratory tract.

diaphragm: the primary muscle of respiration; located between the chest and abdomen.

abdomen.

diffusion: the mixing of materials (especially gases) through the motion of molecules.

epiglottis: an elastic fold of cartilage which guards the opening of the trachea.

expiration: the act of moving air out of the lungs; exhalation.

external respiration: the exchange of gases between the lungs and the pulmonary blood supply.

glottis: the slit-like opening of the trachea.

inspiration: the act of taking air into the lungs; breathing in.

Intercostal muscles: muscles which move the ribs in breathing.

Internal respiration: the exchange of gases between the blood and body tissues.

larynx: the respiratory organ responsible for voice production.

nasal cavity: the hollow internal structure from the nose to the pharynx. nostrils: external openings to the nasal cavity.

olfaction: sense of smell.

pharynx: the organ between the oral cavity and the larynx, shared by both

pleurae (sing. pleura): membranes attached to the exterior of the lungs and respiratory and digestive systems. connecting them to the walls of the chest cavity.

pulmonary: of or relating to the lungs.

residual volume: the supply of air which always remains in the lungs. respiration: the exchange of gases. respiratory bronchioles: the final subdivision of the bronchial tree; lead directly

to the alveoli.

septum; a wall which separates the nasal cavity. sinuses: hollow chambers surrounding the nasal cavity.

terminal bronchioles: the last division of the bronchioles whose sole function is

tidal volume: the amount of air moved in and out of the lungs in a normal breath. trachea: the tube which transports air between the larynx and the bronchi. turbinates: areas within the nasal cavities.


upper respiratory tract: the respiratory passageway from the nostrils to the bronchi.

vital capacity: the maximum amount of air that can be moved through the respiratory system in one breath.

vocal cords: fibrous bands suspended across the larynx which vibrate to produce speech.

# . ANSWERS TO THE PRETEST

Question	Correct Response
<b>-</b> 1	C , , ,
2 .	В .
3,	oxygen
4 ,	D
5	sinuses,
6	· A
. 7	vocal cords
8	bronchi , .
9 .	В
10	internal, external



Instructional Materials in Anato ny and Physiology for Pennsylvania Health Occupations Programs

# INSTRUCTOR'S GUIDE:

THE RESPIRATORY SYSTEM

### Prepared for:

Research Coordinating Unit for Vocational Education Pennsylvania Department of Education Box 911 Harrisburg, Pennsylvania 17126

# Prepared by:

National Evaluation Systems, Inc. 30 Gatehouse Road Amherst, Massachusetts 01002

### INTRODUCTION

These instructional modular units have been developed for the Pennsylvania Department of Education for use in vocational education programs. They were designed on the assumption that a basic understanding of human anatomy and physiology is essential to any person preparing to enter a health care occupation such as practical nursing, nursing assistant, medical assistant, emergency medical technician, or dental assistant. Each of these modular units will cover the most important aspects of one of the major systems of the human body. In the first four units the following systems will be covered: circulatory system, respiratory system, musculoskeletal system, and digestive system.

This Instructor's Guide is designed to provide suggestions to you on how to use a modular unit most effectively in your instruction. These recommendations, however, do not represent the only way to use these units: you may be able to devise more beneficial uses for the materials.

# THE MODULAR UNITS

Each modular unit is made up of several components: a pretest, four to seven instructional modules with corresponding post-tests, optional activities for the students, and a glossary of terms used in the unit. Each of these components has a specific purpose and is organized in a specific way, as will be explained in the following sections.

### Pretest

After reading the preface, which is simply an introduction to these instructional units, a student working through a modular unit should first take the pretest. As its name implies, this test is designed to be taken by the student before beginning work on the materials contained in the unit. Its purpose is twofold: (1) to stimulate interest in the modular unit by giving the student a preview of the topics covered, and (2) to provide a means of self-diagnosis so the student may identify, based on performance on the pretest, those areas of the



35

modular unit which may require special attention and extra effort on the part of the student. After selecting an answer to each of the pretest questions, the student should turn to the back of the modular unit and check the correct answers. If the student answers incorrectly on a number of questions dealing with a particular subject, then the student should pay closer attention to the module on that subject.

### Instructional Modeles

This modular unit is composed of four separate but closely related modules, including: Introduction to the Respiratory System, Upper Respiratory Tract; The Lungs, and Respiration. After taking the pretest and checking the answers, the student should read through and study each of the instructional modules. For the student's benefit, each module begins with a statement of the goals, or objectives, that a student should have mastered upon completion of that particular module. The level of achievement of these goals is measured by the student's performance on the corresponding post-test. The language level and content of each module is aimed toward the student seeking an introduction to the components, structures, and functions and the basic terminology required for an understanding of the respiratory system.

### Optional Activities

Following many modules are optional activities intended to provide the student with an opportunity to pursue the content of the module at a mire in-depth level. Many of these activities may require teacher participation, at least in obtaining and preparing additional materials for the student to utilize.

In addition to the optional activities available to the students, you may choose to provide further information to the students by teaching a brief unit on the common disorders of the respiratory system. Discussion of these disorders has not been included in the texts because a basic knowledge of the proper structure and function of the human body in a healthy individual seems nore appropriate for the purposes of an introductory program. If you do choose to discuss common disorders, the most effective approach may be one in which you use disorders to illustrate what can go wrong in the body, as a means of clarifying the students' understanding of how the body works when functioning properly.

You may also wish to provide students with the names of books or articles as suggested readings to further their understanding of a particular area.



Glossary

After the last of the modules in the unit is a glossary. This is not intended to be a comprehensive glossary to be used by the student as a dictionary. Rather, it includes the basic terms used in the unit which are necessary to an understanding of the system covered. Those words which appear in the modules and have been defined in the text are not always defined in the glossary. Some of these particular terms have been used in the module because they are essential but difficult terms needed to explain the content taught in the unit. The student should use the glossary to review the vocabulary essential to the unit before taking the post-tests.

### Post-Tests

The post-tests are the final assessment of a student's understanding of the material presented in each module. They consist of multiple-choice and open-ended questions designed to measure a student's mastery of the goals (objectives) stated at the beginning of each module. Each of the questions has been written to measure an aspect of the skills and/or knowledge that a student may be expected to acquire as a result of working through a particular module. When a student has finished studying a module, has pursued any chosen optional activities, and has reviewed the vocabulary in the glossary, the student should take the post-test that follows the module.

### SCORING THE POST-TESTS

As previously mentioned, the purpose of the post-tests is to measure whether or not a student has mastered the objectives (goals) stated at the beginning of each module. Due to the differing lengths of the post-tests, the variety of ways in which teachers may choose to utilize these modules, and discrepancies among students' previous exposure to the subject matter, it is not practical to set a standard cut-off score on each of the tests that would indicate mastery of the objectives. Rather, teachers are asked to use their professional judgment in individual—cases to determine if a student's performance on a post-test indicates that he or she has mastered the objectives stated for that module. In making this determination, you should consider at least all of the following factors:

- (2) How much information is included in each module and how complex is the information, relative to other modules?
- (3) Has the student been exposed to the kind of curricular material before? That is, has the student been taught the basics of this system of the body before?
  - (4) Should the entire class be required to achieve a certain score in order to pass, or should each student be considered individually? (This depends on how and with whom you use this module as instructional material.)
  - (5) Should the student be graded pass/fail on each post-test--i.e., on mastery of each module--or on the unit as a whole?

To facilitate the scoring of post-tests, each student will record his or her answers to all the post-tests on one separate sheet of paper. You should mark each answer correct or incorrect, then give the student a "pass" or "fail" on each module, or on the unit as a whole.

Because of the subject matter, responses to open-ended questions may vary slightly from those listed below, but these responses may also be acceptable. Again, in these cases instructors are asked to use their professional judgment to determine if a response is correct.

Use the following list of answers to questions on the post-tests to grade your students' papers.

# ANSWERS TO THE RESPIRATORY SYSTEM POST-TESTS

# Module/Question:

Introduction to the Respiratory System:

Upper Respiratory Tract:

# Correct Response

B -- trachea
A -- larynx
E -- bronchus

-- lung

cilia B A C B B C

pharynx B

glottis

# Module/Question

# The Lungs:

# Respiration:

1; 2; 4; 5; 6

# Correct Response

D C A parietal, visceral sac

residual volume D A \* C B B