DOCUMENT RESUME

ED 253 944

EA 017-523

TITLE

Oregon School Bus Drivers Training Program Students

Handbook. Core Course.

PUB DA NOTE

Oregon State Dept. of Education, Calema

໌85 99p...

PUB TYPE

Guides - Non-Classroom Use (055) -- Guides - Classroom Use - Materials (For Learner) (051)

EDRS PRICE DESCRIPTORS

MF01/PC04 Plus Postage.

Discipline Policy; *Driver Education; Elementary

Secondary Education; Physical Health; *School Buses; *State Standards; *Student Transportation; *Traffic

Safety

IDENTIFIERS

*Bus Drivers; *Oregon

ABSTRACT

This student handbook is one of the publications used for the Oregon Bus Driver Training Core Course. Handbook content tocuses on those aspects of driving a school bus that differ from riving an automobile and that are essential for the safe transporting of students. Designed to accompany the four classes (each two and one-half hours long), the handbook contains four units: (1) qualifications, responsibilities, and regulations; (2) pupil management; (3) inspections and operation; and (4) emergency and accident procedures. Along with regulations that must be followed by school bus drivers are suggested ways to elicit accident cooperation with safety precautions. Copies of reports that drivers may have occasion to use, drawings, and space for class notes are also included. (MLF)

Reproductions supplied by EDRS are the best that can be made from the original document.

OREGON SCHOOL BUS DRIVERS TRAINING PROGRAM STUDENTS HANDBOOK

5394 202 USING THE HANDBOOK BEREQUIREMAE SPEED EMERGENCY E/AGIATION SPEE CONTRO DECTION CCIDE

U.S. DEPARTMENT OF EDUCATION

NATIONAL INSTITUTE OF EDUCATION EDUCATIONAL RESOURCES INFORMATION
CENTER (LAIC)

This document has their reproduced of received from the person or organization or organization.

More changes have been made to improve reproduction and my less than the second contract of the second contract of

Paints of your or epinions stract in this decument on that recessorily represent official NIS position or policy.

"PERMISSION TO REPRODUCE THIS MATERIAL HAS BEEN GRANTED BY

5. J. Care

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)." OREGON SCHOOL BUS DRIVERS TRAINING PROGRAM

STUDENTS HANDBOOK CORE COURSE



Oregon Department of Education Pupil Transportation Services 700 Pringle Parkway SE Salem, Oregon 97310

> Verne A. Duncan State Superintendent of Public Instruction

> > 1985

Federal law prohibits discrimination on the basis of race, color or national origin (Title VI of the Civil Rights Act of 1964); sex (Title IX of the Educational Amendments of 1972 and Title II of the Vocational Education Amendments of 1976); or handicap (Section 504 of the Rehabilitation Act of 1973) in educational programs and activities which receive federal assistance. Oregon laws prohibiting discrimination include ORS 659.150 and 659.030. The State Board of Education, furthermore, has adopted Oregon Administrative Rules regarding equal opportunity and nondiscrimination: OARs 581-21-045 through -049 and OAR 581-22-505.

It is the policy of the State Board of Education and a priority of the Oregon Department of Education to ensure equal opportunity in all educational programs and activities and in employment. The Department provides assistance as needed throughout the state's educational system concerning issues of equal opportunity, and has designated the following as responsible for coordinating the Department's efforts:

Title II—Vocational Education Equal Opportunity Specialist

Title VI—Equal Education and Legal Specialist
Title IX—Associate Superintendent, Educational Program Audit Division and Equal Education and Legal Specialist

Section 504—Specialist for Speech, Language and Hearing, Special Education Section

Inquiries may be addressed to the Oregon Department of Education, 700 Pringle Parkway SE, Salem 97310 or to the Regional Office for Civil Rights, Region X, 1321 Second Avenue, Seattle 98101.

5255119858000 0477e

FOREWORD

The Bus Driver Training Core Course is designed to acquaint license applicants with the minimum skills and knowledge needed to drive a school bus. It is a ten-hour program, consisting of four 2-1/2 hour classes. Content focuses on those aspects of driving a school bus which differ from driving an automobile, and which are essential for the safe transporting of students.

Our goal is to help you become licensed school bus drivers in the service of Oregon students. It is, after all, skilled, reliable drivers who contribute so much to education statewide by making facilities more accessible to students.

Lack Sperr

Jack W. Sperr, Coordinator


John Fairchild, Specialist

John Fairchild

Funds for printing this publication were provided by the Oregon Traffic Safety Commission

TABLE OF CONTENTS

	[Foreword]	
•	Using the	Student Handbook
•	Core Cour	se di la companya di
	UNIT I	Qualifications, Responsibilities, and Regulations
	UNIT-II-	Pupil Management
•	UNIT III	Inspections and Operation
	VI TINU	Emergency and Accident Procedures



USING THE STUDENT HANDBOOK

The <u>Student Handbook</u> is designed to be used with the <u>Oregon Pupil Transportation Manual</u> and <u>Emergency Procedures for School Bus Drivers</u>, along with local handbooks and materials.

After every citation of a page or list number, there is an underlined blank space for adding penciled changes as various publications are revised (Example: Oregon Pupil Transportation Manual, p. 20___, number 10___) Extra space has been provided in the margins for notes.

Students should become familiar with the contents of both the <u>Oregon Driver's Manual</u> and the <u>Oregon Chauffeur's Manual</u>, published by the Motor Vehicles Division.

HNIT.

QUALIFICATIONS, RESPONSIBILITIES, AND REGULATIONS

Qualitications:	
<pre>% treense kequirements</pre>	
- CARLOT PARTICLE AND OF HISTIAL RECORDS	
Physical Requirements Knowledge and Skills	
Knowledge and Skills	
Responsibilities	
Responsibilities	
To Students	
To Parents.	• • • • • • • • • • • • • • • • • • • •
No Other Employees	
To Other Employees	• • • • •
スクタ類の Selfyと、、、次数をよう。。。。。。。。。。。。。。。。。。。。。。。。。。。。。。。。。。。。	
To the Public	
Regulations	**************************************
Standardization of Rucoc	
Standardization of Buses	
School Bus Stop Law	
8-Light Warning Flasher System	
Making the Stop Law Effective	
Loading and Unloading	
Railmoad Crossings	• • • • • • • • • • • • • • • • • • • •
Speed Regulations	[8
Miscellaneous Regulations	\dots



10

ERIC Full Text Provided by ERIC

CONTENT

NOTES

School bus drivers hold positions of responsibility. They must observe regulations and be able to exercise great skill and judgment in operating buses and dealing with people.

OUALIFICATIONS

It is essential that the local school transportation department select applicants and drivers in compliance with national standards and Oregon laws and regulations.

License Requirements

The list of license requirements for school bus drivers. begins on page 31 of the Oregon Pupil Transportation Manual.

In selecting school bus drivers, the employer considers whether drivers are in good physical condition, of sound character, and competent vehicle operators. They should be able to establish and maintain good relationships with the students. They should be even tempered, be able to adjust to job conditions and have positive safety attitudes. Their traffic records must meet the standards established by the Oregon Department of Education.

Driving and Criminal Records

OAR 581-53-006(8) Driving and Criminal Records

(a) The Oregon Department of Education shall review the driving record of each applicant before a permit or license is issued or renewed.

Applicants who have held a driver's license in a state other than Oregon anytime during the preceding three year period shall furnish upon request a copy of the driving record from each state or states to the Oregon Department of Education at time of application.

(b) The Oregon Department of Education shall review the criminal record of a driver upon original application for a permit or license.

c) An applicant will be refused a school bus driver's license or a current license shall e suspended or revoked if the applicant or deter:

(A) Has ever been convicted of a sex offense involving force or minors;

(B) Has ever been convicted of a crime involving violence or threat of violence. This shall not apply if applicant or driver has been free from custody, probation and parole for the preceding three year period;

(C) Has, within the preceding three year period, an entry in a public record as defined in ORS 192.410, involving criminal activity in drugs or alcoholic beverages:

(D) Has had a driver's license suspended by the Division of Motor Vehicles of any state, within the preceding three year period, for a cause involving the unsafe operation of a motor vehicle.

(E) Has been convicted within the preceding three year period of:

(i) Hit-and-run driving:

(ii) Driving under the inflüence of intoxicants as defined in ORS 487.540;

(iii)Reckless driving as defined in ORS

(iv) Fleeing or attempting to elude a police officer while driving a motor vehicle:

(v) failure to perform the legal duties of a driver involved in an accident or collision which results in injury or death of any person.





NOTES' CONTENT

Has a driving record for the preceding three year period that has an accumulation of 31 or more points based upon the following point system:

(i) Each chargeable accident and each conviction for a moving violation of traffic laws shall have a value of 10 points. A chargeable. accident is one in which the driver is answerable as the primary cause of, or Mehangeable with the result of an accident.

(ii) One point shall be subtracted from the total number of points for each full month, since the last chargeable accident or conviction; to the time of driving record check.

OAR 581-53-006(9) Refusals and Suspensions

The Oregon Department of Education may refuse, suspend or revoke the license of a school bus driver for noncompliance with licensing or physical requirements, giving false or incomplete information on application forms, or failure to comply with laws, rules and regulations applicable to school bus drivers. Applications with obvious incomplete or inaccurate information will be returned to the employer with no action taken regarding denial or approval.

(b) Upon suspension or revocation, the licensee shall surrender the suspended or revoked license to the

Oregon Department of Education.

Hearings on appeal from refusal, suspension or revocation of school bus driver's licenses shall be pursuant to ORS Chapter 183.

A license may be suspended for any period up to 90 days. If conditions of the suspension have not been met within the suspension period, the license shall be revoked.

OAR 581-53-006(10) Change of Name, Address or Employer Upon change of name, address or employer, a driver must notify the Oregon Department of Education within thirty A duplicate license will be issued if necessary.

NOTES

CONTENT

Physical Requirements

OAR 581-53-006 states, in part, that in order to drive a school bus, the following minimum qualifications must be met:

- A. Mental and physical condition
 - 1. No mental, nervous, organic, or functional disease, likely to interfere with safe driving or other responsibilities of a school bus driver.
 - 2. No impairments of use of foot, leg, fingers, hand or arm, or other structural defect or limitation likely to interfere with safe driving or other responsibilities of a school bus driver. (Drivers may be required to demonstrate ability to: open and close a manually operated bus entrance door control with a force of at least 30 pounds; climb and descend steps with a maximum step height of 17-1/2 inches; operate two-hand and two-foot controls simultaneously and quickly; have a reaction time of 3/4 of a second or less from the throttle. to the brake control; carry or drag a 125 pound person 30 feet in 30 seconds or less; depress a brake pedal with the foot to a pressure of at least 90 pounds; depress a clutch pedal with the foot to a pressure of at least 40 pounds unless operating an automatic transmission; exit from an emergency door opening of 24 x 48 inches at least 42 inches from the ground in ten seconds or less. If there is reasonable doubt that the applicant can perform any of the above, contact the Oregon Department of Education for further instructions.)

B. Eyesight

Visual acuity of at least 20/40 (Snellen) in each eye either without glasses or by correction with glasses; form field of vision shall not be less than a total of 140 degrees; ability to distinguish colors—red, green and yellow; drivers requiring correction by glasses shall wear properly prescribed glasses at all times while driving.

C. Hearing

Hearing shall not be less than 7/15 in the better ear, or hearing loss greater than 40 decibels if audiogram is used, for conversational tones, with or without a hearing aid. Drivers requiring a hearing aid shall wear such properly operating aid at all times while driving.

D. Liquor, narcotics and drugs

Shall not use intoxicants to excess or be addicted to narcotics or habit-forming drugs.

- E. The driver is not qualified to operate a school bus if insulin is necessary to control a diabetic condition, or if the driver has a diabetic condition with a fasting glucose of more than 200 mg/dl.
- F. If the driver has severe hypertension (grade 3 retinopathy), the driver is not qualified to operate a school bus.

NOTES

CONTENT

Knowledge and Skills

Review the <u>Oregon Driver's Manual</u> and the <u>Oregon Pupil</u>

<u>Transportation Manual</u> before taking the final course examination.

The state carefully spells out the knowledge and skills required of school bus drivers. Human lives depend upon their skills, knowledge, judgment, and attitudes.

In addition to basic training, drivers need to participate in inservice activities designed to improve their ability to cope with changing driving situations.

RESPONSIBILITIES

A school bus driver has responsibilities to the employer, students, parents, associates in the school system, themselves, and the general public.

To Employer

Like every employee, the driver has a responsibility to the employer to be punctual, honest, neat in appearance, and prompt to carry out orders. The driver must submit all required reports and give the district advance notice if unable to fulfill a commitment.

CONTENT

The employer sees to it that vehicles are operable and safe, that drivers carry out state and local policies, salaries are paid, and that drivers are notified of changes in policy or routine.

The supervisor, as the link between employees and employer, needs full cooperation. Drivers must be willing to:

- 1. Accept responsibility.
- 2. Accept authority.
- 3. Show interest in work.
- 4. Accept training.
- 5. Carry out work willingly.
- -6. Gain a working knowledge of written school policy.
- 7. Communicate with supervisors.

It is appropriate for drivers to discuss with supervisors any discipline problems, condition of the buses, route changes, and similar matters. Supervisors should be informed of encounters with parents and help drivers with reports and maintenance requests. In addition, drivers should report any road harards which develop on school bus routes to the supervisor.

NOTES

CONTENT

To Students

Drivers' attitudes influence students' attitudes toward school, safety practices, other adults, and one another.

To Parents

Business dealings with parents are best conducted by the appropriate school officials. Drivers still need to know the regulations and local policies even though the parent is being referred to a supervisor or principal for help.

To Other Employees

Co-workers appreciate friendliness and cooperation. Work will be more pleasant and easter if the driver is:

- 1. Courteous to everyone—creating a good impression of the entire transportation system and the school system.
- 2. Helpful—using proper driving practices and assisting others, such as helping check lights:
- 3. Ready to compliment the work of others, thank persons offering assistance and avoid gossip and complaining.



CONTENT

NOTES

To Self

A driver must be physically and mentally ready to drive and observe the following:

- 1. Be rested and free from fatigue.
- 2. Do not use tobacco on the school bus when students are on or near the bus, or permit passengers to use tobacco.
- 3. Oregon regulations state that a driver shall not be under the influence of an alcoholic beverage or any dangerous or narcotic drug while on duty; shall not consume an alcoholic beverage, regardless of its alcoholic content, or any dangerous or narcotic drug while on duty or within six hours before going on duty to operate a pupil transporting vehicle.
- 4. Personal appearance, grooming, and language must be acceptable within the community.

To the Public

The appearance of the driver and bus, and the way the driver operates the bus provide the public with an impression of the school system itself. One discourteous or irresponsible act reflects poorly on the schools and, in particular, the transportation department. Observers, including the passengers, take good driving and driving manners for granted.

NOTES CONTENT

Building good relations with the public includes showing interest in the passengers. Gain their respect and confidence. Help them understand the importance of good behavioral practices on the bus; compliment them when they do well.

REGULATIONS

The National Highway Transportation Safety Administration has established minimum federal standards for school bus drivers, buses, and bus merations.

Oregon statutes and State Board of Education regulations have been enacted and adopted to help assure safe school bus transportation.

Standardization of Buses

School Bus Stop Law

*ORS 485.025 and 487.445, the School Bus Stop laws, are the most familiar of the statutes, explaining what school bus drivers and other motorists are to do when students are being loaded or unloaded. The Oregon Pupil Transportation

Manual details the School Bus Stop laws beginning on page 6_____

8-Light Warning Flasher System

The school bus driver must use the flashing warning lights at appropriate times to inform other motorists of the bus driver's intention.

Oregon requires the use of the 8-light warning system, with two amber lights on the front and two on the rear of each school bus, to be flashing when the bus is stopping; and two red lights on the front and two on the rear, to be flashing ONLY when the bus is stopped on the traveled portion of the roadway to load or unload students.

All traffic in both directions must stop while the red warning flasher lights are in use, unless the bus is on a divided highway, where only traffic moving in the same direction as the bus must stop. A divided highway is one on which two separate roadways are divided by a barrier or unpaved median strip.

ORS 485.025 prohibits the use of the flashing red lights if the bus is:

- not loading or unloading students—except in a place that obstructs other driver's ability to see the flashing red warning lights on another bus,
- 2. at an intersection controlled by traffic lights, or by a police officer,
- 3. in a loading area that is completely off the roadway.

NOTES

CONTENT

Making the Stop Law Effective

The <u>Oregon Pupil Transportation Manual</u> lists suggestions (beginning on page II) for making the School Bus Stop Law effective.

Loading and Unloading

Loading and unloading passengers is a dangerous operation. The driver needs to be aware of the directions which the students will head after unloading. Stops for loading and unloading shall be made on the roadway, in the center of the right-hand lane, only if:

- 1. Students will be crossing the road.
- 2. The bus cannot be stopped completely off the traveled portion of the road.

Stops for loading and unloading will be made off the roadway only if students will not cross the road and the bus can be removed completely from the traveled portion of the road.

Stops for loading and unloading children should NOT be made at an intersection controlled by traffic signals.

To make a safe stop:

1. Start slowing down at least 300 feet (the length of a football field) from the stop.

- 2. Turn on flashing warning lights if stop is to be made on the roadway. Turn on right turn signal if the stop will be made off the road.
- 3. Check all mirrors to see that traffic is clear?
- 4. Approach students with extreme care, giving due con-
- 5. If the bus is pulled off the road, cancel the turn signal.
- 6. Keep the brake applied.
- 7. Open the front door only when ready to load or unload students.

The illustration on page 59 in the <u>Oregon Pupil Transportation Manual</u> shows how to make a safe stop on the highway. During off-road stops, the driver may use the hazard lights but flashing warning lights shall not be operating.

School stops should be situated so that students get on or off from the school side of the bus.

Students enter the bus single file, each using the handrail, and go directly to their seats.

Students leave single file, using the handrail. Those who cross the road should walk in front of the bus.

After loading and unloading the bus, the driver should:

- 1. Check to make sure students are all properly seated or are off the roadway.
- 2. Close the front door
- 3. Check traffic Use mirrors, turn on the left turn signal if the bus is off the road and, when safe, pull back into the lane of traffic.
- 4. Cancel the turn signal if it was on, accelerate to road speed, and proceed on to the next stop.

Check traffic in both directions before allowing students to cross a road. Make certain that all students are off the road before moving the bus.

Railroad Crossings

Crossing railroad tracks is very hazardous. School bus drivers have exacting precautions to take:

- 1. In preparing to stop, the driver must have the least possible distraction. Quiet the students and, if necessary, turn off the heaters.
- 2. Check the traffic control devices.



- 4. Do NOT turn on flashing warning lights. Hazard lights may be used.
- 5. Open the service door an driver's window to LOOK and LISTEN:
- 6. If no train is approaching, shift into a gear that will take the bus across the tracks without hesitation.

 DO NOT SHIFT GEARS WHILE ON RAILROAD TRACKS. LOOK and LISTEN a second time, close the door, and proceed quickly and smoothly.
- 7. If a train is approaching, hold the bus in place, using the parking brake if waiting time warrants it. After the train has passed, proceed as described in step six.
- 8. At multitrack crossings, be certain a train is not approaching on any track before crossing. After a train passes, wait until all other tracks become visible before crossing.

Flasher lights and bells warn of an approaching or passing train. When a train is stopped or the signal is not working properly, the bus may cross the tracks after stopping, when the driver is sure that the crossing is safe.

If a flag person is directing traffic, obey only after making a safety stop.

Never load or unload students while stopped at a railroad crossing.

NOTES.

CONTENT

Speed Regulations

Maximum speed for all motor vehicles is 55 miles per hour; lower speeds are posted in certain places. In addition, one should never drive faster than is safe and prudent. In the Oregon Pupil Transportation Manual, the "basic rule" is explained. See page 15.

A safe speed for an automobile may not be safe for a bus. The rule-of-thumb for either vehicle is not to drive faster than will permit stopping within the assured clear distance ahead. Every driver should act according to the circumstances, and not be influenced by other motorists.

Miscellaneous Regulations

The Board of Education's regulations pertaining to school bus drivers are listed in the <u>Oregon Pupil Transportation</u>.

Manual beginning on page 45 ____. Most of these regulations are covered in the course content. Use the space below for notes regarding those of particular interest.

UNITALI PUPIL MANAGEMENT

Driven's Temperament.	3
Regulations for Pupils	4
Driver's Instructions Loading Unloading Seating Minimum Discipline Standards	4 5 6 8
How to Maintain Control	9
Handling Discipline Problems	-11
Cooperation From Students From Teachers From Supervisors and Administration From Parents	· 1.2
Handling Chronic Troublemakers	15
Child Psychology	16
Behavior Patterns. Elementary Junior High Senior High	17 - 18



CONTENT.

NOTES

The driver must maintain control over passengers by acting in part as an instructor and leader in teaching pupils how to behave at bus stops and on board the bus. This is imperative to operating the bus safely.

To accomplish this, the driver must be able to demonstrate self-control and gain cooperation by applying sound basic psychology.

DRIVER'S TEMPERAMENT

Successful school bus drivers possess both skill and pride in their work. They have patience, humor, and a real liking for and interest in young people. They gain the students' respect and, in a sense, are "social engineers," able to keep their passengers disciplined by means of requests as opposed to demands.

The students behavior reflects the driver's attitude. This attitude also affects driver performance, how the bus looks, and public opinion about the school system in general and the transportation department in particular.

Safe school bus transportation requires good drivers and good students. Riding the bus should be a learning situation for the students. The driver can set an example by:

- Presenting a neat appearance
- Being friendly and cooperative
- Treating the bus and its equipment with respect and care

NOTES

CONTENT

A competent driver's passengers take pride in their bus and realize that they themselves have some responsibility for safety of the group.

REGULATIONS FOR PUPILS

In order to support the driver in carrying out the major duties of providing safe transportation, local and state authorities have established regulations for passengers.

The State Board of Education's regulations governing pupils riding school buses are posted in every bus. Students and parents should be familiar with these rules and understand the reasons for them. They are listed on page 44 in the Oregon Pupil Transportation Manual.

Local board policies detail such matters as the chain of command and means of communication.

DRIVER'S INSTRUCTIONS

Although Number 15 of the regulations states that a pupil who refuses to obey the regulations or the driver, may lose riding privileges, the good driver does not depend on this.

Drivers are obligated to provide riders with safety instruction and they should notice and report any hazards that students encounter at or on the way to and from the bus stop.

Instruct students on how to behave from the time they approach a stop until they are at school or away from the



CONTENT

road after disembarking from the bus. This instructional effort is continual and encouragement and compliments on good behavior will be worthwhile.

Loading

Students should:

- from a bus stop. Wherever possible, walk facing the oncoming traffic.
- 2. Arrive at the bus stop and school loading station on time and remain orderly.
- 3. Stay off the traveled portion of the roadway. Avoid playing or loitering in the road while waiting for the bus, even if the bus is late.
- 4. Refrain from littering or defacing property.
- 5. Stand where the driver specifies, and approach the bus only after the door is opened.
- 6. Enter the bus single file, without rushing or shoving, and use the handrail.
- 7. Sit down promptly.

NOTES.

CONTENT

Unloading

Unloading is especially dangerous, and the driver is responsible for the safety of ALL students crossing the road. Written exit rules are recommended, so that every student knows what to do after leaving the bus.

For safe unloading:

- 1. Use assigned stops ONLY. Report any new students to the supervisor so that the pick-up point for the student can be determined. Make NO extra stops, even if a parent requests it. Keep the door closed and explain that you may not dismiss a student anywhere but at the regular stop or the school, without having received written permission in advance from the parent.
- 2. Students should face forward when leaving the bus and not turn around to talk with others. They should use the handrail.
- 3. Students who cross the road should line up in front of the bus, walking forward as many steps as are necessary so that the driver can-clearly see students, even if they are bent over to pick up dropped articles. No one should move beyond the left front fender until the driver gives the signal.

Seating

The driver's method of handling seating can be a very important factor in passenger control. Oregon regulations require that every student be seated and remain seated while the bus is in motion. This means that every child has a passenger seat. Whether the driver assigns seats depends upon local policies and personal preference.

Students prefer to choose their own seats, which keeps the bus atmosphere informal. But a driver who has a number of unruly riders may want to assign seats. The same applies in cases of regular littering or defacing seats and walls.

Assigning seats makes passengers accountable for their own areas.

Establish the seating arrangement early in the year so that passengers will develop a routine for prompt, orderly seating. If the driver needs to move the more unruly students to the front of the bus or separate those who do not behave well together, the seating arrangement can be changed.

Comfort is another consideration which may lead a driver to assign some of the seats.

The standard 13- or 15-inch seat width for each passenger is not comfortable for all students. This can cause rest-lessness and possible disruptive behavior, particularly when the ride is long.

For a regular route, make a seating chart and check it on every trip.

11-7

NOTES CONTENT

Minimum Discipline Standards

Even though bus behavior is not as formal as classroom conduct, there are limits to passenger activity! Driver control should be sufficient enough to assure that:

- 1. Students enter and leave the bus at stops and school

 loading stations in an orderly fashion and in accordance with instructions. They should always proceed:
 - a. Without hurrying or dallying.
 - b. Without crowding or pushing.
 - c. With each pupil showing regard for personal safety and the safety of others.
- 2. Students are quiet enough as not to distract the driver. They must always:
 - a. Refrain from shouting and other noisy or rough activity.
 - b. Refrain from talking to the driver while the bus is in motion.
 - c. Show consideration for the driver and the driver's responsibilities. An upset driver, distracted by the students, cannot possibly be a safe driver.
- 3. Students remain seated while the bus is in motion.
- 4. Students cross the road in accordance with the driver's instructions.

- 5. Students show respect for public and private property.
 - a., Roughhousing is hard on seats and interior finish.
 - b. Students need to respect the property rights of other passengers.
 - c. They should keep feet off the seats and out of the aisle.
 - d. They should not mark or cut walls or upholstery.
- 6. Students keep aisles and stairwells clear and unobstructed. Items that cannot be held on their laps should be secured.
- 7. Students keep hands, arms, and heads inside the bus.
- 8. Students refrain from throwing objects in the bus or through windows. (Provide a sack for refuse in the bus and dispose of it at the end of each trip.)

HOW TO MAINTAIN CONTROL

How does a driver maintain passenger control? It begins by controlling personal conduct. The better the personal conduct, the better the passenger control. Specifically, the driver is:

- 1. <u>Predictable</u>. Students like, respect, and obey someone who they can count on to act in a controlled manner at all times.
- 2. <u>Polite</u>, even when annoyed. No one is likely to be defiant toward a person who is acting in a civil manner.

NOTES

CONTENT

- 3. <u>Friendly</u> to everyone. An adult does not show petty dislikes, and it is an advantage to have the passengers consider the driver a friend.
- 4. <u>Fair</u>. Injustice, not punishment, makes a child rebel against an adult.
- 5. <u>Consistent</u>. Always reacting to the same improper action in the same way, regardless of momentary moods or feelings about the particular offender.
- 6. <u>Specific</u>. Giving instructions that a student can carry out immediately.
- 7. Reasonable. Giving commands the driver can enforce and the students can obey. Offenders need to be told why they should stop what they are doing or change their way of doing it.
- 8. <u>Kind</u>. Knowing that, while students are not mature, they certainly have feelings. Their embarrassment or resentment can be at least as great as that of adults.
- 9. <u>Interested</u>. Calling students by name, thanking them when they cooperate well, congratulating their personal achievements, asking about things that interest them, and showing appreciation for their sharing pride in the bus.
- 10. <u>Businesslike</u>. Having respect for the job and oneself. A driver does not display temper, threaten, shout, or argue with anyone. Refrain from using physical force and from embarrassing a student that is being corrected. Do not be casual with the students; and do not

criticize other drivers, school personnel, or policies.

And let riders know that their conduct affects your

driving ability.

HANDLING DISCIPLINE PROBLEMS

Even the ideal driver will have some discipline problems and success will depend on how these situations are handled.

If a problem is serious and a remark or word of warning is not effective, stop the bus off the roadway as soon as safely possible. The very act of stopping makes the riders aware that the situation demands attention.

Stand up, face the passengers, and speak to the offenders in a courteous but firm manner. A driver who is firm, specific, reasonable, and self-confident will achieve best results.

When a seating change is in order, make it right away. Put the leader or the instigator in a seat near the driver's seat.

When a driver decides to issue a conduct report, it should be done at the end of that trip, while the details of the incident are still vivid.

COOPERATION

The better a school bus driver's relationship is with the pupils, supervisor, school personnel, and parents, the more willing they will be to cooperate.



NOTES CONTENT

From Students

When students have good morale on a bus, they themselves will help the driver control offenders. Those who learn that the group disapproves of their conduct will hesitate to do anything which might cost them prestige among their fellow students. Act on riders suggestions or complaints whenever feasible.

A driver who cares about the bus can influence students to take pride in it. When a program of cleanliness has become a habit to the riders, the bus suffers less damage from carelessness or deliberate abuse.

Some students, through athletic, scholastic, or social activities, are leaders whose manners and actions the others copy. A driver can use this leadership to advantage; however, care must be exercised not to turn the leaders into "driver's pets" or let them "lose face" with their class-mates when they need disciplining.

The energy of unruly students can be harnessed to one's advantage, too, by giving them some responsibilities. Duties such as seeing that the aisle is clear or that windows are closed can appeal to a child's desire for self-esteem.

From Teachers

Teachers see students for longer periods of time than bus drivers do, and they see them perform in a number of ways. Good communication between driver and teacher can be of



great value in helping the driver understand the behavior of a particular student. This is often necessary if the driver is to discipline the student effectively.

The classroom also is a good place to teach safety.

Teachers should help drivers supervise loading stations at the school grounds.

Drivers should stand ready to assist teachers in whatever ways they can.

From Supervisors and Administration

A school bus driver can expect school administration support in carrying out duties. Supervisors and administrators will pay close attention to factual accounts of matters which are cause for concern and action. The backing of administration can be invaluable to the driver who refers serious disciplinary cases, especially when parents will be involved.

The administration has authority—it may also have back—ground information on students. By being removed from the immediate situation, the administration may be more objective than a driver in determining how to correct problems.

If the administration's response to a request for assistance is too slow in coming or is too weak to correct the problem, the driver may ask the supervisor, tactfully, for further action.

NOTES

...CONTENT

A driver develops good relations with the administration through the supervisor. Deliver all regular reports complete and on time, and be prompt to notify the supervisor about hazards at a bus stop, new students to be scheduled, unusual behavior of a stranger near or at a stop or the school grounds, or continued discipline problems.

From Parents

Pupil transportation affects a number of individual homes in the district. Parents like to know that other people are interested in their children. Drivers should use every opportunity to become acquainted with parents. Drivers should be seen as pleasant, neat, responsible members of the school staff.

Sometimes people question certain passenger rights and privileges. A driver may have to explain policies. This should be done in an impersonal way, being sure to give an accurate explanation. Do not disclose individual opinions.

Parents will want to cooperate in disciplining their children if they know the rules and realize why observing them is important. Issue conduct reports only for reasons which parents can understand.

Like students, parents recognize an orderly and wellmanaged bus. They will criticize a driver who is too
henient or careless, but will stand by a driver the students
respect.

Parents certainly will notice whether the bus is on schedule or not. Punctuality tells something about the driver's

NOTES

sense of responsibility. If the driver is not reliable and on schedule, the students may not be ready to be picked up when the bus arrives.

HANDLING CHRONIC TROUBLEMAKERS:

Correcting continuing discipline problems sometimes requires teamwork from everyone who encounters the student or students causing the problem.

Students who create disturbances on the bus are likely to do the same in the classroom as well. If driver, teacher, and principal working together cannot bring about improvement, parents may have to be brought into the effort. Extreme cases may require action by the superintendent or even the school board.

Regardless of the degree of disturbance, the driver has no legal right to put a rider off the bus except at the regular bus stop or at the school. If the safety of passengers is threatened and the driver cannot curb misbehavior, stop the bus near a telephone and send two responsible students or an adult to notify the supervisor or principal. The driver should NOT START THE BUS until one of these persons has answered the call.

It should be noted that the approach to discipline problems depends on district policy.

NOTES CONTENT

CHILD PSYCHOLOGY

By understanding the fundamentals of child psychology, even a driver who is an expert in self-management and downright artistic when it comes to getting cooperation from other people can do the job better and with less effort. To be a good leader, the driver needs to know something about the behavior patterns of children.

Environment is always a factor in behavior, and the school bus driver is part of the passengers environment.


Count on this principle. Children will always test an adult's patience! The adult must counter with firmness and good humor. Firmness does not mean harshness, and good humor does not mean acceptance.

Building good bus manners begins on the first day of school. State the rules clearly, and settle little problems right away—it is much easier to prevent a bad situation than to correct one. When in doubt, he exacting. It is easy to let up later, but virtually impossible to be more strict.

Watch for the beginnings of problems that could grow into real difficulties or have a bad effect on the better-behaved students. Resist the temptation to ignore a minor misdeed of a student who never causes real trouble, if the same misdeed would bring another student a comment or corrective action. Treat all students exactly alike:

BEHAVIOR PATTERNS

Children all go through stages of growth, and their degree of activity changes from time to time. This illustration, shows the usual pattern among school age children:



Elementary

Children in kindergarten are restricted and under close supervision. They are accustomed to regulation, and normally are obedient.

Students in the lower grades have some freedom of action, but they still are supervised closely. They seldom present discipline problems. Their memory spans are short, though, and the driver will have to repeat safety rules frequently. Their group spirit is strong, and they respond to the driver

NOTES

CONTENT

who describes rules as "our rules" and encourages them to "make our bus the best."

Fourth and fifth grade students are growing away from the teacher-parent image and are beginning to experience competition. They have some new freedoms and will experiment with their budding independence.

Sixth grade students are likely to want to show off as the "big wheels" of the elementary school. Knowing drivers are aware that these students need recognition. Praising cooperative behavior and good safety habits can help keep them in line. Otherwise, they may become mischievous or lead the younger students to poor conduct.

Junior High

Seventh graders have a number of concerns. They may be the lowest grade again, in a new and much larger school. They are growing fast and have a remarkable amount of energy to work off. The changes in status and surroundings, coupled with physical changes, tend to make them active, noisy, and disorderly. People who work with students of this age need limitless patience to combine understanding with firm discipline.

In the eighth grade students enjoy more freedom than they ever have had. They are old enough to try out their new wings and to show more aggressive emotions. Eighth graders who will be in high school the next year are expected to set examples for younger students. Often, the examples they set are less than ideal!

CONTENT -

NOTES

Students in the eight-year program are learning to cope with some problems a year earlier than those who enter high school in the tenth grade.

Ninth graders are becoming accustomed to physical changes and are given more choices and opportunities than seventh and eighth graders. From ninth grade on, the driver can anticipate fewer discipline problems on the bus, but the problems that do arise will be more serious than those the younger students pose.

During the junior high years the child goes through more physical, mental and emotional development than in any other period. Anyone dealing with this age group must really like youngsters; intolerance or resentment shows. But the person who conveys a feeling of sympathetic understanding to students can look forward to being repaid by winning their respect and admiration.

Senior High

In the first year of high school, students again become the lowest grade class in school, and now the environment is still larger. Competition is intense. But this is the second time the students have made such a change, so they are better able to deal with it. In addition, they have more mature students to look up to in the higher grades than they had before.

High school girls are normally more mature than the boys, and they tend to be more alike. Girls are usually more easily influenced by boys than boys are by girls. Interrelationships can create problems and the driver should



monitor students activities on the bus.

Although high school students are likely to be somewhat changeable in their behavior, they consider themselves dignified and poised. They want to be considered ladies and gentlemen.

Drivers need to conduct themselves in a different manner with high school students than with elementary students. High school students are not living a egimented life style, and drivers must adjust their approaches to them. Young drivers should not hesitate to ask their supervisors or principals for help in solving problems involving high school students, for these students may resent any great show of authority by a driver who is near their own age.


High school gangs may be formed by students with similar social background. A student who wants to assert leadership or power will promote such a gang. Any action against a member of the group is taken as an action against the group itself. Often a member is punished by the others for refusing to participate in the group plans.

The best way to deal with gang behavior on the bus is to ask that the various members be assigned to ride on several different buses. More often than not, however, this is impractical. The driver must then ask that riding privileges be denied all members until they agree to abide by the rules, unless the driver can identify the leader and take appropriate action. Without an active leader the gang cannot function.

, UNIT III

INSPECTIONS AND OPERATION

gueneral inspections	· 3
New School Bus Checklist	4
pullous bus safety checks	.5
Annual Vehicle Inspection and Maintenance Report	7
Annual Vehicle Certification Report	χ
	O
Driver's Inspections	á
THE TURN STREET HIS TOP CONTROL TO STREET	ر ۱۰۵
Preliminary Inspection	U
Operational Inspections	11
Operational Inspections Walk-Through Inspection	13
First Outside Incide	14
Cocond Outer Harden Though	15
First Outside-Inside Second Outside-Inside Pre-Departure Post-Trip Inspection	6
Part Transfer of the contract	8
rost-irip inspection i i i i i i i i i i i i i i i i i	9
Housekeeping	1.9
	•
Fundamentals of Operation	9
Starting the Engine	20
on the Shifting Gears	וֹ ל
of the proposition of the prop	53.
Automatic Transmissions	<u> 1</u> 3.
s - Changing Danes	24
Thersections 🐉	25
Turning	×5
$\hat{\mathbb{R}}_{i,j}$ where \mathbf{k} is $\hat{\mathbf{k}}$ in $\hat{\mathbf{k}}$ and $\hat{\mathbf{k}}$ in $\hat{\mathbf{k}}$	5
and the state of the	26
Backing and Turning Around:	6,
	7
Rassing	2
Rassing	O,
Stopping	
Stopping	. J.
	ย



The school bus is an expensive vehicle with many special safety features. But regardless of the skill that went into producing the bus, it cannot perform with maximum economy and dependability without good upkeep. Both repair costs and salaries are paid out of taxes, so it makes sense for a driver to take personal interest in economic as well as safety considerations.

GENERAL: INSPECTIONS

The state's Pupil Transportation Service checks new school buses and the vehicles must meet many standards (see page. III-4__). In addition, the Pupil Transportation Service spot-checks buses after they are in use (see pages III-5__ and 6_).

Each year, bus mechanics submit reports on every bus (see page III-7__) and the school superintendents certify that buses have been brought up to standard (see page III-8__).

•		* .	NEW SCHOOL BUS CH	IECKLIST		
Dat	ie <u></u>	District & No		County	Contractor	
					YearStyle_	
Ch	assis ID No.		Body Make		Capacity	
				·		
	Meets Standards		Does Not Meet Standard:	s EN	Does Not Apply X Ma	intenance I tem
		•		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
- 35 • 4., √, .		$\mathbf{B} = \mathbf{B}\mathbf{c}$	ody Dealer Responsibility (= Chassis Dealer I	Responsibility	and the second s
	Sample of the state of the stat					
DRIVI	ERS COMPARTMENT		PUPIL COMPARTMENT		CHASSIS	
		the the		, s,		
1.	Steps	В	1. Floor	B	1. Fenders	
: 4.	Service Door	B	2. Scars: A Scars		2. Astes	
a. b.	Head bumper	B	a. Spacing	В	3. Tires (Size:)	c
3.	Hinge guard Grab handle	R	b. Anchorage	В .	4: Wheels	
4.	Stanchions—padded	B	e. Cushion retention 3. Aisle width	The second	6. Tow hooks: Front C. Rear	
هر.	Guard rails - padded	B	e. Cushion retention	В.	7. Steering & hoses	
6.	Guard rails padded	B	3. Aisle width	B	7. Steering & hoses 8. Springs	c c
7	Driver's seat & belt	<u>B</u>	 Ceiling height Windows: 	В	9. Shock absorbers	
8.	Service brake	<u> </u>	5. Windows:		10. Frame	
9.	Service brake Parking brake: Air Manual		a. Split sash	<u> </u>	1 1. Underscal	
₩a. L	Air		th. Full sash	<i>J</i> B		
b. 10.	Steering wheel	C	6. Emergency windows:		13. Exhaust system	<u> </u>
10. 11.	Steering wheel	C and a	a. Latches	R I	14. Fuel tank & shield	
12.	Instrument panel:				a. Air	
a.	Speedometer & odometer	<u> </u>	7. Emergency door:		a. Air	c
b.	Speedometer & odometer Oil	C		B		
c.	Water temperature	<u> </u>	b. Buzzer	B	a. Compressor	C
- d.	Fuel	<u> </u>	in lettering	n i	a. Compressor b. Hydrovac c. Brake lines 17. Air cleaner	C
. e.	ArnineterPanel light		d. Instructions	<u> </u>	c. Brake lines 17. Air cleaner 18. Oil filter 19. Fuel filter	C
	ranci light		e. Lower glass, rear	B	17. Air cleaner	C
h.	Turn signal indicator	:: 6	i. Side door: chain or cab	le V	10. Chal filter	
i.	Air or vacuum gauge	c	OUTSIDE BODY		20. Battery	c
	Low air or vacuum warning	C .			21. Alternator	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
k	Tachometer		1. Headlights	C C	22 Paulani	
	Hand throttle		2. Turn signals	В 1	a Gas	C
14.	Flashing lights:		3. Clearance lights	B	b. Diesel	C
a. L	Switches	<u>B</u>	4. Identification lights	<u> </u>	23. Clutch	C
√ b. 15.	Heaters:	- B	5. Tail lights	B B	24. Transmission:	
a.	Switches Indicator/s Heaters: Shut-off Hose shield	В	6. Stop lights		b. Diesel 23. Clutch 24. Transmission: Standard b. Automatic	
b.	Hose shield	B	.8. Amber & red flashing ligh	nts B	V. Automatic	
16.	Defrosters: Left & Right	<u> </u>	,		OPTIONAL EQUIPMENT	
17	Dome lights	R	9. Reflectors	C&B		
18.	Step-well light	* B	Length and width	B	L. * Baggage compartment	B
19.	MirrorSun-visor	B	2. Lettering:		2. Tool box	
20.	Sun-visorWindshield	B	a. "School Bus" b. Districtor cont. name.	В	3. Public address system	<u>B</u>
	Windshield washers			ъ	4: Radio 5. Power ventilators	
2.3	Windshield wines	C I	d. Emergency exit	R		
24.	Fire extinguisher	B	e. "Unlawful to Pass" sign	В	6. Book racks Others:	
2 5.	Fire extinguisher Eirst aid kit Flags & reflectors	A.	3. Mud flans	В	1 * - 7.	
26.	Flags & reflectors	B	4. Windshield access steps 5. Rub rails	B	8.	
27.	Insulation	B	5. Rub rails	В	9.	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
28.	Ventilator	B	6. Side mirrors & RT. conve	ex <u>B</u>	10.	<u> </u>
29.	Pupil regulations	<u> </u>	7. Cross view mirror	B_1 ·] 11.	

Form 2242 (revised 9-76)

Oregon Department of Education 700 Pringle Parkway SE Jem, Oregon 97310 Jone 378-3577

IMPORTANT:

Complete repairs, SIGN and RETURN pink copy within 30 days as per OAR 581-53-008(4).

SCHOOL BUS SAFETY INSPECTION

· · · · · · · · · · · · · · · · · · ·	. 45.4		:t No		30.0W.	Cont	<u>`</u>	
us No	License No		Chassis Ma	ike		·	Year	
ite.			20					
		RódA !	Make			Capacit	y	
				`				· '` '
EMS TO BE INSPECTED		O.K.	Poor	Repair	REMA	RKS		Date of Rep
TERIOR-General Appeara	ince							
and the second of the second o		6		· ·	12/2	· · · · · · · · · · · · · · · · · · ·		* * * * * * * * * * * * * * * * * * * *
1. Seats-Padded Rail		 				<u> </u>		. ","
a. Securely fastened		,	 			· · · · · · · · · · · · · · · · · · ·		
c. Cushion retention_		-	 				*	<u> </u>
2. Windows	*							
3. Floors			·					
4. Service Door & Head 8 (hinge guard 1972)								
5. Stanchions, Guard Rail	s or Barriers							
6. Grab Handle	E-a-a-a-a-a-a-a-a-a-a-a-a-a-a-a-a-a-a-a		1			·		
a. Operating freely	Emergency window							``
b. Lettering (instruction	ons 1978)					4.		**
🛴 c. Buzzer (emg. windo	ow 1972)						A	` .
of partial Cottainidosas (1)	300)	<u>L</u> .						
	structions (1978)	 						
c. Buzzer (1972)				` 			· · · · · · · · · · · · · · · · · · ·	
9. Posted Pupil Regulation	ns							
D. Loose Articles			,				- 12	<u> </u>
1. Inside Mirror (6x30) 2. Sun Visor (6x30)							-im	
3. Windshield 4. Wipers (2 Motors 1972)		· · · · · · · · · · · · · · · · · · ·				• ,	3 3 33	
Windshield Washers (19		L		· · ·				
Instrumente	62)	, 3						
r mistroiments ————————————————————————————————————	62)	*						
a. Speedometer	<u> </u>							
a. Speedometer b. Odometer								
b. Odometer c. Ammeter or Voltme								
a. Speedometer b. Odometer c. Ammeter or Voltme d. Oil pressure	195.							
a. Speedometer b. Odometer c. Ammeter or Voltme d. Oit pressure e. Water temperature f. Fuel guage	195.	.3						
a. Speedometer b. Odometer c. Ammeter or Voltme d. Oit pressure e. Water temperature f. Fuel guage g. Panel light	ler	.3						
a. Speedometer b. Odometer c. Ammeter or Voltme d. Oil pressure e. Water temperature f. Fuel guage g. Panel light h. Air or vacuum guage	ter	.3						
a. Speedometer b. Odorneter c. Ammeter or Voltme d. Oil pressure e. Water temperature f. Fuel guage g. Panel light h. Air or vacuum guage i. Tachometer (T) (198	(A 1955) (V 1972)	.3						
a. Speedometer b. Odorneter c. Ammeter or Voltme d. Oil pressure e. Water temperature f. Fuel guage g. Panel light h. Air or vacuum guage i. Tachometer (T) (198 j. Brake Warning Syste Heater (hose shields 197	ter	.3						
a. Speedometer b. Odorneter c. Ammeter or Voltme d. Oil pressure e. Water temperature f. Fuel guage g. Panel light h. Air or vacuum guage i. Tachometer (T) (198 j. Brake Warning Syste Heater (hose shields 197 Defroster (2 required 19	ter	.3						
a. Speedometer b. Odometer c. Ammeter or Voltme d. Oitpressure e. Water temperature f. Fuel guage g. Panel light h. Air or vacuum guage i. Tachometer (T) (198 j. Brake Warning Syste Heater (hose shields 197 Defroster (2 required 19	(A 1955) (V 1972) 55) m (Vac 1972) 72)	.3						
a. Speedometer b. Odometer c. Ammeter or Voltme d. Oil pressure e. Water temperature f. Fuel guage g. Panel light h. Air or vacuum guage i. Tachometer (T) (198 j. Brake Warning Syste Heater (hose shields 197 Defroster (2 required 19 Dome Lights Step Well Light	(A 1955) (V 1972) 55) m (Vac 1972) 72)	.3						
a. Speedometer b. Odometer c. Ammeter or Voltme d. Oil pressure e. Water temperature f. Fuel guage g. Panel light h. Air or vacuum guage i. Tachometer (T) (195 j. Brake Warning Syste Heater (hose shields 197 Defroster (2 required 19 Dome-Lights Step Well 4 ight Horn	(A 1955) (V 1972) 55) m (Vac 1972) 72)	.3						
a. Speedometer b. Odorneter c. Ammeter or Voltme d. Oil pressure e. Water temperature f. Fuel guage g. Panel light h. Air or vacuum guage i. Tachometer (T) (195 j. Brake Warning Syste Heater (hose shields 197 Defroster (2 required 19 Dome Lights Step Well Light Horn Steering Wheel Play Hydrautic Brakes	(er . (A 1955) (V 1972) 							
a. Speedometer b. Odorneter c. Ammeter or Voltme d. Oil pressure e. Water temperature f. Fuel guage g. Panel light h. Air or vacuum guage i. Tachometer (T) (195 j. Brake Warning Syste Heater (hose shields 197 Defroster (2 required 19 Dome Lights Step Well Light Horn Steering Wheel Play Hydraulic Brakes Air Brakes	(A 1955) (V 1972) 55) m (Vac 1972) 72)							
a. Speedometer b. Odometer c. Ammeter or Voltme d. Oit pressure e. Water temperature f. Fuel guage g. Panel light h. Air or vacuum guage i. Tachometer (T) (195 j. Brake Warning Syste Heater (hose shields 197 Defroster (2 required 197 Dome-Lights Step Well 4 light Horn Steering Wheel Play Hydraulic Brakes Parking Brakes	(A 1955) (V 1972)							
a. Speedometer b. Odorneter c. Ammeter or Voltme d. Oit pressure e. Water temperature f. Fuel guage g. Panel light h. Air or vacuum guage i. Tachometer (T) (195 j. Brake Warning Syste Heater (hose shields 197 Defroster (2 required 197 Dome-Lights Step Well 4 light Horn Steering Wheel Play Hydraulic Brakes Parking Brakes Perking Brakes Fire Extinguisher (5 lb.	(er . (A 1955) (V 1972) 55) (M (Vac 1972) 72) 972)							
a. Speedometer b. Odometer c. Ammeter or Voltme d. Oil pressure e. Water temperature f. Fuel guage g. Panel light h. Air or vacuum guage i. Tachometer (T) (198	(A 1955) (V 1972)							

TEMS TO BE INSPECTED	O.K.	Poor	Repair		REMARKS	Date of I
LIGHTS	,					
1. Headlights		-				
a: Low beam		 				
b. High beam & indicator						
3. Cluster (required 1972)	-	<u>† </u>		, , ,		
4. Turn and Indicator (side—1972)					27	
5. Warning, Telitale & Cancel Switch		,				
6 Stop (5 in 1962)						
7. Tail		<u> </u>				
8. Reflectors (6 required 1972)			1			,
9. Back Up Lights (1972)						
10. Hazard Light Switch (1972)	\		<u> </u>			
EXTERIOR-General Appearance	* **	2		e de la companya de l		**
		T				
1. Paint & Sheet Metal	•	1				
2. Lettering & Bus No.	3.9		1 1 1 1 1 1 1 1 1	, , , , , , , , , , , , , , , , , , ,		
3. Outside Mirrors		+				
a. Side and right side convex		1 .	<u> </u>			- +
b. Cross view 4. Wiper Blades		1			Print Com.	
5. Flaps						
6. Bumpers		1				
7. Tow Hooks (T)(1962)(all 1972)		1				
8. Emergency Door/Rear Emergency Window						
a. Operates freely		1				
b. Lettering (1962) 9. "Unlawful To Pass" Sign	<u> </u>	 				
J. Umawich To rass Sign	\\	1				1
CHASSIS		•	*		· · · · · · · · · · · · · · · · · · ·	
	. `	, C				
1. Tires (condition)	1 18	<u> </u>	1 1 N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
2. Wheels & Bearings.	2 3 3			V V V V V V		3
3. King Pins		1				
4. Steering Linkage (power 60 cap 1972)	`	 				
5. Exhaust System	· · ·					
6 Drive Shaft Guards	× ×	1.71.7				
8. Body Mounting (secure)		†				
9. Springs and Shackles		1				
10 Charle Abrochare						
11. Fuel Tank, Shield and Filler						
12. Brake Lines			* "			\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
13. Vacuum Reserve Tank	·	 		<u> </u>		
14. Air Tank(s) - (moisture ejector, 1972)		<u></u>	<u> </u>	<u> </u>		
POWER PLANT	•	. .				
1. Battery & Cables						***
2 Pales	, ;		* 1			
3. Cleanliness (fire hazard)	· ·	-		,		
4. Wiring (damaged-loose)	· · . · · · · · · · · · · · · · · ·	-	<u> </u>	• · · ·		
5. Power Steering Hoses 6. Radiator and Heater Hoses	-	 	ļ			
6. Radiator and Heater Hoses 7. Fuel Lines	, , ,	1.	*	N (2"		
s. r.hai.ringa		ــــــــــــــــــــــــــــــــــــــ				<u> </u>
OTHER REMARKS						
	, ,					
	, , , , ,			*		
	× 34 +		· · · · · · · · · · · · · · · · · · ·	<u> </u>		· · · · · · · · · · · · · · · · · · ·
		*				
This is a visual inspection only without disassembly or o	oad test.	1 ce	rtity the item	s checked in the Re	pair column were repaired on t	ne indicated o
	*			, ;		
Season Linspector Leave Linspector	- /-			Cim Cim	nature	<u> </u>
Control of the second of the s	. \			. 5.9	The state of the s	
T) Transit (Year) regulation because	ame effec	tive	*			*
C) Conventional Checked "O"-deficie			ards but not r	equired on this year	model	· · · · · · · · · · · · · · · · · · ·
		1	*	The same of the sa	and the second	
			3 1 1 a		a militar	
				· · · · · · · · · · · · · · · · · · ·		

OREGON DEPARTMENT OF EDUCATION

ANNUAL VEHICLE INSPECTION AND MAINTENANCE REPORT

Salem, Oregon 97310	ANNUAL VEHI	CLE INSPECTIO	N AND		
		NANCE REPORT	A STATE OF THE STA		
SCHOOL DISTRICT	cou	NTY	_ BUS NO	DATE	
YEAR & MAKE	TYPE	E & CAPACITY		_ IDNO	 (
LICENSE NO.	ODOMETER REA	ADING	CONTRA	CTOP	, , ,
		(O)()(O)	CONTRA		
	,	TRUCTIONS			
Each vehicle used to transport pupils shall be in District Superintendent, to be kept on file. The	ispected annually. Complete	and sign this form in c	luplicaté for each vehicle	Forward the original	to the
years and be available to Oregon Department of	f Education personnel upon	request. In the OK" of	column mark "O" for ite	ms that do not apply an	nd under
the "Repaired Date" column indicate the date of submitted to the Department of Education by t	of the actual repair. The cer September 1 each year	tification of inspection	and completion of repair	rs must be completed a	nd
	OK Repaired			OK	Repaired
L. CHASSIS (remove wheels)	Date	IV. DRIVER	COMPARTMENT		Date
1. Brakes (lining, cylinders, drums, vacuum		1. Inside	e Mirror	· · · · · · · · · · · · · · · · · · ·	
tanks, drain valves, diaphragm, lines, he		2. Sun \	Visor R		·
2. Steering (linkage; adjustment, ki bearings, PS operation, leaks, hoses)		3. Wipe	rs, (motor, arms, blades).	in the second second second	· · · · · · · · · · · · · · · · · · ·
3. Spring Assemblies (shackles, U-bolts)	\$ 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	4. Wind	shield Washers (operating	g-1962)	· -
4. Shock Absorbers	**	5, Instru	ıment Panei (speedomet	ter, ammeter, oil	
5. Wheel (rims, bolts, lugs)	* · · · · · · · · · · · · · · · · · · ·		ure, water temperature. Im gauge and warning, ta		
6. Tires (cuts, bruises, breaks, tread, unevi					
7. Motor Mounts	in the second se	and the second s	ers osters (2 required-1972)	the same of the sa	
8. Clutch and Bearings (adjust noise)		S	e Lights and Step Well Li	The state of the s	
9. Transmission (noise, leaks, slip-out)	22			grat	
10. Drive Line (U-joints, bearings, and guar	* * * * * * * * * * * * * * * * * * * *	9. Horn		and the second s	 .
11. Parking Brake (holds securely)	CIST THE PROPERTY OF THE PROPE		Extinguisher (5 lb., ancho	N. A.	
12. Frame and Body Mounting			gency Triangle Reflector		
	tine i		Aid Kit-24 Unit (mount		
13. Fuel Tank (supports, filler, lines, pump	the second secon		r Seat, Seat Belt fretracto	and the second second second	
14 Differential (oil level, leaks, vents, play	· · · · · · · · · · · · · · · · · · ·		d Pupil Regulations	A service of the serv	
15. Exhaust System (leaks and hangers) I. ENGINE COMPARTMENT	* * * * * * * * * * * * * * * * * * *	V. LIGHTS			
		* *	lights (low beam, hi stor) and Panel Lights .		
1. Hood, and Clamps (secure, open easily)	,		ance (6 required-1969)		
2. Cooling System (leaks, hoses)	•	, ·•.	er (required-1969)		
3. Motor (tuned and serviced)	4,		Signals, Indicator (hază		
4. Check for Oil and Grease Leaks	• •		mounted=1972)		
5. Battery (hold:down, and wiring)		5. Warni	ng Lights and Indicators	**************************************	* * * * * * * * * * * * * * * * * * * *
6. Air Compressor (operation, lines, oil lea		6. Stop			
7. Belt's (wear, adjustment)	· · · · · · · · · · · · · · · · · · ·				
8. Clearliness			ip trequired—1972)		**
II. INTERIOR		9 Refle	ctor (8 required1972)	· · · · · · · · · · · · · · · · · · ·	\$**
1. Seats (securely fastened, frames, padding pads, sushion retention)		VI. EXTERIO		, s	•
2. Windows (broken glass, latches)		1. Paint.	and Sheet Metal (no shar	rp edges)	
3. Floor and Steps	· · · · · · · · · · · · · · · · · · ·	2. "Lette	ring and Bus No.		<u> </u>
4. Service Door and Linkage, head bumper	* * * * * * * * * * * * * * * * * * * *		de Mirrors (gight & left, c		
5. Barriers or Modesty Panel and Stanchio	Company of the compan		x);		<u> </u>
Guard Rail (hadded, securely anchored)		. 4. Flaps	· · · · · · · · · · · · · · · · · · ·		
6. Emergency Exits (operate freely, lettering	na.	5. Bump	ers (non-hitchable)	· · · · · · · · · · · · · · · · · · ·	* <u></u> *
buzzer) (deor latch instructions-1972)	3,				

ANNUAL VEHICLE CERTIFICATION REPORT

County)ate		
District Name	District No.	No. of V	ehicles Inspected	
		* * * * * * * * * * * * * * * * * * * *		•
Name of Transportation Supervisor of	r Contractor		· · · · · · · · · · · · · · · · · · ·	
Complete his form in duplicate. Ret	urn one copy to the Departm	ent of Education by	September 1. Retain the c	other copy in dis
trict records. This form must be signe				
I hereby certify that the vehicles liste	d below will be used to trans	port pupils for the ab	ove school district during	Lithe school year
l also certify the	at, to the best of my knowled	lge, these vehicles hav	e been inspected, and he	cessary repairs
have been made as evidenced by the a each vehicle.	Amnual Vehicle Inspection an	d Maintenance Repoi	rt (Form 2255) on file in	this district for
Definitions of Vehicle Types:				
S = School Bus. All vehicles ma	which the share and			
"School Bus" and equipped		Sonature	(School District Admir	nistrator)
O = Sedans, Station Wagons, V	and Busses has marked			
or equipped as above	aris, ouses, not marked	Tina		
or edgibbeh as anose		Title		
		• • • • • • • • • • • • • • • • • • • •		

	Veh. Type	Bus No.	License No:	Year	Body Make	Chassis Make	Cap
` ` `					Same and the same		
	· · · · · · · · · · · · · · · · · · ·						
	·						
-	tering telegram in gan e'n entstellen in		michigador com como con como como a como a como como como como				
						t	
1. 1.000.05							
į	1 1 1 1 1 1 1						

NOTES

DRIVER'S INSPECTIONS

The driver is with the bus from day to day and is the person most likely to notice faulty or abnormal operation. The driver's daily inspections should reveal any changes at the earliest possible time.

The driver can help the mechanic locate trouble and prolong the life of the bus by taking care of routine maintenance tasks and making careful daily inspections.

A school bus which operates well responds to the driver instantly. The driver should report anything unusual in vehicle behavior promptly; minor malfunctions can develop into major ones.

Expert drivers consider inspection part of driving. They continually check all systems; they spot trouble and act before the trouble causes serious damage or contributes to a breakdown or an accident. Mechanical signs, like traffic signs, can be read.

State regulations require that every bus be inspected daily [before each trip]. The driver makes both stationary and operational inspections. Page 43 of the Oregon Pupil Transportation Manual lists the items requiring daily inspection.


The sample pre-trip checklist on the next page shows what the driver must examine as matter of course. Attention should be given to additional matters from time to time.

DRIVER'S PRETRIP CHECKLIST (SAMPLE)

PRELIMINARY	
beaks, Vandalism, etc.	Clearance Lights
ENGINE COMPARTMENT	Identification Lights
[] Oil Level	Turn Signals & 4-way Flashers
	Alternately Flashing Red Lights
	Left Side
	Sidemarker Lights
Hoses	Reflectors
Battery, Wiring	Wheels (Lugs) & Tires
CINSIDE:	Emergency Door (if so equipped)
Parking Srake	Rear
Low Air, Vacuum Wanning	Tail Lights
Start Engine	
Oil Pressure (Gauge)	Stop Lights
Air or Vaccum (Gauge)	Turn Signal Lights
Heater-Defroster	Clearance Lights
	Identification Lights
Windshield Wiper & Washer	Reflectors 11 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
Oome Lights	Alternately Flashing Red Lights
Mirrors Mirrors	Emergency Door or Window
Horn, Steering Wheel	Back up Light
Front Amber Flashers	Right Side
Seats. State of the seather than the sea	Sidemarker Lights
Emergency Door (Buzzer) & Rear Amber Flashers	Reflectors
	Estrance Door
Windows & Window Buzzers	Wheels (Lugs) & Tires
Emergency Equipment	INSIDE
Turn on all Lights including 4-way Flasher	
ОИТЅТОЕ	Stop Engine
Front	Apply Service Brakes and Hold-Air loss should not exceed 3 psi per minute. Vacuum loss not more than 2 inches per minute.
Headlights	and the same of th

Preliminary Inspection

- 1. Take an overall look at the bus. Check for:
 - a. Oil, gasoline, or water leaks.
 - b. Evidence of vandalism.
- 2. Open hood and make sure the safety latch, rod, or hinge is in holding position.
 - a. Check engine compartment for loose wires, tools left in engine compartment, excess oil, and battery corrosion or looseness.
 - b. Check oil level. The reading is accurate while the engine is still cold. Keep oil above the "add oil" line, but not at an overly high level.
 - c. Remove radiator cap and check fluid level. Allow space for expansion. NEVER REMOVE THE RADIATOR CAP WHEN THE ENGINE IS HOT.
 - d. Check fan belt for cracks, frayed edges, and proper tension (about half-inch give).
- 3. Close the hood and be sure it is latched.
- 4. Clean mirrors and windshield.



Operational Inspections

- 1. Check to be sure parking brake is set and transmission is in neutral.
- 2. Turn on ignition.
- 3. Pump brakes until low air or vacuum warning operates, if bus so equipped.
- 4. Start engine, check gauges, and set for warm-up.
- 5. Check operating condition and visibility of dashboard gauges. (Pay attention to these at all times when engine is in operation.) Illustration on page

 III-12 in your handbook shows you what to look for.
 - a. Gasoline gauge shows the approximate amount of fuel in the tank. Always keep tank at least a quarter full, and NEVER let the tank be filled while passengers are on board.
 - b. <u>Water temperature gauge</u> shows temperature of water in engine block.
 - c. Oil pressure gauge indicates pounds per square inch (psi) of pressure under which lubricant is being forced through lubrication system. A gauge that fluctuates at a constant engine speed signals trouble.
 - d. <u>Ammeter</u> records number of amperes of current being produced or used.
 - e. <u>Voltmeter</u>, if installed, indicates battery condition.

NOTES

- f. <u>Speedometer</u> gives approximate rate at which vehicle is traveling, and odometer records number of miles traveled.
- g. <u>Tachometer</u>, if installed, shows number of engine revolutions per minute.
- h. Air pressure gauge or vacuum gauge shows what reserve energy supply is available for brake operation.
- 6. Check the following:
 - a. Heaters
 - b. Defrosters
 - c. Windshield washer and wipers.
 - d. Dome lights
 - e. Mirror adjustment.
 - f. Horn
 - g. Steering wheel play

Walk-Through Inspection

- 1. Turn on amber flashers and check front flashers.
- 2. Walk to back of bus checking seat frame anchorage, upholstery, and cushion retention.
- 3. Check emergency door operation and buzzer.
- 4. Check operation of rear amber flashers.
- 5. Walk to front of bus checking swing out windows and buzzers. Check emergency equipment. (First Aid Kit, Fire Extinguisher, and Reflector Kit)

CONTENT	NOTES
6 Town on hoadlighte Thich boam and about sales are	
6. Turn on headlights (high beam) and check indicator,	
turn on clearance lights, and hazard warning lights (or left turn signal) and check indicators.	
rete curit signary and eneck indicators.	
7. Open door and check step well hight.	
The state of the s	
First Outside-Inside	
1. Dirty lenses should be cleared while being checked.	
Check for any body damage while walking around bus. Go	
to front of bush and check:	
a. Headlights (bright)	
b. Front turn signals	
c. Front clearance and cluster lights	
d. Front red flashers	
2. Go to left side of bus and check:	
a. Side clearance lights	
b. Side turn signal	**
c. Side reflectors	
3. Go to rear of bus and check:	
a. Jail lights	
b. Rear turn signals	
c. Rear clearance and cluster lights	
d. Rear reflectors	
e. Rear red flashers	
	<i>"</i>

NOTES	CONTENT
	4. Go to right side of bus and check:
	a. Side clearance lights
*	b. Side turn signal
	. c. Side reflectors
	5. Go inside bus and:
	5. do inside bus and.
4	a. Cancel red flashing lights
	b Turn off-clearance lights, if on separate switch
	c. Cancel hazard warning lights and check turn
	signal switch and indicators
	d. Turn headlights on dim
	e. Put transmission in reverse f. Turn off engine
	g. Turn on ignition
	h. Check air or vacuum gauge (note reading)
	Second Outside-Inside
	1. Go to front of bus and check:
	1. do completo de la completa del la completa de la completa del la completa de la completa del la completa de la completa del la completa de la completa del la comple
	a. Right front tire and lug nuts
	b. Headlights (dim)
	c. Left front tire and Tug nuts
	2. Go to rear of bus and check:
	a. Left rear wheel nuts and tire pressure
* 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	b. Back up light
	c. Right rear wheel nuts and tire pressure

- 3. Go inside bus and:
 - a. Shut off headlights
 - b. Return transmission to neutral
 - c. Check air or vacuum gauge (should not show loss in pressure from previous check)
 - d. Gradually apply full brake pressure and hold for at least 10 seconds. Check air or vacuum gauge and listen for leaks. (Trouble in c. or d. above immediately takes bus out of service.)
- 4. Restart engine and:
 - a. Release parking brake
 - b. Put bus in starting gear (or reverse)
 - c. Move bus a few feet and test service brake action
 - d. Replace transmission in neutral
 - e. Reset parking brake
 - f. Continue warm up if necessary
- 5. Get help to check items which cannot be checked by one person such as:
 - a. Stop lights
 - b. Some amber lights
 - c. Some back up lights with automatic transmissions



NOTES

CONTENT

Pre-Departure

Before you leave the parking lot, check the following:

- 1. With air or vacuum pressure built up and motor stopped, apply foot brake and check:
 - a. Air brakes for any audible air leaks.
 - b. Hydraulic brakes for amount of free pedal or any "sponginess" or "falling off" under constant pressure.
 - c. All systems with gauges for any loss of pressure while brake peda) is depressed.
- 2. Apply parking brake, start motor, and shift into starting gear. If bus moves easily, parking brake needs attention.
- 3. With bus in motion, apply brakes and check for stopping ability. Note any grabbing, swerving or failure to hold.
- 4. Clutch. Note:
 - a. Chattering or grabbing.
 - b. Amount of free pedal--not less than one inch.
- 5. Steering. Be alert for stiffness, loose movement, or abnormal noise.



Post-Trip Inspection

A post-trip inspection may be established in certain districts. This could include:

- 1. Checking for interior and exterior damage.
- 2. Cleaning interior of bus.
- 3. Cleaning lights and windows.
- 4. Reporting mechanical deficiencies.
- 5. Drain air tanks--end of day.

Housekeeping

A clean, sanitary bus helps build a favorable image for the driver, the transportation department, and the school system. Students riding in a clean, comfortable bus have a better attitude than those who do not--and you can use all the good attitude you can inspire!

FUNDAMENTALS OF OPERATION

Because a school bus is larger, heavier, and slower than a car, the driver must learn to allow for such factors as wider turning radius and greater stopping distance.

It is essential to operate all controls comfortably and be able to see areas all around the bus.

NOTES CONTENT In correct steering position: 1. Feet reach floor controls easily. Seat belt fastened and adjusted so driver can keep control. Grip steering wheel with both hands from the outside of the wheel. If bus is unfamiliar, go through shift pattern with clutch depressed. 5. Adjust all mirrors to provide vision of the total scene behind, on both sides, and across front of bus. Ceiling vent and front heater fresh air vent should always be open so that bus can "breathe," thereby minimizing condensation. Starting the Engine

This routine should be performed in accordance with safety principles and in keeping with good engine preventive maintenance practices.

- 1. Set parking brake to keep bus from moving.
- Depress clutch pedal to disengage engine from transmission.
- 3. Shift gear lever into neutral position.

- 4. Engage starter, with clutch depressed and gear shift in neutral.
 - a. Use hand choke only when necessary; overchoking causes carburetor flooding and fumes.
 - b. Use foot accelerator sparingly; pumping causes flooding.
- 5. Warm the engine at 1000 to 1200 rpm--about twice idle speed. DO NOT RACE ENGINE.
- 6. Look to see that instruments are registering properly.

Shifting Gears

Gear shifting requires skill and practice, especially for drivers who have not driven standard shift cars. Synchromesh transmissions have eliminated most gear clashing. The driver must learn the best range of speed for changing gears upward and downward, and must shift without losing view of the road.

- 1. Know the gear positions.
- 2. Depress clutch pedal.
- 3. Shift gear lever into starting gear (NEVER higher than second). Use first gear with a heavy load or on hills.
- 4. Release parking brake completely
- 5. Release clutch gradually and depress accelerator as needed.



NOTES CONTENT

- 6. Remove foot from clutch pedal <u>completely</u>. NEVER RIDE THE CLUTCH.
- 7. Pick up engine speed before shifting to a higher gear.
- 8. Shift to the next higher gear. DO NOT SKIP GEARS IN UPSHIFTING OR DOWNSHIFTING.
 - a. Depress clutch pedal.
 - b. Shift the lever.
 - c. Release clutch smoothly but more quickly than in starting gear, and depress accelerator smoothly and quickly to prevent loss of speed.
 - d. Remove foot from the clutch pedal.
 - e. Proceed until bus is moving fast enough to shift to the next gear.

Repeat step 8 sequence until the bus is in cruising gear.

Approximate MPH to be Reached Before.
Upshifting or Downshifting

MPH varies slightly depending on the engine make, transmission, gear ratio, and terrain.

	Upshifti		g	Downshift	ing
	1 to 2	Gear	5-10 MPH	5 to 4 Gear	30-35 MPH
	2 to 3	-Gear	10-15-MPH	4-to-3-Gear-	-15-20 MPH
	3 to 4	Gear	20-25 MPH	3 to 2 Gear	5-10 MPH
•	4 to 5	Gear	30-40 MPH	2 to 1 Gear	Stop
	1	i i i i i i i i i i i i i i i i i i i			

Downshifting

A rule-of-thumb is to use the same gear going down a hill as you would going up the <u>same hill</u> with the <u>same load</u>. The average student's weight is 120 pounds. The student load weight of a 65 passenger bus is more than three and a half tons.

Downshift to keep the engine from lugging. If the engine speed cannot be maintained or increased, the driver should downshift.

To downshift:

- 1. \ Depress clutch pedal and release accelerator.
- 2. Shift to next lower gear.
- 3. Accelerate engine to match gear speeds and release clutch pedal gradually to avoid jerking and excessive clutch wear. Select the proper gear before starting down a hill.

Automatic Transmissions

To operate a school bus with automatic transmission, the driver selects a gear range and maintains steady accelerator pressure during shifting, or shifting will not be smooth.

For smooth shifts:

1. Know shift positions.

NOTES

CONTENT

2. Depress foot brake.

3. Move selector lever into proper position for starting.

4. Release parking brake.

5. Release foot brake and depress accelerator. As speed increases, transmission automatically shifts to next higher gear until it reaches selected top gear.

To downshift for added power, maintain steady accelerator pressure and move selector lever to the next lower position. Select the proper gear range before starting down a hill.

Changing Lanes

The correct procedure for changing lanes is to:

- 1. Look out the window and move ahead enough to see into blind spots.
- 2. Check rearview mirrors for following vehicles closing fast from the rear in the new lane and for any vehicles about to enter the new lane.
- 3. On the outside lane of a multilane road, look for vehicles about to enter the middle lane from the far adjacent lane.
- 4. Use turn signals before changing lanes.
- 5. Cancel turn signals after lane change is completed.



NOTES

Intersections

More than 30 percent of Oregon school bus accidents occur at intersections. The approach must be made with extreme caution.

Observe traffic ahead, to the left, the right, and left again, then:

- Slow down or stop to yield to other vehicles as necessary.
- 2. Watch for a vehicle approaching from either side and signaling for a turn. Slow down and prepare to enter the intersection only after the vehicle has begun to turn. Enter only when the crossing can be completed safely.
- 3. If anything obscures vision, stop at the intersection and edge forward slowly

Turning

It is more difficult to make smooth turns with a bus than with a car, even though the basic techniques are the same.

Check traffic on all sides of the bus; when clear, signal and move into the proper lane.

<u>Left</u>


See Oregon Pupil Transportaion Manual, page 64

NOTES

-CONTENT

Right:

See Oregon Pupil Transportation Manual, page 65



Backing and Turning Around

See <u>Oregon Pupil Transportation Manual</u>, page 65___.
Approximately 40 percent of Oregon school bus accidents occur while the bus is turning or backing.

Use hazard lights for backing. It is illegal, however, to use the flashing red or amber warning lights on a public road or street except when preparing to load or unload students.

Let other traffic, front and rear, move around the bus if possible.

Load before backing and unload after backing.

Being Passed

Good manners and safety go hand in hand. This is never more true than when vehicles are passing on roadways. An expert school bus driver always shows courtesy and care to other drivers wanting to pass. Remember:

- 1. When one vehicle is trying to pass and another is approaching from the opposite direction, it is correct to:
 - a. Slow down to let the passing car pass safely before the oncoming vehicle reaches it. or
 - b. If time does not allow this, move into the parking lane or leave the roadway to permit the passing vehicle to complete its pass.
- 2. On a narrow road, with following traffic built up and no stop to be made soon:
 - the right turn signal, and stop.
 - b. Allow vehicles to pass.
 - c. Use left turn signal, re-enter lane, cancel signal, and resume the run.
 - d. If the bus driver regularly allows traffic to clear at safe spots, other drivers are not as likely to display impatience.
- 3. Bus drivers are NOT to signal other vehicles that it is is safe to pass. (This may seem courteous, but it is not safe.)

Passing

Usually a school bus does not have to pass other vehicles, but when it becomes necessary, a good driver follows these steps:

- 1. Check rearview mirrors to be sure traffic behind the bus is clear for passing.
- 2. On a two-lane road, check for oncoming traffic and traffic signs or markings which prohibit passing.

 Also check side roads from which traffic may enter.
- 3. Activate left turn signal well in advance of passing.
- 4. When traffic is clear, pull smoothly into passing lane.
- 5. Cancel left turn signal.
- 6. Move smoothly past the vehicle, increasing speed of the bus
- 7. Activate right turn signal.
- 8. Move back Into right lane only when the bus is at least one and one-half bus lengths ahead of the passed vehicle.
- 9. Cancel right turn signal.
- 10. Maintain safe speed at all times. It is illegal to exceed, established speed limits while passing.

Following

The law requires a school bus following any truck or bus to leave a space which another vehicle can safely enter and occupy.

There should be an interval of at least four seconds between any vehicle and a school bus passing a given point.

The driver must keep a close watch for stop or turn signals: when following any vehicle.

Stopping

Sudden stopping can cluse collisions and passenger accidents. Smooth stopping is safe and comfortable. It also helps keep brakes in good condition and lessens the time and costs involved in bus maintenance.

To stop in a low gear, at 10 mph or less:

- 1. Depress clutch pedal and release accelerator.
- 2. Apply brakes gradually.
- 3. To prevent lurching, reduce pressure on the brake pedal slightly, but not completely, just before coming to a stop.
- 4. Shift the gear lever into neutral.
- 5. Release clutch and remove foot from the pedal

	<u>` </u>	The state of the s	<u> </u>	A Company of the Company	and the state of t	The state of the s	the street of the street of the
			1 - 10 A	A STATE OF THE STA			
	NOTES			CON	TENT (1984)		
		6. Ke	ep brake ap	plied while	the bus i	s stopped.	
医加尔马氏腺素 医肾			The state of the s	***	33.00	•	of the second

To stop from a cruising gear:

- Release accelerator and apply brake if necessary.
- 2. Downshifting for normal stops is not recommended with most equipment.
- 3. Keep the brake applied while bus is stopped.
- 4. In case of brake failure, use emergency brake, parking brake, or reserve safety system.

Parking

To park the bus:

- 1. On level or upgrade, shift into low gear; on downgrade, shift into reverse gear.
- 2. Lock wheels into curb.
- 3. Turn engine off and remove key.
- 4. Set parking brake.

Unless the bus has an automatic moisture ejector, the driver should drain water from the primary, or wet, air storage tank every day if the bus has air brakes.

UNITIV

EMERGENCY AND ACCIDENT PROCEDURES

Hand	ng Accidents	_	· • •
Schoo	Bus Accident Report	• •	4
Stude	t Training:		6
	eneral Behavior 🛴	• • • •	6
	eneral Behavior vacuation Front Door	• • •	7
	Front Door		8
	Rear Door		10
	of contrand Rear Tooks	`.	
	Emergency Exits and Windows	• • `•	10
		4	
rire	xtinguishers	• • •	! !
	pproved type variable and the control of the contro	• • • •	!!
	lasses of fire	• • • •	12
	peration	• • •	12
Actu:	Emangenetics		10
HC LU	Emergencies	• • •	1.7
	ne private of Athana		
	eactions of Others	• •	14
, · · · · ·	ctual Evacuation	• • •	16
	ctual Evacuation		18
*	mergency Warning Equipment		19
	Approaching Curve		20
First	Aid		18
	Good Samanitan" Law	in the state of the	. 18
	irst Aid Objectives		21
	irst Aid Objectives		22
	etting Priorities	e e e	23



"While we're waiting for the ambulance, let's talk about safety on the bus!"

NOTES

The school bus driver is in complete charge of the bus and passengers. The driver must know:

- What to do.
- How to do.
- When to do.

HANDLING ACCIDENTS

The <u>Oregon Pupil Transportation Manual</u> contains a section on handling accidents on pages 66 and 67

The <u>Emergency Procedures for School Bus Drivers</u> book contains first aid information and a form for reporting facts about accidents.

The Emergency Procedures book should be kept in the first aid kit.

NOTE: This form must be filled out whenever a vehicle transporting students is involved in any accident on a public highway or private property. Send to the above address within 72 hours after accident. Date _ Day of Week Time City or town Street At Intersection with: If not at Intersection: Miles (hwy. no., road name or no., private property, parking lot, etc.) Other Miles from nearest town or city: Location Driver's Name · Address Owner: YOUR VEHICLE County: No. 1 Age/Driver Yrs. Experience Driving Bus Vehicle Capacity School Bus Drv. Lic. No. No. pupils on board Vehicle Speed Year and Make Speed Zone Driver Seat Belt in Use? License No. *Vehicle is a School Bus." Type of Vehicle Other 🗀 Conventional (Describe below) Vehicle is NOT a school bus Transit *All vehicles marked with the words "School Bus" and equipped with flashing amber and red lights Other Year & Make Vehicle License No. Body Style Owners Name and Address Vehicle No. 2 **Drivers Name** Drivers License No. Drivers Age Address Mark as many as apply: No. 1 No. 2 Going straight ahead TYPE OF ACCIDENT WEATHER ROAD-SURFACE Turning left One other vehicle Clear Dry Turning right Two or more vehicles Raining Wet Turn signals on Railroad train Snowing Snow Wrong lane Animal Foo Tev Backing Motorcycle Other Other Stopped Bicycle : LIGHT CONDITION Parked Fixed object Daylight -No driver in vehicle Non-collision Dawn or dusk Disregard traffic light Pedestrian-Dark Disregard stop sign Other Other Flashing lights on Pupils loading Did mechanical defect contribute to accident? No . Il yes, explain. Pupils unloading Attach additional Pupils crossing highway sheet. Pupils injured or killed in accident before boarding or after leaving hus, explain. Other Police officer at the scene? Yes No. DAMAGES TO VEHICLES (Shade Areas Damaged) -Your Department Vehicle (No. 1) IS VEHICLE NO. 1 DRIVEABLE? Estimated damage No. 1 Citation Issued? Estimated damage No. 2 Bus Driver Vehicle (No. 2) Eximated damage No. 3 Other Driver Pupils injured inside of bus - Bus not involved in accident result of sudden stop, bus swerving, pupil fell or thrown from seat, etc.)

ERIC

Form 581-2250 (2/83)

2. Brok	lly injured en bones – incapacitate cussion – momentary u	d – unconscio nconsciousness	us			ions (medical treations (medical treations)			ent not require	d)
Vehicle No.	Name		Age	Sex	Address			3	Nature of in	jury
						1		La succession de la constante	* 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10) 1 (10)	%
	*				*				**	
			(If more s	pace is ne	ded attach addit	ional sheet.) 🔷	÷	, , ,		· · · · · · · · · · · · · · · · · · ·
Highway — Tw	o lane Three la	ne Fi		*			ne Man			
						* * * *				
						INDIC	AIEUNU	ACHAM	WHAT HAPPE	NED.
Indicate North Number each v										
Use arrow to st	low path before acciden									
Dotted line to : Railroad Track	show path after accidents						an community			1
Show pedestria	n by d			<u> </u>				; ;		· · · · · · · · · · · · · · · · · · ·
Show stop sign	s by 🖣									
								* *		
					Bearing men	U = 0 + 2				
						St. or H	wy.	٠,	wy	
			• • •						0r. H	
		**							St	a. Na
Did this accider	nt occur on bus route	$\overline{\mathbf{n}}$. 41		
80	tivity trip or other		· · · · · · · · · · · · · · · · · · ·				-			
									* * * * * * * * * * * * * * * * * * * *	
SIVE EXACT	DETAILS OF ACCIDE	IT. BLEASE F	PRINTOR	TYPE.		*				
			± ' '		•	100 c				
		<u> </u>		<u> </u>		· · · · · · · · · · · · · · · · · · ·		*	<u> </u>	· · · · · · · · · · · · · · · · · · ·
The state of the s										· · · · · · · · · · · · · · · · · · ·
		* * * * * * * * * * * * * * * * * * * *	•							
				r r		<u> </u>	*	 		
· , _ , _ , _ , _ , _ , _ , _ , _ , _ ,		<u>, </u>					<u>. </u>	· · · · · · · · · · · · · · · · · · ·		
				· · · · · · · · · · · · · · · · · · ·	•	***	` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `	v		*
LEASE BE SU	RETHIS REPORT IS	OMPLETE		energy was the summan and	- Sig	nature of Bus Dri	ver	· · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
OTE The Co	ordinator of Pupil Tran	sportation Serv	ices. Salam	Orenna	shall be notified	immediately in th	e avent of o	itical iniu	ry or death ron	ulting from
a bus a	ccident or involving a pu	pil crossing th	e highway I	to or from	the bus.	vuidici y III III	r event Al P	.coar mya	o y or acatultezi	reary HUIII
				:					• • •	
					· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			
			4-40 4-40		Tra	insportation Supe	rvisor, Princ	ipal or Su	perintendent	
				•			*	• •		*
· * * * · · ·			4	\$ 25				, ,	*	**

CONTENT

STUDENT TRAINING

Both driver and passengers must know something about what to do when an accident occurs.

Oregon regulations require that regularly transported students be instructed at least twice during the school year in the use of emergency exits, evacuation procedures and safe bus riding procedures. See Oregon Pupil Transportation Manual, pages 24 and 71-74.

The driver trains student leaders to help in case of accident or emergency and to assist in teaching others what to do in emergencies.

General Behavior

The purpose of emergency training and drills is to prepare everyone to behave in a calm and rational manner in highly irregular and exciting circumstances.

Emphasize in drills and at virtually all times that no ene does anything without the driver's go-ahead, even though the command may be given by a student leader.

Students need to realize that in a real life situation, they would have to use some initiative if driver and student leaders were unable to give directions. Knowing this gives them a sense of importance and responsibility that can make the training meaningful. Discuss with the riders what they might do in various situations.

If they must leave the bus, students are to remain calm and quiet. Explain that rushing will not save time and will only cause more problems, such as congestion and possibly injury. Their own noise could keep them from hearing instructions.

Passengers should help one another, but never pull another person who is going through an exit or trying to jump. The helper extends a hand for the other person to take. Children are to stay together when they are sent to a location outside the bus.

In teaching emergency procedures, tell students that this instruction is important to "EVERY ONE OF US" and that the Oregon Department of Education requires that this training be given so that if there were <u>real trouble</u>, everyone would know what to expect. Explain that in <u>real trouble</u>, the instructions might be different from one time to another.

Evacuation

The Oregon Department of Education requires at least two evacuation drills each year for all regularly transported students. The major objective of a drill is to get students off the bus in a safe and orderly manner and in the shortest time possible.

The transportion and school officials schedule the time and location evacuation drills.

NOTES

Regular student leaders should know how to:

1. Turn off the ignition switch.

2. Set the emergency brake.

3. Get help.

4. Open emergency doors and windows:

5. Set flags and reflectors.

6. Open and close doors and account for all pupils passing their stations.

7. Help small children off the bus.

8. Follow all instructions promptly and correctly.

The driver or school should have written permission from the parent for a child to be assigned as a student leader.

Substitutes should be able to serve in the leader's absence.

THE DRIVER STAYS ON THE BUS THROUGHOUT THE DRILL!!!

Front Door

Follow these steps in a front door drall:

1. Stop the bus, set parking brake, turn off engine, and remove the key. Unfasten seat belt.

- 2. Stand, open the door, face the students, and get their attention.
 - 3. Give the command: "Emergency drill. Stay seated.

 Leave your things in the bus. Front evacuation."
 - 4. Tell one student leader to stand outside the front door to count the passengers and assist them as they leave the bus. (Instruct the leader to offer a hand, not pull anyone out.)
 - 5. Tell the other student leader to take the students to a safe place which you name. (It should be at least 100 feet from the bus.)
 - 6. Explain that you will lead the students through the drill, but in a <u>real emergency</u> they would leave in the same way if you should be unable to give directions.
 - a. Step just behind the first occupied seats, and turn facing the front of the bus. As you go past the seats, motion or tell the students to stand up.
 - b. Starting with the right-hand seat, tap the shoulder of the student nearest the aisle to signal those passengers to move out. Say, "Walk. Don't run. Use the handrail."
 - c. Hold your left arm out to keep the students from leaving the left-hand seat.
 - 7. When the pupils from the right-hand seat have moved forward far enough to clear the aisle, tap the shoulder of the student nearest the aisle in the left-hand seat and dismiss these students.

- 8. Continue this procedure until the bus is empty.
- 9. When the last seat is empty, walk to the front of the bus, checking to see that everyone is out.
- 10. Now go to the students and tell them what improvements they should make or compliment them for a good job.

Rear Door

Teach the students that rear door evacuation works in the same way, with one student leader directing the passengers and one standing outside to help them.

Front and Rear Doors


In two-door evacuation, the driver has to station a student leader outside each door. Teach all of the students how to exit in this manner. Have students assemble in this order after an evacuation to check for missing students.

Emergency Exits and Windows

Do not conduct emergency window evacuation drills. Demonstrate how to open and close the windows. Be sure that students learn the order in which they would evacuate.

NOTES

Front and Rear Door Evacuation 66 PASSENGER BUS* (3 persons to a seat)



66 passenger bus - 11 rows of seats on each side 60 passenger bus - 10 rows of seats on each side 54 passenger bus — 9 rows of seats on each side 48 passenger bus — 8 rows of seats on each side

FIRE EXTINGUISHERS

The driver shows the students where the fire extinguishers are kept and describes how to operate them, but does not tempt students to tamper by giving a demonstration.

Approved Type

The state's Pupil Transportation-Department requires that Oregon school buses be equipped with dry chemical extinguishers. These are pressurized and filled with a fine dry. powder. The minimum size allowed on buses is 5 pound. 10-B-C. This means that the extinguisher contains 5 pounds of powder and is capable of putting out a class B or C fire covering a 10-square foot surface.

14-11

CONTENT

Classes of Fire

CLASS A

CLASS B

CLASS C

Fires of ordinary combustible material where "quenching" and "cooling" effects of quantities of water, or of solutions containing large quantities of water, is of first importance. EXAMPLES: Fines. in wood, textile fabrics, rubbish,

Fires in flammable liquids, petroleum products, etc., where the blanketing or "smothering" effect of the extinguishing agent is of first importance. EXAMPLES: Fires in gasoline, oils, and greases in stanks or containers, open vats, or running freely on floors or ground.

Fires involving electrical equipment where use of a "non-conductor" extinguishing agent such as carbon dioxide (CO₂) or dry powder is of first importance. EXAMPLES: Fires involving electrical switchboards, motors, or wiring.

Operation

The gauge at the top of the extinguisher shows the pressure.

The gauge is divided into areas to indicate low or high pressure. The needle should show that the extinguisher is charged.

To operate the fire extinguisher:

- .1. Remove it from bracket.
- 2. Shake vigorously to loosen packed powder.
- 3. Pull the safety pin by breaking the seal.

- 4. If possible, stay upwind from burming material. (This gives the user the best protection from smoke and heat, and allows for maximum coverage.).
- 5. Squeeze handle to discharge powder.
- 6. Do not walk into unburned material that could catch
- 7. Turn the extinguisher on and off as desired to control the fire. Direct powder toward the base of the flame, and use a slow sweeping motion.

There is enough powder to last 10 or 15 seconds—use ALL of it. The objective is to be sure the fire is completely out. The extinguisher must be replaced or recharged before it can be used again.

ACTUAL EMERGENCIES

No two accidents are the same, so there is no set list of things to do when an accident occurs.

The driver is the one to decide WHEN TO DO, WHAT TO DO OR NOT TO DO, and HOW TO DO. The decisions must be made quickly and calmly.

NOTES CONTENT

The Driver's Emotions

The one factor that will be the same in all accidents, emergencies, and even the most minor incidents is excitement.

Adriver is in command and cannot afford to show nervousness of lack of self-confidence. Remember that:

- Deep breathing helps one remain self-controlled, whereas impulsive action not only wastes time, but can be downright dangerous.
- A person can think only one thought in any single instant. Most complicated processes are, in fact, a series of steps. Devote full attention to each immediate split second.
- The effort to appear calm has in itself a calming effect.

Reactions of Others

In frightening circumstances, people may behave in unpredictable ways. Reactions can include weakness, trembling, nausea, vomiting, crying, or sweating. Some people talk fast, joke, and act unaware of the danger. Some withdraw and seem even unaware of where they are.

Panicked persons are the most difficult to control because it is so hard to command their attention. The driver may have to restrain them for the sake of their own safety and the safety of others as well. If gentle firmness does not work, the driver may have to isolate them from the rest of the group.





Fear reactions are uncontrollable, and each person's responses may change abruptly.

When someones ability to cope with a situation is lost, normal behavior will not be resumed at once. Try to be understanding and give sympathy and encouragement, but not pity. Telling the person to "snap out of it" will not help.

Let upset students talk about their feelings. Even a few minutes of talk will relieve those students remarkably. Try to suggest something they can do to be helpful in spite of their condition.

Student leaders may be useful in calming other students.

Decision Whether to Evacuate

Among the first decisions to be made is whether to evacuate, passengers. Will they be safer on board or off the bus?

If the emergency does not endanger the occupants or_if out side conditions present greater hazards than remaining in the vehicle, the driver should decide against evacuation.

Do, evacuate when the bus is on fire or in danger of fire, or when it is in an unsafe position. Being near an existing fire and unable to move the bus is being in DANGER OF FIRE, as is the presence of gasoline or other combustible material.

Hazardous positions include:

On or very near railroad tracks.

	* * * * * * * * * * * * * * * * * * * *	
NOTES		CONTENT
		In an interpretion on whom lack of visibility might
		In an intersection or where lack of visibility might
		Cause a collision.
		A place from which the bus could roll.
the high and a first production of the second se	the second second	Actual Evacuation
	4. The second se	Actual Evacuation
	Onco	it is decided to evacuate, the driver should:
	once	To its decided to evacuate, the driver should.
	The second secon	Stop the bus, away from traffic and other hazards if
	The same desirable in	possible.
	2.	Apply the emergency brake, turn off the engine and
		remove the key, and put the bus in gear (first gear on
	A PARTY COLOR OF THE PARTY COLOR	an uphill grade, reverse on a downhill slope). Unfas-
		ten seat belt.
	3.	Take several slow, deep breaths to prepare for con-
		trolled thinking and action.
	4.	Decide which exit will be best to use. (Use the front
· · · · · · · · · · · · · · · · · · ·		door only, unless another way would be safer in view of
		the bus position, immediate hazards and time available.)
	•	
	5.	Decide where students are to assemble outside the bus.
		(Choose a safe place at least 100 feet away from the
	````	bus and away from hazards.)
and the second s		a to the same of t
	6.	Take several more slow, deep breaths to preparation
	•	controlled speech.
	-	
		Face the passengers and tell them in a normal voice and
		at a usual rate of speech that you are going to evac- uate, where to meet outside, and which exit or exits
	**	date, where to meet outs fact and white grate or extes

to use. (Mention the exit last, as the children will be especially likely to move ahead of time at the mere mention of the word.)

- 8. Send the student leaders to their stations.
- 9. If it can be used for evacuation, open the front door.

  Command the student leader or leaders to open any other
  exits to be used. Command the passengers to evacuate
  in the way they were taught.
- 10. Gather whatever emergency equipment will be needed before leaving the bus.

#### To help assure safe evacuation:

- 1. Order the students to remain in their seat areas until it is their turn to leave. (The student leaders should know how to help get passengers through the various exits in the proper order, no matter what exits are used.)
- 2. Caution tall students to duck down as they go through emergency exits.
- 3. The driver and student leaders should tell others to check before they jump to see that loose clothing will not be caught on anything and contribute to falls.

  Jumping can cause injuries or make them worse.
- 4. Let each student, insofar as possible, decide how much assistance they will need to jump out of the emergency

CONTENT

door. Students should all have learned never to pull anyone out, but to hold out a hand, palm up, and let the one coming through the exit grasp it.

When everyone is out, check the students at their assembly point to be sure they are safe and to give them reassurance. Praise them if they have done well, and encourage them to continue acting in an adult manner.

## Emergency Warning Equipment

Set out hazard warning reflectors. See illustrations on pages IV-19 and IV-20 showing where to put reflectors according to the position of the bus.

#### FIRST AID

Notify the supervisor of the circumstances and send an adult or two students for help. Use the phone numbers on the front of the Emergency Procedures book and write all messages, no matter who is to carry them. Messages must be accurate!

Give first aid.

## "<u>Good Samaritan" Law</u>

Oregon's "Good Samaritan" Law (ORS 30.800) protects a defendant who was certified in an approved first aid course within three years before giving emergency treatment at the


PLACEMENT OF EMERCENCY ROTTPWENT

(Use overhead projector)

Parked on 2-lane, rain traveled portion.	Parked on shoulder	Partially on vrong lane
least 100'	least .	t least
7. Teast	At least	At least
	95	

ERIC

J.V-10



accident or for the illness. It also protects a defendant who was centried earlier and who gave first aid care regularly within three years before giving it at the accident or for the illness. School bus drivers must obtain first aid certificates and keep them valid.

## First Aid Objectives

First aid is the immediate and temporary care given the victim of an accident or sudden illness, until the service of a physician can be engaged. First aid is not intended to replace the professional medical person. Even in minor cases, the patient should see a physician as soon as possible.

First aid rendered correctly controls loss of blood, may restore natural breathing, assists circulation, prevents or lessens shock, protects wounds and burns from infection, a immobilizes fractures and dislocations, lessens pain, and conserves the patient's strength, so that when medical aid is provided, recovery is enhanced.

The principle objects of first aid are:

- J. Checking conditions known to be endangering life.
- 2. Protecting injuries from infection and complications.
- 3. Preventing further injuries.
- 4. Making the patient as comfortable as possible, to conserve strength.



Transporting the patient to medical assistance, when required, in such a manner as not to complicate the injury or subject the patient to unnecessary discomfort.

#### First Aid Kits

The State Board of Education's Minimum Standards for Oregon School Buses calls for a 24-unit [grade A] first aid kit in each regular bus. [Small conversion buses may have 16-unit kits, which contain the same items as 24-unit kits, but in smaller quantity.] The container is to be metal, reasonably water- and dust-proof, and mounted in or near the driver's compartment. If it is mounted inside a closed compartment, the location is to be clearly marked.

#### A 24-unit kit contains:

- 2 units of 1" adhesive compresses, 16 each
- 2. units of 2" bandage compresses 4 each .
- 2 units of 3" bandage compresses, 2 each
- 2 units of 4" bandage compresses, I each
- 2 units of 3" x 3" plain gauze pads, 4 each
- 2 units of 2" x 6 yards gauze roller bandage, 1 each
- 4 units of 1/2 square yard of gauze
- 3 units of 24" x 72" gauze
- 4 triangular bandages
- 1 tourniquet, with scissors and tweezers. DO NOT USE UNLESS ABSOLUTELY NECESSARY. THIS CAN BE DANGEROUS.

The only exception allowed in the list is that there may be a substitution for two of the four half yards of gauze. No medications are permitted in a (school bus) first aid kit...

#### Setting Priorities

Before giving first aid, evaluate the scene.

If fire is present, the first thing to do is get everyone away from it:

If someone has been electrocuted, the most urgent action is to remove the person from the electricity while protecting yourself and others. Use a completely dry stick to lift off a charged wire. DO NOT TOUCH the victim until the electrical source has been removed.

If a wire is down on the bus, stay inside and keep others away until someone knowledgeable has removed the wire.

Although anyone who is drowning or who is in the presence of dangerous gas needs rescue service, no one should attempt this unless they are sure they can do it without becoming a victim themselves. A decision not to attempt rescue is not cowardly. Many times, a few seconds of delay will allow enough time to find a safer way to save the victim.

Unless professional help arrives, the driver alone is the one to decide WHAT TO DO and NOT TO DO, WHEN TO DO, and HOW TO DO. First aid workers sometimes permit themselves to give poor first aid care because others heckle, offer incorrect advice, or attempt improper propedures. The first aid worker may then fail to examine the victim carefully and perhaps make unwise decisions that would not be made in calm moments. Without careful examination, the first aid worker cannot determine in what order to treat the injuries.



IV-23