

DOCUMENT RESUME

ED 261 911

SE 046 043

AUTHOR McCardle, Lisa, Ed.
 TITLE Mathematics 10-20-30 Curriculum Guide 1983.
 INSTITUTION Alberta Dept. of Education, Edmonton.
 PUB DATE 83
 NOTE 178p.
 PUB TYPE Guides - Classroom Use - Guides (For Teachers) (052)

EDRS PRICE MF01/PC08 Plus Postage.
 DESCRIPTORS *Course Descriptions; Curriculum Guides; *Educational Objectives; Elective Courses; *Mathematics Curriculum; *Mathematics Instruction; Minimum Competencies; Secondary Education; *Secondary School Mathematics; State Departments of Education
 IDENTIFIERS *Alberta







ABSTRACT
 The Mathematics 10-20-30 program consists of core and elective components, both mandatory, for three courses. The core represents the common set of minimum educational objectives prescribed for all students taking the program; the elective component allows for variety and flexibility in the choice of topics. Emphasis is placed on the theoretical development of mathematics concepts and relationships through deductive reasoning. Problem solving, applications, and statistics are strong facets of the program. Suggested time allocations are included. Objectives, comments, applications, and textbook references are listed for each course. Objectives and comments or activities for the electives are also included. Appendices contain the Alberta metrication policy, problem-solving strategies, and recommendations for school mathematics of the 1980s. (MNS)

 * Reproductions supplied by EDRS are the best that can be made *
 * from the original document. *

✓ This document has been reproduced as
received from the person or organization
originating it.

Minor changes have been made to improve
reproduction quality

• Points of view or opinions stated in this docu-
ment do not necessarily represent official NIE
position or policy.



"PERMISSION TO REPRODUCE THIS
MATERIAL HAS BEEN GRANTED BY

S. Wolodko

TO THE EDUCATIONAL RESOURCES
INFORMATION CENTER (ERIC)."

ED261911

SE 046043

MATHEMATICS 10-20-30

CURRICULUM GUIDE 1983

Curriculum

Alberta
EDUCATION

TABLE OF CONTENTS

PROGRAM RATIONALE	3
PROGRAM STRUCTURE	5
Core-Elective Format / 5	
Common Core Content / 5	
Independent Core Content / 5	
Electives / 5	
PROGRAM EMPHASIS	6
Problem Solving / 6	
Applications / 6	
Statistics / 7	
PROGRAM PLANNING	8
THE ELECTIVE COMPONENT	9
Structure of the Elective / 9	
Guidelines / 9	
Suggested Time Allocations / 10	
Suggested Elective Outlines / 10	
Provision for the Academically Talented / 11	
MATHEMATICS PROGRAM OVERVIEW	12
LEARNING RESOURCES	15
PROGRAM OF STUDIES	17
Mathematics 10 Core / 19	
Mathematics 20 Core / 37	
Mathematics 20 Electives / 55	
Mathematics 30 Core / 67	
Mathematics 30 Electives / 91	
APPENDICES	103
Appendix A: Metrication Policy / 104	
Appendix B: Strategies of Problem Solving / 106	
Appendix C: Recommendations for School Mathematics of the 1980's / 110	

NOTE: This publication is a service document. The advice and direction offered is suggestive except where it duplicates or paraphrases the contents of the Program of Studies. In these instances, the content is in the same distinctive manner as this notice so that the reader may readily identify all prescriptive statements or segments of the document.

ACKNOWLEDGEMENTS

Alberta Education acknowledges with appreciation the contribution of the following members of the Committee on Senior High School Mathematics operating under the direction of the Mathematics Coordinating Committee and the Curriculum Policies Committee.

COMMITTEE ON SENIOR HIGH MATHEMATICS

- Mr. V. Anand - Teacher, Paul Kane High School, St. Albert
Mr. G. Darbellay - Vice Principal, Crescent Heights High School, Calgary
Dr. E. Enns - Chairman, Division of Statistics, University of Calgary
Mr. A. Horovitch - Teacher, Vauxhall High School, Vauxhall
Ms. C. McCabe - Teacher, Spruce Grove Composite High School, Spruce Grove
Mr. A. Miele - Vice Principal, Bishop Carroll High School, Calgary
Mr. A. Peddicord - Consultant, Alberta Education, Chairman
Mr. G. Popowich - Associate Director of Curriculum, Alberta Education
Mr. E. Probert - Principal, Eastglen High School, Edmonton
Dr. S. Sigurdson - Professor, Faculty of Education, University of Alberta
Dr. S. Willard - Associate Professor, Department of Mathematics University of Alberta

Alberta Education also acknowledges the valuable contribution of many senior high school teachers throughout the province in providing assistance in the development of the program.

Special thanks to the secretarial staff of the Education Regional Office for many hours of typing and assistance in production.

CREDITS: Lisa McCardle - Editor
Shih-Chien Chen - Artist
Esther Pang - Typists
Lesley Barth
Rod E. McConnell - Learning Resource Officer
- Computer Graphics

PROGRAM RATIONALE

The ability to quantify information and to perform mathematical operations is an important component of public education and one's ability to function effectively in today's society. Mathematics plays a significant role in developing mathematical skills and understandings needed by students as they progress through their school years and when later, as adults, they prepare themselves to enter the career field.

Mathematics as a formal study of mathematical concepts and relationships must be in balance with applied use of mathematics in everyday situations. It is in this regard that the development of problem solving becomes an important part of the schooling process as students learn to apply mathematical solutions to the diversity of problems encountered in daily living.


Mathematics programs must provide a strong knowledge base and at the same time assist in the development of mathematical reasoning. Pedagogically, the program should be based on a solid foundation of concrete experiences in the early school years, leading to progressively increasing levels of cognitive development. Programs should be flexible and take into account students' individual abilities and rates of learning. Topics traditionally covered in the past may become less important as new demands require greater use of microelectronic application in processing information. Mathematics as a part of the basic education of students at all levels must ensure continuity and yet be responsive to emerging influences that are characteristic of our changing times.

It is toward these ends that the high school mathematics program has been developed and organized. Three program streams (Mathematics 10-20-30; 13-23-33) are available to students in recognition of the need to provide differentiated programs to accommodate varying mathematical abilities and the background required for specific career patterns. Each program route varies in the mathematics subject matter presented, the instructional emphasis, and time spent on concept development.

The program has been organized in a "core-elective" format with mandatory components of mathematical subject matter prescribed for all students. This provides a measure of commonality in the instruction and mathematical background of students taking a particular program route. Flexibility is provided in the elective component which allows for the selection of topics to meet student needs or as a means of addressing emerging applications or mathematics in new fields of human endeavor.

The influence of microelectronic technology on mathematics programming is only beginning to be felt. The integration and use of calculators and computers in the mathematics program is strongly encouraged in the program and in the instructional process. A number of elective topics and suggestions in the Comments and Applications section of this guide are designed to facilitate their use.

The senior high school mathematics program has also recognized the major recommendations of the National Council of Teachers of Mathematics. These recommendations have been developed to serve as "an agenda for action" for mathematics education in the 1980's. The emphases placed on problem solving, integration of microelectronic technology, applications, and the flexibility needed within a curriculum are incorporated in the overall design and content of the Alberta program.



PROGRAM STRUCTURE

Core Elective Format

The Mathematics 10-20-30 program consists of core and elective components. The core component of the program represents the common set of minimum educational objectives prescribed for all students taking the program. The elective component allows for variety and flexibility in the choice of topics to be covered within the guidelines outlined on page 7 of this document. The core and elective are both mandatory requirements of the senior high school mathematics program.

Common Core Content

Topics and objectives common to both the Mathematics 10-20-30 and 13-23-33 programs have been identified as content basic to each of the program streams (see chart, page 11). While the content statements (objectives) are identical, it is intended that the time and approach, instructionally, would vary for each program. Mathematics 10-20-30 should emphasize the theoretical development of mathematics concepts and relationships through deductive reasoning. Mathematics 13-23-33 places greater emphasis on inductive, experimental approaches to the understanding and assimilation of mathematics subject matter.

Independent Core Content

The independent core component serves to differentiate between the two program streams by identifying specific concepts and skills unique to each program. The distinction is further enhanced by way of the depth to which concepts are covered and the emphasis placed on abstract/theoretical concept development. Independent core topics covered at lower grade levels in Mathematics 10-20-30 are repeated, in some instances, in the Mathematics 13-23-33 program at higher grade levels. Again, the approach and depth should vary for each program stream.

Electives

Elective topics for Mathematics 10-20-30 have been provided for at the Grade 11 and 12 levels only. The Grade 10 course excludes the elective component to ensure sufficient time for developing a strong mathematics foundation for sequent courses. For further information regarding the electives, please refer to page 7 of this guide.

PROGRAM EMPHASIS

Problem Solving

A major emphasis in mathematics education has traditionally been placed on the ability of students to solve problems. The skills attained through experiences that are mathematics related and relevant to everyday situations assume greater significance and importance in preparing students to function in a changing world. Hence, a major emphasis of the senior high school mathematics program is the maintenance and further development of problem solving skills developed in earlier grades. A number of applied problem situations are suggested toward the achievement of this goal, in the applications column of the Objectives Statement sections beginning on page 20 (Mathematics 10 Core), page 38 (Mathematics 20 Core), and page 68 (Mathematics 30 Core).

Typically, the problems presented to students in the past required nothing more than a repetition of operations involving a series of computations and, in many cases, number transfer in stated formulas. The solution process was largely mechanical in nature once the steps needed to arrive at an answer were known (or stated) and subsequently practiced by the student. Problems necessitating the use of a variety of problem-solving techniques were seldom presented, and the need to reach "the right answer" was stressed as the most important outcome, rather than the development of skills and processes that could be internalized and applied to more than one type or set of problems. The senior high school mathematics program recognizes the importance of obtaining the "right answer" but also stresses the development of problem-solving skills which can be applied to almost any problem situation. Appendix B on page 106 outlines a four-stage model as a means of initiating and developing problem-solving skills.

Applications

Making the study of mathematics both meaningful and relevant to students is regarded as an important function of mathematics education at all levels. The senior high school mathematics program has made a serious attempt to do so by suggesting interesting and relevant situations where mathematical concepts and skills may be applied to real life situations. These suggestions appear in the Comments and Applications columns of the Objectives Statement sections referred to in paragraph one, above. Teachers are encouraged to draw problems from a variety of contexts as concepts are developed in the instructional process.

Applications, like problem solving, should be integrated into the overall program rather than be dealt with as an independent unit. Whenever possible, integration and coordination with other subject areas should be encouraged. When applications require extensive computations or data storage, the use of a calculator and microcomputer should be encouraged.

Statistics

For a number of years, statistics has played an increasing role in public information. The public is continually presented with statistical information, such as the consumer price index, baseball averages, weather forecasting, election polls and stock market indices in addition to those being used extensively in research and industry.


In any enterprise where large amounts of data need to be handled and processed, and where predictions are to be made, statistical methods play a vital role. Statistical techniques are also used in designing telephone exchanges; optimally setting traffic lights; designing insurance policies; determining the reliability of a particular make and model of car; criminal detection, and market research, to mention only a few.

The introduction of statistics is intended to familiarize the student with the elementary descriptive measures that form the basis of any further work with large data sets. In most cases the data should be collected by the students, preferably different data for each student. The subsequent analysis then becomes more meaningful and hopefully provides not only statistical insight, but some new knowledge about our surroundings. In order to understand and intelligently discuss much of the information to which we are daily subjected, some knowledge of the terminology and underlying assumptions of statistics is necessary.

Statistics is an applied science. To motivate this subject, especially at the introductory level, one should concentrate on the experimental approach. This strand provides the opportunity for field trips to collect data. By displaying this data in various forms via graphs, it is possible to make some basic inferences about the data source, and it is important to make some inference in order to justify collection of data. It is equally important to ask what further information would be worth knowing, and to discuss how students might set about discovering it.

PROGRAM PLANNING

The topics and objectives for each course are not meant to be followed in any particular sequence and will be largely influenced by teacher preference and the order of presentation in the prescribed and recommended learning resources. Teachers are encouraged to develop long range plans and to consider the time allocations suggested for each topic.



THE ELECTIVE COMPONENT

The elective component is a mandatory part of the senior high school program at the Grade 11 and 12 levels. The elective component primarily offers an opportunity for students to spend time on interesting and useful areas of mathematics not necessarily contained in the core and independent core components.

The time allotment for the elective component should be approximately 15 hours at the grade 11 level and 20 hours at the grade 12 level. It is suggested that the 15 or 20 hours of electives be determined according to the plans of the individual teacher.

Structure of the Elective

The elective component of the program may be:

- 1) a content area not prescribed as a core or independent core topic

OR

- 2) a locally developed unit as determined by the teacher or school system

OR

- 3) an extension of the subject matter in any of the core or independent core topics to provide students with enrichment.

Guidelines

Teachers should keep the following guidelines in mind:

- 1) The topics are open-ended so that the interests and abilities of students may be taken into account
- 2) Student initiated projects may be considered as an elective
- 3) A teacher should make use of any appropriate resources
- 4) Electives should be included in the course throughout the year, wherever appropriate. These should not necessarily be taught during a 15 or 20 hour block. Where more than one elective is included, the time for each elective does not necessarily have to be the same

- 5) The elective component of the program should be included in the evaluation of the students.
- 6) Prerequisite core material may be required before some electives are attempted. Particular elective topics have been recommended for the different courses. (see program chart, page 11)

Suggested Time Allocations

The time allocated to topics in the elective component of the course may vary according to the topic(s) chosen and instructional preferences of the teacher. A total of 15 or 20 hours may be devoted to cover one elective topic, or alternatively, two or more topics. The time allotted to elective topic(s) is at the discretion of the teacher.

Example 1: Linear Programming covering all 15 hours.
Probability covering all 20 hours.

Example 2: Linear Programming and Inequalities covering
15 hours.
Matrices and Vectors covering 20 hours.


Example 3: Absolute Value/Inequalities/Complex Numbers
covering 15 hours.
History of Math/Induction/Matrices
covering 20 hours.

Suggested Elective Outlines

The elective component is designed to be an interesting and motivational aspect of the mathematics program. The outlines (p.55 & p.91) for elective topics are intended to act as guidelines for individual teachers. Teachers may wish to follow the suggested outlines or incorporate their own ideas for the elective component. The prescribed references provide useful material for many of the elective units.

Provision for the Academically Talented

Topics within the elective component of the course should be utilized to challenge the academically talented students. Such topics as Binomial Theorem and Topology, for example, may be used to provide a challenge to students of this calibre. Teachers may also extend core topics and concepts to a higher level of complexity to meet the needs of the stronger academic student.



MATHEMATICS PROGRAM OVERVIEW

ELECTIVE	INDEPENDENT CORE	CORE	INDEPENDENT CORE	ELECTIVE
Arrangements and Selections History of Math Math Induction Matrices Probability Topology Vectors Binomial Theorem	MATH 30 Sequences, Series and Limits Trigonometry Quadratic Relations (Conics) Polynomial Functions	Presentation of Data and Descriptive Statistics Logarithms Trigonometry	MATH 33 Relations and Functions Quadratic Functions, Equation and Applications	Absolute Value Complex Numbers Consumer Mathematics History of Math Linear Programming Probability Topology Vectors
Absolute Value Complex Numbers Inequalities Linear Programming Math Art Transformational Geometry	MATH 20 Relations and Functions Polynomials Systems of Equations Quadratic Functions, Equations and Applications Radicals Geometry	Coordinate Geometry Systems of Equations Radicals Variation Trigonometry Geometry Presentation of Data Descriptive Statistics Polynomials	MATH 23 Radicals Geometry Polynomials	Area and Volume Consumer Math Inequalities Math Art Transformational Geometry
	MATH 10 Number Systems Exponents and Radicals Geometry (Deductive) Polynomials Equations and Graphing	Number Systems / Variation Exponents Equations and Graphing Geometry	Polynomials Trigonometry Presentation of Data and Descriptive Statistics	MATH 13 Geometry (Inductive)

12

BEST COPY AVAILABLE

0 15

SUGGESTED TIME ALLOCATIONS

Mathematics 10


TOPIC	NUMBER OF HOURS
Number Systems	10
Equations and Graphing	16
Presentation of Data and Descriptive Statistics	10
Variation	7
Exponents and Radicals	20
Polynomials	25
Trigonometry	12
Geometry	25
TOTAL HOURS	125

Mathematics 20

TOPIC	NUMBER OF HOURS
Radicals	7
Polynomials	10
Coordinate Geometry	12
Presentation of Data and Descriptive Statistics	6
Relations and Functions	12
Quadratic Functions, Equations and Applications	20
Systems of Equations	12
Geometry	15
Trigonometry	10
Variation	6
Electives	15
TOTAL HOURS	125

Mathematics 30

TOPIC	NUMBER OF HOURS
Trigonometry	26
Quadratic Relations (Conic Sections)	23
Logarithms	10
Sequences, Series, Limits	20
Statistics	16
Polynomial Functions	10
Electives	20
TOTAL HOURS	125



LEARNING RESOURCES

Mathematics 10

- Prescribed Reference HOLT MATHEMATICS 4
M. P. Bye, T. J. Griffiths, A. P. Hanwell
Toronto: Holt, Rinehart & Winston, 1980.
- Prescribed Reference: MATH IS 4
F. Ebos, B. Tuck
Don Mills: Thomas Nelson & Sons (Canada)
Limited, 1979.
- Recommended Reference: FOUNDATIONS OF MATHEMATICS FOR TOMORROW:
INTRODUCTION
D. Dottori, R. McVean, G. Knill, J. Seymour
Toronto: McGraw-Hill Ryerson Ltd., 1974.

Mathematics 20

- Prescribed Reference: MATH IS 5
F. Ebos, B. Tuck
Nelson/Canada Ltd., 1980.
- Prescribed Reference: HOLT MATHEMATICS 5
K. D. Fryer, R. G. Dunkley, H. A. Elliot,
N. J. Hill, R. J. MacKay
Holt, Rinehart & Winston of Canada Ltd., 1980.
- Recommended Reference: FOUNDATIONS OF MATHEMATICS FOR TOMORROW:
INTERMEDIATE
D. Dottori, G. Knill, J. Stewart
McGraw-Hill Ryerson Ltd., 1978.

Mathematics 30

Prescribed Reference: MATH IS 6

F. Ebos, B. Tuck

Nelson/Canada Ltd., 1982.

Prescribed Reference: FOUNDATIONS OF MATHEMATICS FOR TOMORROW: SENIOR

D. Dottori, G. Knill, J. Stewart

McGraw-Hill Ryerson Ltd., 1979.

Recommended Reference: HOLT MATHEMATICS 6

K. D. Fryer, R. G. Dunkley, H. A. Elliott,

N. J. Hill, R. J. MacKay

Holt, Rinehart & Winston of Canada Ltd., 1981.

Learning Resource Approvals


In terms of provincial policy, learning resources are those print, nonprint and electronic courseware materials used by teachers or students to facilitate teaching and learning.

PRESCRIBED LEARNING RESOURCES are those learning resources approved by the Minister as being most appropriate for meeting the majority of goals and objectives for courses, or substantial components of courses, outlined in provincial Programs of Study.

RECOMMENDED LEARNING RESOURCES are those learning resources approved by Alberta Education because they complement Prescribed Learning Resources by making an important contribution to the attainment of one or more of the major goals of courses outlined in the provincial Programs of Study.

SUPPLEMENTARY LEARNING RESOURCES are those additional learning resources identified by teachers, school boards or Alberta Education to support courses outlined in the provincial Programs of Study by reinforcing or enriching the learning experience.

PROGRAM OF STUDIES



GOALS OF THE SENIOR HIGH SCHOOL MATHEMATICS PROGRAM

Although the different courses of the senior high school mathematics program have different specific objectives, the goals of the senior high mathematics program are set forth in relation to three main expectations and needs: those of the individual, those of the discipline of mathematics and those of society at large. They are listed as follows:

Student Development

- a) To develop in each student a positive attitude towards mathematics
- b) To develop an appreciation of the contribution of mathematics to the progress of civilization.
- c) To develop the ability to utilize mathematical concepts, skills and processes.
- d) To develop the powers of logical analysis and inquiry.
- e) To develop an ability to communicate mathematical ideas clearly and correctly to others.



Discipline of Mathematics

- a) To provide an understanding that mathematics is a language using carefully defined terms and concise symbolic representations.
- b) To provide an understanding of the concepts, skills and processes of mathematics.
- c) To provide an understanding of the common unifying structure in mathematics.
- d) To furnish a mode of reasoning and problem solving with a capability of using mathematics and mathematical reasoning in practical situations.

Societal Needs

- a) To develop a mathematical competence in students in order to function as citizens in today's society.
- b) To develop an appreciation of the importance and relevance of mathematics as part of the cultural heritage that assists people to utilize relationships that influence their environment.
- c) To develop an appreciation of the role of mathematics in man's total environment.

MATHEMATICS 10 CORE



10

Mathematics 10

OBJECTIVES

COMMENTS

APPLICATIONS

Math
Is 4

Holt
Math 4

A. NUMBER SYSTEMS				
1. Identify numbers as natural, whole, integral and rational.	Although students entering high school mathematics should have a good knowledge of how the various number systems are related, a variety of mathematics activities which will review and maintain previously developed basic skills will be necessary.		10-17	4-7
2. Add, subtract, multiply and divide rational numbers.				
3. Convert a rational number from decimal form to fraction form $\frac{a}{b}$ and vice versa.			14-17	21-23
4. Apply percentage to consumer related problems: a) simple interest b) discounts and mark-ups c) commissions	The calculator should be used to facilitate the exploration of consumer-related problems.		100, 101, 68	24, 25, 182, 185, 191, 199, 386, 393, 395
5. Apply percentage to the calculation of compound interest.	Students should become aware of the difference in interest earned using simple interest and be aware of different compounding periods. The calculator can be used in this section.	Calculate the interest earned on an investment of \$400.00 for 5 years if interest is compounded semi-annually or monthly.	100, 101	24, 25, 386, 393
6. Identify rationals as: a) infinite repeating decimals b) terminating decimals	Show the density of rationals on a number line.		14-17	21-23, 31

20

23

24

Mathematics 10

OBJECTIVES	COMMENTS	APPLICATIONS	Math Is 4	Holt Math 4
<p>7. Identify irrationals as:</p> <p>a) infinite non-repeating decimals</p> <p>b) square roots of numbers which are not perfect squares</p> <p>c) special cases such as π</p>			46, 47	31-34
<p>8. Represent the relation between natural numbers, whole numbers, integers, rationals, irrationals and reals by a pictorial diagram.</p>	<p>The relationship may be demonstrated using a Venn diagram, tree diagram or flow chart.</p>		50	6-7
B. EQUATIONS AND GRAPHING				
<p>1. Maintain skills in solving first degree equations with rational coefficients.</p>	<p>Equations with variables in the denominator will be covered with polynomials.</p>		69-77	39-42
<p>2. Solve word problems whose solutions are based on first degree equations with rational coefficients.</p>	<p>Several practical problems exist in the sciences, business and technical fields that require the development of equations and their respective algebraic and graphical solutions.</p>		78-86, 97	177-185
<p>3. Identify and use the terms: quadrant, origin, axis, coordinate, ordered pair, abscissa and ordinate.</p>		<p>Latitude and longitude; grid plans of cities and laying out of new townsites; telephone rates based on a grid system; grid organization of an oilfield.</p>	102-106	115-118

Mathematics 10

OBJECTIVES

COMMENTS

APPLICATIONS

Math
Is 4

Holt
Math 4

<p>4. Recognize and graph ordered pairs.</p>	<p>Game approaches, such as "Battleship" and picture plotting, can be used to reinforce graphing concept. Computer games often involve grids and the plotting of points.</p>		<p>103-108</p>	<p>116-118</p>
<p>5. Interpret graphs of straight lines.</p>	<p>Students should be able to read the values of a variable from a graph.</p>	<p>Several examples such as supply-cost graphs, Celsius-Fahrenheit graphs, distance-time graphs can be used.</p>		<p>126-130</p>
<p>6. Graph linear equations using</p> <ul style="list-style-type: none"> a) ordered pairs b) intercepts 				
<p>7. Find the intercepts of a line</p> <ul style="list-style-type: none"> a) by examining its graph b) from its equation 	<p>To find the x-intercept the student must understand that along the x-axis, $y=0$. By putting $y=0$ in the equation one can get the x-intercept. Similarly, by putting $x=0$ one can get the y-intercept.</p>		<p>188-189</p>	<p>128-130</p>
<p>8. Apply the skills of graphing to practical problems involving two linear equations.</p>			<p>116-117</p>	

22

27

28

Mathematics 10

OBJECTIVES

COMMENTS

APPLICATIONS

Math
Is 4

Holt
Math 4

C. PRESENTATION OF DATA AND DESCRIPTIVE STATISTICS				
<p>1. Organize data by:</p> <ul style="list-style-type: none"> a) collecting various types of data b) grouping data into classes c) determining frequency of each class d) defining class width (interval), class boundaries, and class marks 	<p>As an extension to the graphing work previously done, students should be able to collect and organize data so that proper decisions, inferences, and predictions can be made. A thorough knowledge of the basic concepts of statistics will stimulate problem solving. Grouping data into classes is used here to construct a histogram.</p>	<p>Statistical applications involving the students themselves are plentiful. Some examples are: their heights to the nearest cm, lengths of their forearms and sizes of their wrists.</p>	<p>375-382</p>	<p>317-339, 342-344</p>
<p>2. Graph data using bar graphs, circle graphs, histograms and frequency polygons.</p>				
<p>3. Calculate the mean, median and mode for ungrouped (raw) data.</p>				
<p>4. Select the most suitable of three types of averages for a given set of ungrouped data.</p>				
<p>5. Select a suitable sample from a given population.</p>				

23

Mathematics 10

OBJECTIVES	COMMENTS	APPLICATIONS	Math Is 4	Holt Math 4
D. VARIATION				
1. Identify direct variation.	Illustrate graphically the different types of variation.		323-329	140-147
2. Identify inverse variation.				
3. Identify partial variation.				
4. Solve problems based on direct, inverse and partial variation.	Have the students develop practical problems that are familiar to them, such as wage earnings, consumer problems and science problems.		325, 327-329	140-147
5. Find the constant of proportionality for a given variation.	Additional explanations may be required if the problems encountered involve variables other than the first degree.		323-327	140-147

24

31

32

Mathematics 10

OBJECTIVES

COMMENTS

APPLICATIONS

Math
Is 4

Holt
Math 4

E. EXPONENTS AND RADICALS				
<p>1. Utilize the following laws of exponents:</p> <p>Where $a, b, \in I; x, y \in R;$ $x \neq 0, y \neq 0$</p> <p>$x^a \cdot x^b = x^{a+b}$</p> <p>$x^a \div x^b = x^{a-b}$</p> <p>$(x^a)^b = x^{ab}$</p> <p>$(xy)^a = x^a y^a$</p> <p>$\left(\frac{x}{y}\right)^a = \frac{x^a}{y^a}$</p> <p>$x^0 = 1$</p> <p>$x^{-a} = \frac{1}{x^a}$</p>	<p>Initially, the values of "a" and "b" should be specified integers while the values of x and y should be either specific numbers or variables.</p> <p>Students should be able to recognize the parts of a power from an example.</p> <p>e.g., x^3: x^3 is the power x is the base 3 is the exponent</p> <p>Every attempt should be made to help students understand the reasons why these laws exist. Demonstrate that:</p> <p>$(2^2) \cdot (2^3) = (2 \cdot 2) \cdot (2 \cdot 2 \cdot 2) = 2^5$</p> <p>and then short cut to the law</p> <p>$(2)^2 \cdot (2)^3 = 2^2 + 3 = 2^5$</p>		<p>20-24, 60-63, 64</p>	<p>10-14</p>
<p>2. Transform a number in decimal form to scientific (standard) notation and vice versa.</p>			<p>64</p>	<p>19-20</p>
<p>3. Perform the operations of multiplication and division on numbers expressed in scientific (standard) notation.</p>			<p>64</p>	<p>19-20</p>

25

Mathematics 10

OBJECTIVES	COMMENTS	APPLICATIONS	Math Is 4	Holt Math 4
<p>4. Use the laws of exponents, where the exponents are $1/2$ and $1/3$.</p>	<p>The exponents are extended to rational values as a means of relating rational exponents to radicals to show relationships between radicals and powers.</p> <p>Demonstrate: $\sqrt{2} \cdot \sqrt{2} = 2$ and $2^{1/2} \cdot 2^{1/2} = 2$</p> <p>Therefore, $2^{1/2}$ must equal $\sqrt{2}$</p>		61, 62	104-107
<p>5. Identify and use the terms radical, radicand and radical sign.</p>	<p>Students should be able to identify each part of a radical expression from a given example.</p> <p>e.g. $\sqrt[3]{x^4}$: $\sqrt{}$ is the radical sign 3 is the index x^4 is the radicand $\sqrt[3]{x^4}$ is the radical</p>		33	31-39
<p>6. Utilize the definition</p> $\frac{a}{x^b} = b\sqrt[x]{a} = (b\sqrt[x]{a})$ <p>where $b = 2, 3, x \in \mathbb{R}$</p>	<p>Multiplication of radical expressions of the type below should be avoided:</p> $\frac{3\sqrt{x^5} \cdot 4\sqrt{x^3} \cdot 2\sqrt[4]{x^2}}{7\sqrt{x^5} \cdot 2\sqrt{x^7}}$		60-63	104
<p>7. Simplify radical expressions of the form $b\sqrt{x}$, where $b = 2$</p>	<p>Included in this objective is changing a radical from mixed to entire form and vice versa.</p>		50-51	31-33

26

35

36

Mathematics 10

OBJECTIVES	COMMENTS	APPLICATIONS	Math Is 4	Holt Math 4
<p>8. Perform the four basic operations on radicals of the form $b\sqrt{x}$ where $b = 2$</p>	<p>Addition and subtraction of radicals can effectively be explained using the distributive law for algebraic expressions.</p> <p>e.g.: $2x + 3x = (2+3)x = 5x$</p> <p>for radicals:</p> $2\sqrt{5} + 3\sqrt{5} = (2+3)\sqrt{5} = 5\sqrt{5}$		51-59	33-38
<p>9. Rationalize radical denominators that are monomials.</p>	<p>Demonstrate the reason for rationalizing. It is easier to write $\frac{\sqrt{10}}{2}$ as a decimal than the unrationalized form of $\frac{\sqrt{5}}{\sqrt{2}}$ which requires division by an approximate decimal.</p>			36-38
F. POLYNOMIALS				
<p>1. Identify and use the following terms:</p> <ul style="list-style-type: none"> a) algebraic expression b) term c) factor d) monomial e) binomial f) trinomial g) polynomial h) coefficient i) degree 	<p>Like and unlike terms should be clearly explained. Considerable time should be spent here on the language of mathematics. Order of operations should also be reviewed. Stress the difference between term and factor.</p>		18, 43, 24, 230-233	49-101

27

Mathematics 10

OBJECTIVES

COMMENTS

APPLICATIONS

Math
Is 4

Holt
Math 4

<p>2. Evaluate a polynomial for given values of the variables.</p>	<p>Substitute values for the variables in some of the more common formulae used in science such as area, volume and measurement.</p>		<p>65</p>	<p>49-101</p>												
<p>3. Add and subtract polynomials.</p>			<p>18-20</p>													
<p>4. Multiply:</p> <p>a) monomial x monomial b) monomial x binomial c) monomial x trinomial d) binomial x binomial</p>	<p>Numerical examples [[6 + 2] (6 - 2)] can be used to introduce algebraic multiplication of (x + 2) (x - 2).</p>		<p>24-28, 43-45, 231</p>													
<p>5. Write the expansions of (P + Q)², (P - Q)² and (P - Q) . (P + Q) and recognize them as general cases.</p>	<p>Illustrations of (p + q)² can be presented.</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td></td> <td colspan="2" style="text-align: center;">p + q</td> </tr> <tr> <td style="text-align: center;">p</td> <td style="text-align: center;">p²</td> <td style="text-align: center;">pq</td> </tr> <tr> <td style="text-align: center;">+ q</td> <td style="text-align: center;">pq</td> <td style="text-align: center;">q²</td> </tr> </table>		p + q		p	p ²	pq	+ q	pq	q ²	<p>Show the biological implications in heredity such as a pea having a dominant wrinkled gene (W) and a recessive smooth gene (w) crossed with same (W + w).</p> <p>(W + w) (W + w) = W² + 2Ww + w²</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">Dominant wrinkled pea (W²)</td> <td style="text-align: center;">two heter- ogeneous wrinkled peas (2Ww)</td> <td style="text-align: center;">recessive smooth pea (w²)</td> </tr> </table>	Dominant wrinkled pea (W ²)	two heter- ogeneous wrinkled peas (2Ww)	recessive smooth pea (w ²)	<p>240-241</p>	
	p + q															
p	p ²	pq														
+ q	pq	q ²														
Dominant wrinkled pea (W ²)	two heter- ogeneous wrinkled peas (2Ww)	recessive smooth pea (w ²)														
<p>6. Recognize and factor a polynomial with a common factor where the common factor is:</p> <p>a) a monomial b) a binomial</p>			<p>230-233</p>													

Mathematics 10

OBJECTIVES	COMMENTS	APPLICATIONS	Math Is 4	Holt Math 4
<p>7. Factor a trinomial of the form:</p> $ax^2 + bx + c$ <p>where $a, b, c \in I, a \neq 0$</p>			233-237	49-101
<p>8. Factor polynomials of the form:</p> $p^2 - q^2$	<p>P and Q should be limited to monomials and binomials and should not require grouping to get a perfect square.</p>		240-243	
<p>9. Factor polynomials by using any combination of the methods outlined in objectives 6 through 8.</p>				
<p>10. Divide a polynomial by a:</p> <p>a) monomial b) binomial</p>			24, 28, 235	
<p>11. Simplify rational expressions by factoring.</p>	<p>Review numerical rational number operations before proceeding with the rational algebraic number operations.</p> <p>Include rational expressions of the form:</p> $\frac{a - b}{b - a}, a \neq b$		235, 237 244, 245	

29

Mathematics 10

OBJECTIVES	COMMENTS	APPLICATIONS	Math Is 4	Holt Math 4
12. Perform the operations of multiplication and division with rational expressions.			244, 245, 253	49-101
13. Perform the operations of addition and subtraction of rational expressions with: a) the same denominator b) different denominators			246-248	
14. Determine permissible and non-permissible values of the variables in rational expressions.			235, 244 246	
15. Determine the zeros of a polynomial of one variable by factoring.			237-239	
16. Solve equations involving rational expressions.			248-250	

30

43

44

Mathematics 10



OBJECTIVES

COMMENTS

APPLICATIONS

Math
Is 4

Holt
Math 4

G. TRIGONOMETRY				
1. Find the unknown sides in similar triangles.	<p>It is worth introducing trigonometry by using similar triangles since this gives students practice in thinking in terms of <u>ratios</u> of sides rather than absolute measurement of the sides of a triangle. This concept is central to right triangle trigonometry: the ratio of a given angle in a right triangle, regardless of the absolute measurement of the sides.</p> <p>Example:</p>  <p style="text-align: center;">$\frac{AC}{AB} = \frac{DF}{DE} = \sin 20^\circ$</p> <p>Outdoor measurement problems should be limited to simple right triangle problems. Instruments for distance and angle measurement can be made from very simple materials.</p> <p>Students should become familiar with trigonometric tables and how to use them but should be allowed to use the calculator.</p>	<p>Problems involving right triangle trigonometry and similar triangles can be generated around the school. Some examples include:</p> <ol style="list-style-type: none"> height of a tree by using shadows height of a building using trigonometry (measurement of angle by simple gravity protractor) distance across a river (real or fictitious) using trigonometry or similar triangles. <p>INDIRECT MEASUREMENT USING SIMILAR TRIANGLES</p> <p>1. Height of a tree</p>  <p>By measuring, find BC, DE, EF. Calculate AB.</p> <p>$\triangle ABC \sim \triangle DEF$. Why?</p>	329-337	305-315
2. Apply similar triangles to practical problems.				
3. Define sine, cosine and tangent ratios for right angle triangles.				
4. Find the trigonometric ratios of the acute angles in a right triangle when the sides are given.				
5. Determine the trigonometric ratios of any given acute angle.				
6. Determine the measure of any acute angle given one of its trigonometric ratios.				
7. Solve problems based on right triangles using trigonometric ratios.				

31

Mathematics 10


OBJECTIVES

COMMENTS


APPLICATIONS

Math
Is 4

Holt
Math 4

		<p>2. Distance across a river</p>  <p>pick a point or mark with a stake</p> <p>river</p> <p>By measuring, find BC, DC, DE. Calculate AB.</p> <p>Points D and C and B are collinear. D and C are arbitrarily chosen. Choose point E so that E, C and A are collinear.</p>	329-337	305-315
H. GEOMETRY				
<p>1. Recognize and use the following terms: vertex, side(ray), degree, straight angle, right angle, acute angle, obtuse angle, reflex angle, adjacent angle, complementary angle and supplementary angle.</p>	<p>Using diagrams, the students should be able to describe each of these terms. To most students this is a review section.</p>		264-267	209-212
<p>2. Recognize and use the following terms associated with triangles: equilateral, equiangular, isosceles, scalene and right triangles; hypotenuse.</p>	<p>Where applicable, measurements could be assigned to different types of triangles and polygons so that perimeters and areas can also be calculated.</p>			

Mathematics 10

OBJECTIVES	COMMENTS	APPLICATIONS	Math Is 4	Holt Math 4
<p>3. Use the Pythagoras theorem to solve right triangles and associated problems.</p>		<p>If a 2000 metre railway track expands 2 metres, how high will the track rise, assuming the ends are fixed?</p> 	37-42, 313, 315	308-315
<p>4. Recognize and use the following terms associated with polygons: quadrilateral, trapezoid, parallelogram, rectangle, rhombus, square, regular polygon, and diagonal.</p>			261, 265 312, 313	210, 211
<p>5. Recognize and use the following terms associated with parallel lines: transversal, corresponding angles, alternate angles and interior angles.</p>	Students should be encouraged to find examples of parallel lines in the world around us.	Building Construction: Doors and door frames, windows, etc.	296-299	223-226, 237-240
<p>6. Recognize and use the following terms: congruency, similarity, perpendicular, bisector and perpendicular bisector.</p>		<p>Using parallel lines in the same plane (e.g., exercise book) have students draw transversals and discuss measurement of angles formed. Skew lines could be discussed.</p>	264, 271-274, 367, 329-333	241-249, 214

Mathematics 10

OBJECTIVES

COMMENTS

APPLICATIONS

Math
Is 4

Holt
Math 4

<p>7. Measure an angle with a protractor.</p>		<p>Use the face of a clock with the minute hand on 12 and various positions of the hour hand (guess measurement first).</p>		<p>209</p>
<p>8. Construct an angle congruent to a given angle.</p>			<p>255</p>	<p>213-214</p>
<p>9. Construct the bisector of a given angle.</p>				
<p>10. Construct a perpendicular to a given line segment:</p> <ul style="list-style-type: none"> a) at a given point on a segment b) through a point not on the same segment. 				
<p>11. Construct the right bisector of a segment.</p>				
<p>12. Construct a line parallel to a given line.</p>				

34

51



52

Mathematics 10

OBJECTIVES	COMMENTS	APPLICATIONS	Math Is 4	Holt Math 4
<p>13. Recognize that a formal axiomatic development requires:</p> <ul style="list-style-type: none"> a) undefined terms b) definitions c) assumptions (postulates or axioms) d) theorems 	<p>Differentiate between inductive and deductive reasoning.</p> <p>In order to develop an orderly structure we must agree on the "rules of the game." After we have agreed to certain definitions and rules of procedure, we cannot change them; otherwise our discussion would be confusing.</p> <p>Different texts use different procedures and in order to be consistent as to order of presentation one basic text should be used.</p>		262-263	217 221-222 224 258-259
<p>14. State, prove and apply these basic theorems of geometry:</p> <ul style="list-style-type: none"> a) vertically opposite angle theorem b) congruence of triangles using SAS, ASA, SSS c) isosceles triangle theorem d) parallel line theorems e) the sum of the measure of the interior angles of a triangle is 180°. 			270, 288 296-300 301-304, 306	216-217 241-249 250-252 237-240 229-230
<p>15. Apply the basic theorems to solve problems involving numerical application.</p>			302-304	261-263

35

**MATHEMATICS 20
CORE**



Mathematics 20

OBJECTIVES

COMMENTS

APPLICATIONS

MATH
HOLT 5

MATH
IS/5

A. RADICALS				
1. Maintain previous skills.	Review of concepts from Math 10; refer to comments on "Exponents and Radicals" in Math 10.		34-46	92-116
2. Simplify radical expressions of the form $\sqrt[b]{x}$, $b = 2, 3$	Restrict to radicals of the form $b\sqrt{x^m y^n}$ where $b = 2$ or 3 and m and n are positive integers.			
3. Perform the four basic operations on radicals.	Same type of radicals as above; addition and subtraction can be explained by using the distributive law for algebraic expressions: $2x + 3x = (2 + 3)x = 5x$ for radicals $2\sqrt{5} + 3\sqrt{5} = (2+3)\sqrt{5} = 5\sqrt{5}$			
4. Rationalize radical denominators that are monomials and binomials.	Demonstrate the reason for rationalizing. It is easier to write $\frac{\sqrt{10}}{2}$ as a decimal than the unrationalized form of $\frac{\sqrt{5}}{\sqrt{2}}$ which requires division of an approximate decimal.			

38

54

57

Mathematics 20

OBJECTIVES

COMMENTS

APPLICATIONS

MATH
HOLT 5

MATH
IS/5

<p>5. Solve radical equations containing one radical in one variable.</p>	<p>Emphasize isolation of radical on one side of the equation before squaring.</p>	<p>Radical equations can be applied to determine:</p> <p>a) the braking distance of a car, knowing its speed and type of road.</p> <p>Use:</p> <p>$a = \sqrt{30fd}$, where s = speed, f = coefficient of friction and, d = braking distance (skid marks).</p> <p>The formula can also be used to find speed by measuring the skid marks and thus determining whether the driver was speeding.</p> <p>b) the duration of a hurricane or tornado. Use:</p> $t = 2\sqrt{\frac{d^3}{216}} \quad \text{or}$ $t = \frac{2d\sqrt{d}}{6\sqrt{6}} = \frac{2d\sqrt{6d}}{36} = \frac{d\sqrt{6d}}{18}$ <p>In simplified form, where t = time in hours and d = diameter of storm in km.</p>	<p>34-46</p>	<p>92-116</p>
<p>6. Solve radical equations containing two radicals in one variable.</p>	<p>Before squaring, ensure that one radical appears on each side of the equation.</p>			

Mathematics 20

OBJECTIVES	COMMENTS	APPLICATIONS	MATH HOLT 5	MATH IS/5
B. POLYNOMIALS				
1. Maintain previous skills in algebraic operations.	This includes working with polynomials and rational expressions.	How many games are necessary if each team in an "n" team league is to play each other twice, once at home and once away? Ans. $(n)(n-1)$ Suppose there are 90 games, how many teams are there?	1-6, 18-21	42-55
2. Maintain previous skills of factoring.			7-12	
3. Maintain previous skills of solving linear equations with one unknown.				
4. Factor polynomials of the form $p^3 + q^3$		Polynomials arise from many problem situations. For example: a) Distance objects fall during a given time. b) The lead distance necessary for a runner on the outside lane of a racetrack. c) Problems involving simplifying calculations.	17, 18	65-68
5. Factor polynomials which are incomplete squares.			22, 23	55
6. Factor polynomials by the grouping method.			7-10	47, 48, 53
C. COORDINATE GEOMETRY				
1. Maintain previous skills related to the following: quadrants, axes, origin, ordered pairs and intercepts.	The usefulness of mathematics increased greatly when mathematics applied algebraic methods to geometry (in the 17th century) to form a subject called coordinate geometry.	Telephone long distance rates are determined by a rectangular grid system. Contact your local telephone business office.		

Mathematics 20

OBJECTIVES	COMMENTS	APPLICATIONS	MATH HOLT 5	MATH IS/5
2. Determine the distance between two points.	Using two points on a graph, say P(1,2) and Q(5,4) derive the distance formula using the Pythagorean Theorem before generalizing the formula.		103-106	227-233
3. Determine the coordinates of the midpoint of a line segment.	By taking two points on a graph, the students can predict the midpoint before deriving the midpoint formula.			214,215
4. Determine the slope of a line passing through two given points.	Since coordinate geometry is highly visual, students should be encouraged to do neat work so that they can better predict the slope of a line, state relationships between slopes of lines, graph lines from $Ax + By + C = 0$ or $y = mx + b$, and interpret graphs of straight lines.	If the slope of a roof is 1:4 and the span of the roof is 8 metres, calculate the rise of the roof and the length of the roof rafters.	61-75	197-200
5. State the relationship between slopes of: a) parallel lines b) perpendicular lines		A staircase is to be built with a rise of 7 and a run of 12. Determine a method of using a carpenter square to cut the main support for risers and treads.		204-208
6. Graph lines whose equations are in the form $Ax + By + C = 0$ or $y = mx + b$ using the slope and y-intercept.				121-124 195 201-204

17

Mathematics 20

OBJECTIVES	COMMENTS	APPLICATIONS	MATH HOLT 5	MATH IS/5
7. Use the slope test to determine whether three points are collinear.			61-75	198-200
8. <i>k.v.</i> an equation and draw the graph of: a) a vertical line b) a horizontal line				
9. Write an equation of a line and draw its graph given the slope and a point on the line.	Again, students should be encouraged to draw reasonable sketches if they are to obtain the required equation or graph. (Math Is/4, p. 199-201)	NOTE: Many good examples of problems related to this section are found in various books. A reference to be noted is the recent NCTM book, <i>A Sourcebook of Applications of School Mathematics</i> (1980).	68	
10. Write the equation of a line passing through a given point and a) parallel to a given line b) perpendicular to a given line			71-75	214-216
11. Given two points: a) draw the graph of the line passing through them b) write the equation of the line passing through them	(Math Is/4, p. 199-201)		61-69	

42

64

65

Mathematics 20

OBJECTIVES

COMMENTS

APPLICATIONS

MATH
HOLT 5

MATH
IS/5

OBJECTIVES	COMMENTS	APPLICATIONS	MATH HOLT 5	MATH IS/5
D. PRESENTATION OF DATA AND DESCRIPTIVE STATISTICS				
1. Maintain previous skills of organizing ungrouped (raw) data.			273-275	264-277
2. Calculate the mean, median and mode for grouped data.				
3. Draw histograms and cumulative frequency histograms (ogives).	Draw histograms as a review of previous material. (See suggestions in Math 10 applications.) Use these histograms to now construct a cumulative frequency histogram. Graphically, (see page 383 of Math Is/4) one can now determine any desired percentile. There are various ways to calculate percentile. Your prescribed reference indicates one approach.		278-283 286	
4. Demonstrate how to obtain and interpret quartiles and percentiles (graphically and from grouped data).			285,287	
E. RELATIONS AND FUNCTIONS				
1. Define a relation.	Relations may be defined by ordered pairs, graphs or open sentences. Emphasis at this level should be on relating an equation, its graph and its domain and range. The study here should concentrate on the line with some introduction to circles, parabolas and ellipses.	According to a Texaco advertisement, it costs \$200,000 to drill one kilometre deep, \$450,000 to drill for two kilometres and \$1,000,000 to drill for three kilometres.	49-59	190,441
2. Define the domain and range of a relation.				

43

Mathematics 20

OBJECTIVES	COMMENTS	APPLICATIONS	MATH HOLT 5	MATH IS/5
3. Determine the inverse of a relation.	Family relations actually are examples which can be used to illustrate mathematical relations.	a) Graph these points, sketch a curve through them (not a line, for sure) and estimate the cost of drilling 2.4 kilometres.		445,446
4. State the relationship between the domain and range of a relation and the domain and range of its inverse.	This would be an appropriate place to introduce the concepts of absolute value and inequalities as a way of expressing the domain and range.	b) Extend the curve to cross the vertical axis and this estimates the "fixed costs" of drilling in this situation - the cost even if no hole is drilled.		
5. State the relationship between the graph of a relation and the graph of its inverse.				446
6. Define a function.	<p>A function may be defined as "a relation which has no 'fickle pickers'". The following examples will illustrate this:</p> <p>$R = \{(2,3), (2,4), (3,5)\}$ may be represented as:</p> <p>2 → 3 Using the matching notation ↘ 4 2 is a "fickle picker" because 3 → 5 it picks more than one member of the range.</p> <p>$S = \{(2,3), (4,5), (6,7)\}$ may be represented as:</p> <p>2 → 3 There are no "fickle pickers" so this 4 → 5 relation is a function. 6 → 7</p>		49-59	191,441

44

68

59

Mathematics 20

OBJECTIVES	COMMENTS	APPLICATIONS	MATH HOLT 5	MATH IS/5
7. Use the functional notation $f(x)$ in defining a function.				37
8. For particular values of x , find $f(x)$.	Imbedded functions of the form $f(g(x))$ are not required.			37, 38 193
9. Define and graph a linear function.			61-63	194-196
F. QUADRATIC FUNCTIONS, EQUATIONS AND APPLICATIONS				
1. Identify and express quadratic functions in the form $y = ax^2 + bx + c$ where $a, b, c \in \mathbb{R}$, $a \neq 0$.			295-314	412-436
2. Identify and express quadratic equations in the form $ax^2 + bx + c = 0$ where $a, b, c \in \mathbb{R}$, $a \neq 0$.				
3. Graph a quadratic function using a table of values.	Students should become familiar with the graphs of quadratic functions of the forms: $y = ax^2$, $y = ax^2 + bx$, and $y = ax^2 + bx + c$			

45

Mathematics 20

OBJECTIVES

COMMENTS

APPLICATIONS

MATH
HOLT 5

MATH
IS/5

<p>4. Find the vertex, axis of symmetry, domain, range and maximum or minimum value of a quadratic function from its graph.</p>	<p>The importance of the vertex and axis of symmetry can be illustrated using appropriate problem solving applications.</p>	<p>A road passes under a railroad overpass in the form of a parabolic arch 5 metres high (at the apex) and 20 metres wide. The equation representing the parabolic arch is $y = 5 - \frac{x^2}{20}$.</p> <p>Find the height of the tallest truck that can pass under the arch. Assume the truck is 3 metres wide, that it stays on its own side of the road, and that the centreline of the road passes directly under the apex of the arch.</p>	<p>295-314</p>	<p>412-436</p>
<p>5. Use the formula for vertex and axis of symmetry if the quadratic function is given in the form $y = ax^2 + bx + c$.</p>	<p>It is suggested that the formula be derived before it is used.</p>			
<p>6. State the relationship between the graph of a quadratic function and the roots of the corresponding equation.</p>				
<p>7. Write quadratic equations in the form $ax^2 + bx + c = 0$ and specify the value of a, b, c.</p>				
<p>8. Use the method of completing the square of a quadratic function to find the vertex, axis and symmetry, range and maximum or minimum value. Draw the graph using this information.</p>				

96

72

73

Mathematics 20

OBJECTIVES

COMMENTS

APPLICATIONS

MATH
HOLT 5

MATH
IS/5

9. Solve problems involving the maximum or minimum value of a quadratic function.

- a) The Wishbones have 30 metres of fence with which to make a rectangular dog run. If they use a side of the house as one side of the run, what dimensions will give the maximum area?
- b) Fast Freddie's Theatre charges \$4.00 per ticket, and it has had a full house of 400 nightly. The manager estimates that the ticket sales would decrease by 50 for each \$1.00 increase in the ticket cost. What is the most profitable price to charge? (A simple arithmetic solution using a table of values could be used to introduce the concept of maximum value.)

N	400	350	300	250
C	4	5	6	7
I	1600	1750	1800	1750

↑
Max.

- c) The collision impact (I) of an automobile with mass (m) and speed (s) is given by the formula $I = kms^2$. If the speed is tripled, what happens to the collision impact of a 1000 kg car?

295-314

412-436

10. Compute the real roots of a quadratic equation by:

- a) factoring
- b) using the quadratic formula
- c) completing the square.

47

Mathematics 20

OBJECTIVES

COMMENTS

APPLICATIONS

MATH
HOLT 5

MATH
IS/5

<p>11. Define and evaluate the discriminant of a quadratic equation.</p>			295-314	412-436
<p>12. State the nature of the roots by examining the discriminant.</p>				
<p>13. Solve problems whose solutions are based on quadratic equations.</p>		<p>a) A club bought a snowmobile for \$720.00, planning to divide the expenses equally among the members. However, two members withdrew from the club, increasing each share by \$4.00. How many members were in the club originally?</p> <p>b) How wide a strip must be sodded around a square court 10 metres on a side, so that one-half of the court is sodded?</p> <p>c) A 6 centimetre square is cut from each corner of a square piece of sheet metal. The sides are folded up to form an open box having a volume of 600 cc. What is the length of a side of the original square piece of sheet metal?</p> <p>d) Two students agree to share the work of cutting the grass on a large lot measuring 80 metres by 60 metres. One student starts by cutting a strip all of the way around the lot and continuing around in this way. How wide will this strip be when half the work is completed?</p>		

84

76

77

Mathematics 20

OBJECTIVES

COMMENTS

APPLICATIONS

MATH
HOLT 5

MATH
IS/5

G. SYSTEMS OF EQUATIONS				
<p>1. Solve linear systems of equations both algebraically and graphically.</p>	<p>It would be worth introducing solutions by graphing before the algebraic solutions are taught. In the graphical solution a student has a chance to understand how equivalent systems can be generated and used to arrive at a solution.</p> <p>More sophisticated methods such as general formulas and determinants may be left to better students for further exploration. In actual practice, a combination of addition-subtraction and substitution will probably provide the best method of solution.</p>	<p>Problems involving two vehicles travelling at different speeds and leaving a fixed point at different times can be used. Using graphical or algebraic means, we can find out when the two vehicles meet.</p>	<p>83-88</p>	<p>120-155</p>
<p>2. Identify systems as having many solutions, one solution or no solution.</p>	<p>Systems can be described graphically showing:</p> <ul style="list-style-type: none"> a) coincident lines (dependent system) b) parallel lines (inconsistent) c) intersecting lines (independent) <p>Students should be able to determine the type of system by examining the slopes of the lines.</p>			

49

Mathematics 20

OBJECTIVES	COMMENTS	APPLICATIONS	MATH HOLT 5	MATH IS/5
3. Solve problems based on the solution of systems of equations.	Problems involving statements about numbers, supplementary and complementary angles, speeds of two vehicles, digits of numbers and investments can be used.		93-95	120-155
4. Solve linear-quadratic and two-quadratic systems.	The four conic sections can be demonstrated using a disectable cone. Then students can be asked to consider the number of possible intersections of a straight line and each of the conic sections. The same can be done for two-quadratic systems. This should demonstrate that, unlike a system of linear equations, we may have as many as four points of intersection. Students are not required to solve these systems by graphical means.		314-317	437,438
H. GEOMETRY				
1. Define and illustrate the following terms related to the circle: radius, chord, interior, exterior, arc, semicircle, segment, sector, central angle, inscribed angle, secant line and tangent line.			205-213	295,296

50

80

81

Mathematics 20

OBJECTIVES	COMMENTS	APPLICATIONS	MATH HOLT 5	MATH IS/5
<p>2. Apply the following basic theorems:</p> <p>a) a line containing the centre of a circle that bisects a chord, which is not a diameter, is perpendicular to that chord. (Include corollaries.)</p> <p>b) a tangent line is perpendicular to the radius drawn to the point of contact.</p> <p>c) The measure of an inscribed angle is half the measure of the central angle subtended by the same arc (or congruent arcs).</p> <p>d) The angle between the tangent and the chord is one-half the measure of the intercepted arc.</p>	<p>Have students draw:</p> <p>1) The inscribed circle of a triangle.</p> <p>2) The circumscribed circle of a triangle.</p>	<p>Discuss circular forms in nature, in the community, in art, in industry (e.g., wheels, pulley, gears) and so forth.</p> <p>Students can produce designs using circles.</p>	205-218	320,321
<p>3. Construct a tangent to a circle from a given point.</p>				
<p>4. Find the length of an arc given the measures of the central angle and the radius.</p>			250-252	41
<p>5. Find the area of a sector given the measures of the central angle and the radius.</p>	<p>For interest, using formulas for perimeter and area, attempt to prove algebraically that the greatest area that can be enclosed within any given perimeter is a circular area.</p>			

Mathematics 20



OBJECTIVES

COMMENTS

APPLICATIONS

MATH
HOLT 5

MATH
IS/5

<p>6. Solve problems involving numerical applications of the above theorems.</p>			<p>250-252</p>	<p>321</p>
<p>I. TRIGONOMETRY</p>				
<p>1. Maintain previously developed skills in solving right triangles.</p>	<p>This section is intended as a review of the trigonometry studies in Math 10. More complex problems can be introduced here.</p>	<p>a) To find the length of a tunnel through a mountain using an obtuse triangle.</p>  <p>Knowing h (height of mountain above AB) and the angles A and B, the length of AB can be calculated.</p> <p>b)</p>  <p>Three holes are to be drilled in a rectangular plate. Find the lengths of a and b, knowing the value of x and one of the acute angles.</p>	<p>239-240</p>	<p>80-84 391</p>

752



84

85

Mathematics 20

OBJECTIVES	COMMENTS	APPLICATIONS	MATH HOLT 5	MATH 15/5
2. Identify cosecant, secant and cotangent ratios as reciprocal ratios of sine, cosine and tangent.			230-232	391
3. Determine the relative measures of the sides of: a) a 30 - 60 - 90 triangle b) a 45 - 45 - 90 triangle			228,229	
4. Solve right triangles using any of the trigonometric ratios.			242-246	391-396
5. Solve the problems involving right triangles including: a) angles of elevation and depression b) three dimensions c) more than one triangle	Students should understand why angles of elevation and depression are equal.			
J. VARIATION				
1. Maintain previous skills of direct, inverse and partial variation.	Partial variation can be extended to include problems involving two equations in two unknowns.		177-184	168-183
2. Identify joint variation.				
3. Solve problems related to joint variation.				

**MATHEMATICS 20
ELECTIVES**



ABSOLUTE VALUE

In some problems only the magnitude of a value is required. E.g., How much did the temperature change from 9:00 a.m. to 3:00 p.m. if it were -8°C at 9:00 a.m. and 4°C at 3:00 p.m.?

We would disregard the direction on a number line in order to solve the above. In other words, we would use the absolute value of the numbers.

References:

1. Ebos, F., and Tuck, B., *Math Is 4*, Don Mills: Thomas Nelson and Sons (Canada) Limited, 1979.
2. Dottori, D., Knill, G., and Stewart, J., *Foundations of Mathematics for Tomorrow: Intermediate*, Toronto: McGraw-Hill Ryerson Ltd., 1978.
3. Carter, J., Clark, J., Porter, B., and Stouffer, M., *Mathematics Alive 3*, Toronto: Copp Clark Publishing, 1978.
4. Bye, M., and Elliott, H., *Math Probe 3*, Toronto: Holt, Rinehart and Winston of Canada, Ltd., 1973.

OBJECTIVES

COMMENTS/ACTIVITIES

1. Use the absolute value symbol correctly.	
2. Use absolute value to indicate the measure of the distance between the point and the origin on a number line.	
3. Use absolute value to tell the distance between any two points on the number line.	
4. Solve equations like $ 2x - 4 = 8$	
5. Find the solution sets of inequalities like $ 3x < 12$ and graph the solution set.	

COMPLEX NUMBERS

Complex numbers are a natural outgrowth of the study of quadratic equations. Development of a new number system through the introduction of a new symbol can be illustrated. For example, in expanding the system \mathbb{R} to \mathbb{C} , we merely introduce a new symbol: the minus sign. Similarly for the complex numbers, we introduce a new symbol, i , to represent $\sqrt{-1}$. This allows us to solve quadratic equations which have no solution in the real number system.

Although few practical applications of complex numbers exist at a level which high school students can understand, complex numbers are used extensively by electrical engineers. Several examples of this, at a very basic level, are included in reference 3.

References:

1. *Algebra Two and Trigonometry*, Vogeli et al, Silver-Burdett Company.
2. *Holt Algebra 2 With Trigonometry*, Nichols et al, Holt, Rinehart and Winston, 1974.
3. *Using Advanced Algebra*, Travers et al, Laidlaw Publishers, 1975.
4. *Algebra and Trigonometry: Structure and Method (Book 2)*, Dolciani et al, Houghton, Mifflin, 1977.

57

OBJECTIVES	COMMENTS/ACTIVITIES
1. Demonstrate the need for a new number system beyond the real numbers, in order to solve equations of the form $x^2 + 1 = 0$.	
2. (a) Perform simple arithmetic operations with complex numbers of the form $a + bi$. (b) Evaluate the conjugate and use it in division of complex numbers. (c) Solve for unknowns for equations in the form $2 + 3i = x + yi$.	

OBJECTIVES

COMMENTS/ACTIVITIES

- | OBJECTIVES | COMMENTS/ACTIVITIES |
|---|---------------------|
| 3. Graph complex numbers on an Argand diagram, (rectangular, coordinate system) using a vector to represent the complex number. | |
| 4. Evaluate the absolute value (modules) of a complex number and interpret it as the length of a vector on an Argand diagram. | |
| 5. Solve quadratic equations which have non-real roots. | |
| 6. Solve higher degree equations by special factoring methods (sum or differences of cubes, differences of squares). | |
| 7. Find roots of a number algebraically. (e.g., $x^3 + 1 = 0$ can be used to find the 3 cube roots of -1). | |
| 8. Find the roots of a number of graphical means, using an Argand diagram. (All roots represented by vectors with an equal length). | |
| 9. Solve application problems of compl. numbers (impedance of an electrical circuit). | |

INEQUALITIES

All or most of our past experience in mathematics has dealt with equalities. We can make use of this experience to solve inequalities since inequalities are solved in the same manner as equalities except when multiplying or dividing by a negative. In this case the direction of the inequality sign must be changed.

References:

1. Burns, A., Pinkney, R., and Del Grande, J. *Mathematics for a Modern World: Book 3*; Second Edition, Toronto, Gage Educational Publishing Ltd., 1976.
2. Ebos, F., and Tuck, B., *Math is 4*, Don Mills: Thomas Nelson and Sons (Canada) Limited, 1979.

OBJECTIVES

COMMENTS/ACTIVITIES

59

1. Solve inequalities.	
2. Graph the solution sets of inequalities.	

LINEAR PROGRAMMING

Linear programming involves the attempt to maximize results and minimize efforts to produce those results. Such attempts originated during World War II when the Allies attempted to maximize production and minimize costs. Manufacturing problems involving numbers of items and various other constraints, such as time required for production, can be analyzed in a systematic way using linear equations and inequalities.

The fundamental assumption of linear programming is: the maximum value of the parameter P, for the relation $P = Ax + By$, occurs at one of the vertices of the polygonal region determined by the various constraints in the problem. The maximum value of P can be found by examining these vertices.

References:

1. Ebos and Tuck, *Math is 4*, Thomas Nelson and Sons, 1979.
2. Travers, Dalton et al, *Using Advanced Algebra*, Doubleday, 1977.
3. Wigle, Jenning and Dowling, *Mathematical Pursuits Three*, Macmillan of Canada, 1977.
4. Dotton, Knill and Seymour, *Applied Mathematics for Today*, McGraw-Hill Ryerson, 1976.
5. Hanwell, Bye and Griffiths, *Holt Mathematics 4 (Second Edition)*, Holt, Rinehart and Winston, 1980.

OBJECTIVES

COMMENTS/ACTIVITIES

1. Define the following terms: parameter, region, constraint, maximum point.	
2. Draw the graph of a linear equation in the form $Ax + By = C$.	
3. Draw the graph of a region defined by an inequality.	

OBJECTIVES

COMMENTS/ACTIVITIES

4. Determine a region bounded by several inequalities.	
5. Find the intersection of 2 linear equations by graphical or algebraic means.	
6. Find the maximum value of a perimeter P defined by $P = Ax + By$ for a given set of constraints.	
7. Determine the value of a parameter P at each of the vertices of the polygon which results from graphing all the constraint conditions on x and y .	
8. Apply linear programming to solving business-oriented problems.	

MATH ART

This unit is intended to give students an opportunity to apply in an interesting way some of the skills and concepts learned in Geometry (both Euclidean and Analytic). Once a student learns some of the simple principles of the artwork, he can create his own designs.

References.

1. *Art 'n Math*, Billings, Campbell and Schwandt (Action Math Associates, Inc.).
2. *Creating Escher - Type Drawings*, Rannucci and Teeters (Creative Publications).
3. *Graph Gallery*, Boyle, (Creative Publications).
4. *Paper Folding in the Classroom*, Johnson (NCTM Publications).
5. *Creative Constructions*, Seymour (Creative Publications)
6. *Line Designs*, Seymour (Creative Publications).
7. *Mathematics Teacher* (NCTM)
 - (a) Tangram Mathematics, February, 1977, pp. 143-146
 - (b) The Artist as Mathematician, April, 1977, pp. 298-308
 - (c) Filing (tesselations), March, 1978, pp. 199-202.
 - (d) Transformation Geometry and the Artwork of M.C. Escher, December, 1976, pp. 647-652.
 - (e) Creativity With Colors, March, 1976, pp. 215-218.
8. *Geometry*, Jacobs, (W. H. Freeman Publishing).

OBJECTIVES

COMMENTS/ACTIVITIES

1. Graphing pictures

- (a) Given a set or ordered pairs, locate these on a coordinate system and join them to form a picture.

1. Graphing Pictures (continued)

- (b) Given a set of linear equations, each with a restricted domain, draw the lines on a coordinate system to form a picture.

Student writes his name or suitable message in block letters on graph paper, then analyzes each letter to write the equations which represent them (restrict to straight lines).

2. Line Designs

- (a) Draw line designs within one angle.

Student creates his own pattern using basic construction techniques for angles. Alternate rectangles can be colored to form a pattern. The same approach can be used with colored thread and small nails on a sheet of plywood to create string designs.

3. Geometric Constructions

- (a) Perform basic constructions related to line segments, angles, perpendicular and parallel lines.
- (b) Draw a polygon within a circle using ruler and compass (e.g., hexagon, polygon, square).

Student analyzes and recreates simple drawings from patterns.

Student creates and colors his own designs.

4. Tessellations

- (a) Draw a tessellation based on a rectangle, a triangle or other polygons.

Students find examples of tessellations; e.g., linoleum, floor tiles, wallpaper, brick wall, etc.

5. Escher Drawings

- (a) (An extension of tessellations). Draw a simple tessellation based on Escher's work and analyze how it is drawn.

Students create their own Escher - type drawings, Students analyze some of Escher's paintings to find geometric contradictions (e.g., "Belvoir").

6. Paper Folding

- (a) Demonstrate the following concepts using paper folding:
- angle bisector
 - bisection of a segment
 - line perpendicular to a given line
 - centre of a circle
- (b) Construct a parabola, hyperbola and ellipse using paper folding.

7. Tangrams

- (a) Rearrange polygonal shapes to form geometric figures.
- (b) Illustrate basic properties of polygons (e.g., form an isosceles trapezoid and show the non-parallel sides are equal by moving the component parts around).

Using the 7 pieces of a tangram square, form rectangles, isosceles triangles, parallelograms and trapezoids.

Use the tangram pieces to make up figures such as the letter "T", the number "1", a house, a cat, etc.

TRANSFORMATIONAL GEOMETRY

Euclid has been criticized for his use of the super-position argument to prove the familiar side-angle-side (SAS) congruence theorem. Simplified, the argument calls for one to pick up a triangle and attempt to fit it on another. While deficiencies have sometimes been pointed out in Euclid's system of axioms, it may be noted that those seeking to evolve more logically satisfactory systems of axioms have generally attempted to by pass the difficulty.

Although it may be necessary to justify every step of a proof one should not lose the intuitive appeal of Euclid's approach. Most geometry teachers probably explain congruence by placing one triangle over another. E.G., by cutting out cardboard triangles, by tracing one triangle over another, etc.

Basically then, we could consider the result of mapping a figure by some appropriate transformation.

References:

1. Bye, M., Griffiths, T. and Hanwell, A., *Holt Math 4*, Toronto: Holt, Rinehart and Winston, 1980, pages 265-303.
2. Dottori, D., Knill, G., and Stewart, J., *Foundations of Mathematics for Tomorrow: An Introduction*, Toronto: McGraw-Hill Ryerson Ltd., 1977, pages 320-344.
3. Ebos, F., and Tuck, B., *Math is 4*, Don Mills: Thomas Nelson and Sons (Canada) Limited, 1979, pages 353-371.
4. *The Mathematics Teacher (NCTM): Transformation Geometry and the Artwork of M.C. Escher*, December 1976, pages 647-652.



OBJECTIVES

1. To develop and describe the following different types of transformations:
 - a) Translations
 - b) Reflections
 - c) Rotations
 - d) Dilations

COMMENTS/ACTIVITIES

Graph paper should be used whenever possible.
(For obvious reasons, these are also referred to as slides or glides.)
A transparent plastic reflector called a MIRA would be an excellent tool in teaching reflections.
The hands of a clock noting its centre is a very useful example.
Most students know what similarity (same shape, different size) means. Use examples (photo enlarger, microscope, etc.), to explain dilations.

**MATHEMATICS 30
CORE**



Mathematics 30

OBJECTIVES

COMMENTS

APPLICATIONS

MATH
IS 6

FMT

A. TRIGONOMETRY				
<p>1. Maintain previously developed skills.</p>	<p>Review terms associated with a rectangular coordinate system; review the theorem of Pythagoras. Find coordinates of points on the x-axis and y-axis.</p> <p>Note: The relationship between degrees, minutes and decimal degrees should be discussed.</p>		<p>251-255 209-210</p>	<p>175-178</p>
<p>2. Describe circular paths using the initial point and directed distance of the path.</p>			<p>203-208</p>	
<p>3. Define the unit circle $x^2 + y^2 = 1$.</p>	<p>The unit circle can be the basis for definition of trigonometric functions; if (x,y) is the terminal point of the circular arc determined by θ, then $x = \cos \theta$ and $y = \sin \theta$.</p>		<p>213-216, 248</p>	
<p>4. Determine coordinates of points on the unit circle.</p>	<p>A good starting place would be to consider the points on the unit circle where the x-axis and the y-axis intersect the unit circle. Continue by determining coordinates of points corresponding to angles which are multiples of 30 degrees and 45 degrees.</p>			

Mathematics 30

OBJECTIVES	COMMENTS	APPLICATIONS	MATH IS 6	FMT
5. Define the trigonometric ratios in terms of coordinates of points on the unit circle.	Exemplify by determining exact values of the trigonometric ratios for angles which are multiples of 30 degrees and 45 degrees.		213-216 248	
6. Find the domain and range of the six trigonometric ratios.	<p>These concepts are useful when discussing the amplitude of a trigonometric function graph. For example, $y = \sin \theta$ has a range $-1 \leq \sin \theta \leq 1$. Thus its amplitude is 1.</p> <p>For $y = 3 \sin \theta$, the range is $-3 \leq 3 \sin \theta \leq 3$. Thus its amplitude is 3.</p>		226	212-224
7. Solve simple trigonometric equations.	<p>Coverage should include equations of the linear and quadratic format. For example,</p> $3 \cos \theta + 1 = 2,$ $2 \sin^2 \theta + \sin \theta = 1 \text{ and}$ $2 \tan^2 2\theta - 3 \tan 2\theta - 1 = \theta.$ <p>Note that the same argument (e.g., $\theta, 2\theta, \frac{\theta}{2}$) should be used throughout the equation.</p>		219 243-246	231-238
8. Given the value of one of the trigonometric ratios, evaluate the other five trigonometric ratios.	Consider both exact and approximate values.		211-216	

Mathematics 30

OBJECTIVES	COMMENTS	APPLICATIONS	MATH IS 6	FMT
<p>9. Derive and apply the following identities:</p> <p>a) Quotient relations:</p> $\tan \theta = \frac{\sin \theta}{\cos \theta}, \cot \theta = \frac{\cos \theta}{\sin \theta}$ <p>b) Reciprocal relations:</p> $\csc \theta = \frac{1}{\sin \theta}$ $\sec \theta = \frac{1}{\cos \theta}$ $\cot \theta = \frac{1}{\tan \theta}$ <p>c) Pythagorean relations:</p> $\sin^2 \theta + \cos^2 \theta = 1$ $1 + \tan^2 \theta = \sec^2 \theta$ $1 + \cot^2 \theta = \csc^2 \theta$			239-243	231-238
<p>10. Derive and apply the following identities:</p> <p>a) Negative arc formulas:</p> $\sin(-\theta) = -\sin \theta$ $\cos(-\theta) = \cos \theta$ $\tan(-\theta) = -\tan \theta$	<p>Identities involving extremely long solutions should be avoided. Most identities require transformation of the side with the more complicated expression into a new form which is the same as that appearing on the other side. In some cases, both sides will have to be transformed into the same expression.</p>		220 413-415	242-246 179-183

Mathematics 30

OBJECTIVES	COMMENTS	APPLICATIONS	MATH IS 6	FMT
<p>10. b) Sum formulas:</p> $\sin(A+B) = \sin A \cos B + \cos A \sin B$ $\cos(A+B) = \cos A \cos B - \sin A \sin B$ <p>c) Complementary arc formulas: °</p> $\cos\left(\frac{\pi}{2} - \theta\right) = \sin \theta$ $\sin\left(\frac{\pi}{2} - \theta\right) = \cos \theta$			220 413-415	242-246 179-183
<p>11. Draw and identify graphs of the sine, cosine and tangent functions.</p>	<p>Consider the effects of parameters a, b and c on the graph of $y = a \sin bx + c$. Effects of changes in these parameters can be considered individually, and then in combination. Concepts of phase shift, amplitude and period should be introduced.</p>	<p>Students can chart their own biorhythms using sine curves. This is a highly motivational application of trigonometric function graphs. See Mathematics Teacher, October, 1977. Amplitude, period and frequency of sine waves can be demonstrated using an audio generator and an oscilloscope. Assistance from your physics department may be required. Periodic functions which are non-trigonometric such as square-wave and sawtooth may also be demonstrated if appropriate equipment is available. Several computer graphing experiments are now available.</p>	226-232	208-217
<p>12. Define periodic function and state the periods of $\sin \theta$, $\cos \theta$ and $\tan \theta$.</p>				

Mathematics 30

OBJECTIVES	COMMENTS	APPLICATIONS	MATH IS 6	FMT
13. Define radian measure.		Radian measure can be used to find the length of an arc along a great circle of a sphere (e.g., the earth) by the formula $S = r\theta$. This formula requires θ to be a radian measure. Radian measure is frequently used to describe angular velocity of a rotating pulley or shaft, such as is found in farm machinery or cars.	205-209	208-217
14. Convert degree measure to radian measure and vice versa.	Conversion formulas depend on the fact that an arc of a circle is proportional to the central angle which it intercepts. For example, a semi-circle intercepts an angle of 180 degrees.			
15. Determine exact values of trigonometric ratios of 0° , 30° , 45° , 60° and 90° .	A number such as $\sqrt{2}$ is exact. This is a difficult concept for students who will read the decimal equivalent of 1.414 and say that it is more exact. It should be emphasized that the decimal is infinite and has been rounded off in the tables.		212-225	244-245

Mathematics 30

OBJECTIVES	COMMENTS	APPLICATIONS	MATH IS 6	FMT
<p>16. Determine the value of a trigonometric ratio of any angle.</p>	<p>This may be developed easily using the addition formulas for $\sin(A + B)$. For example, $\sin 140^\circ = \sin(90^\circ + 50^\circ)$. Alternatively related angles may be illustrated by geometric ideas such as congruent triangles or reflections. In actual practice students will find it easier to use the 3-step reduction of angles method.</p> <ol style="list-style-type: none"> 1. Find the related angle. 2. Use the same function as the given one. 3. Determine the sign of the function. 		<p>216-220 223-225</p>	<p>182-207</p>
<p>17. Solve oblique triangles by using the Sine law and/or Cosine law.</p>	<p>Sine Law: Ambiguous Case - Problems in which two sides and an angle opposite one of them are given may have more than one solution depending on the relative measure of the sides. Better students may wish to pursue an analysis of this case in detail.</p>		<p>257-267</p>	
<p>18. Apply the Sine law and Cosine law to practical problems.</p>		<p>In aerial navigation, determine which course to fly to counteract the effects of wind. In surveying, find inaccessible distances.</p>	<p>257-267 274-277</p>	

73

Mathematics 30

OBJECTIVES	COMMENTS	APPLICATIONS	MATH IS 6	FMT
19. Solve problems involving areas of regular polygons.	Find the length of a side of a regular polygon inscribed in a circle of known radius; also find the length of the segment from the centre to the midpoint of any side. These quantities can then be used to find the area of the polygon.	Find dimensions of a hexagonal bolt head, the radius of a circular rod from which it must be cut and the length of each side of the head.	412	
B. QUADRATIC RELATIONS (CONIC SECTIONS)				
1. Maintain previous skills in analytic geometry: a) linear functions and slope b) distance and midpoint formulas c) properties of tangents d) solution of systems of equations in two variables	In addition to 2-variable systems, it is worth extending this concept to three unknowns. This will be required in some problems involving the equation of a circle. The same techniques of elimination of variables by addition-subtraction or substitution can be used. Properties of tangents are those referred to in Math 20.		x - x11 347 360-365	1.a. 402 b. 402 c. 392-396 d. 425
2. State the definition of the circle and derive the standard form.	The definition involves the concept of locus (path traced by a point moving according to a certain rule). Formulas should be derived for the circle with centre as the origin and also at some other point off the origin. $(x - h)^2 + (y - k)^2 = r^2$		370-378	397-408

74

Mathematics 30

OBJECTIVES	COMMENTS	APPLICATIONS	MATH IS 6	FMT
<p>3. Convert the equation of a circle from standard to general form.</p>	<p>When this conversion has been completed, students should be able to find the centre and radius by using the formulas. The equation of a circle in general form is:</p> $x^2 + y^2 + AX + BY + C = 0.$		370-378	397-408
<p>4. Determine the equation of a circle and sketch the graph given these conditions:</p> <ul style="list-style-type: none"> a) centre and radius b) centre and a point c) centre and equation of tangent line d) three points on a circle e) two points and equation of line containing the centre 	<p>These problems require one of several approaches depending on the given information:</p> <ul style="list-style-type: none"> a) direct substitution of centre and radius into standard form b) calculation of radius using distance formula c) use of tangent at point of contact d) substitution of co-ordinates of points into the general form and solving the resulting system of equations. <p>Care should be taken in assigning problems of type 4(e) as these can be very long and discouraging to students.</p>		375-380 402-404	
<p>5. Define and identify a parabola and the terms: focus, vertex, axis and directrix.</p>			381-382	

75

Mathematics 30

OBJECTIVES

COMMENTS

APPLICATIONS

MATH
IS 6

FMT

OBJECTIVES	COMMENTS	APPLICATIONS	MATH IS 6	FMT
<p>6. Derive the standard form of the equation of a parabola with a horizontal or vertical axis of symmetry.</p>	<p>Use the "focus-directrix" definition of a parabola and the distance formula. There are four equations required depending on whether the parabola opens upward, downward, to the left or to the right. This should include parabolas whose vertices are off the origin.</p>		381-382	397-408
<p>7. Find the focus and directrix from the equation of a parabola.</p>	<p>Use the formula derived in objective 6 to determine the orientation of the parabola. By comparing the given equation to one of the four types, the value of p can be determined.</p> <p>$y^2 = -32x$ can be compared to $y^2 = -4px$, hence $p = 8$. (p is the distance between the vertex and the focus.)</p>		382-389 406	
<p>8. Determine an equation and sketch the parabola, given;</p> <p>a) focus and directrix b) vertex and directrix c) vertex and point on the parabola</p>	<p>Determine the orientation of the parabola to find which of the four equations should be used. Find the value of p, either from the diagram or by substitution of coordinates of a known point into the formula.</p>		382-395	

76

Mathematics 30

OBJECTIVES

COMMENTS


APPLICATIONS

MATH
IS 6

FMT



9. Solve applied problems related to the parabola.

1. Parabolic reflectors for sound (microphone at the focus) or micro-wave (antenna at the focus).
2. Cut away view of an auto head-light.
3. Suspension bridge supported by a cable in the form of a parabola.



Find the length of one of the cables supporting the roadway.

4. Parabolic pool table.



To demonstrate the reflection property of a parabola place a rubber ball at F. Using a pointer (pool cue) shoot another ball along any line parallel to the main axis. When the ball bounces off the parabola, it will hit the ball placed at F. Conversely, the ball placed at F, when shot

382-395

419-424
434-435

77

Mathematics 30

OBJECTIVES

COMMENTS

APPLICATIONS


MATH
IS 6

FMT

<p>9. continued</p>		<p>towards the parabola, will travel outward along a parallel line.</p> <p>5. Height of a parabolic arch over a roadway.</p>	<p>382-395</p>	<p>419-424 434-435</p>
<p>10. Define and identify an ellipse and the terms: foci, major axis, minor axis, vertices, and focal radii.</p>				<p>406-412</p>
<p>11. Derive the standard form of the equation of an ellipse with foci on the x-axis or y-axis.</p>	<p>Use the "constant sum" definition and distance formula to derive the equation. The meaning of the parameters a, b, and c should be clearly demonstrated on a graph before the derivation is attempted.</p>			
<p>12. Given the equation of the ellipse determine: foci, vertices, major axis and minor axis.</p>	<p>Students should recognize the form of the equation and hence the orientation of the graph. The parameters a, b, and c can then be determined.</p>			
<p>13. Derive the relation between the parameters a, b and c for the ellipse. ($a^2 = b^2 + c^2$)</p>				

78

Mathematics 30

OBJECTIVES	COMMENTS	APPLICATIONS	MATH IS 6.	FMT
<p>14. Determine an equation and sketch the ellipse given:</p> <p>a) minor axis and distance between foci b) vertices and foci c) vertices and a point on the ellipse</p>	<p>A rough sketch can help determine the required parameters. In some cases, substitution of the coordinates of a point on the ellipse is required. Ellipses with centre off the origin are not included.</p>		382-395	406-412
<p>15. Solve applied problems related to the ellipse.</p>		<p>1. Orbital path of a Satellite.</p> <p>2. Whispering Galleries - an elliptical shaped room with two listening posts (one at each focus). A person whispering at one focus will be heard by a second person at the other focus because of the reflective properties of an ellipse. A person standing between the two foci will not hear the conversation.</p> <p>3. Eccentric Gears - one turns at a constant rate while the other has a varying speed of rotation. An elliptical shaped cam in a car engine operates in a similar way.</p> <p>4. An Elliptical Pool Table to demonstrate the reflective properties of an ellipse.</p> <div style="text-align: center;">  <p>20mm plywood</p> </div> <p>A ball starting at F_1 will reflect off the ellipse and pass through F_2.</p>		419-424 434-435

79

Mathematics 30

OBJECTIVES	COMMENTS	APPLICATIONS	MATH IS 6	FMT
16. Define and identify a hyperbola and the terms: vertices, foci transverse axis, conjugate axis and asymptotes.			382-395	412-424
17. Derive the standard form of the equation of a hyperbola with foci on the x-axis or the y-axis.	Use the "constant difference" definition and distance formula to derive the equation. The meaning of parameters a, b and c should be clearly demonstrated before the derivation is attempted.			
18. From the equation of the hyperbola find the foci, vertices, transverse axis, conjugate axis and asymptotes.	Students should recognize the form of the equation and hence the orientation of the graph. The parameters a, b and c can then be determined. It should be noted that, unlike the ellipse, a is not always greater than \bar{b} .			
19. Derive the relation between the parameters a, b and c for the hyperbola. $(a^2 + b^2 = c^2)$				
20. Determine an equation and sketch the hyperbola given: a) transverse axis and conjugate axis b) foci and length of one axis c) equation of an asymptote and a point on the hyperbola.	A rough sketch can help determine the required parameters. In some cases, substitution of coordinates of a point may be required to find one of the parameters. Hyperbolas with centres off the origin are not included.			

08

Mathematics 30

OBJECTIVES₁

COMMENTS

APPLICATIONS

MATH
IS 6

FMT

<p>21. Solve applied problems related to the hyperbola.</p>			<p>382-395</p>	<p>419-424 434-435</p>
C. LOGARITHMS				
<p>1. Maintain previous skills on exponents.</p>			<p>142-202</p>	<p>I35-174</p>
<p>2. Identify and graph exponential functions.</p>	<p>This study of logarithms should emphasize the functions, their graphs and their use in applications.</p>	<p>Logarithms are frequently used to describe rates of growth, rates of decay, sound intensity, light intensity and earthquake intensity.</p>		
<p>3. Convert equations from exponential form to logarithmic form and vice versa.</p>		<p><u>Sample Questions</u></p>		
<p>4. Solve logarithmic equations by converting to exponential form.</p>	$\log_{16} x = \frac{-5}{4} \quad \log_x \frac{27}{8} = -3$ $\log_2 \frac{1}{16} = x$	<p>a. Loudness of sound is measured on a decibel scale according to the formula: $D = 10 \text{ Log } (L)$, where D is the number of decibels of sound and L is the loudness of the sound. How many times louder is sound of 52 decibels than sound of 37 decibels?</p>		
<p>5. Define the inverse of an exponential function in logarithmic form.</p>	<p>Emphasize the relationship between exponential and logarithmic functions.</p>	<p>b. A scientist predicts that 20 grams of a radioactive substance will decay in such a way that after (T) days the number of grams remaining (G) may be estimated according to the formula</p>		
<p>6. Evaluate expressions and solve equations involving logarithmic form and exponential form.</p>	<p>The following should indicate the depth to which this topic should be taught.</p> $\log_6(x + 3) + \log_6(x - 2) = 1$ <p>Find x if $2^x \cdot 3^x = 15$</p>	$G = 20X^{-T/15}$		

81

Mathematics 30

OBJECTIVES	COMMENTS	APPLICATIONS	MATH IS 6	FMT
<p>7. State and use the basic laws or properties of logarithms for:</p> <p>a) products b) quotients c) powers d) roots</p>	<p>Logarithms are no longer needed to do complex numerical calculations. However, familiarity with the properties of logarithms is necessary to solve certain exponential equations. Students should be able to recognize that:</p> <p>$\log(2a) = \log 2 + \log a$</p> <p>$\log \frac{4}{a} = \log 4 - \log a$</p> <p>$\log a^3 = 3 \log a$, and vice versa</p>	<p>Determine to one decimal place, the number of days required for the substance to reduce to 8 g.</p> <p>c. The length of time to double your money at 12% is found by solving</p> <p>$2 = (1.12)^n$ for n.</p>	142-202	135-174
<p>8. Use logarithms to solve practical problems.</p>				
D. SEQUENCES, SERIES, LIMITS				
<p>1. Recognize:</p> <p>a) the difference between a sequence and a series b) the difference between a finite and infinite sequence</p>			434-438	254-289
<p>2. a) Recognize and define arithmetic sequences and series and state the common difference (d).</p>		<p>Ben Business, a bright young college graduate, sells popsicles for 14¢ each, while having to buy them from the wholesaler for only 3 1/2¢ each. As the cooler</p>	439-445 460-465	

Mathematics 30


OBJECTIVES

COMMENTS

APPLICATIONS

MATH
IS 6

FMT

<p>2. b) Derive and apply:</p> <p>1. the general term formula</p> $a_n = a_1 + (n - 1) d$ <p>2. the sum formula</p> $S_n = \frac{n}{2} (a_1 + a_n)$ <p>c) Apply formulas to problems involving arithmetic sequences and series.</p>	<p>The formula</p> $S_n = \frac{n}{2} [2a + (n - 1)d]$ <p>may be more convenient for some problems and should be derived from</p> $S_n = \frac{n}{2} [a_1 + a_n]$	<p>weather approaches, Ben finds himself reducing the price of popsicles by one cent a week, while his distributor, trying to maintain his profit, raises the wholesale price by 1/2¢ a week. If Ben is really smart when should he pull out? (7 weeks)</p> <p>Quasi Motors Inc. produces 12 units of farm machinery a day and sells them the same day to retail distribution centres across the country. If production costs are rising at \$3 per unit per day, and the competitors are forcing the sales price down at \$5 per unit per day, when should Quasi Motors stop production if production costs are now \$10 and the price of machinery is \$150 per unit? How much profit will they make in that time? (13,872)</p>	<p>439-445 460-465</p>	<p>254-289</p>
<p>3. a) Recognize and define geometric sequences and series and state the common ratio (r).</p> <p>b) Derive and apply:</p> <p>i. the general term formula</p> $a_n = a_1 r^{n-1}$ <p>ii. the sum formulas</p> $S_n = \frac{a_1 (r^n - 1)}{r - 1} \quad r \neq 1$ $S_n = \frac{ra_n - a_1}{r - 1} \quad r \neq 1$		<p>If 100 is invested at 9% compounded annually, show how the amount grows over a term of n years.</p>  <p>Notice that the amounts at the ends of successive years form the terms of a geometric sequence where:</p>	<p>446-456 466-474</p>	

Mathematics 30

OBJECTIVES

COMMENTS

APPLICATIONS

MATH
IS 6

FMT

<p>c. Apply formulas to problems involving geometric sequences, and series, with special emphasis being given to the mathematics of finance:</p> <p>i. Applications of simple and compound interest.</p> <p>ii. Use tables to determine accumulated and present value accounts involving compound interest over different time periods.</p> <p>iii. Illustrate the various annuities by using line diagrams.</p> <p>iv. Apply geometric series to both accumulated and present value annuities with both identical and differing interest and payment periods.</p>	<p>Apply concepts of annuities to relevant amortization plans, house mortgages, auto financing and interest-accumulations.</p>	<p>$a_1 = 100 (1.09)$ $r = 1.09$ and a_n is the nth term of the sequence.</p> <p>The amount after n years:</p> <p>$a_n = a_1 r^{n-1}$ $a_n = 100 (1.09) (1.09)^{n-1}$ $= 100 (1.09)^n$</p> <p>An insurance policy pays \$30,000 at age 60 which may be taken as a lump sum or in 30 equal half-yearly payments with interest at 8% compounded semi-annually. If the first payment is made 6 months after the 60th birthday, how large is each payment?</p>	<p>466-474</p>	<p>254-289</p>
<p>4. Generate the terms of a series using sigma notation (Σ).</p>	<p>For example, the general term for $1 + \frac{1}{4} + \frac{1}{16} + \dots$ can be written in Σ notation by finding the general term of this geometric series.</p>		<p>457-459</p>	

Mathematics 30

OBJECTIVES

COMMENTS

APPLICATIONS

MATH
IS 6

FMT

<p>5. Determine the limits of various functions.</p>	<p>Functions involved should be limited to those which after appropriate algebraic simplification can be analyzed using the fact that</p> $\lim_{n \rightarrow \infty} \frac{1}{n} = 0$		<p>475-480</p>	<p>442-453</p>
<p>6. Recognize the differences between infinite convergent and divergent sequences.</p>				
<p>7. Find the limits of infinite convergent sequences.</p>				
<p>8. Find the sums of infinite convergent series.</p>				
<p>9. Solve problems involving infinite geometric series.</p>				
<p>E. PRESENTATION OF DATA AND DESCRIPTIVE STATISTICS</p>				
<p>1. Maintain previously developed skills with ungrouped data and grouped data.</p> <p>a) Frequency distribution b) Measures of central tendency c) Measures of dispersion</p>			<p>280-324</p>	<p>336-337</p>

85

Mathematics 30


OBJECTIVES

COMMENTS

APPLICATIONS

MATH
IS 6

FMT

<p>2. Develop and apply standard deviation and z-scores.</p>	<p>Standard measure $z = \frac{x - \bar{x}}{\sigma}$ may be introduced as a measure independent of units used. This allows easy use of tables involving areas under the normal curve.</p>	<p>Quality control and guarantees in industry.</p>	<p>280-324</p>	<p>374-391</p>
<p>3. Illustrate and develop the normal distribution.</p>	<p>1. Comparing the normal curve to histograms of progressively narrower intervals (or frequency polygons) shows how a smooth curve is obtained from actual data.</p> <p>2. Relate measures of central tendency and dispersion to the normal curve.</p>	<p>Predictions, life expectancy, mortality tables.</p>		
<p>4. Introduce probability using an experimental approach.</p>	<p>Introduction to such terms as outcome, sample space and event would be appropriate.</p>			<p>356-360</p>
<p>5. Apply probability to theoretical frequency distribution.</p>	<p>Relate probability to previous objectives as a theoretical long term frequency. Estimated probability is the relative frequency of occurrence of the event when the number is very large.</p>	<p>Find the probability that in 120 tosses of a fair coin between 40% and 60% will be heads.</p> 		<p>374-391</p>

Mathematics 30

OBJECTIVES	COMMENTS	APPLICATIONS	MATH IS 6	FMT
5. continued		Given $\sigma = 5.5$ 40% of 120 = 48 60% of 120 = 72 48 converted to standard $\text{units} = \frac{48 - 60}{5.5} = 2.2$ 78 converted to standard $\text{units} = \frac{72 - 60}{5.5} = 2.2$ Required probability = area under the normal curve between $z = -2.2$ and $z = 2.2$ $P = 2(.4861) = .9722$	280-324	374-391
F. POLYNOMIAL FUNCTIONS				
1. Maintain previous skills with polynomials.			431	74-76 127-129
2. Classify a polynomial function according to degree.				
3. Define integral polynomial functions.				

87

Mathematics 30

OBJECTIVES	COMMENTS	APPLICATIONS	MATH IS 6	FMT
<p>4. Write polynomial functions (in descending order of degree) of the form</p> $f(x) = a_0x^n + a_1x^{n-1} + a_2x^{n-2} \dots + a_{n-1}x + a_n$ <p>$a_0 \neq 0, n \in \mathbb{N}$</p>				127-129
<p>5. Divide integral polynomial functions in one variable by a binomial of the form $x - a, a \in \mathbb{I}$ using long division and synthetic division.</p>			427-431	113-129
<p>6. Evaluate integral polynomial functions for given values of the domain utilizing the Remainder Theorem.</p>	<p>Students should be given some problems which involve more than elementary substitution. Example, if</p> $P(x) = x^4 + ax^3 - bx^2 + 28x - 24$ <p>is divided by $x - 1$ the remainder is -4 and if $P(x)$ is divided by $x - 3$ then the remainder is 6. Find "a" and "b".</p>			
<p>7. Find factors of integral polynomial functions using the Factor Theorem.</p>	<p>Students could be given polynomial functions with an imbedded quadratic function containing complex zeros and irrational x-intercepts.</p>			


88

Mathematics 30

OBJECTIVES	COMMENTS	APPLICATIONS	MATH IS 6	FMT
<p>8. Determine the x-intercepts of integral polynomial functions where $x \in \mathbb{Q}$.</p>			427-431	113-129
<p>9. Sketch the graph of the integral polynomial functions using the intercepts.</p>	<p>It would be meaningful to students when graphing to introduce and explain how graphs are affected by irrational intercepts and complex zeros. For example, polynomials may have:</p> <ol style="list-style-type: none"> 1. Unique x-intercept. 2. Two equal x-intercepts. 3. Three equal x-intercepts. 4. Complex zeros. <div style="text-align: center; margin-top: 10px;"> </div>			

68

**MATHEMATICS 30
ELECTIVES**



ARRANGEMENTS AND SELECTIONS

References:

1. Nichols, E., Heimer, R., and Garland, E., *Modern Intermediate Algebra*, Toronto: Holt, Rinehart and Winston of Canada.
2. Johnson, R., Lendsey, L., Slesnick, W., and Bates, G., *Algebra and Trigonometry*, Don Mills, Ontario: Addison-Wesley Publishing Company.
3. Elliott, H., Fryer, K., and Gardner, J., *Algebraic Structures and Probability*, Toronto: Holt, Rinehart and Winston of Canada.
4. Travers, Dalton et al, *Using Advanced Algebra*, Toronto: Doubleday Canada Ltd.
5. Dolciani, M., Berman, S., and Wooton, W., *Modern Algebra and Trigonometry*, Don Mills: Thomas Nelson and Sons (Canada) Ltd.

92

OBJECTIVES	COMMENTS/ACTIVITIES
1. Evaluate and/or simplify expressions involving factorials and/or n^P .	
2. Solve word problems involving linear arrangements of n different objects.	
3. Solve word problems involving a linear arrangement of r objects, given n different objects.	
4. Solve word problems involving linear arrangements of one or more objects at a time, given n different objects.	

HISTORY OF MATHEMATICS

The history of mathematics can provide many interesting discussions and lends itself to many interesting projects for the classroom. A look at historical topics is unlimited and is dependent only upon the creativity of the teacher.

Reference:

1. *Historical Topics for the Mathematics Classroom*, Thirty-first yearbook, National Council of Teachers of Mathematics, 1969.

NOTE: This yearbook also contains an excellent bibliography of the many books and articles available on historical topics in Mathematics.

OBJECTIVES

COMMENTS/ACTIVITIES

<p>1. To acquire an appreciation for the historical development of mathematics from counting to modern day computers.</p>	<p>Discuss various types of early developments in mathematics.</p> <p>Many of these can be set in activity stations, as display areas or in written project form.</p>
<p>2. To humanize mathematics by looking at the lives of some of the mathematicians.</p>	<p>Investigate the lives of the famous mathematicians by using different methods such as: reporting, writing essays, role-playing, discussions, films.</p>
<p>3. To interrelate mathematics with other subject areas such as science, music, social studies and art.</p>	
<p>4. To familiarize students with the use of various mathematical instruments which have been developed throughout the years.</p>	<p>Discuss, demonstrate the use of, or construct the basic mathematical instruments for:</p>

4. (Continued)

- (a) Measurement
 - sundial
 - waterclock
 - transit
 - sextant
 - angle mirror
 - micrometer
 - caliper
 - trundle wheel

- (b) Calculations
 - slide rule
 - logarithms
 - calculators
 - Napier's bones
 - abacus
 - computers

MATHEMATICAL INDUCTION

The name, mathematical induction, is somewhat misleading because the process is deductive in nature, leading to a firm conclusion. It is usually employed in proving the validity of a statement involving all positive integral values of "n".

For example, one method of finding a square root on an ordinary computing or adding machine is based on the fact that the sum of "n" odd integers is equal to n^2 .

$$1 = 1 = 1^2$$

$$1 + 3 = 4 = 2^2$$

$$1 + 3 + 5 = 9 = 3^2$$

$$1 + 3 + 5 + 7 = 16 = 4^2$$

$$1 + 3 + 5 + \dots + (2n-1) = n^2$$

If this can be proven for (a) specific values of n and, (b) when nth position = k as well as k + 1 where right side equals left side then the conclusion (c) is verified.

References:

1. Johnson, R.E., Lendsey, L.L., Slesnich, W.E., Bates, G.E., *Algebra and Trigonometry*, London: Addison-Wesley Publishing Co., 1976.
2. Del Grande, J.J., Duff, G.F.D., Egsgard, J.C., *Mathematics 12 - Third Edition*, Toronto: Gage Publishing Ltd., 1980.
3. Vance, E.P., *Mathematical Induction and Conic Sections*, London: Addison-Wesley Publishing Co., 1971.

OBJECTIVES

COMMENTS/ACTIVITIES

- | OBJECTIVES | COMMENTS/ACTIVITIES |
|---|---------------------|
| 1. Use mathematical induction to prove various additive algorithms. | |

OBJECTIVES

COMMENTS/ACTIVITIES

- | OBJECTIVES | COMMENTS/ACTIVITIES |
|---|---------------------|
| 2. Use mathematical induction to prove various division algorithms. | |
| 3. Use mathematical induction to prove trigonometric algorithms. | |

MATRICES

Tables are very useful ways of arranging information. Data from tables can be set in a more concise form called a matrix where we write this data in columns and rows.

Reference:

1. Ebos, F., and Tuck, B., *Math Is 4*, Don Mills: Thomas Nelson and Sons (Canada) Limited, 1979.

OBJECTIVES	COMMENTS/ACTIVITIES
1. To recognize and use the matrix as a concise form of arranging information.	<p>Construct a 3 x 3 magic square. Then rearrange the numbers in the cells so that the sum of each new row, column and diagonal is also equal. How many arrangements are there if the square is to remain a magic square?</p> <p>Do likewise for a 4 ; 4 and a 5 x 5 magic square.</p>
2. To comprehend the difference between columns and rows.	- Using everyday situations construct matrices with different orders. E.g., team records.
3. To multiply matrices.	
4. To apply matrices in solving problems.	

97

PROBABILITY

There are numerous books which cover this topic, usually together with some statistics. In a short elective component, it is important to just get the feel of calculating some interesting probabilities. If one can experimentally verify or disprove ones' results, so much the better.

OBJECTIVES

COMMENTS/ACTIVITIES

<p>The following concepts should be taught as a preamble:</p> <p>1. The idea of an event E as the outcome of some experiment or trial.</p>	<p>If the above five ideas can be mastered, then one can follow with some simple combinatorial results before some interesting examples can be tried. The student should learn about:</p> <p>a) Factorial notation</p>
<p>2. The meaning of $P(E)$, the probability of this event occurring. Also the fact that probabilities are numbers between 0 and 1.</p>	<p>b) that $\binom{n}{k} = \frac{n!}{k!(n-k)!}$ represents the number of ways of arranging k objects among n locations.</p>
<p>3. The concept of independence of events.</p>	<p>c) the hypergeometric distribution.</p>
<p>4. The meaning of mutually exclusive events.</p>	<p>One has a box containing N_1 black marbles and N_2 white marbles for a total of $N = N_1 + N_2$ marbles. If one now takes</p>
<p>5. If one has two events A and B, then: $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$.</p>	<p>n marbles from the box (at random without replacement) then the probability one obtains n_1 black and n_2 white marbles is $\frac{\binom{N_1}{n_1} \binom{N_2}{n_2}}{\binom{N}{n}}$</p>
	<p>e.g., if the box contains 5 black and 3 white marbles, then in drawing 2 marbles the probability one obtains one of each colour is:</p> $\frac{\binom{5}{1} \binom{3}{1}}{\binom{8}{2}} = \frac{15}{28}$

continued

With these minimal tools, one can now tackle many interesting problems. For example, when dealt a 5-card hand from a standard deck, following are the poker hands one can obtain:

- a) nothing
- b) one pair
- c) 2 pairs
- d) 3 of a kind (a triple)
- e) full house (one triple, one pair)
- f) four of a kind
- g) flush (all in one suit)
- h) straight (5 cards in sequence)
- i) straight flush (5 cards in sequence in one suit)
- j) royal flush (highest straight-flush)

66

If one considers these 10 events as mutually exclusive, one can calculate the probability of each occurring and hence order, via probabilities, the sequence of winning events.

There is a multitude of variations on this one theme alone, namely what happens if you have a wild card? Does this change the order of winning events? All these can be answered, and if in doubt, deal a few hands to check your answer.

Reference:

1. Most of these notations can be found in any respectable text. One in which the card hands are discussed and the probabilities calculated is: *Basic Probability and Applications*, by M. Nosal., Published by W. B. Saunders.

TOPOLOGY

Reference:

1. *Excursions into Mathematics*, by Beck, Bleicher and Crowe. Published by Worth.

OBJECTIVES

COMMENTS/ACTIVITIES

1. Euler's formula.	Pages 3 - 11.
2. The number of regular polyhedra.	Pages 12 - 16.
3. Tessellation of the plane: Use Euler's formula to show that triangles, hexagons and squares are the only regular polygons one can use to tile a floor.	
4. A European "football" is made of pieces of leather in the shape of regular pentagons and regular hexagons. These are sewed together so that each pentagon is surrounded by hexagons and each hexagon is surrounded (alternately) by three pentagons and three hexagons. Determine the number of pentagons and hexagons of such a football.	
5. Deltahedra: This section deals with non-regular polyhedra, all of whose faces are triangles. It also illustrates methods of constructing these polyhedra out of cardboard.	NOTE: The objectives listed are all fully illustrated in the text with numerous examples that can actually be constructed.
6. If time permits, there is a section of polyhedra without diagonals using Euler's formula.	

100

VECTORS

Vectors provide a useful tool for analyzing problems that deal with trips, forces, velocities, accelerations and displacement. A vector is a quantity that requires both a magnitude and direction to describe it.

References:

1. Bye, M. and Elliott, H., *Math Probe 3*, Toronto: Holt, Rinehart and Winston of Canada, Ltd., 1973.
2. Burns, A.G. Pinkney, R.G., and Del Grande, J.J., *Mathematics for a Modern World: Book 3*, Toronto, Gage Educational Publishing Ltd., 1976.
3. Dottori, D., Knill, G. and Seymour, J., *Applied Mathematics for Today: Intermediate*, Toronto: McGraw-Hill Ryerson Ltd., 1976.
4. Dottori, D., McVean, R., Knill, G., and Seymour, J., *Foundations of Mathematics for Tomorrow: *Introduction*, Toronto: McGraw-Hill Ryerson Ltd., 1974. Nichole, *Modern Intermediate Algebra*.
5. Dottori, D., Knill, G., and Seymour, J., *Foundations of Mathematics for Tomorrow: Intermediate*, Toronto: McGraw-Hill Ryerson Ltd., 1978.
6. Ebos, F., and Tuck, B., *Math is 4*, Don Mills: Thomas Nelson and Sons (Canada) Limited, 1979.
7. Hilton, A., *Vectors*, London: Macdonald Educational Colour Units, 1976.


101

OBJECTIVES

COMMENTS/ACTIVITIES

1. Understand those phenomena which possess magnitude and direction.	Describe five situations in which vectors are used.
2. Add and subtract vectors.	Create and solve problems using vectors.
3. Multiply a vector by a scalar.	
4. Solve problems using vectors.	

APPENDICES



EDUCATION

METRICATION POLICY

It is the policy of Alberta Education that:

1. SI units become the principal system of measurement in the curriculum of the schools in the province;
2. the change to the use of SI units in schools be such that the instructional programs are predominantly metric by June, 1978;
3. changes in the curriculum of individual schools proceed in concert with corresponding changes in industry and commerce;
4. selected consultative and in-service resources be made available to teachers for professional preparation in the integration of SI units in their instructional programs;
5. conversion of the schools to the metric system (SI) be carried out on a pre-planned basis with a gradual replacement and/or modification of measurement-sensitive resources;
6. conversion costs will generally be borne by the responsibility centre incurring them;
7. conversion will be accomplished by means of existing administrative structures, and there will be only a minimum number of short-term special purpose assignments associated with the change to SI.

EXPLICATION OF THE METRICATION POLICY

1. *... that SI units become the principal system of measurement in the curriculum of the schools in the province;*
 - 1.1 As part of a world-wide movement to standardize commonly used elements of trade, Canada has committed itself to the use of SI units by the early 1980's. It is already evident that many sections of our society which use measures will be predominantly metric before 1980.

It has become imperative that the school curriculum prepare students to cope with metric measures in all facets of their life. In addition many students will require a detailed knowledge of more specialized units used in specific career fields.
 - 1.2 Some imperial units will be in use for some time; therefore as teachers introduce SI they are

expected to retain selected reference to imperial units. This teaching of specific imperial units should be related only to those that are relevant to student needs and should be kept to a minimum. Mathematical conversions from one system to the other are to be avoided wherever possible.

- 1.3 Resource materials for the classroom should use SI units as the principal measuring system with only such references to the imperial or "old" metric systems as are unavoidable.
2. *... that the change to the use of SI units in schools be such that the instructional programs are predominantly metric by June, 1978.*
 - 2.1 In a predominantly metric program the student, depending upon age and ability, is familiar with the appropriate metric units of length, area, volume, mass and temperature, and uses these units in school for making and expressing measurements in all areas of the curriculum.
 - 2.2 The date (June, 1978) is a general target by which it is expected that curriculum guides and programs of studies and the various acts and regulations will have been changed to reflect the new measurement language. Most schools will have begun the transition of their classroom programs by June, 1978; indeed many schools will have completed the change before this date.
 - 2.3 It is entirely possible that some of the high school technical and vocational programs will have a need to continue teaching the use of imperial units. It may take a specific technological area some considerable time to make the change, especially one that uses machinery with a long working life.
 - 2.4 The correct usage of the SI units will be directed by the **Metric Practice Guide** (CSA Z234.1 - 1973) or the **Metric Style Guide** (Council of Ministers of Education, Canada). A copy of the **Metric Style Guide** has been made available to each teacher (in English or French).
3. *... that changes in the curriculum of individual schools proceed in concert with corresponding changes in industry and commerce.*
 - 3.1 The Canadian Metric Commission under the federal Ministry of Industry, Trade and Commerce has been coordinating the change to metrics since 1970. Timelines and metrication dates have been established for many sectors of the economy. Educators should keep themselves informed as to progress in both the

technical areas in which they may be teaching and the activities occurring in the community.

- 3.2 The Department of Education will attempt to keep schools informed regarding progress in the use of metric units.

4 . . . that selected consultative and inservice resources be made available to teachers for professional preparation in the integration of SI units in their instructional programs.

- 4.1 Achieving metric conversion by the target date is dependent upon many factors, not the least of which is the whole-hearted cooperation by educators in carrying out their assigned roles. In preparing teachers and administrators to better cope with the changes, the Department of Education will provide consultative and inservice resources through the Regional Offices in Grande Prairie, Edmonton, Red Deer, Calgary and Lethbridge.

- 4.2 The staff of a school should plan co-operatively to bring a unified approach to the teaching and use of measurement. Metrication goes beyond the formal content of the curriculum. The changeover with its many implications will affect everyone associated with the process of education.

- 4.3 Since measurement is an activity related process, it follows that individuals — teachers as well as students — learn the metric units while measuring. That is, some degree of active involvement in measuring or in using the units that one is learning.

- 4.4 Very few people will have to know the entire metric system. That is, when presenting SI, one should only attempt to deal with that part of the system which is necessary for the task at hand.

5 . . . that conversion of school programs to SI be carried out on a pre-planned basis with a gradual replacement and/or modification of measurement-sensitive resources.

- 5.1 Most measurement-sensitive devices will have to be replaced over the next few years. Items

ranging from inexpensive rulers to costly metal lathes will have to be either replaced or modified. Exactly when and how much modification versus replacement occurs depends upon the economics. For a machine that is near the end of its useful life, any modifications will have to be minimal. For a nearly new machine a scale replacement or recalibration may be the best course of action. In any event, common sense must prevail.

- 5.2 Any new acquisitions of machines or tools should be those with metric capabilities. In spite of the best planning and careful budgeting, there is bound to be some frustration as suppliers fail to deliver as promised and as people do not respond as predicted.

6 . . . that conversion costs will generally be borne by the responsibility centre incurring them.

- 6.1 The term "responsibility centre" is meant to refer to those parts of the administrative structure which are responsible for budgeting and purchasing services, materials, and equipment for schools.

- 6.2 By placing responsibility for costs as close as possible to the actual use of goods or services, it is hoped that there will be a greater accountability in the changing over to metrics.

- 6.3 Implicit in this policy is the idea that those exercising responsibility will do so with restraint.

7 . . . that conversion will be accomplished by means of existing administrative structures, and there will only be a minimum number of short-term special-purpose assignments associated with the change to SI.

- 7.1 In other words, as far as is possible, there will be only temporary positions associated with metrication. In addition, administrative costs are to be kept as low as possible, with the additional work load being handled on a contract or short-term assignment basis. In this way, it is hoped that the money spent on metrication will have maximum effect on the classroom.

Strategies of Problem Solving

In the teaching/learning of problem solving, an instructional approach should be used which helps students learn and choose procedures for solving problems. These procedures are easy to state and recognize, but they are often quite elusive when teaching. Difficulty frequently exists when teaching problem solving because, unlike the teaching of computational skills or concepts, there is no specific content involved. In problem solving, an individually acquired set of processes is brought to bear on a situation that confronts the individual.

There are generally four procedures (steps) which appear inherent in problem solving. These procedures, their descriptions and associated strategies have been compiled and adapted from a variety of sources and authors (George Polya, J.F. LeBlanc, Ohio Department of Education, Math Resource Project, 1980, NCTM Yearbook) and are listed below:

STEPS IN PROBLEM SOLVING

1) UNDERSTAND THE PROBLEM

What is the problem? What are you trying to find? What is happening? What are you asked to do?

Suggested Strategies:

- Paraphrase the problem or question (Restate the problem in your own words to internalize what the problem entails.)
- Identify wanted, given and needed information (Helps students focus on what is yet to be determined from problem statement as well as listing information so that they may better be able to discover a relationship between what is known and what is required.)
- Make a drawing (May help to depict the information of a problem, especially situations involving geometric ideas.)
- Act it out (Helps to picture how the problem actions occur and how they are related thereby giving a better understanding of the problem.)
- Check for hidden assumptions (What precisely does the problem say or not say? Are you assuming something that may not be implied? Beware of mistaken inferences.)

2) DEVISE A PLAN TO SOLVE THE PROBLEM

What operations should you use? What do you need to do to solve the problem? How can you obtain more information or data to seek the solution?

Suggested Strategies:

- Solve a simpler (or similar) problem (Momentarily set aside the original problem to work on a simpler or similar case. Hopefully the relationship of the simpler problem will point to the solution for the original problem.)
- Construct a table (Organizing data in tabular form makes it easier to establish patterns and to identify information which is missing.)
- Look for a pattern or trend (Does a pattern continue or exist? In connection with the use of a table, graph, etc., patterns or trends may be more apparent.)
- Solve part of the problem (Sometimes a series of actions each dependent upon the preceding one, is required to reach a solution. Similarly it may be that certain initial actions will either produce a solution or uncover additional information to simplify the task of solving the problem.)
- Make a graph or numberline (May help organize information in such a way that it makes the relationship between given information and desired solution more apparent.)
- Make a diagram or model (When using the model strategy attempt to select objects or actions to model those from the actual problem that represents the situation accurately and enables you to relate the simplified problem to the actual problem. May be used in connection with, or in place of other similar strategies, i.e., acting out the problem.)
- Guess and check (Guessing for a solution should not be associated with aimless casting about for an answer. The key element to this strategy is the "and check" when the problem solver checks his guesses against the problem conditions to determine how to improve his guess. This process is repeated until the answer appears reasonable. An advantage of this "guess and check" strategy is that it gets the individual involved in finding a solution by establishing a starting point from which he can progress. Used constructively with a table or graph this strategy may be a valuable tool.)

- Work backwards (Frequently, problems are posed in which the final conditions of an action are given and a condition is asked for which occurred earlier or which caused the final outcome. Under these circumstances working backwards may be valuable.)
- Change your point of view (Some problems require a different point of view to be taken. Often one tends to have a "mind set" or certain perspective of the problem which creates a difficulty in discovering a solution. Frequently, if the first plan adopted is not successful, the tendency is to return to the same point of view and adopt a new plan. This may be productive, but might also result in continuous failure to obtain a solution. Attempt to discard previous notions of the problem and try to redefine the problem in a completely different way.)
- Write an open sentence or equation (Often in conjunction with other strategies - using a table, diagram, etc., one selects appropriate notation and attempts to represent a relationship between given and sought information in an open sentence.)

3. CARRY OUT THE PLAN

For some students the strategy/strategies selected may not lend itself/themselves to a solution. If the plan does not work, the problem solver should revise the plan, review step 1, and/or try another plan or combination of plans from step 2.

4. LOOK BACK AT THE STEPS TAKEN (Consolidating Gains)

Is the result reasonable and correct? Is there another method of solution? Is there another solution? Is obtaining the answer the end of the problem?

- Generalize (Obtaining an answer is not necessarily the end of a problem. Re-examination of the problem, the result and the way it was obtained will frequently generate insights far more significant than the answer to the specific situation. It may enable the student to solve whole classes of similar and even more difficult problems.)

- Check the solution (The very length of a problem or the fact that symbolic notation is used may tend to make one lose sight of the original problem. Does the answer appear reasonable, does it satisfy all the problem requirements?)
- Find another way to solve it (Can you find a better way to confront and deal with the problem? The goal of problem solving is to study the processes that lead to solutions to problems. Once a solution is discovered, search the problem for further insights and unsuspected ideas and relationships.)
- Find another solution (Students tend to approach many problem situations with the expectation of only one correct solution. In many practical, daily life situations there may be many answers that are correct and acceptable.)
- Study the solution process (Studying the process of solution makes the activity of problem solving more than answer-getting and can expand an individual problem into a meaningful total view of a family of related problems.)

It must be noted that the four steps of the above model are not necessarily discreet. For example, one may move without notice into Step 2 while attempting to generate more information to understand the problem better.

If the 4-step model is used, the key is to select an appropriate strategy or strategies to help answer the questions suggested by each step. The strategies listed, and those devised by students will hopefully alter the problem information, organize it, expand it, and make it more easily understood. Strategies then may be thought of as the tools of problem solving and the 4-step model, the blueprint.

Recommendations for School Mathematics of the 1980s

THE NATIONAL COUNCIL OF TEACHERS OF MATHEMATICS

The National Council of Teachers of Mathematics recommends that -

1. problem solving be the focus of school mathematics in the 1980's;
2. basic skills in mathematics be defined to encompass more than computational facility;
3. mathematics programs take full advantage of the power of calculators and computers at all grade levels;
4. stringent standards of both effectiveness and efficiency be applied to the teaching of mathematics;
5. the success of mathematics programs and student learning be evaluated by a wider range of measures than conventional testing;
6. more mathematics study be required for all students and a flexible curriculum with a greater range of options be designed to accommodate the diverse needs of the student population;
7. mathematics teachers demand of themselves and their colleagues a high level of professionalism;
8. public support for mathematics instruction be raised to a level commensurate with the importance of mathematical understanding to individuals and society.