ABSTRACT
              In the nursing literature, many variables have been
used in research to identify students at risk, predict program
success, and to indicate the best time to identify at-risk students
and how to predict success on the Nursing Council Licensure Exam for
Registered Nurses (NCLEX-RN). In general, American College Testing
Program (ACT) scores predicted success better for associate degree
students than for baccalaureate students. Grade point average in
clinical nursing courses and the Mosby Assess Test appeared to be
good predictors of success on NCLEX-RN for baccalaureate students. No
formal research was found using the Nelson-Denny reading exam as a
predictor of baccalaureate nursing success. Other than the verbal
scores of the Scholastic Aptitude Tests and the ACT, none of the
research used reading comprehension ability or nursing vocabulary as
variables in either identifying at-risk students or predicting
NCLEX-RN success. Most studies agreed that pre-admission criteria are
useful for admission decisions and upholding admission standards but
should not be used to prevent at-risk students from having a chance
of being admitted. There is a consensus that at-risk students should
be identified early and given assistance, but the exact type of
assistance and who the provider should be have not been determined.
Very little information was found regarding specific strategies to
improve the success of at-risk nursing students other than
test-taking strategies, relaxation techniques, and NCLEX-RN review.
(KM)

"WHAT RESEARCH SAYS ABOUT THE EFFECT OF
ACADEMIC ENRICHMENT ON THE SUCCESS RATE
OF BACCALAUREATE STUDENTS"

BY ARLEEN FEARING

ERIC
Full Text Provided by ERIC

Review of the Literature

Over the years nursing education programs have had high
student attrition rates. Baccalaureate nursing programs in
four year colleges have had higher student attrition rates
than the associate degree and diploma programs. In the
early 1970's the literature focused on the topic of
decreasing student attrition rates in collegiate nursing
programs. It was not until the late 1970's and early 1980's
that academic achievement variables, identification of high
risk students, admission policies, evaluation methods and
prediction of success of nursing students appeared
abundantly in the nursing literature. From the mid to late
1980's there have been numerous studies published using many
variables to predict student success on the Nursing Council
Licensure Exam for Registered Nurses (NCLEX-RN). However,
there were few studies relating in particular to strategies,
teaching methods or specific student support courses to
specifically facilitate student success in nursing programs
especially in reference to academically disadvantaged
students. Many variables have been used in studies to
predict student completion of the nursing program such as
ACT scores, high school rank, high school grade point
average, college grade point average and grade point average
of the science courses. Similar variables including a
variety of standardized examinations have been used to
predict success on the NCLEX-RN. No research studies were

found in the nursing literature using the Nelson-Denny
reading exam, reading comprehensive or study skills
examinations to predict student success on the NCLEX-RN.

Sisca and Kerr (1984) stated statistics of that time
pertaining to pass rates on the state board examination and
proposed that improving study habits, test-taking techniques
and stress reduction would assist students to pass the state
board nursing examination. The emphasis for this article
was on assisting the foreign graduate to pass the board exam
in the United States. Although the techniques mentioned may
be helpful to anyone taking the board exam, no studies had
been done and no statistics were given to demonstrate the
effectiveness of these methods as success factors.

An article by Beeker (1985) described a method for assisting
learning disabled students to complete a college nursing
program and pass the NCLEX-RN. A battery of tests was used
to diagnose the students' learning disability. Then using
the students' learning style preference, individualized
study strategies were adapted to meet the students' needs.
No statistics or research designs were used in the article.

A research study completed by Oliver (1985) used an ex post
facto design to see if there was a relationship between
admission criteria and the success of associate degree
nursing students. A significant relationship was found

between student achievement and previous science and/or
English courses taken.

Yocom and Scherubel (1985) used a population of
baccalaureate nursing students in their study and their
results supported earlier studies in that state board exam
success can be predicted by clinical nursing course grade
point average. This conclusion was also supported by Glick,
McClelland and Yang (1986) in which NCLEX-RN prediction
correlated with baccalaureate students' grades received in
the clinical nursing courses. This study reported that
there was a high negative correlation with the ACT score and
the ACT math score.

In contrast Felts (1986) studied associate degree nursing
students and reported that the ACT score was a predictor of
student success in the nursing courses. On the college
level grade point average and microbiology grade were
predictors of success and performance in college courses
also predicted the status of NCLEX-RN results. Boyle (1986)
reported that for minority baccalaureate students the ACT
score best predicted state board exam performance.

Whitley and Chadwick (1986) looked at the integrated
curriculum in a baccalaureate program and found that an
integrated curriculum prepared the above average learner for

the NCLEX-RN but it was inadequate in preparing the average and below average students.

The studies of Quick, Krupa and Whitley (1985) and Yang, Glick, and McClelland (1987) supported the facts that students' GPA in nursing courses did predict baccalaureate student success on NCLEX-RN. In fact Quick, Krupa and Whitley (1985) stated that NCLEX-RN success can be predicted with the GPA at the end of the freshmen year. The verbal portion of the SAT and the anatomy and physiology grades were also found to be related to NCLEX-RN success. In this study the chemistry lab grade and biochemistry theory grade were inversely related to NCLEX-RN success. Yang, Glick and McClelland also substantiates that baccalaureate nursing success and NCLEX-RN success can be predicted by admission criteria data including high school rank, ACT scores and grade point average for chemistry, biology, sociology and pre-nursing grades. Both authors alluded to identifying the students at risk and correcting their problems prior to taking the NCLEX-RN but no suggestions were given as to how or by what methods faculty members would use to accomplish this task.

Brown (1987) did use an experimental group design and provided weekly discussion sessions for the experimental group of nursing students who were at risk juniors. The group sessions consisted of peer discussions and

interactions pertaining to the nursing courses and study
skills. Relaxation techniques were also provided in the
sessions. As a result NCLEX·RN mean scores for the group
receiving the treatment were the same as the rest of the
class. The control group mean scores on the NCLEX-RN were
lower than the rest of the class.

The Watson-Glaser Critical Thinking Appraisal was used to
predict baccalaureate student success in two different
studies in 1987. Bauwens and Gerhard (1987) found that
critical thinking assessment might predict NCLEX-RN success
where Gross, Takazawa and Rose (1987) reported that NCLEX-RN
scores were not predicted by critical thinking scores. Both
studies however, did find that critical thinking scores were
useful as admission criteria predictors.

Quick, Krupa and Whitley (1987) suggested that students can
be identified as at risk at the end of the freshman year and
suggested further research be done using the Mosby Assess
Test in predicting NCLEX-RN success. Jenks (1988)
identified the end of senior year as to predicting NCLEX-RN
success. The Mosby Assess Test correlated strongly with the
NCLEX-RN. As with several researchers mentioned previously,
Glick (1986), Whitley and Chadwick (1986) and Yocom and
Scherubel (1985), Jenks, Selekman, Bross and Paquet (1988)
also found that clinical nursing course grades correlated
with the NCLEX-RN. Pre-admission criteria did not correlate

with success on the NCLEX-RN. In this study Jenks (1988) suggested future research to establish needed interventions that would improve the performance of students identified as at risk. McKinney, Small, O'Dell and Coonrod (1988) reported that the Mosby Assess Test scores, SAT-V, GPA and NTGPA could be used as success predictors on the NCLEX-RN for this group of baccalaureate students. This study also suggested that students needing extra assistance can be identified at the end of the freshman year which supports the time frame of Quick, Krupa and Whitley (1985) in identifying at risk students.

In addition to pre-nursing GPA and prerequisite GPA Allen, Higgs and Holloway (1988) reported that preadmission demographic data did not relate to students' success. Other interesting findings in this study were that experience as a nurse's aide or LPN, time spent working and experience in upper-division college courses did not affect success in the nursing program.

Burris (1987) described a student support program using reading comprehension to identify educationally disadvantaged nursing students and training faculty to tutor the at risk students. Tutoring sessions focused on reading comprehension, nursing vocabulary and study skills. This was a pilot study and general evaluation information for the one-year trial was included.

Hughes (1988) described the nursing resource center approach to providing services for nursing students at risk and a program to prepare students for taking the NCLEX-RN. Services that were provided for at risk students were counseling, tutoring, referrals and media services. For seniors prior to taking NCLEX-RN the Mosby Assess Test was used to diagnose areas most needed for review then study plans were used for nursing review as well as test taking and relaxation techniques. This was a descriptive study and no statistics were available other than feedback type of evaluations.

In an article by Mitchell, (1988) Alverno College is used as a present day example of nontraditional education. Mitchell suggests in order to decrease the attrition rates in nursing education and to serve today's nontraditional students nursing education should develop different educational models.

Rosenfeld (1988) while reporting net retention rates of nursing education programs in her article stated that nursing students appear to be having more difficulty with nursing. Academic as well as emotional support is needed in order for students to be successful in nursing education.

Summary

From the nursing literature many variables have been used in
research studies to identify students at risk, predict
program success, indicate the best time to identify at risk
students and how to predict success on the NCLEX-RN. One
study predicted NCLEX-RN success at 83% and another at a 91%
rate.

There were differing results regarding ACT scores in
predicting success but in general ACT scores predicted
success better for associate degree students than for
baccalaureate students. GPA in clinical nursing courses and
the Mosby Assess Test appeared to be good predictors of
success on NCLEX-RN for baccalaureate students.

Two studies alluded to the importance of identifying at risk
nursing students early in the program and providing
assistance for success but offered no suggestions for
interventions to be used. Two other studies did suggest
possible interventions for at risk students. One was a
weekly group session format and one was providing services
through a nursing resource center.

No formal research studies were found in the literature
using the Nelson-Denny reading exam as a predictor of
baccalaureate nursing success. Other than the SAT-verbal

and ACT-verbal scores none of the research studies used
reading comprehension ability or nursing vocabulary as
variables in either identification of the at risk student or
predicting NCLEX-RN success.

Very little information was found in the nursing literature
regarding specific strategies that will effectively improve
the success of at risk nursing students other than test
taking strategies, relaxation techniques and NCLEX-RN
review.

Most studies agreed that pre-admission criteria are useful
for admission decisions and upholding admission standards
but should not be used to prevent at risk students from
having a chance at being admitted. There is a consensus in
nursing education that at risk students should be identified
early in the program and should be given assistance but the
exact type of assistance and who should be able to give the
specific assistance has not been determined. Most nursing
faculty have not had training or formal education in
planning and implementing remediation activities or training
in teaching the various study skills. One article did
mention training nursing faculty members to diagnose at risk
students' reading and study skills problems and provide the
appropriate tutoring for a pilot study. From the
information given that study was successful. (Burris,
1987).

12

Now that there are many studies available regarding
identifying the at risk student and predicting success on
the NCLEX-RN, research is needed to determine the most
effective and cost efficient methods of providing assistance
to at risk students. In so doing attrition should drop and
an increase of qualified nurses should enter the nursing
profession to serve society in providing health care.

References

Allen, C., Higgs, Z., and Holloway, J. (1988). Identifying
     students at risk for academic difficulty. Journal of
     Professional Nursing, 4(2), 113-118.

Bauwens, E., and Gernard, G. (1987). The use of the Watson-
     Glaser Critical Thinking Appraisal to predict success
     in a baccalaureate nursing program. Journal of
     Nursing Education, 26(7), 278-281.

Beeker, B. (1985). Helping students succeed despite
     learning disabilities. Nursing and Health Care, (12),
     559-561.

Boyle, K. (1986). Predicting the success of minority
     students in a baccalaureate nursing program. Journal
     of Nursing Education, 25(5), 186-192.

Brown, M. (1987). The effects of a support group on
     student attrition due to academic failure. Journal of
     Nursing Education, 26(8), 324-327.

Burr's, B. (1987). Reaching educationally disadvantaged
     students. American Journal of Nursing, 87(10), 1359-
     60.

Felts, J. (1986). Performance predictors for nursing
     courses and NCLEX-RN. Journal of Nursing Education,
     25(9), 372-377.

Glick, O., McClelland, E., and Yang, J. (1986). NCLEX-RN:
     Predicting the performance of graduates of an
     integrated baccalaureate nursing program. Journal of
     Professional Nursing, (2), 98-103.

Gross, Y., Takazaiva, E., and Rose, C. (1987). Critical
     thinking and nursing education. Journal of Nursing
     Education, 26(8), 317-323.

Hughes, R. (1988). The nursing resource center:
     Facilitating academic success. Journal of
     Professional Nursing, 4(4), 289-293.

Jenks, J., Selekman, J., Bross, T., and Paquet, M. (1989).
     Success in NCLEX-RN: Identifying predictors and
     optimal timing for intervention. Journal of Nursing
     Education, 28(3), 112-118.

McKinney, J., Small, S., O'Dell, N., and Coonrod, B. (1988).
      Identification of predictors of success for the NCLEX
      and students at risk for NCLEX failure in a
      baccalaureate nursing program. Journal of
      Professional Nursing, 4, 55-59.

Mitchell, C. (1988). One view of the future:
      Nontraditional education as the norm. Nursing and
      Health Care, 9(4), 187-190.

Oliver, D. (1985). The relationship of selected admission
      criteria to the academic success of associate degree
      nursing students. Journal of Nursing Education,
      24(5), 197-205.

Quick, M., Krupa, K., and Whitley, T. (1985). Using
      admission data to predict success on the NCLEX-RN in
      an baccalaureate program. Journal of Professional
      Nursing, 1, 364-368.

Rosenfeld, P. (1988). Measuring student retention: A
      national analysis. Nursing and Health Care, 9(4),
      199-202.

Sisca, J., and Kerr, J. (1984). Passing the state board
      examination. Journal of Nursing Education, 23(8),
      358-361.

Walter, T., and Smith, D. (1986). Taking athletes across
      the academic finish line. Education Record, Winter,
      41-44.

Whitley, M., and Chadwick, P. (1986). Baccalaureate
      education and NCLEX: The causes of success. Journal
      of Nursing Education, 25(3), 94-101.

Yang, J., Glick, O., and McClelland, E. (1987). Academic
      correlates of baccalaureate performance on NCLEX-RN.
      Journal of Professional Nursing, September-October,
      298-306.

Yocom, C., and Scherubel, J. (1985). Selected pre-admission
      and academic correlates of success on state board
      examinations. Journal of Nursing Education, 24(6),
      244-249.