DOCUMENT RESUME

ED 382 652 TM 023 086

AUTHOR Mislevy, Robert J.; And Others

TITLE Resolving Mixtures of Strategies in Spatial

Visualization Tasks.

INSTITUTION Educational Testing Service, Princeton, N.J.;

Polytechnic South West, Plymouth (England).

SPONS AGENCY Office of Naval Research, Arlington, VA. Cognitive

and Neural Sciences Div.

REPORT NO ETS-RR-90-9-ONR

PUB DATE Jul 90

CONTRACT N00014-88-K-0304

NOTE 65p

PUB TYPE Reports - Evaluative/Feasibility (142)

EDRS PRICE MF01/PC03 Plus Postage.

DESCRIPTORS *Learning Strategies; Models; *Problem Solving;

*Spatial Ability; *Test Theory; *Visualization

IDENTIFIERS Mental Rotation; *Rule Application; Strategy

Choice

ABSTRACT

The models of standard test theory, having evolved under a trait-oriented psychology, do not reflect the knowledge structures and the problem-solving strategies now seen as central to understanding performance and learning. In some applications, however, key qualitative distinctions among persons as to structures and strategies can be expressed through mixtures of test theory models, drawing upon substantive theory to delineate the components of the mixture. This approach is illustrated with response latencies to spatial visualization tasks that can be solved by mental rotation or by a nonspatial rule-based strategy. It is assumed that a subject employs the same strategy on all tasks, but the possibility of extending the approach to strategy-switching is discussed. (Contains 21 references, 8 tables, and 6 figures.) (Author)



^{*} Reproductions supplied by EDRS are the best that can be made '
from the original document.

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

- This document has been reproduced as received from the person or organization originaling it.
- Minor changes have been made to improve reproduction quality
- Points of view or opinions stated in this docu-ment do not necessarily represent official OERI position or policy.

PERMISSION TO REPRODUCE THIS MATERIAL HAS BEEN GRANTED BY

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

RR-90-9-ONR

RESOLVING MIXTURES OF STRATEGIES IN SPATIAL VISUALIZATION TASKS

Robert J. Mislevy Marilyn S. Wingersky **Educational Testing Service**

Sidney H. Irvine Peter L. Dann Polytechnic South West Plymouth, England

> This research was sponsored in part by the Program Research Planning Committee Educational Testing Service; the Cognitive Science Program Cognitive and Neural Sciences Division Office of Naval Research, under Contract No. N00014-88-K-0304 Contract Authority Identification No. R&T 4421552; and the Polytechnic South West under a Research Agreement with the Army Personnel Research Establishment Ministry of Defence, England



Robert J. Mislevy, Principal Investigator

Educational Testing Service Princeton, New Jersey

July 1990

Reproduction in whole or in part is permitted for any purpose of the United States Government.

Approved for public release; distribution unlimited.

Unclassified SECURITY CLASSIFICATION OF THIS PAGE					
REPORT	PAGE		Form Approved OMB No. 0704-0188		
1a REPORT SECURITY CLASSIFICATION Unclassified		16 RESTRICTIVE MARKINGS			
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT			
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE		Approved for public release; distribution unlimited.			
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S)			
RR-90-9-ONR					
6a. NAME OF PERFORMING ORGANIZATION Educational Testing Service 6b. OFFICE SYMBOL (If applicable)		7a. NAME OF MONITORING ORGANIZATION Cognitive			
		Science Program, Office of Naval Research (Code 1142CS), 800 North Quincy Street			
6c. ADDRESS (City, State, and ZIP Code)	7b. ADDRESS (City, State, and ZIP Code)				
Princeton, NJ 08541	Arlington, VA 22217-5000				
8a. NAME OF FUNDING/SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-88-K-0304			
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS			
		PROGRAM ELEMENT NO. 61153N	NO.	TASK NO. RR04204-01 R&T4421552	
12. PERSONAL AUTHOR(S) Robert J. Mislevy, Marilyn S. Wingersky, Sidney H. Irvine, Peter L. Dann 13a. TYPE OF REPORT					
18. SUBJECT TERMS (Continue on reverse if necessary and identify by block FIELD GROUP SUB-GROUP EM algorithm, item-solving strategies, mental				identify by block number)	
FIELD GRO 'P SUB-GROUP	mixture model	mixture models, spatial visualization			
05 10					
The models of standard test theory, having evolved under a trait- oriented psychology, do not reflect the knowledge structures and the problem- solving strategies now seen as central to understanding performance and learning. In some applications, however, key qualitative distinctions among persons as to structures and strategies can be expressed through mixtures of test theory models, drawing upon substantive theory to delineate the components of the mixture. This approach is illustrated with response latencies to spatial visualization tasks that can be solved by mental rotation or by a nonspatial rule-based strategy. It is assumed that a subject employs the same strategy on all tasks, but the possibility of extending the approach to strategy-switching is discussed.					
20 DISTRIBUTION / AVAILABILITY OF ABSTRACT 21. ABSTRACT SECURITY CLASSIFICATION W UNCLASSIFIED / UNLIMITED SAME AS RPT DTIC USERS Unclassified					
22a NAME OF RESPONSIBLE INDIVIDUAL Dr. Charles E. Davis	PO INIC OSEKS		(Incluc's Area Code	e) 22c OFFICE SYMBOL ONR 1142CS	

DD Form 1473, JUN 86

Previous editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

S/N 0102-LF-014-6603

Unclassified



Resolving Mixtures of Strategies in Spatial Visualization Tasks

Robert J. Mislevy

Marilyn S. Wingersky

Educational Testing Service

Sidney H. Irvine

Peter L. Dann

Polytechnic South West

Plymouth, England

July 1990

The work of the first two authors was supported by the Program Research Planning Committee of Educational Testing Service and by Contract No. N00014-88-K-0304, R&T 4421552, from the Cognitive Science Program, Cognitive and Neural Sciences Division, Office of Naval Research. Polytechnic South West has a Research Agreement with the Army Personnel Research Establishment, Ministry of Defence, under which the data collection and the work of the latter two authors were carried out. We are grateful to Murray and Irit Aitkin for their counsel on mixture distributions, to Peter Pashla and Kentaro Yamamoto for their comments on an earlier draft, and to Officer Commanding, Army Personnel Selection Centre, Sutton Coldfield, for permission to collect and coordinate data from recruits in October, 1988.



Copyright (C) 1990, Educational Testing Service. All Rights Reserved

Resolving a Mixture of Strategies in Spatial Visualization Tasks

Abstract

The models of standard test theory, having evolved under a trait-oriented psychology, do not reflect the knowledge structures and the problem-solving strategies now seen as central to understanding performance and learning. In some applications, however, key qualitative distinctions among persons as to structures and strategies can be expressed through mixtures of test theory models, drawing upon substantive theory to delineate the components of the mixture. This approach is illustrated with response latencies to spatial visualization tasks that can be solved by mental rotation or by a nonspatial rule-based strategy. It is assumed that a subject employs the same strategy on all tasks, but the possibility of extending the approach to strategy-switching is discussed.

Key words: EM algorithm, item-solving strategies, mental rotation, mixture models, spatial visualization.

Introduction

Recent research in cognitive and educational psychology reveals the central role of strategies, mental models, and knowledge structures in learning and problem-solving. Clancy (1986) describes the shift in perspective to "describing mental processes, rather than quantifying performance with respect to stimulus variables." To this task, standard test theory, with its focus on overall level of proficiency, is ill suited.

Consider as an example a test in which different persons employ different solution strategies. By characterizing examinees simply in terms of their propensities to make correct responses, the models of standard test theory (item response theory [IRT] as well as classical test theory) cloud analyses in several ways: information about subjects' mental processes is obscured, relationships between tasks' features and difficulties are confounded with strategy choice, and comparisons of subjects in terms of overall proficiencies are equivocal.

Mislevy and Verhelst's (in press) mixture model approach to test theory can be employed to handle certain distinctions of this type, as when different subjects employ different solution strategies. The following assumptions are made:

- 1. Potential strategies can be delineated a priori.
- 2. An examinee uses the same strategy on all tasks.

- An examinee's responses are observed directly but strategy choice is not.
- 4. The responses of examinees following a given strategy conform to a response model of a known form, possibly characterized by unknown parameters.
- 5. For each strategy, psychological or substantive theory delineates relationships between the observable features and the difficulties of tasks.

The present paper illustrates this approach by modelling response latencies for spatial rotation tasks that can be solved by either a rotational or a rule-based strategy. Simplified versions of processing models from the visualization literature are the basis of inference about strategy usage. An empirical Bayesian approach provides maximum likelihood estimates of the "structural" parameters of the problem and, for each subject, posterior probabilities of membership in each strategy class and conditional estimates of proficiency under each.

The Data

The data were gathered with a computer administered test of what are typically called "mental rotation tasks." This area was selected by virtue of its long history of research in both psychometrics (e.g., Michael, Guilford, Fruchter, & Zimmerman, 1957; Thurstone, 1938) and cognitive psychology (e.g., Just Carpenter, 1985; Lohman, Pellegrino, Alderton, & Regian, 1987). Of particular interest is the finding that tasks of some tests

designed to measure spatial visualization abilities can be solved with nonspatial, analytic strategies (French, 1965; Kyllonen, Lohman, & Snow, 1984; Pellegrino, Mumaw, & Shute, 1985).

The tasks addressed in this paper concern a right-angled triangle whose vertical height was 150 units on a computer presentation screen, and whose horizontal side adjacent to the right angle was 80, 100, 120, or 140 units (see Figure 1). The model triangle was presented on the top half of the screen. Immediately below it was a second triangle whose sides were identical in size, but which had been rotated from the vertical by 40, 80, 120, or 160 degrees. This target was either an exact match to the original or a mirror-image, and the subject was instructed to indicate whether the two triangles were the same or different. Response latency and correctness were recorded. The stimulus set was constructed from the Cartesian product of four factors: side lengths (4), rotations (4), identical or mirrorimage (2), and hypotenuse of the model triangle left or right of the vertical (2), for 64 distinct stimuli in total. Because systematic differences are found routinely between patterns on rotations tasks whose correct answer is "same" compared to those for which the correct answer is "different" (e.g., Cooper & Podgorny, 1976), we address only the 32 stimuli in which the target triangle is identical to the model.

[Figure 1 about here]

Subjects were male recruits to the British Army, between 18 and 24 years of age, undergoing selection and allocation in the



Army Personnel Selection Centre. They were tested throughout by a single presenter during the week of October 17, 1988. They were assigned in groups of approximately 40 subjects by daily cohort of recruits to one of three experimental groups. All groups were presented two replications of the entire task set, but they received different instructions. Two groups started under the "standard testing condition" described below, and the third group was additionally shown a nonspatial rule-based strategy for solving the tasks. One of the two standard groups was given the rule-based strategy instruction before their second replication, but because only data from the first replication is addressed here, the two standard groups will not be distinguished.

The standard testing condition was derived from the customary way of demonstrating this class of rotational tasks to naive subjects. An overhead projector was used to display two cardboard right triangles vertically, as in Figure 1, creating solid black images on a white background. The bottom triangle was rotated to several positions to show that it could be "shuffled around on the page" to match the top one. It was physically lifted to show that it could be fitted exactly over the top one. By similar means, the mirror image of the top triangle was shown to be different from the top one, no matter how it was moved about in the plane. The same demonstration was given for both the hypotenuse-left and hypotenuse-right versions of the original stimulus. This introduction was devised to encourage the subjects to use a mental rotation strategy for problem solution, a strategy described by

Shepard and Meltzer (1971) as "isomorphic." Under this strategy, degree of rotation is a primary determiner of task difficulty, in terms of both response latency (Shepard & Meltzer, 1971) and accuracy (Tapley & Bryden, 1977).

The second experimental condition was devised to encourage the use of an "analytic" or "rule-based" strategy. Such strategies employ procedural learning rules rather than mental visualization to determine correct answers. Subjects were shown how to judge whether the target was identical or mirror-image of the model by attending to a specific feature of the triangle, namely the length of the side clockwise adjacent to the right angle. The triangles are different if one encounters the long side of one triangle but the short side of the other. It can be hypothesized that under this strategy, difficulty is nearly independent of the degree of rotation, but depends primarily on the saliency of the key feature; that is, the strategy should be more difficult to implement as the right triangle becomes more nearly isosceles.

The rule was derived by asking British Naval Engineering cadets at the Royal Naval Engineering College at Plymouth how they habitually solved such tasks. While some replied they knew just by looking at them (i.e., their strategies were not consciously available), others said they never rotated the objects themselves; they instead moved their gaze around the model from a fixed point on it, noting the presence or absence of some salient feature.

They then found the same starting point on the target and checked

for the presence or absence of the feature. If it was there, the target had to be the same as the model. If not, it had to be different.

Data from 244 subjects were initially made available for this study. The analyses reported here concern the 196 remaining after trimming those with the highest and the lowest 10-percent of within task-type variance, as pooled over the 16 rotation/side-length pairs, so as to leave the remaining 80-percent nearly homoscedastic with respect to this component of variation. Of these, 131 had not been instructed in the rule and 65 had. Note that the 2:1 ratio reflects equal trimming of noninstructed and instructed subjects.

Figures 2 and 3 plot median latencies to "same" tasks against coded angular displacement and side length, respectively.

Throughout the paper we work with natural logarithms of response times, standardized over all tasks and subjects. Figure 2 shows that average response latency tends to increase linearly with angular displacement, which is coded as -1.5, -.5, .5, and 1.5 along the x-axis. The plot symbols are coded side lengths, from shortest (most acute) to longest (most nearly isosceles) as -2.25, -1.25, .75, and 2.75. Coding side length in these unequally spaced intervals produces the nearly linear relationship shown in Figure 3, where the x-axis gives coded side length and plot symbols give coded angular displacements. Table 1 gives three representative subjects' observed means, averaging over left- and right-hypotenuse tasks within rotation and side-length.

[Figures 2 and 3 about here] [Table 1 about here]

The Model

A mixture model for the data described above is laid out in two phases. First is the <u>response model</u>, which concerns the distribution of response latencies conditional on choice of strategy and proficiency in using that strategy. Second is the <u>population model</u>, which concerns the proportions of subjects that employ the various strategies and the distributions of proficiency within strategy classes. The generic model described below is for a mixture of K strategy groups; a single strategy can be modelled by setting K to one. After presenting the model, we give the results of fitting three single-strategy models and a mixture of two strategies.

The Response Model

Suppose that K potential strategies are available to solve tasks in a test, and each subject uses one strategy exclusively on all tasks. Each subject will be characterized by two vector-valued unobservable variables. The first is the indicator variable $\phi = (\phi_1, \ldots, \phi_K)$, where ϕ_k takes the value 1 if Strategy k is the one the subject uses, 0 if not. The second is $\theta = (\theta_1, \ldots, \theta_k)$, where θ_k is proficiency under Strategy k. Only one of the elements of θ plays a role in producing the data observed from a given subject, namely the one for which ϕ_k -1. Task j is characterized by the vector of difficulty parameters

 $\beta_j = (\beta_{j1}, \dots, \beta_{jK})$, where β_{jk} determines the difficulty of Task j for subjects who employ Strategy k.

We work with a log normal distribution for the response latency t_j of a subject to Task j, given that Strategy k is employed. Defining x_j as $\ln t_j$ and δ_k as a scale parameter of the log-normal density pertaining to Strategy k, the response model is given by

$$f(x_{j}|\phi,\theta,\beta_{j},\delta) - \prod_{k} f_{k}(x_{j}|\theta_{k},\beta_{jk},\delta_{k})^{\phi_{k}}, \qquad [1]$$

where

$$\mathbf{f}_{\mathbf{k}}(\mathbf{x}_{\mathbf{j}}|\boldsymbol{\theta}_{\mathbf{k}},\boldsymbol{\beta}_{\mathbf{j}\mathbf{k}},\boldsymbol{\delta}_{\mathbf{k}}) = \frac{1}{\sqrt{2\pi} \ \delta_{\mathbf{k}}} \exp \left\{ -\frac{1}{2\delta_{\mathbf{k}}^{2}} \left[\mathbf{x}_{\mathbf{j}} - (\boldsymbol{\theta}_{\mathbf{k}} - \boldsymbol{\beta}_{\mathbf{j}\mathbf{k}}) \right]^{2} \right\} . [2]$$

Thus [2] gives the density for log response time to Task j for a subject employing Strategy k, with proficiency θ_k under that strategy. The difference $(\theta_k \cdot \beta_{jk})$ is the mean and δ_k is the standard deviation. Note that lower values of θ signify faster expected response times (i.e., more proficiency on the part of the subject), while higher values imply slower response times. Lower values of β signify slower expected response times (greater difficulty on the part of the task), while higher values imply faster response times. The product over k that appears in [1] serves merely to select the f_k that applies, since ϕ_k is 1 in this case and 0 in all others. In the sequel $f_k(x_j|\theta_k,\beta_{jk},\delta_k)$ will be abbreviated at times as $f_k(x_j|\theta_k)$, suppressing the dependence on β_{jk} and δ_k .

Equations [1] and [2] posit individual differences among subjects as to strategy selection and speed-within-strategy. Individual differences corresponding to slopes might also be entertained, but to do so here increases complexity without adding insight into the inferential approach. We note in passing, however, that recent studies suggest that at least some of the slope differences among individuals found in standard analyses may be related to the use of different strategies (Carter, Pazak, & Kail, 1983; Just & Carpenter, 1985).

Psychological theory about what makes tasks easy or hard under various strategies appears in the form of models for the β_{jk} 's. Following Scheiblechner (1972) and Fischer (1973), let \underline{q}_{jk} be a known vector of coefficients expressing the extent to which Task j exhibits each of \underline{M}_k features that determine task difficulty under Strategy k; let $\underline{\alpha}_k$ be a parameter vector, also of length \underline{M}_k , that conveys the influence of those features. Assuming a linear relationship between task features and task difficulty,

$$\beta_{jk} - \sum_{m=1}^{M_k} q_{jkm} \alpha_{km} - \underline{q}'_{jk} \underline{\alpha}_{k}.$$
 [3]

For the rotational strategy, for example, angular displacement is a major determiner of difficulty. Tasks rotated to the four equally-spaced displacements will have q values for this feature coded as -1.5, -.5, .5, or 1.5. The corresponding element of α would indicate the incremental difficulty associated with an increase of one additional unit of angular displacement.



or a strategy under which side length is posited to contribute to difficulty, tasks will have q values of -2.25, -1.25, .75, or 2.75 that indicate the saliency of this key feature. The corresponding element of α would reflect the additional difficulty resulting from an additional increment toward being isosceles.

Task responses are assumed to be independent given $\underline{\alpha}$, $\underline{\theta}$ and $\underline{\phi}$. Letting $\underline{x}=(x_1,\ldots,x_n)$ be a vector of log latencies to n tasks,

$$P(\underset{\sim}{x}|\theta_k,\phi_k=1,\underset{\sim}{\alpha}_k,\delta_k) = \underset{j}{\pi} f_k(x_j|\theta_k) = f_k(\underset{\sim}{x}|\theta_k) \ ,$$

so that

$$P(\underbrace{x}|\underbrace{\theta}, \phi, \underline{\alpha}, \underline{\delta}) = \prod_{k} f_{k}(\underbrace{x}|\theta_{k})^{\phi_{k}}.$$
 [4]

The Population Model

Suppose that subjects are a representative sample from a population in which the proportion employing Strategy k is π_k , with $0<\pi_k<1$. Denote by π the vector (π_1,\dots,π_K) . Denote by $g_k(\theta_k)$ the density function of θ_k for members of Class k. We assume normal distributions (although other distributions or even nonparametric approximations could be used), so that $g_k(\theta_k|\mu_k,\sigma_k)$ has the form

$$\mathsf{g}_{\mathsf{k}}(\theta_{\mathsf{k}}|\mu_{\mathsf{k}},\sigma_{\mathsf{k}}) = \frac{1}{\sqrt{2\pi}} \exp\left\{-\frac{1}{2\sigma_{\mathsf{k}}^2} (\theta_{\mathsf{k}}-\mu_{\mathsf{k}})^2\right\}.$$

For brevity, denote the population distribution parameters by $\Gamma = (\gamma_1, \dots, \gamma_K) = (\mu_1, \sigma_1, \dots, \mu_K, \sigma_K)$.



Estimation

Equation [4] is the <u>conditional</u> probability of a response pattern \underline{x} , or the probability of observing \underline{x} from a subject having particular values of $\underline{\theta}$ and $\underline{\phi}$. Assuming the population model described above, the probability of observing \underline{x} from an examinee selected at random, or the <u>marginal</u> probability of \underline{x} , is given as

$$p(\underline{x}|\underline{\alpha},\underline{\delta},\underline{\pi},\underline{\Gamma}) \xrightarrow{\Sigma} \pi_{k} \int f_{k}(\underline{x}|\theta_{k},\underline{\alpha}_{k},\delta_{k}) g_{k}(\theta_{k}|\underline{\alpha}_{k}) d\theta_{k}. \quad [5]$$

Let $\underline{x} = (\underline{x}_1, \dots, \underline{x}_N)$ be the response matrix of a random sample of N subjects to n tasks. A realization of \underline{x} induces the marginal likelihood function for $\underline{\alpha}$, $\underline{\delta}$, $\underline{\pi}$, and $\underline{\Gamma}$ as the product over subjects of factors like [5]:

$$L(\underline{\alpha}, \underline{\delta}, \underline{\pi}, \underline{\Gamma} | \underline{x}) - \prod_{i=1}^{N} p(\underline{x}_{i} | \underline{\alpha}, \underline{\delta}, \underline{\pi}, \underline{\Gamma}) .$$
 [6]

We refer to α , δ , π , and Γ as the <u>structural</u> parameters of the problem. Their number remains constant as N increases. The <u>incidental</u> parameters $\underline{\theta}$ and $\underline{\phi}$, whose numbers increase in direct proportion to N, have been eliminated by marginalizing over their respective distributions. Marginal maximum likelihood (MML) estimation finds the values of the structural parameters that maximize [6], say $\hat{\alpha}$, $\hat{\delta}$, $\hat{\pi}$, and $\hat{\Gamma}$. The Appendix gives a numerical



solution for the present problem using Dempster, Laird, and Rubin's (1977) EM algorithm. The solution is for data in which strategy use is not known with certainty for any subject, as was the case in the present study. If strategy-use info mation is available for some subjects, however, as from follow-up interviews with a subsample, estimates of structural parameters can be improved--sometimes dramatically--by exploiting it (Titterington, Smith, & Makov, 1985, Section 4.2).

Once MML estimates of structural parameters have been obtained, one can obtain empirical Bayesian approximations of probabilities of class membership for any examinee, and estimates of θ_k conditional on membership in any class k. If the structural parameters were known with certainty, the posterior density for Subject i would be

$$p(\theta_k, \phi_k=1 | \underline{x}_i, \underline{\alpha}, \underline{\delta}, \underline{\pi}, \underline{\Gamma})$$

$$= \frac{\frac{\pi_{k} f_{k}(\underline{x}_{i} | \theta_{k}, \underline{\alpha}_{k}, \delta_{k}) g_{k}(\theta_{k} | \underline{\alpha}_{k})}{\sum_{h} \pi_{h} \int f_{h}(\underline{x}_{i} | \theta_{h}, \underline{\alpha}_{h}, \delta_{h}) g_{h}(\theta_{h} | \underline{\alpha}_{h}) d\theta_{h}} . \quad [7]$$

An empirical Bayes approximation substitutes MLEs for the structural parameters. The posterior probability that Subject i employed Strategy k, denoted \tilde{P}_{ik} , is approximated as

$$\tilde{P}_{ik} = P(\phi_k - 1 | \underline{x}_i) \approx \int P(\theta_k, \phi_k - 1 | \underline{x}_i, \hat{\alpha}, \hat{\delta}, \hat{\lambda}, \hat{x}, \hat{\Gamma}) d\theta_k .$$
 [8]

Conditional on membership in Class k, the posterior expectation and variance of $\boldsymbol{\theta}_k$ are approximated as



$$\tilde{\theta}_{ik} = E(\theta_k | \phi_{ik}^{-1}, \underline{x}_i) \approx \tilde{P}_{ik}^{-1} \int \theta_k p(\theta_k, \phi_k^{-1} | \underline{x}_i, \hat{\alpha}, \hat{\delta}, \hat{\chi}, \hat{\pi}, \hat{\Gamma}) d\theta_k$$
[9]

and

$$Var(\theta_{k}|\phi_{ik}=1,\underline{x}_{i}) \approx \frac{1}{P_{ik}^{-1}} \int \theta_{k}^{2} p(\theta_{k},\phi_{k}=1|\underline{x}_{i},\hat{\alpha},\hat{\delta},\hat{n},\hat{\gamma},\hat{\gamma}) d\theta_{k} - \tilde{\theta}_{ik}^{2}. \quad [10]$$

Single-Strategy Solutions

This section uses single-strategy solutions to illustrate Q matrices, obtain baseline likelihood statistics, calculate task-difficulty estimates wider different models, and give a feel for the data by looking more closely at the subjects introduced in Table 1. These solutions assume not only that a subject applies the same strategy on all tasks, but that all subjects are applying the same strategy. Three such solutions are considered:

- 1. Rule-based (difficulty depends on side length only),
- Mental rotation without side-length effects (difficulty depends on degree of rotation only), and
- Mental rotation with side-length effects (difficulty depends on both side length and degree of rotation).

Side-Length Only

Suppose that all subjects followed a rule-based strategy, under which difficulty is determined by side length alone. Under this scenario, the only systematic sources of variation in

response times are subjects' overall proficiencies and tasks' differing side lengths. Proficiency is denoted by the univariate variable θ , assumed to follow a normal distribution whose mean μ and standard deviation σ are to be estimated. Task difficulty is given as $\beta_j = q_{j1} \alpha_1$, where q_{j1} is the coied side-length of task j (-2.25, -1.25, .75, or 2.75), and α_1 is the change in difficulty associated with an additional increment in side length toward isosceles. Finally, δ is the standard deviation of log response time within task type and subject.

The first panel of Table 2 gives the MLEs of the structural parameters. The value of -2 log likelihood, or -2 ln Σ p(\mathbf{x}_1), also appears, which will be used to compare the fit of alternative models. The estimate of α_1 is -.124, which translates into expected increases in response latency as side length increases. The first panel of Table 3 gives the resulting β s, with higher values corresponding to faster response times and lower numbers corresponding to slower ones. The modelled standardized log latency of a particular subject on a particular task type under this model would be obtained by subtracting the task's β value from that subject's θ value—thereby maintaining for all subjects the pattern of increasing difficulty with increasing side length without effects of degree of rotation.

[Insert Tables 2 and 3 about here]

This pattern is illustrated with the subject whose observed means data appear in the second panel of Table 1. The Bayes estimate $\hat{\theta}$ is -.317, a measure of overall proficiency. Combining

 θ with the β s gives the modelled latencies in the second panel of Table 4. The third panel gives residuals, which indicate faster averages than expected in some cells, slower in others, but no systematic trend in average residuals in either the side-length or rotation margins. (The residuals do not sum to zero because the expectations were based on a Bayesian proficiency estimate, as opposed to, say, least-squares within subject.) Table 5 gives residuals for all three sample subjects. Note the strong trend related to rotation for the last subject.

[Insert Tables 4 and 5 about here]
Rotation Only

Even though the side-length model fits the data of subjects like the second fairly well, the familiar relationship between difficulty and degree of rotation appears in the residuals of subjects like the fifth. An alternative simple model has difficulty depend on rotation only, neglecting the possible impact of differences in side-length. Under this model, $\beta = q_{2j} \alpha_2$, where q_{2j} is the coded rotation of Task j (-1.5, -.5, .5, or 1.5) and α_2 is the impact on difficulty of an additional increment in rotation. The results of fitting this model appear in the second panel of Table 2. The MLE of α_2 is -.108, signalling increasing difficulty as the degree of rotation increases. The resulting β s are in the second panel of Table 3, showing patterns of expected difficulty that depend on rotation alone.

The value of -2 log likelihood is 14907.78. To compare the fit of alternative, possibly nonnested, models to the same data

set, Akaike (1985) calculates the index AIC ("an information criterion") for each model: -2 log likelihood plus twice the number of parameters estimated. The model with the smaller AIC is preferred. AIC for rotation-only is 14907.78 + 2×4 = 14915.78.

AIC for side-length only, which also has four parameters, is 14432.40--smaller by 483. The side-length only model fits better than the rotation only model.

Subject θ estimates in this model combine with the β s to give expected response latencies that maintain the same relative relationships seen in the β s, but vary as to overall speed. Subtracting such expectations calculated with θ s from the observed data gives the residuals shown in Table 6 for the sample subjects. The third subject's strong linear trend in residuals associated with rotation has been dampened considerably, but a reverse trend in the rotation margin has been introduced for the first two subjects. Note also the tendency toward a consistent ordering in the side-length residuals.

[Table 6 about here]

Rotation and Side-Length

A final single-strategy model incorporates main effects for both rotation and side-length: $\beta_j = q_{j1} \alpha_1 + q_{j2} \alpha_2$, where the qs and α s have the same meanings as in the preceding models. This incorporates a more elaborate scenario for mental rotation, allowing for latency to increase not only with degree of rotation, but with the difficulty of comparison after rotation is complete (Cooper & Podgorny, 1976). Parameter estimates and -2 log

likelihood appear in the third panel of Table 2. Because of the orthogonal experimental design, α s are identical to those of the previous single-feature models. AIC for this model is 14258.72, smaller than the side-length AIC by 173 and smaller than the rotation AIC by 661. The model incorporating both task features thus fits better than both models with a single feature only, even accounting for the additional parameters being estimated. The resulting β s appear in the third panel of Table 3.

The residuals for the sample subjects are in Table 7.

Because of the orthogonal design, the rotation margins of the residual tables under this model match the corresponding margins under the rotation only model, and the side-length margins match those from the side-length only model.

[Table 7 about here]

A Two-Strategy Solution

This model posits a mixture of two types of subjects: those employing the rule-based strategy, whose response patterns can be largely captured with the side-length only model, and those employing mental rotation, whose responses depend on both side-length and degree of rotation. There are ten parameters to estimate in this model: the relative proportion of strategy use in the sample; a mean, standard deviation, and within task-type standard deviation for each strategy; an α for side-length for the rule-based strategy component; and two α s, one for side-length and one for rotation, for the rotation strategy component. The

estimates appear in the final panel of Table 2. AIC improves over the rotation and side-length single-strategy model by 72.

Two distinct sets of β s result in this model, one for each strategy. These appear in the last two panels of Table 3. The side-only component, like the side-length only single strategy panel, shows only a side-length effect. Interestingly, it is smaller than the corresponding effect in the side-length single-strategy model. The "side-length and rotation" component shows both effects. Compared to the corresponding single strategy solutions, both the side-length and the rotational effects are stronger. The interpretation would be that decreasing the distinctness of the salient feature of the stimulus hampers subjects employing rotation more than those employing the rule.

The point of mixture modelling is that we do not know with certainty which subjects are employing which strategy. One of the structural parameters is the proportion using each; MLEs are 57-percent for the rule-based strategy and 43-percent for the rotational strategy. These values can be expressed as the averages of subjects' posterior probabilities of being in one strategy group or the other (Equation 8). The histograms in Figure 4 show subjects' posterior probabilities for the rule-based strategy. Most have probabilities below .2 or above .8, indicating fairly good separation of the components of the mixture. To put this in the context of the statistical literature on mixtures (e.g., Titterington et al., 1985), Figure 5 gives the histogram of a closely matching "mixture of homoscedastic Gaussian

components" problem. The mixing probability is .55 and the distance between the means of the components is 2.2 standard deviations. The information about the mixing proportion is about half what it would be if component membership were observable (Hill, 1963). Figure 6 breaks the information from Figure 4 down by whether subjects were shown the rule. The proportion of instructed subjects whose responses are strongly allied with the rule-based strategy is substantially higher--nearly half, as compared to just a fourth of those not instructed.

[Insert Figures 4-6 about here]

Table 8 gives posterior probabilities and residuals for the sample subjects. As suggested by patterns of residuals from the single strategy models, the posterior probabilities of Subjects 1 and 2 are concentrated on Strategy 1, the rule-based strategy (Ps of .98 and .70), and that of Subject 3 is concentrated on the rotational strategy (P nearly 1.00). The main factor that determines strategy assignment is the presence of a linear trend related to rotation. Of secondary importance is the strength of the trend related to side length, with stronger trend being associated with the rotational strategy. The high probability of the rule-based strategy for Subject 1 is a consequence of both a lack of trend for rotation and a weak trend for side length in the observed data (see Table 1).

For a decision-making problem that depends on identifying a subject's strategy use, the strategy with the higher posterior probability is the choice. For a problem that depends on



predicting future performance, the optimal prediction is a mixture. For Subject 2, for example, predictions would be calculated under both strategies, using the task parameters and his posterior θ distribution within each; these distinct predictions would be averaged with weights of .70 for the rule-based strategy and .30 for the rotational one. The predictions for the residuals in Table 8 were calculated in this manner, using conditional within-strategy posterior means for θ s.

[Insert Table 8 about here]

Discussion

This presentation was meant to demonstrate how a mixturemodel approach can be incorporated into test theory to deal with
different problem solving approaches. We readily concede that the
psychological model for the visualization tasks is overly
simplistic. There are some ways it could be made more realistic
while preserving the assumption that a subject maintains the same
strategy throughout observation. These include modelling
subprocesses, relaxing distributional assumptions, or
incorporating individual difference terms for residual variances
or sensitivity to rotational angles. But more substantial steps
toward reality lie beyond this framework.

It must first be admitted that the two strategies discussed here do not exhaust the variety of approaches that subjects bring to bear upon such tasks. They may be viewed as archetypes, one or the other of which may be sufficiently close to a given subject's data to provide a serviceable guide to selection or instruction.

In applied work, analyses of subjects' fit and patterns of residuals will be important to flag patterns that are not modelled, either for special consideration if they are few in number, or for incorporation into the model if they are recurrent.

Perhaps more importantly, we must consider the possibility of strategy switching, or the violation of the assumption that a subject follows the same strategy on all tasks. This assumption may be reasonable if strategy is defined through knowledge structures, so that response patterns associated with advanced structures are not accessible to learners in earlier stages. An example of this type is Siegler's analysis (1981) balance beam tasks, where competence is increased by adding rules to a repertoire in a largely predictable order. It may also be reasonable if strategies associated with alternative mental models of a domain are unlikely to coexist in a given subject.

The same assumption is less reasonable in a domain where alternative strategies are available to the same subject, so that the conditions and the frequency of strategy switching become additional sources of individual difference. Kyllonen, Lohman, and Snow (1984) note increasing use of non-spatial strategies as mental rotation tasks become more difficult. A more appropriate model in this case would characterize mixtures within subjects; not just that a subject followed Strategy A or Strategy B, but that she used Strategy A on 30-percent of the tasks and Strategy B on 70-percent--and that the characteristics of tasks that were relevant to her strategy choice were such-and-such. Given the

vicissitudes of even the straight mixture model, it is clear that modelling mixtures within subjects will require richer information than the familiar correctness or response times, perhaps in the form of response protocols, intermediate products, or physical measures such as eye movement (as in Just & Carpenter, 1976).

It would appear that mixture models of the type illustrated here have most promise in contexts where the qualitative distinctions among persons are relatively few in number, stable during the period of observation, and distinguishable in terms of their implications for observable behavior. We have demonstrated by example that the calculations in this case are tractable and the mixtures can be resolved satisfactorily. Future work will focus on a more general computational scheme and a broader variety of more educationally relevant applications.

References

- Akaike, H. (1985). Prediction and entropy. In A.C. Atkinson & S.E. Fienberg (Eds.), <u>A celebration of statistics</u>. New York: Springer-Verlag.
- Carter, P., Pazak, B., & Kail, R. (1983). Algorithms for processing spatial information. <u>Journal of Experimental</u>

 <u>Child Psychology</u>, <u>36</u>, 284-304.
- Clancy, W.J. (1986). Qualitative student models. <u>Annual Review</u>
 of Computer Science, 1, 381-450.
- Cooper, L.A., & Podgorny, P. (1976). Mental transformations and visual comparison processes: Effects of complexity and similarity. <u>Journal of Experimental Psychology: Human Perception and Performance</u>, 2, 503-514.
- Dempster, A.P., Laird, N.M., & Rubin, D.B. (1977) Maximum
 likelihood from incomplete data via the EM algorithm.

 Journal of the Royal Statistical Society (Series B), 39, 1-38.
- Fischer, G.H. (1973). The linear logistic test model as an instrument in educational research. Acta Psychologica, 36, 359-374.
- French, J.W. (1965). The relationship of problem-solving styles to the factor composition of tests. Educational and Psychological Measurement, 25, 9-28.
- Hill, B.M. (1963). Information for estimating the proportions in mixtures of exponential and normal distributions. <u>Journal of</u> the <u>American Statistical Association</u>, <u>58</u>, 918-932.



- Just, M.A., & Carpenter, P.A. (1976). Eye fixations and cognitive processes. Cognitive Psychology, 8, 441-480.
- Just, M.A., & Carpenter, P.A. (1985). Cognitive coordinate systems: Accounts of mental rotation and individual differences in spatial ability. Psychological Review, 92, 137-171.
- Kyllonen, P.C., Lohman, D.F., & Snow, R.E. (1984). Effects of aptitudes, strategy training, and test facets on spatial task performance. <u>Journal of Educational Psychology</u>, <u>76</u>, 130-145.
- Lohman, D.F., Pellegrino, J.W., Alderton, D.L., & Regian, J.W.

 (1987). Dimensions and components of individual differences
 in spatial abilities. In S.H. Irvine & S.E. Newstead (Eds.),

 Intelligence and cognition: Contemporary frames of reference.

 Dordrecht, The Netherlands: Nijhoff.
- Michael, W.B., Guilford, J.P., Fruchter, B, & Zimmerman, W.S.

 (1957). The description of spatial-visualization abilities.

 <u>Educational and Psychological Measurement</u>, 17, 185-199.
- Mislevy, R.J., & Verhelst, N. (In press). Modeling item responses when different subjects employ different solution strategies.

 Psychometrika.
- Pellegrino, J.W., Mumaw, R.J., & Shute, V.J. (1985). Analysis of spatial aptitude and expertise. In S.E. Embretsen (Ed.),

 Test design: Developments in Psychology and Psychometrics.

 Orlando: Academic Press.
- Scheiblechner, H. (1972). Das lernen und losen komplexer

- denkaufgaben. Zeitschrift fur Experimentelle und Angewandte Psychologie, 19, 476-506.
- Shepard, R.N., & Meltzer, J. (1971). Mental rotation of three-dimensional objects. <u>Science</u>, <u>171</u>, 701-703.
- Siegler, R.S. (1981). Developmental sequences within and between concepts. Monograph of the Society for Research in child <u>Development</u>, <u>Serial No. 189</u>, <u>46</u>.
- Tapley, S.M., & Bryden, M.P. (1977). An investigation of sex differences in spatial ability: Mental rotation of three-dimensional objects. <u>Canadian Journal of Psychology</u>, <u>31</u>, 122-130.
- Thurstone, L.L. (1938). <u>Primary mental abilities</u>. Chicago:
 University of Chicago Press.
- Titterington, D.M., Smith, A.F.M., & Makov, U.E. (1985).

 Statistical analysis of finite mixture distributions.

 Chichester: Wiley.

Appendix: Estimating Structural Parameters via the EM Algorithm

Equation [5] is an "incomplete data" density function of the form addressed by Dempster, Laird, and Rubin (1977) in "Maximum likelihood from incomplete data via the EM algorithm." Estimating the structural parameters would be straightforward if values of the latent variables $\underline{\theta}$ and $\underline{\phi}$ could be observed from each subject along with his or her response vector x; this would be a "complete data" problem. The EM algorithm maximizes the incomplete-data likelihood [6] iteratively. The E-step, or expectation step, of each cycle, calculates the expectations of the summary statistics that the complete-data problem would require, conditional on the observed data and provisional estimates of the structural parameters. The M-step, or maximization step, solves what looks like a complete-data maximum likelihood problem using the conditional expectations of summary statistics. The resulting maxima for the structural parameters are improved estimates of the incomplete-data solution, and serve as input to the next E-step.

We employ the variation of the EM algorithm suggested by Mislevy and Verhelst (in press) to estimate the parameters of mixtures of psychometric models. The integration that appears in [5] is approximated by summation over a fixed grid of points. The E-step calculates, for each examinee, conditional probabilities of belonging to each component of the mixture (i.e., strategy class) and, conditional on component membership, the probabilities that θ takes various grid-point values. The grid points play the role of weighted pseudo-data points in the M-step. Numerical integration



could be avoided in the special case considered above, but the approach described below also applies with alternative response models and distributional forms.

Solving the "Complete Data" Problem

This section gives the ML solution for α , δ , π , and Γ that would obtain if values of θ and ϕ were observed for each subject along with κ . Among the κ sampled subjects from Strategy Class κ , some number κ distinct values of θ would be observed, say κ for ℓ -1,..., κ . Define the following statistics:

- o $I_{ik\ell}$, an indicator variable that takes the value 1 if Subject i is in Strategy Class k and has proficiency $\theta_{k\ell}$.
- o N_k , the number of examinees observed to be in Class k:

$$N_{k} - \sum_{i} \phi_{ik} - \sum_{i} \sum_{\ell} I_{ik\ell} . \qquad [A1]$$

o $N_{k,\ell}$, the number of examinees in Class k with $\theta = \theta_{k,\ell}$:

$$N_{k\ell} = \sum_{i} I_{ik\ell} . \qquad [A2]$$

o \hat{x}_{jk} , the mean of θ -centered log latencies for Task j from subjects in Class k:

$$\bar{x}_{jk} - N_k^{-1} \sum_{i} \sum_{\ell} (x_{ij} - \theta_{k\ell}) I_{ik\ell}.$$
 [A3]

o s_{jk}^2 , the average square of heta-centered log latencies for Task j from subjects in Class k:

$$s_{jk}^{2} - N_{k}^{-1} \sum_{i} \sum_{\ell} (x_{ij} - \theta_{k\ell})^{2} I_{ik\ell} .$$
 [A4]

The complete data likelihood for α , δ , π , and Γ that would be induced by the observation of x, θ , and ϕ can be written as

$$L^{\star}(\underline{\alpha},\underline{\delta},\underline{\pi},\underline{\Gamma}|\underline{x},\underline{\theta},\underline{\phi}) =$$

whence the complete data log likelihood

$$\ell^{\star}(\underline{\alpha}, \underline{\delta}, \underline{\pi}, \underline{\Gamma} | \underline{x}, \underline{\theta}, \underline{\phi}) = \sum_{k} N_{k} \log \pi_{k} \sum_{\ell} N_{k\ell} \log g_{k}(\theta_{k\ell} | \mu_{k}, \sigma_{k})$$

ML estimation for the complete data problem proceeds by solving the likelihood equations, which are obtained by setting to zero the first derivatives of [A5] with respect to each element of $(\underline{\alpha}, \underline{\delta}, \underline{\pi}, \underline{\Gamma})$. That is, for a generic element u of $(\underline{\alpha}, \underline{\delta}, \underline{\pi}, \underline{\Gamma})$,

$$0 = \frac{\partial \ell^{*}(\underline{\alpha}, \underline{\delta}, \underline{\pi}, \underline{\Gamma}|\underline{x}, \underline{\theta}, \underline{\phi})}{\partial u} .$$
 [A6]

For elements of π , one must impose the constraint that $\Sigma \pi_k = 1$, say with a Lagrangian multiplier. One obtains a closed form solution for the proportion of subjects in each strategy class:

$$\hat{\pi}_{k} - N_{k}/N . \qquad [A7]$$

For elements of the population parameter vector $\underline{\Gamma}$, the ML estimates in the normal case are, for k=1,...,K,

$$\hat{\mu}_{\mathbf{k}} - N_{\mathbf{k}}^{-1} \sum_{\ell} \Theta_{\mathbf{k}\ell} N_{\mathbf{k}\ell}$$
 [A8]

and

$$\hat{\sigma}_{\mathbf{k}}^{2} = N_{\mathbf{k}}^{-1} \sum_{\ell} (\Theta_{\mathbf{k}\ell} - \hat{\mu}_{\mathbf{k}})^{2} N_{\mathbf{k}\ell} .$$
 [A9]

For the parameters of the task response model,

$$\hat{\underline{\alpha}}_{k} = -(\underline{Q}_{k}\underline{Q}_{k}')^{-1} \underline{Q}_{k}\hat{\underline{x}}_{k}, \qquad [A10]$$

where $\underline{Q}_k = [\underline{q}_{1k} \ \dots \ \underline{q}_{nk}]$ and $\underline{\bar{x}}_k = (\bar{x}_{1k}, \dots, \bar{x}_{nk})$, and

$$\hat{\delta}_{k}^{2} = n^{-1} \sum_{j} \left[s_{jk}^{2} + 2 \hat{\beta}_{jk} \bar{x}_{jk} + \hat{\beta}_{jk}^{2} \right].$$
 [A11]

Solving the "Incomplete Data" Problem

The likelihood equations in the incomplete-data problem, in which $\underline{\theta}$ and $\underline{\phi}$ are <u>not</u> observed, are the first derivatives of the



log of the <u>marginal</u> likelihood function, [6], set to zero. Under mild regularity conditions, these take the form of a data-weighted average of the complete-data likelihood equations shown as [A6]. Letting $\ell(\alpha, \delta, \pi, \Gamma | x) = \ell n \ L(\alpha, \delta, \pi, \Gamma | x)$, the incomplete-data likelihood equation for a generic element u of $(\alpha, \delta, \pi, \Gamma)$ is

$$0 = \frac{\partial \ell(\alpha, \delta, \pi, \Gamma | X)}{\partial u}$$

$$0 = \sum_{\mathbf{k}} \int \frac{\partial \ell^{*}(\underline{\alpha}, \underline{\delta}, \underline{\pi}, \underline{\Gamma} | \underline{x}, \underline{\theta}, \phi_{\mathbf{k}} = 1)}{\partial \mathbf{u}} \quad p(\underline{\theta}, \phi_{\mathbf{k}} = 1 | \underline{x}) \quad d\underline{\theta} \quad , \quad [A12]$$

where

$$p(\underline{\theta}, \underline{\phi} | \underline{x}) = \prod_{i} \frac{p(\underline{x}_{i} | \underline{\theta}_{i}, \underline{\phi}_{i}, \underline{\alpha}, \underline{\delta}, \underline{\pi}, \underline{\Gamma})}{p(\underline{x}_{i} | \underline{\alpha}, \underline{\delta}, \underline{\pi}, \underline{\Gamma})} .$$
 [A13]

It is seen in [5] that evaluating the denominator of [A13] involves integration over the $N(\mu_k, \sigma_k)$ distributions. We approximated these integrals via Gaussian quadrature. Tabled values are obtained for L points $\theta_1, \dots, \theta_L$, with associated weights W_1, \dots, W_L . (We used L=80, ranging from -3 to +3). Calculation proceeds as though these were the only possible values for θ ; $I_{ik\ell}$ indicates whether Subject i used Strategy k and had proficiency θ_ℓ .

In the incomplete-data problem, neither the values of $extstyle{ heta}_i$ nor $extstyle{\phi}_i$ are known, so neither are the I values used to calculate

summary statistics. If the values of the structural parameters Γ , $\underline{\pi}$, $\underline{\delta}$, and $\underline{\alpha}$ were known, however, it would be possible to calculate the expected values of the $I_{ik\ell}$ s given \underline{x}_i s as follows:

$$\mathbf{I}_{\mathbf{i}\mathbf{k}\boldsymbol{\ell}} - \mathbf{E}(\mathbf{I}_{\mathbf{i}\mathbf{k}\boldsymbol{\ell}}|\mathbf{x}_{\mathbf{i}},\underline{\alpha},\underline{\delta},\underline{\pi},\underline{\Gamma})$$

$$= \frac{\pi_{k} \, \mathbb{V}_{\ell} \, f_{k}(\mathbf{x}_{i} | \boldsymbol{\theta}_{\ell}, \mathbf{x}_{k}, \boldsymbol{\delta}_{k}) \, g_{k}(\boldsymbol{\theta}_{\ell} | \boldsymbol{\gamma}_{k})}{\sum_{h} \pi_{h} \, \sum_{r} \, \mathbb{V}_{r} \, f_{h}(\mathbf{x}_{i} | \boldsymbol{\theta}_{r}, \mathbf{x}_{h}, \boldsymbol{\delta}_{h}) \, g_{h}(\boldsymbol{\theta}_{\ell} | \boldsymbol{\gamma}_{h})} . \tag{A14}$$

In the E-step of the EM algorithm, one evaluates [Al4] for each i, k, and ℓ using provisional estimates of α , δ , π , and Γ . One then obtains expectations of the summary statistics defined in [Al]-[A4], say \tilde{N}_k , $\tilde{N}_{k\ell}$, \tilde{x}_{jk} , and \tilde{s}_{jk}^2 . The grid values θ_ℓ in the incomplete-data solution thus correspond to the observed ℓ values in the complete data solution.

In the M-step, one solves facsimiles of the complete data likelihood equations, [A7]-[A11], with N_k , $N_{k\ell}$, x_{jk} , and s_{jk}^2 in place of their observed counterparts. Cycles of E- and M-steps continue until changes are suitably small. Convergence to a local maximum is assured, except from initial values that lie on boundaries of the parameter space (e.g., π_1 =0). Repeated solutions from different starting values help identify the global maximum. Accelerating methods may be used if convergence is too slow.

Equation [Al4] will be recognized as an application of Bayes theorem, giving the posterior probability that $\theta_{ik}=\theta_{\ell}$ and $\phi_{ik}=1$ after observing \mathbf{x}_i . The normalizing constant in the denominator

is an approximation of $p(\underline{x}_i)$ as given in [5]. During the E-step, one may therefore accumulate the sum -2 Σ log $p(\underline{x}_i)$ to track the performance of improvement in fit over cycles, to examine the fit obtained with various values of structural parameters, or to compare the fit of alternative models.

Empirical Bayes Estimates of Examinee Parameters The numerical approximations employed above to estimate structural parameters can be used for subsequent empirical Bayesian estimates for individual subjects. The expectations of the indicator variables $I_{ik\ell}$ are evaluated via [Al4] with MML estimates of α , δ , π , and Γ . The empirical Bayes approximation of probability of membership in Strategy Class k is given as

$$\tilde{P}_{ik} = P(\phi_{ik} = 1 | \underline{x}_i) \approx \sum_{\ell} \tilde{I}_{ik\ell}.$$
 [A15]

Conditional on membership in Class k, the posterior expectation of $\boldsymbol{\theta}_{\mbox{ik}}$ is approximated as

$$\tilde{\theta}_{ik} = E(\theta_{ik} | \phi_{ik} = 1, \underline{x}_i) \approx \tilde{P}_{ik} \sum_{\ell} \theta_{\ell} \tilde{I}_{ik\ell}$$
 [A16]

and the corresponding posterior variance is

$$Var(\theta_{ik}|\phi_{ik}^{-1}, \underline{x}_i) \approx P_{ik}^{-1} \quad \underline{\Sigma} \quad \theta_{\ell}^2 \quad \overline{I}_{ik\ell} \quad - \quad \overline{\theta}_{ik}^2 \quad .$$
 [A17]

Table 1
Examples of Observed Standardized Mean Log Response Times

Subject 1						
		Rotat	tion			
Side Length	h 40	80	120	160	Average	
80	-0.069	0.059	-0.508	-0.676	-0.299	
100	-0.724	-0.483	-0.242	-0.383	-0.458	
120	-0.591	-0.828	0.406	-0.993	-0.502	
140	-0.288	-0.287	-0.485	-0.483	-0.386	
Average	-0.418	-0.385	-0.207	-0.634	-0.411	
Within Cell	Pooled S	tandard De	eviation		0.779	
Subject 2						
		Rota	tion			
Side Length	40	80	120	160	Average	
80	-1.692	-0.277	-1.012	-0.863	-0.961	
100	0.705	0.514	-0.450	-0.871	-0.025	
120	-1.082	-0.912	0.224	0.126	-0.411	
140	0.661	0.015	-0.316	-0.035	0.081	
Average	-0.352	-0.165	-0.389	-0.411	-0.329	
Within Cell	l Pooled S	tandard De	eviation		0.713	
Subject 3						
		Rota	tion			
Side Length	a 40	80	120	160	Average	
80	-0.413	-0.545	-0.192	-0.304	-0.363	
100	-1.699	-1.849	-0.108	0.223	-0.858	
120	-1.186	-0.019	-0.189	0.966	-0.107	
140	-0.451	-0.815	-0.525	0.404	-0.347	
Average	-0.937	-0.807	-0.254	0.322	-0.419	
Within Cel	l Pooled S	tandard De	eviation		0.687	

Table 2
Parameter Estimates and -2 Log Likelihood

Side Length	0nly	-2	log	likeli	hood = 14	4424.40	
		μ		σ	δ	$\alpha(1)$	
		0.000		0.645	0.726	-0.124	
Rotation Or	ıly	-2	log	likeli	hood = 14	¥907.78	
		μ		σ.	δ		α (2)
		0,000		0.644	0.756		-0.108
Side Length	and Ro	otation -2	log	likeli	hood = 14	248.72	
		μ		σ	δ	α(1)	α (2)
		0.000		0.645	0.716	-0.124	-0.108
Two Strateg	y Mode]	-2	log	likelil	nood = 14	167.03	
Strategy	π	μ		σ	δ	α(1)	α (2)
Rule	.566	0.099	0	.745	0.668	-0.104	
Rotation	. 434	-0.129	0	.455	0.753	-0.151	-0.219
		•					

Table 3
Task Difficulty Parameters

	• • • • • • • • • • • • • • • • • • • •			
Side Length	Only Mod	<u>e1</u>		
		Rote	ation	
Side Length	40	80	120	160
80	0.279	0.279	0.279	0.279
100	0.155	0.155	0.155	0.155
120	-0.093	-0.093	-0.093	-0.093
140	-0.341	-0.341	-0.341	-0.341
Rotation On]	y Model			
		Rota	ation	
Side Length	40	80	120	160
80	0.162	0.054	-0.054	-0.162
100	0.162	0.054	-0.054	-0.162
120	0.162	0.054	-0.054	-0.162
140	0.162	0.054	-0.054	-0.162
Side Length	and Rota	tion Mode	<u>l</u>	
		Rota	ation	
Side Length	40	80	120	160
80	0.441	0.333	0.225	0.117
100	0.317	0.209	0.101	-0.007
120	0.069	-0.039	-0.147	-0.255
140	-0.180	-0.287	-0.395	-0.503
				(continued)



Table 3, continued
Task Difficulty Parameters

Rotation						
Side Length	40	80	120	160		
80	0.234	0.234	0.234	0.234		
100	0.130	0.130	0.130	0.130		
120	-0.078	-0.078	-0.078	-0.078		
140	-0.286	-0.286	-0.286	-0.286		
Two Strategy Model: Side Length and Rotation Component Rotation						
				The state of the s		
Side Length			ation	•		
	,	Rota		160 0.010		
Side Length	40	Rota 80	120 0.229	160		
ide Length	40 0.667	Rota 80 0.448 0.298	120 0.229 0.079	160 0.010		

Table 4
Modelling Subject 2 under Side Length Only

Observed Log	Respons	<u>e Times</u>			
		Rotation			
Side Length	40	80	120	160	Average
80	-1.692	-0.277	-1.012	-0.863	-0.961
100	0.705	0.514	-0.450	-0.871	-0.025
120	-1.082	-0.912	0.224	0.126	-0.411
140	0.661	0.015	-0.316	-0.035	0.081
Average	-0.352	-0.165	-0.389	-0.411	-0.329
_					
$\theta =317$					
Modelled Log	Respons	e Times			
		Rot	tation		
Side Length	40	80	120	160	Average
80	-0.599	-0.599	-0.599	-0.599	-0.599
100	-0.475	-0.475	-0.475	-0.475	-0.475
120	-0.227	-0.227	-0.227	-0.227	-0.227
140	0.021	0.021	0.021	0.021	0.021
Average	-0.320	-0.320	-0.320	-0.320	-0.320
<u>Residuals</u>					
		Rota	ation		
Side Length	40	80	120	160	Average
80	-1.096	0.319	-0.416	-0.267	-0.365
100	1.177	0.986	0.021	-0.399	0.446
120	-0.859	-0.689	0.447	0.350	-0.188
140	0.636	-0.010	-0.341	-0.060	0.056
Average	-0.035	0.152	-0.072	-0.094	-0.013
Root Mean Sq					0.619
		-			0.017

Subject 1 (9 - 40)					
		Rot	ation			
Side Length	40	80	120	160	Average	
80	0.605	0.733	0.167	-0.002	0.376	
100	-0.174	0.067	0.309	0.168	0.092	
120	-0.289	-0.526	0.708	-0.691	-0.199	
140	-0.234	-0.233	-0.431	-0.429	-0.332	
Average	-0.023	0.011	0.188	-0.238	-0.016	
Root Mean Sq		0.426				
-						
Subject 2 (8	=32)					
		Rota	ation			
Side Length		80	120	160	Average	
80	-1.096	0.319	-0.416	-0.267	-0.365	
100	1.177	0.986	0.021	-0.399	0.446	
120	-0.859	-0.689	0.447	0.350	-0.188	
140	0.636	-0.010	-0.341	-0.060	0.056	
Average	-0.035	0.152	-0.072	-0.094	-0.013	
Root Mean Sq	uare Erro	or			0.619	
~						
Subject 3 (θ	- 40)					
		Rota	ation			
Side Length	40	80	120	160	Average	
80	0.269	0.138	0.490	0.379	0.319	
100	-1.140	-1.291	0.450	0.781	-0.300	
120	-0.877	0.290	0.121	1.276	0.203	
140	-0.389	-0.753	-0.463	0.465	-0.285	
Average	-0.534	-0.404	0.149	0.725	-0.016	
Root Mean Sq	uare Erro	r			0.703	



Table 6
Residuals from Rotation Only Model

Subject 1 (θ	- 39)					
		Rota	ation			
Side Length	40	80	120	160	Average	
80	0.487	0.507	-0.168	-0.444	0.095	
100	-0.168	-0.035	0.098	-0.151	-0.064	
120	-0.035	-0.380	0.746	-0.761	-0.108	
140	0.268	0.162	-0.145	-0.251	0.009	
Average	0.138	0.063	0.133	-0.402	-0.017	
Root Mean Sq		0.374				
- <u>Subject 2</u> (θ	- 32)					
·	·	Rota	ation			
Side Length	40	80	120	160	Average	
80	-1.215	0.093	-0.750	-0.710	-0.646	
100	1.183	0.884	-0.189	-0.717	0.290	
120	-0.605	-0.543	0.485	0.280	-0.096	
140	1.138	0.384	-0.055	0.119	0.397	
Average	0.125	0.205	-0.127	-0.257	-0.014	
Root Mean Sq	uare Erro	r			0.694	
~						
Subject 3 (θ	- 40)					
			ation			
Side Length		80	120		Average	
			0.155	-0.064	0.038	
100	-1.135	-1.394	0.240	0.462	-0.457	
120	-0.623	0.436	0.159	1.206	0.294	
140	0.113	-0.359	-0.177	0.644	0.055	
Average	-0.374	-0.352	0.094	0.562	-0.017	
Root Mean Sq	uare Erro	r			0.623	

Subject <u>1</u> (6	9 =40)				
		Rot	ation		
Side Length	40	80	120	160	Average
80	0.768	0.788	0.113	-0.163	0.376
100	-0.012	0.122	0.255	0.006	0.093
120	-0.127	-0.471	0.654	-0.852	-0.199
140	-0.072	-0.178	-0.484	-0.591	-0.331
Average	0.139	0.065	0.135	-0.400	-0.015
oot Mean So	quare Err	or			0.457
	•				
ubject 2 (6	7 =32	•			
		Rota	ation		
ide Length	40	80	120	160	Average
80	-0.934	0.373	-0.469	-0.429	-0.365
100	1.339	1.040	-0.032	-0.561	0.447
120	-0.696	-0.634	0.393	0.188	-0.187
140	0.798	0.044	-0.395	-0.221	0.057
Average	0.127	0.206	-0.126	-0.256	-0.012
ot Mean So	uare Erro	or			0.639
ubject 3 (6	/ - 40)				
		Rota	ation		
ide Length	40	80	120	160	Average
80	0.432	0.192	0.436	0.217	0.319
100	-0.978	-1.237	0.397	0.619	-0.300
120	-0.714	0.345			0.203
140	-0.227	-0.699	-0.517		
Average	-0.372	-0.350	0.096		
ot Mean Sq	uare Erro	or			0.626
	-0.227 -0.372	-0.699 -0.350	-0.517	0.304	-0.285 -0.016


Table 8
Residuals From Two Strategy Model

-						, .		
Subject 1 ($P_1 = .98$, $\theta_1 =40$; $P_2 = .02$, $\theta_2 =39$) Rotation								
		ROC	acton					
Side Lengt	:h 40	80	120	160	Average			
80	0.571	0.695	0.124	-0.049	0.336			
100	-0.188	0.048	0.285	0.140	0.071			
120	-0.265	-0.506	0.723	-0.680	-0.182			
140	-0.171	-0.174	-0.377	-0.380	-0.276			
Average	-0.013	0.016	0.189	-0.242	-0.013			
Root Mean	Square Erre	or			0.405			
Subject 2	$(P_1 = .70,$	$\tilde{\theta}_1 =3$	2; P ₂ 3	$0, \tilde{\theta}_2 =3$	1)			
		Rota	ation					
Side Lengt	h 40	80	120	160	Average			
80	-1.011	0.338	-0.462	-0.380	-0.379			
100	1.268	1.011	-0.019	-0.505	0.439			
120	-0.755	-0.651	0.419	0.256	-0.183			
140	0.752	0.040	-0.357	-0.141	0.074			
Average	0.064	0.185	-0.105	-0.192	-0.012			
Root Mean	Square Err	or			0.629			
	~	~	_	~				
Subject 3	$(P_100,$	θ_14	1; P ₂ - 1.	00, $\tilde{\theta}_2 = -$.	40)			
		Rot	ation					
Side Lengt	h 40	80	120	160	Average			
80	0.650	0.300	0.433	7.103	0.371			
100	-0.786	-1.156	€.367	0.479	-0.274			
120	-0.575	0.373	-0.015	0.921	0.176			
140	-0.140	-0.723	-0.652	0.058	-0.365			
Average	-0.213	-0.301	0.033	0.390	-0.023			
Root Mean	Square Err	or			0.577			


Captions for Figures

- 1. A Sample Task
- 2. Median Standardized Log Response Time versus Rotation
- 3. Median Standardized Log Response Time versus Side Length
- 4. Posterior Probabilities of Use of Rule-Based Strategy
- Posterior Probabilities of Component 1 Membership in a Mixture of Two Gaussian Components
- 6. Posterior Probabilities of Use of Rule-Based Strategy,
 Distinguishing Instructed and Noninstructed Subjects












Median Standardized Log Response Time




Two-Strategy Mixture Posterior Probabilities



Two—Component Gaussian Mixture





Distribution List

Dr. Terry Ackerman Educational Psychology 210 Education Bldg. University of Illinois Champaign, IL 61801

Dr. James Algina 1403 Norman Hall University of Florida Gainesville, FL 32605

Dr. Erling B. Andersen
Department of Statistics
Studiestraede 6
1455 Copenhagen
DENMARK

Dr. Ronald Armstrong Rutgers University Graduate School of Management Newark, NJ 07102

Dr. Eva L. Baker
UCLA Center for the Study
of Evaluation
145 Moore Hall
University of California
Los Angeles, CA 90024

Dr. Laura L. Barnes College of Education University of Toledo 2801 W. Bancroft Street Toledo, OH 43606

Dr. William M. Bart University of Minnesota Dept. of Educ. Psychology 330 Burton Hall 178 Pillsbury Dr., S.E. Minneapolis, MN 55455 Dr. Isaac Bejar Mail Stop: 10-R Educational Testing Service Rosedale Road Princeton, NJ 08541

Dr. Menucha Birenbaum School of Education Tel Aviv University Ramat Aviv 69978 ISRAEL

Dr. Arthur S. Blaiwes Code N712 Naval Training Systems Center Orlando, FL 32813-7100

Dr. Bruce Bloxom
Defense Manpower Data Center
99 Pacific St.
Suite 155A
Monterey, CA 93943-3231

Cdt. Arnold Bohrer Sectie Psychologisch Onderzoek Rekruterings-En Selectiecentrum Kwartier Koningen Astrid Bruijnstraat 1120 Brussels, BELGIUM

Dr. Robert Breaux Code 281 Naval Training Systems Center Orlando, FL 32826-3224

Dr. Robert Brennan
American College Testing
Programs
P. O. Box 168
Iowa City, IA 52243



Dr. John B. Carroll 409 Elliott Rd., North Chapel Hill, NC 27514

Dr. John M. Carroll
IBM Watson Research Center
User Interface Institute
P.O. Box 704
Yorktown Heights, NY 10598

Dr. Robert M. Carroll Chief of Naval Operations OP-01B2 Washington, DC 20350

Dr. Raymond E. Christal
UES LAMP Science Advisor
AFHRL/MOEL
Brooks AFB, TX 78235

Mr. Hua Hua Chung University of Illinois Department of Statistics 101 Illini Hall 725 South Wright St. Champaign, IL 61820

Dr. Norman Cliff
Department of Psychology
Univ. of So. California
Los Angeles, CA 90089-1061

Director, Manpower Program Center for Naval Analyses 4401 Ford Avenue P.O. Box 16268 Alexandria, VA 22302-0268 Director,
Manpower Support and
Readiness Program
Center for Naval Analysis
2000 North Beauregard Street
Alexandria, VA 22311

Dr. Stanley Collyer
Office of Naval Technology
Code 222
800 N. Quincy Street
Arlington, VA 22217-5000

Dr. Hans F. Crombag
Faculty of Law
University of Limburg
P.O. Box 616
Maastricht
The NETHERLANDS 6200 MD

Ms. Carolyn R. Crone Johns Hopkins University Department of Psychology Charles & 34th Street Baltimore, MD 21218

Dr. Timothy Davey
American College Testing Program
P.O. Box 168
Iowa City, IA 52243

Dr. C. M. Dayton
Department of Measurement
Statistics & Evaluation
College of Education
University of Maryland
College Park, MD 20742

Dr. Ralph J. DeAyala
Measurement, Statistics,
and Evaluation
Benjamin Bldg., Rm. 4112
University of Maryland
College Park, MD 20742

Dr. Lou DiBello CERL University of Illinois 103 South Mathews Avenue Urbana, IL 61801

Dr. Dattprasad Divgi Center for Naval Analysis 4401 Ford Avenue P.O. Box 16268 Alexandria, VA 22302-0268

Dr. Hei-Ki Dong Bell Communications Research 6 Corporate Place PYA-1K226 Piscataway, NJ 08854

Dr. Fritz Drasgow University of Illinois Department of Psychology 603 E. Daniel St. Champaign, IL 61820

Dr. Stephen Dunbar 224B Lindquist Center for Measurement University of Iowa Iowa City, IA 52242

Dr. James A. Earles Air Force Human Resources Lab Brooks AFB, TX 78235 Dr. Susan Embretson University of Kansas Psychology Department 426 Fraser Lawrence, KS 66045

Dr. George Englehard, Jr.
Division of Educational Studies
Emory University
210 Fishburne Bldg.
Atlanta, GA 30322

Dr. Benjamin A. Fairbank Operational Technologies Corp. 5825 Callaghan, Suite 225 San Antonio, TX 78228

Dr. P-A. Federico Code 51 NPRDC San Diego, CA 92152-6800

Dr. Leonard Feldt
Lindquist Center
for Measurement
University of Iowa
Iowa City, IA 52242

Dr. Richard L. Ferguson American College Testing P.O. Box 168 Iowa City, IA 52243

Dr. Gerhard Fischer Liebiggasse 5/3 A 1010 Vienna AUSTRIA

Dr. Myron Fischl
U.S. Army Headquarters
DAPE-MRR
The Pentagon
Washington, DC 20310-0300



Prof. Donald Fitzgerald University of New England Department of Psychology Armidale, New South Wales 2351 AUSTRALIA

Mr. Paul Foley Navy Personnel R&D Center San Diego, CA 92152-6800

Dr. Alfred R. Fregly AFOSR/NL, Bldg. 410 Bolling AFB, DC 20332-6448

Dr. Robert D. Gibbons Illinois State Psychiatric Inst. Rm 529W 1601 W. Taylor Street Chicago, IL 60612

Dr. Janice Gifford University of Massachusetts School of Education Amherst, MA 01003

Dr. Drew Gitomer Educational Testing Service Princeton, NJ 08541

Dr. Robert Glaser
Learning Research
& Development Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15260

Dr. Bert Green
Johns Hopkins University
Department of Psychology
Charles & 34th Street
Baltimore, MD 21218

Michael Habon DORNIER GMBH P.O. Box 1420 D-7990 Friedrichshafen 1 WEST GERMANY

Prof. Edward Haertel School of Education Stanford University Stanford, CA 94305

Dr. Ronald K. Hambleton
University of Massachusetts
Laboratory of Psychometric
and Evaluative Research
Hills South, Room 152
Amherst, MA 01003

Dr. Delwyn Harnisch University of Illinois 51 Gerty Drive Champaign, IL 61820

Dr. Grant Henning
Senior Research Scientist
Division of Measurement
Research and Services
Educational Testing Service
Princeton, NJ 08541

Ms. Rebecca Hetter Navy Personnel R&D Center Code 63 San Diego, CA 92152-6800

Dr. Thomas M. Hirsch ACT P. O. Box 168 Iowa City, IA 52243



Dr. Paul W. Holland Educational Testing Service, 21-T Rosedale Road Princeton, NJ 08541

Dr. Paul Horst 677 G Street, #184 Chula Vista, CA 92010

Dr. Lloyd Humphreys University of Illinois Department of Psychology 603 East Daniel Street Champaign, IL 61820

Dr. Steven Hunka 3-104 Educ. N. University of Alberta Edmonton, Alberta CANADA T6G 2G5

Dr. Huynh Huynh College of Education Univ. of South Carolina Columbia, SC 29208

Dr. Robert Jannarone Elec. and Computer Eng. Dept. University of South Carolina Columbia, SC 29208

Dr. Kumar Joag-dev University of Illinois Department of Statistics 101 Illini Hall 725 South Wright Street Champaign, IL 61820

Dr. Douglas H. Jones 1280 Woodfern Court Toms River, NJ 08753 Dr. Brian Junker
University of Illinois
Department of Statistics
101 Illini Hall
725 South Wright St.
Champaign, IL 61820

Dr. Milton S. Katz
European Science Coordination
Office
U.S. Army Research Institute
Box 65
FPO New York 09510-1500

Prof. John A. Keats Department of Psychology University of Newcastle N.S.W. 2308 AUSTRALIA

Dr. Jwa-keun Kim
Department of Psychology
Middle Tennessee State
University
P.O. Bo. 522
Murfreesboro, TN 37132

Mr. Soon-Hoon Kim
Computer-based Education
Research Laboratory
University of Illinois
Urbana, IL 61801

Dr. G. Gage Kingsbury
Portland Public Schools
Research and Evaluation Department
501 North Dixon Street
P. O. Box 3107
Portland, OR 97209-3107



Dr. William Koch Box 7246, Meas. and Eval. Ctr. University of Texas-Austin Austin, TX 78703

Dr. Richard J. Koubek
Department of Biomedical
& Human Factors
139 Engineering & Math Bldg.
Wright State University
Dayton, OH 45435

Dr. Leonard Kroeker Navy Personnel R&D Center Code 62 San Diego, CA 92152-6800

Dr. Jerry Lehnus Defense Manpower Data Center Suite 400 1600 Wilson Blvd Rosslyn, VA 22209

Dr. Thomas Leonard University of Wisconsin Department of Statistics 1210 West Dayton Street Madison, WI 53705

Dr. Michael Levine Educational Psychology 210 Education Bldg. University of Illinois Champaign, IL 61801

Dr. Charles Lewis
Educational Testing Service
Princeton, NJ 08541-0001

Mr. Rodney Lim University of Illinois Department of Psychology 603 E. Daniel St. Champaign, IL 61820

Dr. Robert L. Linn Campus Box 249 University of Colorado Boulder, CO 80309-0249

Dr. Robert Lockman Center for Naval Analysis 4401 Ford Avenue P.O. Box 16268 Alexandria, VA 22302-0268

Dr. Frederic M. Lord Educational Testing Service Princeton, NJ 08541

Dr. Richard Luecht ACT P. O. Box 168 Iowa City, IA 52243

Dr. George B. Macready
Department of Measurement
Statistics & Evaluation
College of Education
University of Maryland
College Park, MD 20742

Dr. Gary Marco Stop 31-E Educational Testing Service Princeton, NJ 08451

Dr. Clessen J. Martin
Office of Chief of Naval
Operations (OP 13 F)
Navy Annex, Room 2832
Washington, DC 20350



Dr. James R. McBride The Psychological Corporation 1250 Sixth Avenue San Diego, CA 92101

Dr. Clarence C. McCormick HQ, USMEPCOM/MEPCT 2500 Green Bay Road North Chicago, IL 60064

Mr. Christopher McCusker University of Illinois Department of Psychology 603 E. Daniel St. Champaign, IL 61820

Dr. Robert McKinley Educational Testing Service Princeton, NJ 08541

Mr. Alan Mead c/o Dr. Michael Levine Educational Psychology 210 Education Bldg. University of Illinois Champaign, IL 61801

Dr. Timothy Miller ACT
P. O. Box 168
Iowa City, IA 52243

Dr. Robert Mislevy Educational Testing Service Princeton, NJ 08541

Dr. William Montague NPRDC Code 13 San Diego, CA 92152-6800 Ms. Kathleen Moreno Navy Personnel R&D Center Code 62 San Diego, CA 92152-6800

Headquarters Marine Corps Code MPI-20 Washington, DC 20380

Dr. Ratna Nandakumar Educational Studies Willard Hall, Room 213E University of Delaware Newark, DE 19716

Dr. Harold F. O'Neil, Jr.
School of Education - WPH 801
Department of Educational
Psychology & Technology
University of Southern California
Los Angeles, CA 90089-0031

Dr. James B. Olsen WICAT Systems 1875 South State Street Orem, UT 84058

Dr. Judith Orasanu
Basic Research Office
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Jesse Orlansky Institute for Defense Analyses 1801 N. Beauregard St. Alexandria, VA 22311

Dr. Peter J. Pashley Educational Testing Service Rosedale Road Princeton, NJ 08241



Dr. Wayne M. Patience American Council on Education GED Testing Service, Suite 20 One Dupont Circle, NW Washington, DC 20036

Dr. James Paulson
Department of Fsychology
Portland State University
P.O. Box 751
Portland, OR 97207

Dr. Mark D. Reckase ACT P. O. Box 168 Iowa City, IA 52243

Dr. Malcolm Ree AFHRL/MOA Brooks AFB, TX 78235

Mr. Steve Reiss N660 Elliott Hall University of Minnesota 75 E. River Road Minneapolis, MN 55455-0344

Dr. Carl Ross CNET-PDCD Building 90 Great Lakes NTC, IL 60088

Dr. J. Ryan
Department of Education
University of South Carolina
Columbia, SC 29208

Dr. Fumiko Samejima Department of Psychology University of Tennessee 310B Austin Peay Bldg. Knoxville, TN 37916-0900 Mr. Drew Sands NPRDC Code 62 San Diego, CA 92152-6800

Lowell Schoer
Psychological & Quantitative
Foundations
College of Education
University of Iowa
Iowa City, IA 52242

Dr. Mary Schratz 905 Orchid Way Carlsbad, CA 92009

Dr. Dan Segall Navy Personnel R&D Center San Diego, CA 92152

Dr. Robin Shealy
University of Illinois
Department of Statistics
101 Illini Hall
725 South Wright St.
Champaign, IL 61820

Dr. Kazuo Shigemasu 7-9-24 Kugenuma-Kaigan Fujisawa 251 JAPAN

Dr. Richard E. Snow School of Education Stanford University Stanford, CA 94305

Dr. Richard C. Sorensen Navy Personnel R&D Center San Diego, CA 92152-6800



Dr. Judy Spray ACT P.O. Box 168 Iowa City, IA 52243

Dr. Martha Stocking Educational Testing Service Princeton, NJ 08541

Dr. Peter Stoloff Center for Naval Analysis 4401 Ford Avenue P.O. Box 16268 Alexandria, VA 22302-0268

Dr. William Stout University of Illinois Department of Statistics 101 Illini Hall 725 South Wright St. Champaign, IL 61820

Dr. Hariharan Swaminathan
Laboratory of Psychometric and
Evaluation Research
School of Education
University of Massachusetts
Amherst, MA 01003

Mr. Brad Sympson Navy Personnel R&D Center Code-62 San Diego, CA 92152-6800

Dr. John Tangney
AFOSR/NL, Bldg. 410
Bolling AFB, DC 20332-6448

Dr. Kikumi Tatsuoka Educational Testing Service Mail Stop 03-T Princeton, NJ 08541 Dr. Maurice Tatsuoka Educational Testing Service Mail Stop 03-T Princeton, NJ 08541

Dr. David Thissen Department of Psychology University of Kansas Lawrence, KS 66044

Mr. Thomas J. Thomas Johns Hopkins University Department of Psychology Charles & 34th Street Baltimore, MD 21218

Mr. Gary Thomasson University of Illinois Educational Psychology Champaign, IL 61820

Dr. Robert Tsutakawa University of Missouri Department of Statistics 222 Math. Sciences Bldg. Columbia, MO 65211

Dr. Ledyard Tucker University of Illinois Department of Psychology 603 E. Daniel Street Champaign, IL 61820

Dr. David Vale Assessment Systems Corp. 2233 University Avenue Suite 440 St. Paul, MN 55114

Dr. Frank L. Vicino Navy Personnel R&D Center San Diego, CA 92152-6800 Dr. Howard Wainer Educational Testing Service Princeton, NJ 08541

Dr. Michael T. Waller University of Wisconsin-Milwaukee Educational Psychology Department Box 413 Milwaukee, WI 53201

Dr. Ming-Mei Wang Educational Testing Service Mail Stop 03-T Princeton, NJ 08541

Dr. Thomas A. Warm FAA Academy AAC934D P.O. Box 25082 Oklahoma City, OK 73125

Dr. Brian Waters HumRRO 1100 S. Washington Alexandria, VA 22314

Dr. David J. Weiss N660 Elliott Hall University of Minnesota 75 E. River Road Minneapolis, MN 55455-0344

Dr. Ronald A. Weitzman Box 146 Carmel, CA 93921

Major John Welsh AFHRL/MOAN Brooks AFB, TX 78223

Dr. Douglas Wetzel Code 51 Navy Personnel R&D Center San Diego, CA 92152-6800 Dr. Rand R. Wilcox
University of Southern
California
Department of Psychology
Los Angeles, CA 90089-1061

German Military Representative ATTN: Wolfgang Wildgrube Streitkraefteamt D-5300 Bonn 2 4000 Brandywine Street, NW Washington, DC 20016

Dr. Bruce Williams
Department of Educational
Psychology
University of Illinois
Urbana, IL 61801

Dr. Hilda Wing Federal Aviation Administration 800 Independence Ave, SW Washington, DC 20591

Mr. John H. Wolfe Navy Personnel R&D Center San Diego, CA 92152-6800

Dr. George Wong
Biostatistics Laboratory
Memorial Sloan-Kettering
Cancer Center
1275 York Avenue
New York, NY 10021

Dr. Wallace Wulfeck, III Navy Personnel R&D Center Code 51 San Diego, CA 92152-6800

Dr. Kentaro Yamamoto 02-T Educational Testing Service Rosedale Road Princeton, NJ 08541

Dr. Wendy Yen CTB/McGraw Hill Del Monte Research Park Monterey, CA 93940

Dr. Joseph L. Young National Science Foundation Room 320 1800 G Street, N.W. Washington, DC 20550

Mr. Anthony R. Zara
National Council of State
Boards of Nursing, Inc.
625 North Michigan Avenue
Suite 1544
Chicago, IL 60611

