DOCUMENT RESUME

ED 383 796 UD 030 467

AUTHOR Howell, John F.

TITLE Drug and Alcohol Use Survey Results: 1990-1995.

INSTITUTION Springfield Public Schools, Mass.

PUB DATE Apr 95 NOTE 17p.

PUB TYPE Reports - Research/Technical (143)

EDRS PRICE MF01/PC01 Plus Postage.

DESCRIPTORS Alcohol Education; *Drinking; Drug Education; *Drug

Use; *Elementary School Students; Grade 6; Grade 9; High Schools; *High School Students; Intermediate Grades; Marijuana; Public Schools; Response Rates (Questionnaires); Surveys: Trend Analysis; Urban

Schools

IDENTIFIERS *Springfield Public Schools MA

ABSTRACT

Results of surveys completed by students in grades six and nine in the Springfield (Massachusetts) public school system are reported for 1990 through 1995. The report is based on an analysis of responses within user-defined categories of drug use, alcohol use, and nonuse. In 1995, while 72 percent of those in grade 6 responded, only 26 percent of those in grade 9 responded to the survey, continuing a serious decline in responding from the high in 1990 of 82 percent of ninth graders. Sample sizes varied throughout the period, ranging from a low of 453 ninth graders in 1995 to a high of 1,419 sixth graders in 1990. The 1995 sixth-grade sample consisted of 1,291 students. The most definite trend revealed by the surveys is the increased awareness among students of drug activity in schools and neighborhoods. There have always been a few drug users in grade 6 (30 in 1995), but the numbers have remained too small to analyze. In 1990 only 14 percent of ninth graders reported using drugs and alcohol, and in 1995, 22 percent reported such use. Almost one fifth of those who report using drugs drink every day, and all drug users report using alcohol. Marijuana was the most frequently used drug, and its use was in reasing. Eight tables present findings about drug and alcohol use by grade. (SLD)



Reproductions supplied by EDRS are the best that can be made

DRUG AND ALCOHOL USE SURVEY RESULTS 1990-1995

Prepared by

Research Department

Springfield Public Schools

Dr. John F. Howell, Director

April, 1995

"PERMISSION TO REPRODUCE THIS MATERIAL HAS BEEN GRANTED BY

John F. Howell

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)."

U.S. DEPARTMENT OF EDUCATION
Office of Educational Rasearch and Improvement
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

This document has been reproduced as received from the Derson or organization originating it

Minor changes have been made to improve reproduction quality

 Points of view or opinions stated in this document do not necessarily represent official OERI position or policy

Dr. Peter J. Negroni, Superintendent

[W 030167



Drug and Alcohol Use Survey Results: 1990-95

The 1989-90 survey was the first survey to use a transoptic form to survey students in Grades 6 and 9 as to their use of drugs and alcohol so as to provide a timely and accurate report of student responses. There were three previous administrations of a Drug and Alcohol Survey that were accomplished using a paper form. The results are available in Drug and Alcohol Use Survey Results: 1987-93.

The survey was revised for 1994, and was administered late in the Spring rather than at the traditional time in January in order to

The survey was revised for 1994, and was administered late in the Spring rather than at the traditional time in January in order to accommodate an evaluation of a drug prevention program being performed by researchers at the University of Massachusetts under the direction of Dr. Rita Hindin. The 1994 results were analyzed at the university and results published in cooperation with the Springfield Community Partnership & Prevention Alliance (SCPPA) 1414 State Street, Springfield, MA 01109. The traditional results from that survey were

incorporated into this report.

This report is based on an analysis of responses within user defined categories (drug, alcohol, non). Table 1 shows the responses of those Grade 9 students who reported using both drugs and alcohol. While there have always been a few Grade 6 drug users (12 in 1993, 30 in 1995), there traditionally have been too few to analyze. Tables 2 and 3 report the responses of students in Grades 6 and 9 respectively who admit to alcohol use, and Tables 4 and 5 depict the responses of Grade 6 and 9 students respectively who indicate that they do not use either drugs or alcohol. These tables are used to show trends in student responses.

Tables 1 through 5 show the changes or trends in all of the variables by categories. Tables 6 and 7 show the percentages from only 1995 and allow a comparison among the five response categories. These tables represent the status of variables that can be compared across categories. In general, students seem less willing to respond, are more aware of drug activity, and users reflect a poorer self

image than in the past.

TRENDS

This year, while 72% of those in Grade 6 responded to the survey, only 26% of those in Grade 9 responded to the survey. This continues a serious decline in responding from a high in 1990 of 82% of ninth graders. In 1995, three quarters of all ninth graders did NOT respond to the survey calling the validity of the results at that grade level into question. Someone needs to take charge of seeing to it that the survey is administered in the ninth grade. In years past the Substance Abuse Prevention Specialist gave the survey; that position no longer is funded.

Table 1, those admitting to using drugs, shows that the percentage of white students was lower than the general average of 30%, while Black respondents were higher than the general average of 30%. This was also true for Grade 6 alcohol users. The percent of Hispanic respondents was close to the general average of 38% on all tables. An examination of race of all reported users on Table 6 indicates that it may be the white students that are not responding to

the survey.



While the number of non-users reporting being "Good Student" is higher than those reporting drug or alcohol use, the percent of "Good Student" responses among drug users remains the same.

In 1990, almost all categories of respondents reported that 50% of them lived with both parents. In almost all categories that percentage has fallen. While non-users report a higher percentage, users report only one third live with both parents.

Students who report using drugs and alcohol are absent twice as frequently as non-users. While the rate of chronic absenteeism (more than ten times) has declined, the percent is still twice that of non-users. The trend for skipping school has increased for all groups of users and over three times higher than non-users. Most respondents are absent because they are ill, but there is a small but increasing number who report being absent due to drug or alcohol use.

The most definite trend in the data, shown in Tables 1-5, is the increased awareness of drug activity in schools and neighborhoods. In the past four years, almost twice as many students in all categories reported seeing drugs used and sold in school. There has also been an increase in the percentage who have seen drugs sold in neighborhoods. Half of the ninth graders who report using NO substances report knowing where to buy drugs (Table 5). The conclusion is that there has been a definite increase in drug activity in our city.

For Grade 9 drinkers, the frequency of using EVERY DAY has doubled in the last four years (almost one fifth of students who report using drugs drink every day; and all drug users report using alcohol). The percentage who drink around school, always small, has declined. Ninth graders drink mostly beer on weekends, with friends at parties. Sixth graders drink mostly one glass of wine at mealtimes with family, though the trend for sixth graders is toward more social drinking. Most sixth and ninth grade alcohol users report taking their first drink in the fifth and eighth grade respectively. A growing percent of ninth graders who report using drugs report taking their first drink before Grade 5. Perhaps it would be wise to intensify the campaign against substance use in the elementary grades.

For drug users, Marijuana is the most frequently used drug and its use is increasing. The use of Crack Cocaine seemed to have peaked in 1993. Use typically begins in Grade 7, though the trend is earlier. Most drug use occurs on weekends with friends at parties. Of concern is the increasing frequency of use (one quarter report using drugs EVERY DAY and the rate has doubled since 1990). Also of concern is the decline in the percent of ninth graders who would like to stop using drugs. In 1990, one third said they would like to stop; in 1995, only one fifth said they would like to stop.



COMPARISONS

Tables 6 and 7 have been constructed in order to compare students who report using substances to those who do not, and Grade 9 students to Grade 6 students. For instance, non-users are much more likely to never be absent than users, and more often are absent due to illness than users.

Non-users are much less likely to smoke tobacco than alcohol users (one fourth smoke) who again are more likely than drug users, of whom more than half smoke. While not causal, tobacco use may be the "gateway" drug to other drugs, including alcohol. Would a strong campaign against CHILDHOOD smoking decrease the prevalence of involvement with other drugs?

Awareness of drug use is twice as prevalent for substance users than for non-users. Alarmingly one quarter of non-using sixth graders report knowing where to buy drugs, as do over half of the non-using ninth graders. Are drugs so available that anyone who wants to know are find out where to buy them?

can find out where to buy them?

Table 7 compares the drinking habits of the three groups of alcohol users; Grade 9 students, who also report using drugs, Grade 9 students, and Grade 6 students who report using alcohol. All students who report using drugs report using alcohol. In general, Grade 6 students who use alcohol seem to do so within the context of the home and family. For Grade 9 students, alcohol use has a definite social quality, and they drink more and more often.

While Grade 6 alcohol users report using wine twice as much as Grade 9 alcohol users (everyone drinks beer), the Grade 9 alcohol users are three times more likely to use liquor.

Drug users report much more drinking every day compared to the ninth grade alcohol users, more evening drinking, more likely to take six or more drinks, and more likely to connect drinking to social activities.



Table 1
Percent of Students who Report Using Drugs and Alcohol in Grade 9

| Variable | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 |
|------------------------|-------|------|------|------------|------|------|------|
| Total Respondents | 1259. | 946 | 822 | 857 | 865 | 453 | |
| total Using | 196 | 101 | 90 | 114 | 221 | 100 | |
| Percent using | 14 | 11 | 11 | 13 | 26 | 22 | |
| Male | 49 | 47 | 53 | 63 | 52 | 44 | |
| Female | 51 | 53 | 47 | 37 | 48 | 56 | |
| White | 48 | 52 | 28 | 29 | 40 | 20 | |
| Black | 23 | 17 | 31 | 42 | 33 | 33 | |
| Hispanic | 27 | 20 | 39 | 21 | 22 | 38 | |
| Asian or Other | 2 | 10 | 2 | 8 | 5 | 9 | |
| Good Student | 25 | 32 | 20 | 23 | 27 | 29 | |
| Average Student | 66 | 57 | 57 | 63 | 62 | 61 | |
| Poor Student | 9 | 11 | 23 | 12 | 11 | 10 | |
| Never Absent | 16 | 23 | 26 | 19 | 15 | 20 | |
| Absent 1-4 Times | 54 | 48 | 41 | 45 | 46 | 42 | |
| Absent 5-10 Times | 19 | 13 | 17 | 18 | 20 | 29 | |
| Absent More Often | 11 | 15 | 16 | 19 | 19 | 9 | |
| Reason: ill | 43 | 34 | 31 | 30 | 42 | 41 | |
| Suspended | 7 | 8 | 3 | 9 | 11 | 7 | |
| Skipped | 18 | 19 | 20 | 16 | 26 | 18 | |
| Alcohol or Drugs | 1 | 1 | 5 | 4 | 4 | 8 | |
| Other | 9 | 12 | 12 | 11 | 11 | 12 | |
| Not Answered | 21 | 22 | 29 | 30 | 6 | 14 | |
| Lives With Both | 38 | 39 | 38 | 39 | 40 | 29 | |
| Only One Parent | 55 | 56 | 52 | 51 | 53 | 62 | |
| Other | 6 | 5 | 10 | 10 | 7 | 9 | |
| STUDENT ASSISTANCE | | | | | | | |
| Aware of the SAP | 32 | 44 | 55 | 47 | - | - | |
| Used the SAP | 6 | 5 | 8 | 11 | - | - | |
| SAP Info Helpful | 20 | . 12 | 38 | 3 3 | - | - | |
| DRUG OBSERVATIONS | | | | | | | |
| Seen Drugs Used in Sch | 54 | 52 | 65 | 78 | 80 | | |
| Seen Drugs Sold in Sch | 46 | 44 | 61 | 74 | | | |
| Seen Sold in Neighborh | d 74 | 62 | 83 | 81 | | | |
| Knows Where to Buy | 85 | 78 | | 90 | | | |
| Uses Tobacco | 43 | 49 | 58 | 50 | 60 | 60 | |
| | | | | | | | |



| [Table 1 cont.] DRINKI | NG HAB | ITS of | DRUG U | SERS | | |
|--|---------------------------------|--------------------------------|--------------------------------------|----------------------------------|---------------------------------------|-------------------------------------|
| First Drink in Gr. 1-4 Grade 5 Grade 6 Grade 7 Grade 8 Grade 9 | 16 13 15 32 17 7 | 25 9 15 30 17 3 | | 19 11 16 31 18 6 | | 18 12 17 17 14 3 |
| Drink at Mealtimes Weekends Before School During School Hours After School Evenings | 8 | 7 | 9 | 9 | 5 | 5 |
| | 71 | 65 | 73 | 70 | 61 | 59 |
| | 6 | 9 | 17 | 11 | 5 | 7 |
| | 5 | 12 | 13 | 12 | 7 | 6 |
| | 16 | 15 | 26 | 17 | 13 | 10 |
| | 17 | 26 | 23 | 21 | 15 | 18 |
| Drinks Beer | 57 | 57 | 7 2 | 61 | 54 | 46 |
| Wine | 32 | 19 | 27 | 25 | 15 | 27 |
| Liquor | 56 | 59 | 54 | 48 | 48 | 22 |
| Other | 14 | 13 | 11 | 10 | 15 | 5 |
| Drinks Not Very Often | 38 | 35 | 27 | 32 | 42 | 36 |
| Once or Twice a Month | 26 | 12 | 16 | 15 | 16 | 9 |
| Once or Twice a Week | 27 | 38 | 37 | 32 | 31 | 37 |
| Almost Every Day | 9 | 12 | 20 | 21 | 11 | 18 |
| Drinks One or Two | 34 | 22 | 17 | 35 | 33 | 45 |
| Three to Five | 36 | 32 | 43 | 32 | 38 | 28 |
| Six or More | 30 | 45 | 40 | 33 | 29 | 27 |
| Drinks Mostly Alone | 9 | 3 | 8 | 5 | | 5 |
| Mostly With Friends | 73 | 81 | 83 | 76 | | 81 |
| Mostly With Family | 18 | 16 | 9 | 19 | | 14 |
| Drinks Because Friends Because Parents Drink To Feel Better For Relaxation For Fun At Parties With Meals Other Reasons | 10 4 20 19 53 22 | 9 4 21 23 48 12 | 11 4 19 19 61 8 25 | 9 7 18 23 52 13 | 10 2 10 19 50 10 20 | 6 3 8 16 40 12 15 |
| Drinks around School At Home At a Friend's House In Parks At Parties Other Places | 7 33 34 16 55 | 8 22 42 21 57 | 12 24 32 27 66 14 | 15 19 43 19 58 12 | 4 16 36 18 49 | 6 17 23 8 36 10 |



| [Table 1 cont.] DRUG US | SE HAB | ITS | | | | |
|---|-----------------------------------|---|----------------------------------|---------------------------------|---------------------------------|---------------------------------------|
| Used Marijuana Pills Crack or Cocaine Heroin/Speed/Mescaline Other Drugs Used | 73 13 18 25 13 | 74 16 15 26 12 | 79 10 25 24 17 | 89 8 26 22 7 | 90 9 19 24 8 | 79 3 11 4 6 |
| Used First Grades 1-4 Grade 5 Grade 6 Grade 7 Grade 8 Grade 9 Not Answered | 9 7 26 21 15 | 16 12 7 25 22 16 6 | 13 11 14 28 23 9 | 16 6 12 20 24 21 | 6 3 19 32 29 5 | 6 14 16 22 21 11 10 |
| Used Before School During School Hours After School Evenings Weekends | 17 10 23 13 62 | 12 18 18 17 64 | 16 13 19 23 80 | 10 16 23 14 72 | 5 5 10 8 72 | 5 15 11 63 |
| Used Not Very Often Once or Twice a Month Once or Twice a Week Almost Every Day Not Answered | 39 13 19 13 16 | 47 16 15 17 5 | 43 14 25 17 2 | 39 11 26 24 0 | 37 15 23 21 4 | 32 7 26 28 7 |
| Used Mostly Alone Mostly With Friends Mostly With Family | 14 74 7 | 12 81 5 | 15 80 12 | 9 82 14 | 8 82 10 | 7 83 10 |
| Used Because Friends To Feel Better To Get High For Relaxation For Fun At Parties Other Reasons | 8 16 47 15 33 9 | 11 17 53 22 27 14 | 11 18 37 17 41 18 | 7 16 46 29 37 12 | 6 18 64 22 24 10 | 1 4 52 23 15 4 |
| Would Like To Stop Would not Not Sure Not Answered | 33 50 17 | 30 61 9 | 31 64 5 | 33 61 6 | 22 38 34 7 | 21 47 26 6 |
| Used Tobacco | 43 | 49 | 58 | 50 | 60 | 61 |



Table 2
Percent of Students who Report Using Alcohol in Grade 6

| Variable | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 |
|------------------------|----------------|-------------|------|------|------|---------------|------|
| Total Respondents | 1419 | 1322 | 1200 | 1045 | 1331 | 1291 | |
| Number Using | 198 | 134 | 169 | 163 | 162 | 119 | |
| Percent Using | 14 | 10 | 14 | 16 | 12 | 9 | |
| Male | 60 | 59 | 55 | 59 | 53 | 46 | |
| Female | 40 | 41 | 45 | 41 | 47 | 54 | |
| White | 34 | 29 | 29 | 30 | 25 | 19 | |
| Black | 27 | 25 | 35 | 34 | 33 | 35 | |
| Hispanic | 37 | 38 | 34 | 29 | 38 | 42 | |
| Asian or Other | 2 | 7 | 2 | 7 | 5 | 4 | |
| Good Student | 40 | 31 | 26 | 23 | 27 | 33 | |
| Average Student | 56 | 60 | 64 | 70 | 69 | 60 | |
| Poor Student | 4 | 9 | 10 | 7 | 4 | 7 | |
| Never Absent | 24 | 36 | 39 | 25 | 32 | 26 | |
| Absent 1-4 Times | 57 | 49 | 45 | 51 | 52 | 51 | |
| Absent 5-10 Times | 13 | 10 | 11 | 12 | 8 | 15 | |
| Absent More Often | 6 | 5 | 5 | 12 | 9 | 8 | |
| Reason: ill | 66 | 60 | 42 | 57 | 57 | 49 | |
| Suspended | 3 | 3 | 6 | 9 | 7 | 5 | |
| Skipped | 3 | 8 | 8 | 7 | 9 | 9 4 | |
| Alcohol or Drugs | Ŏ | 2 | 2 | 0 | 1 | 4 | |
| Other | 12 | 8 2 8 | 12 | 11 | 12 | 12 | |
| Not Answered | 13 | 19 | 30 | 16 | 14 | 21 | |
| Lives With Both | 49 | 57 | 43 | 46 | 48 | 45 | |
| Only One Parent | 48 | 39 | 49 | 49 | 46 | 50 | |
| Other | 3 | 4 | 8 | 5 | 6 | 5 | |
| STUDENT ASSISTANCE | PROGR <i>I</i> | AM. | | | | | |
| Aware of the SAP | 31 | 38 | 53 | 77 | - | - | |
| Used the SAP | 8 | 8 | 10 | 23 | - | - | |
| SAP Info Helpful | 34 | 28 | 43 | 66 | - | - | |
| DRUG OBSERVATIONS | | | | | | | |
| Seen Drugs Used in Sch | 14 | 21 | | 30 | | | |
| Seen Drugs Sold in Sch | 15 | 15 | 27 | 23 | 30 | | |
| Seen Sold in Neighborh | d 59 | 63 | 71 | 72 | 63 | 73 | |
| Knows Where to Buy | 49 | 48 | 59 | 59 | | | |
| Uses Tobacco | 10 | 19 | | 21 | | | |
| naca Innacco | 10 | | | | | | |



-8-

| [Table 2 cont.] DRINKIN | IG HABI | TS of | SIXTH | GRADERS | | |
|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------|------------------------------------|-------------------------------|
| First Drink in Gr. 1 Grade 2 Grade 3 Grade 4 Grade 5 Grade 6 | 5 | 8 | 10 | 10 | 5 | 10 |
| | 2 | 2 | 2 | 2 | 7 | 4 |
| | 15 | 11 | 12 | 14 | 13 | 6 |
| | 27 | 28 | 24 | 21 | 30 | 21 |
| | 33 | 31 | 38 | 32 | 26 | 32 |
| | 18 | 19 | 14 | 20 | 18 | 20 |
| Drink at Mealtimes Weekends Before School During School Hours After School Evenings | 19 | 12 | 11 | 20 | 10 | 6 |
| | 35 | 48 | 41 | 32 | 44 | 66 |
| | 0 | 2 | 3 | 2 | 1 | 2 |
| | 0 | 2 | 2 | 2 | 1 | 1 |
| | 8 | 8 | 6 | 6 | 5 | 13 |
| | 19 | 20 | 19 | 35 | 15 | 12 |
| Drinks Beer | 38 | 45 | 36 | 42 | 54 | 37 |
| Wine | 38 | 37 | 40 | 53 | 36 | 30 |
| Liquor | 8 | 20 | 15 | 9 | 9 | 11 |
| Other | 12 | 12 | 11 | 8 | 18 | 22 |
| Drinks Not Very Often | 77 | 6 4 | 70 | 73 | 76 | 71 |
| Once or Twice a Month | 12 | 16 | 14 | 17 | 14 | 10 |
| Once or Twice a Week | 8 | 14 | 10 | 7 | 8 | 14 |
| Almost Every Day | 4 | 4 | 6 | 3 | 3 | 5 |
| Drinks One or Two | 88 | 76 | 83 | 78 | 85 | 82 |
| Three to Five | 8 | 19 | 11 | 13 | 14 | 12 |
| Six or More | 4 | 5 | 6 | 9 | 1 | 6 |
| Drinks Mostly Alone | 6 | 8 | 10 | 4 | 10 | 10 |
| Mostly With Friends | 16 | 31 | 26 | 23 | 30 | 36 |
| Mostly With Family | 78 | 61 | 64 | 63 | 60 | 5 4 |
| Drinks Because Friends Because Parents Drink To Feel Better For Relaxation For Fun At Parties With Meals Other Reasons | 2 6 3 3 21 51 5 | 3 5 8 5 33 40 10 | 5 5 3 5 27 47 10 | 4 4 4 26 53 10 | 4 5 5 5 19 44 19 | 1 6 6 30 42 12 |
| Drinks around School At Home At a Friend's House In Parks At Parties Other Places | 1 47 6 2 27 7 | 1 37 8 5 45 8 | 1 43. 6 4 39 | 2 36 9 4 38 0 | 0 40 12 2 35 12 | 1 34 9 3 50 3 |



Table 3
Percent of Students who Report Using Alcohol in Grade 9

-9-

| Variable | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 |
|------------------------|-------------|------|---------|------------|----------|---------|------|
| Total Respondents | 1259 | 946 | 822 | 857 | 965 | 453 | • |
| Number Using | 554 | 330 | 333 | 273 | 187 | 140 | |
| Percent Using | 44 | 35 | 41 | 32 | 19 | 31 | |
| Male | 46 | 47 | 48 | 52 | 49 | 47 | |
| Female | 54 | 53 | 52 | 48 | 51 | 53 | |
| White | 48 | 54 | 38 | 33 | 27 | 26 | |
| Black | 21 | 22 | 30 | 34 | 29 | 28 | |
| Hispanic | 28 | 18 | 29 | 26 | 39 | 40 | |
| Asian or Other | 2 | 6 | 3 | 7 | 5 | 6 | |
| Good Student | 33 | 32 | 26 | 30 | 36 | 30 | |
| Average Student | 62 | 63 | 64 | 63 | 61 | 63 | |
| Poor Student | 4 | 4 | 10 | 7 | 3 | 7 | |
| Never Absent | 28 | 33 | 31 | 21 | 24 | 17 | |
| Absent 1-4 Times | 53 | 44 | 44 | 52 | 51 | 54 | |
| Absent 5-10 Times | 12 | 16 | 17 | 17 | 16 | 20 | |
| Absent More Often | 6 | 7 | 8 | 11 | 9 | 9 | |
| Reason: ill | 49 | 46 | 44 | 43 | 51 | 48 | |
| Suspended | 3 | 3 | . 5 | 6 | 8 | 4 | |
| Skipped | 10 | 12 | 14 | 12 | 17 | 16 | |
| Alcohol or Drugs | .0 | 1 | 1 | 2 | 1 | 4 11 | |
| Other | 11 | 10 | 9 27 | 10 27 | 12 11 | 17 | |
| Not Answered | 27 | 28 | 21 | 21 | 11 | 17 | |
| Lives With Both | 48 | 56 | 51 | 46 | 48 | 32 | |
| Only One Parent | 48 | 41 | 44 | 48 | 48 | 62 | |
| Other | 4 | 3 | 5 | 6 | 4 | 6 | |
| STUDENT ASSISTANCE | | | | • - | | | |
| Aware of the SAP | 33 | 34 | 45 | 48 | - | - | |
| Used the SAP | 3 | 4 | 4 | 7 | _ | - | |
| SAP Info Helpful | 22 | 21 | 31 | 37 | - | - | |
| DRUG OBSERVATIONS | | | | . - | | | |
| Seen Drugs Used in Sch | 45 | 40 | 51 | 68 | 63 | 63 | |
| Seen Drugs Sold in Sch | 35 | 33 | 47 | 63 | | 61 | |
| Seen Sold in Neighborh | d 63 | 56 | 70 | 74 | | 78 | |
| Knows_Where to Buy | 70 | 66 | 78 | 84 | 79 | 84 | |
| Uses Tobacco | 25 | 29 | 27 | 28 | 23 | 42 | |



-10-

| [Table 3 cont.] DRINKI | NG HABI | TS of | NINTH | GRADERS | | |
|--|--------------------------------------|-------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|----------------------------------|
| First Drink in Gr. 1-4 Grade 5 Grade 6 Grade 7 Grade 8 Grade 9 | 8 7 12 30 25 12 | 12 7 16 29 24 9 | 12 9 10 36 27 6 | 13 8 13 28 26 12 | 13 4 14 24 25 19 | 12 10 18 22 25 14 |
| Drink at Mealtimes Weekends Before School During School Hours After School Evenings | 9 67 3 2 9 | 7 68 3 4 10 18 | 6 68 5 3 13 16 | 7 68 5 6 13 | 7 69 1 2 10 12 | 2 78 1 1 4 15 |
| Drinks Beer Wine Liquor Other | 51 37 43 11 | 56 32 44 12 | 63 29 39 10 | 59 27 40 8 | 26 | 15 34 7 |
| Drinks Not Very Often Once or Twice a Month Once or Twice a Week Almost Every Day | 54 22 14 4 | 60 17 16 4 | 53 22 20 6 | 52 18 19 11 | 67 16 14 3 | 48 15 26 11 |
| Drinks One or Two Three to Five Six or More | 58 26 16 | 51 27 22 | | 57 25 18 | 27 | 5 4 27 1 9 |
| Drinks Mostly Alone Mostly With Friends Mostly With Family | 6 6 4 30 | 2 72 26 | 5 72 23 | 4 73 23 | | 4 71 25 |
| Drinks Because Friends Because Parents Drink To Feel Better For Relaxation For Fun At Parties With Meals Other Reasons | 8 2 10 12 46 29 15 | 8 2 8 14 53 25 15 | 7 3 10 12 51 22 19 | 8 3 10 18 47 18 16 | 4 1 6 13 40 25 19 | 4 2 18 44 19 |
| Drinks around School At Home At a Friend's House In Parks At Parties Other Places | 3 31 29 11 52 6 | 3 26 33 11 56 8 | 4 24 31 14 60 8 | 6 22 32 11 55 | 1 26 33 9 47 6 | 1 21 27 2 42 7 |



-11Table 4
Percent of Students who Report NOT using substances in Grade 6

| Variable Total Respondents Number Reporting Percent Reporting Male Female | 1990 1419 1204 85 47 53 | 1991 1322 1098 83 | 1992 1200 930 78 | 1993 1045 882 | 1994 1331 1125 | 1995 | 1996 |
|--|--|----------------------------|---------------------------|---------------------|----------------------|------|------|
| Number Reporting Percent Reporting Male Female | 1204 85 47 | 1098 83 | 930 | 882 | | | |
| Number Reporting Percent Reporting Male Female | 85 47 | 83 | | | 1125 | 1177 | |
| Percent Reporting Male Female | 47 | | 78 | | | 1173 | |
| Female | | | | 84 | 85 | 91 | |
| Female | | 49 | 49 | . 49 | 50 | 48 | • |
| | 23 | 51 | 51 | 51 | 50 | 52 | |
| ath a + A | 40 | 41 | 42 | 40 | 33 | 30 | |
| White Black | 27 | 27 | 27 | 27 | 25 | 26 | |
| | 30 | 27 | 28 | 29 | 36 | 37 | |
| Hispanic | 2 | 4 | 3 | 4 | 6 | 7 | |
| Asian or Other | Z | ** | 3 | 7 | • | • | |
| Good Student | 45 | 42 | 44 | 42 | 46 | 46 | |
| Average Student | 51 | 56 | 51 | 55 | 52 | 51 | |
| Poor Student | 2 | 2 | 4 | 3 | 2 | 3 | |
| Never Absent | 39 | 40 | 40 | 36 | 40 | 39 | |
| Absent 1-4 Times | 46 | 47 | 47 | 50 | 43 | 47 | |
| Absent 5-10 Times | 10 | 10 | 10 | 11 | 10 | 10 | |
| Absent More Often | 3 | 3 | 3 | 4 | 7 | 4 | |
| Absent More Orcen | | • | • | _ | | | |
| Reason: ill | 63 | 63 | 60 | 67 | 64 | 63 | |
| Suspended | 2 | 1 | 3 | 3 | 4 | 2 | |
| Skipp3d | $\bar{2}$ | 2 | 2 | 1 | 2 | 1 | |
| Alcohol or Drugs | ō | Ō | Ō | 0 | 0 | 0 | |
| Other | 2 2 0 7 | 10 | 14 | 11 | 13 | 11 | |
| | 26 | 24 | 22 | 18 | 17 | 23 | |
| Not Answered | 20 | 24 | 22 | | | | |
| Lives With Both | 58 | 58 | 60 | 54 | 58 | 62 | |
| Only One Parent | 38 | 37 | 37 | 44 | 38 | 35 | |
| Other | 3 | 5 | 3 | 2 | 4 | 3 | |
| STUDENT ASSISTANCE | PROGR | AM | | | | | |
| Aware of the SAP | 30 | 37 | 61 | 64 | - | - | |
| Used the SAF | 3 | 7 | 7 | 20 | - | - | |
| SAP Info Helpful | 25 | 3 2 | 53 | 61 | - | | |
| SWE THIO HETPIGE | 2.7 | J. | | J- | | | |
| DRUG OBSERVATIONS | _ | _ | | | ^^ | 1.4 | |
| Seen Drugs Used in Sch | ı 4 | 8 | | 17 | | | |
| Seen Drugs Sold in Sch | 4 | 5 | | 10 | | | |
| Seen Sold in Neighborh | ad 38 | | | 43 | | | |
| Knows Where to Buy | 17 | 21 | | 28 | | | |
| Uses Tobacco | 1 | 2 | 3 | 2 | 3 | 2 | |



-12
Table 5
Percent of Students who Report NOT using substances in Grade 9

| Variable | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 |
|-------------------------|--------|------|------|------|------|------|------|
| Total Respondents | 1259 | 946 | 822 | 857 | 965 | 453 | |
| Number Reporting | 692 | 520 | 424 | 470 | 557 | 313 | |
| Percent Reporting | 55 | 55 | 52 | 55 | 58 | 69 | |
| Male | 46 | 47 | 48 | 49 | 52 | 44 | |
| Female | 54 | 53 | 52 | 51 | 48 | 56 | |
| White | 37 | 39 | 40 | 42 | 33 | 20 | |
| Black | 27 | 34 | 27 | 27 | 32 | 32 | |
| Hispanic | 29 | 24 | 29 | 27 | 28 | 42 | |
| Asian or Other | 3 | 2 | 4 | 4 | 6 | 6 | |
| Good Student | 49 | 44 | 45 | 41 | 49 | 45 | |
| Average Student | 4 | 55 | 51 | 57 | 48 | 54 | |
| Poor Študent | 2 | 1 | 4 | . 2 | 3 | 1 | |
| Never Absent | 44 | 45 | 42 | 34 | 39 | 34 | |
| Absent 1-4 Times | 40 | 42 | 42 | 52 | 47 | 47 | |
| Absent 5-10 Times | 11 | 10 | 11 | 10 | 10 | 15 | |
| Absent More Often | 3 | 3 | 4 | 4 | 5 | 4 | |
| Reason: ill | 58 | 57 | 56 | 63 | 53 | 55 | |
| Suspended | 1 | 2 3 | 2 | 2 | 5 | 4 | |
| Skipped | 1 1 | 3 | 4 | 4 | 4 | 4 | |
| Alcohol or Drugs | 0 | 0 | 0 | 0 | 0 | 0 | |
| Other | 6 | 9 | 8 | 7 | 10 | 12 | |
| Not Answered | 34 | 29 | 30 | 25 | 28 | 26 | |
| Lives With Both | 55 | 62 | 61 | 55 | 57 | 43 | |
| Only One Parent | 40 | 37 | 37 | 42 | 40 | 51 | |
| Other | 3 | 1 | 3 | 3 | 3 | 6 | |
| STUDENT ASSISTANCE P | ROGRA | AM. | | | | | |
| Aware of the SAP | 24 | 25 | 48 | 57 | - | - | |
| Used the SAP | 2 | 3 | 4 | 7 | - | - | |
| SAP Info Helpful | 18 | 20 | 31 | 41 | _ | - | |
| DRUG OBSERVATIONS | | | | | _ | | |
| Seen Drugs Used in Sch | 23 | 25 | | 39 | | | |
| Seen Drugs Sold in Sch | 15 | 18 | | 32 | | | |
| Seen Sold in Neighborho | 1 40 | 39 | | 49 | | | |
| Knows Where to Buy | 40 | 42 | | 49 | | _ | |
| Uses Tobacco | 2 | 4 | 5 | 5 | 7 | 7 | |



-13-Table 6 Student Responses in 1995

| Variable G | r9 Drug | Gr9 Al | Gr9 Non | Gr6 Al | Gr6 Non |
|---------------------|---------|--------|---------|------------|---------|
| Total Respondents | 453 | 453 | 453 | 1291 | 1291 |
| rotal Reporting | 100 | 140 | 313 | 119 | 1173 |
| Percent Reporting | 22 | 31 | 69 | 9 | 91 |
| Male | 44 | 47 | 44 | 46 | 48 |
| Female | 56 | 53 | 56 | 54 | 52 |
| White | 20 | 26 | 20 | 19 | 30 |
| Black | 33 | 28 | 32 | 35 | 26 |
| Hispanic | 38 | 40 | 42 | 42 | 37 |
| Asian or Other | 9 | 6 | 6 | 4 | 7 |
| Good Student | 29 | 30 | 45 | 33 | 46 |
| Average Student | 61 | 63 | 54 | 60 | 51 |
| Poor Študent | 10 | 7 | 1 | 7 | 3 |
| Never Absent | 20 | 17 | 34 | 26 | 39 |
| Absent 1-4 Times | 42 | 54 | 47 | 51 | 47 |
| Absent 5-10 Times | 29 | 20 | 15 | 15 | . 10 |
| Absent More Often | 9 | 9 | 4 | 8 | 4 |
| Reason: ill | 41 | 48 | 55 | 49 | 63 |
| Suspended | 7 | 4 | 4 | 5 | 2 |
| Skipped | 18 | 16 | 4 | 9 | 1 |
| Alcohol or Drugs | 8 | 4 | 0 | 4 | 0 |
| Other | 12 | 11 | 12 | 12 | 11 |
| Not Answered | 14 | 17 | 26 | 21 | 23 |
| Lives With Both | 29 | 32 | 43 | 45 | 62 |
| Only One Parent | 62 | 62 | 51 | 50 | 3,5 |
| Other | 9 | 6 | 6 | 5 | 3 |
| DRUG OBSERVATION | | | | ^ - | |
| Seen Drugs Used in | Sch 62 | 63 | 33 | 37 | 14 |
| Seen Drugs Sold in | Sch 60 | 61 | 31 | 37 | 14 |
| Seen Sold in Neighb | orhd 88 | 78 | 59 | 73 | 40 |
| Knows Where to Buy | 87 | 84 | 52 | 73 | 23 |
| Uses Tobacco | 60 | 42 | 7 | 39 | 2 |



-14-Table 7 Drinking Habits in 1995

| Variable Gr9 | Drug | Gr9 Al | Gr6 Al | |
|--|--------------------------------|------------------------------------|-------------------------------|---|
| First Drink in Gr. 1-4 Grade 5 Grade 6 | 12 17 | 12 10 18 22 | 10 4 6 21 | |
| Grade 7 Grade 8 Grade 9 | 17 14 3 | 25 14 | 32 20 | |
| Drink at Mealtimes Weekends Before School During School Hours After School Evenings | 5 59 7 6 10 | 2 78 1 1 4 15 | 6 66 2 1 13 12 | |
| Drinks Beer Wine Liquor Other | 46 27 22 5 | 44 15 34 7 | 37 30 11 22 | |
| Drinks Not Very Often Once or Twice a Month Once or Twice a Week Almost Every Day | 9 37 | 48 15 26 11 | 71 10 14 5 | |
| Drinks One or Two Three to Five Six or More | 45 28 27 | 54 27 19 | 82 12 6 | |
| Drinks Mostly Alone Mostly With Friends Mostly With Family | . 5 81 14 | 71 25 | 10 36 54 | · |
| Drinks Because Friends Because Parents Drink To Feel Better For Relaxation For Fun At Parties With Meals Other Reasons | | 4 4 2 18 44 19 9 | 1 4 6 6 30 42 | |
| Drinks around School At Home At a Friend's House In Parks At Parties Other Places | 6 17 23 8 36 10 | 1 21 27 2 42 7 | 1 34 9 3 50 3 | |



Page 15

1994 was the first year that answer sheets were sorted by zip code so as to be able to determine substance use by neighborhood. An additional Special Codes section was also included for additional coding as needed. The results for 1995 are displayed on Table 8. Zip code 01109, which had the largest number of respondents (334), encompasses the Mason Square area and populated by a majority of African-Americans.

Zip code has 14.5% of the population. If all 1211 respondents were distributed proportionately, that zip code would have 176 respondents. The 334 were 158 more than expected, but were close to the number expected (364) if ALL sixth and ninth graders had responded to the survey. Many of the other zip codes listed are white neighborhoods and have far fewer respondents than expected supporting the finding above that many white drug and alcohol users are not responding to the survey.

Table 8
Drug and Alcohol Users by Zip Code

| Zip | Freq | Neighborhood(s) | Pcnt | Prop I | oiff | If All |
|--------|------|-----------------|------|--------|------|--------|
| 01109 | 334 | Hills, McK, Bay | 14.5 | 176 | 158 | 364 |
| 01108 | 193 | For Park, Six C | 20.4 | 247 | -54 | 512 |
| 01104 | 143 | E Spr, Lib Hts | 15.3 | 185 | -42 | 384 |
| 01107 | 137 | Mem Sq, Bright | 6.8 | 82 | 55 | 171 |
| 01105 | 126 | South End | 3.3 | 40 | 86 | 83 |
| 01118 | 67 | E Forest Park | 7.3 | 88 | -21 | 183 |
| 01151 | 63 | Indian Orchard | 5.4 | 65 | -2 | 136 |
| 01119 | 57 | Boston Rd, Pine | 8.3 | 101 | -44 | 209 |
| 01128/ | | Sixteen Acres | 15.2 | 185 | -106 | 382 |
| 01103 | 12 | Metro Center | 3.5 | 42 | -30 | 87 |
| Total | 1211 | | | 1211 | | |
| No Ans | 535 | | | | | |
| Grand | 1746 | | | | | 2511 |

