

AUTHOR Hewick, Walter; And Others  
 TITLE ADD and Physicians.  
 PUB DATE [95]  
 NOTE 9p.  
 PUB TYPE Guides - Non-Classroom Use (055) -- Information Analyses (070) -- Reports - Descriptive (141)

EDRS PRICE MF01/PC01 Plus Postage.  
 DESCRIPTORS \*Attention Deficit Disorders; Behavior Disorders; Child Behavior; \*Child Health; Community Involvement; Helping Relationship; \*Hyperactivity; \*Medical Care Evaluation; Parent Child Relationship; \*Physician Patient Relationship; \*Physicians; Problem Children

## ABSTRACT

In the United States today Attention Deficit Disorder (ADD) is recognized by professionals as a distinct disorder, a neurobiological disability marked by inattentiveness, impulsivity, and hyperactivity. About 2-10% of school-age children suffer from ADD, making it an issue of rising concern to families and school leaders. It is necessary that physicians, teachers, parents, and health care personnel who work with ADD children be knowledgeable about brain function and its affect on behavior. Neurochemical models of ADD view it as a malfunction of the brain stem and deficiencies in the levels of neuro-transmitters necessary for sending information to other parts of the brain. There is much evidence that ADD is genetic. Though there are several psycho-medical disorders with symptoms that mimic ADD, technological advances in examining the brain aid in diagnosis. Some of the educational strategies in teaching children with ADD include a structured program, stimulus reduction, behavior modification, cognitive training, and psychopharmacology. Physicians play the pivotal role in provision of quality care and proper management of ADD; it is critical that they have a thorough understanding of this neurological disability. To effectively protect children's health requires a collaborative effort among physicians, parents, teachers, counselors, school administrators, and community. (Contains 20 references.) (LSR)

\*\*\*\*\*  
 \* Reproductions supplied by EDRS are the best that can be made \*  
 \* from the original document. \*  
 \*\*\*\*\*

W. Hewick

TO THE EDUCATIONAL RESOURCES  
INFORMATION CENTER (ERIC)

- This document has been reproduced as received from the person or organization originating it.
- Minor changes have been made to improve reproduction quality.

- Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

1

## ADD AND PHYSICIANS

by

Walter Hewick, Ph.D., LPC, CPC, CAS, CCI, CCJS

Jai S. Cho Hewick, M.D., FAAFP

Frank J. Hewick, M.A., LPC, CCJS

Frequently, the borderline between regular medical problems and ADD disorders leaves a blurred area which can create confusion in diagnosis and management because a strong strain of co-morbidity exists. Today a "new morbidity" hits the psycho-medico scene for children and adolescents relative to underachievement, developmental disabilities, psychosocial and behavioral disorders. With the inclusion of this "new morbidity" in the DSM-IV-R, a new landscape emerges on the scene and it poses serious, challenging, and major implications for the role of physicians and the way they conduct their practices. In this regard, the physician is involved in caring, preventing, diagnosing, medicating, counseling, coordinating, advocating, consulting, and educating. Frequently, the borderline between regular medical problems and ADD disorders leaves a blurred area which can create confusion in diagnosis and management because a strong strain of co-morbidity exists. To be adept in the foregoing, it *might* necessitate *some* retreading on the part of *some* physicians. Therefore, physicians should have a thorough understanding of this disorder and to provide quality care and proper management.

### BACKGROUND

In the United States, today, Attention Deficit Disorder (ADD) is recognized by professionals as a distinct disorder. About 2% to 10% of all children in our schools suffer from it. In 1985, a rather astonishing fact appeared in the **Mental Health Newsletter** published by the Harvard Medical School. It stated that half of all childhood referrals to mental health agencies were for ADD. According to Lavin (1991), "it has been estimated that nearly a million children are taking stimulant drugs" for this disorder.

Historically, Attention Deficit Disorder is characterized by attention skills that are developmental inappropriate, impulsivity, and in some cases, hyperactivity. It is a neurobiological disability that affects up to 5% of all American children. Until recently, it was believed that ADD symptoms disappeared in adolescence. It is now known that many symptoms continue into adulthood for 30-70% of individuals with ADD. Adults with ADD may experience difficulties at work and in relationships. They may also exhibit other emotional difficulties. Medical science first noticed children exhibiting inattentiveness, impulsivity, and hyperactivity in 1902. A significant percentage, perhaps as many as 50% of children with ADD are never properly diagnosed (CH.A.D.D., 1993). Further, during the 1950s, our schools were crowded with children who did not or could not pay



attention. Educators began to focus upon students who were too easily distractible, could not tune out the edges of their environment, could not follow a series of simple instructions without being reminded, and could not fit successfully into a group.

Distractibility and short attention span became prominent topics at meetings where school leaders discussed their frustration. It is postulated that these children with ADD are becoming a liability to our society and more directly to their families.

## **CHARACTERISTICS**

The clinical features of Attention- Deficit- Hyperactivity Disorders are as follows:

### **INATTENTION**

1. Easily distracted by extraneous stimuli
2. Difficulty following through on instructions in the absence of close supervision (e.g., fails to finish schoolwork).
3. Difficulty sustaining attention in tasks or play activities.
4. Often does not seem to listen to what is being said to him or her.
5. Often loses things necessary for tasks or activities (e.g. toys, pencils).
6. Often fails to give close attention to details in schoolwork or other activities.
7. Has difficulty organizing goal-directed activity.
8. Often shifts from one uncompleted activity to another.

### **HYPERACTIVITY**

1. Often leaves seat in classroom or in other situations in which remaining seated is expected.
2. Has difficulty playing quietly.
3. Runs about or climbs excessively in inappropriate situations.
4. Often fidgets with hands or feet or squirms in seat.
5. Often interrupts or intrudes on others.
6. Often talks excessively.

### **IMPULSIVENESS**

1. Often acts before thinking.
2. Has difficulty awaiting turn in games or group situations.
3. Often blurts out answers to questions before they have been completed.
4. Often engages in physically dangerous activities without considering consequences (e.g. runs into street without looking).



## ETIOLOGY.

### A. NEUROCHEMICAL MODEL OF ADD.

It is thought that individuals with ADD do not release enough of the chemicals needed to send information from the brain stem to other parts of the brain (Goldstein and Goldstein, 1990). The brain is unable to produce enough of a family of neurotransmitters called catecholamines. The most important are the norepinephrine and dopamine. These neurotransmitters are thought to affect a wide variety of behavior, including the regulation of attention, inhibition, and motor responses. These may be involved in the transmission of such messages as:

- "ignore distractions"
- "stay focused"
- "don't fidget"
- "be efficient"
- "reflect"
- "don't overreact" (Busch, 1993)

Other areas of the brain thought to be implicated in ADDs are the:

1. prefrontal lobes--responsible for selective attention
2. the motor strip area--responsible for fidgetiness and overactive behavior
3. the subcortical/limbic areas--thought to be responsible for poor pencil control, disinhibition and emotional over responsiveness. *These abnormalities appear to be reversed by stimulant medication (Busch, 1993)*

### B. CEREBRAL GLUCOSE METABOLISM

Zametkin (1990), and his colleagues, NIH, showed that the brains of individuals with ADD metabolize glucose at a significantly slower rate.

### C. ADD IS GENETIC

Family members of children with ADD commonly have symptoms of ADD. In one research study, hyperactivity was noted in the parents of hyperactive children four times as often as in those of the control group (Cantwell, 1972). In another study, it revealed that 20% to 32% of the parents of



children with ADD also had symptoms of ADD (Barkley, 1990). These studies demonstrate a genetic predisposition for attention deficit disorders. Further, according to L.B Silver (1992) the genetic theory of ADD is supported by the finding that the incidence of ADD in adopted children is higher than for biological children. Additionally, twin studies also support the genetic theory of ADD. Researchers at the University of Minnesota, conducted a large scale longitudinal study of twins who were reared apart. They studied the characteristics of twins to sort out which qualities of mind and body are shaped by genetics and were shaped by environment. The study compared that characteristics of identical twins, who have identical genes and with those of fraternal twins, who are not genetically identical. The study found that even when identical twins were reared apart, they had similar characteristics relative to hyperactivity. The researchers concluded that genetics or heritability plays a significant role in the characteristics of hyperactivity. The implication of the twin studies is that there is a genetic predisposition for ADD (Goodman & Stevenson, 1989).

#### **D. CAUTION**

A variety of disorders can be mistaken for ADD. Popper (1991) identifies the following "ADD look-alike" disorders:

- 1. Depression:** some inattentive children with impulsive and hyperactive behavior may be suffering from depression. The depression may be temporary (feeling blue or demoralized) or more persistent (dysthymic disorder) or severe enough to warrant a psychiatric diagnosis of depression. These individuals require treatment for depression not for ADD.
- 2. Stress-induced anxiety states:** Environmental stress caused by home, school, or social situation may result in a state of anxiety. Though the symptoms may look like ADD, the source of the problem lies in the environment, and treatment must focus on helping the individual change the environment or cope with it more successfully.
- 3. Biologically based anxiety:** Individuals with disorders such as separation anxiety or compulsive disorders may also have symptoms similar to ADD. However, stimulant medication may only worsen the symptoms of such disorders, for which other approaches and medications are needed.
- 4. Child abuse or neglect:** Sometimes children respond to sexual abuse, physical abuse, or neglect with behaviors that resemble those of children with ADD. These problems too, must be distinguished from ADD, because they require vastly different treatment.
- 5. Bipolar disorders:** Bipolar disorder include a group of biomedical conditions, of which manic-depression illness in adults is one of the most severe. Symptoms of bipolar disorders in children and adolescents include impulsivity, irritability, unprovoked hostility, and difficulty in getting going in the morning. Children and adolescents with severe bipolar disorders may display lengthy temper

tantrums, grossly distorted views of the world, and dangerous destructiveness during their rages. Stimulant medication may worsen their symptoms and can be quite risky. Individuals with bipolar disorders may do better with other medications, such as lithium.

**6. Schizophrenia:** A few children with ADD symptoms may have the serious biomedical disorder of schizophrenia. Stimulant medications can be risky for these children, too, who need other treatments and medication therapy.

**7. Other medical disorders:** A number of other medical disorders can mimic ADD. These include disorders of sleep (or arousal), malfunctions of the thyroid gland, and excessive ingestion and lead. Again, a thorough diagnosis is needed to distinguish these symptoms from ADD.

## DIAGNOSIS

There are several technological advances in studying the brain which aid in the diagnosis of ADD.

**MRI**--magnetic resonance imaging- research shows that the frontal region of the brain of dyslexic and ADHD individuals is symmetrical and smaller than that of normal individuals (Hynd, 1992).

**BEAM**--brain electrical activity mapping-- research has shown that the electrical activity of brains of individuals with dyslexia differs significantly from that of normal brains. Differences were found in the left hemisphere, the medial front lobe, and the occipital lobe which is the brain's visual center (Duffy, 1988).

**PET**--positron emission tomography- proved the most successful research approach in regard to ADD. PET imaging demonstrate that the metabolism of individuals with ADD is uniquely different from that of normal individuals.

**EEG**-- electroencephalogram- it is graphic record of minute electrical impulses arising from brain cells, and measured by an electronic device. In 1987, the Clinical Psychiatry News reported that computerized EEG distinguishes between Attention Deficit Disorder and depression, "providing compelling evidence that psychological dysfunction alone cannot explain many patients' conditions and that biological evaluation is necessary...Something is physiologically wrong."

**INSTRUMENTS:** Assessment of children with ADD requires bringing together all information affecting the child. It is a multidisciplinary task and one of much communicating among specialists. Some of the instruments used in this respect are: Case History and Interview, Behavior Rating Scales (Conners Rating Scale, Child Behavior Checklists, Behavior Problem Checklists, Attention Deficit Disorder Evaluation Scales (Home and School Versions), neurological tests, etc.



## **SOME EDUCATIONAL STRATEGIES**

Since most children and adolescents are in a school setting, the undermentioned strategies are suggested by professionals who address the ADD question in the classroom. While physicians might not be engaged directly in teaching, it is necessary for them to be acquainted with academic strategies for this disorder and then be able to make informed referrals.

**A. Structured Program.** It is highly teacher directed in which activities and environment are structured for children who are hyperactive and distractible. The rationale for this approach is that children with ADD cannot make their own decisions until they are able to do so.

**B. Stimulus Reduction.** All irrelevant stimuli within the environment must be reduced to a minimum. It is achieved by soundproof walls and ceilings, carpeting, opaque windows, enclosed bookcases and cupboards, limited use of colorful bulletins, and use of cubicles and three-sided work areas.

**C. Behavior Modification.** This is a technique used to control inattentive behavior. The use of reinforcement ( e.g. verbal praise,, extra time on the computer) to increase attentive behavior and punishment ( reduced for recess) can have powerful effect on behavior.

**D. Cognitive Training.** This approach is intended to assist students to take control of their behavior. By thinking about their behavior, students can regulate their impulsive and inattentive behavior. A good technique in this respect is self-monitoring. It is a procedure that requires the student to keep track of his or her behavior.

**E. Psychopharmacology.** Research show that medication treatment is effective for 70% to 80% of children who were carefully diagnosed with ADD. Some of the most frequently used stimulant medication methylphenidate (Ritalin)' pemoline (Cylert), and dextroamphetamine (Dexadrine) can help the ADD child's nervous system function more normally by increasing attention span and reducing over activity and distractibility. Further, counseling can be of great help in terms of behavior modification, environmental adjustment, cognitive training, and stress management for child and parent(s).

In sum, physicians play a conspicuous role in the caring and remediation of our children, the future of our society. The quality of our children's health will have a rather pronounced effect on the quality of our future society. The physician is an indispensable factor in this equation. It is necessary and even mandatory that physicians, teachers, parents, and health care personnel who work with children suffering from ADD should be knowledgeable about the brain and how variations in brain function affect behavior. Parents and teachers are often called upon to provide feedback to physicians about the

effectiveness of medication. It is a collaborative effort among physicians, parent, teachers, counselors, school administrators, and community.

Neuroscientists generally agree that attention deficit disorders are neurobiologically based. There are several theories about the neurobiological origins of ADD, many of which involve neurochemical dysfunctions. Neurochemical models of ADD view attention deficit disorders as due to malfunction of the area of the brain called the brain stem and deficiencies in the levels of neurotransmitters necessary for sending information from the brain stem to other parts of the brain.

New technologies for examining the brain include magnetic resonance imaging (MRI), brain electrical activity mapping (BEAM), electroencephalogram (EEG), and positron emission tomography (PET). It is the PET research conducted by Zametkin and his colleagues that has been most productive, showing that the brains of individuals with ADD metabolize glucose at a significantly slower rate.

There is much evidence that ADD is genetic. Family members of children with ADD commonly have symptoms of ADD. Twin studies also demonstrate that heritability of ADD.

There are several psycho medical disorders with symptoms similar to ADD's. They include depression, stressed-induced anxiety states, biologically based anxiety, child abuse or neglect, bipolar disorders, and schizophrenia, among others.

Finally, some of the educational strategies in teaching these children involve a structured program, stimulus reduction, behavior modification, cognitive training, psychopharmacology etc..

## REFERENCES

- American Psychiatric Association. (1980). **Diagnostic and Statistical Manual of Mental Disorders (4th. ed.)**. Washington, D.C.
- Barkley, R.A. DuPaul, G.J., & McMurray, M.B. (in press). **A Comprehensive Evaluation of Attention Deficit Disorder With and Without Hyperactivity as Defined by**
- Barkley, R.A. (1990). **Attention Deficit Hyperactivity Disorder: A Handbook for Diagnosis and Treatment**. New York: Guildford Press.
- Busch, B. (1993). Attention Deficits: Current Concepts, Controversies, Management, and Approaches to Classroom Instruction. **Annals of Dyslexia**, 43, 5-25.
- C.H.A.A.D: The Disability Name Add: an Overview of Attention Deficit Disorders (1993)**. Plantation: Florida.
- Cantwell, D, (1972). "Psychiatric Illness in the Families of Hyperactive Children. **Archives of General Psychiatry**, 27, 414-417.
- Carlson, C.L. (1986). Attention Deficit Disorder Without Hyperactivity: A Review of Preliminary experimental Evidence. In B.B. Lahey & A.E. Kazdin (Eds.), **Advances in Clinical Child**



- Psychology (Vol. 9, pp. 153-175).** New York: Plenum Press.
- Duffy, F. (1988). Neurophysiological Studies in Dyslexia. In D. Plum (Ed.), **Language, Communication, and the Brain.** New York: Raven Press.
- Goldstein S, & Goldstein, M. (1990). **Managing Attention Disorders in Children.** New York: John Wiley.
- Goodman, R. & Stevenson, J. (1989). "A Twin Study of Hyperactivity :II. The Aetiological role of Genes , Family Relationships, and perinatal Adversity. **Journal of Child Psychology and Psychiatry, 30, 691-709.**
- Hynd, G.W., Lorys, A.R., Semrud-Clikeman, M., Nieves, N., Huetter, M., & Lahey, B.B. (in press). Attention Deficit Disorder Without Hyperactivity and Cognitive and Neurocognitive Syndrome. **Journal of Child Neurology.**
- Hallahan, Daniel, Kauffman, James.(1994). **Exceptional Children: Introduction to Special Education:** Boston, Mass: Allyn and Bacon.
- Johnson, Robert B.,(1991). **Attention Deficits, Learning Disabilities and Ritalin: A Practical Guide.** San Diego, California: Singular Publishing Group, Inc.
- Lerner, Janet W., Lowenthal, Barbara, and Lerner, Sue R.(1995). **Attention Deficit Disorders.** Boston, Mass: Brooks/Cole Publishing Co.,
- Nussbaum, Nancy, Bigler, Erin (1990).. **Identification and Treatment of Attention Deficit Disorder.** Austin, Texas.
- Popper, C.W. (1991). **ADD look-alikes.** CH.A.A.D.er, 5(2), 16.
- Sloane, Mark, Assaidi, Laurie et. al ( 1989)**Educational Strategies.** Clarlston, MI: Minerva Press, Inc.
- Shaywitz and Shaywitz (1992). **Attention Deficit Comes of Age.** Austin, Texas,
- Weiss, Lynn.(1992). **Attention Deficit Disoder in Adults.** Dallas, Texas,
- Zametkin, A.J. et. al. (1990). "Cerebral Glucose Metabolism in Adults with Hyperactivity of Childhood Onset." **The New England Jounal of Medicine,323, 1361-1366.**

---

Walter E. Hewick, Ph.D., CAS, LPC, CPC, CCI, is a full professor in the College of Arts and Sciences, University of the District of Columbia, Washington, D.C. and in private practice at the Counseling and Psychotherapy Clinic, Inc in Laurel, Md.; Jai S. Cho Hewick, M.D, FAAFP, holds a private family practice and office GYN in Laurel, Md.; and Frank J. Hewick, M.A., LPC, in private practice in Washington, D.C.(For professional help, please call: 301-490-5900 / Fax 301-805-4396).

**U.S. DEPARTMENT OF EDUCATION—OFFICE OF EDUCATIONAL RESEARCH AND IMPROVEMENT  
(OERI)  
EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)  
REPRODUCTION RELEASE (Specific Document)**

**I. DOCUMENT IDENTIFICATION**

Title: ADD AND PHYSICIANS  
 Author(s): Walter HEWICK Ph.D. JAI S. CHO-HEWICK M.D. AND  
 Corporate Source (if appropriate): FRANK J. HEWICK MA, LPC  
 Publication Date: ASP

**II. REPRODUCTION RELEASE**

In order to disseminate as widely as possible timely and significant materials of interest to the educational community, documents announced in the monthly abstract journal of the ERIC system, *Resources in Education (RIE)*, are usually made available to users in microfiche and paper copy (or microfiche only) and sold through the ERIC Document Reproduction Service (EDRS). Credit is given to the source of each document, and if reproduction release is granted, one of the following notices is affixed to the document.

If permission is granted to reproduce the identified document, please CHECK ONE of the options and sign the release below.

CHECK HERE

<input checked="" type="checkbox"/> Microfiche (4" x 6" film) and paper copy (8 1/2" x 11") reproduction	OR	<input type="checkbox"/> Microfiche (4" x 6" film) reproduction only
--	----	--

\*PERMISSION TO REPRODUCE THIS MATERIAL HAS BEEN GRANTED BY  
Walter E. HEWICK  
[PERSONAL NAME OR ORGANIZATION.]

AS APPROPRIATE]

---

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC).\*

\*PERMISSION TO REPRODUCE THIS MATERIAL IN MICROFICHE ONLY HAS BEEN GRANTED BY  
\_\_\_\_\_  
[PERSONAL NAME OR ORGANIZATION.]

AS APPROPRIATE]

---

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC).\*

Documents will be processed as indicated provided reproduction quality permits. If permission to reproduce is granted, but neither box is checked, documents will be processed in both microfiche and paper copy.

SIGN HERE

"I hereby grant to the Educational Resources Information Center (ERIC) nonexclusive permission to reproduce this document as indicated above. Reproduction from the ERIC microfiche by persons other than ERIC employees and its system contractors requires permission from the copyright holder. Exception is made for non-profit reproduction of microfiche by libraries and other service agencies to satisfy information needs of educators in response to discrete inquiries."

Signature: [Signature] Printed Name: Walter E. Hewick  
 Organization: Counseling Psychology Clinic Inc Position: Director  
 Address: 14333 Laurel-Bowie Rd Tel. No.: 301-490-2100  
Maryland Zip Code: 20708 Date: 3/4/96

**III. DOCUMENT AVAILABILITY INFORMATION (Non-ERIC Source)**

If permission to reproduce is not granted to ERIC, or if you wish ERIC to cite the availability of the document from another source, please provide the following information regarding the availability of the document. (ERIC will not announce a document unless it is publicly available, and a dependable source can be specified. Contributors should also be aware that ERIC selection criteria are significantly more stringent for documents which cannot be made available through EDRS.)

Publisher/Distributor: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Price Per Copy: \_\_\_\_\_ Quantity Price: \_\_\_\_\_

**IV. REFERRAL TO COPYRIGHT/REPRODUCTION RIGHTS HOLDER**

If the right to grant reproduction release is held by someone other than the addressee, please provide the appropriate name and address:

none

ERIC/CAPS Counselor Education Partner

Institution: University of the District of Columbia Department: Human Resource Development



October 1990

Dear Counselor Education Partner:

In fulfilling its responsibilities as an ERIC/CAPS Counselor Education Partner, your department has agreed to submit approximately 10 documents per year to be considered for inclusion in the ERIC database. Examples of appropriate documents include: annotated bibliographies, high quality student term papers, literature reviews, masters' theses, conference presentations, curriculum materials, project report, etc. In return, ERIC/CAPS is committed to giving high priority and quick turnaround time in its review of comments submitted by faculty and students of ERIC/CAPS Partners. To insure that your department receives priority attention and that your department gets credit for all RIE submissions, we ask that you use the special reproduction release form printed on the back of this letter.

### **Instructions for Submitting Papers to ERIC/CAPS**

Please send the following:

- (1) Two (2) clearly typed or printed black-on-white copies of the paper,
- (2) A signed reproduction release form, and
- (3) A 200-word abstract (optional).

Before sending, please check the completeness of your paper (e.g., data tables, graphs, reference lists, etc.). Any editorial changes must be made before sending papers to ERIC. Accepted papers are reproduced "as-is."

Previously published materials in copyrighted journals or books are not usually accepted because of Copyright Law, but authors may later publish documents which have been acquired by ERIC.

Please note that ERIC also accepts unsolicited papers for review and inclusion in the ERIC database. If you have any other papers you wish to submit, please photocopy this release form and send one release form with each paper submitted.

Please address your submissions to:

**Counselor Education Partner**  
ERIC/CAPS Acquisitions Department  
The University of Michigan  
2108 School of Education  
Ann Arbor, MI 48109-1259

---

Garry R. Walz, Director