

## DOCUMENT RESUME

ED 449 418

CG 030 641

AUTHOR Zagumny, Matthew J.; Dolzycki, Jadwiga; Bedkowska-Heine, Viola; Hammonds, Paul; Salyer, Elizabeth L.

TITLE Predicting Condom Use among Young Lithuanian Adults.

PUB DATE 2000-08-00

NOTE 8p.; Paper presented at the Annual Conference of the American Psychological Association (108th, Washington, DC, August 4-8, 2000).

PUB TYPE Reports - Research (143) -- Speeches/Meeting Papers (150)

EDRS PRICE MF01/PC01 Plus Postage.

DESCRIPTORS \*Acquired Immune Deficiency Syndrome; Attitude Change; Behavior Rating Scales; Behavior Theories; College Students; Cross Cultural Studies; Foreign Countries; Higher Education; Public Health; Sex Education

IDENTIFIERS \*Condoms; Europe (East); Lithuania

## ABSTRACT

Until recently, the countries of Eastern Europe and the former Soviet Union appeared to have escaped the worst of the AIDS epidemic. In 1994 there were 30,000 reported HIV infections, but by the end of 1997 the number had climbed to 190,000. The theory of planned behavior (TPB) for explanatory utility among young adults and their use of condoms was examined for its ability to predict student behavior. The AIDS Planned Behavior Scale was translated into Russian and administered to 329 students at the University of Vilnius, Lithuania. The results highlight the limited cross-cultural utility of the theory of planned behavior for predicting condom use among young adults. Interventions to increase condom use among sexually active Lithuanians should focus on changing attitudes, which may be accomplished by changing norms concerning condom use. Developing skill-building programs designed to improve the mechanics of condom use among young adults, and the associated self-efficacy, will effectively increase condom use and reduce sexually transmitted diseases. The data demonstrated that providing basic condom use instruction is an essential condition to effective changes in social norms and attitudes towards condoms in Lithuania. (Author/JDM)

Predicting Condom Use Among Young Lithuanian Adults

Matthew J. Zagumny, Ph.D.<sup>1</sup>, Jadwiga Dolzycki, M.A.,

Viola Bedkowska-Heine, Ph.D.<sup>2</sup>, Paul Hammonds, and Elizabeth L. Salyer, M.A.

Presented at the 108<sup>th</sup> Annual Convention of the American Psychological Association, August 4-8, 2000, Washington DC

<sup>1</sup> Address all correspondence to the senior author at Tennessee Technological University, Department of Psychology, Box 5031, Cookeville, TN, 931-372-6255, mzagumny@tntech.edu

<sup>2</sup> Dr. Bedkowska-Heine is a Professor at the University of Wroclaw, Poland

U.S. DEPARTMENT OF EDUCATION  
Office of Educational Research and Improvement  
EDUCATIONAL RESOURCES INFORMATION  
CENTER (ERIC)

- This document has been reproduced as received from the person or organization originating it.
- Minor changes have been made to improve reproduction quality.

• Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

BEST COPY AVAILABLE

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY

M. ZAGUMNY

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

### Predicting Condom Use Among Young Lithuanian Adults

Until recently, the countries of Eastern Europe and the former Soviet Union appeared to have escaped the worst of the AIDS epidemic. There were 30,000 reported HIV infections at the end of 1994 in a region of more than 450 million people. By the end of 1997 there were 190,000 infections (UNAIDS, 1998). It is estimated that nearly 40,000 people in the Russian Federation alone may be HIV positive (UNAIDS, 1998). While some of these staggering increases can be attributed to improvements in testing and reporting, clearly the AIDS pandemic has reached Eastern and Central Europe.

Most new infections in the region are a result of injecting drug use (IDU). In Poland, for example, the large majority (70%) of HIV infections are a result of injecting drug use (Danziger, 1996). However, the AIDS pandemic will not be limited to IDUs in the future. It has been well documented that HIV positive IDUs infect others not only through sharing works (i.e., syringes), but also through sexual contact for drugs, money, or relationship purposes. It is clear from large increases of other sexual transmitted diseases (STDs) in Eastern Europe, that people are placing themselves at risk for HIV infection by failing to practice safer sexual behaviors (UNAIDS, 1998). Though the majority of new HIV infections in Eastern Europe occur among IDUs, now is the time to investigate reasons for unsafe sex among young, sexually active adults.

This study was examines the theory of planned behavior (TPB) for explanatory utility among young adults attending the University of Vilnius, Lithuania. The theory of planned behavior posits that behavior is a function of behavioral intentions, which in turn are a function of attitudes toward condom use and subjective norms about condoms attributed to a person's significant others (e.g., sexual partners, close friends, etc.) (Fishbein & Middlestadt, 1989). The advent of the TPB included self-efficacy as a critical element of behavioral intentions.

## Method

### Participants

The 329 voluntary study participants (65% females) were included as part of a convenience sample from the schools of education and veterinary medicine at the University of Vilnius, Lithuania. Of the 225 sexually active participants from whom usable data was collected, 12% reported being married or in a committed relationship and the large majority reported ethnic background as Lithuanian (81.3%). Respondent ages ranged from 18 to 29 with an average age of 20.43 (SD= 1.89).

### Instruments

The AIDS Planned Behavior Scale (APBS; Zagumny, Salyer, & Fraley, 1999) was translated from English into Russian by two bilingual professionals and

then reverse translated by a third person fluent in English and Russian. The 6 point Likert-type, self-report APBS assessed self-efficacy concerning condom use in four situations: (1) negotiating condom use with a new partner, (2) discussing use with a current partner, (3) proper use of condoms, and (4) using condoms under the influence of alcohol or passion. The survey also measured behavioral intentions to use condoms and attitudes toward condom use. Assessment of subjective norms concerning condom use involved calculating weighted scores of perceived importance placed on condom use by significant others (i.e., sexual partner, close friends, health care providers, and parents). The range of possible scale values for the weighted subjective norms was 1 to 36. Two dependent variables measures were analyzed in separate regression equations. One dependent variable, intention to use condoms in the future, was measured by one 6-point Likert-type scale item that asked, "What is your intention to use a latex condom the next time you have sex?" The other dependent measure was a single, true-false item that asked "The last time I had sex, I used a latex condom."

### Analysis

To examine the utility of the TPB, intentions to use condoms was regressed on participants' age, gender, and HIV/AIDS knowledge, which were entered in the first hierarchical block followed by attitudes toward condoms and the subjective norms attributed to the four significant others in the participants'

lives. The third hierarchical block entered self-efficacy measures of ability to use condoms while under the influence of alcohol/passion, the mechanics of proper condom use, negotiating condom use with a new partner, and negotiating with a current partner.

### Results

Results showed that the complete model accounted for 32% of the variance in students' intentions to use condoms in the future. Relationship status significantly predicted intentions to use condoms in the future ( $\beta = -.26$ ,  $t = -3.08$ ,  $p < .003$ ), with respondents not in a relationship reporting greater intention to use condoms. Attitudes toward condom use ( $\beta = .19$ ,  $t = 2.44$ ,  $p < .02$ ) and the subjective norm about a sexual partner's desire to use condoms ( $\beta = .27$ ,  $t = 3.12$ ,  $p < .002$ ) were significantly related to intentions to use condoms during the next sexual activity.

The second regression equation showed that self-efficacy with the mechanics of condom use was the only significant predictor of condom use during the last sexual activity. The linear model accounted for only 20% of the total variance in previous condom use.

### Discussion

This study highlights the limited cross-cultural utility of the theory of planned behavior for predicting condom use among young adults. Interventions to

increase condom use among sexually active young Lithuanians should focus on changing attitudes, which may be accomplished by changing norms concerning condom use. Additionally, developing skills-building programs designed to improve the mechanics of condom use among young adults, and the associated self-efficacy, will effectively increase condom use and reduce sexually transmitted diseases. A possible associated outcome of such skills-building programs may be improved attitudes toward the use of condoms, leading to an increase in condom use in the future. As with US samples (e.g., Zagumny, Salyer, & Fraley, 1998), differential predictive utility was observed across previous use and intentions to use condoms in the future. These differences must be considered in the design and implementation of HIV/STD prevention programs. These data demonstrate that providing basic condom use instruction is an *a priori* condition to effective changes in social norms and attitudes toward condoms in Lithuania.

## References

- Danziger, R. (1996). An overview of HIV prevention in central and eastern Europe. AIDS Care, 8(6), 701-707.
- Fishbein, M. & Middlestadt, S. (1989). Using the theory of reasoned action as a framework for understanding and changing AIDS-related behaviors. In V. Mays, G. Albee, and S. Schneider (eds.), Primary Prevention of AIDS: Psychological Approaches. Sage: Newbury Park, CA. pp. 93-110.
- UNAIDS. (1998). HIV Infection in Eastern Europe. [WWW document]. URL <http://www.us.unaids.org/highband/events/wad/1998/eastern.html>.
- Zagumny, M.J., Salyer, E.L., & Fraley, V.L. (1999, August). AIDS risk behaviors and the theory of planned behavior. Paper presented at the 107<sup>th</sup> Annual Convention of the American Psychological Association, Boston, MA.





U.S. Department of Education  
Office of Educational Research and Improvement (OERI)  
National Library of Education (NLE)  
Educational Resources Information Center (ERIC)



# REPRODUCTION RELEASE

(Specific Document)

## I. DOCUMENT IDENTIFICATION:

Title: PREDICTING CONDOM USE AMONG YOUNG LITHUANIAN ADULTS	
Author(s): ZAGUMNY, DOLZYCKI, BEDKOWSKA-HEINE, HAMMONDS, SALTER	
Corporate Source:	Publication Date: N/A

## II. REPRODUCTION RELEASE:

In order to disseminate as widely as possible timely and significant materials of interest to the educational community, documents announced in the monthly abstract journal of the ERIC system, *Resources in Education* (RIE), are usually made available to users in microfiche, reproduced paper copy, and electronic media, and sold through the ERIC Document Reproduction Service (EDRS). Credit is given to the source of each document, and, if reproduction release is granted, one of the following notices is affixed to the document.

If permission is granted to reproduce and disseminate the identified document, please CHECK ONE of the following three options and sign at the bottom of the page.

The sample sticker shown below will be affixed to all Level 1 documents

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY

Sample

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

1

Level 1



Check here for Level 1 release, permitting reproduction and dissemination in microfiche or other ERIC archival media (e.g., electronic) and paper copy.

The sample sticker shown below will be affixed to all Level 2A documents

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE, AND IN ELECTRONIC MEDIA FOR ERIC COLLECTION SUBSCRIBERS ONLY, HAS BEEN GRANTED BY

Sample

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

2A

Level 2A



Check here for Level 2A release, permitting reproduction and dissemination in microfiche and in electronic media for ERIC archival collection subscribers only

The sample sticker shown below will be affixed to all Level 2B documents

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE ONLY HAS BEEN GRANTED BY

Sample

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

2B

Level 2B



Check here for Level 2B release, permitting reproduction and dissemination in microfiche only

Documents will be processed as indicated provided reproduction quality permits. If permission to reproduce is granted, but no box is checked, documents will be processed at Level 1.

I hereby grant to the Educational Resources Information Center (ERIC) nonexclusive permission to reproduce and disseminate this document as indicated above. Reproduction from the ERIC microfiche or electronic media by persons other than ERIC employees and its system contractors requires permission from the copyright holder. Exception is made for non-profit reproduction by libraries and other service agencies to satisfy information needs of educators in response to discrete inquiries.

Sign here, → please

Signature: <i>Matthew J. Zagumny</i>	Printed Name/Position/Title: MATTHEW J. ZAGUMNY, ASSOC. PROF.	
Organization/Address: TENNESSEE TECH UNIVERSITY	Telephone: 931-372-6255	FAX: 931-372-3722
	E-Mail Address: MZAGUMNY@TNTech.EDU	Date: 2-10-01



APA 2000

EDU

(over)

### III. DOCUMENT AVAILABILITY INFORMATION (FROM NON-ERIC SOURCE):

If permission to reproduce is not granted to ERIC, or, if you wish ERIC to cite the availability of the document from another source, please provide the following information regarding the availability of the document. (ERIC will not announce a document unless it is publicly available, and a dependable source can be specified. Contributors should also be aware that ERIC selection criteria are significantly more stringent for documents that cannot be made available through EDRS.)

Publisher/Distributor: N/A
Address:
Price:

### IV. REFERRAL OF ERIC TO COPYRIGHT/REPRODUCTION RIGHTS HOLDER:

If the right to grant this reproduction release is held by someone other than the addressee, please provide the appropriate name and address:

Name: N/A
Address:

### V. WHERE TO SEND THIS FORM:

Send this form to the following ERIC Clearinghouse:	University of North Carolina at Greensboro ERIC/CASS 201 Ferguson Building PO Box 26171 Greensboro, NC 27402-6171
---	---

However, if solicited by the ERIC Facility, or if making an unsolicited contribution to ERIC, return this form (and the document being contributed) to:

**ERIC Processing and Reference Facility**  
4483-A Forbes Boulevard  
Lanham, Maryland 20706

Telephone: 301-552-4200

Toll Free: 800-799-3742

FAX: 301-552-4700

e-mail: [ericfac@inet.ed.gov](mailto:ericfac@inet.ed.gov)

WWW: <http://ericfac.piccard.csc.com>