DOCUMENT RESUME

ED 460 564 EF 005 052

TITLE Architectural Terms for Educational Planners.

PUB DATE 1997-00-00

NOTE 29p.; Produced by WLC Architects.

AVAILABLE FROM WLC Architects, Virginia Dare Tower, 10470 Foothill Blvd.,

Rancho Cucamonga, CA 91730-3754.

PUB TYPE Guides - Non-Classroom (055) -- Reference Materials -

Vocabularies/Classifications (134)

EDRS PRICE MF01/PC02 Plus Postage.

DESCRIPTORS *Architectural Programming; Building Design; Decision

Making; Educational Facilities; *Educational Facilities
Design; *Educational Facilities Planning; Elementary


Secondary Education; School Buildings; School Construction;

Vocabulary

ABSTRACT

This booklet is designed to facilitate open, clear communication between educational facility planners and the architects hired to oversee building design and construction. It provides a list of architectural, electrical, plumbing, and topographical symbols; a glossary of architectural terms; and a list of public agencies and relevant codes and regulations of which school planners ought to be aware. (CMD)







A prerequisite to the design, development and delivery of a successful educational facility is the free-flow of communication between educator and architect. The architect's goal is to clearly-understand the school district's philosophy, instructional program and unique space and design requirements.

Communication must be a two-way process, to be effective. To supplement the educator's knowledge of architecture, we offer a collection of terminology, symbols and general information related to the profession.

It is our desire that enhanced communication, combined with vision, creativity, innovation and professional dedication, will promote excellence in the learning and teaching environment.



iii

e-mail: ronp@wlc-architects.com

Contents

Architectural Services
Review of Architectural Plans
Typical Symbols
Glossary of Architectural Terms
Públic Agencies 26
Codes and Regulations 2



Architectoral Services

Two kinds of services are offered by architects: Basic Services, as required in most projects, and Additional Services which may not be a part of a project.

- · Basic Scrvices
- I. Schematic (Preliminary) Design Phase

This is the first phase of the architect's basic services. In this phase, the architect consults with designated individuals from the school district to ascertain the requirements of the project. The architect prepares schematic design studies consisting of drawings and other documents illustrating the scale and relationship of the project components, for approval by the district. The architect also submits a preliminary statement of construction cost.

II. Design Development Phase

In the second phase of the architect's basic services, the architect uses the approved schematic design studies to prepare design development documents. These include drawings and other documents to fix and describe the size and character of the entire project as to structural, mechanical and electrical systems, materials and other essentials. The architect also submits to the district an updated preliminary estimate of construction costs.

III. Construction Document Phase

During the third phase of the architect's basic services, the architect prepares from the approved design development documents, for approval by the district, the working drawings, specifications and the necessary bidding information.

In this phase the architect also assists in the preparation of bidding forms, the conditions of the contract, and the form of agreement between the district and the contractor.



IV. Bidding or Negotiation Phase

In the fourth phase of the architect's basic services, competitive bids or negotiated proposals are sought as the basis for awarding a contract.

V. Construction Phase - Administration of the Construction Contract

The fifth and final phase of the architect's basic services includes the architect's general administration of the construction contract(s). This includes acting as the owner's representative during construction, making periodic visits to the site, and keeping the owner informed of progress of the work.

· Additional Services

An architect may also perform services beyond the Basic Services included in the five phases of architecture. Such services may include, but are not limited to, Energy Studies, Life Cycle Cost Analyses, Demolition, Master Planning, Economic Feasibility Studies, Space Programming, Model-Building, Renderings, and preparation of Future Phase Drawings.

Review of Archikectural Plans

Periodic and final plan review sessions involving school district representatives and the architect are essential to ensure that the facility meets the district's requirements and expectations.

A complete set of plans is organized in a standard sequential format, and could include any or all of the following sections:

		Series
	Title sheet(s) with	T.
	project information	
•	Architectural/General	A - 0
	information/Index of drawin	gs
•	Civil	
•	Landscaping	L
•.	Architectural/Detail for	A - 1
	individual buildings	
	Food Service/Kitchen	
•	Interior Design, Furniture .	. D
•	Graphics (Signage) (Signage	. G
•	may be defined in Specs)	
•	Structural	S
•	Plumbing	
•	Fire Protection/	F
٠.	, Sprinkler System	
٠.	Mechanical/HVAC	. M
. •	Electrical	E
. •	Swimming Pool	. S.P.


Each page of a completed plan set will include the signature and certification of the responsible architect. In addition, special consultants' signatures and local agency signatures are required on specific plan pages.



Typical Symibois


Architectural Symbols

Building Section




Direction of View Section Identification Letter

Detail Section



Section Identification Number Sheet on which Section Occurs

Detail Reference to Drawings



Detail Identification Number Sheet on which Detail Occurs

 Symbols may vary slightly, depending upon the project and architectural firm.

Accessory Identification (Restroom Accessory)

23

Accessory Number Handicapped Where Noted

Door Identification



Number

Window Identification



Letter

Match Line

Climate Control Symbols



Thermostat
Ceiling Duct Outlet







Electrical Symbols

Fluorescent Fixture



Incandescent Fixture



Telephone



Intercom



Outlets



Television Antenna Outlet

Plumbing Symbols



Floor Drain

HW.


Hot Water



y

CW
Cold Water
G G - G
Gas Line
sss
Sprinkler Line
Waste Line

Topographical Symbols




Unpaved Road



Power Line	
Water Line	
Gas Line	
Sewer Line	North
	Arrows (North Symbol)
Ground Co	776
Trees	EL37.2
Property Li	ne





Acoustics

The total physical characteristics of a room (size, shape, absorption materials) which affect noise and sound level.

Addendum

A supplement to bidding documents, issued prior to submission of bids, for the purpose of clarifying, correcting or adding to the specifications previously issued.

AIA

Abbreviation for "American Institute of Architects." A professional association for architects, interns and those directly involved in the practice of architecture.

Architect

A person duly licensed to perform architectural services, including analysis of project requirements, creation and development of project design, preparation of drawings, specifications and bidding requirements, and general administration of the construction contract.

Architecture

The art and science of designing structures in keeping with aesthetic and functional criteria. Structures built in accordance with such principles are referred to as architecture.

Automatic Fire Extinguishing System

An approved system of devices and equipment which automatically detects a fire and discharges an approved fire-extinguishing agent onto or in the area of the fire.

Auxiliary Space

Space which supports the instructional space and accommodates out-of-classroom needs of staff and students. Examples are auditoriums, food preparation, service, and dining areas, faculty offices, administrative offices, guidance and career center and health office (Referred to as core space.)



Azimuth Study

A visual sun and shade angle study demonstrating the movement of the sun from a fixed point; used by architects to determine optimal orientation of buildings or shading devices.

Bid Documents

Includes advertisement or invitation to bid, instructions to bidders, the bid form, and the proposed contract documents (plans and specifications), including any addenda issued prior to receipt of bids.

Boundary Survey

A survey of property establishing or reestablishing lengths and directions of boundary lines.

Building Code

A collection of rules and regulations adopted by authorities having appropriate jurisdiction to control the design and construction of buildings, alteration, repair, quality of materials, use and occupancy, and related factors of buildings within their jurisdiction; contains minimum architectural, structural, and mechanical standards for sanitation, public health, welfare, safety, and the provision of light and air.

Change Order

A written order to the contractor signed by the owner, contractor and the architect issued after the execution of the contract authorizing a change in the work or an adjustment in the contract sum or the contract time as originally defined by the contract documents: may add to, subtract from, or vary the scope of work.

15

17

Civil Engineer

Computer Aided Design (C.A.D.)

Construction Change Directive (Sometimes called a Field Order)

Construction

Construction Cost

A licensed engineer trained in the design of static structures such as buildings, roads, tunnels, and bridges and the control of waste and its contaminants.

Use of the computer to perform drafting and design functions.

The C.C.D. signed by owner and architect, is a written authorization for the contractor to proceed on changes in the work which may involve a cost and/or time impact on the contract. The C.C.D. is used primarily to eliminate delays which result from lengthy negotiations over cost or time. When signed by the contractor, the C.C.D. can be converted to a Change Order.

All the on-site work done in building or altering structures, from land clearance through completion, including excavation, erection, and the assembly and installation of components and equipment.

The cost of all construction portions of a project, generally based upon the sum of the construction contract(s) and other direct construction costs; does not include the compensation paid to the architect and consultants, the cost of the land, right-of-way, furniture and equipment, or other costs which are defined in the contract documents as being the responsibility of the owner.

Contractor

One who is licensed to undertake responsibility for the performance of construction work, including the provision of labor and materials, in accordance with plans and specifications and under a contract specifying cost and schedule for completion of the work.

Contract Administration

The management by the architect of all facets of contracts to assure that the contractor's total performance is in accordance with his contractual commitments and that the obligations of the owner are fulfilled.

Contract Documents

Those documents that comprise a contract, e.g., in a construction contract, the owner-contractor agreement, conditions of the contract (general, supplementary, and other conditions), plans and/or drawings, specifications, all addenda, modifications, and changes.

Date of Substantial Completion

The date certified by the architect when the work or a designated portion of the work is sufficiently complete, in accordance with the contract documents, so that the owner may occupy the substantially complete area for its intended use.

Design

The architectural concept of a building as represented by plans, elevations, renderings, and other drawings.

Demountable Partition, Relocatable Partition

A non-load-bearing partition of dry construction, assembled from prefabricated components, which can be installed, removed, and then reinstalled at a different location; may be full height, from floor to ceiling, or partial height. Design Specification

Detail

Dry-Wall
Construction

Easement

Educational Specifications

Electrical Engineer

Elevation

A purchase specification delineating the essential characteristics that an item bid must possess to be considered for award and so detailed as to describe how the product is to be manufactured; generic specification.

A minor section of an architectural design or concept. A drawing, at a larger scale, of a part of another drawing, indicating in detail the design, location, composition, and correlation of the elements and materials shown.

Interior wall covering other than plaster, usually referred to as gypsum board surfacing.

The right to use land owned by another or the right to prohibit the owner from making a particular use of the land. Examples: streets, underground or overhead utility easements, pedestrian, animal, or vehicular rights-of-way.

A written document from the school district which provides the architect with definitive information concerning educational activities which the proposed facility must support, and the types of spaces which will best accommodate program requirements.

A licensed engineer trained and experienced in the design of electrical systems.

A drawing showing the vertical elements of a building, either exterior or interior.



F&E

Abbreviation for Furniture and Equipment.

Fabrication

Work done on parts of a structure at the factory before delivery to the building site.

Field Order

See Construction Change Directive.

Foundation (Footing)

Any part of the structure that serves to transmit the structure's load to the earth.

General Conditions

That part of the construction contract documents which sets forth many of the rights, responsibilities, and relationships of the parties involved.

General Contractor The licensed prime contractor who is responsible for coordination of all contract work at the construction site, including that performed by the subcontractors.

Gradient

The degree of slant of a surface, often expressed as a percentage.

Grading Plan

A plan which shows the proposed finish of the ground surface of a given site, usually by means of contours and grade elevations.

HVAC

Abbreviation for "heating, ventilating, and air conditioning."

Inspector (Building Inspector)

A person employed by the owner or agency with jurisdiction to inspect construction, to determine if it conforms to both the requirements of the building codes and the approved construction documents. (Required on public school projects.)

Insulation

Materials for obstructing the passage of sound, heat or cold from one space to another.

Landscape Architect

A licensed person trained and experienced in the design and development of landscapes, plantings, irrigation, recreation areas, streets and walkways.

Masonry (Steel reinforced)

Stone, brick, concrete, hollow tile, concrete blocks or similar building units bonded together with mortar to form a wall, pier, buttress, or similar mass, which is reinforced with steel bars.

Masonry Veneer

A nonstructural masonry facing of brick, concréte, stone, or tile bonded against a wall. Masonry veneer is applied for ornamentation, protection or insulation.

Mechanical Engineer

A licensed engineer trained and experienced in the specialized area of the use of power and machines which utilize the power, such as heating, ventilating and air conditioning systems.

Model

An architectural model is a 3-dimensional image or constructed replica of a project or building which can be viewed from all sides.

Notice of Completion

Notice filed and recorded with the County, upon final completion of the project, which certifies that all work has been completed. This official notice triggers the final timeline during which a lien on the project may be filed.



Notice to Bidders

A notice contained in the bidding requirements informing prospective bidders of the opportunity to submit bids on a project, and setting forth bid procedures.

Notice to Proceed

Written communication issued by the owner to the contractor authorizing the contractor to proceed with the work and establishing the date of commencement of the work.

Orientation

Position of a building on a lot in relation to the sun, wind, view and noise.

Owner-Architect Agreement

A contract between the architect and client for professional services.

Passive Solar Heating

Involves capturing, storing, and using solar radiation to heat an area without the use of fans or pumps to circulate the heat.

Pedestrian Circulation

A system allowing for a smooth and functional flow of pedestrians in and around a building area.

Performance Bond

A bond of the contract guaranteeing to the owner that the work will be performed in accordance with the contract documents.

May be combined with the labor and material payment bond.

Perspective Drawing

A drawing of a project as it would appear in 3 dimensions.



Platform

A raised area within a building used for presentation of music, plays, other entertainment, lectures, or similar purposes without overhead hanging curtains, scenery drops or stage effects other than lighting.

Plat

A map of an area showing boundaries of lots and other pieces of property.

Plenum System

A heating or air conditioning system in which the air is forced through a chamber connected to distribution ducts.

Post Occupancy Evaluation The process of evaluating a completed facility through systematic compiling of quantifiable data gathered from facility users concerning technical, functional and operational elements.

Precast Concrete

A plain reinforced concrete unit which is cast in other than its final position in the structure.

Program

A statement prepared by the owner and architect for the owner setting forth the conditions and objectives for a building project including its general purpose and detailed requirements, such as rooms required, sizes and special facilities.

Progress Schedule

A written schedule or graph showing proposed and actual times of starting and completion of the various elements of the work.

Project Manual

The manual prepared by the architect for a project, including the bidding requirements, conditions of the contract and technical specifications.



Proscenium Wall

A wall which separates the stage or platform from the auditorium.

Punch List

A list of items of work to be completed or corrected by the contractor. Usually compiled when the project is substantially complete.

Rendering

The art of shading or coloring an architectural drawing, using pencil, ink, water color, colored markers, tempera or a combination of techniques.

Section Drawing or Model

A representative drawing or model of a building shown as if it were cut vertically, to show the interior.

Shop Drawings

Drawings, diagrams, illustrations, schedules, performance charts, brochures, and other data prepared by the contractor or any subcontractor, manufacturer, supplier, or distributor, which illustrate how specific portions of the work shall be fabricated and/or installed.

Site Plan

A plan of a construction site showing the position and dimensions of the building to be erected and the dimensions and contours of the lot.

Soils Engineer

A licensed engineer trained in the examination, investigation, and testing of the subsoil and surface of a site to obtain complete information and recommendations necessary for the design of foundations, structures and paving.



Spatial Relationships

summarized in a matrix or bubble type diagram.

Spatial A summary which specifies net square

Spanal Requirements A summary which specifies net square footage (which is usable for specific purposes) plus other square footage (required for circulation, walls and mechanical services) to define the total gross square footage within which the architect will define the project.

The interrelationship of one activity to another in a proposed facility, which can be

Specifications

A written document describing in detail the scope of work, materials, method of installation, and quality of workmanship for work to be placed under contract.

Stage

A partially enclosed area with retractable curtains within a building used for the purpose of entertainment.

Standard

Characteristics for an item that, for reasons of quality level, compatibility with other products, etc., is generally accepted by the manufacturers and users of that item as a required characteristic for all items of the sort.

Structural Engineer

A licensed civil engineer with expertise in the design and construction of structures to withstand physical forces or displacements without danger of collapse or without loss of serviceability or function.

Subcontractor

A person or organization who has a direct contract with a prime contractor to perform a portion of the work at the site.



Surveyor

A person licensed and trained in civil engineering who develops description and maps defining the specific space, position and topography of a piece of land.

Topographic Survey

The configuration of a surface, usually shown on a drawing, which shows its relief and the locations of its natural and man-made features. Contour lines indicate height below or above a fixed datum.

Vehicular Circulation

A system providing for safe and efficient entrance and egress of vehicles to designated areas of the site through design of driveways, parkways and parking areas.

Working Drawings

Drawings, intended for use by a contractor, subcontractor, or fabricator which form part of the contract documents for a building project; contain the necessary information to manufacture or erect an object or structure.

Public Agencies

Reference

- Office of Local Assistance (OLA) as staff for the State Allocation Board (SAB).
- Office of the State Architect (OSA/SSS) (OSA/ACS)
- State Department of Education
- State Fire Marshal (SFM)
- Local Board of Education of School District
- Local City or County
- Local Utility
 Service Providers
- Local Fire Department

Responsibility

Implements State School Building Program and assists district in procedures for eligibility and funding.

Reviews plans for structural safety, and access compliance.

Reviews site and school plans to ensure adequacy for instructional program.

Reviews plans for adequate fire protection, exiting fire hydrants and fire access roads.

Provides Educational Specifications for project; approves State Application, design, cost estimates, bids, change orders and Notice of Completion.

Approves grading, vehicle access, and street/sidewalk improvement plan.

Provides information and defines requirements concerning utility services to project

Provides recommendation concerning fire protection features such as fire access roads and fire hydrants.

26



Codes and Regulations

Reference

- California Code of Regulation (CCR) (formerly California Administrative Code). CCR includes Title 21-24.
- Education Code (EC)
- Access Compliance (ACS) Standards
- Uniform Building Code (UBC)
- California State
 Fire Marshal
 Construction
 Materials Listing.

Responsibility

Laws pertinent to all California public buildings.

Laws related to school sites, school facilities, and school district qualification for school construction funding.

Access and parking for handicapped individuals.

Code of minimum standards for all construction.

Contains construction materials, fire retardant materials, fire resistive designs, and fire protection equipment that conforms to the California State Fire Marshal's building standards and fire regulations.





U.S. Department of Education

Office of Educational Research and Improvement (OERI)

National Library of Education (NLE)

Educational Resources Information Center (ERIC)



(703) 497-0494

REPRODUCTION RELEASE

I. Doorway	(Specific Document)	J.L
I. DOCUMENT IDENTIFICATION	ON:	
Title: Architectural T	Erms FOR Educational	Planners
Author(s): LAILC Arch	tects	
Corporate Source:		
Probert Heusl	Publication Date:	
	by KON treamor	NOM Specific
II. REPRODUCTION RELEASE	:	
reproduction release is granted, one of the follo	le timely and significant materials of interest to the ed Resources in Education (RIE), are usually made availated Document Reproduction Service (EDRS). Creditioning notices is affixed to the document. Seminate the identified document, please CHECK ONE	it is given to the source of each document, and,
The sample sticker shown below will be affixed to all Level 1 documents	The sample sticker shown below will be affixed to all Level 2A documents	The sample sticker shown below will be
PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY	PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE, AND IN ELECTRONIC MEDIA FOR ERIC COLLECTION SUBSCRIBERS ONLY, HAS BEEN GRANTED BY	PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE ONLY HAS BEEN GRANTED BY
Sample	sample	sample
TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)	TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)	TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)
Level 1	2A	2B
† /	Level 2A	Level 2B
\overline{V}		,
Check here for Level 1 release, permitting reproduction and dissemination in microfiche or other ERIC archival media (e.g., electronic) and paper copy.	Check here for Level 2A release, permitting reproduction and dissemination in microfiche and in electronic media for ERIC archival collection subscribers only	Check here for Level 28 release, permitting reproduction and dissemination in microficho only
Docum If permission to re	ents will be processed as indicated provided reproduction quality pen eproduce is granted, but no box is checked, documents will be proces	mits. Sed at Level 1.
I hereby grant to the Educational Resou as indicated above. Reproduction from	rces Information Center (ERIC) nonexclusive permission the ERIC microfiche or electronic media by person	on to reproduce and disseminate this document

Sign here,→ nleges

NATO FOOTHING BLVD
RANCHO CUCAMONGE

> CA 91730

Len Bub Housles

Honald Hegmon Telephone: 1902 000 000

FACILLY PLANNER FAX 909 980 9980

Hail Address: DNPOWIC-Architects Date: 8/7/98

· Com