ED 461 070	CG 031 501
AUTHOR	Carducci, Bernardo J.; Hutzel, Karen; Morrison, Erin; Weyer, Christina Y.
TITLE	Social Phobia and Social Anxiety as Components of Shyness.
PUB DATE	2001-08-00
NOTE	7p.; Poster presented at the Annual Meeting of the American Psychological Association (109th, San Francisco, CA, August
	24-28, 2001).
PUB TYPE	Reports - Research (143) Speeches/Meeting Papers (150)
EDRS PRICE	MF01/PC01 Plus Postage.
DESCRIPTORS	*Anxiety; Attitude Measures; College Students; Concept
	Formation; Emotional Problems; Extraversion Introversion;
• •	Higher Education; *Interpersonal Competence; Peer
	Relationship; Research; *Shyness; Student Surveys

ABSTRACT

The purpose of this study was to investigate the conceptual nature of shyness by examining its relationship with social phobia and social anxiety in a non-clinical sample. The participants in the present study were 132 introductory psychology students who completed the Cheek-Buss Shyness Scale (CBSS), Social Phobia Inventory (SPIN), and Liebowitz Social Anxiety Scale (LSAS). Internal correlational analyses (all p's < .05) indicated that the SPIN total scores correlated with 18 of 20 items of the CBSS. Of the 20 items of the CBSS, 17 correlated significantly with the fear-anxiety subscales of the LSAS while 13 correlated significantly with the LSAS avoidance subscale. A discussion of the treatment implications of the present results and suggestions for future research to examine the cognitive dimension of shyness, social phobia, and social anxiety is also presented. (Contains 1 table and 16 references.) (Author/JDM)



Running head: COMPONENTS OF SHYNESS

Poster presentation at the Annual Conference of the American Psychological Association, San Francisco, August 2001

Social Phobia and Social Anxiety as Components of Shyness

Bernardo J. Carducci

Karen Hutzel

Erin Morrison

Christina Y. Weyer

Shyness Research Institute

Indiana University Southeast

BEST COPY AVAILABLE

Address all correspondence to: Bernardo J. Carducci, Shyness Research Institute, Indiana University Southeast, New Albany, IN 47150 or E-mail: bcarducc@IUS.edu

U.S. DEPARTMENT OF EDUCATION Office of Educational Research and Improvement EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC) This document has been reproduced as received from the person or organization

originating it.

Minor changes have been made to improve reproduction quality.

Points of view or opinions stated in this document do not necessarily represent ٠ official OERI position or policy.

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY

ARDI \mathcal{C}

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

> -)

1

ED 461 070

-31501

Components of Shyness 2

Abstract

The purpose of the present study was to investigate the conceptual nature of shyness by examining its relationship with social phobia and social anxiety in a non-clinical sample. Participants in the present study completed the Cheek-Buss Shyness Scale (CBSS), Social Phobia Inventory (SPIN) and Liebowitz Social Anxiety Scale (LSAS). Internal correlational analyses (all p's < .05) indicated that the SPIN total score correlated with 18 of the 20 items of the CBSS. Of the 20 items of the CBSS, 17 correlated significantly with the fear/anxiety subscales of the LSAS while 13 correlated significantly with the LSAS avoidance subscale. A discussion of the treatment implications of the present results and suggestions for future research to examine the cognitive dimension of shyness, social phobia, and social anxiety is also presented.



Components of Shyness 3

Social Phobia and Social Anxiety as Components of Shyness

Recently, there has been an increase in research investigating the theoretical models of social phobia and social anxiety (Lampe, 2000). As a psychiatric disorder, social phobia is defined as "a persistent fear of social or performance situations in which embarrassment may occur" (American Psychiatric Association, 2000, p. 450). While not considered a psychiatric disorder, shyness has also been associated with social phobia due to its conceptual similarity (e.g., increased arousal and discomfort in social situations). With respect to theoretical similarity, both shyness and social phobia are theorized as containing three dimensions: a physiological/affect (i.e., feelings of anxiety), behavioral (e.g., difficulty in or avoidance of social situations), and cognitive (e.g., excessive self-conscious and negative self-evaluation) dimension (Cheek & Krasnoperova, 1999; Stemberger, Turner, Biedel, & Calhoun, 1995).

This heightened interest in both shyness and social anxiety is due, in part, to recent estimates of their increased pervasiveness in the general population. More specifically, recent research indicates a 59% rate of prevalence of social phobia in non-clinical samples (Chartier, Hazen, & Stein, 1998) while estimates of the pervasiveness of shyness in the general population has increased from 37-40% to 45-48% in the past twenty years (Carducci & Zimbardo, 1995). While the increased pervasiveness of both shyness and social phobia in the general population should be a source of concern, another concern is the possibility of those in the medical community and general public assuming that shyness and social phobia are the same and should be treated as a medical condition with medication such as Paxil (Carducci, 2000; Schrof & Schultz, 1999). Thus, although shyness and social phobia are the same condition but differ from each other only in degree. In response to this concern, the purpose of the present study was to conduct an initial comparative investigation of the conceptual nature of shyness, social phobia, and social anxiety in a non-clinical sample.

Method

<u>Participants</u>: The participants were 132 introductory psychology students (55 males and 71 females, with 6 participants not specifying their gender, ranging in age from 17 to 53, with a mean age of 22 years) who volunteered as part of an in-class activity.

<u>Materials</u>: Shyness was assessed using the Cheek-Buss Shyness Scale (Cheek & Buss, 1981), which is presented in the left portion of Table 1. Social phobia was assessed using the Social Phobia Inventory (SPIN;



Connor et al., 2000). The SPIN assesses fear, avoidance, and physiological symptoms associated with social phobia. Social anxiety was assessed using the Liebowitz Social Anxiety Scale (LSAS; Heimberg et al., 1999). The fear/anxiety subscale of the LSAS assesses the degree of fear or anxiety elicited by each the specific social situations depicted in the items of the LSAS while the avoidance subscale assess the desire to avoid each of the social situations in the items.

<u>Procedures</u>: As part of an in-class activity, each participant received a file folder containing an informed consent statement, an answer sheet, and a copy of the CBSS, SPIN, and LSAS. Upon completion of the three instruments, the participants returned all of the materials to the folder and gave the folder to the research associate.

Results

The SPIN total score was positively correlated with the LSAS total score ($\underline{r} = +.79$, $\underline{p} < .001$) and the fear/anxiety ($\underline{r} = +.81$, $\underline{p} < .001$) and avoidance ($\underline{r} = +.68$, $\underline{p} < .001$) subscales of the LSAS. As presented in Table 1, correlational analyses (all \underline{p} 's < .05) indicated that the SPIN total score correlated with 18 of the 20 items of the CBSS. Of the 20 items of the CBSS, 17 correlated significantly with the fear/anxiety subscales of the LSAS while 13 correlated significantly with the LSAS avoidance subscale.

Discussion

The pattern of results indicates shyness has more conceptual similarity with social phobia and the affective (i.e., fear and anxiety) dimension of social anxiety than with the behavioral (i.e., avoidance) dimension in a nonclinical sample. Such a pattern of results suggests that the affective component of shyness is stronger than the behavioral component and can help explain the difficulty shy individuals seem to experience when interacting in social situations (Cheek & Buss, 1981), as well their tendency to maintain an increased interpersonal distance (Carducci & Webber, 1979). More specifically, it may be the presence of an anxiety, not just a desire to avoid others, that characterizes the social withdrawal exhibited by shy individuals.

The practical implications of the results suggest that the treatment of shyness should address both the affective (e.g., relaxation training) and behavioral (e.g., social skills training) dimensions of shyness (cf. Henderson, 1994; Pilkonis, 1986; Schneier & Welkowitz, 1996). Such an approach would help to provide shy individuals with the social skills necessary to interact with others and minimize the presence of anxiety, which can serve to interfere with performance (cf. Sarason & Sarason, 1990).



The present results also provide suggestions for future research to help clarify the nature of the conceptual nature of shyness, social phobia, and social anxiety. More specifically, since previous research has documented support for a three-component model of shyness consisting of a physiological (e.g., anxiety), behavioral (e.g., social avoidance), and cognitive (e.g., negative self-evaluation) dimension (Cheek & Krasnoperova, 1999), future research should attempt to examine the extent to which the three-component mode of shyness might help to distinguish the conceptual nature of shyness, social phobia, and social anxiety. Although the present study did address this issue to a limited extent by examining the physiological and behavioral dimensions of shyness, social phobia, and social anxiety, it did not address the nature of the cognitive dimension. To address this issue, future research might examine a specific cognitive characteristic (e.g., attributional patterns) in an attempt to establish more clearly the conceptual distinction among shyness, social phobia, and social anxiety.

References

American Psychiatric Association. (2000). <u>Diagnostic and statistical manual of mental disorders</u> (4th ed. text revised). Washington, DC: Author.

Carducci, B. J. (2000, Feb). Shyness: The new solution. Psychology Today, 33, 38-40, 42-45, & 78.

Carducci, B. J., & Webber, A. W. (1979). Shyness as a determinant of interpersonal distance. Psychological Report, 44, 1075-1078.

Carducci, B. J., & Zimbardo, P. G. (1995. Nov./Dec.). Are you shy? <u>Psychology Today</u>, 34-41, 64, 66, 68, 70, 78, & 82.

Chartier, M.J., Hazen, A.L., & Stein, M.B. (1998). Lifetime patterns of social phobia: A retrospective study of the course of social phobia in a nonclinical population. <u>Depression and Anxiety</u>, 7, 113-121.

Cheek, J. M., & Buss, A. H. (1981). Shyness and sociability. <u>Journal of Personality and Social</u> <u>Psychology</u>, <u>41</u>, 330-339.

Cheek, J. M. & Krasnoperova, E. N. (1999). Varieties of shyness in adolescence and adulthood. In L. A. Schmidt & J. Schulkin (Eds.), Extreme fear, shyness, and social phobia: Origins, biological mechanisms and clinical outcomes (pp. 224-250). New York: Oxford University Press.

Connor, K.M., Davidson, J.T., Churchill, E., Sherwood, A., Foa, E. & Weisler, R.H. (2000). Psychometric properties of the social phobia inventory. <u>British Journal of Psychiatry</u>, <u>176</u>, 379-386.

Heimberg, R. G., Horner, K. J., Juster, H. R., Safren, S. A., Brown, E. J., Schneier, F. R., & Liebowitz, M.R. (1999). Psychometric properties of the Liebowitz Social Anxiety Scale. <u>Psychological Medicine</u>, 29, 199-212.

Henderson, L. (1994). <u>Social fitness training: A treatment manual for shyness and social phobia</u>. Palo Alto, CA. Shyness Institute.

Lampe, L.A. (2000). Social phobia: A review of recent research trends. <u>Current Opinion in Psychiatry, 13</u> (2), 149-155.

Pilkonis, P. A. (1986). Short-term group therapy for shyness. In W. H. Jones, J.M. Cheek, & S. R. Briggs (Eds.), <u>Shyness: Perspectives on research and treatment</u> (pp. 375-385). New York: Plenum.

Sarason, I. G., & Sarason, B. R. (1990). Test anxiety. In H. Leitenberg (Ed.), <u>Handbook of social and</u> evaluation anxiety (pp. 475-495). New York: Plenum.

Schneier, F., & Welkowitz, L. (1996). <u>The hidden faces of shyness: Understand-ing and overcoming social</u> anxiety. New York: Avon Books.

Schrof, J. M., & Schultz, S. (1999). Social anxiety. U.S. News & World Report, 126, 50-57.

Stemberger, R.T., Turner, S.M., Biedel, D.C., Calhoun, K.S. (1995). Social phobia: An analysis of possible developmental factors. Journal of Abnormal Psychology, 104, 526-531.



<u>Table 1</u>

· · •

<u>Correlations of Shyness Scale Items with the Measures of the Liebowitz Social Anxiety Scale (LSAS) and the Social Phobia Inventory (SPIN)</u>

Shyness Scale Items AV	SPIN	LSAS	LSAS-FAX	LSAS-
1. I feel tense when I'm with people I don't know	– ow well.	.549**	.600**	.629**
.451** 2. During conversations with new acquaintance something dumb. .407** .386**	es I worry about saying		.384**	.421**
3. I am socially somewhat awkward. .466** .236			.364**	.387**
4. I do not find it difficult to ask other people f	for information. (R)		144	.037
056 .122 5. I am often uncomfortable at parties and othe .589** .412**	er social gatherings.		.619**	.534**
 .589** .412** 6. When in a group of people, I have trouble th to talk about. .446** .370* 	ninking of the right thin	gs	.478**	.427**
	tions. (R)		488**	589**
3. It is hard for me to act natural when I am me .301* .267	eeting new people.		.437**	.300*
 John Strand Stran		ent about my social st 179	.479** cills. (R)	.545**
11. I feel nervous when speaking to someone in .130 .110	authority. 12. I have trou	ible looking someone		.135
.462** .331*	.360*	.278 511**	13. Ian 371*	n usually a 405**
person who initiates conversations. (R) -294*		511++	3/1*	403**
 14. I often have doubts about whether other peo .422** .394** 	ple like to be with me.		.331**	.433**
15. Sometimes being introduced to new pe	ople makes me physica	lly upset		
(for example, having an upset stomach, pour or heat rash). .527** .466**	nding heart, sweaty pal	ms,	.555**	.523**
16. I do not find it hard to talk to strangers. (R)			614**	580**
	orry about how well I v .499**	vill get along with ne .377**	w acquaintances. 18. I am shy	when meeting
someone of the opposite sex.		63** .32	•	-
	oes not take me long to			
403**407**374*	401**			
20. I feel inhibited in social situations. .390** .337*			.456**	.383**

Correlations base on n = 84. *p < .05 (2-tailed) **p < .01 (2-tailed)





U.S. Department of Education



Office of Educational Research and Improvement (OERI) National Library of Education (NLE) Educational Resources Information Center (ERIC)

REPRODUCTION RELEASE

(Specific Document)

I. DOCUMENT IDENTIFICATION:

Title: 1. The THREE- COMPONENT MODEL of Shyness; lonceptual					
3. FORNETTY ORTENTATIONS: PEFINITION, ASSESSMENT + PERSONAL CORRELATES					
Author(s): CARPLICI, BERNARPO J,					
Corporate Source: Shylvess Research Institute	Publication Date:				
TNO +ANA UN EVENSETY SOU THEAST, NEW A BANY, IN 17150					

II. REPRODUCTION RELEASE:

In order to disseminate as widely as possible timely and significant materials of interest to the educational community, documents announced in the monthly abstract journal of the ERIC system, *Resources in Education* (RIE), are usually made available to users in microfiche, reproduced paper copy, and electronic media, and sold through the ERIC Document Reproduction Service (EDRS). Credit is given to the source of each document, and, if reproduction release is granted, one of the following notices is affixed to each document.

If permission is granted to reproduce and disseminate the identified documents, please CHECK ONE of the following three options and sign at the bottom of the page.

The sample sticker shown below will beaffixed to all Level 1 documents	The sample sticker shown below will beaffixed to all Level 2A documents	The sample sticker shown below will be affixed to all Level 28 documents	
PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY	PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE, AND IN ELECTRONIC MEDIA FOR ERIC COLLECTION SUBSCRIBERS ONLY, HAS BEEN GRANTED BY	PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE ONLY HAS BEEN GRANTED BY	
TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)	TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)	TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)	
	Level 2A	Level 2B	
Check here for Level 1 release, permitting reproduction and dissemination in microfiche or other ERIC archival media (e.g., electronic) and paper copy.	Check here for Level 2A release, permitting reproduction and dissemination in microfiche and in electronic media for ERIC archival collection subscribers only	Check here for Level 28 release, permitting reproduction and dissemination in microfiche only	
-			

Documents will be processed as indicated provided reproduction quality permits. If permission to reproduce is granted, but no box is checked, documents will be processed at Level 1.

I hereby grant to the Educational Resources Information Center (ERIC) nonexclusive permission to reproduce and disseminate these documents as indicated above. Reproduction from the ERIC microfiche or electronic media by persons other than ERIC employees and its system contractors requires permission from the copyright holder. Exception is made for non-profit reproduction by libraries and other service agencies to satisfy information needs of educators in response to discrete inquiries.

Sign here, →	Sado Carlieri	Printed Name/Position/Title: BERNARDO J. CAROUCCE IROFESSON OF BYCHOLOGN
please	Suganization vaddress: Research INStitute	Telephone: 941-2295 FAX: 812-941-2591
	INDIANA UNIVERSITY SoutheAST	CHARD NCCC +US, edu Date: 02/01/02
	New Albany, IN	\sim
	47150 HAY HA	\bigcirc