DOCUMENT RESUME

ED 462 272 SE 065 382

TITLE Geometry and Algebra: The Future Flight Equation. A Lesson

Guide with Activities in Mathematics, Science, and

Technology. NASA CONNECT.

INSTITUTION National Aeronautics and Space Administration, Hampton, VA.

Langley Research Center.

REPORT NO EG-2001-09-30-LARC

PUB DATE 2001-00-00

NOTE 30p.; Accompanying videotape not available from ERIC.

AVAILABLE FROM For full text: http://spacelink.nasa.gov/products.

PUB TYPE Guides - Classroom - Teacher (052)

EDRS PRICE MF01/PC02 Plus Postage.

DESCRIPTORS *Aerospace Education; Algebra; Aviation Mechanics; Aviation

Technology; *Design; Geometry; *Integrated Activities; Learning Activities; *Mathematics Activities; Mathematics Education; *Science Activities; Science Education; Secondary

Education; Technology Education

ABSTRACT

This activity, part of the NASA CONNECT Series, is designed to help students in grades 6-8 learn how NASA engineers develop experimental aircraft. It consists of an overview of the program, details of the hands-on activity, a series of blackline master student worksheets, teacher materials, and a guide to further resources. (MM)





National Aeronautics and Space Administration


Langley Research Center Hampton, VA 23681-2199 Educational Product
Educators | Grades 6-8

EG-2001-09-30-LARC

NASA (ONNECT

Geometry and Algebra: The Future Flight Equation

A Lesson Guide with Activities in Mathematics, Science, and Technology







Geometry and Algebra: The Future Flight Equation is available in electronic format through NASA Spacelink - one of NASA's electronic resources specifically developed for the educational community. This publication and other educational products may be accessed at the following address: http://spacelink.nasa.gov/products

A PDF version of the lesson guide for NASA CONNECT can be found at the NASA CONNECT web site: http://connect.larc.nasa.gov



NASA CONNECT

Geometry and Algebra: The Future Flight Equation

A Lesson Guide with Activities in Mathematics, Science, and Technology

Program Overview	Student Worksheets
Summary and Objectives5	Data Chart
Student Involvement5	Wing Chart14
Cue Card Questions5	Experimental Data and Wing Charts15
Hands-On Activity5	Delta Wing Template16
Instructional Technology Activity 5	Oblique Wing/Stabilizer Template
Resources5	Straight Wing/Stabilizer Template18
	Swept-Back Wing Template19
Hands-On Activity	Graph Paper
Background	Fuselage Template2
National Standards 6	Cue Cards
Instructional Objectives7	
Vocabulary 8	Teacher Materials
Preparing for the Activity8	Cue Card Answers
Student Materials8	
Teacher Materials8	Instructional Technology Activity
Time8	Description24
Focus Questions8	National Standards24
Advance Preparation8	Instructional Objectives
The Activity9	
Extensions	Resources
	Books, Pamphlets, and Periodicals 20
	Web Sites

Acknowledgments: Special thanks to Summer 2001 Educators in Residence, Jennifer Pulley, Chris Giersch, Bill Williams, and NCTM.





Program Overview

SUMMARY AND OBJECTIVES

In Geometry and Algebra: The Future Flight Equation, students will learn how NASA engineers develop experimental aircraft. They will learn about the Hyper-X Research Vehicle, an experimental plane that uses scramjet engine technology to propel itself to ten times the speed of sound. Students will understand how the Hyper-X is part of the Future

Flight Equation. They will observe NASA engineers using geometry and algebra when they measure and design models to be tested in wind tunnels. By conducting hands-on and web activities, students will make connections between NASA research and the mathematics, science, and technology they learn in their classrooms.

MARKANOWANIANE

Cue Card Questions

Norbert, NASA CONNECT's animated cohost, poses questions throughout the broadcast. These questions direct the instruction and encourage students to think about the concepts being presented. When viewing a videotaped version of NASA CONNECT, educators have the option to use Norbert's Pause, which gives students an opportunity to reflect and record their answers on the Cue Cards (p. 22). Norbert appears with a remote to indicate an appropriate time to pause the videotape and discuss the answers to the questions.

Hands-On Activity

The hands-on activity is teacher-created and is aligned with the National Council of Teachers of Mathematics (NCTM) standards, the National Science Education (NSE) standards, the International Technology Education Association (ITEA) standards, and the National Educational Technology (NET)

standards. Students are designated as Aeronautical Engineers in Training (AET). They will analyze wing geometry based on measurements and observations. Students will use geometry and algebra to design, construct, and test an experimental wing.

Instructional Technology Activity

PlaneMath, the instructional technology activity, is aligned with the National Council of Teachers of Mathematics (NCTM) standards, the National Science Education (NSE) standards, the International Technology Education Association (ITEA) standards, and the National Educational Technology (NET) standards. This online interactive activity lets students learn, design, and test experimental aircraft. The students will learn about the forces of flight, wing shape, propulsion, experimental design, and several other topics. To access PlaneMath, go to Dan's Domain on NASA CONNECT's web site at http://connect.larc.nasa.gov/dansdomain.html.

RESOURCES

Teacher and student resources (p. 26) support, enhance, and extend the NASA CONNECT program. Books, periodicals, pamphlets, and web sites provide teachers and students with background information and extensions. In addition to the resources listed in this lesson guide, the NASA CONNECT web site,

http://connect.larc.nasa.gov, offers online resources for teachers, students, and parents.

Teachers who would like to get the most from the NASA CONNECT web site can visit the Lab Manager, located in Dan's Domain,

http://connect.larc.nasa.gov/dansdomain.html.





Hands-On Activity

BACKGROUND

Aeronautical research usually begins with computers, wind tunnels, and flight simulators, but eventually the theories must fly. That is when flight research begins, and aircraft are the primary tools of the trade. There are four stages in the development of new aircraft: mission (purpose), design (aerodynamics, propulsion, stability, control), computer modeling, and testing.

Flight research involves doing precision maneuvers in either specially built experimental aircraft or in an existing production aircraft that has been modified. All research aircraft are able to perform scientific experiments because of the onboard instruments that record data about its systems, aerodynamics, and the outside environment.

NASA pilots work closely with engineers to conduct carefully constructed flight programs that gradually probe an aircraft's capability; edging toward the speed, altitude, and structural limits that will define the final performance of an aircraft. This procedure furnishes answers that will verify, extend, and perhaps correct the inputs from computer studies, wind tunnel tests, and simulations. It is the last step in the developmental process and leads the way for designs that can be put into production. It also delivers the final word on a most crucial question: How well does it fly?

Experimental research aircraft are tools of exploration, incorporating the newest ideas in every aspect of aerospace flight. For this reason they come in many shapes and sizes. They have short wings, delta wings, swept wings, moveable wings, and no

wings. They fly with jet engines, rocket engines, piston engines, solar-electric engines, and even without engines. Some research planes are too small for a pilot; some are as large as an airliner.

The first experimental planes designed exclusively for research were the XS-1 and the D-558-1. They were made in 1946 to enable scientists to study flight near the speed of sound. Custom-made planes were the only way to accomplish this objective because supersonic wind tunnels were not accurate enough, and no other planes had flown that fast. The supersonic era began when the XS-1 broke the "sound barrier" in 1947.

In the 1950s the famous "X-Planes" continued to take people to higher altitudes and greater speeds. They were the first aircraft to fly at Mach 2 and Mach 3, and the studies performed with them influenced the designs of all supersonic planes.

In the 1960s, the X-15 rocket plane became the first aircraft to fly into space. The projects done on this aircraft benefited not only NASA's Apollo Lunar Landing Program, but also the Space Shuttle, nearly 15 years later.

Since the 1970s, NASA flight research has become more comprehensive with flights involving everything from Space Shuttles to ultralight aircraft. NASA now flies not only the fastest airplanes, but some of the slowest as well. Flying machines continue to evolve with new wing designs, propulsion systems, and flight controls. As always, a look at today's experimental research aircraft is a preview of the future.

NATIONAL STANDARDS

Mathematics (NCTM) Standards

- · Compute fluently and make reasonable estimates
- Understand measurable attributes of objects and the units, systems, and processes of measurement
- Apply appropriate techniques, tools, and formulas to determine measurements
- Develop and evaluate inferences that are based on data
- Build new mathematical knowledge through problem solving
- Apply and adapt a variety of appropriate strategies to solve problems





- Recognize, use, and learn about mathematics in contexts outside of mathematics
- Analyze characteristics and properties of two- and three-dimensional geometric shapes and develop mathematical arguments about geometric relationships
- Use visualization, spatial reasoning, and geometric modeling to solve problems
- Understand and use metric systems of measurement
- Formulate questions that can be addressed with data and collect, organize, and display relevant data to answer them
- Solve problems that arise in mathematics and in other contexts
- Monitor and reflect on the process of mathematical problem solving
- Make and investigate mathematical conjectures
- Select and use various types of reasoning and methods of proof
- Organize and consolidate mathematical thinking through communication
- Recognize and use connections among mathematical ideas
- Understand how mathematical ideas interconnect and build on one another to produce a coherent whole

Science (NSE) Standards

- Abilities necessary to do scientific inquiry
- Understanding about scientific inquiry

- · Physical Science
- · Motions and forces
- Science and Technology
 Abilities of technological design
 Understanding about science and technology

Technology (ITEA) Standards

The Nature of Technology

- Develop an understanding of the characteristics and scope of technology
- Develop an understanding of the core concepts of technology

Design

- Develop an understanding of the attributes of design
- Develop an understanding of engineering design
- Develop an understanding of the role of troubleshooting, research and development, invention and innovation, and experimentation in problem solving

Technology (NET) Standards

- Technology tools to enhance learning, increase learning, and promote creativity
- Use technology resources for solving problems and making informed decisions
- Select and use appropriate tools and technology resources to accomplish a variety of tasks and solve problems

INTRUCTIONAL OBJECTIVES

The student will

- use algebra to calculate wing area, wingspan, chord length, and aspect ratio.
- use a portable glider catapult to analyze wing geometry based on measurement (distance rating) and observations (glide rating and speed rating).
- design, construct, and test an experimental wing to achieve maximum distance.
- incorporate collaborative problem-solving strategies in a real-life application.







VOCABULARY

aspect ratio - wingspan length divided by the average chord length

chord - straight line distance joining the leading and trailing edge of an airfoil

fuselage - the part of the airplane to which the tail and wings are attached. The fuselage holds passengers and cargo and is streamlined to produce the least possible drag.

horizontal stabilizer - the horizontal part of the tail. The horizontal stabilizer helps to increase the stability of the aircraft.

lift - a force that is perpendicular to the air flow around the aircraft

thrust - a force created by the engines that pushes an aircraft through the air

weight - the force of gravity acting on an object. The weight force pulls an aircraft toward the Earth and must be overcome by a combination of lift and thrust.

wingspan - distance from wing tip to wing tip

PREPARING FOR THE ACTIVITY

Student Materials (per 4-student group)

20 straight pins

calculator

4 small binder clips

masking tape

Student Worksheets (p. 13 - 21)

10 meat trays (suggestion: 28 cm x 23 cm - size 12)

meter stick or measuring tape

4 scissors (optional: plastic knife, box cutter)

fine sand paper or emery board

Teacher Materials

4 small binder clips

2 thumbtacks

rubber band (size 64)

cardboard (28 cm x 40 cm)

2 wooden rulers or paint sticks

Time

Discussion of the activity	5 min
Preparing aircraft	
Conducting the activity	


Focus Questions

- 1. What are some common geometric shapes used in wing design?
- 2. Why is the geometric shape of a wing important in aircraft design?
- 3. What are some tools engineers need to design aircraft?
- 4. Why is it essential for engineers to work in teams when designing aircraft?

Advance Preparation

The teacher should construct a Portable Glider Catapult (PGC) for each student group.

- A. Cut out a 28-cm by 40-cm piece of cardboard.
- B. Place two wooden rulers or paint sticks on top of the cardboard and attach them to the board with small binder clips, as shown in Figure 1.




C. Cut a size 64 rubber band. Attach the rubber band to each of the rulers with thumbtacks as shown in Figure 1. Fold (double) the ends of the rubber band once before pinning the thumbtack



- through it to prevent the rubber band from tearing at the thumbtack.
- D. Construct a horizontal line 26 cm from the top.
 This line is called the launch position and indicates how far back you pull the rubber band.


The following area formulas will be used to calculate the wing area:



Rectangle

A = Iw

I = length, w = width



Triangle

A = (1/2)bh

b = base, h = height

Trapezoid

 $A = (1/2)(b_1 + b_2)h$

 $b_1 = base 1, b_2 = base 2$

h = height



 $A = \pi ab$

 $\pi = 3.14$

a = semimajor axis

b = semiminor axis

Tii: AGIVIII

Step 1: Introducing the Activity

- A. Announce: NASA has designated the class as Aeronautical Engineers in Training (AET). Your job is to test current wing designs based on distance traveled, glide rating, and speed rating. From your analysis of the data that you collect, you will have the task of designing and testing an experimental wing to achieve maximum distance traveled.
- B. Organize students into groups of four.
- C. Distribute a Portable Glider Catapult to each group along with the necessary materials.
- D. Have students cut out the templates for the fuselage, wings, and horizontal stabilizers.
- E. Have students place the templates on the meat trays and trace around the templates. Each group should make four different fuselages and one set of wings for each fuselage. Students should make a fifth fuselage to be used in conjunction with their experimental wing (Part III of the activity).




- To avoid wasting meat trays, we suggest students follow the guideline:
- One meat tray will yield two fuselages.
- One meat tray will yield one fuselage and three horizontal stabilizers.
- · Use one meat tray for each of the wings.
- F. Have students tape a piece of masking tape to the nose of the fuselage to prevent it from breaking.




Step 2: Conducting the Activity - Part I: Preflight

- A. Have students calculate the wing area (in cm²) for each wing. Students have two options for calculating wing area: 1. the teacher may provide formulas found in the lesson guide (students may need to divide wings into shapes to calculate the area) 2. students can count the number of squares on the wing templates. If students count the number of squares on the wing templates, they will have to estimate the number of squares around the edges of the wings. Record the wing area on the data chart.
- B. Have students calculate the wingspan (in cm) for each wing. The wingspan is the linear distance from wing tip to wing tip. See Figure 2. Record the value on the data chart.



- C. Have students measure the root chord, the width of the wing at the line of intersection with the fuselage, for each wing. See Figure 2. Record the value on the data chart.
- D. Have students measure the tip chord, the width






of the tip of the wing, for each wing. See Figure

2. Record the value on the data chart.

Note: The measure of the tip chord for a Delta Wing and an Oblique Wing is 0.

- E. Have students calculate the average chord by using the formula: (root chord + tip chord) / 2. Record the value on the data chart.
- F. Have students calculate the aspect ratio for each wing by using the formula: (wingspan) / (average chord). Record the value on the data chart.
- G. Have students use masking tape to mark the launching point for each team. From the launching point, have students put down a piece of masking tape 12 meters long. Have students measure and mark the tape at 1-meter intervals. See Figure 3.



- H. Have students place a desk or table at the launching line to elevate the PGC. Place a book with a height of approximately 5 cm under the front portion of the PGC.
- I. Have students select a wing shape to test.

Students should adhere to the following guidelines for corresponding wing shape and horizontal stabilizer:

Oblique wingOblique horizontal stabilizer Delta wingNo horizontal stabilizer Straight wingStraight horizontal stabilizer Swept-back wingSwept-back horizontal stabilizer

Have students construct each aircraft by placing the corresponding wing and horizontal stabilizer into the fuselage. Have students secure each wing and horizontal stabilizer with straight pins. See Figure 4.





Figure 4

- Note: Two straight pins for the wing and one straight pin for the horizontal stabilizer are sufficient to secure the aircraft.
- (A) Caution: Remind students to use straight pins safely.




A. In each group, one student should be in charge of launching the aircraft, one student in charge of stabilizing the Portable Glider Catapult, one student in charge of marking where the aircraft hit the ground, and one student in charge of recording the data. Have students take their stations.

Note: Have students rotate duties so that each student can launch an aircraft.



B. Have students conduct practice runs to become familiar with the aircraft and PGC. Have students attach



a small binder clip to the aircraft to give it some weight. See Figure 5. The binder clip can be adjusted either closer to the nose or closer to the tail anytime during the test flights to ensure that the aircraft is achieving maximum flight.

C. Students should position the aircraft on the PGC as shown in Figure 6. The rubber band must always be below the fuselage and wings. Have students pull back the aircraft to the launch position. Make sure the bottom of the fuselage is resting on the PGC before the aircraft is launched. Have a student announce: "Clear the flight deck for aircraft catapult!" Have students launch aircraft.




Figure 6

- D. Once students have conducted a few practice runs, Announce: "Clear the flight path, set up for testing."
- E. Have students use the oblique wing aircraft for the first test. Students will conduct five trials for each wing shape. Have students perform trial 1 for the oblique wing aircraft.
- F. Have students measure the distance traveled

- (in cm) and record the value on the wing chart under "distance".
- G. Have students make some flight observations based on glide rating and speed rating. Use the following scale to assign a glide rating and speed rating for the aircraft:

Speed Scale
5 - Extremely Fast
4 - Very Fast
3 - Fast
2 - Slow
1 - Very slow

Record the glide rating and speed rating for trial 1 under the observation section on the data chart.

- H. Have students repeat Steps E G for trials 2 5.
- Have students calculate the average distance traveled, glide rating, and speed rating.
 Record all values on the wing chart.
- J. Have students use the delta wing aircraft for the second test. Repeat Steps F, G, and I for trials 1 - 5.
- K. Have students use the straight wing aircraft for the third test. Repeat Steps F, G, and I for trials 1 - 5.
- L. Have students use the swept-back wing aircraft for the fourth test. Repeat Steps F, G, and I for trials 1 5.

Step 4: Analysis

- A. Based on the distance traveled, the glide rating, and the speed rating, have students determine which wing shape had the best overall rating.
- B. Have students determine which wing flew the farthest.
- C. What conclusions can be drawn from the wing's aspect ratio and wing area with respect to distance traveled?

Step 5: Conducting the Activity - Part III: Experimental Flight

A. Using the data collected from the test flights, have each group design an experimental wing on graph paper. The objective is to design a wing which will achieve a greater distance than the four test wings. The only design constraint is that the experimental





- wing must fit into the fuselage.
- B. Using scissors, have students cut out the experimental wing template.
- C. Have students put the experimental wing template on a meat tray and trace around the template. Cut out the template.
- D. Have students calculate the wing area, wing span, root chord, tip chord, and aspect ratio. Record all values on the experimental data chart.
- E. Have students construct the experimental aircraft by placing the experimental wing into the fuselage. Students may choose any horizontal stabilizer. Have students secure each aircraft with straight pins.
- F. Have students attach a small binder clip to the aircraft to give it some weight. Students should position the aircraft on the PGC. Have students pull back the aircraft to the launch position (horizontal line of the PGC). Have students announce: "Clear the flight deck for aircraft catapult!" Have students launch the aircraft.
- G. Have students measure the distance the experimental aircraft traveled. Record the value on the experimental data chart.
- H. Have students use the glide scale and speed scale to determine the glide and speed ratings. Record the values on the data chart.
- I. Have students repeat steps F H for trials 2 5.
- J. Have students determine the average distance, glide rating, and speed rating.

Step 6: Discussion

- A. How did you use the data from the test aircraft to create your experimental design?
- B. Evaluate the success of your experimental design. What factors support your findings?
- C. Your design was based on achieving maximum distance. How would your design change if you considered other factors such as fuel efficiency, cargo, or speed?
- D. Why is the use of geometry and algebra essential in the design of future aircraft?

Extensions

- Invite an aeronautical engineer to participate in the activity with the students. After the activity is conducted, have the aeronautical engineer lead a discussion on aircraft design.
- Have the students experiment with different materials in constructing the gliders. Compare and contrast the various materials used.
- 3. Have students use geometry and algebra to construct more aerodynamic fuselages.



Student Worksheets

Name:	lame:				Date:		
				(Da	ata Ch	nart	Notes
Oblique	Wing	Wing	Root	Tip	Average	Aspect	
Wing	Area (cm²)	Span (cm)	Chord (cm)	Chord (cm)	Chord (cm)	Ratio	
Delta	Wing	Wing	Root	Tip	Average	Aspect	
Wing	Area (cm²)	Span (cm)	Chord (cm)	Chord (cm)	Chord (cm)	Ratio	
Straight	Wing	Wing	Root	Tip	Average	Aspect	
Wing	Area (cm²)	Span (cm)	Chord (cm)	Chord (cm)	Chord (cm)	Ratio	
Swept-Back	Wing	Wing	Root	Tip	Average	Aspect	
Wing	Area (cm²)	Span (cm)	Chord (cm)	Chord (cm)	Chord (cm)	Ratio	






Name: Date:		Аи	ing C	hart	filide Scale
Oblique Wing Trial 1	Distance	elegge	ofices Speed Rating	Overall Rating	5 - Excellent 4 - Very good 3 - Good 2 - Fair 1 - Poor
Trial 2 Trial 3 Trial 4 Trial 5 Average				-	5 - Extremely fast 4 - Very fast
Delta Wing	Meassuccean Distance	Glide Rating	Valions Speed Rating	Overall Rating	3 - Fast 2 - Slow 1 - Very slow
Trial 1 Trial 2 Trial 3 Trial 4 Trial 5 Average					Notes
Straight Wing	Distance	ी ाह	Speed Rating	Overall Rating	
Trial 1 Trial 2 Trial 3 Trial 4 Trial 5 Average					
Swept-Back Wing	Distance	Glide Rating	Speed Rating	Overall Rating	
Trial 1 Trial 2 Trial 3 Trial 4 Trial 5					
Average					


Name:					Date:		
	(E)	kperi	ment	tal Da	ta Ch	art	
Experimental Wing	Wing Area (cm²)	Wing Span (cm)	Root Chord (cm)	Tip Chord (cm)	Average Chord (cm)	Aspect Ratio	

Experimental Wing Chart

Experimental Wing	i Blondstransdiste Distance	© शिक्ष Glide Rating	Speed Rating	Overall Rating
Trial 1				
Trial 2				
Trial 3				_
Trial 4				
Trial 5				
Average				











©0




 $\overset{\sim}{\bowtie}$












FUSELAGE TEMPLATE





Teacher Materials

Cue Card Answers

What are the steps in	Possible answers: Mission, Design, Computer Modeling, Testing
designing an aircraft?	
How do the mission	Possible answers: Some planes are short, some are long and slender, some fly
requirements of ar	slowly and some fly fast. They look and perform differently because they were
aircraft determine	its designed to satisfy different missions.
shape?	
Why are wind	Possible answers: Wind tunnel testing helps engineers determine
tunnels important	the best aircraft design and shows how the vehicle will fly.
in testing aircraft	
designs?	
	, Aerospace Engineer, NASA Dryden Flight Research Center
Laurie Marshall	Aerospace Engineer, NASA Dryden Flight Research Center Possible answers: The B-52 jet takes the Hyper-X, which is attached to the rocket, up to
Laurie Marshall How will the	
Laurie Marshall How will the Hyper-X	Possible answers: The B-52 jet takes the Hyper-X, which is attached to the rocket, up to
Laurie Marshall How will the	Possible answers: The B-52 jet takes the Hyper-X, which is attached to the rocket, up to preset altitude and speed and releases it. The rocket ignites and flies to an altitude
How will the Hyper-X reach its test altitude?	Possible answers: The B-52 jet takes the Hyper-X, which is attached to the rocket, up to preset altitude and speed and releases it. The rocket ignites and flies to an altitude of almost 100,000 ft, traveling to Mach 7.
How will the Hyper-X reach its test altitude?	Possible answers: The B-52 jet takes the Hyper-X, which is attached to the rocket, up to preset altitude and speed and releases it. The rocket ignites and flies to an altitude of almost 100,000 ft, traveling to Mach 7. Possible answers: The Hyper-X generates over 600 measurements that are served to the control from during the flight. These measurements allow the research
How will the Hyper-X reach its test altitude? How do the Hyper-X engineers	Possible answers: The B-52 jet takes the Hyper-X, which is attached to the rocket, up to preset altitude and speed and releases it. The rocket ignites and flies to an altitude of almost 100,000 ft, traveling to Mach 7. Possible answers: The Hyper-X generates over 600 measurements that are sere to the control room during the flight. These measurements allow the research angineers to determine the suspense of the experiment during the flight.
How will the Hyper-X reach its test altitude? How do the Hyper-X engineers collect their resear	Possible answers: The B-52 jet takes the Hyper-X, which is attached to the rocket, up to preset altitude and speed and releases it. The rocket ignites and flies to an altitude of almost 100,000 ft, traveling to Mach 7. Possible answers: The Hyper-X generates over 600 measurements that are sere to the control room during the flight. These measurements allow the research angineers to determine the suspense of the experiment during the flight.
How will the Hyper-X reach its test altitude? How do the Hyper-X engineers	Possible answers: The B-52 jet takes the Hyper-X, which is attached to the rocket, up to preset altitude and speed and releases it. The rocket ignites and flies to an altitude of almost 100,000 ft, traveling to Mach 7. Possible answers: The Hyper-X generates over 600 measurements that are sere to the control room during the flight. These measurements allow the research angineers to determine the suspense of the experiment during the flight.
How will the Hyper-X reach its test altitude? How do the Hyper-X engineers collect their resear information?	Possible answers: The B-52 jet takes the Hyper-X, which is attached to the rocket, up to present altitude and speed and releases it. The rocket ignites and flies to an altitude of almost 100,000 ft, traveling to Mach 7. Possible answers: The Hyper-X generates over 600 measurements that are sent to the control room during the flight. These measurements allow the research engineers to determine the success of the experiment during the flight.
How will the Hyper-X reach its test altitude? How do the Hyper-X engineers collect their resear	Possible answers: The B-52 jet takes the Hyper-X, which is attached to the rocket, up to preset altitude and speed and releases it. The rocket ignites and flies to an altitude of almost 100,000 ft, traveling to Mach 7. Possible answers: The Hyper-X generates over 600 measurements that are ser to the control room during the flight. These measurements allow the research and in early to determine the suspense of the experiment during the flight.





Instructional Technology Activity

DESCRIPTION

Info Use, in cooperation with NASA, presents PlaneMath, an online interactive activity that lets your students learn, design, and test experimental aircraft. Your students will be hired as airplane design engineers for PlaneMath Enterprises. As new employees, they will visit eight training departments. The students will learn about the forces of flight, wing shape, propulsion, experimental design, and several other topics. After students complete their training, they will go to the

Design Department to receive their first project. Here students will design and test an aircraft that will fly from San Francisco to New York. Students will take into consideration time in flight, total budget, and operating cost per flight.

To access PlaneMath, go to Dan's Domain on NASA CONNECT's website at http://connect.larc.nasa.gov/dansdomain.html.

NATIONAL STANDARDS

Technology (ITEA) Standards

The Nature of Technology

- develop an understanding of the characteristics and scope of technology
- develop an understanding of the core concepts of technology
- develop an understanding of the relationships among technologies and the connections between technology and other fields of study

Technology and Society

- develop an understanding of the role of society in the development and use of technology
- develop an understanding of the influence of technology on history

Design

- develop an understanding of the attributes of design
- develop an understanding of engineering design
- develop an understanding of the role of troubleshooting, research and development, and invention
- innovation and experimentation in problem solving

Abilities of a Technological World

- develop abilities to apply the design process
- develop abilities to assess the impact of products and systems

Technology (NET) Standards

- use content-specific tools, software, and simulations (e.g., environmental probes, graphing calculators, exploratory environments, web tools) to support learning and research
- design, develop, publish, and present products (e.g., web pages, video tapes) using technology resources that demonstrate and communicate curriculum concepts to audiences inside and outside the classroom
- select and use appropriate tools and technology resources to accomplish a variety of tasks and solve problems

Science (NSE) Standards

- Abilities necessary to do scientific inquiry
- Understanding about scientific inquiry

Physical Science

Motions and forces

Science and Technology

- Abilities of technological design
- Understanding about science and technology
 Science in Personal and Social Perspectives
- Science and technology in society





Mathematics (NCTM) Standards

- Understand patterns, relations, and functions
- Represent and analyze mathematical situations and structures using algebraic symbols
- Use visualization, spatial reasoning, and geometric modeling to solve problems
- Understand measurable attributes of objects and the units, systems, and processes of measurement
- Apply appropriate techniques, tools, and formulas to determine measurements
- Build new mathematical knowledge through problem solving
- Make and investigate mathematical conjectures

INSTRUCTIONAL OBJECTIVES

Students will

- learn basic components of aircraft design.
- understand mathematical concepts involved in the aircraft design process.
- design and test an aircraft given several parameters.





Resources

BOOKS, PAMPHLETS, AND PERIODICALS

Abbott, Ira H., Van Doenhoff, Albert E.: *Theory of Wing Sections*, Dover Publications, New York, 1980.

Ashley, Holt: Engineering Analysis of Flight Vehicles, Dover Publications, New York, 1992.

Ashley, Holt, Landahl, Marten: *Aerodynamics of Wings and Bodies*, Dover Publications, New York, 1985.

Committee of High Speed Research, Aeronautics and Space Engineering: *US Supersonics Commercial Aircraft: Assessing NASA's High Speed Research Program*, National Academy Press, 1997.

Crouch, Tom D., Jakab, Peter L.: Visions of a Flying Machine: The Wright Brothers and Process of Inventions (Smithsonian History of Aviation Series), Smithsonian Institution Press, 1997.

Lombardo, David A.: Advanced Aircraft Systems, Tab Books, 1993.

Niu, Michael Chen-Young: Airframe Structural Design: Practical Design Information and Data on Aircraft Structure, Technical Book Co., 1999.

Raymer, Daniel P.: Aircraft Design: A Conceptual Approach, American Institute of Aeronautics, 1999.

Smith, Zeke: Understanding Aircraft Composite Construction: Basics of Materials and Techniques for the Non-Engineer, Pathway Book Service, 1996.

WEB SITES

Aeronautics / General Information

http://quest.arc.nasa.gov/aero/planetary/ atmospheric/Atmos5-8read.html http://educate.si.edu/resources/lessons/siyc/flight/ start.html

Aeronautical Interactive and Hands-On Activities

http://www.aero.hq.nasa.gov/edu/ http://kids.msfc.nasa.gov/Rockets/Airplanes/ http://www.massinteraction.org/html/nasa/redesign/ activities/index.html http://www.lmasc.com/kids/index.htm

http://www.allstar.fiu.edu/aero/princ1.htm http://www.nasm.edu/galleries/gal109/NEWHTF/ RESROOM/RESOURCE.HTM

http://www.patprojects.org/glider/index.htm

Interactive Airplane Design Activities

http://www.planemath.com http://www.desktopaero.com/adw/adw.html

Aeronautical Related Lesson Plans for Educators

http://www.vasc.org/teacher.html
http://educate.si.edu/resources/lessons/siyc/flight/
start.html
http://www.vasc.org/erc/index.html

Figure This!

Offers Mathematics Challenges that middle school students can do at home with their families to emphasize the importance of a high-quality mathematics education for all.

http://www.figurethis.org

Engineer Girl

Part of the National Academy of Engineering's Celebration of Women in the Engineering project. The project brings national attention to the opportunity that engineering represents to people of all ages, but particularly to women and girls.

http://www.engineergirl.org

GetTech

Through its web site and collateral materials, GetTech helps prepare students in fun ways for tomorrow's great jobs.

http://gettech.org





U.S. Department of Education

Office of Educational Research and Improvement (OERI)

National Library of Education (NLE)

Educational Resources Information Center (ERIC)



NOTICE

Reproduction Basis

This document is covered by a signed "Reproduction Release (Blanket)" form (on file within the ERIC system), encompassing all or classes of documents from its source organization and, therefore, does not require a "Specific Document" Release form.
This document is Federally-funded, or carries its own permission to reproduce, or is otherwise in the public domain and, therefore, may be reproduced by ERIC without a signed Reproduction Release form (either "Specific Document" or "Blanket").

