

DOCUMENT RESUME

ED 466 169

IR 021 240

AUTHOR Heinrich, Eva; Johnson, Russell; Luo, Daoshui; Maurer, Hermann; Sapper, Marianne

TITLE Learner-Formulated Questions in Technology-Supported Learning Applications.

PUB DATE 2001-06-00

NOTE 7p.; In: ED-MEDIA 2001 World Conference on Educational Multimedia, Hypermedia & Telecommunications. Proceedings (13th, Tampere, Finland, June 25-30, 2001); see IR 021 194. Contains small print.

PUB TYPE Reports - Research (143) -- Speeches/Meeting Papers (150)

EDRS PRICE MF01/PC01 Plus Postage.

DESCRIPTORS Distance Education; *Educational Technology; Expert Systems; Foreign Countries; Instructional Materials; *Learner Controlled Instruction; Nontraditional Education; Questioning Techniques

IDENTIFIERS New Zealand; Question and Answer Exercises

ABSTRACT

This paper looks at learner-formulated questions in technology-supported learning applications. Traditionally, technology-supported learning applications request input from the learner. The learner's response is used to assess the knowledge of the learner, to define a navigation path through the material or to construct a learner model. The objective is to add another form of interaction between learner and system, where the learner can pose questions to the system in similar fashion as to a human tutor. The paper discusses ways of dealing with these learner-formulated questions, question formats and existing approaches. It then introduces an approach for learner-formulated questions that is based on the Flexible Structured Coding Language (FSCL). Two specific approaches are presented: the syntax-based and the semantic-based. After a discussion of these approaches, the paper concludes with an outline of future work. (Contains 12 references.) (Author/AEF)

ED 466 169

Learner-Formulated Questions in Technology-Supported Learning Applications

Eva Heinrich, Russell Johnson, Daoshui Luo
Institute of Information Sciences and Technology, Massey University, New Zealand
{E.Heinrich, R.S.Johnson, D.S.Luo}@massey.ac.nz

Hermann Maurer
Institute for Computer Science and Computer Supported New Media, Graz University of Technology, Austria
hmaurer@iicm.edu

Marianne Sapper
Surfmed Austria, Vienna, Austria
sapper@informed-austria.at

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY

~~G.H. Marks~~

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

This document has been reproduced as received from the person or organization originating it.

Minor changes have been made to improve reproduction quality.

Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

Abstract: In this paper we look at learner-formulated questions in technology-supported learning applications. Traditionally, technology-supported learning applications request input from the learner. The learner's response is used to assess the knowledge of the learner, to define a navigation path through the material or to construct a learner model. With our work we want to add another form of interaction between learner and system, where the learner can pose questions to the system in similar fashion as to a human tutor. The paper discusses ways of dealing with these learner-formulated questions, question formats and existing approaches. It then introduces our approach for learner-formulated questions which is based on the Flexible Structured Coding Language, FSCL. We present two specific approaches, the syntax-based and the semantic-based approach. After a discussion of these approaches we conclude the paper with an outline of future work.

1 Introduction

This project is looking at learner-formulated questions in the context of online technology-supported learning applications. We focus on two main goals:

- Learners should have the possibility to pose questions to a technology-supported learning application.
- These questions should be formulated in the language of the learner.

Technology-supported learning applications traditionally have features in which the application is requesting input from the learner in the form of multiple choice tests or yes/no questions. The response of the learner is used to assess the knowledge of the learner, to define a navigation path through the material or to construct a learner model. We have no intention of replacing these features. Instead we want to add another form of interaction between learner and technology-supported learning application. We want to give the learner the possibility of posing questions to the computer system in a very similar way as asking questions of a human tutor. Instead of being only reactive, the learners can actively request information from the system, independently of the confines of the system.

To achieve our goals we have to define a format in which the users can formulate questions. If we want to mirror the student-tutor situation we need to have a format which is 'natural' for the learner. Ideally we would use natural language which is our natural form of communication, is expressive and flexible, and is familiar to the learners.

Once we allow the learner to pose questions to the system in a 'human understandable' format, the system faces the task of responding to these questions. Before looking at the different possibilities for question formats we want to describe the various possibilities for interaction between learner, technology-supported learning application and human tutor:

- In a first scenario the learner formulates a question which is linked to a specific position in the teaching material. The question is then submitted directly to a human tutor. The tutor provides the answer which is stored together with the question for pursual by the learner and for future reference by other learners.
- In the second scenario again the learner formulates a question which is attached to a specific position in the teaching material. This time, the question is not directly transmitted to the human tutor. The computer system analyses the question first for syntactic and semantic characteristics. It compares the question against previously

IR021240

asked questions. If a semantically equivalent question and answer set is available, this set is returned to the user without intervention of the human tutor. If only a semantically close question is stored (or no related question at all), this question is passed on the human tutor. The tutor assesses the suitability of the semantically close question and answer set, edits where necessary and proceeds as in scenario one.

- The third alternative is parallel to the second scenario for posing the question and comparing against previously asked questions. Yet instead of passing an only semantically close or a new question to a human tutor, the system generates an answer. The question is matched against a knowledge repository, a suitable answer is generated and returned to the learner. In this scenario the question – answer dialog is performed without involvement of a human tutor.

The work we are describing in this paper addresses the second scenario. The approach we use for formulating the questions is compatible with a related content representation technique, which should allow us to move into the third scenario. In the next section we discuss related approaches to user querying before we introduce our techniques.

2 Review of Related Work

In the first scenario we have described, the questions are evaluated solely by the human tutor. The system assists the dialogue only by transmitting questions and answers between learner and tutor and by keeping a repository of previously asked and answered questions. The idea of collecting questions/answers and making them available to later users was employed in the context of a portal server for the first time in the medical prototype portal "Infomed-Austria" (Maurer et al., 1999, www.infomed-austria.at). In the context of technology-supported learning applications this approach has been implemented in GENTLE (Dietinger et al. 1998 and 1999, www.gentle-wbt.com), using natural language for questions and answers.

To move to scenarios two and three we need to have a 'computer understandable' format for the questions. Searching through documents on a keyword basis is not semantically rich enough (Davenport, 1996). Beside its semantic restrictions, a keyword mechanism is not the desired type of interaction for our work as we attempt to mirror a human-to-human communication. Natural language processing faces a range of problems like lexical ambiguity, ambiguous sentence structures or context dependencies, which yet have to be overcome (Smeaton, 1997, Sowa, 2000).

The AskJeeves approach (Basch, 1999; www.askjeeves.com) allows the input of any natural language question. It uses a proprietary parsing technology to interpret user queries. The queries are matched against templates and a knowledge base containing millions of previously asked and answered questions. The answers to questions are produced by human editorial staff (Basch, 1999; Chowdhury, 1999). AskJeeves returns to the user previously asked questions with related meaning or keywords. Selecting one of these questions leads to web pages providing answers. The repertoire and understanding of AskJeeves is very impressive yet for our needs not specific enough. In contrast with the AskJeeves context we work within specific domains where we want to allow the users to enquire not mainly about terms but about cognitively complex concepts. The following two examples illustrate these points:

- What is the difference between MPEG and JPEG?

AskJeeves focuses both on the domain specific keywords contained in the question and on question generic terms. It returns questions relating to 'MPEG' or 'JPEG' (regarding the understanding of these or other computer related terms; regarding the download of MPEG music files) and to comparisons (yet not for MPEG and JPEG but for internet shopping sites). In our context we need to provide a much more specific answer which directly relates to a comparison between MPEG and JPEG formats.

- Can JPEG files be converted into MPEG files?

For this question AskJeeves gives some of the same answers as for the previous question (as links to downloads of music files). Additionally, it offers reference to conversion programs (relating to Macintosh and PC platforms). Again, we need to be more specific and want to provide different, more relevant answers to both example questions.

3 Learner-Formulated Questions Based on FSCL

As outlined above we want to provide a mechanism in which learners can pose questions to a computer system in a user-friendly, 'natural' way, similar to addressing a human tutor. We want the computer system to 'understand' these questions, to compare these questions to a database of previously asked and answered questions, and to respond with semantically equivalent or close question and answer sets. We base our approach

on the Flexible Structured Coding Language, FSCL (Heinrich et al., 1999). FSCL is natural language like, has a flexible, user-extendable vocabulary, which is arranged in categories, and a fixed grammar based on these categories. FSCL offers a subset of natural language, which is rich enough to express complex content and structured enough to be accessible to automated processing.

To develop a 'natural language-like question system' we first collected natural language questions and reviewed the grammatical structure of English language questions. We extracted the most important question structures and investigated how we could formalise these structures based on the FSCL coding language. We developed two parallel approaches, one syntax-based and one semantic-based. In the following sections we outline this work in more detail.

3.1 English Language Question Structures

We have analysed a set of 500 sample questions and studied books on English grammar (Wardhaugh, 1995, Klammer et al. 1992, Alexander, 1988). Within the space of this paper we can only very briefly describe the main question structures we have identified. For the discussion of these question structures we need to define some key terms:

- Auxiliary verb: a word used in conjunction with verbs ('do', 'have', 'may', ...).
- NounPhrase: a word phrase of one or more nouns (or pronouns) which can contain adjectives and conjunctions ('a good compression format like MPEG').
- ActionPhrase: one or more predicates where a predicate consists of a verb (including auxiliaries and adverbs) plus a noun phrase as its object ('... is playing MPEG video').
- WhPhrase: an interrogative word ('who', 'where', 'what', ...) phrase which can contain a noun phrase ('how many compression formats ...').
- AdditionalClause: a declarative sentence introduced by a conjunction ('... before the application is playing the MPEG video').

We now use these terms to describe some of the question structures (and give examples in Figure 1). Our first group of questions, the general yes/no questions, have two basic forms (the brackets denote an optional part):

(A) <auxiliary verb><nounPhrase><actionPhrase>[<additionalClause>]

(B) <auxiliary verb><nounPhrase><object>[<additionalClause>]

The second group of questions we want to introduce are 'wh-questions'. These questions start with an interrogative word. They differ from a yes/no question by asking for missing information rather than simply requesting confirmation or denial of information supplied in the question. Some common formats of wh-questions are:

(C) <whPhrase><actionPhrase>[<additionalClause>]

(D) <whPhrase><auxiliary verb><nounPhrase>[<additionalClause>]

(E) <whPhrase><auxiliary verb><nounPhrase><actionPhrase>[<additionalClause>]

We regard imperative declarative sentences as a third group of questions. While not strictly speaking questions these sentences are useful in our context as they elicit information:

(F) <verb><object>

3.2 Principles of a FSCL-Based Question System

FSCL is built on a number of principles which we have adopted and partly modified for this work.

- Vocabulary: The FSCL vocabulary is fully defined by the FSCL user. Usually, words are taken from the specific application domain the user works in. The words have to be associated with the FSCL categories. They can be arranged in hierarchies to facilitate retrieval of description sentences and are stored in a database. The FSCL question system retains these core features with one exception. In the question system we distinguish between application domain-specific (as in the original FSCL) and question-specific vocabulary. Analysing our sample questions and the English language grammar we can identify a range of words which are question-specific, regardless of the application domain. Examples are the question words 'where', 'what' or 'which'. As a consequence we predefine these words in the question system vocabulary.
- Categories: The categories are an important concept in FSCL as they allow the definition of a fixed grammar without pre-determining the vocabulary. We retain the category idea but add question specific categories for reasons as outlined in the vocabulary section.
- Grammar: Again we retain the FSCL approach of defining a LL(2)-type grammar based on the category identifiers as terminal symbols.

Type (A):	'Was the video started before the player was realised?'			
	'Was'	'the video'	'started'	'before the player was realised'
	<auxiliary verb>	<nounPhrase>	<actionPhrase>	<additionalClause>
Type (B):	The question 'Is MPEG a new technology?'			
	'Is'	'MPEG'	'a new technology'	
	<auxiliary verb>	<nounPhrase>	<object>	
Type (C):	'What happens when the application starts the player?'			
	'What'	'happens'	'when the application starts the player'	
	<whPhrase>	<actionPhrase>	<additionalClause>	
Type (D):	'What is Java?'			
	'What'	'is'	'Java'	
	<whPhrase>	<auxiliary verb>	<nounPhrase>	
Type (E):	'When was MPEG introduced?'			
	'When'	'was'	'MPEG'	'introduced'
	<whPhrase>	<auxiliary verb>	<nounPhrase>	<actionPhrase>
Type (F):	'Give two examples for compression formats!'			
	'Give'	'two examples for compression formats'		
	<verb>	<object>		

Figure 1: Examples for the basic question formats

- Semantic tree: FSCL description sentences are parsed and then stored in semantic tree format. This format is comparable to abstract syntax trees as found in literature on compiling techniques. The semantic trees don't give the parse structure but the semantic structure of a sentence by displaying the subject – verb – object relationships within the sentence. The question system uses semantic trees to represent the question structures and the semantic trees are the basis for comparison of questions. The comparison of two semantic trees contains two interwoven processes. A comparison of the tree structures looks for the existence of the same sentence parts at equivalent positions in each tree. The actual words in these parts are compared for identity using features of the vocabulary definition like the word hierarchies.

3.3 Syntax-Based Approach

The syntax-based approach for our question system follows closely the grammar structures given in section 3.1. The main focus is to capture the syntax of these questions. The original FSCL categories have been retained and two new word categories, 'W – WhWord' and 'U – Auxiliary', have been added. The new grammar builds on the original FSCL grammar. The original grammar was designed for declarative sentences and is now used for the additional clauses. New grammar rules are introduced to deal with the question specific structures (like question word phrases) and newly introduced elements (like action and noun phrases). The semantic tree for the syntax-based approach has nine levels. Figure 2 shows two questions in their semantic tree representation.

The syntax-based approach has the advantage that it allows the recognition of a wide range of simple and relatively complex question structures. The comparison of different questions is prepared. The semantic tree format identifies the role of every word in a question sentence. As in the original FSCL approach, two questions can be compared by comparing their tree structures and their words in equivalent tree levels and positions.


3.4 Semantic-Based Approach

The semantic-based approach focuses on the meaning of questions. We looked through our sample questions and grouped together questions which ask for the same or closely related concepts. These questions can have different syntactical structures while being semantically similar:

- 'In terms of compression which of MPEG or JPEG is better?'
- 'Why is MPEG better than JPEG?'

These questions can have equivalent syntactical structure but use different question-specific vocabulary to ask for semantically equivalent concepts:

- 'How is MPEG similar to or different from JPEG?'
- 'How does MPEG compare with JPEG?'



Using this approach we have identified twelve generic question types. For each question type semantically equivalent and close question variations have been defined. The question types cover the basic formats of yes/no, interrogative word and imperative statement questions as described in Section 3.1. Again we follow the principle idea behind FSCL of using word categories as the basis for the grammar definition, yet the original FSCL is not integrated as closely as in the syntax-based approach. Among the category definitions are three generic categories (for nouns, verbs and adjectives) to contain the domain vocabulary. The other categories represent the components of a question specific vocabulary. For example, the category 'whatWord' contains (at least at this stage in the project) only the word 'what'. Another interrogative word like 'which' finds its place in its own category 'whichWord'. This is different to the syntax-based approach where all interrogative words belong to just one category of 'WhWords', as they all take the same place regarding the syntax of a question. Another category in the semantic-based approach is 'greaterWord' which contains a collection of comparison words with similar meaning ('better than', 'greater than', 'better', 'better between'). As in the other approach, a LL(2) grammar is defined on the category identifiers. The semantic tree spans seven levels. Figure 3 gives examples of semantic trees for two of the generic question types.


The strength of the semantic-based approach lies in grouping questions of similar or close meaning. Questions within a group are translated into the same semantic tree structure which indicates their relatedness. The comparison of trees is simplified. Compared to the syntax-based approach the range of question structures covered and the power of expressing domain concepts is less at this stage.

3.5 Prototype Systems

We have implemented prototype systems for both approaches in Java. The prototypes contain the predefined question-specific vocabulary and they allow the users to enter their own domain specific vocabulary. Based on the vocabulary, the users can formulate questions. These questions are checked for syntax and, if syntactically correct, stored in semantic tree format in a database. Any new question is compared to other questions stored already in the database. The user is presented with the semantic tree format of the new questions and a listing of any relevant existing question.

4 Conclusion and Further Work

We have achieved the first steps towards learner-formulated questions in online technology-supported learning applications. Based on a review of sample questions and English language grammar we have identified the main question structures used. We then followed both syntactic and semantic approaches to formalise these question structures. These approaches are based on the Flexible Structured Coding Language, FSCL. We use question specific categories of words and generic categories, which can be filled by the user with vocabulary for their specific domains. Grammars are defined based on categories and allow parsing for the structure of the questions. Syntactically-correct questions are stored in semantic tree formats to facilitate the comparison of questions for



semantic equivalence and closeness. The questions we deal with are natural language like. We have implemented prototype systems to allow for testing of our ideas.

The next step in our work will be to combine our syntax-based and semantic-based approaches. We want to be able to deal with the variety and complexity of question structures from the syntax-based approach and have the grouping of questions for semantic relatedness from the semantic-based approach. We then need to collect a substantial body of questions for testing our question structures and measures of relatedness. In the longer term we want to move towards the third scenario we have introduced where answers to questions can be deduced from domain-specific content representations using FSCL.

References

- Alexander, L.G. (1988). Longman English Grammar, Longman Inc., New York.
- Basch, R. (1999). High Ajeevers: valet-added searching from Ask Jeeves. Database, vol. 22, no. 3, June-July 1999, pp. 28-30, 32-4. Publisher: Online Inc, USA.
- Chowdhury, G.G. (1999). Template Mining for Information Extraction from Digital Documents. Library Trends, vol. 48, no. 1, Summer 1999, pp. 182-208.
- Davenport G (1996) Indexes Are "Out," Models Are "In". IEEE Multimedia, Fall 1996, vol. 3, no. 3, pp. 10-15.
- Dietinger, Th., Maurer, H., Schmaranz, K. (1999). Over-integration: GENTLE. Proceedings of ED-MEDIA'99, AACE (1999), 1772-1778.
- Dietinger, Th., Maurer, H., Schmaranz, K. (1998). Using the WWW System Hyperwave as the Basis of a General Networked Teaching and Learning Environment; CIT 6 (1998), 63-72.
- Heinrich, E., Kemp, E. and Patrick, J.D. (1999). A Natural Language Like Description Language. *10th Australasian Conference on Information Systems (ACIS)*. B. Hope and P. Yoong (Eds.). School of Communications and Information Management, Victoria University of Wellington, Wellington, New Zealand. P. 375 - 386.
- Klammer, T.P., Schulz M.R. (1992). Analying English Grammar. Allyn and Bacon, 2nd edition.
- Maurer, H., Rozsenich, N., Sapper, M. (1999). How to make Discussion forums Work. Proceedings of ED-MEDIA'99, AACE (1999), 717-722.
- Smeaton AF (1997). Information Retrieval: Still Butting Heads with Natural Language Processing?, Pazienza, M.T. (Ed.), Information Extraction, A Multidisciplinary Approach to an Emerging Information Technology, Frascati, Italy.
- Sowa, J.F. (2000). Knowledge Representation: Logical, Philosophical, and Computational Foundations. Brooks/Cole; Pacific Grove, USA.
- Wardhaugh, R. (1995). Understanding English Grammar, A linguistic Approach, Blackwell Publishers, Cambridge, USA.



*U.S. Department of Education
Office of Educational Research and Improvement (OERI)
National Library of Education (NLE)
Educational Resources Information Center (ERIC)*



NOTICE

Reproduction Basis



This document is covered by a signed "Reproduction Release (Blanket)" form (on file within the ERIC system), encompassing all or classes of documents from its source organization and, therefore, does not require a "Specific Document" Release form.



This document is Federally-funded, or carries its own permission to reproduce, or is otherwise in the public domain and, therefore, may be reproduced by ERIC without a signed Reproduction Release form (either "Specific Document" or "Blanket").

EFF-089 (5/2002)