

# Comparison of European and American Athletes in Jumping Events in Terms of Competition Season Variables: Different Continents, Different Education of Coaching

Işık Bayraktar

Department of Coaching Education, Faculty of Sport Sciences

Alanya Alaaddin Keykubat University, Alanya, Turkey

Tel: 90-242-510-6150 E-mail: isik.bayraktar@alanya.edu.tr

Tuncay Örs

Ministry of National Education, Aydin, Turkey

Tel: 90-256-544-1049 E-mail: tuncay400@gmail.com

Berfin Serdil Örs (Corresponding author)

Department of Coaching Education, Faculty of Sport Sciences

Aydin Adnan Menderes University, Aydin, Turkey

Tel: 90-256-315-3538 E-mail: bsutcu@adu.edu.tr

Received: August 1, 2020 Accepted: August 29, 2020 Published: September 7, 2020

doi:10.5296/jei.v6i2.17468

URL: <https://doi.org/10.5296/jei.v6i2.17468>

## Abstract

It is predicted that athletes can achieve high efficiency levels when training contents are applied within the scope of annual plans prepared on a scientific basis. Annual plans consist of preparation, competition and interim periods. Topics such as determining target competition where the peak performance will be revealed during competition period are examined under periodization title of training science. This study was carried out to determine the variables of the competition seasons of American and European athletes in

jumping events and to identify the similarities and differences between the variables. The study group consisted of elite American and European athletes, who had ranked in the top 100 in the world charts of the 2018 season. The differences between athletes were determined by Mann Whitney U-Test. In terms of the number of competition season days, number of days between competitions and final performance value of season, statistically significant differences were found between the athletes in favor of the American male long jumpers and male triple jumpers ( $p < 0.05$ ). Significant differences were determined between the European and American high jumpers in terms of number of days between competitions in both genders ( $p < 0.05$ ). In the pole vault event, the total number of competitions participated by both male and female European athletes were higher than total number of competitions participated by American athletes ( $p < 0.05$ ). As a result, it was thought that the differences determined between the groups such as the number of days between competitions may be due to the differences in the perception of periodization and different coaching educations embraced by continents.

**Keywords:** coaching education, periodization, competitive phase, athletics, season best, prediction equation

## 1. Introduction

Athletics, first emerged in the 19th century in colleges and universities in Great Britain. The athletics rules that are applied all over the world today were determined by the International Amateur Athletics Federation (IAAF), which was established in Stockholm in 1912 and has more than 150 member countries (Demir, 2008). Olympic athletics events that are managed by the IAAF are divided into two as track and field competitions. Track competitions consist of runs, while field competitions consist of throwing events and jumping events. In addition, jumping events are separately grouped as horizontal jumps, namely long jumps and triple jumps, and vertical jumps, namely high jumps and pole vaults (IAAF, 2017). In long and triple jumps, athletes are expected to jump horizontally to the maximum distance they can reach, while in high jumps and pole vaults athletes are expected to achieve maximum performance on a vertical track. Although jumping events have similar characteristics, they differ from each other in terms of technical content and training. These four jumping events can be ordered from most simple to most complex as follows: long jump, triple jump, high jump and pole vault (Müller & Ritzdorf, 2009).

Athletic performance can be described as carrying out a specific physical routine or procedures (Ekechukwu & Isiguzo, 2019). On the other hand, performance planning is the process by which an athlete or a team aligns all available resources, including money, people, knowledge and time, to maximize the probability of achieving the best performance at the right time (Dick, 2007). The methodology to evaluate 'performance' among elite athletes has not yet been settled in the scientific literature (Raysmith et al., 2019). However, trainers can apply specific routines that aim to target the aspects of a training routine that their athlete requires such as speed, agility, stamina, conditioning and coordination, as they are able to accurately monitor the athlete's development and performance (Örs et al., 2019a). Scientists of the field of training science agree that, in the jumping events of athletics, just like in all

sport events, if the aim, content, equipment and applied methods of training are determined according to annual plans prepared with regard to the goals high efficiency levels can be achieved. A typical training program for elite athletes is composed of three phases: (1) preparation, (2) competition and (3) transition. Each of these phases includes four specific types of preparation: (1) physical, (2) technical, (3) tactical and (4) psychological (Lidor et al., 2007). Additionally, the physical/psychological adaptations appropriate for the phases should be completed (Bompa, 1994).

Annual plans are centered around the competition period. The main aim of the competition phase is to utilize all training factors to improve the motor and psychological abilities of the athletes in order for them to achieve peak performance (Bompa, 1999). The achievement of successful performance in training and competitions is based on long-time planning (Blumenstein & Orbach, 2020).

Topics such as determining the target competition where the peak performance will be revealed, the number of competitions before the peak performance, the total number of competitions in the season and the ordering of the competitions according to priority are examined under the periodization title of the field of training science (Açıkada, 2018). In other words, the concept of periodization is one of the fundamental subjects of training science, especially as it is considered to be the key to high-level performance in target competitions. The structure of training plans is likely to be dependent on a number of factors including the type of the sport and level of the athlete (Bradbury et al., 2020). In many sport events a year is divided into three main training phases namely preparation, competition and transition (Bompa, 1994; Matveyev, 1981). The competition order determined in the schedule according to the level and goals of the athlete is important for the design of the competition period and for the athlete to achieve peak performance in the target competition. First priority competitions are those from which peak form is expected (2-4 competitions), while second priority competitions are those from which high form is expected and are considered as preparatory for the ones in which peak form is expected (6-8 competitions). Third priority competitions, on the other hand, those that are considered to be training preparation for first and second priority competitions (8-10 competitions) (Açıkada & Bayraktar, 2018).

Achievements and systematic approaches to sports led to the emergence of notions such as periodization and changed the approach to sports and performance, thus influencing the start of a new period. In the 1960s and 1970s scientists, especially those from Eastern Bloc countries, developed the concept of periodization (Matveyev, 1981). The adoption of notions such as periodization in western countries did not take place until the 1980s. In fact, in some countries, the adaption of such notions extended until the 1990s (Açıkada, 2018). Bompa (1999) adapted and popularized the concept of periodization in the West in the 1990s (Blumenstein & Orbach, 2020), while in others parts of the world it was not shaped until the 2010s (Açıkada, 2018). These developments were adopted very late in many western countries. Even today, several countries do not consider training science as a new discipline of science, and have not yet established the necessary systematic approach (Açıkada, 2018). The United States is one of these countries that has avoided this structure. In Europe, in the 1950s, the science of education, which first emerged with a structure that aimed for the

superiority of the socialist regime as in the Soviet Union and then East Germany, started to take shape with a different philosophy and principle (Açıkada, 2018). In light of these different understandings, the aim of the present study was to determine the variables of the competition seasons of American and European athletes in jumping events, and to identify the similarities and differences between these variables.

## **2. Method**

### *2.1 Participants*

The study group was composed of American and European male and female elite athletes who ranked in the top 100 in the world charts in the 2018 season.

### *2.2 Research Design*

The competition information of the athletes in the season was obtained from the 2018 world rankings (WorldAthletics, 2009a) on the official website of the IAAF. Each athletes' date of birth, the dates of the competitions held during the season and the results the athletes achieved were recorded from the database. This study complied with the ethical principles stated by the Declaration of Helsinki.

The age of the athletes, the total number of days in the season, the number of days between the competitions, the total number of competitions, the number of competitions in which the season's best (SB) performance was achieved, the ratio of the competition in which the season's best performance was achieved to the total number of competitions (SB/Competition) the percentages of the first and end performances calculated according to the season's best performance were determined as the research variables.

### *2.3 Statistical Analysis*

The normality of the quantitative data was analyzed by the Kolmogorov Smirnov test. Mann-Whitney U test was performed for non-normally distributed data to identify the similarities and differences. IBM-SPSS 20.0 software was used for statistical analysis and the significance level was determined as  $p < 0.05$ .

## **3. Results**

The comparisons of the European and American athletes, in terms of gender with respect to the variables examined within the scope of the research are given in Tables 1-8.

Table 1. Mann Whitney U-test results regarding the differences between the age and seasonal performance variables of the American and European male long jumpers

Long Jump (Male)	Continent	n	Median (25-75%)	Mean Rank	Total Rank	U	p
World Ranking	America	39	49 (26-82)	32.9	1284.0	448.0	0.12
	Europe	33	66 (36-92)	40.7	1344.0		
Age (years)	America	39	23 (21-26)	31.6	1230.5	386.0	<b>0.02*</b>
	Europe	33	25 (23-28.5)	42.4	1397.5		
The number of competition days in the season	America	39	127 (75-177)	42.4	1653.5	406.5	<b>0.04*</b>
	Europe	33	97 (75-120)	29.5	974.5		
The number of days among competitions	America	39	12 (9-17)	46.1	1798.0	360.0	<b>0.01*</b>
	Europe	33	9 (7-11)	25.2	830.0		
The total number of competitions	America	39	9 (7-12)	34.1	1331.5	537.5	0.66
	Europe	33	10 (8-15)	39.3	1296.5		
The number of competitions in which SB performance was achieved	America	39	5 (3-8)	41.1	1604.5	559.0	0.86
	Europe	33	5 (2-10)	31.0	1023.5		
SB/Competition	America	39	62 (40-82)	38.1	1485.0	503.5	0.39
	Europe	33	57 (31-75)	34.6	1143.0		
SB (m)	America	39	8.08 (7.98-8.24)	34.9	1360.5	466.0	0.19
	Europe	33	8.00 (7.93-8.13)	38.4	1267.5		
First performance in a season (m)	America	39	7.64 (7.50-7.92)	35.5	1385.0	497.0	0.35
	Europe	33	7.76 (7.59-7.90)	37.7	1243.0		
Last performance in a season (m)	America	39	7.83 (7.59-7.93)	41.2	1605.5	408.5	<b>0.04*</b>
	Europe	33	7.71 (7.45-7.82)	31.0	1022.5		
Season performance average (m)	America	39	7.80 (7.66-7.87)	38.8	1511.5	491.5	0.31
	Europe	33	7.73 (7.66-7.84)	33.8	1116.5		
First competition %	America	39	95 (92-97)	31.9	1244.5	540.0	0.68
	Europe	33	96 (94-98.5)	41.9	1383.5		
Last competition %	America	39	96 (94-98)	38.2	1489.5	492.5	0.31
	Europe	33	96 (93-98)	34.5	1138.5		
Average %	America	39	96 (95-97)	32.7	1273.5	503.0	0.36
	Europe	33	97 (95.5-97)	41.1	1354.5		

Note. \*p < 0.05.

When the male athletes in the horizontal jumping events were compared, it was observed that the European athletes had higher age values. In terms of the number of competition season days, the number of days among competitions and the last performance of the season, statistically significant differences were determined between the athletes in favor of the

American male long jumpers (Table 1) ( $p < 0.05$ ).

Table 2. Comparison of the averages of the age and seasonal performance variables of the American and European female long jumpers

Long Jump ( <i>Female</i> )	Continent	n	Median (25-75%)	Mean Rank	Total Rank	U	p
World Ranking	America	37	61 (31-93)	48.5	1792.5	760.5	0.16
	Europe	50	47 (24-82)	40.7	2035.5		
Age (years)	America	37	25 (21.5-27.5)	38.9	1439.5	736.5	0.11
	Europe	50	27 (23-30)	47.8	2388.5		
The number of competition days in the season	America	37	100 (85-152)	48.9	1810.5	742.5	0.12
	Europe	50	96 (75-121)	40.4	2017.5		
The number of days among competitions	America	37	12 (9-18)	50.6	1873.5	679.5	<b>0.03*</b>
	Europe	50	10 (9-13)	39.1	1954.5		
The total number of competitions	America	37	9 (6-11)	42.8	1583.0	880.0	0.70
	Europe	50	9 (7-12)	44.9	2245.0		
The number of competitions in which SB was achieved	America	37	4 (3-7)	44.0	1627.5	924.5	1.00
	Europe	50	5 (2-7)	44.0	2200.5		
SB/Competition	America	37	50 (33-79)	44.8	1656.0	897.0	0.81
	Europe	50	56.5 (33-68.8)	43.4	2172.0		
SB (m)	America	37	6.60 (6.50-6.70)	40.5	1500.0	797.0	0.27
	Europe	50	6.65 (6.53-6.72)	46.6	2328.0		
First performance in the season (m)	America	37	6.31 (6.12-6.53)	41.4	1531.0	828.0	0.41
	Europe	50	6.38 (6.17-6.52)	45.9	2297.0		
Last performance in the season (m)	America	37	6.22 (6.05-6.37)	33.5	1239.0	536.0	<b>0.001*</b>
	Europe	50	6.40 (6.21-6.53)	51.8	2589.0		
Season performance average (m)	America	37	6.31 (6.22-6.44)	36.2	1340.0	637.0	<b>0.01*</b>
	Europe	50	6.40 (6.3-6.53)	49.8	2488.0		
First competition %	America	37	96 (94-97.5)	43.4	1607.0	904.0	0.86
	Europe	50	95.5 (94-98)	44.4	2221.0		
Last competition %	America	37	94 (92-96)	34.1	1261.5	558.5	<b>0.002*</b>
	Europe	50	96 (94-98)	51.3	2566.5		
Average %	America	37	96 (95-97)	37.7	1395.0	692.0	<b>0.04*</b>
	Europe	50	97 (95-97.3)	48.7	2433.0		

\* $p < 0.05$ .

When the female long jump athletes were compared in terms of the competition variables (Table 2) it was found that there were statistically significant differences in favor of the American athletes in terms of the number of days between competitions, final season performance, season average performance and SB/competition variables in favor of the European athletes ( $p < 0.05$ ).

Table 3. Comparison of the averages of the age and seasonal performance variables of the American and European male triple jumpers

Triple Jump (Male)	Continent	n	Median (25-75%)	Mean Rank	Total Rank	U	p
World Ranking	America	31	34 (9-77)	30.5	944.0	448.0	0.12
	Europe	37	52 (33-73)	37.9	1402.0		
Age (years)	America	31	22 (21-26)	28.5	882.0	386.0	<b>0.02*</b>
	Europe	37	25 (22-29.5)	39.6	1464.0		
The number of competition days in the season	America	31	117 (76-139)	39.9	1236.5	406.5	<b>0.04*</b>
	Europe	37	91 (76-113)	30.0	1109.5		
The number of days among competitions	America	31	15 (12-17)	41.4	1283.0	360.0	<b>0.01*</b>
	Europe	37	12 (9-13)	28.7	1063.0		
The total number of competitions	America	31	8 (6-10)	33.3	1033.5	537.5	0.66
	Europe	37	9 (7-10)	35.5	1312.5		
The number of competitions in which SB was achieved	America	31	5 (3-7)	35.0	1084.0	559.0	0.86
	Europe	37	5 (2-7)	34.1	1262.0		
SB/Competition	America	31	57 (43-88)	36.8	1139.5	503.5	0.39
	Europe	37	57 (33-77.5)	32.6	1206.5		
SB Performance (m)	America	31	16.83 (16.59-17.34)	38.0	1177.0	466.0	0.19
	Europe	37	16.74 (16.61-16.88)	31.6	1169.0		
First performance in the season (m)	America	31	16.40 (16.03-17.02)	37.0	1146.0	497.0	0.35
	Europe	37	16.39 (15.94-16.66)	32.4	1200.0		
Last performance in the season (m)	America	31	16.53 (16.05-16.96)	39.8	1234.5	408.5	<b>0.04*</b>
	Europe	37	16.31 (15.96-16.58)	30.0	1111.5		
Season performance average (m)	America	31	16.28 (16.15-16.97)	37.2	1151.5	491.5	0.31
	Europe	37	16.33 (16.11-16.45)	32.3	1194.5		
First competition %	America	31	97 (94-99)	33.4	1036.0	540.0	0.68
	Europe	37	97 (95-100)	35.4	1310.0		
Last competition %	America	31	98 (96-100)	37.1	1150.5	492.5	0.31
	Europe	37	97 (95.5-99)	32.3	1195.5		
Average %	America	31	97 (97-98)	36.8	1140.0	503.0	0.36
	Europe	37	97 (96-98)	32.6	1206.0		

Note. \* $p < 0.05$ .

In terms of the number of competition season days, the number of days among competitions and the last performance of the season, statistically significant differences were determined between the athletes in favor of the American triple jumpers (Table 3) ( $p < 0.05$ ).

Table 4. Comparison of the averages of the age and seasonal performance variables of the American and European female triple jumpers

Triple Jump (Female)	Continent	n	Median (25-75%)	Mean Rank	Total Rank	U	p
World Ranking	America	25	53 (9-83)	36.6	916.0	591.0	0.44
	Europe	53	46 (27-82)	40.9	2165.0		
Age (years)	America	25	26 (22-28.5)	41.2	1029.5	620.5	0.65
	Europe	53	25 (22-28)	38.7	2051.5		
The number of competition days in the season	America	25	118 (84-157)	51.7	1292.0	358.0	<b>0.001*</b>
	Europe	53	88 (69-109)	33.8	1789.0		
The number of days among competitions	America	25	16 (12-20)	57.2	1431.0	219.0	<b>0.000*</b>
	Europe	53	10 (9-12)	31.1	1650.0		
The total number of competitions	America	25	7 (6-9)	31.7	793.5	468.5	<b>0.04*</b>
	Europe	53	9 (7-10)	43.2	2287.5		
The number of competitions in which SB was achieved	America	25	3 (2-6)	31.7	792.5	467.5	<b>0.04*</b>
	Europe	53	5 (4-7)	43.2	2288.5		
SB/Competition	America	25	50 (36.5-71)	34.5	862.5	537.5	0.18
	Europe	53	67 (44.5-83)	41.9	2218.5		
SB Performance (m)	America	25	13.90 (13.65-14.54)	42.0	1049.5	600.5	0.51
	Europe	53	13.93 (13.66-14.18)	38.3	2031.5		
First performance in the season (m)	America	25	13.47 (12.96-14.01)	40.0	1001.0	649.0	0.89
	Europe	53	13.51 (13.10-13.74)	39.3	2080.0		
Last performance in the season (m)	America	25	13.63 (13.28-14.14)	43.5	1088.0	562.0	0.28
	Europe	53	13.52 (13.31-13.87)	37.6	1993.0		
Season performance average (m)	America	25	13.48 (13.28-14.16)	40.8	1020.5	629.5	0.72
	Europe	53	13.63 (13.27-13.81)	38.9	2060.5		
First competition %	America	25	97 (94-98.5)	38.5	961.5	636.5	0.78
	Europe	53	97 (94-99)	40.0	2119.5		
Last competition %	America	25	98 (96-99)	42.6	1066.0	584.0	0.39
	Europe	53	97 (96-99)	38.0	2015.0		
Average %	America	25	98 (97-98)	39.6	990.5	659.5	0.97
	Europe	53	98 (97-98)	39.4	2090.5		

Note. \* $p < 0.05$ .



Among the female triple jump athletes (Table 4), the number of days of the competition season and the number of days among competitions were determined to be higher in the American athletes. In the comparisons made in terms of the total number of competitions and the competition in which competition SB performance was achieved, significant differences were found between the groups in favor of the European athletes ( $p < 0.05$ ).

Table 5. Comparison of the averages of the age and seasonal performance variables of the American and European male high jumpers

High Jump (Male)	Continent	n	Median (25-75%)	Mean Rank	Total Rank	U	p
World Ranking	America	33	60 (27-109)	39.5	1302.0	579.0	0.37
	Europe	40	43 (36-86)	35.0	1399.0		
Age (years)	America	33	23 (20-26)	34.1	1126.0	565.0	0.29
	Europe	40	24.5 (21.3-26)	39.4	1575.0		
The number of competition days in the season	America	33	102 (78-144)	41.4	1365.5	515.5	0.11
	Europe	40	94 (72-118)	33.4	1335.5		
The number of days among competitions	America	33	13 (11-16)	45.8	1512.5	368.5	<b>0.001*</b>
	Europe	40	10 (9-13)	29.7	1188.5		
The total number of competitions	America	33	8 (6-10)	34.6	1141.0	580.0	0.37
	Europe	40	8 (6-12)	39.0	1560.0		
The number of competitions in which SB was achieved	America	33	4 (2-6)	35.8	1182.0	621.0	0.66
	Europe	40	4 (2-8)	38.0	1519.0		
SB/Competition	America	33	50 (35.5-75.5)	36.9	1218.0	657.0	0.97
	Europe	40	52 (29-79.8)	37.1	1483.0		
SB Performance (m)	America	33	2.25 (2.22-2.28)	34.6	1140.0	579.0	0.37
	Europe	40	2.26 (2.23-2.27)	39.0	1561.0		
First performance in the season (m)	America	33	2.20 (2.15-2.23)	34.2	1128.5	567.5	0.30
	Europe	40	2.21 (2.16-2.24)	39.3	1572.5		
Last performance in the season (m)	America	33	2.19 (2.14-2.24)	36.0	1189.0	628.0	0.72
	Europe	40	2.20 (2.15-2.24)	37.8	1512.0		
Season performance average (m)	America	33	2.19 (2.17-2.22)	35.4	1169.0	608.0	0.56
	Europe	40	2.20 (2.16-2.22)	38.3	1532.0		
First competition %	America	33	97 (95-99)	37.3	1230.5	650.5	0.92
	Europe	40	97 (95-98.8)	36.8	1470.5		
Last competition %	America	33	97 (95-99)	37.0	1222.0	659.0	0.99
	Europe	40	97 (95-99)	37.0	1479.0		
Average %	America	33	97 (96-98)	36.7	1212.0	651.0	0.92
	Europe	40	97 (96.3-98)	37.2	1489.0		

Note. \*  $p < 0.05$ .

Statistically significant differences were found between the European and American high jumpers (male) in terms of the number of days between competitions ( $p < 0.05$ ). It was observed that the American athletes had longer competition gaps (Tables 5).

Table 6. Comparison of the averages of the age and seasonal performance variables of the American and European female high jumpers

High Jump (Female)	Continent	n	Median (25-75%)	Mean Rank	Total Rank	U	p
World Ranking	America	26	87 (41-108)	55.1	1433.5	555.5	<b>0.02*</b>
	Europe	63	46 (21-87)	40.8	2571.5		
Age (years)	America	26	21 (19-25)	40.2	1045.5	694.5	0.26
	Europe	63	23 (20-26)	47.0	2959.5		
The number of competition days in the season	America	26	121 (84-141)	53.4	1387.0	602.0	0.05
	Europe	63	99 (73-120)	41.6	2618.0		
The number of days among competitions	America	26	14 (11-16)	62.4	1622.5	366.5	<b>0.000*</b>
	Europe	63	10 (8-12)	37.8	2382.5		
The total number of competitions	America	26	8 (6-10)	36.8	956.0	605.0	0.052
	Europe	63	9 (7-12)	48.4	3049.0		
The number of competitions in which SB was achieved	America	26	4 (2-5)	34.4	894.0	543.0	<b>0.01*</b>
	Europe	63	5 (3-6)	49.4	3111.0		
SB/Competition	America	26	50 (29.5-60)	39.1	1016.5	665.5	0.17
	Europe	63	55 (33-71)	47.4	2988.5		
SB Performance(m)	America	26	1.85 (1.84-1.89)	34.9	906.5	555.5	<b>0.02*</b>
	Europe	63	1.88 (1.85-1.92)	49.2	3098.5		
First performance in the season (m)	America	26	1.80 (1.75-1.84)	40.0	1039.0	688.0	0.24
	Europe	63	1.81 (1.78-1.85)	47.1	2966.0		
Last performance in the season (m)	America	26	1.80 (1.78-1.83)	39.1	1015.5	664.5	0.16
	Europe	63	1.82 (1.79-1.85)	47.5	2989.5		
Season performance average (m)	America	26	1.81 (1.78-1.83)	38.2	993.0	642.0	0.11
	Europe	63	1.82 (1.79-1.86)	47.8	3012.0		
First competition %	America	26	97 (95-98)	48.9	1271.0	718.0	0.35
	Europe	63	96 (95-98)	43.4	2734.0		
Last competition %	America	26	97 (95-98)	44.8	1163.5	812.5	0.95
	Europe	63	97 (95-98)	45.1	2841.5		
Average %	America	26	97 (96-98)	49.7	1291.5	697.5	0.25
	Europe	63	97 (96-97)	43.1	2713.5		

Note. \* $p < 0.05$ .

Significant differences were found in favor of the European female high jumpers in groups compared in terms of the SB performances, world rankings, and the number of competitions in which SB performance was achieved. Statistically significant differences were found between the European and American high jumpers (female) in terms of the number of days between competitions ( $p < 0.05$ ). It was observed that the American athletes had longer competition gaps (Tables 6).

Table 7. Comparison of the averages of the age and seasonal performance variables of the American and European male pole vaulters

Pole Vault ( <i>Male</i> )	Continent	n	Median (25-75%)	Mean Rank	Total Rank	U	p
World Ranking	America	33	46 (21-86)	44.5	1469.0	742.0	0.44
	Europe	50	46 (21-78)	40.3	2017.0		
Age (years)	America	33	23 (20-25)	37.5	1236.0	675.0	0.16
	Europe	50	24.5 (21-28)	45.0	2250.0		
The number of competition days in the season	America	33	99 (93-119)	39.6	1306.0	745.0	0.46
	Europe	50	105 (90-131)	43.6	2180.0		
The number of days among competitions	America	33	10 (8-12)	47.4	1565.5	645.5	0.09
	Europe	50	9 (8-11)	38.4	1920.5		
The total number of competitions	America	33	10 (8-11)	33.3	1098.0	537.0	<b>0.01*</b>
	Europe	50	12 (9-15)	47.8	2388.0		
The number of competitions in which SB was achieved	America	33	7 (3-8)	41.9	1383.5	822.5	0.98
	Europe	50	6 (4-8)	42.1	2102.5		
SB/Competition	America	33	67 (42.5-88.5)	48.3	1593.5	617.5	0.05
	Europe	50	55 (33-71.5)	37.9	1892.5		
SB Performance (m)	America	33	5.60 (5.50-5.7)	39.5	1302.0	741.0	0.43
	Europe	50	5.60 (5.52-5.7)	43.7	2184.0		
First performance in the season (m)	America	33	5.35 (5.18-5.55)	39.2	1292.5	731.5	0.38
	Europe	50	5.40 (5.24-5.51)	43.9	2193.5		
Last performance in the season (m)	America	33	5.45 (5.33-5.55)	47.9	1580.5	630.5	0.07
	Europe	50	5.35 (5.25-5.51)	38.1	1905.5		
Season performance average (m)	America	33	5.38 (5.30-5.50)	41.0	1351.5	790.5	0.75
	Europe	50	5.40 (5.29-5.50)	42.7	2134.5		
First competition %	America	33	95 (93.5-98)	39.5	1302.0	741.0	0.43
	Europe	50	96 (94-98.3)	43.7	2184.0		
Last competition %	America	33	97 (96-99.5)	50.6	1670.5	540.5	<b>0.01</b>
	Europe	50	95.5 (93.8-97.1)	36.3	1815.5		
Average %	America	33	96 (95.2-97)	43.5	1436.5	774.5	0.62
	Europe	50	96 (95-97)	41.0	2049.5		

Note. \* $p < 0.05$ .

In the pole vault category, the total number of competitions of male (Table 7) European athletes was higher than the American athletes ( $p < 0.05$ ).

Table 8. Comparison of the averages of the age and seasonal performance variables of the American and European female pole vaulters

<b>Pole Vault (Female)</b>	<b>Continent</b>	<b>n</b>	<b>Median (25-75%)</b>	<b>Mean Rank</b>	<b>Total Rank</b>	<b>U</b>	<b>p</b>
World Ranking	America	38	43 (20-73)	44.0	1673.5	932.5	0.55
	Europe	53	56 (33-69)	47.4	2512.5		
Age (years)	America	38	22 (21-25)	41.8	1586.5	845.5	0.19
	Europe	53	24 (21-27)	49.1	2599.5		
The number of competition days in the season	America	38	99 (75-125)	46.7	1775.0	980.0	0.83
	Europe	53	96 (80-119)	45.5	2411.0		
The number of days among competitions	America	38	11 (9-15)	57.3	2179.0	576.0	<b>0.000*</b>
	Europe	53	9 (7-10)	37.9	2007.0		
The total number of competitions	America	38	8 (7-10)	33.8	1283.0	542.0	<b>0.000*</b>
	Europe	53	12 (8-13)	54.8	2903.0		
The number of competitions in which SB performance was achieved	America	38	6 (3-7)	37.7	1431.0	690.0	<b>0.01*</b>
	Europe	53	7 (4-11)	52.0	2755.0		
SB/Competition	America	38	58.5 (40-78.5)	44.2	1679.0	938.0	0.58
	Europe	53	64 (47-83)	47.3	2507.0		
SB Performance (m)	America	38	4.45 (4.35-4.6)	48.0	1822.5	932.5	0.55
	Europe	53	4.42 (4.35-4.51)	44.6	2363.5		
First performance in the season (m)	America	38	4.24 (4.05-4.4)	48.5	1844.0	911.0	0.44
	Europe	53	4.20 (4.00-4.43)	44.2	2342.0		
Last performance in the season (m)	America	38	4.31 (4.16-4.45)	49.6	1883.0	872.0	0.28
	Europe	53	4.26 (4.16-4.35)	43.5	2303.0		
Season performance average (m)	America	38	4.28 (4.17-4.39)	48.7	1851.0	904.0	0.41
	Europe	53	4.23 (4.16-4.33)	44.1	2335.0		
First competition %	America	38	94.5 (93-98)	47.2	1795.0	960.0	0.70
	Europe	53	95 (90-98)	45.1	2391.0		
Last competition %	America	38	97 (94.8-99)	47.1	1791.0	964.0	0.73
	Europe	53	97 (93-99)	45.2	2395.0		
Average %	America	38	96 (95-97)	47.9	1818.5	936.5	0.56
	Europe	53	96 (95-97)	44.7	2367.5		

Note. \* $p < 0.05$ .

In the pole vault category, the total number of competitions of female European athletes was higher than the American athletes (Table 8) ( $p < 0.05$ ). There were statistically significant differences between the groups regarding the female pole vaulters category in terms of the number of days among competitions ( $U = 576$ ;  $p < 0.001$ ) and the number of SB performances ( $U = 690$ ;  $p = 0.01$ ) and in the male pole vaulters category in terms of the ratio of the last competition performance to the SB performance (Table 8).

#### 4. Discussion

The periodization concepts and approaches of Matveyev, which were put forward in 1981, have led to the increase in the number of competitions, the quality and length of the competition period and the decrease in the phase devoted to the preparation and, thus, caused different ideas to emerge in the periodization structure (Açıkada, 2018). The present study aimed to determine the differences and similarities between the continents of America and Europe by comparing them in terms of the variables that make up the competition period.

In this study, similarities were determined between the two continents in terms of world ranking and SB performance in all jumping events except for the female events. In the female high jump event, the European athletes were better than American athletes in both world ranking and SB performance ( $p < 0.05$ ). When the all-time (top 100) performances were analyzed, it was seen that the European female high jumpers had a majority over 80% (WorldAthletics, 2009b). In light of these findings, it is possible to talk about systematic success in the female high jump event in Europe.

Another impressive finding of this study was that there were statistically significant differences between the American and European athletes in jumping events in terms of the number of days between competitions (excluding male pole vault). Similarities were detected between the continents in the male pole vault category. It can be said that the American jumpers had longer competition intervals, in other words, they exhibit longer recovery times between each competition. In the events in which similarities were determined in terms of world rankings and SB performance, differences were detected in the number of days between competitions. Accordingly, it can be said that these differences were due to the different periodization concepts between the continents. As a matter of fact, Açıkada (2018) stated that some western countries such as the United States of America have still not adopted to the concepts of periodization.

In terms of the total number of days in the competition season, significant differences were determined between the groups in favor of the American male long jumpers, male triple jumpers and female triple jumpers ( $p < 0.05$ ). Statistically significant differences were also calculated in other events. The fact that the International Sports Federation increases the number of competitions of elite athletes in one competition period affects countries and increases national competitions. As a result, athletes participate in more competitions during a competition period (Issurin, 2008).

In this study, when examining the SB performance in the competition, similarities between the American and European athletes in the male jumping events and statistically significant

differences in the female jumping events (except female long jump) were discovered ( $p < 0.05$ ). It was found that SB performance was reached in the 4th-5th competition for high jump, 6th-7th for pole vault, 4th-5th competition for long jump and 3rd-4th for triple jump. Gandelsman and Smirnov (Bompa, cited in 1994 p. 190) reported that an athlete must participate in an average of 7-10 competitions before reaching peak performance. The averages determined in the present study were found to be lower than those of the literature. In high performance sports, achieving peak performance in the target competition is the main goal. As a factor affecting the athlete's SB performance, the arrangement of the competitions in the competition period (Açıkada, 2018), the priority order of the competitions and the number of competitions before the peak performance are the topics that the training organizers emphasize.

It was emphasized that the first performances of athletes in a season, within the scope of 100m event, can help to predict SB performances (Örs et al., 2019b). In the present study, it was observed that there were statistical similarities between the athletes of both continents in terms of first season performances. In other words, the importance given to the first performances in a season were the same for both European and American athletes.

When the world records in jumping events were observed it was seen that seven of the 12 records for males (seniors, U20 and U18 categories) had been achieved by European athletes, four had been achieved by American athletes and one had been achieved by an Asian athlete. While in the females, one of the 12 records had been achieved by an Australian and the remaining 11 had been achieved by European athletes. 75% of world records jumping events for both genders had been achieved by European athletes and 17% by American athletes.

## **5. Conclusions**

In conclusion, the systematic success of European athletes in jumping events was evident in many ways compared when compared to American athletes. In this study, it was determined that the training science of European athletes who participated in the competitions with shorter recovery times, generally differed significantly compared to American athletes. The superiority of European female high jumpers in terms of both SB performance and their position in the world ranking was also determined. As a result, it was thought that the differences determined between the groups may be due to the differences in the perception of periodization and different coaching educations embraced by continents.

## **Source of Finance**

During this study, no financial or spiritual support was received neither from any pharmaceutical company that has a direct connection with the research subject, nor from a company that provides or produces medical instruments and materials which may negatively affect the evaluation process of this study.

## **Conflict of Interest**

No conflicts of interest between the authors and/or family members of the scientific and medical committee members or members of the potential conflicts of interest, counseling,

expertise, working conditions, shareholding and similar situations in any firm.

## References

- Açıkada, C. (2018). Training principles, periodization and form trainings. *Training science*. Sports Publishing Company.
- Açıkada, C., & Bayraktar, I. (2018). Periodization strategies on athletics. In C. Acikada (Ed.), *Training Science* (pp. 387-399). Sports Publishing Company.
- Blumenstein, B., & Orbach, I. (2020). Periodization of psychological preparation within the training process. *International Journal of Sport and Exercise Psychology*, 18(1), 13-23. <https://doi.org/10.1080/1612197X.2018.1478872>
- Bompa, T. (1994). *Theory and Methodology of Training: The Key To Athletic Performance*. Hunt Publishing Company.
- Bompa, T. (1999). *Periodization: The theory and methodology of training*. Human Kinetics Publishers.
- Bradbury, D. G., Landers, G. J., Benjanuvatra, N., & Goods, P. S. (2020). Comparison of linear and reverse linear periodized programs with equated volume and intensity for endurance running performance. *The Journal of Strength and Conditioning Research*, 34(5), 1345-1353. <https://doi.org/10.1519/JSC.0000000000002805>
- Demir, M. (2008). *Runnings, jumping, throws in athletics*. Nobel Academic Press.
- Dick, F. W. (2007). *Sports Training Principles*. Bloomsbury (5th ed.). Henry Kimpton. <https://doi.org/10.1017/CBO9781107415324.004>
- Ekechukwu, R. O., & Isiguzo, B. C. (2019). Predictive Determinants of Anxiety, Depression and Stress on Athletics Performance of Students, University of Port Harcourt, Nigeria. *European Journal of Education Studies*, 91-99. <https://doi.org/10.5281/zenodo.2557038>
- IAAF. (2017). *Competition Rules 2018-2019* (p. 69). Retrieved from <https://www.worldathletics.org/about-iaaf/documents/technical-information>
- Issurin, V. B. (2008). Block periodization versus traditional training theory: A review. *Journal of Sports Medicine and Physical Fitness*, 48(1), 65-75.
- Lidor, R., Blumenstein, B., & Tenenbaum, G. (2007). Psychological aspects of training in european basketball: Conceptualization, periodization, and planning. *Sport Psychologist*, 21(3), 353-367. <https://doi.org/10.1123/tsp.21.3.353>
- Matveyev, L. (1981). *Fundamentals of sports training*. Progress.
- Müller, H., & Ritzdorf, W. (2009). In B. Glad (Ed.), *Run ! Jump ! Throw ! The International Association of Athletics Federations*.
- Örs, B. S., Cantas, F., Onarici Gungor, E., & Simsek, D. (2019). Assessment and comparison of visual skills among athletes. *Spor ve Performans Araştırmaları Dergisi*, December.

<https://doi.org/10.17155/omuspd.522342>

Örs, T., Bayraktar, I., Demir, M. O., & Örs, B. S. (2019). *A competition period evaluation of elite sprinters: 100 meters event sample* (pp. 830-837). II. World Congress of Sport Sciences Researches.

Raysmith, B., Jacobsson, J., Drew, M., & Timpka, T. (2019). What Is Performance? A Scoping Review of Performance Outcomes as Study Endpoints in Athletics. *Sports*, 7(3), 1-14. <https://doi.org/10.3390/sports7030066>

WorldAthletics. (2009a). *All Time Top List*. Retrieved from <https://www.worldathletics.org>

WorldAthletics. (2009b). *Season Top List*. Retrieved from <https://www.worldathletics.org>

### **Copyright Disclaimer**

Copyright for this article is retained by the author(s), with first publication rights granted to the journal.

This is an open-access article distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/3.0/>).