BMJ Global Health

How can global guidelines support sustainable hygiene systems?

Joanna Esteves Mills , Ann Thomas, Nadia Abdalla, Rola Al-Emam, Kahtan Al-Shabi, Mary Eyram Ashinyo, Fodé Ousmane Bangoura, Katrina Charles, Jenala Chipungu, Arnold Oredola Cole, Betsy Engebretson, Kitka Goyol, Catherine Fallon Grasham, Valentina Grossi, Sophie Hickling, Safo Kalandarov, Alemu Kejela Ababu, Karimzoda Kholmuhammad, Micole Klaesener-Metzner, Ziggy Kugedera, Akosua Kwakye, Andrea Lee-Llacer, Pauke P Maani, Belinda Makhafola, Alyaa Mohamed, Md Monirul Alam, Bella Monse, Henry Northover, Aarin Palomares, Nilusha Patabendi, Nathaniel Paynter, Om Prasad-Gautam, Sudan Raj Panthi, Katalin Szeberényi, Mathaniel Raj Mahmud Shamsul Gafur, Siddhi Shrestha, Katalin Szeberényi, James Benjamin Tidwell, Mahmud Shamsul Gafur, Siddhi Shrestha, Soman Yiha, Ruslan Ziganshin, Bruce Gordon, Oliver Cumming

To cite: Esteves Mills J, Thomas A, Abdalla N, *et al.* How can global guidelines support sustainable hygiene systems? *BMJ Glob Health* 2023;**8**:e013632. doi:10.1136/ bmjqh-2023-013632

Received 4 August 2023 Accepted 12 August 2023

BACKGROUND

Hand hygiene is a cost-effective preventive measure to reduce transmission of infectious diseases. Alongside water and sanitation, hand hygiene protects community health and contributes to resilient health systems. However, a quarter of the global population lack access to even a basic handwashing facility and sustained hand hygiene practice everywhere is low.

Following the COVID-19 pandemic, and in response to government demand, WHO and UNICEF are now developing guidelines on hand hygiene in community settings. These guidelines will provide evidence-based recommendations to governments on actions to improve coverage and practice of hand hygiene in non-healthcare settings that include households, public spaces and institutional settings. The recommendations will be informed by synthesis of scientific and grey literature and developed through a consensus-based process involving independent experts, guideline end-users and representatives of beneficiaries.

The guidelines will also provide guidance on how to implement the recommendations. Detailed implementation plans are necessary for governments to act on global recommendations but guidance on effective implementation approaches has been lacking and has historically hindered progress.⁷ To address this, end-user consultation has been integrated

SUMMARY BOX

- Hand hygiene is a cost-effective preventive measure to reduce transmission of infectious diseases. Yet, a quarter of the global population lack access to even a basic handwashing facility.
- ⇒ Forthcoming WHO and UNICEF guidelines on hand hygiene in community settings will provide evidence-based recommendations to guide action.
- ⇒ According to consulted future guideline end-users, sustainable implementation of such recommendations to improve hand hygiene requires governmentled system-strengthening approaches that build sustainable and resilient national systems.
- ⇒ System-strengthening plans should be underpinned by a comprehensive situational analysis and needs assessment, and monitored on an ongoing basis for course correction where necessary.
- ⇒ Execution of system-strengthening plans should be integrated with existing programmes.
- \Rightarrow Health sector leadership is required to drive this agenda.

into this guideline development process, and as part of this, WHO and UNICEF convened a meeting to discuss how forthcoming recommendations might be implemented. The meeting, held in May 2023, included representatives from government, UN agencies, international financial institutions, development partners, civil society and the private sector from 18 low-income, middle-income and high-income countries. Below, we share



© World Health Organization 2023. Licensee BMJ.

For numbered affiliations see end of article.

Correspondence to Joanna Esteves Mills; jestevesmills@gmail.com



the five key points of consensus that emerged from the meeting.

RECOMMENDATIONS PROPOSED FOR THE FORTHCOMING WHO AND UNICEF GUIDELINES ON HAND HYGIENE IN COMMUNITY SETTINGS ARE NECESSARY AND FEASIBLE TO IMPLEMENT

Government action on hand hygiene in community settings is constrained by a lack of consistent, evidence-based and internationally agreed upon global guidance.⁸ Forthcoming global guidelines will provide evidence-based recommendations on when, how and with what hand hygiene should be practised in community settings for effective protection against infectious diseases. Recommendations will describe the essential elements of effective service delivery, and define the roles and responsibilities of diverse actors, with particular focus on the role of government.

There was firm commitment from government representatives to prioritise hand hygiene in community settings to protect health and several examples of strong government action were shared. The forthcoming guidelines were welcomed, and government-led implementation across multiple settings deemed necessary and feasible.

PROGRESS ON HAND HYGIENE IN COMMUNITY SETTINGS REQUIRES MOVING BEYOND EMERGENCY-LED RESPONSES, TO BUILDING SUSTAINABLE AND RESILIENT NATIONAL SYSTEMS

The COVID-19 pandemic highlighted deficits in access to hand hygiene services and led to various national and global initiatives to accelerate progress on hand hygiene. However, efforts focused more on short-term delivery, rather than addressing the underlying reasons for low access. Future efforts must move beyond emergency response, to building the systems that can deliver sustainable and equitable services.

A system comprises inter-related functions enabling effective service delivery, and includes the institutions and actors that fulfil these functions, and the interactions among functions, institutions and actors. ¹⁰ In the case of hand hygiene, effective and sustainable service delivery means the reliable provision, operation and maintenance of handwashing facilities with water and soap or alcohol-based hand rub and ongoing behaviour change programming for sustained adoption. Systems require strong national policies, financed strategies, institutional structures, monitoring systems and a skilled workforce to be sustainable, resilient and accountable.

HAND HYGIENE SYSTEM-STRENGTHENING PLANS SHOULD BE UNDERPINNED BY A COMPREHENSIVE SITUATIONAL ANALYSIS AND NEEDS ASSESSMENT, AND MONITORED ON AN ONGOING BASIS FOR COURSE CORRECTION WHERE NECESSARY

Effective system-strengthening plans are risk-based and context-specific; plans should be based on comprehensive situational analyses and prioritisation of needs, be regularly monitored and evaluated, and reviewed on an ongoing basis.

The following elements were identified as critical to development of an effective system-strengthening plan:

- Evidence-based national norms and standards.
- ► Setting-specific and context-specific assessment tools.
- ▶ Decentralised governance mechanisms for local implementation plans.
- ▶ Multisector participation in the development of system-strengthening plans (As non-exhaustive examples, the following sectors were identified during the discussion: education, occupational health and safety, nutrition, cholera).
- ► Government-led partnerships with public, private or civil society actors.
- An incremental approach in resource-constrained contexts.

EXECUTION OF SYSTEM-STRENGTHENING PLANS SHOULD BE INTEGRATED WITH EXISTING PROGRAMMES

Given long-standing lack of prioritisation of this critical public health intervention, hand hygiene merits attention as a standalone policy issue. However, implementation of government-led hand hygiene system-strengthening plans should be integrated with existing programmes across sectors. Where hand hygiene affects the target outcomes of existing programmes, such as child health or cholera, there is a clear rationale for programmatic integration. In addition, embedding hand hygiene within national development plans and programmes benefitting from higher-profile commitments enables leveraging of political leadership and financing.

There was consensus on the need for:

- Strong leadership for hand hygiene within other sectors.
- ► Costing and financing of hand hygiene components across multiple sectors.
- ▶ Alignment of hand hygiene indicators of interest with existing monitoring frameworks (eg, for school settings, the WHO and UNICEF Joint Monitoring Programme has developed a simple school-level self-assessment form for integration into national education management information systems).
- ► Setting-specific guidance to local government.

HEALTH SECTOR LEADERSHIP IS REQUIRED TO DRIVE THIS AGENDA

Strong political leadership is essential in public health. Leadership includes setting out an inspirational vision of hand hygiene as a key driver of economic progress and a plan for achieving it, and providing ongoing support to the implementation agenda, including the creation of course-correction mechanisms that enable rapid identification and remediation of identified implementation obstacles.

Inevitably, a strong single ministerial lead is required to sustain progress. Broadly, in all countries, the ministry



of health has the mandate to protect and improve the health of people and their communities, and hand hygiene is central to this. While the ministry of health will never deliver all functions, their mandate empowers them to lead the development of a roadmap for adoption of hand hygiene recommendations, and coordinate its implementation across various ministries.

Beyond health ministry leadership and coordination, a ministerial lead for each community setting should be identified to implement hand hygiene recommendations within their area of focus. For example, in schools, education ministries are responsible for ensuring that hand hygiene is accessible and practised in schools, as part of a healthy school environment.

CONCLUSION

As the world commits to accelerate progress towards 2030 Sustainable Development Goal (SDG) targets and organises to strengthen pandemic prevention and preparedness, sustained acceleration on hand hygiene as part of broader efforts to improve health is urgent. Forthcoming WHO and UNICEF guidelines on hand hygiene in community settings will provide evidence-based recommendations to guide action. The five points of consensus that emerged from our meeting will shape the new guidelines and we hope will lead to the guidelines being both useful to, and used by, end-users.

Author affiliations

¹Water, Sanitation, Hygiene and Health Unit, Department of Environment, Climate Change and Health, World Health Organization (WHO), Geneva, Switzerland

²United Nations Children's Fund (UNICEF), New York, New York, USA

³WHO Regional Office for the Eastern Mediterranean, Amman, Jordan

⁴WHO Country Office, Sana'a, Yemen

⁵Department of Quality Assurance, Ghana Health Service, Accra, Ghana

⁶WHO Country Office, Conakry, Guinea

⁷University of Oxford, Oxford, UK

⁸Centre for Infectious Disease Research, Zambia (CIDRZ), Lusaka, Zambia

⁹UNICEF Regional Office for East and Southern Africa, Nairobi, Kenya

¹⁰UNICEF Ethiopia Country Office, Addis Ababa, Ethiopia

¹¹European Centre for Environment & Health, WHO Regional Office for Europe, Bonn, Germany

12WaterAid, London, UK

¹³WHO Tajikistan Country Office, Dushanbe, Tajikistan

¹⁴Ministry of Health, Government of Ethiopia, Addis Ababa, Ethiopia

¹⁵Ministry of Health & Social Protection, Government of Tajikistan, Dushanbe, Tajikistan

¹⁶UNICEF Regional Office for South Asia, Kathmandu, Nepal

¹⁷UNICEF Pakistan Country Office, Lahore, Pakistan

¹⁸WHO Ghana Country Office, Accra, Ghana

¹⁹Department of Health, Government of the Philippines, Manila, Philippines

²⁰Department of Public Health, Ministry of Health, Funafuti, Tuvalu

²¹Ministry of Health, Government of South Africa, Pretoria, South Africa

²²WHO Iraq Country Office, Baghdad, Iraq

²³UNICEF Bangladesh Country Office, Dhaka, Bangladesh

²⁴German Agency for International Cooperation, Bonn, Germany

²⁵Global Consultant, London, UK

²⁶Global Handwashing Partnership, Washington, District of Columbia, USA

²⁷UNICEF Sri Lanka Country Office, Colombo, Sri Lanka

²⁸Environmental Health, World Health Organization, Kathmandu, Nepal

 $^{29}\mbox{Foreign}$ Commonwealth & Development Office, Government of the United Kingdom, London, UK

30IRC India, New Delhi, India

³¹National Agency for Public Health, Government of the Republic of Moldova, Chisinau, Moldova (the Republic of)

³²World Bank, Washington, District of Columbia, USA

³³Health Emergency Interventions, WHO, Geneva, Switzerland

³⁴Department of Public Health Engineering, Government of Bangladesh, Dhaka, Bangladesh

35WHO Bangladesh Country Office, Dhaka, Bangladesh

³⁶UNICEF Nepal Country Office, Lalitpur, Nepal

³⁷National Center for Public Health, Government of Hungary, Budapest, Hungary

³⁸World Vision International, Washington, District of Columbia, USA

³⁹Centers for Disease Control and Prevention, Atlanta, Georgia, USA

⁴⁰WHO Ethiopia Country Office, Addis Ababa, Ethiopia

⁴¹UNICEF Tajikistan Country Office, Dushanbe, Tajikistan

⁴²London School of Hygiene and Tropical Medicine, London, UK

Correction notice The published version misspelled co-author's name as Rola El-Alam. The correct name should be Rola Al-Emam.

Twitter Ziggy Kugedera @zigazie82 and James Benjamin Tidwell @_bentidwell

Contributors The commentary reports back on a meeting attended by all co-authors and is a summary of discussion and consensus points. Therefore, all co-authors have contributed to the content of the commentary. The first and corresponding author has taken the role of consolidating meeting notes and liaising with participants/co-authors to ensure the views represented are truthfully reflecting meeting consensus points.

Funding This research is funded by the World Health Organization and the Foreign, Commonwealth and Development Office of the Government of the United Kingdom

Disclaimer The author is a staff member of the World Health Organization. The author alone is responsible for the views expressed in this publication and they do not necessarily represent the views, decisions or policies of the World Health Organization.

Competing interests None declared.

Patient consent for publication Not applicable.

Provenance and peer review Not commissioned; internally peer reviewed.

Data availability statement No data are available.

Open access This is an open access article distributed under the terms of the Creative Commons Attribution IGO License (CC BY NC 3.0 IGO), which permits use, distribution, and reproduction in any medium, provided the original work is properly cited. In any reproduction of this article there should not be any suggestion that WHO or this article endorse any specific organization or products. The use of the WHO logo is not permitted. This notice should be preserved along with the article's original URL.

ORCID iDs

Joanna Esteves Mills http://orcid.org/0000-0002-5220-1424 Sudan Raj Panthi http://orcid.org/0000-0001-5842-8227 James Benjamin Tidwell http://orcid.org/0000-0001-5868-6584 Oliver Cumming http://orcid.org/0000-0002-5074-8709

REFERENCES

- 1 Wolf J, Johnston RB, Ambelu A, et al. Burden of disease attributable to unsafe drinking water, sanitation, and hygiene in domestic settings: a global analysis for selected adverse health outcomes. The Lancet 2023;401:2060–71.
- 2 Joint Monitoring Programme (JMP), World Health Organization and UNICEF. Progress on household drinking water, sanitation and hygiene 2000-2022: special focus on gender. World Health Organization, 2023.
- 3 Freeman MC, Stocks ME, Cumming O, et al. Systematic review: hygiene and health: systematic review of handwashing practices worldwide and update of health effects. Trop Med Int Health 2014:19:906–16.
- 4 World Health Organization. Hand hygiene in communities and public settings: proposal for WHO guidelines, . 2022Available: https://cdn. who.int/media/docs/defaultsource/wash-documents/hand-hygiene/concept-note-gl-on-hh-in-community-settingswith-logo.pdf?sfvrsn=c2140d3c_3 [Accessed 14 Jun 2023].

BMJ Global Health: first published as 10.1136/bmjgh-2023-013632 on 24 October 2023. Downloaded from https://gh.bmj.com on 6 May 2025 by guest Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies.

- 5 Caruso B, Cumming O, Esteves Mills J, et al. Synthesizing the evidence for hand hygiene in community settings: an integrated protocol for multiple related systematic reviews. 2023. Available: https://www.crd.york.ac.uk/prospero/display_record.php?ID= CRD42023429145
- 6 World Health Organization. WHO handbook for guideline development. 2014. Available: https://apps.who.int/iris/handle/ 10665/145714 [accessed 26 Jul 2023].
- Wang Z, Norris SL, Bero L. Implementation plans included in World Health Organization guidelines. *Implement Sci* 2016;11:76.
 MacLeod C, Braun L, Caruso BA, et al. Improving hand hygiene
- 8 MacLeod C, Braun L, Caruso BA, et al. Improving hand hygiene in community settings: a scoping review of current international guidelines. BMJ Open 2023;13:e068887.
- 9 Hand Hygiene for All. The hand hygiene for all initiative is a call to action for a whole-of-society approach to accelerate progress towards universal hand hygiene by 2030. 2020. Available: https://handhygieneforall.org/ [Accessed 20 Jun 2023].
 10 van Olmen J, Criel B, Van Damme W, et al. Analysing health
- 10 van Olmen J, Criel B, Van Damme W, et al. Analysing health systems to make them stronger. Studies in health services, organisation and policy. In: Getting health reform right: a guide to improving performance and equity 27. New York: ITGPress: Antwerp. Roberts MJ, Hsiao W, Berman P, Reich MR. Oxford University Press, 2010: