

Evidence-Based Medicine

Contents

Purpose and Procedure

Additional Articles Abstracted in *ACP Journal Club*

EBM NOTEBOOK

Where do pretest probabilities come from? 68

Bringing evidence to the point of care 70

David Sackett on the move; Paul Glasziou takes over 71

THERAPEUTICS

Oral methylprednisolone improved symptoms and disability resulting from multiple sclerosis attacks 73

Interferon- β 1a reduced relapses at 2 years in relapsing-remitting multiple sclerosis 74

Interferon- β 1b reduced the progression of secondary progressive multiple sclerosis 75

Xylitol syrup and xylitol chewing gum were both effective in preventing acute otitis media 76

Review: Amoxycillin and folate inhibitors are as effective as newer, more expensive antibiotics for acute sinusitis 77

Review: Insecticide-treated bednets and curtains reduce overall mortality and incidence of malaria 78

2 or 4 sessions of counselling reduced occurrence of sexually transmitted diseases 79

Review: Measures to control house dust mites are not effective in patients with asthma who are sensitive to mites ... 80

Review: Successful *Helicobacter pylori* eradication prevents ulcer recurrence 81

Review: St. John's wort is more effective than placebo for treating depressive disorders 82

Flutamide did not prolong survival and increased toxic effects after orchiectomy in metastatic prostate cancer 83

Review: Postoperative radiotherapy decreases survival in early-stage non-small-cell lung cancer 84

Preservation of the intercostobrachial nerve during axillary node clearance for breast cancer reduced sensory deficits 85

Second-eye cataract surgery was beneficial in otherwise-healthy patients 86

Review: Carotid endarterectomy modestly reduces ipsilateral stroke in asymptomatic stenosis 87

Early surgery was more expensive than surveillance for small abdominal aortic aneurysms but slightly improved health perception and bodily pain 88

Early surgery did not reduce 6-year mortality in patients with small abdominal aortic aneurysms 89

DIAGNOSIS

D-dimer assay was useful for ruling out suspected pulmonary embolism 90

PROGNOSIS

Advanced age predicted risk for recurrent stroke after first-ever stroke 91

ETIOLOGY

Review: Bias may contribute to the association between vasectomy and prostate cancer 92

Oral contraceptive use was associated with myocardial infarction and ischaemic stroke but not angina 93

QUALITY IMPROVEMENT

Nurse-run clinics in primary care increased secondary prevention in coronary artery disease 94

A nurse-run program for congestive heart failure reduced time to readmission 95

Review: Computer-based clinical decision support systems can improve physician performance in some areas ... 96

Glossary Inside back cover

Best Evidence 3, a complete electronic archive of *ACP Journal Club* and *Evidence-Based Medicine* through 1998, is available to institutions for £95, BMA members for £43, and to non-members for £62. To order, contact BMJ Publishing Group at 0171 383 6270. Information about Best Evidence 3 is also available at <http://www.bmjpg.com/data/ebm.hun>.

Evidence-Based Medicine is published bimonthly with the support of the NHS Executive Research and Development Programme.