

Appendix C. Excluded studies in the last screening (n=101)

Not longitudinal design

1	Bagheri F, Ebrahimzadeh MH, Moradi A, Bidgoli HF. Factors Associated with Pain, Disability and Quality of Life in Patients Suffering from Frozen Shoulder. Arch Bone Jt Surg. 2016 Jun;4(3):243-7.
2	Barlow JD, Bishop JY, Dunn WR, Kuhn JE; MOON Shoulder Group, Baumgarten KM, Brophy RH, Carey JL, Holloway BG, Jones GL, Ma BC, Marx RG, McCarty EC, Poddar SK, Smith MV, Spencer EE, Vidal AF, Wolf BR, Wright RW. What factors are predictors of emotional health in patients with full-thickness rotator cuff tears? J Shoulder Elbow Surg. 2016 Nov;25(11):1769-1773. doi: 10.1016/j.jse.2016.04.007.
3	Fink Barnes LA, Grantham WJ, Meadows MC, Bigliani LU, Levine WN, Ahmad CS. Sports activity after reverse total shoulder arthroplasty with minimum 2-year follow-up. Am J Orthop (Belle Mead NJ). 2015 Feb;44(2):68-72.
4	Barth RJ. CORR Insights(®): Clinician and Patient-Reported Outcomes Are Associated With Psychological Factors in Patients With Chronic Shoulder Pain. Clin Orthop Relat Res. 2016 Sep;474(9):2040-3. doi: 10.1007/s11999-016-4970-5.
5	Bilberg R, Nørgaard B, Overgaard S, Roessler KK. Patient anxiety and concern as predictors for the perceived quality of treatment and patient reported outcome (PRO) in orthopaedic surgery. BMC Health Serv Res. 2012 Aug 8;12:244. doi:

	10.1186/1472-6963-12-244.
6	Cho CH, Jung SW, Park JY, Song KS, Yu KI. Is shoulder pain for three months or longer correlated with depression, anxiety, and sleep disturbance? J Shoulder Elbow Surg. 2013 Feb;22(2):222-8. doi: 10.1016/j.jse.2012.04.001.
7	Cho CH, Seo HJ, Bae KC, Lee KJ, Hwang I, Warner JJ. The impact of depression and anxiety on self-assessed pain, disability, and quality of life in patients scheduled for rotator cuff repair. J Shoulder Elbow Surg. 2013 Sep;22(9):1160-6. doi: 10.1016/j.jse.2013.02.006.
8	Clausen MB, Witten A, Holm K, Christensen KB, Attrup ML, Hölmich P, Thorborg K. Glenohumeral and scapulothoracic strength impairments exists in patients with subacromial impingement, but these are not reflected in the shoulder pain and disability index. BMC Musculoskelet Disord. 2017 Jul 17;18(1):302. doi: 10.1186/s12891-017-1667-1.
9	Cole BJ, Cotter EJ, Wang KC, Davey A. Patient Understanding, Expectations, and Satisfaction Regarding Rotator Cuff Injuries and Surgical Management. Arthroscopy. 2017 Aug;33(8):1603-1606. doi: 10.1016/j.arthro.2017.03.004.
10	Das De S, Vranceanu AM, Ring DC. Contribution of kinesophobia and catastrophic thinking to upper-extremity-specific disability. J Bone Joint Surg Am. 2013 Jan

	2;95(1):76-81. doi: 10.2106/JBJS.L.00064.
11	Ding H, Tang Y, Xue Y, Yang Z, Li Z, He D, Zhao Y, Zong Y. A report on the prevalence of depression and anxiety in patients with frozen shoulder and their relations to disease status. Psychol Health Med. 2014;19(6):730-7. doi: 10.1080/13548506.2013.873814.
12	Hagiwara Y, Sekiguchi T, Yabe Y, Sugawara Y, Watanabe T, Kanazawa K, Koide M, Itaya N, Tsuchiya M, Tsuji I, Itoi E. Living status, economic hardship and sleep disturbance were associated with subjective shoulder pain in survivors of the Great East Japan Earthquake: A cross sectional study. J Orthop Sci. 2017 May;22(3):442-446. doi: 10.1016/j.jos.2016.12.027.
13	Henn RF 3rd, Ghomrawi H, Rutledge JR, Mazumdar M, Mancuso CA, Marx RG. Preoperative patient expectations of total shoulder arthroplasty. J Bone Joint Surg Am. 2011 Nov 16;93(22):2110-5. doi: 10.2106/JBJS.J.01114.
14	Hiscock N, Bell S, Coghlan J. Pain, depression and the postoperative stiff shoulder. BMC Musculoskelet Disord. 2015 Dec 4;16:376. doi: 10.1186/s12891-015-0841-6.
15	Kindler LL, Valencia C, Fillingim RB, George SZ. Sex differences in experimental and clinical pain sensitivity for patients with shoulder pain. Eur J Pain. 2011 Feb;15(2):118-23. doi: 10.1016/j.ejpain.2010.06.001.
16	Lentz TA, Barabas JA, Day T, Bishop MD, George SZ. The relationship of pain intensity, physical impairment, and pain-related fear to function in patients with shoulder pathology. J Orthop Sports Phys Ther. 2009 Apr;39(4):270-7. doi:

	10.2519/jospt.2009.2879.
17	Mancuso CA, Altchek DW, Craig EV, Jones EC, Robbins L, Warren RF, Williams-Russo P. Patients' expectations of shoulder surgery. J Shoulder Elbow Surg. 2002 Nov-Dec;11(6):541-9.
18	Martinez-Calderon J, Struyf F, Meeus M, Morales-Ascencio JM, Luque-Suarez A. Influence of psychological factors on the prognosis of chronic shoulder pain: protocol for a prospective cohort study. BMJ Open. 2017 Mar 6;7(3):e012822. doi: 10.1136/bmjopen-2016-012822.
19	Menendez ME, Baker DK, Oladeji LO, Fryberger CT, McGwin G, Ponce BA. Psychological Distress Is Associated with Greater Perceived Disability and Pain in Patients Presenting to a Shoulder Clinic. J Bone Joint Surg Am. 2015 Dec 16;97(24):1999-2003. doi: 10.2106/JBJS.O.00387.
20	Miranda H, Viikari-Juntura E, Heistaro S, Heliövaara M, Riihimäki H. A population study on differences in the determinants of a specific shoulder disorder versus nonspecific shoulder pain without clinical findings. Am J Epidemiol. 2005 May 1;161(9):847-55.
21	Nyman P, Palenius K, Panula H, Mälkiä E. Patients' experiences of shoulder problems prior to and following intervention. Physiother Theory Pract. 2012 Apr;28(3):221-31. doi: 10.3109/09593985.2011.598220.
22	Park HB, Lin SK, Yokota A, McFarland EG. Return to play for rotator cuff injuries and superior labrum anterior posterior (SLAP) lesions. Clin Sports Med. 2004 Jul;23(3):321-34, vii. Review.

23	Plath JE, Saier T, Feucht MJ, Minzlaff P, Seppel G, Braun S, Hatch D, Imhoff AB. Patients' expectations of shoulder instability repair. <i>Knee Surg Sports Traumatol Arthrosc.</i> 2017 Mar 13. doi: 10.1007/s00167-017-4489-7.
24	Potter MQ, Wylie JD, Greis PE, Burks RT, Tashjian RZ. Psychological distress negatively affects self-assessment of shoulder function in patients with rotator cuff tears. <i>Clin Orthop Relat Res.</i> 2014 Dec;472(12):3926-32. doi: 10.1007/s11999-014-3833-1.
25	Razmjou H, Lincoln S, Axelrod T, Holtby R. Factors contributing to failure of rotator cuff surgery in persons with work-related injuries. <i>Physiother Can.</i> 2008 Spring;60(2):125-33. doi: 10.3138/physio.60.2.125.
26	Roh YH, Lee BK, Noh JH, Oh JH, Gong HS, Baek GH. Effect of depressive symptoms on perceived disability in patients with chronic shoulder pain. <i>Arch Orthop Trauma Surg.</i> 2012 Sep;132(9):1251-7. doi: 10.1007/s00402-012-1545-0.
27	Roh YH, Noh JH, Oh JH, Baek GH, Gong HS. To what degree do shoulder outcome instruments reflect patients' psychologic distress? <i>Clin Orthop Relat Res.</i> 2012 Dec;470(12):3470-7. doi: 10.1007/s11999-012-2503-4.
28	Saccomanno MF, Sircana G, Cazzato G, Donati F, Randelli P, Milano G. Prognostic factors influencing the outcome of rotator cuff repair: a systematic review. <i>Knee Surg Sports Traumatol Arthrosc.</i> 2016 Dec;24(12):3809-3819.
29	Nelson N, Churilla JR. Physical activity, fear avoidance, and chronic non-specific pain: A narrative review. <i>J Bodyw Mov Ther.</i> 2015 Jul;19(3):494-9. doi: 10.1016/j.jbmt.2015.02.001.

30	Sundstrup E, Jakobsen MD, Brandt M, Jay K, Aagaard P, Andersen LL. Associations between biopsychosocial factors and chronic upper limb pain among slaughterhouse workers: cross sectional study. BMC Musculoskelet Disord. 2016 Feb 27;17:104. doi: 10.1186/s12891-016-0953-7.
31	Tashjian RZ, Henn RF, Kang L, Green A. The effect of comorbidity on self-assessed function in patients with a chronic rotator cuff tear. J Bone Joint Surg Am. 2004 Feb;86-A(2):355-62.
32	Warth RJ, Briggs KK, Dornan GJ, Horan MP, Millett PJ. Patient expectations before arthroscopic shoulder surgery: correlation with patients' reasons for seeking treatment. J Shoulder Elbow Surg. 2013 Dec;22(12):1676-81. doi: 10.1016/j.jse.2013.05.003.
33	Wolfensberger A, Vuistiner P, Konzelmann M, Plomb-Holmes C, Léger B, Luthi F. Clinician and Patient-reported Outcomes Are Associated With Psychological Factors in Patients With Chronic Shoulder Pain. Clin Orthop Relat Res. 2016 Sep;474(9):2030-9. doi: 10.1007/s11999-016-4894-0.
34	Wright V, Haq AM. Periarthritis of the shoulder. I. Aetiological considerations with particular reference to personality factors. Ann Rheum Dis. 1976 Jun;35(3):213-9.

Not chronic shoulder pain

1	Bot AG, Vranceanu AM, Herndon JH, Ring DC. Correspondence of patient word choice with psychologic factors in patients with upper extremity illness. Clin Orthop Relat Res. 2012 Nov;470(11):3180-6. doi: 10.1007/s11999-012-2436-y.
2	Cassou B, Derriennic F, Monfort C, Norton J, Touranchet A. Chronic neck and shoulder pain, age, and working conditions: longitudinal results from a large random sample in France. Occup Environ Med. 2002 Aug;59(8):537-44.
3	Asenlöf P, Söderlund A. A further investigation of the importance of pain cognition and behaviour in pain rehabilitation: longitudinal data suggest disability and fear of movement are most important. Clin Rehabil. 2010 May;24(5):422-30. doi: 10.1177/0269215509353264.
4	Dyrehag LE, Widerström-Noga EG, Carlsson SG, Kåberger K, Hedner N, Mannheimer C, Andersson SA. Relations between self-rated musculoskeletal symptoms and signs and psychological distress in chronic neck and shoulder pain. Scand J Rehabil Med. 1998 Dec;30(4):235-42.
5	Ektor-Andersen J, Isacson SO, Lindgren A, Orbaek P. The experience of pain from the shoulder-neck area related to the total body pain, self-experienced health and mental distress. The Malmö Shoulder-Neck Study group. Pain. 1999 Sep;82(3):289-95.
6	Fanavoll R, Nilsen TI, Holtermann A, Mork PJ. Psychosocial work stress,

	leisure time physical exercise and the risk of chronic pain in the neck/shoulders: Longitudinal data from the Norwegian HUNT Study. <i>Int J Occup Med Environ Health</i>. 2016;29(4):585-95. doi: 10.13075/ijomeh.1896.00606.
7	George SZ, Dover GC, Fillingim RB. Fear of pain influences outcomes after exercise-induced delayed onset muscle soreness at the shoulder. <i>Clin J Pain</i>. 2007 Jan;23(1):76-84.
8	George SZ, Dover GC, Wallace MR, Sack BK, Herbstman DM, Aydog E, Fillingim RB. Biopsychosocial influence on exercise-induced delayed onset muscle soreness at the shoulder: pain catastrophizing and catechol-o-methyltransferase (COMT) diplotype predict pain ratings. <i>Clin J Pain</i>. 2008 Nov-Dec;24(9):793-801. doi: 10.1097/AJP.0b013e31817bcb65.
9	George SZ, Parr JJ, Wallace MR, Wu SS, Borsa PA, Dai Y, Fillingim RB. Inflammatory genes and psychological factors predict induced shoulder pain phenotype. <i>Med Sci Sports Exerc</i>. 2014 Oct;46(10):1871-81. doi: 10.1249/MSS.0000000000000328.
10	George SZ, Parr JJ, Wallace MR, Wu SS, Borsa PA, Dai Y, Fillingim RB. Biopsychosocial influence on exercise-induced injury: genetic and psychological combinations are predictive of shoulder pain phenotypes. <i>J Pain</i>. 2014 Jan;15(1):68-80. doi: 10.1016/j.jpain.2013.09.012.

11	George SZ, Wallace MR, Wu SS, Moser MW, Wright TW, Farmer KW, Borsa PA, Parr JJ, Greenfield WH 3rd, Dai Y, Li H, Fillingim RB. Biopsychosocial influence on shoulder pain: risk subgroups translated across preclinical and clinical prospective cohorts. Pain. 2015 Jan;156(1):148-56. doi: 10.1016/j.pain.0000000000000012.
12	Davis DS, Mancinelli CA, Petronis JJ, Bensenhaver C, McClintic T, Nelson G. Variables associated with level of disability in working individuals with nonacute low back pain: a cross-sectional investigation. J Orthop Sports Phys Ther. 2013 Feb;43(2):97-104. doi: 10.2519/jospt.2013.4382.
13	Hagiwara Y, Sekiguchi T, Sugawara Y, Yabe Y, Koide M, Itaya N, Yoshida S, Sogi Y, Tsuchiya M, Tsuji I, Itoi E. Association Between Sleep Disturbance and New-onset Subjective Shoulder Pain in Survivors of the Great East Japan Earthquake: A Prospective Cohort Study in Miyagi Prefecture. Tohoku J Exp Med. 2017 Jul;242(3):193-201. doi: 10.1620/tjem.242.193.
14	Hallman DM, Ekman AH, Lyskov E. Changes in physical activity and heart rate variability in chronic neck-shoulder pain: monitoring during work and leisure time. Int Arch Occup Environ Health. 2014;87(7):735-44. doi: 10.1007/s00420-013-0917-2.
15	He D, Veiersted KB, Høstmark AT, Medbø JI. Effect of acupuncture treatment on

	chronic neck and shoulder pain in sedentary female workers: a 6-month and 3-year follow-up study. <i>Pain</i>. 2004 Jun;109(3):299-307.
16	He D, Høstmark AT, Veiersted KB, Medbø JI. Effect of intensive acupuncture on pain-related social and psychological variables for women with chronic neck and shoulder pain--an RCT with six month and three year follow up. <i>Acupunct Med</i>. 2005 Jun;23(2):52-61.
17	Herin F, Vézina M, Thaon I, Soulat JM, Paris C; ESTEV group. Predictive risk factors for chronic regional and multisite musculoskeletal pain: a 5-year prospective study in a working population. <i>Pain</i>. 2014 May;155(5):937-43. doi: 10.1016/j.pain.2014.01.033.
18	Kennedy CA, Manno M, Hogg-Johnson S, Haines T, Hurley L, McKenzie D, Beaton DE. Prognosis in soft tissue disorders of the shoulder: predicting both change in disability and level of disability after treatment. <i>Phys Ther</i>. 2006 Jul;86(7):1013-32; discussion 1033-7. Erratum in: <i>Phys Ther</i>. 2006 Oct;86(10):1452.
19	Lindeberg SI, Rosvall M, Choi B, Canivet C, Isacsson SO, Karasek R, Ostergren PO. Psychosocial working conditions and exhaustion in a working population sample

	of Swedish middle-aged men and women. Eur J Public Health. 2011 Apr;21(2):190-6. doi: 10.1093/eurpub/ckq039.
20	Gheldof EL, Vinck J, Vlaeyen JW, Hidding A, Crombez G. The differential role of pain, work characteristics and pain-related fear in explaining back pain and sick leave in occupational settings. Pain. 2005 Jan;113(1-2):71-81.
21	Macfarlane GJ, Hunt IM, Silman AJ. Role of mechanical and psychosocial factors in the onset of forearm pain: prospective population based study. BMJ. 2000 Sep 16;321(7262):676-9.
22	Menendez ME, Bot AG, Hageman MG, Neuhaus V, Mudgal CS, Ring D. Computerized adaptive testing of psychological factors: relation to upper-extremity disability. J Bone Joint Surg Am. 2013 Oct 16;95(20):e149. doi: 10.2106/JBJS.L.01614.
23	Gregg CD, McIntosh G, Hall H, Watson H, Williams D, Hoffman CW. The relationship between the Tampa Scale of Kinesiophobia and low back pain rehabilitation outcomes. Spine J. 2015 Dec 1;15(12):2466-71. doi: 10.1016/j.spinee.2015.08.018.
24	Mäntyselkä P, Lupsakko T, Kautiainen H, Vanhala M. Neck-shoulder pain and depressive symptoms: a cohort study with a 7-year follow-up. Eur J Pain. 2010 Feb;14(2):189-93. doi: 10.1016/j.ejpain.2009.04.004.
25	Nahit ES, Hunt IM, Lunt M, Dunn G, Silman AJ, Macfarlane GJ. Effects of

	psychosocial and individual psychological factors on the onset of musculoskeletal pain: common and site-specific effects. <i>Ann Rheum Dis.</i> 2003 Aug;62(8):755-60.
26	Nielke MC, Lindenhovius AL, Watson JB, Vranceanu AM, Ring D. Correlation of DASH and QuickDASH with measures of psychological distress. <i>J Hand Surg Am.</i> 2009 Oct;34(8):1499-505. doi: 10.1016/j.jhsa.2009.05.016.
27	O'Malley KJ, Roddey TS, Gartsman GM, Cook KF. Outcome expectancies, functional outcomes, and expectancy fulfillment for patients with shoulder problems. <i>Med Care.</i> 2004 Feb;42(2):139-46.
28	Parr JJ, Borsa PA, Fillingim RB, Tillman MD, Manini TM, Gregory CM, George SZ. Pain-related fear and catastrophizing predict pain intensity and disability independently using an induced muscle injury model. <i>J Pain.</i> 2012 Apr;13(4):370-8. doi: 10.1016/j.jpain.2011.12.011.
29	Rasmussen-Barr E, Grooten WJ, Hallqvist J, Holm LW, Skillgate E. Are job strain and sleep disturbances prognostic factors for neck/shoulder/arm pain? A cohort study of a general population of working age in Sweden. <i>BMJ Open.</i> 2014 Jul 8;4(7):e005103. doi: 10.1136/bmjopen-2014-005103.
30	Sjörs A, Larsson B, Persson AL, Gerdle B. An increased response to

	experimental muscle pain is related to psychological status in women with chronic non-traumatic neck-shoulder pain. BMC Musculoskelet Disord. 2011 Oct 12;12:230. doi: 10.1186/1471-2474-12-230.
--	---

Not association between kinesiophobia and pain intensity and/or disability

1	Brox JI, Brevik JI. Prognostic factors in patients with rotator tendinosis (stage II impingement syndrome) of the shoulder. Scand J Prim Health Care. 1996 Jun;14(2):100-5.
2	Dunn WR, Kuhn JE, Sanders R, An Q, Baumgarten KM, Bishop JY, Brophy RH, Carey JL, Harrell F, Holloway BG, Jones GL, Ma CB, Marx RG, McCarty EC, Poddar SK, Smith MV, Spencer EE, Vidal AF, Wolf BR, Wright RW; MOON Shoulder Group. 2013 Neer Award: predictors of failure of nonoperative treatment of chronic, symptomatic, full-thickness rotator cuff tears. J Shoulder Elbow Surg. 2016 Aug;25(8):1303-11. doi: 10.1016/j.jse.2016.04.030.
3	Garcia GH, Mahony GT, Fabricant PD, Wu HH, Dines DM, Warren RF, Craig EV, Gulotta LV. Sports- and Work-Related Outcomes After Shoulder Hemiarthroplasty. Am

	J Sports Med. 2016 Feb;44(2):490-6. doi: 10.1177/0363546515613077.
4	Henn RF 3rd, Tashjian RZ, Kang L, Green A. Patients with workers' compensation claims have worse outcomes after rotator cuff repair. J Bone Joint Surg Am. 2008 Oct;90(10):2105-13. doi: 10.2106/JBJS.F.00260.
5	Mollon B, Mahure SA, Ding DY, Zuckerman JD, Kwon YW. The influence of a history of clinical depression on peri-operative outcomes in elective total shoulder arthroplasty: a ten-year national analysis. Bone Joint J. 2016 Jun;98-B(6):818-24. doi: 10.1302/0301-620X.98B6.37208.
6	Tashjian RZ, Bradley MP, Tocci S, Rey J, Henn RF, Green A. Factors influencing patient satisfaction after rotator cuff repair. J Shoulder Elbow Surg. 2007 Nov-Dec;16(6):752-8.
7	Valencia C, Coronado RA, Simon CB, Wright TW, Moser MW, Farmer KW, George SZ. Preoperative physical therapy treatment did not influence postoperative pain and disability outcomes in patients undergoing shoulder arthroscopy: a prospective study. J Pain Res. 2016 Jul 6;9:493-502. doi: 10.2147/JPR.S101702.
8	Yoon JP, Oh JH, Min WK, Kim JW, Jeong WJ, Lee HJ. What do the patients want

	and worry in Korean patients who undergo arthroscopic rotator cuff surgery? Clin Orthop Surg. 2012 Dec;4(4):278-83. doi: 10.4055/cios.2012.4.4.278.
--	--

Not psychological factors

1	Baums MH, Spahn G, Nozaki M, Steckel H, Schultz W, Klinger HM. Functional outcome and general health status in patients after arthroscopic release in adhesive capsulitis. Knee Surg Sports Traumatol Arthrosc. 2007 May;15(5):687.
2	Bengtsson M, Lunsjö K, Hermodsson Y, Nordqvist A, Abu-Zidan FM. High patient satisfaction after arthroscopic subacromial decompression for shoulder impingement: a prospective study of 50 patients. Acta Orthop. 2006 Feb;77(1):138-42.
3	Chung SW, Park JS, Kim SH, Shin SH, Oh JH. Quality of life after arthroscopic rotator cuff repair: evaluation using SF-36 and an analysis of affecting clinical factors. Am J Sports Med. 2012 Mar;40(3):631-9. doi: 10.1177/0363546511430309.
4	Collin P, Matsukawa T, Denard PJ, Gain S, Lädermann A. Pre-operative factors influence the recovery of range of motion following reverse shoulder arthroplasty. Int Orthop. 2017 Aug 8. doi: 10.1007/s00264-017-3573-4.

5	Garcia GH, Taylor SA, DePalma BJ, Mahony GT, Grawe BM, Nguyen J, Dines JS, Dines DM, Warren RF, Craig EV, Gulotta LV. Patient Activity Levels After Reverse Total Shoulder Arthroplasty: What Are Patients Doing? Am J Sports Med. 2015 Nov;43(11):2816-21. doi: 10.1177/0363546515597673.
6	Garcia GH, Liu JN, Mahony GT, Sinatro A, Wu HH, Craig EV, Warren RF, Dines DM, Gulotta LV. Hemiarthroplasty Versus Total Shoulder Arthroplasty for Shoulder Osteoarthritis: A Matched Comparison of Return to Sports. Am J Sports Med. 2016 Mar 9. pii: 0363546516632527.
7	Harris JD, Ravindra A, Jones GL, Butler RB, Bishop JY. Setting patients' expectations for range of motion after arthroscopic rotator cuff repair. Orthopedics. 2013 Feb;36(2):e172-8. doi: 10.3928/01477447-20130122-19.
8	Herin F, Vézina M, Thaon I, Soulat JM, Paris C; ESTEV group. Predictors of chronic shoulder pain after 5 years in a working population. Pain. 2012 Nov;153(11):2253-9. doi: 10.1016/j.pain.2012.07.024.
9	Ketola S, Lehtinen J, Rousi T, Nissinen M, Huhtala H, Arnala I. Which patients do not recover from shoulder impingement syndrome, either with operative treatment or with nonoperative treatment? Acta Orthop. 2015;86(6):641-6. doi:

	10.3109/17453674.2015.1033309.
10	Kolk A, Wolterbeek N, Auw Yang KG, Zijl JA, Wessel RN. Predictors of disease-specific quality of life after arthroscopic rotator cuff repair. Int Orthop. 2016 Feb;40(2):323-9. doi: 10.1007/s00264-015-2996-z.
11	Levy JC, Everding NG, Gil CC Jr, Stephens S, Giveans MR. Speed of recovery after shoulder arthroplasty: a comparison of reverse and anatomic total shoulder arthroplasty. J Shoulder Elbow Surg. 2014 Dec;23(12):1872-81. doi: 10.1016/j.jse.2014.04.014.
12	McRae S, Leiter J, Walmsley C, Rehsia S, Macdonald P. Relationship between self-reported shoulder function/quality of life, body mass index, and other contributing factors in patients awaiting rotator cuff repair surgery. J Shoulder Elbow Surg. 2011 Jan;20(1):57-61. doi: 10.1016/j.jse.2010.06.011.
13	Merolla G, De Santis E, Cools AM, Porcellini G. Functional outcome and quality of life after rehabilitation for voluntary posterior shoulder dislocation: a prospective blinded cohort study. Eur J Orthop Surg Traumatol. 2015 Feb;25(2):263-72. doi: 10.1007/s00590-014-1486-0.
14	Miranda H, Viikari-Juntura E, Martikainen R, Takala EP, Riihimäki H. A prospective study of work related factors and physical exercise as predictors of shoulder pain. Occup Environ Med. 2001 Aug;58(8):528-34.

15	Ostergren PO, Hanson BS, Balogh I, Ektor-Andersen J, Isacsson A, Orbaek P, Winkel J, Isacsson SO; Malmö Shoulder Neck Study Group. Incidence of shoulder and neck pain in a working population: effect modification between mechanical and psychosocial exposures at work? Results from a one year follow up of the Malmö shoulder and neck study cohort. J Epidemiol Community Health. 2005 Sep;59(9):721-8.
16	Petri M, Euler SA, Dornan GJ, Greenspoon JA, Horan MP, Katthagen JC, Millett PJ. Predictors for satisfaction after anatomic total shoulder arthroplasty for idiopathic glenohumeral osteoarthritis. Arch Orthop Trauma Surg. 2016 Jun;136(6):755-62. doi: 10.1007/s00402-016-2452-6.
17	Piitulainen K, Ylinen J, Kautiainen H, Häkkinen A. The relationship between functional disability and health-related quality of life in patients with a rotator cuff tear. Disabil Rehabil. 2012;34(24):2071-5. doi: 10.3109/09638288.2012.670363.
18	Pritchett JW. Long-term results and patient satisfaction after shoulder resurfacing. J Shoulder Elbow Surg. 2011 Jul;20(5):771-7. doi: 10.1016/j.jse.2010.08.014.
19	Razmjou H, Schwartz CE, Holtby R. The impact of response shift on perceived

	disability two years following rotator cuff surgery. J Bone Joint Surg Am. 2010 Sep 15;92(12):2178-86. doi: 10.2106/JBJS.I.00990.
20	Rees JL, Dawson J, Hand GC, Cooper C, Judge A, Price AJ, Beard DJ, Carr AJ. The use of patient-reported outcome measures and patient satisfaction ratings to assess outcome in hemiarthroplasty of the shoulder. J Bone Joint Surg Br. 2010 Aug;92(8):1107-11. doi: 10.1302/0301-620X.92B8.22860.
21	Rill BK, Fleckenstein CM, Levy MS, Nagesh V, Hasan SS. Predictors of outcome after nonoperative and operative treatment of adhesive capsulitis. Am J Sports Med. 2011 Mar;39(3):567-74. doi: 10.1177/0363546510385403.
22	Roddey TS, Cook KF, O'Malley KJ, Gartsman GM. The relationship among strength and mobility measures and self-report outcome scores in persons after rotator cuff repair surgery: impairment measures are not enough. J Shoulder Elbow Surg. 2005 Jan-Feb;14(1 Suppl S):95S-98S.
23	Schell E, Theorell T, Hasson D, Arnetz B, Saraste H. Stress biomarkers' associations to pain in the neck, shoulder and back in healthy media workers: 12-month prospective follow-up. Eur Spine J. 2008 Mar;17(3):393-405. doi: 10.1007/s00586-007-0554-0.
24	Alavi SS, Abbasi M, Mehrdad R. Risk Factors for Upper Extremity

	Musculoskeletal Disorders Among Office Workers in Qom Province, Iran. Iran Red Crescent Med J. 2016 Jun 13;18(10):e29518. doi: 10.5812/ircmj.29518.
25	Valencia C, Kindler LL, Fillingim RB, George SZ. Stability of conditioned pain modulation in two musculoskeletal pain models: investigating the influence of shoulder pain intensity and gender. BMC Musculoskelet Disord. 2013 Jun 10;14:182. doi: 10.1186/1471-2474-14-182.
26	Watson L, Dalziel R, Story I. Frozen shoulder: a 12-month clinical outcome trial. J Shoulder Elbow Surg. 2000 Jan-Feb;9(1):16-22.
27	Wylie JD, Bershadsky B, Iannotti JP. The effect of medical comorbidity on self-reported shoulder-specific health related quality of life in patients with shoulder disease. J Shoulder Elbow Surg. 2010 Sep;19(6):823-8. doi: 10.1016/j.jse.2009.11.052.
28	Young SW, Dakic J, Stroia K, Nguyen ML, Safran MR. Arthroscopic Shoulder Surgery in Female Professional Tennis Players: Ability and Timing to Return to Play. Clin J Sport Med. 2017 Jul;27(4):357-360. doi: 10.1097/JSM.0000000000000361.
29	Zarnegar R, Brown MR, Henley M, Tidman V, Pathmanathan A. Patient perceptions and recall of consent for regional anaesthesia compared with consent for surgery.

	J R Soc Med. 2015 Nov;108(11):451-6. doi: 10.1177/0141076815604494.
--	---