

Supplemental 5. Sputum culture results from studies reporting on patients with bronchiectasis

Ref.	Group	N	Bronchiectasis (%)	<i>S. Pneumonia</i> (%)	<i>H. Influenza</i> (%)	<i>M. Catarrhalis</i> (%)	<i>P. Aeruginosa</i> (%)	<i>S. Aureus</i> (%)	<i>Klebsiella</i> (%)	<i>A. Fumigatus</i> (%)	MAC (%)	NTM (%)	TB (%)
¹⁴	Total	160	NR	3.8	4.2	-	15.6	2.5	-	2.5	-	1.9	-
⁷	Total	258	100	26	47.3	17.1	21.7	8.5	-	7	-	-	-
³⁰	Bronchiectasis cases	40	100	4	10	-	22.5	0	-	5	-	2.5	-
⁸	Total	76	100	35.5	35.5	35.5	32.9	23.7	18.4	4	4.2	15.3	-
⁴³	Bronchiectasis case	36	100	-	1 (0, 3)^	-	-	-	-	-	-	-	-
⁴⁵	Bronchiectasis case	80	100	0.5±1.3*	1.8±3.6*	-	-	-	-	-	-	7.5	2.5
⁵¹	Total	25	100	25	70	-	50	-	-	-	8	-	-
* Data presented as mean (SD)													
^ Data presented as median (IQR)													
Abbreviations: IQR, Interquartile range; MAC, Mycobacterium avium complex; NR, Not recorded; NTM, Non-tuberculosis mycobacteria; Ref., Reference; SD, Standard deviation; TB, Tuberculosis													