Supplementary Tables

Supplementary Table 1. Search Strategy for MEDLINE, EMBASE, CENTRAL, PEDro, CINAHL and SPORTDiscus databases, January 14th, 2021.

MEDLINE, EMBASE and CENTRAL

- 1. (football* or soccer).mp.
- 2. FOOTBALL/
- 3. soccer/
- 4. 1 or 2 or 3
- 5. (prevent* or protect* or risk* or reduc* or avoid* or prehab* or reccuren*).mp.
- 6. randomized controlled trial.pt.
- 7. controlled clinical trial.pt.
- 8. randomized.ab.
- 9. placebo.ab,ti.
- 10. randomly.ab,ti.
- 11. trial.ab,ti.
- 12. groups.ab,ti.
- 13. 6 or 7 or 8 or 9 or 10 or 11 or 12
- 14. (animals not (humans and animals)).sh.
- 15. 13 not 14
- 16. 4 and 5 and 15

PEDro

Abstract & Title: Soccer Method: Clinical trial

Abstract & Title: Football Method: Clinical trial

CINAHL

- S1. football* or soccer
- S2. (MH "Football") OR (MH "Football Injuries")
- S3. (MH "Soccer") OR (MH "Soccer Injuries")
- S4. S1 OR S2 OR S3
- S5. prevent* or protect* or risk* or reduc* or avoid* or prehab* or reccuren*
- S6. (MH "Randomized Controlled Trials+") OR (MH "Clinical Trials+")
- S7. (MH "Random Assignment")
- S8. (MH "Placebo Effect") OR (MH "Placebos")

- S9. (MH "Intervention Trials") OR (MH "Preventive Trials")
- S10. (MH "Control Group") OR (MH "Group Exercise")
- S11. S6 OR S7 OR S8 OR S9 OR S10
- S12. (MH "Animals+")
- S13. S11 not S12
- S14. S4 AND S5 AND S13

SPORTDiscus

- S1. soccer
- S2. football
- S3. S1 OR S2
- S4. prevent* or protect* or risk* or reduc* or avoid* or prehab* or reccuren*
- S5. randomized controlled trials
- S6. controlled clinical trial
- S7. randomized
- S8. placebo
- S9. randomly
- S10. trial
- S11. group
- S12. S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11
- S13. animals
- S14. S12 not S13
- S15. S3 AND S4 AND S14

Supplementary Table 2. Characteristics of registered trials.

Database (number)	/ Status (all football players)		Intervention	Study length	Outcome			
ClinicalTrials.gov NCT04674072	2020 / Not yet recruiting	Saudi Arabia	Male (18 to 40 years)	400	IG: The intervention group will be instructed to include the reverse Nordic curl exercise into their warm-up 15 to 20 mins before training session (3 times per week) during one season (6 months). CG: The control group will practice their usual warm up. Usual warm-up is defined as any basic exercises performed before a performance or practice to prepare the muscles for vigorous actions.	6 months	Incidence of initial injuries. The incidence of recurrent injuries.	
ClinicalTrials.gov NCT04673903	2020 / Not yet recruiting	Saudi Arabia	Male (18 to 40 years)	400	IG: Copenhagen adduction exercise to be included into the warm up before training session (3 times per week) during one season (6 months). CG: The control group will practice their usual warm up (defined as any basic exercises performed before a performance or practice to prepare the muscles for vigorous actions).	6 months	Incidence of initial injuries. The incidence of recurrent injuries.	

ClinicalTrials.gov	2020 / Not yet recruiting	Sweden	Male and female, youth	750 participants	IG-1: Knee Control+	7 months	All physical complaints
			and adult (≥ 14 years)		program, 15-20 minute		injury in four main
NCT04272047					training program to be		locations (i.e., ankle, knee,
					performed at all team		hamstrings, hip/groin)
					training sessions during		
					the season.		
					IG-2: Adductor		
					strengthening program to		
					be performed 2-3 times per		
					week, one set per side,		
					during the pre-season, and		
					1 time per week, one set		
					per side during the in-		
					season.		
					Season.		
					CG: Knee Control		
					program, 15-20 minute		
					training program to be		
					performed as per the		
					team's usual routines (no		
					intervention from the		
					researchers).		
					researchers).		

IG: Intervention Group; IG-1: Intervention Group 1; IG-2: Intervention group 2; CG: Control group.

Data search strategy for ClinicalTrials.gov: soccer OR football AND injury AND prevention.

Data search strategy for International Standard Randomized Controlled Trial Number Register [IRSCTN]: soccer OR football.

Data search strategy for Australian-New Zealand Clinical Trials Registry [ANZCTR]: soccer OR football.

Data search strategy for Registro Brasileiro de Ensaios Clínicos [ReBec]: "futebol", soccer, football.

Supplementary Table 3. Risk of bias of included studies (PEDro scale).

Study	Eligibility criteria specified	Random allocation	Concealed allocation	Groups similar at baseline	Participant blinding	Therapist blinding	Assessor blinding	Adequate follow-up	Intention to treat analysis	Between group comparisons	Point estimates and variability
Gilchrist, 2008	Yes	Yes	No	Yes	No	No	No	No	No	Yes	Yes
Hammes, 2015	Yes	Yes	No	No	No	No	No	Yes	No	Yes	Yes
Hasebe, 2020	No	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	Yes
Owoeye, 2014	No	Yes	No	Yes	No	No	No	Yes	Yes	Yes	Yes
Silvers-Granelli, 2017	Yes	Yes	No	No	No	No	No	Yes	No	Yes	Yes
Soligard, 2008	Yes	Yes	No	No	No	No	Yes	No	Yes	Yes	Yes
Steffen, 2008	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	Yes
van de Hoef, 2018	Yes	Yes	No	No	No	No	No	No	Yes	Yes	Yes
van der Horst, 2015	Yes	Yes	No	Yes	No	No	No	No	Yes	Yes	Yes
Waldén, 2012	Yes	Yes	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes