


Friday April 17th
5 pm
621 Skytop
Syracuse University



This event is organized by the Syracuse Chapter of the AP/MTT/EMC Societies of the IEEE. Additional support provided by The Center for Advanced Systems and Engineering and the IEEE Student Chapter at Syracuse University, and the L.C. Smith College of Engineering and Computer Science at Syracuse University

For more information, visit our website at:
<http://www.ewh.ieee.org/r1/syracuse/mtt-ap/mttap.htm>
or contact Michael Enders at: menders@ieee.org



Interpolation/Extrapolation of Radar Cross-Section (RCS) Data in the Frequency Domain Using the Cauchy Method

Professor Tapan K. Sarkar
Department of Electrical Engineering
and Computer Science
Syracuse University

The Cauchy method is applied to interpolate/extrapolate the radar cross-section (RCS) data which is amplitude-only data over a given frequency band and/or the far field radiation pattern. This is accomplished by approximating the amplitude-only data by a ratio of two polynomials, the coefficients of which are calculated by using the total least squares (TLS) implementation of a singular value decomposition (SVD) technique so as to properly estimate the dimension of the null space. By applying the Cauchy method, the power spectrum of an electromagnetic system is represented by a set of symmetric pole and zero pairs in the s -plane. Once these coefficients in the numerator and the denominator polynomials in the Cauchy method are computed using the amplitude-only data, the response can be interpolated/extrapolated over other frequencies of interest.

Numerical examples are presented to illustrate the applicability of the Cauchy method in interpolating/extrapolating RCS data over a frequency band, including a method of generating the phase response from the amplitude-only data. Once the non-minimum phase response is generated the temporal response can easily be generated.



Additional support provided by the IEEE Student Chapter at Syracuse University