## S07ADSCOMa5

Report to ADSCOM – HVCB, Spring 2007, St. Pete Beach

The current membership of HVCB is 52, 47 regular, and 5 corresponding. This membership roster was updated following the Fall, 2006 Milwaukee meeting to add several new members in recognition of their participation and support of HVCB activities. Additional membership updates will be made once follow up contact is made with a number of the current members who have not participated in the last several years.

There are 25 documents under the jurisdiction of HVCB and their status as of the conclusion of the Fall 2006 Milwaukee meeting is attached.

Respectfully submitted:

Rich York Chair, HVCB

## Scope of HVCB:

Treatment of all matters relating to high voltage power circuit breakers (above 1,000 Volts AC and 3,000 Volts DC)

## Status of HVCB Standards:

Standard	Standard Title	WG	Status
		Chair	
IEEE Std	IEEE Standard Rating	Jeff	Reaffirmation
C37.04-1999	Structure for AC High-	Nelson	recirculation ballot
	Voltage Circuit Breakers		underway Oct 13, 2006
	Rated on a Symmetrical		Corrigenda prepared
	Current Basis		[Revision planned in
			future.]
IEEE Std	IEEE Standard Rating	Roy	Valid standard
C37.04a-2003	Structure for AC High-	Alexander	To be incorporated into
(Amendment to	Voltage Circuit Breakers		new C37.04
IEEE Std	Rated on a Symmetrical		
C37.04-1999)	Current BasisAmendment		
	1: Capacitance Current		
	Switching		
PC37.04b	IEEE Standard Rating	<u>Kirk</u>	Draft balloting underway
	Structure for AC High-	<u>Smith</u>	Will recirculate ballot
	Voltage Circuit Breakers		and request extension of
	Rated on a Symmetrical		PAR
	Current BasisAmendment		
	2 Required TRV Values:		
ANSI C37.06	American National Standard	<u>Georges</u>	Revision draft under
2000	for SwitchgearAC High-	Montillet	development
	Voltage Circuit Breakers		Proposed capacitance
	Rated on a Symmetrical		switching values agreed
	Current BasisPreferred		
	Ratings and Related		
	Required Capabilities		

ANSI C37.06.1- 2000	American National Standard Guide for High-Voltage Circuit Breakers Rated on a Symmetrical Current Basis -Designated "Definite Purpose for Fast Transient Recovery Voltage Rise Times"	Georges Montillet	Being combined with C37.06
IEEE Std C37.09-1999	IEEE Standard Test Procedure for AC High- Voltage Circuit Breakers Rated on a Symmetrical Current Basis	<u>Georges</u> <u>Montillet</u>	Corrigenda being balloted. Request two year extension with the caveat that HVCB will reaffirm all C37.09 documents as soon as C37.09b is balloted. [Revision planned in future.]
IEEE Std C37.09a-2005 (Amendment to IEEE Std C37.09-1999)	Standard Test Procedure for AC High-Voltage Circuit Breakers Rated on a Symmetrical Current Basis -Amendment 1: Capacitance Current Switching	<u>Roy</u> <u>Alexander</u>	Valid standard To be incorporated into new C37.04
РС37.09Ь	Draft Standard Test Procedure for AC High- Voltage Circuit Breakers Rated on a Symmetrical Current BasisAmendment 2 Required TRV Values:	<u>Kirk</u> <u>Smith</u>	PAR approved Amendment under development which will be completed in less than two years
IEEE Std C37.010-2005 1999 in IEEExplore	IEEE Application Guide for AC High-Voltage Circuit Breakers Rated on a Symmetrical Current Basis	<u>Yasin</u> <u>Musa</u>	Valid standard Reaffirmed 2005
IEEE Std C37.011-2006 (Revision of IEEE Std C37.011-1994)	IEEE Application Guide for Transient Recovery Voltage for AC High-Voltage Circuit Breakers Rated on a Symmetrical Current Basis	Denis Dufournet	Valid standard May need alignment revision when C37.04 and C37.09 and amendments are published and when CIGRE A3-19 completes their work

IEEE 044	IEEE Anniheation Cuide for	A	Valid standard
IEEE Std	IEEE Application Guide for	Anne	Valid standard
C37.012-2005	Capacitance Current	<u>Bosma</u>	
(Revision of	Switching for AC High-		
IEEE Std	Voltage Circuit Breakers		
C37.012-1979)	Rated on a Symmetrical		
	Current Basis		
IEEE Std	IEEE Standard for AC High-	Bill Long	Valid standard
C37.013-1997	Voltage Generator Circuit		A PAR required to revise
	Breaker Rated on a		C37.013 and combine
	Symmetrical Current Basis		with C37.013a (a known
			error will be
			corrected)[can purchasers
			of this std be advised of
			known error? IEEE)
PC37.013a	IEEE Standard for AC High-	Bill Long	Amendment "a" under
1 007.0154	Voltage Generator Circuit		development (which will
	Breaker Rated on a		maintain validity of
	Symmetrical Current Basis		C37.013)
	•		,
	-Supplement for generators 10 to 100 MVA		Ballot to be issued early
	10 to 100 M V A		Oct 2006 (Ballot in old
		77	ballot system (by email))
IEEE Std	IEEE Application Guide for	Ken	Reaffirmed 2006
C37.015-1993	Shunt Reactor Switching	Edwards	Anne Bosma will chair
			WG
PC37.016	Draft Standard for AC High	<u>Randy</u>	Completed successful
	Voltage Circuit Switchers	<u>Dotson</u>	balloting
	rated 15kV through 245kV		Recommend the Standard be
			submitted to the Editorial Staff
			again before RevCom since the format (IEC format) of this
			particular Standard has been a
			subject of controversy
ANSI/IEEE Std	IEEE Guide for Synthetic	Mel Smith	Reaffirmation initiated
C37.081-1981	Fault Testing of AC High-		
	Voltage Circuit Breakers		
	Rated on a Symmetrical		
	Current basis		
IEEE Std	Ammendment to C37.081-	Mel Smith	To be reaffirmed with
C37.081a-1997	1981	<u>inter Shinth</u>	C37.081
ANSI/IEEE Std	IEEE Standard Methods for	Anne	Reaffirmed 2006
C37.082-1982	the Measurement of Sound	Bosma	Review for consideration
	Pressure Levels of AC		for IEEE/IEC Dual
	Power Circuit Breakers		
	I OWEI CIICUII DIEAKEIS		Logo? Ref D. Dufournet/A.
			Bosma

IEEE Std	IEEE Cuida to Sumthatia	Bill	Reaffirmation initiated
C37.083-1999	IEEE Guide to Synthetic Capacitor Current Switching		Realifination initiated
C57.085-1999	1 0	Bergman	
	Test of AC High-Voltage Circuit Breakers		
		Deedel	D = = ff:
IEEE Std	IEEE Guide for Diagnostics	<u>Devki</u>	Reaffirmed 2002
C37.10-2000	and Failure Investigation of	<u>Sharma</u>	Proposal to combine with
1995 in	Power Circuit Breakers		form in IEEE Std 1325
IEEExplore		D'11	Ck with Matt Ceglia
IEEE Std	IEEE Guide for the	Bill	Valid standard
C37.10.1-2006	Selection of Monitoring for	<u>Bergman</u>	
	Circuit Breakers		
C37.11-2003	IEEE Standard	Bill Long	Valid standard
	Requirements for Electrical		
	Control for High-Voltage		
	Circuit Breakers Rated on A		
	Symmetrical Current Basis		
IEEE PC37.12	"Guide for the Specification	<u>Ken</u>	Revision under
	of AC High-Voltage Circuit	Edwards	development
	Breakers"		PAR submitted for title
ANSI C37.12-	American National Standard		change and extension
1991	for AC High-Voltage Circuit		First ballot completed
	Breakers Rated on a		
	Symmetrical Current		
	Basis—Specifications Guide		
PC37.12.1	Draft IEEE Guide for High	Bill	D2 Balloted
	Voltage (>1000V) Circuit	Bergman	Comment resolution
	Breaker Instruction Manual		stage
	Content		
Std 1325-2002	IEEE Recommended	Pete	Valid standard
	Practice for Reporting Field	Dwyer	
	Failure Data for Power	-	
	Circuit Breakers		
IEEE PC57.142	A Guide To Describe The	Steve	New joint WG to be
	Occurrence and Mitigation	Lambert	formed with Transformer
	Of Switching Transients		and Switchgear
	Induced By Transformer		Committee participants
	And Switching Device		* *
	Interaction		
IEEE C57.16	IEEE Standard	Jeff	Proposed annex on the
annex	Requirements, Terminology,	Nelson	TRV effects of series
	and Test Code for Dry-Type		reactors on circuit
	Air-Core Series-Connected		breakers
	Reactors		

W.J. (Bill) Bergman

Chair, HVCB +1-403-862-1504 bergman@ieee.org 2006-10-12