

Project: IEEE P802.15 Working Group for Wireless Personal Area Networks (WPANs)

Submission Title: [Comment resolutions related to the primitive for color function support and the figures from 121 to 129]

Date Submitted: [10th September, 2010]

Source: [Sang-Kyu Lim, Ill Soon Jang, Dae Ho Kim, You Jin Kim, Kang Tae-Gyu] Company [ETRI]

Address: [138 Gajeongno, Yuseong-Gu, Daejeon, Korea]

Voice:[+82-42-860-1573], FAX: [+82-42-860-5218], E-Mail:[sklim@etri.re.kr]

Re: [Response to 1st recirculation ballot of TG7]

Abstract: [This document describes 1st recirculation ballot comment resolution related to the primitive for color function support and the figures from 121 to 129.]

Purpose: [To resolve 1st recirculation ballot comment resolution related to the primitive for color function support and the figures from 121 to 129]

Notice: This document has been prepared to assist the IEEE P802.15. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.

Release: The contributor acknowledges and accepts that this contribution becomes the property of IEEE and may be made publicly available by P802.15.

Comment resolutions related to the primitive for color function support and the figures from 121 to 129

Sang-Kyu Lim
sklim@etri.re.kr
ETRI

T-CIDs

- **122, 124** : Comments related to the primitive for color function support
- **258, 259, 260, 261, 263, 268, and 273** :
Comments related to the figures from 121 to 129

CID 122

CID	Name	Clause	Subclause	Page	Line	Comment	SuggestedRemedy
122	Rick Roberts	6	6.1.1.1	70	47	Parameters in the wrong primitive	I believe that the parameters "ColorReceived" and "ColorNotReceived" are in the wrong primitives. They are currently in the MCPS-DATA.request (page 70) and I think they should be in the MCPS-DATA.indication primitive (page 76).

- Actually "ColorReceived" and "ColorNot Received" parameters is for the CVD frame usage for acknowledgment indication which is described in 6.6.13.4.
- First we should know which primitive decides to send or not to send ACK frame.
- Sridhar and ETRI inferred that MCPS-DATA.request primitive decides to send or not to send ACK frame.
- So, if it is wrong, we can move these parameters to the appropriate primitive which decides to send or not to send ACK frame.

CID 122 (cont.)

- **Recommendation/Instruction to editor**
 - CID 122 : Accept if the MCPS-DATA.indication primitive decide to send or not to send ACK frame.

CID 124

CID	Name	Clause	Subclause	Page	Line	Comment	SuggestedRemedy
124	Rick Roberts	6	Table 35	72	47	The two parameters "ColorReceived" and "ColorNotReceived" are in the wrong table.	Move these parameters to Table 38.

- The same thing as CID 122
- **Recommendation/Instruction to editor**
 - CID 124 : Accept if the MCPS-DATA.indication primitive decide to send or not to send ACK frame.

CIDs 258, 259, 260, 261, 263, 268, and 273

- These CIDs are related to the figures from 121 to 129.
- The figures from 121 to 129 belong to the clause 6.6.10.
- We already resolved that we delete the clause 6.6.10 and its subclause.
- Please find the CID 254.
- **Recommendation/Instruction to editor**
 - Reject : resolved as per T-CID 254.