

July 2019

doc.: IEEE 802.15-19-0278—00-0thz Simulation and Automatic Planning

Project: IEEE P802.15 Working Group for Wireless Personal Area Networks (WPANs)

Submission Title: Simulation and Automatic Planning of 300 GHz Backhaul Links - First Results from H2020-ThoR

Date Submitted: 15 July 2019

Source: Bo Kum Jung **Company:** TU Braunschweig, Institut für Nachrichtentechnik
Address: Schleinitzstr. 22, D-38092 Braunschweig, Germany

Voice: +495313912439 FAX: +495313915192, E-Mail: bokumjung@ifn.ing.tu-bs.de

Re: n/a

Abstract: The implementation of IEEE standard 802.15.3d enables the wireless backhaul links operating at 300 GHz to provide >100 Gbit/s data rate. One of the goals of the EU-JAPAN Horizon 2020 project (ThoR) is to develop suitable automatic planning algorithms for the backhaul/fronthaul links. In this presentation first simulation results of the developed automatic planning algorithm for the 300 GHz backhaul in the are provided in the Hannover scenario, which is one of the ThoR simulation scenarios..

Purpose: Information of the Technical Advisory Group THz

Notice: This document has been prepared to assist the IEEE P802.15. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.

Release: The contributor acknowledges and accepts that this contribution becomes the property of IEEE and may be made publicly available by P802.15.



Technische
Universität
Braunschweig



Institut für Nachrichtentechnik



Simulation and Automatic Planning of 300 GHz Backhaul Links First Results from H2020 ThoR

Bo Kum Jung, Nils Dreyer, Johannes Eckhardt, Thomas Kürner

Announcement

- This presentation is based on B. K. Jung, N. Dreyer, J. Eckhardt, T. Kürner, „Simulation and Automatic Planning of 300 GHz Backhaul Links“ accepted for publication at IRMMW-THz 2019, Paris September 2019.




Outline

1. Introduction
2. Planning Approaches
3. Simulation Results
4. Conclusion



Introduction

5G Integration with 4G



Backhaul




Fibre vs Wireless



Introduction

- IEEE Standard 802.15.3d
 - Wireless backhaul at 300 GHz with 100+ Gbit/s Data rate
- ThoR project(European Horizon 2020)
 - >40 Gbit/s real data transmission
 - Developing algorithms for the automatic planning front/backhaul links
 - Deriving planning guidelines



Outline

1. Introduction
- 2. Planning Approaches**
3. Simulation Results
4. Conclusion




Technische
Universität
Braunschweig

16.07.2019 | Bo Kum Jung | Simulation and Automatic Planning of 300 GHz Backhaul Links | 7/20




Institut für Nachrichtentechnik

General Approach




Propagation Modeling Approach




$$\text{Path Loss / dB} = 92.4 + 20 \log(r / \text{km}) + 20 \log(f / \text{MHz}) + (\gamma_0 + \gamma_w + \gamma_R + \gamma_c) r / \text{km}$$




Automatic Planning Approach




Algorithm




Antenna Diagram



- A simplified radiation pattern of 50 dBi antenna





Sawada, H and Kanno, Atsushi and Yamamoto, Nobuyuki and Fujii, Katsumi and Kasamatsu, A and Ishizu, K and Kojima, F and Ogawa, H and Hosako, I, "High gain antenna characteristics for 300 GHz band fixed wireless communication systems", Progress in Electromagnetics Research Symposium in Singapore, pp. 1409-1412, Nov 2017.



A. Martínez, I. Maestrojuan, D. Valcazar and J. Teniente, "High gain antenna for sub-millimeter wave communications," 2016 46th European Microwave Conference (EuMC), London, 2016, pp. 37-40.



Antenna Diagram



- ITU-R F.1245-3 Mathematical model of radiation patterns



Outline

1. Introduction
2. Planning Approaches
- 3. Simulation Results**
4. Conclusion




Technische
Universität
Braunschweig

16.07.2019 | Bo Kum Jung | Simulation and Automatic Planning of 300 GHz Backhaul Links | 14/20



Institut für Nachrichtentechnik

Automatic planned wireless Backhaul Links




- Hannover scenario
 - 3 Macro cell sites (7 sector antennas)
 - 300 new cell sites




- 34 from 300 cell sites
 - Fibre required
 - ~ 89% wireless link



SINR various Antenna Gain




SINR various Weather Condition



Ratio of wireless links comparing with fibre links

allowed link distance [m]	100	150	200	250	300	350
mean link distance [m]	54.1	74.5	78.3	93.8	89.2	105.5



Outline

1. Introduction
2. Planning Approaches
3. Simulation Results
4. **Conclusion**



Conclusion

- Automatic planning algorithm determines wireless backhaul
- Dependency of the planned network on the cell sites and inputs
- Requirement of the high gain antenna (Interference)

Thank you for your attention

Bo Kum Jung, M.Sc.

bokumjung@ifn.ing.tu-bs.de



Technische
Universität
Braunschweig



Institut für Nachrichtentechnik