

**Project: IEEE P802.15 Working Group for Wireless Personal Area Networks
(WPANs)**

Submission Title: Low Power Applications for Next-Gen

Date Submitted: January 15, 2021

Source: Frederic Nabki (SPARK Microsystems), Dominic Deslandes (SPARK Microsystems)

Re: N/A

Abstract: Presentation to propose low-power applications for next generation UWB

Purpose: Discuss low-power applications

Notice: This document has been prepared to assist the IEEE P802.15. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.

Release: The contributor acknowledges and accepts that this contribution becomes the property of IEEE and may be made publicly available by P802.15.

Key Enabling Property of UWB (1/2)

- One of the most unique property of UWB is the possibility to trade time for bandwidth.
- In this way, the airtime of a link can be significantly compressed.
- This characteristics enable precise ranging.
- It could also enable ultra-low power and low latency communication with sizable payloads.
- UWB technology is uniquely positioned to offer a power consumption, data rate, latency trade-off that no other wireless technology can offer for personal area networks.
 - UWB also has some favorable propagation properties.

Key Enabling Properties of UWB (2/2)

- UWB has access to a versatile spectrum that can be leveraged to coexist with other wireless technologies such as WiFi and mitigate their impact on QoS.
- UWB has unique emission regulatory requirements that can be leveraged to trade spectral usage with range.

Applications of Ultra-low Power UWB

- Wireless sensor networks (WSNs), comprising of tiny, radio-enabled, multi-function sensor nodes, are becoming ubiquitous.
- Their deployment and maintenance cost is directly related to their power source.
 - Large batteries are expensive, small ones require regular maintenance.
 - Low duty cycles to achieve suited battery life render sensor's less effective at collecting data to feed AI algorithms.
- Next Gen UWB is in prime position to enable ultra-low power responsive and battery-less wireless nodes relying on energy harvesting.



Requirement for Ultra-Low Power UWB

- In order to enable ultra-low power, UWB Next Gen should support aggressive duty cycling at the frame level.
 - Aggressive duty cycling of both TX and RX need to be supported to enable symmetric power consumption.
- The specifications should be defined to enable low power of the complete system for the application.
 - Crystal frequency, clock stability, frequency precision have an important impact on the power consumption.
- The specification should enable for low-cost implementations to ensure competitiveness.
- The specification should enable spectral agility in order to provide improved coexistence capabilities and range / spectral usage tradeoffs.

Added Benefits of Ultra-Low Power UWB

- Medium and high data rate applications could also benefit from aggressive duty cycling
 - Data streaming with increased battery life and very low latency.
 - More responsive wireless peripherals.
 - Real-time telemetry and control.
 - Low latency and energy efficient mesh networks.
 - An opportunity to offset range limitations of UWB while leveraging ultra low power and low latency capabilities of UWB to mitigate the systemic weakness of mesh networking

Thanks