

Project	IEEE 802.16 Broadband Wireless Access Working Group < http://ieee802.org/16 >	
Title	Clarification on Table of MAC Control Messages over IEEE 802.16.1a	
Date Submitted	2012-05-15	
Source(s)	Eunkyung Kim, Sungcheol Chang, Won-Ik Kim, Seokki Kim, Sungkyung Kim, Miyounng Yun, Hyun Lee, Chulsik Yoon, Jaesun Cha, Soojung Jung, Anseok Lee, Wooram Shin, Kwangjae Lim ETRI	Voice: +82-42-860-5415 E-mail: ekkim@etri.re.kr
Re:	“IEEE 802.16-12-271,” in response to Letter Ballot Recirc #38a on P802.16.1a/D2	
Abstract	Clarification on MAC control message number in GRIDMAN Draft Standard	
Purpose	To discuss and adopt the proposed text in the draft amendment document on GRIDMAN	
Notice	<i>This document does not represent the agreed views of the IEEE 802.16 Working Group or any of its subgroups.</i> It represents only the views of the participants listed in the “Source(s)” field above. It is offered as a basis for discussion. It is not binding on the contributor(s), who reserve(s) the right to add, amend or withdraw material contained herein.	
Copyright Policy	The contributor is familiar with the IEEE-SA Copyright Policy < http://standards.ieee.org/IPR/copyrightpolicy.html >.	
Patent Policy and Procedures	The contributor is familiar with the IEEE-SA Patent Policy and Procedures: < http://standards.ieee.org/guides/bylaws/sect6-7.html#6 > and < http://standards.ieee.org/guides/opman/sect6.html#6.3 >. Further information is located at < http://standards.ieee.org/board/pat/pat-material.html > and < http://standards.ieee.org/board/pat >.	

Clarification on Table of MAC Control Messages over IEEE 802.16.1a

Eunkyung Kim, Sungcheol Chang, Won-Ik Kim, Seokki Kim, Sungkyung Kim, Miyoung Yun, Hyun Lee, Chulsik Yoon, Jaesun Cha, Soojung Jung, Anseok Lee, Wooram Shin, Kwangjae Lim
ETRI

1. Introduction

This document provides clarification on numbering the MAC control message.

2. References

- [1] IEEE 802.16-12-0132-00, GRIDMAN System Requirement Document including SARM annex, January 2012.
- [2] IEEE P802.16nTM/D2, Air Interface for Broadband Wireless Access Systems - Draft Amendment: Higher Reliability Networks, April 2012.
- [3] IEEE P802.16.1aTM/D2, WirelessMAN-Advanced Air Interface for Broadband Access Systems - Draft Amendment: Higher Reliability Networks, April 2012.
- [4] IEEE P802.16Rev3/D6, IEEE Draft Standard for Local and metropolitan area networks; Part 16: Air Interface for Fixed and Mobile Broadband Wireless Access Systems,” February 2012.
- [5] IEEE P802.16.1TM/D6, IEEE Draft for WirelessMAN-Advanced Air Interface for Broadband Wireless Access Systems, April 2012.

3. Proposed Text on the IEEE 802.16.1a Amendment Draft Standard

[-----Start of Text Proposal-----]

[Remedy: change from line #2, page 6 to line #1, page 10 on P802.16.1a/D2 as follows:]

6.2.3 MAC control messages

Change Table ~~26~~29 as indicated:

Table 2629 - MAC Control messages

No.	Functional Areas	Message names	Message description	Security	Connection
24	Security	AAI-PKM-RSP	Privacy Key Management Response	Before AK is derived at network entry: NULL at network entry and EAP-transfer message is enclosed: encryption/ICV after AK is derived after AK is derived at network entry and the other message is enclosed: CMAC	Unicast or Multi-cast
FBD 71	Multimode	AAI-MM-ADV	Multimode advertisement	N/A	Broadcast
FBD 72	Multimode	AAI-MM-RS-REQ	Multimode Relay request	Encrypted/ICV	Unicast
FBD 73	Multimode	AAI-MM-RS-RSP	Multimode Relay response	Encrypted/ICV	Unicast
FBD 74	Multimode	AAI-MM-RL-REQ	Multimode release request	Encrypted/ICV	Unicast
FBD 75	Multimode	AAI-MM-RL-RSP	Multimode release response	Encrypted/ICV	Unicast
FBD 76	Multimode	AAI-MM-BS-REQ	Multimode Base station request	Encrypted/ICV	Unicast
FBD 77	Multimode	AAI-MM-BS-RSP	Multimode Base station response	Encrypted/ICV	Unicast
FBD 78	Multimode	AAI-MM-BS-CMD	Multimode Base station command	Encrypted/ICV	Unicast
FBD 79	Multimode	AAI-MM-RS-SYN-REQ	Multimode Relay Synchronization request	Encrypted/ICV	Unicast

Table 2629 - MAC Control messages

No.	Functional Areas	Message names	Message description	Security	Connection
<u>TBD</u> <u>80</u>	<u>Multimode</u>	<u>AAI-MM-RS- SYN-RSP</u>	<u>Multimode Relay Synchronization response</u>	<u>Encrypted/ICV</u>	<u>Unicast</u>
<u>TBD</u> <u>81</u>	<u>BS-controlled neighbor discovery BS-controlled direct communication</u>	<u>AAI-HR-RNG- CMD</u>	<u>HR-MS/HR-MS ranging command</u>	<u>Encrypted/ICV</u>	<u>Unicast or multicast or broadcast</u>
<u>TBD</u> <u>82</u>	<u>BS-controlled neighbor discovery BS-controlled direct communication</u>	<u>AAI-HR-RNG- REP</u>	<u>HR-MS/HR-MS ranging report</u>	<u>Encrypted/ICV</u>	<u>Unicast or multicast or broadcast</u>
<u>TBD</u> <u>83</u>	<u>BS-controlled HR-MS forwarding to network BS-controlled direct communication</u>	<u>AAI-FN- CONFIG-CMD</u>	<u>Forwarding to network configuration</u>		<u>Unicast or multicast</u>
<u>TBD</u> <u>84</u>	<u>BS-controlled HR-MS forwarding to network BS-controlled direct communication</u>	<u>AAI-FN-RNG- ACK</u>	<u>Acknowledging successful receiving of ranging preamble by forwarding HR- MS</u>		<u>Broadcast (toward new HR-MS that is carrying out network entry through the forwarding HR-MS)</u>
<u>TBD</u> <u>85</u>	<u>BS-controlled HR-MS forwarding to network BS-controlled direct communication</u>	<u>AAI-FN-RNG- REP</u>	<u>Forwarding HR-MS report to serving HR- BS/RS the reception</u>	<u>Encrypted/ICV</u>	<u>Unicast</u>
<u>TBD</u> <u>86</u>	<u>BS-controlled HR-MS forwarding to network BS-controlled direct communication</u>	<u>AAI-FN-RNG- FLU</u>	<u>HR-BS/RS selects one or group of HR- MS to follow-up with the ranging process of new HR- MS</u>	<u>Encrypted/ICV</u>	<u>Unicast or multicast</u>
<u>TBD</u> <u>87</u>	<u>Link Establishment Talk-around direct communication</u>	<u>AAI-DC-LEST- REQ</u>	<u>Link Establishment Request</u>		<u>Unicast</u>

Table 2629 - MAC Control messages

No.	Functional Areas	Message names	Message description	Security	Connection
TBD 88	Link Establishment Talk-around direct communication	AAI-DC-LEST-RSP	Link Establishment Response		Unicast
89	Talk-around direct communication	AAI-DC-LEST-CMD	Link Establishment Command		Multicast
TBD 90	Measurement Talk-around direct communication	AAI-DC-MES-REP	Measurement Report		Unicast
91	Talk-around direct communication	AAI-DC-MES-CMD	Measurement Command		Unicast or Multicast
TBD 92	Resource Management Talk-around direct communication	AAI-DC-RCHG-REQ	Resource Change Request		Unicast
TBD 93	Resource Management Talk-around direct communication	AAI-DC-RCHG-RSP	Resource Change Response		Unicast
94	Talk-around direct communication	AAI-DC-RCHG-CMD	Resource Change Command		Unicast or Multicast
TBD 95	Token Management Talk-around direct communication	AAI-DC-TKN-REQ	Token Request		Unicast
TBD 96	Token Management Talk-around direct communication	AAI-DC-TKN-RSP	Token Response		Unicast
TBD 97	Token Management Talk-around direct communication	AAI-DC-TKN-HO	Token Handover		Unicast
98	Talk-around direct communication	AAI-DC-TKN-ADV	Token Advertisement		Multicast
TBD	Link Establishment	AAI-DC-LEST-CMD	Link Establishment Command		Multicast
TBD 99	Link Release Talk-around direct communication	AAI-DC-LREL-CMD	Link Release Command		Unicast or Multicast
TBD 100	Flow Management Talk-around direct communication	AAI-DC-DSA-CMD	Dynamic Service Addition Command		Unicast or Multicast

Table 2629 - MAC Control messages

No.	Functional Areas	Message names	Message description	Security	Connection
TBD 101	Flow Management <u>Talk-around direct communication</u>	AAI-DC-DSC-CMD	Dynamic Service Change Command		Unicast or Multicast
TBD 102	Flow Management <u>Talk-around direct communication</u>	AAI-DC-DSD-CMD	Dynamic Service Delete Command		Unicast or Multicast
TBD	Measurement	AAI-DC-MES-CMD	Measurement Command		Unicast or Multicast
TBD	Resource Management	AAI-DC-RCHG-CMD	Resource Change Command		Unicast or Multicast
TBD	Token Management	AAI-DC-TKN-ADV	Token Advertisement		Multicast
TBD 103	Resource allocation <u>Talk-around direct communication</u>	AAI-DC-RTS	Request to Send		Unicast or Multicast or broadcast
TBD 104	Resource allocation <u>Talk-around direct communication</u>	AAI-DC-CTS	Clear to Send		Unicast
TBD 105	MCS Change <u>Talk-around direct communication</u>	AAI-DC-MCHG-CMD	MCS Change Command		Unicast
106	<u>Talk-around direct communication</u>	<u>AAI-DC-RELAY-ADV</u>	<u>Relay Advertisement</u>		<u>Broadcast</u>
107	<u>Talk-around direct communication</u>	<u>AAI-DC-RELAY-REQ</u>	<u>Relay Request</u>		<u>Unicast</u>
108	<u>Talk-around direct communication</u>	<u>AAI-DC-RELAY-RSP</u>	<u>Relay Response</u>		<u>Unicast</u>
TBD 109	Forwarding MS List <u>Talk-around direct communication</u>	AAI-DC-MM-ADV	MS list Advertisement		Broadcast or multicast or unicast
TBD 110	Forwarding MS List Update <u>Talk-around direct communication</u>	AAI-DC-LU-REQ	MS List Update Request		Unicast

Table 2629 - MAC Control messages

No.	Functional Areas	Message names	Message description	Security	Connection
TBD 111	Forwarding MS List Update Talk-around direct communication	<u>AAI-DC-LU-RSP</u>	<u>MS List Update Response</u>		<u>Unicast</u>
TBD 112	<u>Standalone</u>	<u>AAI-SA-BPAG-ADV</u>	<u>Blind Page Advertisement Message</u>		<u>Broadcast</u>
TBD 113	<u>Standalone</u>	<u>AAI-SA-BPAG-ACK</u>	<u>Blind Page ACK message</u>		<u>Unicast</u>
TBD 114	<u>Multicast</u>	<u>AAI-HR-MG-IND</u>	<u>Multicast Group Indication Message</u>		<u>Broadcast</u>
TBD 115	<u>Multicast</u>	<u>AAI-HR-MT-IND</u>	<u>Multicast Traffic Indication Message</u>		<u>Broadcast or Multicast</u>

[-----End of Text Proposal-----]