

## **IEEE Standards Interpretations for IEEE Std 802.3™-2005 Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications**

Copyright © 2010 by the Institute of Electrical and Electronics Engineers, Inc. 3 Park Avenue New York, New York 10016-5997 USA All Rights Reserved.

This is an interpretation of IEEE Std 802.3-2005.

Interpretations are issued to explain and clarify the intent of a standard and **do not** constitute an alteration to the original standard. In addition, interpretations are not intended to supply consulting information. Permission is hereby granted to download and print one copy of this document. Individuals seeking permission to reproduce and/or distribute this document in its entirety or portions of this document must contact the IEEE Standards Department for the appropriate license. Use of the information contained in this document is at your own risk.

IEEE Standards Department Copyrights and Permissions 445 Hoes Lane, Piscataway, New Jersey 08855-1331, USA

January 2010

### **Interpretation #1-03/06 (PDF)**

**Topic:** 10BASE-T differential output impedance test method **Relevant Clause:** 14.3.1.2.2 **Classification:** Unambiguous

### **Interpretation #1-11/09 (PDF)**

**Topic:** Specifications of allowable inter packet gap values in IEEE Std 802.3-2005 **Relevant Clause:** Clause 4 **Classification:** Request for Interpretation

### **Interpretation #2-03/06 (PDF)**

**Topic:** DTE Power Short Circuit Requirements **Relevant Clause:** Table 33-5 **Classification:** Defect

### **Interpretation #2-07/06 (PDF)**

**Topic:** 100BASE-LX10 & 100BASE-BX10 receive sensitivity **Relevant Clause:** Table 58-4 and 58-6 **Classification:** Unambiguous