DOCUMENT RESUME

ED 430 362   EC 307 215

AUTHOR   Boswell, Susan; Gray, Debbie
TITLE   Applying Structured Teaching Principles to Toilet Training.
PUB DATE   1998-00-00
NOTE   10p.
PUB TYPE   Guides - Non-Classroom (055)
EDRS PRICE   MF01/PC01 Plus Postage.
DESCRIPTORS   *Autism; *Daily Living Skills; *Learning Strategies;
                *Student Motivation; *Teaching Methods; *Toilet Training;
                Visual Stimuli; Young Children

ABSTRACT

            This paper discusses toilet training children with autism
using techniques recommended by TEACCH consultants. It recommends looking at
the problem from the perspective of the student with autism in order to build
in many elements of visual structure that will help the child understand
exactly what is expected. Teachers are urged to look at each element of
structured teaching to decide how visual supports can be added to build
positive routines, clarify expectations, and reduce confrontational
situations. How characteristics of autism might contribute to a child's
difficulty in learning to use the toilet independently are explained. Steps
in structured teaching that can be used to toilet train are then described
and include: (1) assessing of the child's understanding of the toileting
process; (2) structuring the physical environment for success; (3)
establishing a visually supported routine; (4) trouble-shooting specific
problems, such as resisting sitting on the toilet, fear of flushing, over
interest in flushing, playing in water, playing with toilet paper, resisting
being cleaned, bad aim, and retaining when diaper is removed; and (5)
planning a way for the child to initiate the toilet sequence. A list of
children's books on toilet training is also provided. (CR)

Applying Structured Teaching Principles to Toilet Training

Many children with autism are difficult to toilet train. Parents and teachers have tried many approaches to teaching the children to use the toilet independently. Not all children respond to the same teaching techniques. A method that is helpful in one child's situation may not be useful in another case. TEACCH consultants are often asked for suggestions for successful toilet training. This article is the compilation of several experienced teachers' and consultants' suggestions about this area of programming.

In thinking about setting up a program to help a child learn to toilet independently, the first TEACCH recommendation would be to try to look at the problem from the perspective of the student with autism. Another TEACCH recommendation would be to build in many elements of visual structure to help the child understand exactly what is expected. Look at each element of Structured Teaching to decide how visual supports can be added to build positive routines, clarify expectations, and reduce confrontational situations.

The child's perspective

Even in typically- developing children, toilet training is often a difficult skill to master. While the child may have good awareness and control of his body, there are other factors... social factors... that determine how easily toileting skills are learned. Small children do not feel an intrinsic desire to become toilet trained. Rather, they acquire this skill in order to please their parents and to gain the social status of " big boy" or "big girl". This social motivation is a critical factor in determining "readiness" for toilet training.

How might the characteristics of autism contribute to a child's difficulty in learning to independently use the toilet?

1. The child's difficulty with understanding and enjoying reciprocal social relationships would certainly interfere with this process. While other 2- or 3-year-olds might be proud of their "big boy pants" and might be happy to please their parents, this type of motivation is rare in a child with autism.

2. Given the characteristic difficulties in understanding language or imitating models, a child with autism may not understand what is being expected of him in the toilet.

3. A child with autism typically has significant difficulty organizing and sequencing information and with attending to relevant information consistently. Therefore following all the steps required in toileting and staying focused on what the task is all about are big challenges.

4. Further, the child's difficulty in accepting changes in his routines also makes toileting a difficult skill to master. From the child's point of view, where is the pressing need to change the familiar routine of wearing and changing a diaper? After 3, or 4, or 6 years of going in the diaper, this routine is very strongly established.

5. A child with autism may also have difficulty integrating sensory information and establishing the relationship between body sensations and everyday functional activities. Therefore he may not know how to "read" the body cues

that tell him he needs to use the toilet. He may also be overly involved in the sensory stimulation of the "product"-- smearing feces is not uncommon in young children with autism. The child may also be overwhelmed by the sensory environment of the toilet, with loud flushing noises, echoes, rushing water, and a chair with a big hole in it right over this water! A further consideration is that the removal of clothing for toileting may trigger exaggerated responses to the change in temperature and the tactile feeling of clothes on versus clothes off.

Elements of structured teaching

Structured Teaching is the term given to a set of teaching/support tools designed by Division TEACCH for people with autism. These tools are responsive to the characteristics of autism using their strong learning modalities (visual and motor skills and enjoyment of routine) to build bridges over some of the gaps in learning caused by their characteristic deficits. Structured Teaching not only increases the learning of new skills but also serves to increase independence and self-esteem, reducing behavior problems that result from confusion, anxiety, and over-stimulation. Structured Teaching combines the use of individualized assessment, establishment of proactive and adaptive routines, and the systematic use of visual supports to support learning.

1. Beginning step: Assessment

When hoping to toilet train a child with autism, one of the first things we must do is define a realistic goal, realizing that independent toileting may be many, many steps down the road. Each of the steps toward independent toileting is a goal itself. It is necessary to observe and assess the child's understanding of the toileting process in order to choose the correct starting point.

We should begin with establishing a positive and meaningful routine around toileting and collecting data about the child's readiness for schedule training or for independent toileting.

A simple chart can be used to collect the data needed about the child's readiness. On a routine basis, the child is taken to the bathroom for a "quick check" every 30 minutes and data is recorded on each occasion. A sample of one format for collecting this basic information is shown below.

Elimination Record													
Child's Name:													
Date Begun:													
	Day 1		Day 2		Day 3		Day 4		Day 5		Day 6		Day 7	
Time	Pants	Toilet	Pants	Toilet	Pants	Toilet	Pants	Toilet	Pants	Toilet	Pants	Toilet	Pants	Toilet
7:00														
8:00														
9:00														
10:00														
11:00														

Pants column
In the column marked PANTS you will record every hour either:

D   if he is dry
U   if he has urinated in pants
BM   if he had a bowel movement
U/BM   if he had both

Of course, you don't have to wait an entire hour. Anytime you think he is wet, check him, write in the time on the chart, and record the results.

Over a period of 1 or 2 weeks, patterns of data begin to emerge. Is the child dry for significant periods of time? Is there some regularity in his wetting/soiling? Does he show any indication that he is aware of being wet or soiled? Does he pause while wetting or soiling? A child for whom the answers to all of these questions is "no" is probably not ready for a goal of independent toileting, although a goal of establishing a positive bathroom routine may still be very appropriate.

During the charting phase, we should also be assessing other aspects of the process of toilet training. As the data is being collected, is the child beginning to pick up on the routine involved? How are the child's dressing skills? Does he show any particular fears or interests related to the bathroom (reaction to flushing, water, toilet paper roll, or other bathroom fixtures)? What is his attention span? At the end of this assessment period, we will have the data needed to establish an appropriate goal to be working toward.

A task analysis of the steps of toileting can give a picture of all the skills needed. Assessing the child's current skills on each step of a task analysis will help us to choose a realistic goal and remind us not to try to work on several new skills at once. Task analyses can be global or very specific. Each step of a task analysis can be further detailed to determine teaching steps. Examples of a global task analysis and a more detailed analysis of one step are illustrated below.

TASK ANALYSIS

1. Enter the bathroom

2. Pull clothes down

3. Sit on toilet

4. Get toilet tissue

5. Wipe with tissue

6. Stand up

7. Throw tissue in toilet

8. Pull clothes up

9. Flush toilet

FURTHER TASK ANALYSIS

(Does not do fasteners)

1. Allows Adult to pull

2. Pull from calves

3. Pull from knees

4. Pull from thighs

5. Pull from hips

6. Pull from waist

4

2. Physical Structure

One of the principals of Structured Teaching involves structuring the physical environment for success. Our goal is to create a meaningful context for an activity to take place. We accomplish this through the creation of clear boundaries and the reduction of distractions.

When beginning the toilet training of a child with autism, we want to help the child learn that this set of behaviors (elimination) is associated with a particular place (the toilet). Moving all diapering, cleaning, and toileting-related dressing to this setting helps the child realize the purpose of this room. Another way to say this is that we are trying to "isolate the concept" of where toileting-related behaviors take place. Some families assign a half-bath in their homes to toilet-training, since the full bathroom has many objects that are associated with other activities and may be very distracting or confusing (bathtubs and showers, bathing toys, toothbrushes, makeup, laundry hampers, scales, etc.)

A second goal for creating clear physical structure to assist in toilet training is to create an environment that is secure and not over-stimulating. The child will be calmer and more responsive with good physical support for his body. Think about adding foot support, side rails, opening reducers, or other physical supports. Think also about the plumbing noises and echoes of many bathrooms. Many children appreciate soft music playing or the addition of sound-absorbent materials.

3. Establish a Visually Supported Routine

After establishing an appropriate goal for the child, it is important that we teach using visual supports for each step toward this goal. We must create a visual system to let the child know the step or sequence of steps to completing the goal.

At the most basic level, a transition object may be used to let the child know that the toilet routine is beginning. An object that is associated with toileting may be given to the child to serve as the transition object that takes the child to the correct location. Or, this object may be placed in a zip-lock bag that is glued shut. Or, this object may be glued to a card. In any case, it serves to initiate the bathroom routine, helping the child know what is to occur and where. At a more abstract level, a photograph or drawing of the toilet or the printed word on a card may given to the child or placed on his schedule to accomplish this goal.

5

Once the transition to the toilet area has been made, it is important to continue to visually support each step of the toileting routine. We need to let the child know each step he is to accomplish, when the sequence will be finished, and what will happen when the sequence is finished. Again, using an object sequence, a picture sequence, or a written list are all ways to communicate this information to the child. It is important that the child sees the information, manipulates the system so that he recognizes it's connection to his behavior, and has a clear way to recognize when each step-- and the entire process-- is finished. Examples of visual systems for a variety of children follow:

FINISHED POCKET

_____ Pull down pants

_____ Pull down underwear

_____ Sit on toilet

_____ Use toilet paper

_____ Pull up underwear

_____ Pull up pants

_____ Flush toilet

_____ Go play

     The inclusion of a concrete, visual "what happens when I'm finished" piece of information is an important part of this system. For some children this may be looked at as a motivator or even a reward. For many children with autism, it is equally or more important as a clear indication of closure. Task completion is a powerful motivator for most people with autism.

4. Trouble-shooting specific problems

Once a visually supported transition and sequencing system has been established, we continue to use a problem-solving approach to troubleshooting details. Whenever the child has a problem with any step of the process, we think about (1) what his perspective might be and (2) how we can simplify and/or clarify through visual structure. Examples follow:

Resists sitting on the toilet-
  - allow to sit without removing clothes

  - allow to sit with toilet covered (cardboard under
        the seat, gradually cutting larger hole, or towel under the
        seat, gradually removed)
  - use potty seat on the floor rather than up high
  - if strategies are helpful for sitting in other places, use in
        this setting also (timers, screens, picture cues, etc.)
  - take turns sitting, or use doll for model
  - sit together
  - add physical support
  - help him understand how long to sit (sing potty song, length of
        1 song on tape player, set timer 1 minute, etc.)
  - as he gradually begins to tolerate sitting, provide
        with entertainment

Afraid of flushing-
  - don't flush until there is something to flush
  - start flush with child away from toilet, perhaps standing at the
        door (might mark the spot with a carpet square and gradually
        get closer to the toilet)
  - give advance warning of flush, setting up flushing
        cue system, such as "ready, set, go"
  - allow him to flush

Overly interested in flushing-
  - physically cover toilet handle to remove from sight
  - give something else to hold and manipulate
  - use visual sequence to show when to flush (after replacing
        clothing, for example)
  - when time to flush, give child a sticker that matches to a
        sticker on toilet handle

Playing in water-
  - give him a toy with a water feature as distraction, such as a
        tornado tube, glitter tube, etc.
  - use a padded lap desk while seated
  - cover the seat until ready to use
  - put a visual cue of where to stand

Playing with toilet paper-
  - remove it if a big problem, use Kleenex instead
  - roll out amount ahead of time
  - give visual cue for how much, such as putting a clothespin on
        where to tear, or making a tape line on the wall for where to stop

Resists being cleaned-
- try different materials (wet wipes, cloth, sponge)
- consider temperature of above material
- take turns with doll

Bad aim-
- supply a "target" in the water, such as a Cheerio
- larger target as toilet insert (contact papered or laminated
  cardboard with target drawn on it), gradually moved down
- add food coloring in the water to draw attention

Retaining when diaper is removed-
- cut out bottom of diapers gradually, while allowing child to
  wear altered diaper to sit on the toilet
- use doll to provide visual model
- increase fluids and fiber in diet
- may need to enlist doctor if serious bowel withholding, may
  give stool softener

These ideas are not intended to be an inclusive list of steps to take to teach a child to use the toilet. They are, however, illustrative of the problem-solving approach needed and the effort to provide visual cues to increase understanding, cooperation, and motivation.

Communication System

Another important step in teaching independent toileting is to plan for a way for the child to initiate the toilet sequence. At first trips to the bathroom may be initiated by an adult directing the child to a transition object or schedule. However, eventually the child will need a way to independently communicate his need to go. Even though he may begin to spontaneously go into a familiar and available bathroom, he needs to learn a concrete way to communicate this need so that he will be able to request when a toilet is not immediately available.

As always, the first step in designing a goal is assessment. Is the child currently signaling in any way that he needs to go to the bathroom, or is he totally reliant on an adult initiating the sequence? If there are behavioral signals that you as an adult observer can "read", these signals can show you the "teachable moments" when you can help the child learn to use a systematic communication tool. Is he able to use objects, pictures, or words to communicate in other settings?

Many children first learn to use expressively the same tool that the adult has used to teach him about going to the toilet. For example, if Mom has been giving him an empty "baby-wipe" box to mean it is time to transition into the bathroom to be changed, the child might begin to use this same box to let Mom know he needs to be changed. Or, if a photograph of the toilet has been used on the child's schedule to tell him when it is time to sit on the toilet, the same photograph will make a meaningful expressive communication tool.

A child who is sometimes able to verbally say "bathroom" may not always able to pull this word up at the appropriate time. When he is tired, in a new

place, with a new person, with too many people, catching a cold, upset for any reason--his higher-level verbal skills may fail him. A child who shows this inconsistency will also be helped by a visual support that (1) helps cue the word he is looking for and (2) serves as a back-up system when he cannot use verbal language.

Susan Boswell- TEACCH Preschool
Debie Gray- Chapel Hill TEACCH Center

Books to Read to Children About Potty Training

Going to the Potty by Fred Rogers

Your New Potty by Joanna Cole

The Toddler's Potty Book by Alida Allison

Potty Time Illustrated by Bettina Paterson

No More Diapers by Emma Thompson

Once Upon a Potty by Alona Frankel

Bye- Bye, Diapers by Ellen Weiss

Sam's Potty by Barbro Lindgren

What Do You Do With a Potty? By Marianne Bargardt

I Have To Go by Anna Ross

On Your Potty by Virginia Miller

Everyone Poops by Taro Gomi

Toilet Book by Jan Pienkowski

Today I Took My Diapers Off (Golden Book)

ERIC ®

REPRODUCTION RELEASE
(Specific Document)

I. DOCUMENT IDENTIFICATION:

Title: Applying Structured Teaching Principles to Toilet Training

Author(s): Susan Boswell + Debbie Gray

Corporate Source: Division TEACCH, UNC-CH

Publication Date:

II. REPRODUCTION RELEASE:

In order to disseminate as widely as possible timely and significant materials of interest to the educational community, documents announced in the monthly abstract journal of the ERIC system, *Resources in Education* (RIE), are usually made available to users in microfiche, reproduced paper copy, and electronic media, and sold through the ERIC Document Reproduction Service (EDRS). Credit is given to the source of each document, and, if reproduction release is granted, one of the following notices is affixed to the document.

If permission is granted to reproduce and disseminate the identified document, please CHECK ONE of the following three options and sign at the bottom of the page.

The sample sticker shown below will be affixed to all Level 1 documents	The sample sticker shown below will be affixed to all Level 2A documents	The sample sticker shown below will be affixed to all Level 2B documents
PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY Sample TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC) 1	PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE, AND IN ELECTRONIC MEDIA FOR ERIC COLLECTION SUBSCRIBERS ONLY, HAS BEEN GRANTED BY Sample TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC) 2A	PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE ONLY HAS BEEN GRANTED BY Sample TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC) 2B
Level 1 ↑ [✓]	Level 2A ↑ [ ]	Level 2B ↑ [ ]
Check here for Level 1 release, permitting reproduction and dissemination in microfiche or other ERIC archival media (e.g., electronic) *and* paper copy.	Check here for Level 2A release, permitting reproduction and dissemination in microfiche and in electronic media for ERIC archival collection subscribers only	Check here for Level 2B release, permitting reproduction and dissemination in microfiche only

Documents will be processed as indicated provided reproduction quality permits.
If permission to reproduce is granted, but no box is checked, documents will be processed at Level 1.

Sign here,→ please

Signature: *Susan y Boswell*

Printed Name/Position/Title: Susan Y. Boswell, Preschool Director

Organization/Address: DIVISION TEACCH CB# 7180, Med School Wing E Chapel Hill NC 27599-7180

Telephone: (919) 966-7003
FAX: (919) 966-4127
E-Mail Address:
Date: 5-24-99

(over)

III. DOCUMENT AVAILABILITY INFORMATION (FROM NON-ERIC SOURCE):

If permission to reproduce is not granted to ERIC, or, if you wish ERIC to cite the availability of the document from another source, please provide the following information regarding the availability of the document. (ERIC will not announce a document unless it is publicly available, and a dependable source can be specified. Contributors should also be aware that ERIC selection criteria are significantly more stringent for documents that cannot be made available through EDRS.)

Publisher/Distributor:
Address:
Price:

IV. REFERRAL OF ERIC TO COPYRIGHT/REPRODUCTION RIGHTS HOLDER:

If the right to grant this reproduction release is held by someone other than the addressee, please provide the appropriate name and address:

Name:
Address:

V. WHERE TO SEND THIS FORM:

Send this form to the following ERIC Clearinghouse:	ERIC CLEARINGHOUSE ON DISABILITIES AND GIFTED EDUCATION THE COUNCIL FOR EXCEPTIONAL CHILDREN 1920 ASSOCIATION DRIVE RESTON, VIRGINIA 22091-1589 20191

However, if solicited by the ERIC Facility, or if making an unsolicited contribution to ERIC, return this form (and the document being contributed) to:

ERIC Processing and Reference Facility
1100 West Street, 2nd Floor
Laurel, Maryland 20707-3598

Telephone: 301-497-4080
Toll Free: 800-799-3742
FAX: 301-953-0263
e-mail: ericfac@inet.ed.gov
WWW: http://ericfac.piccard.csc.com